

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-26 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2015-03-26 12:00	2	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-03-26 12:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2015-03-26 12:00	10			1.45	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.15	0.60
2015-03-26 12:00	12	0.00	0.00	1.05	15.00			0.00	0.00	20.90	20.90			0.76	1.40
2015-03-26 12:00	13			1.08	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-03-26 13:00	1	0.06	0.70			0.01	0.10	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-26 13:00	2	0.08	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.40	1.00
2015-03-26 13:00	8			4.15	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	0.40
2015-03-26 13:00	10			1.32	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.12	0.60
2015-03-26 13:00	12	0.00	0.00	0.72	2.00			0.00	0.00	20.90	20.90			0.66	1.40
2015-03-26 13:00	13			1.16	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-26 14:00	1	0.03	0.20			0.01	0.10	0.00	0.00	20.86	20.90			0.00	0.00
2015-03-26 14:00	2	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.30
2015-03-26 14:00	8			5.68	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.40
2015-03-26 14:00	10			1.28	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.06	1.00
2015-03-26 14:00	12	0.00	0.00	0.70	3.00			0.00	0.00	20.90	20.90			0.32	1.40
2015-03-26 14:00	13			1.13	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-26 15:00	1	0.03	0.20			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 15:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-26 15:00	8			7.47	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.50
2015-03-26 15:00	10			1.72	3.00	0.03	0.10	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-26 15:00	12	0.00	0.00	1.24	14.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-26 15:00	13			1.05	2.00			0.00	0.00	21.25	21.30	0.00	0.00	0.00	0.00
2015-03-26 16:00	1	0.03	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 16:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 16:00	8			10.03	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.40
2015-03-26 16:00	10			1.62	2.00	0.03	0.10	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-26 16:00	12	0.00	0.00	0.87	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 16:00	13			1.05	2.00			0.00	0.00	21.29	21.30	0.00	0.00	0.00	0.00
2015-03-26 17:00	1	0.00	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-26 17:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-26 17:00	8			12.43	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2015-03-26 17:00	10			1.76	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 17:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 17:00	13			1.08	2.00			0.00	0.00	21.25	21.30	0.00	0.00	0.00	0.00
2015-03-26 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 18:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-26 18:00	8			11.76	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.20
2015-03-26 18:00	10			1.77	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 18:00	12	0.00	0.00	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 18:00	13			0.90	2.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-26 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 19:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.28	1.20
2015-03-26 19:00	8			8.20	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2015-03-26 19:00	10			1.46	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.60
2015-03-26 19:00	12	0.00	0.00	0.63	3.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-03-26 19:00	13			1.10	2.00			0.00	0.00	21.31	21.40	0.00	0.00	0.00	0.00
2015-03-26 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-26 20:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.52	0.80
2015-03-26 20:00	8			6.08	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.50
2015-03-26 20:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.88	20.90			0.11	0.60
2015-03-26 20:00	12	0.00	0.00	1.03	18.00			0.00	0.00	20.90	20.90			0.31	1.40
2015-03-26 20:00	13			1.03	2.00			0.00	0.00	21.25	21.30	0.00	0.00	0.00	0.00
2015-03-26 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2015-03-26 21:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.65	1.00
2015-03-26 21:00	8			4.43	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.50
2015-03-26 21:00	10			1.39	3.00	0.00	0.00	0.00	0.00	20.62	20.90			0.27	0.60
2015-03-26 21:00	12	0.00	0.00	1.18	12.00			0.00	0.00	20.90	20.90			0.82	1.40
2015-03-26 21:00	13			1.00	2.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-03-26 22:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2015-03-26 22:00	2	0.09	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.72	1.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-26 22:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2015-03-26 22:00	10			1.11	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.42	1.00
2015-03-26 22:00	12	0.00	0.00	0.72	2.00			0.00	0.00	20.90	20.90			1.09	1.40
2015-03-26 22:00	13			1.03	2.00			0.00	0.00	21.04	21.20	0.00	0.00	0.00	0.00
2015-03-26 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2015-03-26 23:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.20
2015-03-26 23:00	8			3.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.50
2015-03-26 23:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.47	20.50			0.55	1.00
2015-03-26 23:00	12	0.00	0.00	0.41	2.00			0.00	0.00	20.90	20.90			1.24	1.40
2015-03-26 23:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-27 00:00	2	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.89	1.20
2015-03-27 00:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2015-03-27 00:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.41	20.50			0.47	1.00
2015-03-27 00:00	12	0.00	0.00	0.97	15.00			0.00	0.00	20.90	20.90			1.37	1.80
2015-03-27 00:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-27 01:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.60
2015-03-27 01:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.40
2015-03-27 01:00	10			1.31	2.00	0.00	0.00	0.00	0.00	20.47	20.50			0.37	1.00
2015-03-27 01:00	12	0.00	0.00	0.57	2.00			0.00	0.00	20.90	20.90			1.25	1.80
2015-03-27 01:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2015-03-27 02:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.70	1.20
2015-03-27 02:00	8			3.06	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.40
2015-03-27 02:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.49	20.60			0.36	1.00
2015-03-27 02:00	12	0.00	0.00	0.59	3.00			0.00	0.00	20.90	20.90			1.19	1.40
2015-03-27 02:00	13			1.19	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 03:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-03-27 03:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.87	1.00
2015-03-27 03:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-27 03:00	10			1.39	3.00	0.00	0.00	0.00	0.00	20.48	20.50			0.40	1.00
2015-03-27 03:00	12	0.00	0.00	0.87	18.00			0.00	0.00	20.90	20.90			1.33	1.40
2015-03-27 03:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-27 04:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.97	1.20
2015-03-27 04:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.40
2015-03-27 04:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.49	20.60			0.46	1.00
2015-03-27 04:00	12	0.00	0.00	0.51	2.00			0.00	0.00	20.90	20.90			1.37	1.40
2015-03-27 04:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-27 05:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.00	1.20
2015-03-27 05:00	8			2.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2015-03-27 05:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.44	20.50			0.46	1.00
2015-03-27 05:00	12	0.00	0.00	0.41	1.00			0.00	0.00	20.90	20.90			1.41	1.80
2015-03-27 05:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 06:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.43	20.60			0.00	0.00
2015-03-27 06:00	2	0.07	0.40			0.00	0.10	0.00	0.00	20.90	20.90			1.02	1.40
2015-03-27 06:00	8			2.44	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2015-03-27 06:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.43	1.30
2015-03-27 06:00	12	0.00	0.00	0.29	1.00			0.00	0.00	20.90	20.90			1.48	2.30
2015-03-27 06:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2015-03-27 07:00	2	0.09	1.20			0.00	0.00	0.00	0.00	20.90	20.90			1.05	1.40
2015-03-27 07:00	8			2.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.40
2015-03-27 07:00	10			1.24	2.00	0.00	0.00	0.00	0.00	20.42	20.50			0.53	1.00
2015-03-27 07:00	12	0.00	0.00	1.16	11.00			0.00	0.00	20.90	20.90			1.43	1.80
2015-03-27 07:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2015-03-27 08:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.20
2015-03-27 08:00	8			2.58	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.50
2015-03-27 08:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.40	20.50			0.55	1.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-27 08:00	12	0.00	0.00	0.68	10.00			0.00	0.00	20.90	20.90			1.42	1.80
2015-03-27 08:00	13			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.70			0.00	0.00
2015-03-27 09:00	2	0.14	3.20			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.00
2015-03-27 09:00	8			3.35	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.40
2015-03-27 09:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.45	20.50			0.46	1.30
2015-03-27 09:00	12	0.00	0.00	0.85	18.00			0.00	0.00	20.90	20.90			1.28	1.40
2015-03-27 09:00	13			1.14	2.00			0.00	0.00	21.00	21.20	0.00	0.00	0.00	0.00
2015-03-27 10:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2015-03-27 10:00	2	0.05	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.80
2015-03-27 10:00	8			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2015-03-27 10:00	10			1.38	3.00	0.00	0.00	0.00	0.00	20.49	20.50			0.36	1.00
2015-03-27 10:00	12	0.00	0.00	0.92	14.00			0.00	0.00	20.90	20.90			1.06	1.40
2015-03-27 10:00	13			1.19	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-03-27 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2015-03-27 11:00	2	0.11	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.80
2015-03-27 11:00	8			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2015-03-27 11:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.35	1.00
2015-03-27 11:00	12	0.00	0.00	0.78	16.00			0.00	0.00	20.90	20.90			0.94	1.40
2015-03-27 11:00	13			1.03	2.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-27 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.69	20.90			0.00	0.00
2015-03-27 12:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.80
2015-03-27 12:00	8			3.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.30
2015-03-27 12:00	10			1.21	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.31	1.00
2015-03-27 12:00	12	0.00	0.00	0.27	1.00			0.00	0.00	20.90	20.90			0.94	1.40
2015-03-27 12:00	13			1.14	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-27 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-27 13:00	2	0.09	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.42	1.00
2015-03-27 13:00	8			3.48	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2015-03-27 13:00	10			1.17	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.23	0.60
2015-03-27 13:00	12	0.00	0.00	1.03	14.00			0.00	0.00	20.90	20.90			0.89	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-27 13:00	13			1.16	2.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-03-27 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.77	20.90			0.00	0.00
2015-03-27 14:00	2	0.15	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.34	1.20
2015-03-27 14:00	8			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2015-03-27 14:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.57	20.70			0.21	0.60
2015-03-27 14:00	12	0.00	0.00	0.58	3.00			0.00	0.00	20.90	20.90			0.43	1.40
2015-03-27 14:00	13			1.10	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2015-03-27 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-27 15:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.60
2015-03-27 15:00	8			4.23	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30
2015-03-27 15:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.14	0.60
2015-03-27 15:00	12	0.00	0.00	0.32	1.00			0.00	0.00	20.90	20.90			0.30	1.80
2015-03-27 15:00	13			0.93	2.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2015-03-27 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-27 16:00	2	0.04	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-03-27 16:00	8			5.16	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.40
2015-03-27 16:00	10			1.42	4.00	0.00	0.00	0.00	0.00	20.62	20.70			0.07	0.60
2015-03-27 16:00	12	0.00	0.00	0.63	1.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-03-27 16:00	13			1.08	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-03-27 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-27 17:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.50
2015-03-27 17:00	8			5.41	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2015-03-27 17:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.04	0.30
2015-03-27 17:00	12	0.00	0.00	0.79	4.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-27 17:00	13			1.10	2.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-03-27 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-27 18:00	2	0.03	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.41	1.60
2015-03-27 18:00	8			4.36	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2015-03-27 18:00	10			1.37	3.00	0.00	0.00	0.00	0.00	20.75	20.90			0.07	0.60
2015-03-27 18:00	12	0.00	0.00	0.70	9.00			0.00	0.00	20.90	20.90			0.03	0.40
2015-03-27 18:00	13			1.22	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-27 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2015-03-27 19:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.60	1.00
2015-03-27 19:00	8			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2015-03-27 19:00	10			1.27	3.00	0.00	0.00	0.00	0.00	20.74	20.90			0.27	1.00
2015-03-27 19:00	12	0.00	0.00	0.38	1.00			0.00	0.00	20.90	20.90			0.57	1.80
2015-03-27 19:00	13			1.08	2.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-03-27 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-03-27 20:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.86	1.20
2015-03-27 20:00	8			2.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.50
2015-03-27 20:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.40	1.00
2015-03-27 20:00	12	0.00	0.00	1.14	17.00			0.00	0.00	20.90	20.90			1.03	1.40
2015-03-27 20:00	13			1.02	2.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-03-27 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-27 21:00	2	0.20	2.30			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.20
2015-03-27 21:00	8			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.50
2015-03-27 21:00	10			1.20	2.00	0.00	0.00	0.00	0.00	20.47	20.60			0.50	1.30
2015-03-27 21:00	12	0.00	0.00	0.49	2.00			0.00	0.00	20.90	20.90			1.37	1.80
2015-03-27 21:00	13			0.98	2.00			0.00	0.00	21.08	21.20	0.00	0.00	0.00	0.00
2015-03-27 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-27 22:00	2	0.08	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.08	1.40
2015-03-27 22:00	8			1.83	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.50
2015-03-27 22:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.43	20.50			0.62	1.60
2015-03-27 22:00	12	0.00	0.00	0.43	3.00			0.00	0.00	20.90	20.90			1.43	2.30
2015-03-27 22:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-27 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-03-27 23:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.11	1.60
2015-03-27 23:00	8			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.40
2015-03-27 23:00	10			1.26	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.64	1.30
2015-03-27 23:00	12	0.00	0.00	0.39	4.00			0.00	0.00	20.90	20.90			1.42	1.80
2015-03-27 23:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-28 00:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.15	1.40
2015-03-28 00:00	8			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.50
2015-03-28 00:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.65	1.30
2015-03-28 00:00	12	0.00	0.00	0.87	15.00			0.00	0.00	20.90	20.90			1.48	2.30
2015-03-28 00:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 01:00	1	0.00	0.00			0.00	0.00	0.32	3.00	20.46	20.50			0.00	0.00
2015-03-28 01:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.16	1.60
2015-03-28 01:00	8			1.10	2.00			0.00	0.00	20.63	20.90	0.00	0.00	0.23	0.40
2015-03-28 01:00	10			1.32	4.00	0.00	0.00	0.00	0.00	20.41	20.50			0.65	1.30
2015-03-28 01:00	12	0.00	0.00	0.85	13.00			0.00	0.00	20.90	20.90			1.63	2.30
2015-03-28 01:00	13			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 02:00	1	0.00	0.00			0.00	0.00	3.07	3.20	20.43	20.60			0.00	0.00
2015-03-28 02:00	2	0.14	0.40			0.00	0.10	0.00	0.00	20.90	20.90			1.31	1.60
2015-03-28 02:00	8			1.13	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.24	0.40
2015-03-28 02:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.38	20.40			0.77	1.60
2015-03-28 02:00	12	0.00	0.00	0.39	4.00			0.00	0.00	20.90	20.90			1.70	2.80
2015-03-28 02:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 03:00	1	0.00	0.00			0.00	0.00	3.20	3.20	20.41	20.50			0.00	0.00
2015-03-28 03:00	2	0.13	0.60			0.01	0.10	0.00	0.00	20.90	20.90			1.31	1.70
2015-03-28 03:00	8			1.03	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.27	0.40
2015-03-28 03:00	10			1.26	2.00	0.00	0.00	0.00	0.00	20.32	20.40			0.72	1.30
2015-03-28 03:00	12	0.00	0.00	0.33	3.00			0.00	0.00	20.90	20.90			1.74	2.30
2015-03-28 03:00	13			1.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 04:00	1	0.00	0.00			0.00	0.00	3.19	3.20	20.40	20.40			0.00	0.00
2015-03-28 04:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.31	1.60
2015-03-28 04:00	8			1.05	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.26	0.40
2015-03-28 04:00	10			1.22	3.00	0.00	0.00	0.00	0.00	20.31	20.40			0.66	1.60
2015-03-28 04:00	12	0.00	0.00	1.08	11.00			0.00	0.00	20.90	20.90			1.63	2.30
2015-03-28 04:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 05:00	1	0.00	0.00			0.00	0.00	3.18	3.20	20.40	20.40			0.00	0.00
2015-03-28 05:00	2	0.15	0.60			0.00	0.10	0.00	0.00	20.90	20.90			1.24	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-28 05:00	8			1.00	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.25	0.30
2015-03-28 05:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.33	20.40			0.76	1.30
2015-03-28 05:00	12	0.00	0.00	0.59	2.00			0.00	0.00	20.90	20.90			1.70	2.80
2015-03-28 05:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 06:00	1	0.00	0.00			0.00	0.00	3.20	3.20	20.41	20.50			0.00	0.00
2015-03-28 06:00	2	0.16	0.70			0.00	0.10	0.00	0.00	20.90	20.90			1.28	1.60
2015-03-28 06:00	8			1.13	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.24	0.40
2015-03-28 06:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.31	20.40			0.65	1.60
2015-03-28 06:00	12	0.00	0.00	0.79	15.00			0.00	0.00	20.90	20.90			1.58	2.30
2015-03-28 06:00	13			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 07:00	1	0.00	0.00			0.00	0.00	3.18	3.20	20.40	20.40			0.00	0.00
2015-03-28 07:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.27	1.60
2015-03-28 07:00	8			1.00	2.00			0.00	0.00	20.56	20.60	0.00	0.00	0.26	0.40
2015-03-28 07:00	10			1.18	2.00	0.00	0.00	0.00	0.00	20.34	20.40			0.75	1.60
2015-03-28 07:00	12	0.00	0.00	0.71	14.00			0.00	0.00	20.90	20.90			1.61	2.30
2015-03-28 07:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 08:00	1	0.00	0.10			0.00	0.00	2.88	3.10	20.40	20.50			0.00	0.00
2015-03-28 08:00	2	0.12	0.50			0.00	0.00	0.46	1.50	20.90	20.90			1.10	1.40
2015-03-28 08:00	8			1.03	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.26	0.50
2015-03-28 08:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.36	20.40			0.47	1.00
2015-03-28 08:00	12	0.00	0.00	0.24	1.00			0.00	0.00	20.90	20.90			1.47	2.30
2015-03-28 08:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 09:00	1	0.00	0.00			0.00	0.00	2.28	2.70	20.44	20.60			0.00	0.00
2015-03-28 09:00	2	0.09	0.50			0.00	0.00	0.41	1.40	20.90	20.90			0.84	1.20
2015-03-28 09:00	8			1.23	2.00			0.00	0.00	20.78	20.90	0.00	0.00	0.19	0.50
2015-03-28 09:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.43	20.50			0.42	1.00
2015-03-28 09:00	12	0.00	0.00	0.69	14.00			0.00	0.00	20.90	20.90			1.31	1.80
2015-03-28 09:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-28 10:00	1	0.01	0.20			0.00	0.00	1.62	1.90	20.56	20.60			0.00	0.00
2015-03-28 10:00	2	0.13	0.70			0.01	0.20	0.00	0.00	20.90	20.90			0.47	1.00
2015-03-28 10:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-28 10:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.10	0.60
2015-03-28 10:00	12	0.00	0.00	0.66	17.00			0.00	0.00	20.90	20.90			0.65	1.40
2015-03-28 10:00	13			1.08	3.00			0.00	0.00	21.17	21.30	0.00	0.00	0.00	0.00
2015-03-28 11:00	1	0.02	0.20			0.00	0.00	0.23	1.20	20.80	20.90			0.00	0.00
2015-03-28 11:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.50
2015-03-28 11:00	8			1.94	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2015-03-28 11:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.80	20.90			0.11	0.60
2015-03-28 11:00	12	0.00	0.00	0.37	4.00			0.00	0.00	20.90	20.90			0.38	0.90
2015-03-28 11:00	13			1.08	2.00			0.00	0.00	21.26	21.30	0.00	0.00	0.00	0.00
2015-03-28 12:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.30
2015-03-28 12:00	8			2.67	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2015-03-28 12:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.76	20.90			0.08	0.30
2015-03-28 12:00	12	0.00	0.00	0.76	16.00			0.00	0.00	20.90	20.90			0.56	2.30
2015-03-28 12:00	13			1.03	3.00			0.00	0.00	21.26	21.40	0.00	0.00	0.00	0.00
2015-03-28 13:00	1	0.04	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 13:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-28 13:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.30
2015-03-28 13:00	10			1.17	3.00	0.00	0.00	0.00	0.00	20.63	20.70			0.09	0.30
2015-03-28 13:00	12	0.00	0.00	0.81	16.00			0.00	0.00	20.90	20.90			0.21	0.90
2015-03-28 13:00	13			1.11	3.00			0.00	0.00	21.32	21.40	0.00	0.00	0.00	0.00
2015-03-28 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 14:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-03-28 14:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2015-03-28 14:00	10			1.30	2.00	0.00	0.00	0.00	0.00	20.78	20.90			0.09	0.60
2015-03-28 14:00	12	0.00	0.00	0.49	3.00			0.00	0.00	20.90	20.90			0.03	0.40
2015-03-28 14:00	13			1.18	3.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-28 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 15:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-28 15:00	8			3.44	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.50
2015-03-28 15:00	10			1.67	2.00	0.00	0.00	0.00	0.00	20.88	20.90			0.05	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-28 15:00	12	0.00	0.00	0.84	2.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-28 15:00	13			0.97	2.00			0.00	0.00	21.31	21.40	0.00	0.00	0.00	0.00
2015-03-28 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 16:00	8			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.30
2015-03-28 16:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-28 16:00	12	0.00	0.00	0.98	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 16:00	13			1.15	3.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-28 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 17:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-28 17:00	8			4.15	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2015-03-28 17:00	10			2.00	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 17:00	12	0.00	0.00	1.13	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 17:00	13			1.05	3.00			0.00	0.00	21.28	21.30	0.00	0.00	0.00	0.00
2015-03-28 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 18:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.60
2015-03-28 18:00	8			3.74	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.30
2015-03-28 18:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 18:00	12	0.00	0.00	1.03	3.00			0.00	0.00	20.96	21.20			0.00	0.00
2015-03-28 18:00	13			1.11	3.00			0.00	0.00	21.29	21.40	0.00	0.00	0.00	0.00
2015-03-28 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-28 19:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.00
2015-03-28 19:00	8			2.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2015-03-28 19:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	1.00
2015-03-28 19:00	12	0.00	0.00	0.95	13.00			0.00	0.00	21.04	21.20			0.06	0.40
2015-03-28 19:00	13			1.05	3.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-28 20:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2015-03-28 20:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.00
2015-03-28 20:00	8			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2015-03-28 20:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.26	1.00
2015-03-28 20:00	12	0.00	0.00	0.28	1.00			0.00	0.00	20.90	20.90			0.53	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-28 20:00	13			1.10	3.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-03-28 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2015-03-28 21:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.78	1.00
2015-03-28 21:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.50
2015-03-28 21:00	10			1.18	4.00	0.00	0.00	0.00	0.00	20.64	20.90			0.37	1.00
2015-03-28 21:00	12	0.00	0.00	0.44	4.00			0.00	0.00	20.90	20.90			0.92	1.40
2015-03-28 21:00	13			1.05	3.00			0.00	0.00	21.19	21.20	0.00	0.00	0.00	0.00
2015-03-28 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2015-03-28 22:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.83	1.60
2015-03-28 22:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2015-03-28 22:00	10			1.10	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.44	1.00
2015-03-28 22:00	12	0.00	0.00	0.71	12.00			0.00	0.00	20.90	20.90			1.28	1.80
2015-03-28 22:00	13			1.08	3.00			0.00	0.00	21.04	21.20	0.00	0.00	0.00	0.00
2015-03-28 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-28 23:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.95	1.20
2015-03-28 23:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2015-03-28 23:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.48	20.60			0.45	1.00
2015-03-28 23:00	12	0.00	0.00	0.22	2.00			0.00	0.00	20.90	20.90			1.32	1.40
2015-03-28 23:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-29 00:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.40
2015-03-29 00:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2015-03-29 00:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.49	20.60			0.49	1.30
2015-03-29 00:00	12	0.00	0.00	0.75	12.00			0.00	0.00	20.90	20.90			1.39	1.40
2015-03-29 00:00	13			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-29 01:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.03	1.40
2015-03-29 01:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.30
2015-03-29 01:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.50	1.00
2015-03-29 01:00	12	0.00	0.00	1.03	14.00			0.00	0.00	20.90	20.90			1.35	1.40
2015-03-29 01:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-29 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2015-03-29 02:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.08	1.40
2015-03-29 02:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2015-03-29 02:00	10			1.29	2.00	0.00	0.00	0.00	0.00	20.47	20.50			0.54	1.30
2015-03-29 02:00	12	0.00	0.00	0.18	1.00			0.00	0.00	20.90	20.90			1.41	1.80
2015-03-29 02:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2015-03-29 03:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.09	1.60
2015-03-29 03:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.50
2015-03-29 03:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.43	20.50			0.48	1.30
2015-03-29 03:00	12	0.00	0.00	0.46	8.00			0.00	0.00	20.90	20.90			1.42	1.80
2015-03-29 03:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-29 04:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.09	1.40
2015-03-29 04:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.40
2015-03-29 04:00	10			1.23	2.00	0.00	0.00	0.00	0.00	20.42	20.50			0.62	1.30
2015-03-29 04:00	12	0.00	0.00	0.31	3.00			0.00	0.00	20.90	20.90			1.44	2.30
2015-03-29 04:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2015-03-29 05:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.13	1.60
2015-03-29 05:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.40
2015-03-29 05:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.51	1.00
2015-03-29 05:00	12	0.00	0.00	0.44	2.00			0.00	0.00	20.90	20.90			1.49	2.30
2015-03-29 05:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-29 06:00	2	0.09	0.40			0.00	0.10	0.00	0.00	20.90	20.90			1.16	1.60
2015-03-29 06:00	8			0.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2015-03-29 06:00	10			1.26	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.51	1.30
2015-03-29 06:00	12	0.00	0.00	0.41	3.00			0.00	0.00	20.90	20.90			1.51	2.30
2015-03-29 06:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-29 07:00	2	0.08	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.03	1.20
2015-03-29 07:00	8			0.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.40
2015-03-29 07:00	10			1.36	3.00	0.00	0.00	0.00	0.00	20.40	20.50			0.53	1.30
2015-03-29 07:00	12	0.00	0.00	0.49	9.00			0.00	0.00	20.90	20.90			1.44	1.80
2015-03-29 07:00	13			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 08:00	1	0.02	0.70			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-29 08:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.80	1.40
2015-03-29 08:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.50
2015-03-29 08:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.44	20.50			0.51	1.30
2015-03-29 08:00	12	0.00	0.00	0.51	2.00			0.00	0.00	20.90	20.90			1.30	1.80
2015-03-29 08:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-29 09:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-03-29 09:00	2	0.11	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.57	1.20
2015-03-29 09:00	8			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30
2015-03-29 09:00	10			1.45	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.20	1.00
2015-03-29 09:00	12	0.00	0.00	0.83	14.00			0.00	0.00	20.90	20.90			0.97	1.40
2015-03-29 09:00	13			1.16	2.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-03-29 10:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2015-03-29 10:00	2	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.60
2015-03-29 10:00	8			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.30
2015-03-29 10:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.61	20.70			0.16	0.60
2015-03-29 10:00	12	0.00	0.00	0.32	1.00			0.00	0.00	20.90	20.90			0.36	0.90
2015-03-29 10:00	13			1.16	3.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-03-29 11:00	1	0.02	0.20			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 11:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-03-29 11:00	8			1.82	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.30
2015-03-29 11:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.76	20.90			0.03	0.30
2015-03-29 11:00	12	0.00	0.00	1.66	32.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-03-29 11:00	13			1.17	3.00			0.00	0.00	21.28	21.30	0.00	0.00	0.00	0.00
2015-03-29 12:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 12:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-29 12:00	8			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2015-03-29 12:00	10			1.87	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-29 12:00	12	0.00	0.00	1.19	18.00			0.00	0.00	20.90	20.90			0.04	0.40
2015-03-29 12:00	13			1.23	2.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-29 13:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 13:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-29 13:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2015-03-29 13:00	10			1.90	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-29 13:00	12	0.00	0.00	0.83	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 13:00	13			1.21	3.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-29 14:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 14:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.30
2015-03-29 14:00	8			2.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.30
2015-03-29 14:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-29 14:00	12	0.00	0.00	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 14:00	13			0.97	2.00			0.00	0.00	21.37	21.40	0.00	0.00	0.00	0.00
2015-03-29 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-29 15:00	8			2.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2015-03-29 15:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-29 15:00	12	0.00	0.00	1.44	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 15:00	13			1.10	2.00			0.00	0.00	21.37	21.40	0.00	0.00	0.00	0.00
2015-03-29 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 16:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.30
2015-03-29 16:00	8			2.67	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.30
2015-03-29 16:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.60
2015-03-29 16:00	12	0.00	0.00	1.84	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 16:00	13			1.64	2.00			0.00	0.00	21.32	21.40	0.00	0.00	0.00	0.00
2015-03-29 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 17:00	2	0.04	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-29 17:00	8			2.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-29 17:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.60
2015-03-29 17:00	12	0.00	0.00	1.34	19.00			0.00	0.00	20.90	20.90			0.03	0.40
2015-03-29 17:00	13			1.21	2.00			0.00	0.00	21.29	21.30	0.00	0.00	0.00	0.00
2015-03-29 18:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 18:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-29 18:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2015-03-29 18:00	10			2.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-29 18:00	12	0.00	0.00	1.50	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 18:00	13			1.05	2.00			0.00	0.00	21.30	21.40	0.00	0.00	0.00	0.00
2015-03-29 19:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 19:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-29 19:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2015-03-29 19:00	10			1.90	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.60
2015-03-29 19:00	12	0.00	0.00	0.95	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 19:00	13			1.23	3.00			0.00	0.00	21.34	21.40	0.00	0.00	0.00	0.00
2015-03-29 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 20:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.50
2015-03-29 20:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.40
2015-03-29 20:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.60
2015-03-29 20:00	12	0.00	0.00	0.82	2.00			0.00	0.00	20.90	20.90			0.11	0.90
2015-03-29 20:00	13			1.21	3.00			0.00	0.00	21.27	21.40	0.00	0.00	0.00	0.00
2015-03-29 21:00	1	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 21:00	2	0.11	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.60
2015-03-29 21:00	8			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.30
2015-03-29 21:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.60
2015-03-29 21:00	12	0.00	0.00	0.63	1.00			0.00	0.00	20.90	20.90			0.21	0.90
2015-03-29 21:00	13			1.00	4.00			0.00	0.00	21.29	21.30	0.00	0.00	0.00	0.00
2015-03-29 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 22:00	2	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.50
2015-03-29 22:00	8			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2015-03-29 22:00	10			1.64	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-29 22:00	12	0.00	0.00	0.76	2.00			0.00	0.00	20.90	20.90			0.15	0.90
2015-03-29 22:00	13			1.12	2.00			0.00	0.00	21.30	21.30	0.00	0.00	0.00	0.00
2015-03-29 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-29 23:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.80
2015-03-29 23:00	8			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.30
2015-03-29 23:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.60
2015-03-29 23:00	12	0.00	0.00	0.70	2.00			0.00	0.00	20.90	20.90			0.28	0.90
2015-03-29 23:00	13			1.24	3.00			0.00	0.00	21.27	21.30	0.00	0.00	0.00	0.00
2015-03-30 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-30 00:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.40
2015-03-30 00:00	8			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2015-03-30 00:00	10			1.58	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.60
2015-03-30 00:00	12	0.00	0.00	1.48	14.00			0.00	0.00	20.90	20.90			0.27	0.90
2015-03-30 00:00	13			1.18	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-03-30 01:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-30 01:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.49	1.40
2015-03-30 01:00	8			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.50
2015-03-30 01:00	10			1.39	2.00	0.00	0.00	0.00	0.00	20.71	20.90			0.19	0.60
2015-03-30 01:00	12	0.00	0.00	1.74	21.00			0.00	0.00	20.90	20.90			0.61	1.40
2015-03-30 01:00	13			1.05	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-30 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-30 02:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.53	0.80
2015-03-30 02:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.40
2015-03-30 02:00	10			1.44	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.18	0.60
2015-03-30 02:00	12	0.00	0.00	1.10	16.00			0.00	0.00	20.90	20.90			0.99	2.30
2015-03-30 02:00	13			1.12	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-03-30 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.73	20.90			0.00	0.00
2015-03-30 03:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.56	0.80
2015-03-30 03:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2015-03-30 03:00	10			1.51	2.00	0.00	0.00	0.00	0.00	20.58	20.70			0.16	0.60
2015-03-30 03:00	12	0.00	0.00	0.61	2.00			0.00	0.00	20.90	20.90			0.74	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-30 03:00	13			1.13	2.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-03-30 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-03-30 04:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.00
2015-03-30 04:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	0.40
2015-03-30 04:00	10			1.57	2.00	0.00	0.00	0.00	0.00	20.59	20.70			0.23	1.00
2015-03-30 04:00	12	0.00	0.00	1.08	15.00			0.00	0.00	20.90	20.90			0.88	1.40
2015-03-30 04:00	13			1.16	2.00			0.00	0.00	21.15	21.20	0.00	0.00	0.00	0.00
2015-03-30 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-03-30 05:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.00
2015-03-30 05:00	8			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2015-03-30 05:00	10			1.78	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.35	1.00
2015-03-30 05:00	12	0.00	0.00	0.27	1.00			0.00	0.00	20.90	20.90			1.16	1.40
2015-03-30 05:00	13			1.24	3.00			0.00	0.00	21.05	21.20	0.00	0.00	0.00	0.00
2015-03-30 06:00	1	0.03	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-30 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.60
2015-03-30 06:00	8			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.30
2015-03-30 06:00	10			1.00	1.00	0.00	0.00	0.00	0.00	20.50	20.50			0.53	1.00
2015-03-30 06:00	12	0.00	0.00	1.00	1.00			0.00	0.00	20.90	20.90			1.23	1.40
2015-03-30 06:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00