

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-07 12:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 12:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.00
2015-05-07 12:00	8			4.85	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.71	1.80
2015-05-07 12:00	10			4.26	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 12:00	12	0.00	0.00	4.87	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 12:00	13			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 13:00	2	0.33	0.80			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 13:00	8			5.10	7.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 13:00	10			3.95	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 13:00	12	0.00	0.10	4.56	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 13:00	13			3.29	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-05-07 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 14:00	2	0.25	1.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 14:00	8			5.78	8.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 14:00	10			4.54	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 14:00	12	0.00	0.00	6.08	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 14:00	13			4.45	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 15:00	2	0.24	1.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 15:00	8			6.43	9.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 15:00	10			4.74	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 15:00	12	0.00	0.10	6.87	31.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 15:00	13			4.29	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 16:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 16:00	8			6.84	8.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 16:00	10			4.45	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 16:00	12	0.00	0.00	6.60	27.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 16:00	13			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-07 17:00	2	0.16	0.60			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 17:00	8			7.22	11.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 17:00	10			4.62	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 17:00	12	0.00	0.00	6.00	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 17:00	13			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 18:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 18:00	8			6.24	10.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 18:00	10			4.57	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 18:00	12	0.00	0.00	4.76	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 18:00	13			2.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 19:00	2	0.28	0.60			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 19:00	8			4.49	6.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 19:00	10			3.83	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 19:00	12	0.00	0.00	3.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 19:00	13			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 20:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 20:00	2	0.32	0.70			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 20:00	8			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 20:00	10			3.90	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 20:00	12	0.00	0.00	2.41	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 20:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 21:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 21:00	2	0.36	1.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 21:00	8			4.13	7.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 21:00	10			3.74	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 21:00	12	0.00	0.00	2.64	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 21:00	13			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-07 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 22:00	2	0.33	2.30			0.00	0.00	0.00	0.00	20.90	20.90				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-07 22:00	8			4.16	5.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 22:00	10			3.35	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 22:00	12	0.00	0.00	2.16	4.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-05-07 22:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-05-07 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 23:00	2	0.30	1.00			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-07 23:00	8			3.14	4.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-07 23:00	10			2.86	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-07 23:00	12	0.00	0.00	2.29	17.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-05-07 23:00	13			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 00:00	2	0.33	0.90			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 00:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 00:00	10			2.90	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 00:00	12	0.00	0.00	2.18	19.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-05-08 00:00	13			1.93	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 01:00	2	0.33	0.90			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 01:00	8			3.89	6.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 01:00	10			2.86	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 01:00	12	0.00	0.00	1.85	4.00			0.00	0.00	20.90	20.90			0.02	0.20
2015-05-08 01:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 02:00	2	0.42	1.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 02:00	8			3.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 02:00	10			2.69	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 02:00	12	0.00	0.00	2.32	21.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-05-08 02:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 03:00	2	0.38	0.80			0.00	0.00			20.90	20.90				
2015-05-08 03:00	8			3.62	4.00			0.00	0.00	20.90	20.90	0.00	0.00		

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-08 03:00	10			2.05	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 03:00	12	0.00	0.00	1.37	4.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-05-08 03:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 04:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 04:00	2	0.42	1.00			0.00	0.00			20.90	20.90				
2015-05-08 04:00	8			3.46	5.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 04:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-08 04:00	12	0.00	0.00	1.32	4.00			0.00	0.00	20.90	20.90			0.10	0.40
2015-05-08 04:00	13			1.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-05-08 05:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 05:00	2	0.47	0.90			0.00	0.00			20.90	20.90				
2015-05-08 05:00	8			3.21	4.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 05:00	10			2.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 05:00	12	0.00	0.00	1.46	3.00			0.00	0.00	20.90	20.90			0.06	0.20
2015-05-08 05:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-05-08 06:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 06:00	2	0.44	1.00			0.00	0.00			20.90	20.90				
2015-05-08 06:00	8			3.69	5.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 06:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 06:00	12	0.00	0.00	1.22	2.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-05-08 06:00	13			1.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 07:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 07:00	2	0.42	0.80			0.00	0.00			20.90	20.90				
2015-05-08 07:00	8			3.60	6.00			0.00	0.00	20.90	20.90	0.00	0.00		
2015-05-08 07:00	10			2.56	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 07:00	12	0.00	0.10	1.63	3.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-05-08 07:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90				
2015-05-08 08:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.89	1.50
2015-05-08 08:00	8			3.72	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.90
2015-05-08 08:00	10			2.88	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-08 08:00	12	0.00	0.00	2.07	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 08:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 09:00	1	0.11	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-05-08 09:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.50
2015-05-08 09:00	8			4.62	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.90
2015-05-08 09:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 09:00	12	0.00	0.00	2.03	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 09:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 10:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.50
2015-05-08 10:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.01	1.50
2015-05-08 10:00	8			5.23	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.90
2015-05-08 10:00	10			3.47	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-05-08 10:00	12	0.00	0.00	2.35	8.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-05-08 10:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 11:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.60
2015-05-08 11:00	2	0.20	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.81	2.50
2015-05-08 11:00	8			5.21	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.80
2015-05-08 11:00	10			3.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.70
2015-05-08 11:00	12	0.00	0.00	2.51	16.00			0.00	0.00	20.90	20.90			0.20	0.40
2015-05-08 11:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 12:00	1	0.04	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.52	0.70
2015-05-08 12:00	2	0.19	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.63	2.00
2015-05-08 12:00	8			4.74	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	1.80
2015-05-08 12:00	10			2.89	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.30
2015-05-08 12:00	12	0.00	0.00	2.16	12.00			0.00	0.00	20.90	20.90			0.28	0.40
2015-05-08 12:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 13:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.56	0.70
2015-05-08 13:00	2	0.22	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.59	2.00
2015-05-08 13:00	8			5.18	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	1.80
2015-05-08 13:00	10			3.15	4.00	0.00	0.00	0.00	0.00	20.79	20.90			0.32	1.10
2015-05-08 13:00	12	0.00	0.00	2.25	4.00			0.00	0.00	20.90	20.90			0.36	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-08 13:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.60
2015-05-08 14:00	2	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.17	1.50
2015-05-08 14:00	8			5.32	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	1.80
2015-05-08 14:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.66	20.90			0.16	0.50
2015-05-08 14:00	12	0.00	0.00	2.28	19.00			0.00	0.00	20.90	20.90			0.21	0.40
2015-05-08 14:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 15:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.50
2015-05-08 15:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.50
2015-05-08 15:00	8			6.46	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.90
2015-05-08 15:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.88	20.90			0.02	0.20
2015-05-08 15:00	12	0.00	0.00	1.85	4.00			0.00	0.00	20.90	20.90			0.04	0.20
2015-05-08 15:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 16:00	1	0.09	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.50
2015-05-08 16:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.50
2015-05-08 16:00	8			8.03	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	1.80
2015-05-08 16:00	10			3.18	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 16:00	12	0.01	0.10	2.49	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 16:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 17:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.30
2015-05-08 17:00	2	0.08	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.50
2015-05-08 17:00	8			12.33	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.90
2015-05-08 17:00	10			3.31	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 17:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 17:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 18:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.40
2015-05-08 18:00	2	0.10	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.16	1.00
2015-05-08 18:00	8			11.14	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	1.80
2015-05-08 18:00	10			3.21	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 18:00	12	0.00	0.00	2.53	16.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-05-08 18:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-08 19:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.50
2015-05-08 19:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.50
2015-05-08 19:00	8			13.82	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.90
2015-05-08 19:00	10			3.35	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-05-08 19:00	12	0.00	0.00	2.42	16.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-05-08 19:00	13			1.78	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 20:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.50
2015-05-08 20:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.35	1.50
2015-05-08 20:00	8			11.00	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.90
2015-05-08 20:00	10			2.47	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-08 20:00	12	0.00	0.00	2.46	18.00			0.00	0.00	20.90	20.90			0.09	0.20
2015-05-08 20:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 21:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.50
2015-05-08 21:00	2	0.21	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.59	2.00
2015-05-08 21:00	8			13.33	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.90
2015-05-08 21:00	10			2.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-08 21:00	12	0.00	0.00	1.92	14.00			0.00	0.00	20.90	20.90			0.17	0.50
2015-05-08 21:00	13			1.47	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 22:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.50
2015-05-08 22:00	2	0.16	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.57	2.00
2015-05-08 22:00	8			11.90	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	1.80
2015-05-08 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2015-05-08 22:00	12	0.00	0.00	1.76	17.00			0.00	0.00	20.90	20.90			0.24	0.60
2015-05-08 22:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-08 23:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.50
2015-05-08 23:00	2	0.22	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.63	2.00
2015-05-08 23:00	8			11.86	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	1.80
2015-05-08 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2015-05-08 23:00	12	0.00	0.00	1.11	2.00			0.00	0.00	20.90	20.90			0.19	0.40
2015-05-08 23:00	13			1.34	2.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2015-05-09 00:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-09 00:00	2	0.26	1.20			0.00	0.00	0.00	0.00	20.90	20.90			1.72	2.50
2015-05-09 00:00	8			11.44	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	1.80
2015-05-09 00:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-05-09 00:00	12	0.00	0.00	1.17	3.00			0.00	0.00	20.90	20.90			0.23	0.40
2015-05-09 00:00	13			1.50	2.00			0.00	0.00	20.82	20.90	0.00	0.00	0.00	0.00
2015-05-09 01:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.60
2015-05-09 01:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.55	2.50
2015-05-09 01:00	8			11.68	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.90
2015-05-09 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.30
2015-05-09 01:00	12	0.00	0.00	1.28	4.00			0.00	0.00	20.90	20.90			0.23	0.50
2015-05-09 01:00	13			1.67	3.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2015-05-09 02:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.70
2015-05-09 02:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.52	2.00
2015-05-09 02:00	8			11.46	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	1.80
2015-05-09 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-05-09 02:00	12	0.00	0.00	1.68	23.00			0.00	0.00	20.90	20.90			0.21	0.50
2015-05-09 02:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 03:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.60
2015-05-09 03:00	2	0.09	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.57	2.50
2015-05-09 03:00	8			11.39	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.80
2015-05-09 03:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 03:00	12	0.00	0.00	1.49	16.00			0.00	0.00	20.90	20.90			0.27	0.40
2015-05-09 03:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 04:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.60
2015-05-09 04:00	2	0.11	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.65	2.50
2015-05-09 04:00	8			11.13	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.90
2015-05-09 04:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 04:00	12	0.00	0.00	1.24	4.00			0.00	0.00	20.90	20.90			0.32	0.40
2015-05-09 04:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.50
2015-05-09 05:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.78	3.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-09 05:00	8			11.10	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.90
2015-05-09 05:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 05:00	12	0.00	0.00	1.32	13.00			0.00	0.00	20.90	20.90			0.26	0.40
2015-05-09 05:00	13			1.34	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 06:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.40
2015-05-09 06:00	2	0.16	2.80			0.00	0.00	0.00	0.00	20.90	20.90			2.24	3.00
2015-05-09 06:00	8			11.03	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	1.80
2015-05-09 06:00	10			2.27	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-05-09 06:00	12	0.00	0.00	1.58	20.00			0.00	0.00	20.90	20.90			0.25	0.40
2015-05-09 06:00	13			1.62	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 07:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.30
2015-05-09 07:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			2.00	3.00
2015-05-09 07:00	8			11.75	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	1.80
2015-05-09 07:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 07:00	12	0.00	0.00	1.61	20.00			0.00	0.00	20.90	20.90			0.20	0.50
2015-05-09 07:00	13			1.44	2.00			0.00	0.00	20.65	20.90	0.00	0.00	0.00	0.00
2015-05-09 08:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.30
2015-05-09 08:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.45	2.00
2015-05-09 08:00	8			13.51	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.90
2015-05-09 08:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.10
2015-05-09 08:00	12	0.00	0.00	1.19	2.00			0.00	0.00	20.90	20.90			0.13	0.40
2015-05-09 08:00	13			1.54	3.00			0.00	0.00	20.85	20.90	0.00	0.00	0.00	0.00
2015-05-09 09:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2015-05-09 09:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.32	2.00
2015-05-09 09:00	8			14.68	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	1.80
2015-05-09 09:00	10			2.32	3.00	0.00	0.00	0.00	0.00	20.77	20.90			0.00	0.10
2015-05-09 09:00	12	0.00	0.00	2.19	20.00			0.00	0.00	20.90	20.90			0.07	0.40
2015-05-09 09:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2015-05-09 10:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.18	1.50
2015-05-09 10:00	8			13.42	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-09 10:00	10			2.70	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-09 10:00	12	0.00	0.00	1.67	6.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-05-09 10:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 11:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2015-05-09 11:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.50
2015-05-09 11:00	8			13.89	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.90
2015-05-09 11:00	10			2.53	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-09 11:00	12	0.00	0.00	2.05	4.00			0.00	0.00	20.90	20.90			0.09	0.50
2015-05-09 11:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 12:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.50
2015-05-09 12:00	2	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.89	1.50
2015-05-09 12:00	8			14.47	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	1.80
2015-05-09 12:00	10			3.51	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-05-09 12:00	12	0.00	0.00	2.58	16.00			0.00	0.00	20.90	20.90			0.11	0.40
2015-05-09 12:00	13			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 13:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.43	0.50
2015-05-09 13:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.09	1.50
2015-05-09 13:00	8			19.39	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	1.80
2015-05-09 13:00	10			3.77	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2015-05-09 13:00	12	0.00	0.00	2.51	4.00			0.00	0.00	20.90	20.90			0.09	0.20
2015-05-09 13:00	13			2.29	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 14:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.50
2015-05-09 14:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.95	1.50
2015-05-09 14:00	8			18.18	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	1.80
2015-05-09 14:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.70	20.90			0.23	0.80
2015-05-09 14:00	12	0.01	0.20	3.56	38.00			0.00	0.00	20.90	20.90			0.18	0.40
2015-05-09 14:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 15:00	1	0.04	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.50
2015-05-09 15:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.91	1.50
2015-05-09 15:00	8			16.50	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	1.80
2015-05-09 15:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.61	20.70			0.62	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-09 15:00	12	0.00	0.10	2.38	19.00			0.00	0.00	20.90	20.90			0.16	0.60
2015-05-09 15:00	13			2.07	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 16:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.40
2015-05-09 16:00	2	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.38	1.00
2015-05-09 16:00	8			15.21	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.90
2015-05-09 16:00	10			2.79	4.00	0.00	0.00	0.00	0.00	20.76	20.90			0.05	0.40
2015-05-09 16:00	12	0.00	0.10	2.24	15.00			0.00	0.00	20.90	20.90			0.07	0.20
2015-05-09 16:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 17:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.50
2015-05-09 17:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.33	1.00
2015-05-09 17:00	8			18.60	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.90
2015-05-09 17:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.84	20.90			0.02	0.20
2015-05-09 17:00	12	0.00	0.00	2.97	20.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-05-09 17:00	13			1.88	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 18:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.50
2015-05-09 18:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.51	1.50
2015-05-09 18:00	8			19.33	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.90
2015-05-09 18:00	10			3.16	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 18:00	12	0.00	0.00	2.32	4.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 18:00	13			1.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 19:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.60
2015-05-09 19:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.50
2015-05-09 19:00	8			16.41	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	1.80
2015-05-09 19:00	10			2.90	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-09 19:00	12	0.00	0.00	1.95	4.00			0.00	0.00	20.90	20.90			0.04	0.20
2015-05-09 19:00	13			1.84	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 20:00	1	0.04	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.50
2015-05-09 20:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.15	1.50
2015-05-09 20:00	8			20.10	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.90
2015-05-09 20:00	10			2.69	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-05-09 20:00	12	0.00	0.00	1.78	3.00			0.00	0.00	20.90	20.90			0.07	0.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-09 20:00	13			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 21:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.50
2015-05-09 21:00	2	0.24	2.50			0.00	0.00	0.00	0.00	20.90	20.90			1.40	2.00
2015-05-09 21:00	8			19.95	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.90
2015-05-09 21:00	10			2.17	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-05-09 21:00	12	0.00	0.00	1.42	4.00			0.00	0.00	20.90	20.90			0.13	0.40
2015-05-09 21:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 22:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50
2015-05-09 22:00	2	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.42	2.00
2015-05-09 22:00	8			18.03	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.90
2015-05-09 22:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.30
2015-05-09 22:00	12	0.00	0.10	1.20	2.00			0.00	0.00	20.90	20.90			0.17	0.40
2015-05-09 22:00	13			1.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-09 23:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.50
2015-05-09 23:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.49	2.00
2015-05-09 23:00	8			17.89	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.90
2015-05-09 23:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2015-05-09 23:00	12	0.00	0.00	2.35	20.00			0.00	0.00	20.90	20.90			0.15	0.40
2015-05-09 23:00	13			1.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 00:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.40	0.50
2015-05-10 00:00	2	0.17	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.49	2.00
2015-05-10 00:00	8			17.95	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.90
2015-05-10 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.40
2015-05-10 00:00	12	0.00	0.00	1.37	2.00			0.00	0.00	20.90	20.90			0.23	0.40
2015-05-10 00:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 01:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.60
2015-05-10 01:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.62	2.00
2015-05-10 01:00	8			17.62	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.44	1.80
2015-05-10 01:00	10			1.97	3.00	0.00	0.00	0.00	0.00	20.65	20.90			0.17	0.50
2015-05-10 01:00	12	0.00	0.00	1.33	2.00			0.00	0.00	20.90	20.90			0.25	0.50
2015-05-10 01:00	13			1.67	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-10 02:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.50
2015-05-10 02:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.53	2.00
2015-05-10 02:00	8			16.92	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.80
2015-05-10 02:00	10			2.17	3.00	0.00	0.00	0.00	0.00	20.64	20.90			0.12	0.30
2015-05-10 02:00	12	0.00	0.00	1.29	3.00			0.00	0.00	20.90	20.90			0.24	0.60
2015-05-10 02:00	13			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 03:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.50
2015-05-10 03:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.38	1.50
2015-05-10 03:00	8			16.58	20.00			0.00	0.00	20.90	20.90	0.00	0.10	0.33	1.80
2015-05-10 03:00	10			2.10	3.00	0.00	0.00	0.00	0.00	20.71	20.90			0.12	0.30
2015-05-10 03:00	12	0.00	0.00	2.38	20.00			0.00	0.00	20.90	20.90			0.22	0.40
2015-05-10 03:00	13			1.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 04:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.70
2015-05-10 04:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.27	1.50
2015-05-10 04:00	8			16.10	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	1.80
2015-05-10 04:00	10			2.18	3.00	0.00	0.00	0.00	0.00	20.63	20.90			0.16	0.40
2015-05-10 04:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.20	0.40
2015-05-10 04:00	13			1.40	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.47	0.50
2015-05-10 05:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.46	2.00
2015-05-10 05:00	8			16.08	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	1.80
2015-05-10 05:00	10			2.10	3.00	0.00	0.00	0.00	0.00	20.62	20.90			0.11	0.30
2015-05-10 05:00	12	0.00	0.00	1.45	16.00			0.00	0.00	20.90	20.90			0.22	0.40
2015-05-10 05:00	13			1.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 06:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.50
2015-05-10 06:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.40	2.00
2015-05-10 06:00	8			16.19	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.90
2015-05-10 06:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.15	0.40
2015-05-10 06:00	12	0.00	0.00	1.17	4.00			0.00	0.00	20.90	20.90			0.21	0.40
2015-05-10 06:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 07:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-10 07:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.05	1.50
2015-05-10 07:00	8			17.33	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	1.80
2015-05-10 07:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.58	20.60			0.18	0.50
2015-05-10 07:00	12	0.00	0.10	1.23	4.00			0.00	0.00	20.90	20.90			0.15	0.40
2015-05-10 07:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 08:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.50
2015-05-10 08:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.33	1.50
2015-05-10 08:00	8			18.51	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	0.90
2015-05-10 08:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.71	20.90			0.09	0.50
2015-05-10 08:00	12	0.01	0.10	2.13	3.00			0.00	0.00	20.90	20.90			0.03	0.10
2015-05-10 08:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 09:00	1	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.40
2015-05-10 09:00	2	0.13	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.07	1.00
2015-05-10 09:00	8			18.66	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.90
2015-05-10 09:00	10			3.54	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 09:00	12	0.00	0.00	2.47	4.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-05-10 09:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 10:00	1	0.11	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.30
2015-05-10 10:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 10:00	8			17.61	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.90
2015-05-10 10:00	10			3.83	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 10:00	12	0.00	0.10	4.08	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 10:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 11:00	1	0.10	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 11:00	2	0.09	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.05	1.00
2015-05-10 11:00	8			18.54	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	1.80
2015-05-10 11:00	10			4.10	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 11:00	12	0.00	0.00	4.07	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 11:00	13			2.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 12:00	1	0.08	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 12:00	2	0.07	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-10 12:00	8			17.38	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 12:00	10			4.68	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 12:00	12	0.00	0.00	6.03	32.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 12:00	13			3.83	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 13:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 13:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 13:00	8			17.13	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.90
2015-05-10 13:00	10			4.15	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 13:00	12	0.01	0.20	6.03	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 13:00	13			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 14:00	1	0.03	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 14:00	2	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 14:00	8			16.58	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 14:00	10			4.18	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 14:00	12	0.00	0.00	7.25	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 14:00	13			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 15:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 15:00	2	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 15:00	8			18.24	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 15:00	10			4.78	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 15:00	12	0.00	0.20	9.54	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 15:00	13			4.33	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 16:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 16:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.50
2015-05-10 16:00	8			21.34	26.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.90
2015-05-10 16:00	10			5.15	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 16:00	12	0.00	0.00	7.13	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 16:00	13			4.20	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 17:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.70
2015-05-10 17:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.42	1.50
2015-05-10 17:00	8			25.03	32.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-10 17:00	10			5.64	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 17:00	12	0.00	0.00	5.05	12.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 17:00	13			2.84	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50
2015-05-10 18:00	2	0.13	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.21	1.50
2015-05-10 18:00	8			17.18	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.90
2015-05-10 18:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 18:00	12	0.00	0.00	2.95	31.00			0.00	0.00	20.90	20.90			0.07	0.40
2015-05-10 18:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 19:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.50
2015-05-10 19:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.31	2.00
2015-05-10 19:00	8			14.75	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.41	1.80
2015-05-10 19:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 19:00	12	0.00	0.00	1.89	4.00			0.00	0.00	20.90	20.90			0.05	0.20
2015-05-10 19:00	13			1.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 20:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.50
2015-05-10 20:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.49	2.00
2015-05-10 20:00	8			19.44	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.68	2.70
2015-05-10 20:00	10			2.82	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 20:00	12	0.00	0.00	2.28	20.00			0.00	0.00	20.90	20.90			0.09	0.20
2015-05-10 20:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 21:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.30
2015-05-10 21:00	2	0.19	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.47	2.00
2015-05-10 21:00	8			16.41	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	0.90
2015-05-10 21:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-05-10 21:00	12	0.00	0.00	1.97	20.00			0.00	0.00	20.90	20.90			0.09	0.40
2015-05-10 21:00	13			1.43	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 22:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-05-10 22:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.37	2.00
2015-05-10 22:00	8			15.79	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	1.80
2015-05-10 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-10 22:00	12	0.00	0.00	1.41	3.00			0.00	0.00	20.90	20.90			0.09	0.40
2015-05-10 22:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-10 23:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.30
2015-05-10 23:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.53	2.50
2015-05-10 23:00	8			15.16	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.66	1.80
2015-05-10 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-10 23:00	12	0.00	0.00	2.11	17.00			0.00	0.00	20.90	20.90			0.10	0.40
2015-05-10 23:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 00:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.40
2015-05-11 00:00	2	0.13	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.53	2.00
2015-05-11 00:00	8			15.11	18.00			0.00	0.00	20.89	20.90	0.00	0.00	0.81	2.70
2015-05-11 00:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-05-11 00:00	12	0.00	0.00	1.23	4.00			0.00	0.00	20.90	20.90			0.12	0.40
2015-05-11 00:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 01:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.30
2015-05-11 01:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.56	2.00
2015-05-11 01:00	8			14.97	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.72	2.70
2015-05-11 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-05-11 01:00	12	0.00	0.00	1.31	2.00			0.00	0.00	20.90	20.90			0.11	0.20
2015-05-11 01:00	13			1.49	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 02:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.50
2015-05-11 02:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.57	2.50
2015-05-11 02:00	8			15.13	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.74	1.80
2015-05-11 02:00	10			2.20	3.00	0.00	0.00	0.00	0.00	20.71	20.90			0.06	0.30
2015-05-11 02:00	12	0.00	0.00	1.92	20.00			0.00	0.00	20.90	20.90			0.19	0.50
2015-05-11 02:00	13			1.59	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 03:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.50
2015-05-11 03:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.77	2.00
2015-05-11 03:00	8			15.02	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	2.70
2015-05-11 03:00	10			2.86	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.11	0.30
2015-05-11 03:00	12	0.00	0.00	1.68	4.00			0.00	0.00	20.90	20.90			0.29	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-11 03:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 04:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.50
2015-05-11 04:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.93	3.00
2015-05-11 04:00	8			14.15	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.52	1.80
2015-05-11 04:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.19	0.40
2015-05-11 04:00	12	0.00	0.00	1.75	3.00			0.00	0.00	20.90	20.90			0.29	0.60
2015-05-11 04:00	13			1.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 05:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.50
2015-05-11 05:00	2	0.18	0.50			0.00	0.00	0.00	0.00	20.90	20.90			2.17	3.00
2015-05-11 05:00	8			14.13	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.72	2.70
2015-05-11 05:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.22	0.50
2015-05-11 05:00	12	0.00	0.00	1.95	3.00			0.00	0.00	20.90	20.90			0.31	0.40
2015-05-11 05:00	13			2.05	4.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2015-05-11 06:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.90
2015-05-11 06:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			2.20	3.00
2015-05-11 06:00	8			13.82	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.60	1.80
2015-05-11 06:00	10			2.92	3.00	0.00	0.00	0.00	0.00	20.56	20.70			0.18	0.50
2015-05-11 06:00	12	0.00	0.00	2.30	16.00			0.00	0.00	20.90	20.90			0.33	0.40
2015-05-11 06:00	13			2.03	3.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2015-05-11 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.50
2015-05-11 07:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			2.03	3.00
2015-05-11 07:00	8			13.48	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	1.80
2015-05-11 07:00	10			2.50	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.12	0.30
2015-05-11 07:00	12	0.00	0.00	2.15	5.00			0.00	0.00	20.90	20.90			0.36	0.60
2015-05-11 07:00	13			1.98	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2015-05-11 08:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.50
2015-05-11 08:00	2	0.27	0.80			0.00	0.00	0.00	0.00	20.90	20.90			2.32	3.50
2015-05-11 08:00	8			13.31	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.80
2015-05-11 08:00	10			2.79	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.12	0.30
2015-05-11 08:00	12	0.00	0.00	1.97	17.00			0.00	0.00	20.90	20.90			0.32	0.50
2015-05-11 08:00	13			1.87	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-05-11 09:00	1	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50
2015-05-11 09:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.79	3.00
2015-05-11 09:00	8			14.64	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	1.80
2015-05-11 09:00	10			2.32	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.22	0.70
2015-05-11 09:00	12	0.00	0.00	1.30	3.00			0.00	0.00	20.90	20.90			0.29	0.60
2015-05-11 09:00	13			1.54	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2015-05-11 10:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-05-11 10:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.28	1.50
2015-05-11 10:00	8			16.42	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	2.70
2015-05-11 10:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.01	0.10
2015-05-11 10:00	12	0.00	0.00	1.76	13.00			0.00	0.00	20.90	20.90			0.16	0.40
2015-05-11 10:00	13			1.24	3.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2015-05-11 11:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.30
2015-05-11 11:00	2	0.19	1.00			0.00	0.00	0.00	0.00	20.90	20.90			1.26	2.00
2015-05-11 11:00	8			18.69	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.90
2015-05-11 11:00	10			2.36	4.00	0.00	0.00	0.00	0.00	20.61	20.70			0.01	0.10
2015-05-11 11:00	12	0.00	0.00	1.18	3.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-05-11 11:00	13			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-05-11 12:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-05-11 12:00	2	0.14	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.99	1.50
2015-05-11 12:00	8			19.62	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	2.70
2015-05-11 12:00	10			2.89	4.00	0.00	0.00	0.00	0.00	20.84	20.90			0.00	0.10
2015-05-11 12:00	12	0.00	0.00	1.83	4.00			0.00	0.00	20.90	20.90			0.03	0.10
2015-05-11 12:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00