

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-11 12:00	1	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-11 12:00	2	0.84	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-11 12:00	5			3.65	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-11 12:00	8			13.00	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-11 12:00	10			4.29	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-11 12:00	12	0.50	0.80	22.06	24.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-07-11 12:00	13			6.12	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.10
2016-07-12 11:00	1	0.03	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.58	1.20
2016-07-12 11:00	2	0.56	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 11:00	5			3.86	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.22	2.40
2016-07-12 11:00	8			15.48	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 11:00	10			4.24	7.00	0.02	0.10	0.00	0.00	20.85	20.90			0.00	0.00
2016-07-12 11:00	12	0.26	0.70	9.34	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 11:00	13			4.90	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 12:00	1	0.07	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.90
2016-07-12 12:00	2	0.45	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 12:00	5			4.02	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.24	3.00
2016-07-12 12:00	8			14.50	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 12:00	10			4.40	7.00	0.01	0.10	0.00	0.00	20.74	20.90			0.00	0.00
2016-07-12 12:00	12	0.31	0.70	12.85	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 12:00	13			5.30	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 13:00	1	0.04	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.36	0.90
2016-07-12 13:00	2	0.55	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 13:00	5			4.08	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.20	2.40
2016-07-12 13:00	8			16.05	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 13:00	10			4.40	7.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 13:00	12	0.49	1.00	14.33	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 13:00	13			4.25	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 14:00	1	0.14	4.30			0.00	0.10	0.00	0.00	20.90	20.90			0.36	1.20
2016-07-12 14:00	2	0.51	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 14:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.40	2.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-12 14:00	8			12.15	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 14:00	10			4.47	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 14:00	12	0.42	0.90	14.42	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 14:00	13			5.18	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 15:00	1	0.10	0.60			0.01	0.10	0.00	0.00	20.90	20.90			0.38	0.90
2016-07-12 15:00	2	0.62	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 15:00	5			3.98	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.58	2.40
2016-07-12 15:00	8			11.55	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 15:00	10			4.67	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 15:00	12	0.53	1.10	15.95	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 15:00	13			5.95	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 16:00	1	0.03	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.43	1.20
2016-07-12 16:00	2	0.63	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 16:00	5			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.67	3.70
2016-07-12 16:00	8			9.25	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 16:00	10			4.75	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 16:00	12	0.57	1.20	19.85	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 16:00	13			6.73	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 17:00	1	0.06	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.35	1.20
2016-07-12 17:00	2	0.50	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 17:00	5			3.95	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.41	3.00
2016-07-12 17:00	8			8.75	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 17:00	10			4.42	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 17:00	12	0.81	1.70	20.22	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 17:00	13			8.80	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 18:00	1	0.06	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.47	1.80
2016-07-12 18:00	2	0.46	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 18:00	5			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.44	3.00
2016-07-12 18:00	8			11.77	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 18:00	10			6.55	13.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 18:00	12	0.12	0.70	27.77	35.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-12 18:00	13			12.32	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 19:00	1	0.03	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.41	0.90
2016-07-12 19:00	2	0.42	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 19:00	5			3.90	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.21	2.40
2016-07-12 19:00	8			11.68	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 19:00	10			6.30	10.00	0.00	0.00	0.00	0.00	20.91	21.40			0.00	0.00
2016-07-12 19:00	12	0.02	0.30	16.30	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 19:00	13			10.77	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 20:00	1	0.03	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.32	0.90
2016-07-12 20:00	2	0.53	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 20:00	5			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.80
2016-07-12 20:00	8			9.00	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 20:00	10			4.80	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 20:00	12	0.05	0.30	9.57	13.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-07-12 20:00	13			6.53	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 21:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.90
2016-07-12 21:00	2	0.52	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 21:00	5			4.10	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.95	1.80
2016-07-12 21:00	8			7.88	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 21:00	10			4.08	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 21:00	12	0.04	0.50	7.68	10.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-07-12 21:00	13			3.35	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 22:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.90
2016-07-12 22:00	2	0.55	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 22:00	5			4.05	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.13	2.40
2016-07-12 22:00	8			7.62	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 22:00	10			3.85	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-12 22:00	12	0.06	0.70	6.47	9.00			0.00	0.00	20.90	20.90			0.07	0.20
2016-07-12 22:00	13			2.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 23:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.90
2016-07-12 23:00	2	0.54	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-12 23:00	5			4.02	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.24	3.00
2016-07-12 23:00	8			7.37	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-12 23:00	10			3.72	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-12 23:00	12	0.03	0.50	5.93	6.00			0.00	0.00	20.90	20.90			0.02	0.20
2016-07-12 23:00	13			2.17	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 00:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.90
2016-07-13 00:00	2	0.60	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 00:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.93	2.40
2016-07-13 00:00	8			7.45	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 00:00	10			4.05	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 00:00	12	0.08	0.40	5.43	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 00:00	13			2.73	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 01:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.80
2016-07-13 01:00	2	0.48	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 01:00	5			4.08	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.92	2.40
2016-07-13 01:00	8			7.95	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 01:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-13 01:00	12	0.23	0.80	5.05	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 01:00	13			2.40	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.39	1.50
2016-07-13 02:00	2	0.57	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-13 02:00	5			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.94	2.40
2016-07-13 02:00	8			8.13	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 02:00	10			3.93	4.00	0.00	0.00	0.00	0.00	20.72	20.90			0.01	0.10
2016-07-13 02:00	12	0.17	0.50	5.03	8.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-07-13 02:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 03:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.48	1.20
2016-07-13 03:00	2	0.64	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 03:00	5			4.07	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	2.40
2016-07-13 03:00	8			8.73	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 03:00	10			3.57	4.00	0.00	0.00	0.00	0.00	20.65	20.70			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-13 03:00	12	0.12	0.50	4.98	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 03:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 04:00	1	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.90
2016-07-13 04:00	2	0.56	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 04:00	5			4.07	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.37	1.20
2016-07-13 04:00	8			10.27	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 04:00	10			3.69	4.00	0.00	0.00	0.00	0.00	20.67	20.70			0.00	0.10
2016-07-13 04:00	12	0.12	0.50	4.88	6.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-07-13 04:00	13			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 05:00	1	0.28	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.80
2016-07-13 05:00	2	0.67	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 05:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	1.80
2016-07-13 05:00	8			11.38	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 05:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.10
2016-07-13 05:00	12	0.09	0.50	5.65	8.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-07-13 05:00	13			2.23	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 06:00	1	0.11	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.90
2016-07-13 06:00	2	0.65	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 06:00	5			4.07	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.80
2016-07-13 06:00	8			12.28	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 06:00	10			3.17	5.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.10
2016-07-13 06:00	12	0.16	0.70	5.62	9.00			0.00	0.00	20.90	20.90			0.01	0.30
2016-07-13 06:00	13			2.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 07:00	1	0.13	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.90
2016-07-13 07:00	2	0.81	1.60			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 07:00	5			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.74	2.40
2016-07-13 07:00	8			14.78	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 07:00	10			3.70	5.00	0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2016-07-13 07:00	12	0.25	0.70	5.80	8.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-13 07:00	13			2.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 08:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-13 08:00	2	0.55	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 08:00	5			3.98	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.95	2.40
2016-07-13 08:00	8			17.53	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 08:00	10			3.93	5.00	0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2016-07-13 08:00	12	0.22	0.60	8.33	14.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-07-13 08:00	13			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 09:00	1	0.05	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.59	2.10
2016-07-13 09:00	2	0.58	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 09:00	5			4.13	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.18	3.00
2016-07-13 09:00	8			16.93	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 09:00	10			4.15	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 09:00	12	0.21	0.60	9.32	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 09:00	13			3.85	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 10:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.48	1.20
2016-07-13 10:00	2	0.60	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 10:00	5			3.93	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.74	2.40
2016-07-13 10:00	8			13.27	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 10:00	10			4.28	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 10:00	12	0.32	0.80	11.33	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 10:00	13			4.82	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 11:00	1	0.11	0.60					0.00	0.00	20.90	20.90			0.50	0.90
2016-07-13 11:00	2	0.61	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 11:00	5			3.22	4.00			0.00	0.00	20.90	20.90	0.00	0.00	2.28	3.70
2016-07-13 11:00	8			12.48	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 11:00	10			5.25	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 11:00	12	0.37	0.90	20.92	30.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 11:00	13			5.95	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 12:00	1	0.09	0.60					0.00	0.00	20.90	20.90			0.50	0.90
2016-07-13 12:00	2	0.57	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 12:00	5			4.13	9.00			0.00	0.00	20.90	20.90	0.00	0.00	2.57	3.70
2016-07-13 12:00	8			14.55	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-13 12:00	10			4.62	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 12:00	12	0.36	0.90	23.38	28.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 12:00	13			6.52	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.61	1.20
2016-07-13 13:00	2	0.63	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 13:00	5			3.95	6.00			0.00	0.00	20.92	21.60	0.00	0.00	2.43	3.70
2016-07-13 13:00	8			13.05	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 13:00	10			5.08	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 13:00	12	0.31	0.70	25.75	30.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 13:00	13			6.97	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.50
2016-07-13 14:00	2	0.51	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 14:00	5			3.93	8.00			0.00	0.00	20.91	21.20	0.00	0.00	2.41	3.70
2016-07-13 14:00	8			12.53	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 14:00	10			5.32	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 14:00	12	0.38	0.90	24.30	33.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 14:00	13			8.00	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.60	1.50
2016-07-13 15:00	2	0.32	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 15:00	5			5.42	9.00			0.00	0.00	20.93	21.40	0.00	0.00	1.83	3.70
2016-07-13 15:00	8			22.20	34.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 15:00	10			9.17	14.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 15:00	12	0.09	0.80	25.30	36.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-07-13 15:00	13			6.72	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.90
2016-07-13 16:00	2	0.60	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2016-07-13 16:00	5			6.05	8.00			0.00	0.00	20.93	21.30	0.00	0.00	0.38	1.20
2016-07-13 16:00	8			15.07	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 16:00	10			5.92	9.00	0.00	0.00	0.00	0.00	20.89	20.90			0.01	0.10
2016-07-13 16:00	12	0.01	0.20	8.32	12.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-13 16:00	13			4.35	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-13 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.90
2016-07-13 17:00	2	0.73	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.10
2016-07-13 17:00	5			5.30	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	1.20
2016-07-13 17:00	8			9.43	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 17:00	10			4.65	7.00	0.00	0.00	0.00	0.00	20.61	20.70			0.02	0.10
2016-07-13 17:00	12	0.12	0.70	6.50	8.00			0.00	0.00	20.89	20.90			0.01	0.10
2016-07-13 17:00	13			3.55	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.90
2016-07-13 18:00	2	0.71	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-07-13 18:00	5			4.12	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	1.20
2016-07-13 18:00	8			9.82	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 18:00	10			3.97	6.00	0.00	0.00	0.00	0.00	20.57	20.70			0.02	0.10
2016-07-13 18:00	12	0.21	0.90	5.03	7.00			0.00	0.00	20.79	20.90			0.01	0.30
2016-07-13 18:00	13			2.55	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.90
2016-07-13 19:00	2	0.63	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 19:00	5			3.87	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	1.20
2016-07-13 19:00	8			12.50	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 19:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.10
2016-07-13 19:00	12	0.14	0.80	5.67	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 19:00	13			2.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.90
2016-07-13 20:00	2	0.54	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 20:00	5			3.98	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	1.20
2016-07-13 20:00	8			13.72	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 20:00	10			3.82	5.00	0.00	0.00	0.00	0.00	20.64	20.70			0.00	0.00
2016-07-13 20:00	12	0.10	0.40	5.03	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 20:00	13			2.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.26	1.20
2016-07-13 21:00	2	0.63	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 21:00	5			4.02	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	1.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-13 21:00	8			14.58	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 21:00	10			3.10	4.00	0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.10
2016-07-13 21:00	12	0.07	0.40	4.32	7.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-07-13 21:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.31	1.20
2016-07-13 22:00	2	0.67	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-13 22:00	5			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	1.20
2016-07-13 22:00	8			14.55	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 22:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.76	20.90			0.00	0.10
2016-07-13 22:00	12	0.07	0.50	4.13	6.00			0.00	0.00	20.90	20.90			0.01	0.30
2016-07-13 22:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.38	1.20
2016-07-13 23:00	2	0.66	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-07-13 23:00	5			4.03	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	1.20
2016-07-13 23:00	8			15.10	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-13 23:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.63	20.90			0.00	0.10
2016-07-13 23:00	12	0.09	0.50	3.98	6.00			0.00	0.00	20.90	20.90			0.01	0.40
2016-07-13 23:00	13			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.60
2016-07-14 00:00	2	0.56	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-07-14 00:00	5			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	1.20
2016-07-14 00:00	8			15.78	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 00:00	10			2.90	4.00	0.00	0.00	0.00	0.00	20.61	20.90			0.00	0.00
2016-07-14 00:00	12	0.08	0.60	3.95	6.00			0.00	0.00	20.90	20.90			0.08	0.40
2016-07-14 00:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.90
2016-07-14 01:00	2	0.64	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-07-14 01:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	1.20
2016-07-14 01:00	8			15.90	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 01:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.10
2016-07-14 01:00	12	0.12	0.60	3.98	5.00			0.00	0.00	20.90	20.90			0.20	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-14 01:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.90
2016-07-14 02:00	2	0.70	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-14 02:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	1.80
2016-07-14 02:00	8			16.28	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 02:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.10
2016-07-14 02:00	12	0.15	0.70	4.02	5.00			0.00	0.00	20.89	20.90			0.00	0.20
2016-07-14 02:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.90
2016-07-14 03:00	2	0.78	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-14 03:00	5			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	1.20
2016-07-14 03:00	8			16.30	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 03:00	10			3.07	4.00	0.00	0.00	0.00	0.00	20.58	20.70			0.01	0.10
2016-07-14 03:00	12	0.32	0.80	4.08	6.00			0.00	0.00	20.89	20.90			0.01	0.20
2016-07-14 03:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	1.20
2016-07-14 04:00	2	0.79	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-14 04:00	5			4.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	1.20
2016-07-14 04:00	8			16.20	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 04:00	10			2.93	3.00	0.00	0.00	0.00	0.00	20.56	20.60			0.01	0.10
2016-07-14 04:00	12	0.29	0.70	4.27	7.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-14 04:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.90
2016-07-14 05:00	2	0.94	2.50			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-07-14 05:00	5			4.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	1.20
2016-07-14 05:00	8			16.57	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 05:00	10			2.87	4.00	0.00	0.00	0.00	0.00	20.55	20.60			0.01	0.10
2016-07-14 05:00	12	0.22	0.60	4.17	6.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-14 05:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.90
2016-07-14 06:00	2	0.92	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-14 06:00	5			4.02	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	1.20
2016-07-14 06:00	8			16.85	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 06:00	10			3.02	4.00	0.00	0.00	0.00	0.00	20.55	20.60			0.01	0.10
2016-07-14 06:00	12	0.23	0.80	4.35	6.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-14 06:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.50
2016-07-14 07:00	2	0.85	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-07-14 07:00	5			4.05	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.80
2016-07-14 07:00	8			18.53	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 07:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.54	20.60			0.02	0.10
2016-07-14 07:00	12	0.26	0.70	5.20	6.00			0.00	0.00	20.90	20.90			0.00	0.20
2016-07-14 07:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.90
2016-07-14 08:00	2	0.67	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 08:00	5			4.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	1.80
2016-07-14 08:00	8			20.05	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 08:00	10			3.53	5.00	0.00	0.00	0.00	0.00	20.61	20.70			0.01	0.10
2016-07-14 08:00	12	0.25	0.50	6.82	8.00			0.00	0.00	20.85	20.90			0.02	0.20
2016-07-14 08:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.40	1.50
2016-07-14 09:00	2	0.60	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 09:00	5			3.95	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.73	2.40
2016-07-14 09:00	8			17.70	26.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 09:00	10			3.63	5.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2016-07-14 09:00	12	0.26	0.50	8.57	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 09:00	13			2.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-07-14 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.88	20.90			0.35	0.90
2016-07-14 10:00	2	0.52	1.10			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 10:00	5			4.22	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.04	3.00
2016-07-14 10:00	8			16.30	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 10:00	10			4.52	5.00	0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-07-14 10:00	12	0.33	0.80	12.48	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 10:00	13			4.12	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.37	1.20
2016-07-14 11:00	2	0.59	1.80			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 11:00	5			4.02	7.00			0.00	0.00	20.90	20.90	0.00	0.00	1.61	2.40
2016-07-14 11:00	8			15.72	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 11:00	10			4.42	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 11:00	12	0.36	1.00	14.97	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 11:00	13			5.57	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.49	1.20
2016-07-14 12:00	2	0.54	0.90			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 12:00	5			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.20	2.40
2016-07-14 12:00	8			14.06	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-07-14 12:00	10			4.63	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 12:00	12	0.38	0.70	19.31	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-07-14 12:00	13			6.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00