

**TEAM BRIDGETON**  
**Monthly Meeting Agenda**

**April 26, 2013**

---

**Technical Discussion**

Presentation of monthly data package

- **Wellhead Temperature Maps** – Maximum wellhead temperatures recorded per well during the weekly well monitoring events for the presentation month. Data collected in field with GEM 2000. Data presented in degrees Fahrenheit (°F).
- **Hydrogen Maps** – Monthly laboratory analysis for hydrogen from select wells. Data presented in percent by volume (% Vol.).
- **Carbon Monoxide Maps** – Monthly laboratory analysis for Carbon Monoxide from selected wells. Data presented in parts per million (ppm).
- **GCCS Flow Tables**
  - **Individual Flare Flows** – Monthly field readings collected from each individual flare flow chart. Data presented in standard cubic feet per minute (scfm).
  - **Combined Flare Flows** – Manual summation of individual flare flows to generate a total flow rate. Data presented in standard cubic feet per minute (scfm).

- **LFG Quality Charts (Laboratory)** – Monthly samples collected in summa canisters from main header, at a port prior to the blower.

Laboratory samples are analyzed for methane, carbon dioxide, oxygen, nitrogen, and hydrogen and are presented by volume (% Vol.).

Laboratory samples analyzed for carbon monoxide are presented in parts per million (ppm).

**LFG Quality Charts (Field – GEM 2000)** - Daily samples collected with a portable field LFG analyzer (GEM 2000).

- **Temperature Monitoring Probe Data** – Data is collected weekly and is presented monthly. Data presented in degrees Fahrenheit (°F).
- **Gas Interceptor Well Data** – Data is collected daily and is presented monthly. Data presented in chart format. Data presented is wellhead temperature, oxygen concentration, and vacuum applied.

- **Settlement Front Maps** – (Month survey data compared month over month). The south quarry is surveyed on a 100-foot grid. The throat area is surveyed on a 50-foot grid.
- **As-Built Drawings** - As Built drawings will be updated quarterly and provided during the Team Bridgeton Meeting.

#### **Prior Month and Planned Future Month Work Activity**

Work performed since the last Team Bridgeton meeting

- **GCCS Related Items** (RCPs, Wells, Blower/Flare, Flame Arrestors, etc.)
- **Cap Related Items** (Settlement, repairs, etc.)
- **Leachate Related Items** (LCPs, Force Main, Air Line, Pumps, etc.)
- **Other Work Items Completed**

#### **Work projected to be performed in the future**

- **GCCS Related Items** (RCPs, Wells, Blower/Flare, Flame Arrestors, etc.)
- **Cap Related Items** (Settlement, repairs, etc.)
- **Leachate Related Items** (LCPs, Force Main, Air Line, Pumps, etc.)
- **Other Work Items Contemplated**

#### **Deliverable(s) Status**

- **Leachate Management Contingency Plan**
- **Heat Dissipation / Barrier Plan** – Due March 29, 2013.
- **Operations, Maintenance, and Monitoring Plan** – In Process.
- **Synthetic Temporary Cap Design** – Draft send to MDNR on March 25<sup>th</sup>.

#### **Community, Media, and Other Agency Discussion Items**

- **Odor Complaints**
- **Media Related Discussion**
- **Communication With Other Federal, State, or Local Agencies**
  - ***Missouri Department of Natural Resources***
  - ***St. Louis County Department of Health***

- ***Local Emergency Responders***
- ***Metropolitan St. Louis Sewer District***
- ***Other Agency Related Issues***

### **Open Discussion**

- Other Items of Concern
- Confirm date, location, and time of next Team Bridgeton Meeting (shoot for last Thursday of each month, 10:00 AM at the Republic Services Area Office Conference Room).

## LEGEND

● = Well Location


Maximum Temperature

- < 131°
- 131 < 151°
- 151 < 171°
- 171 < 191°
- > 191°

### NOTES:

Maximum Temperature represents the maximum initial wellhead temperature reading collected during the month.

Only points monitored during the report period show data.



Initial Temperature Maximums - December 2012 - Bridgeton Landfill

## LEGEND

● = Well Location


Maximum Temperature

- < 131°
- 131 < 151°
- 151 < 171°
- 171 < 191°
- > 191°

### NOTES:

Maximum Temperature represents the maximum initial wellhead temperature reading collected during the month.

Only points monitored during the report period show data.



Initial Temperature Maximums - January 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Maximum Temperature

- < 131°
- 131 < 151°
- 151 < 171°
- 171 < 191°
- > 191°

### NOTES:

Maximum Temperature represents the maximum initial wellhead temperature reading collected during the month.

Only points monitored during the report period show data.



Initial Temperature Maximums - February 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Maximum Temperature

- < 131°
- 131 < 151°
- 151 < 171°
- 171 < 191°
- > 191°

### NOTES:

Maximum Temperature represents the maximum initial wellhead temperature reading collected during the month.

Only points monitored during the report period show data.



Initial Temperature Maximums - March 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Hydrogen

●	< 10%
●	10 < 20%
●	20 < 30%
●	30 < 40%
●	> 40%

## NOTES:

Hydrogen represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Hydrogen Data Map - December 2012 - Bridgeton Landfill

## LEGEND

● = Well Location


Hydrogen

●	< 10%
●	10 < 20%
●	20 < 30%
●	30 < 40%
●	> 40%

## NOTES:

Hydrogen represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Hydrogen Data Map - January 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Hydrogen

●	< 10%
●	10 < 20%
●	20 < 30%
●	30 < 40%
●	> 40%

## NOTES:

Hydrogen represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Hydrogen Data Map - February 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Hydrogen

●	< 10%
●	10 < 20%
●	20 < 30%
●	30 < 40%
●	> 40%

### NOTES:

Hydrogen represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Hydrogen Data Map - March 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Carbon Monoxide (ppm)

- < 1,000
- 1,001 < 2,000
- 2,001 < 3,000
- 3,001 < 4,000
- 4,001 < 5,000
- > 5,000

### NOTES:

Carbon Monoxide represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Carbon Monoxide Data Map - December 2012 - Bridgeton Landfill

## LEGEND

● = Well Location


Carbon Monoxide (ppm)

- < 1,000
- 1,001 < 2,000
- 2,001 < 3,000
- 3,001 < 4,000
- 4,001 < 5,000
- > 5,000

### NOTES:

Carbon Monoxide represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Carbon Monoxide Data Map - January 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Carbon Monoxide (ppm)

- < 1,000
- 1,001 < 2,000
- 2,001 < 3,000
- 3,001 < 4,000
- 4,001 < 5,000
- > 5,000

### NOTES:

Carbon Monoxide represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Carbon Monoxide Data Map - February 2013 - Bridgeton Landfill

## LEGEND

● = Well Location


Carbon Monoxide (ppm)

- < 1,000
- 1,001 < 2,000
- 2,001 < 3,000
- 3,001 < 4,000
- 4,001 < 5,000
- > 5,000

### NOTES:


Carbon Monoxide represents the laboratory reported concentration for samples collected during the month.

Only points monitored during the report period show data.



Carbon Monoxide Data Map - March 2013 - Bridgeton Landfill

- Enclosed Flare Flow (scfm)\*




\*Flow is based on tabulated flow data collected daily.

**SCS ENGINEERS**

**Callidus -**


**Flare Flow (scfm)\***



\*Flow is based on tabulated flow data collected daily.

**SCS ENGINEERS**


## Candlestick Flare Flow (scfm)\*



\*Flow is based on tabulated flow data collected daily.

**SCS ENGINEERS**


## Total Combined Flow (scfm)\*



\*Combined flow is based on tabulated flow data collected daily from each device.

**SCS ENGINEERS**


## Inlet Gas and Temperature\*



\*Gas data collected from Laboratory Reports. Temperature data collected from GEM 2000 field readings.

**SCS ENGINEERS**


## Inlet Carbon Monoxide\*



\*Data collected from Laboratory Reports.

**SCS ENGINEERS**


## Combined Inlet Methane (GEM 2000)\*



\*Gas data collected form GEM 2000 feild monitoring instrument.


**SCS ENGINEERS**

## Combined Inlet Oxygen (GEM 2000)\*



\*Gas data collected form GEM 2000 feild monitoring instrument.

**SCS ENGINEERS**




GENERAL NOTES  
TOPOGRAPHY SHOWN BASED ON PHOTOGRAPHY DATED 2-23-2013

SETTLEMENT NOTES  
CONTOURS ARE OF CHANGE IN ELEVATION FROM 3-20-2013 TO 4-15-2013 PERFORMED AT GRID POINTS USING GPS METHODS  
POINTS HAVING POSITIVE ELEVATION CHANGES >0.3 FT WERE EXCLUDED FROM CONTOURING AS THEY REFLECT SOIL PLACEMENT  
SETTLEMENT IS REPORTED AS A NEGATIVE CHANGE IN ELEVATION


LEGEND	
—	EXISTING TOPOGRAPHIC CONTOUR
◎	GAS WELL
□	TMP
×	SETTLEMENT GRID SURVEY POINT

# TMP-1




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-2




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-3




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-4




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-5




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-6



TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL


# TMP-7R



Units at 100, 180 and 220 ft are no longer working


TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-8




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-9




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-10




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-11




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-12




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-13




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# TMP-14




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL

# 4/17/2013 -DEPTH




TEMPERATURE VS DEPTH  
BRIDGETON LANDFILL


# 4/17/2013 - ELEVATION




TEMPERATURE VS ELEVATION  
BRIDGETON LANDFILL


## GIW-1 Wellhead Temperatures










## GIW-2 Wellhead Temperatures










## GIW-3 Wellhead Temperatures










## GIW-4 Wellhead Temperatures










## GIW-5 Wellhead Temperatures










## GIW-6 Wellhead Temperatures










## GIW-7 Wellhead Temperatures










## GIW-8 Wellhead Temperatures










## GIW-9 Wellhead Temperatures










## GIW-10 Wellhead Temperatures










## GIW-11 Wellhead Temperatures










## GIW-12 Wellhead Temperatures









## GIW-13 Wellhead Temperatures







Daily Flare Monitoring Data And Inlet Lab Data

Date	Enclosed Flare												Candlestick Flare												Inlet Lab Data						
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow Set Point	Enclosed Flare Temp	Callidus Flare Flow (scfm)	Callidus Flow (scfm)	Total Flow (scfm)																				
12/19/2012	10.6	53	5	31.4	-37.8	71	1975	1642	1649	1860	3835	15.1	47.2	5.3	32.4	-45.8	100	1782	1372	5617											
12/20/2012	11.4	57	4	26.9	-36.7	80	2177	1665	1668	1817	3994	15.1	57.6	3.9	23.4	-44	98	1602	1074	5516											
12/20/2012	10.9	50.6	5.8	33.4	-37	58	2021	1656	1650	1844	3862	14.1	45.4	4.1	36.4	-43	98	1550	1226	5416											
12/20/2012	10.5	55.4	5.8	32.5	-36.4	68	2056	1644	1653	1750	3976	14.6	54.9	6.1	32.6	-43.5	99	1550	1165	5466											
12/20/2012	10.5	52	4.6	32.9	-37.6	79	2037	1635	1632	1774	3811	14.1	51.1	4.7	30.2	-47.8	99	1669	1227	5780											
12/20/2012	10.5	53.7	4.8	31	-36.4	69	1822	1612	1659	1750	3572	13.8	51.2	5.2	29.8	-47.7	90	2059	1131	5631											
12/20/2012	10.5	51	5.1	33.9	-36.1	60	1709	1632	1632	1805	3514	14.2	51.6	4.2	30	-46.3	95	1895	1242	5409											
12/20/2012	10.4	56.2	4.7	28.8	-36	59	1481	1653	1642	1882	3363	15	58.4	3.7	22.9	-46.1	91	1956	1231	5319											
12/20/2012	10.3	54.5	4.2	31	-37.8	67	1946	1655	1652	1784	3730	15	53.2	3.8	28	-45.3	102	1662	1137	5392											
12/20/2012	12.8	58.2	3	26	-39.4	69	1873	1670	1647	1891	3764	15.3	51.1	3.7	25.9	-44.9	105	1543	1246	5307											
12/20/2012	11.8	52.9	4.1	31.8	-36	65	2031	1621	1646	1804	3835	14.6	54.9	4.1	26.4	-45.1	98	1664	1066	5499											
12/20/2012	10.8	54.7	4	30.4	-38.3	60	2114	1557	1633	1839	3953	14	54.3	4	27.7	-44.3	109	1523	1067	5476											
12/20/2012	10.4	51.6	5.4	32.6	-37.3	72	2296	1659	1659	1909	4205	15.1	52.7	4.3	27.9	-43.3	110	1442	1119	5647											
12/20/2012	10.4	53.2	5.9	30.7	-37.6	55	2031	1605	1647	1828	3853	14.1	55.6	4.5	26.5	-42.8	102	1418	1169	5251											
12/20/2012	11	53.8	4.6	32.5	-37	60	1974	1611	1614	1777	3867	14.8	51.4	4.9	26.4	-43	103	1532	1177	5339											
12/20/2012	10.8	52	4.1	28.9	-37	80	2130	1630	1648	1980	4110	15.9	52	4.2	27.8	-39	102	1468	1302	5578											
12/20/2012	10.5	57.6	3.9	28	-38.1	68	1878	1665	1651	1838	3716	16.1	47.9	5.3	30.7	-39	104	1393	1163	5109											
12/20/2012	10.9	57.4	3.7	29.7	-37.6	72	1908	1620	1645	1860	3768	16.5	48	5.5	30	-39.1	92	1321	1353	5089											
12/20/2012	10.6	55.6	4.4	29.4	-39	70	1712	1711	1636	1782	3494	16.3	49	5.4	29.3	-39.4	92	1358	1321	4852											
12/20/2012	11.2	63.8	2.6	22.4	-37.7	61	1734	1639	1638	1761	3495	16.2	53.3	4.4	26.1	-38.1	90	1265	1347	4760											
12/20/2012	10.9	62	2.6	26.5	-37.6	69	1410	1656	1650	2009	3419	16.4	52.7	4.1	26.8	-38.6	92	1247	1167	4666											
12/20/2012	11.2	55.4	4.3	29.1	-38.4	79	1902	1598	1628	2090	3992	14.4	55.3	4.1	26.2	-37.2	100	1203	1071	5195											
12/20/2012	11.4	56.3	4	28.5	-35.9	80	2367	1655	1647	2060	4427	15.8	53.3	4.6	26.3	-37.2	100	1243	1321	5670											
12/20/2012	11.4	59.7	2.9	26	-38.1	87	1765	1632	1640	1646	3411																				4713
12/20/2012	12	60.5	2.3	25.7	-39.1	89	14388	1667	1667	1667	4363																			4369	
12/20/2012	12.5	52.4	3.4	27.8	-37.7	80	1569	1679	1611	2672	4241																			4362	
12/20/2012	18.2	5.9	2.8	27.8	-36.7	75	2031	1765	1764	2004	1624	16.2	51.5	4.5	27.8	-29.1	90	1304	1318	4298											
12/20/2012	17.5	57.2	3.3	22	-36.7	75	1767	1550	1245	2345	1752	17.5	52.3	3.3	22	-26.7	102	1401	1223	4646											
12/20/2012	12.6	61.4	2.4	23.6	-23.8	120	4639	1599	1363	7802	1618	16.1	51.7	4.3	27.2	-21.4	80	1514	1280	9316											
12/20/2012	13.3	59.5	3.9	23.1	-21	110	1586	1586	2782	2782	19	58.1	2.5	20.4	-21.2	105	1413	1136	4195												
12/20/2012	13.1	57.1	4.2	25.6	-39.5	80	4064	1586	1586	1586	2399																		4064		
12/20/2012	12.8	54.5	5	28	-40.2	70	1493	1888	1888	1888																			1888		
12/20/2012	12.1	46.4	6.9	34.5	-22.5	72	752	1651	1651	1752	14.1	52.4	4.8	28.7	-27.4	76	1411	1089	2163												
12/20/2012	12.5	53.7	4.9	28.9	-41.5	50	4660	1598	1593	2735	7395																	9289			
12/20/2012	12.8	53.5	4.7	28	-41.4	60	730	1575	1575	2870	3660																	4330			
12/20/2012	12.5	50.8	5.3	32	-42.3	50	6741	1653	1653	1656	3456	11.7	53	5.3	30	79.5	82	1237	1247	4617											
12/20/2012	14.5	54.8	2.8	23.4	-41	75	1629	1593	1593	1593	2406																	3260			
12/20/2012	12.8	55.8	2.8	23.4	-42	75	2969	1595	1595	2220	3180	14.3	53.2	3.2	27	-49.3	90	1220	902	6000											
12/20/2012	12.2	53.1	5.3	29.4	-42.6	73	3204	1674	1587	2473	5677	12.8	52.6	4.6	27.4	75.1	110	981	800	6658											
12/20/2012	14	57.6	3.1	25.3	-36.5	90	2856	1714	1601	2258	5114																	1089			
12/20/2012	11.6	56.7	4.1	27.6	-34.3	50	2641	1675	1652	2124	4765	12	57.1	4.5	26.4	57.8	80	832	1053	5597											
12/20/2012	12.4	54.9	4.2	25.8	-46.3	43	2324	1595	1501	2094	4418	13	57.6	3.7	25.7	59.1	60	90	951	813	5369										
12/20/2012	13	57.9	4.1	25	-47.1	50	2435	1612	1621	2092	4527	13.1	62.8	3.5	20.6	65	60	1021	863	5548											
12/20/2012	13	58.8	3.8	23.9	-47	60	2555	1593	1595	2108	4663	13.6	62.4	3.7	21	70.4	80	1150	1088	5813											
12/20/2012	12.8	64.4	3.9	18.8	-46																										

**Daily Flare Monitoring Data - Bridgeton Landfill**

10/1/2012 - 3/31/2013

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
10/1/2012	4,503	-	2,212	<b>6,715</b>
10/2/2012	3,973	-	2,242	<b>6,215</b>
10/3/2012	3,707	3,476	1,930	<b>9,113</b>
10/4/2012	2,611	2,741	1,890	<b>7,242</b>
10/5/2012	2,740	2,932	1,836	<b>7,508</b>
10/6/2012	2,525	3,046	1,729	<b>7,300</b>
10/7/2012	2,835	3,324	1,719	<b>7,878</b>
10/8/2012	2,342	3,386	1,625	<b>7,353</b>
10/9/2012	2,110	3,309	1,715	<b>7,134</b>
10/10/2012	2,364	1,963	1,516	<b>5,843</b>
10/11/2012	2,895	2,052	1,397	<b>6,344</b>
10/12/2012	3,101	2,246	1,324	<b>6,671</b>
10/13/2012	2,827	2,185	1,856	<b>6,868</b>
10/14/2012	2,239	1,800	2,102	<b>6,141</b>
10/15/2012	2,670	1,930	1,975	<b>6,575</b>
10/16/2012	2,900	1,940	2,040	<b>6,880</b>
10/17/2012	2,930	2,288	1,885	<b>7,103</b>
10/18/2012	1,668	1,489	1,892	<b>5,049</b>
10/19/2012	2,145	1,650	1,855	<b>5,650</b>
10/20/2012	3,160	1,800	1,785	<b>6,745</b>
10/21/2012	1,400	1,760	1,990	<b>5,150</b>
10/22/2012	1,804	1,225	1,337	<b>4,366</b>
10/23/2012	2,947	2,565	1,436	<b>6,948</b>
10/24/2012	1,960	1,725	1,310	<b>4,995</b>
10/25/2012	3,106	2,631	1,623	<b>7,360</b>
10/26/2012	2,701	2,411	1,334	<b>6,446</b>
10/27/2012	2,200	2,200	1,645	<b>6,045</b>
10/28/2012	2,197	2,250	1,472	<b>5,919</b>
10/29/2012	2,250	2,650	1,270	<b>6,170</b>
10/30/2012	2,372	2,820	1,460	<b>6,652</b>
10/31/2012	2,339	2,195	1,261	<b>5,795</b>

**Daily Flare Monitoring Data - Bridgeton Landfill**

10/1/2012 - 3/31/2013

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
11/1/2012	2,400	2,145	1,071	<b>5,616</b>
11/2/2012	2,500	2,120	1,050	<b>5,670</b>
11/3/2012	2,862	1,971	988	<b>5,821</b>
11/4/2012	2,659	2,297	1,188	<b>6,144</b>
11/5/2012	2,209	2,168	1,147	<b>5,524</b>
11/6/2012	2,230	2,375	1,040	<b>5,645</b>
11/7/2012	2,230	2,260	1,200	<b>5,690</b>
11/8/2012	2,723	2,075	1,456	<b>6,254</b>
11/9/2012	2,724	2,084	1,547	<b>6,355</b>
11/10/2012	2,824	1,991	1,732	<b>6,547</b>
11/11/2012	3,084	1,852	1,483	<b>6,419</b>
11/12/2012	2,370	1,880	1,484	<b>5,734</b>
11/13/2012	2,195	2,288	1,601	<b>6,084</b>
11/14/2012	2,197	1,860	1,526	<b>5,583</b>
11/15/2012	2,155	2,018	1,576	<b>5,749</b>
11/16/2012	1,955	1,932	1,669	<b>5,556</b>
11/17/2012	2,013	1,925	1,735	<b>5,673</b>
11/18/2012	2,065	1,900	1,747	<b>5,712</b>
11/19/2012	2,088	1,920	1,705	<b>5,713</b>
11/20/2012	2,281	1,945	1,701	<b>5,927</b>
11/21/2012	2,500	2,020	1,685	<b>6,205</b>
11/22/2012	2,229	2,022	1,762	<b>6,013</b>
11/23/2012	1,950	1,951	1,655	<b>5,556</b>
11/24/2012	2,017	2,046	1,512	<b>5,575</b>
11/25/2012	2,088	1,900	1,312	<b>5,300</b>
11/26/2012	1,851	1,766	1,289	<b>4,906</b>
11/27/2012	3,858	-	1,134	<b>4,992</b>
11/28/2012	1,834	1,840	1,185	<b>4,859</b>
11/29/2012	2,371	1,819	1,153	<b>5,343</b>
11/30/2012	2,442	1,818	1,240	<b>5,500</b>

**Daily Flare Monitoring Data - Bridgeton Landfill**  
**10/1/2012 - 3/31/2013**

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
12/1/2012	2,507	1,863	1,307	<b>5,677</b>
12/2/2012	2,616	1,849	1,323	<b>5,788</b>
12/3/2012	2,588	1,839	1,409	<b>5,836</b>
12/4/2012	2,156	1,980	1,478	<b>5,614</b>
12/5/2012	2,015	2,026	1,425	<b>5,466</b>
12/6/2012	2,829	1,964	1,118	<b>5,911</b>
12/7/2012	2,980	1,900	1,230	<b>6,110</b>
12/8/2012	3,000	1,700	1,220	<b>5,920</b>
12/9/2012	3,300	1,760	1,075	<b>6,135</b>
12/10/2012	2,429	1,670	1,308	<b>5,407</b>
12/11/2012	1,786	1,701	1,289	<b>4,776</b>
12/12/2012	3,546	1,933	1,440	<b>6,919</b>
12/13/2012	1,974	2,089	1,644	<b>5,707</b>
12/14/2012	2,217	1,417	1,620	<b>5,254</b>
12/15/2012	1,846	2,079	1,607	<b>5,532</b>
12/16/2012	1,980	1,882	1,451	<b>5,313</b>
12/17/2012	1,743	2,054	1,612	<b>5,409</b>
12/18/2012	1,871	1,642	1,597	<b>5,110</b>
12/19/2012	1,975	1,860	1,782	<b>5,617</b>
12/20/2012	2,177	1,817	1,602	<b>5,596</b>
12/21/2012	2,021	1,844	1,551	<b>5,416</b>
12/22/2012	2,066	1,850	1,550	<b>5,466</b>
12/23/2012	2,037	1,774	1,969	<b>5,780</b>
12/24/2012	1,822	1,750	2,059	<b>5,631</b>
12/25/2012	1,709	1,805	1,895	<b>5,409</b>
12/26/2012	1,481	1,882	1,956	<b>5,319</b>
12/27/2012	1,946	1,784	1,662	<b>5,392</b>
12/28/2012	1,873	1,891	1,543	<b>5,307</b>
12/29/2012	2,031	1,804	1,664	<b>5,499</b>
12/30/2012	2,114	1,839	1,523	<b>5,476</b>
12/31/2012	2,296	1,909	1,442	<b>5,647</b>

# Daily Flare Monitoring Data - Bridgeton Landfill

10/1/2012 - 3/31/2013

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
1/1/2013	2,011	1,822	1,418	<b>5,251</b>
1/2/2013	1,974	1,977	1,378	<b>5,329</b>
1/3/2013	2,130	1,980	1,468	<b>5,578</b>
1/4/2013	1,878	1,838	1,393	<b>5,109</b>
1/5/2013	1,908	1,860	1,321	<b>5,089</b>
1/6/2013	1,712	1,782	1,358	<b>4,852</b>
1/7/2013	1,734	1,761	1,265	<b>4,760</b>
1/8/2013	1,410	2,009	1,247	<b>4,666</b>
1/9/2013	1,902	2,090	1,203	<b>5,195</b>
1/10/2013	2,367	2,060	1,243	<b>5,670</b>
1/11/2013	1,765	1,646	1,302	<b>4,713</b>
1/12/2013	4,388	0	0	<b>4,388</b>
1/13/2013	1,569	2,672	1,221	<b>5,462</b>
1/14/2013	0	2,904	1,394	<b>4,298</b>
1/15/2013	0	3,245	1,401	<b>4,646</b>
1/16/2013	0	3,122	1,316	<b>4,438</b>
1/17/2013	4,639	3,163	1,514	<b>9,316</b>
1/18/2013	0	2,782	1,413	<b>4,195</b>
1/19/2013	0	4,064	0	<b>4,064</b>
1/20/2013	0	1,888	0	<b>1,888</b>
1/21/2013	752	0	1,411	<b>2,163</b>
1/22/2013	4,660	2,735	1,894	<b>9,289</b>
1/23/2013	730	2,870	730	<b>4,330</b>
1/24/2013	671	2,735	1,271	<b>4,677</b>
1/25/2013	710	2,759	3,900	<b>7,369</b>
1/26/2013	625	2,875	3,901	<b>7,401</b>
1/27/2013	591	2,751	3,901	<b>7,243</b>
1/28/2013	971	2,843	3,900	<b>7,714</b>
1/29/2013	697		1,074	<b>1,771</b>
1/30/2013	697	2,862	806	<b>4,365</b>
1/31/2013	2,100	2,220	820	<b>5,140</b>


**Daily Flare Monitoring Data - Bridgeton Landfill**  
**10/1/2012 - 3/31/2013**

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
2/1/2013	1,573	2,399	1,452	<b>5,424</b>
2/2/2013	2,633	1,618	1,483	<b>5,734</b>
2/3/2013	2,880	2,130	868	<b>5,878</b>
2/4/2013	3,450	2,358	814	<b>6,622</b>
2/5/2013	2,960	2,220	820	<b>6,000</b>
2/6/2013	3,204	2,473	981	<b>6,658</b>
2/7/2013	2,856	2,258	1,089	<b>6,203</b>
2/8/2013	2,641	2,124	832	<b>5,597</b>
2/9/2013	2,794	2,366	994	<b>6,154</b>
2/10/2013	2,719	2,210	1,080	<b>6,009</b>
2/11/2013	3,404	2,216	920	<b>6,540</b>
2/12/2013	2,990	2,200	950	<b>6,140</b>
2/13/2013	2,915	2,141	965	<b>6,021</b>
2/14/2013	2,938	1,995	1,035	<b>5,968</b>
2/15/2013	2,824	2,130	941	<b>5,895</b>
2/16/2013	2,589	2,064	1,026	<b>5,679</b>
2/17/2013	2,760	2,048	1,090	<b>5,898</b>
2/18/2013	2,767	2,490	1,060	<b>6,317</b>
2/19/2013	2,450	2,233	950	<b>5,633</b>
2/20/2013	2,324	2,094	951	<b>5,369</b>
2/21/2013	2,435	2,092	1,021	<b>5,548</b>
2/22/2013	2,555	2,108	1,150	<b>5,813</b>
2/23/2013	2,461	2,024	1,011	<b>5,496</b>
2/24/2013	2,694	2,119	1,015	<b>5,828</b>
2/25/2013	2,650	1,987	1,080	<b>5,717</b>
2/26/2013	2,398	2,293	935	<b>5,626</b>
2/27/2013	1,811	1,804	818	<b>4,433</b>
2/28/2013	2,112	1,975	908	<b>4,995</b>


**Daily Flare Monitoring Data - Bridgeton Landfill**  
**10/1/2012 - 3/31/2013**

Date	Device Flow (scfm)			Total Flow (scfm)
	Enclosed Flare	Callidus Flare	Calndlestic Flare	
3/1/2013	2,192	1,926	848	4,966
3/2/2013	2,293	2,202	906	5,401
3/3/2013	2,533	2,357	874	5,764
3/4/2013	2,659	2,365	913	5,937
3/5/2013	2,709	2,313	976	5,998
3/6/2013	2,414	2,283	1,012	5,709
3/7/2013	2,542	2,340	879	5,761
3/8/2013	2,526	2,380	957	5,863
3/9/2013	2,711	2,389	915	6,015
3/10/2013	2,726	2,266	1,073	6,065
3/11/2013	3,134	2,027	1,178	6,339
3/12/2013	2,933	2,373	1,202	6,508
3/13/2013	2,873	2,207	1,332	6,412
3/14/2013	3,615	1,549	768	5,932
3/15/2013	3,321	2,237	1,284	6,842
3/16/2013	2,762	1,948	1,381	6,091
3/17/2013	2,690	1,836	1,842	6,368
3/18/2013	2,316	2,171	2,009	6,496
3/19/2013	2,252	2,307	1,578	6,137
3/20/2013	2,883	2,251	1,167	6,301
3/21/2013	2,080	2,106	1,383	5,569
3/22/2013	2,216	2,664	1,339	6,219
3/23/2013	3,474	2,345	1,247	7,066
3/24/2013	2,869	2,248	1,099	6,216
3/25/2013	2,946	2,165	1,177	6,288
3/26/2013	3,255	2,243	1,112	6,610
3/27/2013	3,188	2,249	1,167	6,604
3/28/2013	3,237	2,314	1,322	6,873
3/29/2013	3,055	2,293	1,898	7,246
3/30/2013	2,975	2,349	1,238	6,562
3/31/2013	2,826	2,041	1970	6,837

## Inlet Gas and Temperature\*




## Inlet Carbon Monoxide\*



\*Data collected from

**SCS ENGINEERS**


## Total Combined Flow (scfm)\*



\*Combined flow is based on tabulated flow data

**SCS ENGINEERS**


## Enclosed Flare Flow (scfm)\*



\*Flow is based on tabulated flow data collected

**SCS ENGINEERS**


## Callidus Flare Flow (scfm)\*



\*Flow is based on tabulated flow data collected

**SCS ENGINEERS**


## Candlestick Flare Flow (scfm)\*



\*Flow is based on tabulated flow data collected

**SCS ENGINEERS**


## Combined Inlet Methane (GEM 2000)\*



\*Gas data collected form GEM 2000

**SCS ENGINEERS**




## Combined Inlet Oxygen (GEM 2000)\*






\*Gas data collected form GEM 2000

SCS ENGINEERS




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	04/08/13	1.2	73.9	0	24.9	140	-0.2	N	
GIW-01	04/09/13	1.7	75.2	0	23.1	160	0	Y	
GIW-01	04/10/13	1.6	74.4	0.2	23.8	165	-1.1	Y	
GIW-01	04/11/13	1.7	73.7	0.1	24.5	155	0.9	Y	
GIW-01	04/12/13	1.9	73.3	0.2	24.6	160	-1.3	Y	
GIW-01	04/13/13	1.9	74.3	0.4	23.4	160	1.6	Y	
GIW-01	04/14/13	1.9	75.9	0.2	22	160	-2.3	Y	
GIW-01	04/15/13	2	74.5	0.2	23.3	165	1.6	Y	
GIW-01	04/16/13	2.1	73.2	0.3	24.4	165	-1.8	Y	
GIW-01	04/17/13	2.1	74.4	0.3	23.2	160	-1	Y	
GIW-01	04/18/13	2.1	76.3	0.2	21.4	165	-2	Y	
GIW-01	04/19/13	2.1	71.9	0.6	25.4	165	-2.9	Y	
GIW-01	04/20/13	2.1	74.2	0.3	23.4	170	-1	Y	
GIW-01	04/21/13	2.1	73.1	0.8	24	170	-2.8	Y	
GIW-01	04/22/13	2.1	75.2	0.2	22.5	172	-3	Y	
GIW-01	04/23/13	2.1	72.5	0.6	24.8	170	-2.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	04/08/13	2.2	68.6	0	29.2	72	-0.3	N	
GIW-02	04/09/13	2.8	92.5	0.3	4.4	144	-0.3	Y	
GIW-02	04/10/13	1.6	72.3	0.2	25.9	140	-1.1	Y	
GIW-02	04/11/13	1.4	70.8	0.2	27.6	126	-0.1	Y	
GIW-02	04/12/13	1.1	69.6	0.3	29	150	-0.3	Y	
GIW-02	04/13/13	1.1	70	0.3	28.6	150	-0.1	Y	
GIW-02	04/14/13	1.1	75.1	0.2	23.6	154	-0.1	Y	
GIW-02	04/15/13	1.2	70.5	0.3	28	158	-0.1	Y	
GIW-02	04/16/13	1.4	69	0.2	29.4	160	-0.5	Y	
GIW-02	04/17/13	9.1	67.7	0.2	23	158	-2.1	Y	
GIW-02	04/18/13	10.5	71.8	0.3	17.4	155	-1.1	Y	
GIW-02	04/19/13	9.7	61.1	0.6	28.6	152	-2.8	Y	
GIW-02	04/20/13	9	63.2	0.3	27.5	152	-2.6	Y	
GIW-02	04/21/13	8.9	63.2	0.8	27.1	152	-2.7	Y	
GIW-02	04/22/13	9.1	72.4	0.3	18.2	155	-2	Y	
GIW-02	04/23/13	9.1	61.5	0.8	28.6	152	-3.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	04/08/13	3.3	70.1	0	26.6	120	-0.1	N	
GIW-03	04/09/13	3.4	71.9	0	24.7	130	-0.2	Y	
GIW-03	04/10/13	2.2	70.4	0.2	27.2	130	-0.2	Y	
GIW-03	04/11/13	3.2	70.2	0.3	26.3	120	-0.7	Y	
GIW-03	04/12/13	3.4	70.5	0.2	25.9	120	-0.1	Y	
GIW-03	04/13/13	0.6	72.1	0.1	27.2	110	-7.6	Y	
GIW-03	04/14/13	1.7	72	0.1	26.2	130	1.7	Y	
GIW-03	04/15/13	0.7	72.5	0.2	26.6	130	-0.3	Y	
GIW-03	04/16/13	3.2	68.9	0.2	27.7	130	-1.2	Y	
GIW-03	04/17/13	3.1	70.6	0.2	26.1	128	-2.7	Y	
GIW-03	04/18/13	2.7	72.2	0.2	24.9	125	-0.1	Y	
GIW-03	04/19/13	3.2	68.4	0.6	27.8	125	-2.9	Y	
GIW-03	04/20/13	3.2	69	0.3	27.5	132	-2.5	Y	
GIW-03	04/21/13	2.5	71.1	0.7	25.7	130	-1.2	Y	
GIW-03	04/22/13	3.3	76.3	0.4	20	132	-2.8	Y	
GIW-03	04/23/13	2.1	71.3	0.6	26	132	-1.8	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	04/08/13	0.4	73.7	0	25.9	150	-0.7	N	
GIW-04	04/09/13	0.4	73.6	0.6	25.4	150	-0.4	Y	
GIW-04	04/10/13	0.4	75.1	0.2	24.3	150	-0.8	Y	
GIW-04	04/11/13	0.5	75.3	0.1	24.1	145	-0.5	Y	
GIW-04	04/12/13	0.5	75	0.1	24.4	140	-1.6	Y	
GIW-04	04/13/13	0.5	74.1	0.1	25.3	140	-2.7	Y	
GIW-04	04/14/13	0.5	78.5	0.1	20.9	160	0.6	Y	
GIW-04	04/15/13	0.6	75.2	0.2	24	160	-0.1	Y	
GIW-04	04/16/13	0.6	73.8	0.3	25.3	142	-0.6	Y	
GIW-04	04/17/13	0.6	74.4	0.2	24.8	145	-1.4	Y	
GIW-04	04/18/13	0.7	76.7	0.2	22.4	140	-2.7	Y	
GIW-04	04/19/13	0.7	73.2	0.5	25.6	145	-3	Y	
GIW-04	04/20/13	0.7	74.1	0.2	25	150	-2.3	Y	
GIW-04	04/21/13	0.7	73.6	0.8	24.9	150	-3.3	Y	
GIW-04	04/22/13	0.7	82.5	0.2	16.6	152	-2.4	Y	
GIW-04	04/23/13	0.8	73.2	0.6	25.4	150	-3.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	04/08/13	0.2	72.4	0	27.4	160	-0.1	N	
GIW-05	04/09/13	0.6	66.7	2.5	30.2	170	-0.3	Y	
GIW-05	04/10/13	0.3	72.5	0.3	26.9	170	-0.2	Y	
GIW-05	04/11/13	0.3	73.2	0.2	26.3	165	-0.5	Y	
GIW-05	04/12/13	0.3	72.5	0.2	27	160	-0.7	Y	
GIW-05	04/13/13	0.3	72.2	0.2	27.3	160	-0.9	Y	
GIW-05	04/14/13	0.2	75.1	0.2	24.5	160	1	Y	
GIW-05	04/15/13	0.7	72.3	0.3	26.7	170	-0.5	Y	
GIW-05	04/16/13	0.9	71.6	0.2	27.3	170	-1.8	Y	
GIW-05	04/17/13	1.8	71.3	0.3	26.6	160	-2.2	Y	
GIW-05	04/18/13	0.3	74.2	0.2	25.3	165	-1	Y	
GIW-05	04/19/13	1.8	69.4	1.2	27.6	165	-2.9	Y	
GIW-05	04/20/13	0.3	71.3	0.2	28.2	165	-2.6	Y	
GIW-05	04/21/13	1.1	70	0.8	28.1	172	-3	Y	
GIW-05	04/22/13	0.2	79.6	0.3	19.9	170	-2	Y	
GIW-05	04/23/13	0.4	71	0.5	28.1	170	-4.2	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	04/08/13	0.5	75.3	0	24.2	150	-0.7	N	
GIW-06	04/09/13	0.3	76.2	0	23.5	152	-3.1	Y	
GIW-06	04/10/13	0.2	76.1	0.3	23.4	155	-2.3	Y	
GIW-06	04/11/13	0.3	77.2	0.1	22.4	140	-1.5	Y	
GIW-06	04/12/13	0.4	76.2	0.2	23.2	140	-1.1	Y	
GIW-06	04/13/13	0.3	76.1	0.2	23.4	145	1.6	Y	
GIW-06	04/14/13	0.3	77.6	0.2	21.9	150	-0.6	Y	
GIW-06	04/15/13	0.4	76.5	0.3	22.8	140	-2	Y	
GIW-06	04/16/13	0.3	75.9	0.2	23.6	150	-1.4	Y	
GIW-06	04/17/13	0.3	75.5	0.3	23.9	155	-2.1	Y	
GIW-06	04/18/13	0.3	78.2	0.2	21.3	140	-1.8	Y	
GIW-06	04/19/13	0.4	74.1	1	24.5	140	-2.4	Y	
GIW-06	04/20/13	0.5	75.1	0.2	24.2	156	-2.2	Y	
GIW-06	04/21/13	0.6	74.2	0.8	24.4	155	-2	Y	
GIW-06	04/22/13	0.4	83.6	0.2	15.8	158	-2.2	Y	
GIW-06	04/23/13	0.4	75.1	0.4	24.1	155	-4.2	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	04/08/13	13.1	75.1	0	11.8	80	-0.1	N	
GIW-07	04/09/13	12.6	66.1	2.9	18.4	120	-0.6	Y	
GIW-07	04/10/13	12.6	71.6	0.3	15.5	120	-0.3	Y	
GIW-07	04/11/13	17.2	69.4	0.1	13.3	120	-0.3	Y	
GIW-07	04/12/13	17.1	68.5	0.2	14.2	110	-0.3	Y	
GIW-07	04/13/13	17.8	67.6	0.2	14.4	120	-1.4	Y	
GIW-07	04/14/13	10.6	71.8	0.2	17.4	110	1.6	Y	
GIW-07	04/15/13	20.3	66.3	0.3	13.1	120	-0.7	Y	
GIW-07	04/16/13	19.8	67.3	0.1	12.8	110	-0.7	N	Pump not operational - Being repaired
GIW-07	04/17/13	21.8	65.8	0.3	12.1	115	-1.1	N	
GIW-07	04/18/13	10.1	72	0.2	17.7	70	-2	Y	
GIW-07	04/19/13	24.7	63	0.9	11.4	125	-2.4	Y	
GIW-07	04/20/13	12.3	69.5	0.3	17.9	110	-2.1	Y	Replaced 1-inch rod seal
GIW-07	04/21/13	12.9	68.1	0.7	18.3	110	-1.9	Y	
GIW-07	04/22/13	18.3	73.2	0.3	8.2	125	-1.7	Y	
GIW-07	04/23/13	20.5	65.2	0.3	14	125	-3.2	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	04/08/13	37.4	62.4	0	0.2	78	-0.2	N	
GIW-08	04/09/13	37.4	57.1	0.3	5.2	80	0.1	Y	
GIW-08	04/10/13	42.2	54	0.2	3.6	80	-0.2	Y	
GIW-08	04/11/13	34.7	62.8	0.2	2.3	52	-0.4	Y	
GIW-08	04/12/13	32.9	64.2	0.2	2.7	42	-0.6	N	Pump not operational prior to monitoring
GIW-08	04/13/13	38.5	57.9	0.2	3.4	62	-0.9	N	
GIW-08	04/14/13	28.1	68	0.2	3.7	80	0.6	N	
GIW-08	04/15/13	37.7	58.5	0.3	3.5	74	-0.4	Y	Pump Repaired
GIW-08	04/16/13	27.8	67	0.3	4.9	50	-0.4	Y	
GIW-08	04/17/13	33.6	52.2	0.3	13.9	80	-2.2	Y	
GIW-08	04/18/13	24.1	72.6	0.2	3.1	66	-1	Y	
GIW-08	04/19/13	26.7	54.3	0.9	18.1	80	-2.6	Y	Pump working, but well silted, no flow
GIW-08	04/20/13	27.1	55.1	0.3	17.5	80	-2.6	Y	Pump working, but well silted, no flow
GIW-08	04/21/13	26.1	49.2	0.8	23.9	80	-2.7	Y	
GIW-08	04/22/13	27.2	57.6	0.3	14.9	86	-2.1	Y	Well to be jetted and pumped 4-25
GIW-08	04/23/13	25.9	49.5	0.2	24.4	80	-3	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	04/08/13	20.7	69.3	0.1	9.9	140	-0.1	N	
GIW-09	04/09/13	7.1	57.8	3.8	31.3	140	-0.1	Y	
GIW-09	04/10/13	10.7	65	0.9	23.4	140	-0.5	Y	
GIW-09	04/11/13	12.5	66.7	0.1	20.7	140	-0.4	Y	
GIW-09	04/12/13	3.2	66.8	0.3	29.7	130	-0.1	Y	
GIW-09	04/13/13	10.7	63.4	0.3	25.6	140	-0.8	Y	
GIW-09	04/14/13	1.3	65.2	0.2	33.3	140	0.7	Y	
GIW-09	04/15/13	12.4	65.3	0.4	21.9	140	-0.4	Y	
GIW-09	04/16/13	11	66	0.2	22.8	145	-0.4	Y	
GIW-09	04/17/13	16.2	59.9	0.7	23.2	135	-2.6	Y	
GIW-09	04/18/13	10.3	68	0.2	21.5	145	-0.2	Y	
GIW-09	04/19/13	10.3	59.6	1.1	29	130	-3	Y	
GIW-09	04/20/13	12.2	56.6	0.8	30.4	140	-3.1	Y	
GIW-09	04/21/13	9.8	54.3	1.2	34.7	140	-2.5	Y	
GIW-09	04/22/13	9.5	62.3	0.5	27.7	142	-2	Y	
GIW-09	04/23/13	8.7	56.1	0.8	34.4	140	-2.8	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	04/08/13	11	70	0	19	160	-0.9	N	
GIW-10	04/09/13	0.6	68.6	0	30.8	160	-0.5	Y	
GIW-10	04/10/13	0.5	68.2	0.2	31.1	170	1.4	Y	
GIW-10	04/11/13	0.6	70	0.1	29.3	160	-1.5	Y	
GIW-10	04/12/13	0.7	69	0.2	30.1	165	0	Y	
GIW-10	04/13/13	0.6	68.5	0.3	30.6	165	-0.7	Y	
GIW-10	04/14/13	0.6	67.9	0.2	31.3	170	-0.2	Y	
GIW-10	04/15/13	0.8	67.2	0.3	31.7	170	-0.1	Y	
GIW-10	04/16/13	0.7	69.2	0.2	29.9	170	-0.9	Y	
GIW-10	04/17/13	1	67.8	0.3	30.9	170	-2.6	Y	
GIW-10	04/18/13	0.8	69.8	0.2	29.2	160	-0.7	Y	
GIW-10	04/19/13	0.7	67.8	0.5	31	165	-2.6	Y	
GIW-10	04/20/13	1.6	66.5	0.2	31.7	170	-2.7	Y	
GIW-10	04/21/13	0.9	64.6	0.7	33.8	172	-2.3	Y	
GIW-10	04/22/13	1.2	70.4	0.3	28.1	172	-1.4	Y	
GIW-10	04/23/13	0.8	67.4	0.4	31.4	172	-2.7	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	04/08/13	15.1	73.4	0	11.5	120	-0.2	N	
GIW-11	04/09/13	21.6	69	1.3	8.1	130	-0.3	Y	
GIW-11	04/10/13	14	71.8	0.2	14	120	0.7	Y	
GIW-11	04/11/13	18.7	73.8	0.1	7.4	130	-1.5	Y	
GIW-11	04/12/13	14.9	71.4	0.2	13.5	40	-0.1	Y	
GIW-11	04/13/13	14.7	72.6	0.3	12.4	120	-0.2	Y	
GIW-11	04/14/13	15	71.1	0.2	13.7	120	0.1	Y	
GIW-11	04/15/13	16.2	72	0.2	11.6	130	-0.2	Y	
GIW-11	04/16/13	16.8	72.3	0.3	10.6	120	-0.8	Y	
GIW-11	04/17/13	18.4	69.9	0.3	11.4	130	-2.4	Y	
GIW-11	04/18/13	17.4	72.5	0.3	9.8	130	-0.6	Y	
GIW-11	04/19/13	15.8	69.7	0.4	14.1	120	-2.1	Y	
GIW-11	04/20/13	16.6	66.5	0.3	16.6	130	-2.7	Y	
GIW-11	04/21/13	16.2	63.6	0.6	19.6	130	-2.6	Y	
GIW-11	04/22/13	16.8	69.3	0.2	13.7	130	-1.9	Y	
GIW-11	04/23/13	16.7	67.3	0.4	15.6	130	-3.2	Y	



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	04/08/13	7.4	68.4	0.9	23.3	80	-0.5	N	
GIW-12	04/09/13	6.5	66.2	0	27.3	80	-0.4	Y	
GIW-12	04/10/13	6.6	65	0.8	27.6	85	-0.1	Y	
GIW-12	04/11/13	3.4	40.1	8.9	47.6	50	-0.6	Y	
GIW-12	04/12/13	5.3	59.5	2.4	32.8	40	-0.6	Y	
GIW-12	04/13/13	4.8	59.1	2.3	33.8	52	-0.5	Y	
GIW-12	04/14/13	5.2	59.5	1.9	33.4	72	-0.5	Y	
GIW-12	04/15/13	3.7	39.5	8.4	48.4	68	-0.3	Y	
GIW-12	04/16/13	6.1	62.4	0.9	30.6	44	-1.1	Y	
GIW-12	04/17/13	7.3	62.4	0.9	29.4	60	-0.9	Y	
GIW-12	04/18/13	6.3	69.6	0.5	23.6	60	-0.7	Y	
GIW-12	04/19/13	5.9	62.9	1.7	29.5	40	-1.3	Y	
GIW-12	04/20/13	7	61.7	0.3	31	52	-1.6	Y	
GIW-12	04/21/13	7.9	59.7	0.6	31.8	52	-1.4	Y	
GIW-12	04/22/13	8	63.6	0.3	28.1	68	-1.1	Y	
GIW-12	04/23/13	7.6	61.7	0.9	29.8	58	-1.5	Y	



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	04/08/13	0.4	1.2	17.9	80.5	82	-0.7	N	
GIW-13	04/09/13	0.1	0.6	19.5	79.8	80	-1	Y	
GIW-13	04/10/13	0.1	0.9	16.6	82.4	88	-0.3	Y	
GIW-13	04/11/13	2.4	10	17.1	70.5	50	-1.4	Y	
GIW-13	04/12/13	0.2	3	20.4	76.4	45	-1.6	Y	
GIW-13	04/13/13	3	12	17.6	67.4	60	-1.5	Y	
GIW-13	04/14/13	1.2	4.2	18.4	76.2	80	-1.4	Y	
GIW-13	04/15/13	2.5	7.3	17.6	72.6	68	-1	Y	
GIW-13	04/16/13	18.9	65.2	0.4	15.5	50	-1.8	Y	
GIW-13	04/17/13	4.9	13.4	15	66.7	70	-1.9	Y	
GIW-13	04/18/13	16.3	63.5	0.3	19.9	68	-1.8	Y	
GIW-13	04/19/13	13.1	50.8	2.1	34	42	-2.5	Y	Pump working, no liquid, dry
GIW-13	04/20/13	11.7	50.6	2.1	35.6	70	-2.9	Y	Pump working, no liquid, dry
GIW-13	04/21/13	13.8	53.2	1.9	31.1	60	-2.5	Y	
GIW-13	04/22/13	11.9	61	0.9	26.2	72	-1.9	Y	Pump working, no liquid, dry
GIW-13	04/23/13	11.4	56	2	30.6	62	-2.8	Y	



TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-1	11/8/12	18	451.2174	108.48
TMP-1	11/8/12	38	431.2174	121.51
TMP-1	11/8/12	58	411.2174	129.74
TMP-1	11/8/12	78	391.2174	122.54
TMP-1	11/8/12	98	371.2174	122.82
TMP-1	11/8/12	118	351.2174	117.84
TMP-1	11/8/12	138	331.2174	106.87
TMP-1	11/12/12	18	451.2174	108.58
TMP-1	11/12/12	38	431.2174	131.42
TMP-1	11/12/12	58	411.2174	134.76
TMP-1	11/12/12	78	391.2174	136.34
TMP-1	11/12/12	98	371.2174	134.02
TMP-1	11/12/12	118	351.2174	121.13
TMP-1	11/12/12	138	331.2174	112.18
TMP-1	11/19/12	18	451.2174	113.03
TMP-1	11/19/12	38	431.2174	134.76
TMP-1	11/19/12	58	411.2174	136.25
TMP-1	11/19/12	78	391.2174	137.17
TMP-1	11/19/12	98	371.2174	130.39
TMP-1	11/19/12	118	351.2174	119.53
TMP-1	11/19/12	138	331.2174	113.31
TMP-1	11/26/12	18	451.2174	106.01
TMP-1	11/26/12	38	431.2174	130.11
TMP-1	11/26/12	58	411.2174	131.04
TMP-1	11/26/12	78	391.2174	130.11
TMP-1	11/26/12	98	371.2174	131.51
TMP-1	11/26/12	118	351.2174	114.82
TMP-1	11/26/12	138	331.2174	104.49
TMP-1	12/11/12	18	451.2174	110.09
TMP-1	12/11/12	38	431.2174	136.06
TMP-1	12/11/12	58	411.2174	141.33
TMP-1	12/11/12	78	391.2174	140.50
TMP-1	12/11/12	98	371.2174	134.02
TMP-1	12/11/12	118	351.2174	124.51
TMP-1	12/11/12	138	331.2174	117.18
TMP-1	12/17/12	18	451.2174	110.09
TMP-1	12/17/12	38	431.2174	136.06
TMP-1	12/17/12	58	411.2174	141.33
TMP-1	12/17/12	78	391.2174	140.50
TMP-1	12/17/12	98	371.2174	134.02
TMP-1	12/17/12	118	351.2174	124.51
TMP-1	12/17/12	138	331.2174	117.18
TMP-1	12/24/12	18	451.2174	115.20
TMP-1	12/24/12	38	431.2174	136.71
TMP-1	12/24/12	58	411.2174	142.26
TMP-1	12/24/12	78	391.2174	140.41

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-1	12/24/12	98	371.2174	133.93
TMP-1	12/24/12	118	351.2174	124.60
TMP-1	12/24/12	138	331.2174	117.09
TMP-1	12/31/12	18	451.2174	115.20
TMP-1	12/31/12	38	431.2174	136.71
TMP-1	12/31/12	58	411.2174	141.33
TMP-1	12/31/12	78	391.2174	140.41
TMP-1	12/31/12	98	371.2174	133.00
TMP-1	12/31/12	118	351.2174	123.66
TMP-1	12/31/12	138	331.2174	115.20
TMP-1	1/7/13	18	451.2174	117.09
TMP-1	1/7/13	38	431.2174	137.64
TMP-1	1/7/13	58	411.2174	143.18
TMP-1	1/7/13	78	391.2174	141.33
TMP-1	1/7/13	98	371.2174	134.85
TMP-1	1/7/13	118	351.2174	124.60
TMP-1	1/7/13	138	331.2174	116.14
TMP-1	1/9/13	18	451.2174	118.50
TMP-1	1/9/13	38	431.2174	139.50
TMP-1	1/9/13	58	411.2174	145.00
TMP-1	1/9/13	78	391.2174	143.70
TMP-1	1/9/13	98	371.2174	136.90
TMP-1	1/9/13	118	351.2174	126.70
TMP-1	1/9/13	138	331.2174	118.70
TMP-1	1/15/13	18	451.2174	120.10
TMP-1	1/15/13	38	431.2174	140.50
TMP-1	1/15/13	58	411.2174	146.80
TMP-1	1/15/13	78	391.2174	144.90
TMP-1	1/15/13	98	371.2174	137.90
TMP-1	1/15/13	118	351.2174	127.70
TMP-1	1/15/13	138	331.2174	119.60
TMP-1	1/22/13	18	451.2174	121.40
TMP-1	1/22/13	38	431.2174	141.10
TMP-1	1/22/13	58	411.2174	146.10
TMP-1	1/22/13	78	391.2174	144.70
TMP-1	1/22/13	98	371.2174	137.40
TMP-1	1/22/13	118	351.2174	127.10
TMP-1	1/22/13	138	331.2174	118.70
TMP-1	1/28/13	18	451.2174	120.10
TMP-1	1/28/13	38	431.2174	140.20
TMP-1	1/28/13	58	411.2174	145.60
TMP-1	1/28/13	78	391.2174	144.30
TMP-1	1/28/13	98	371.2174	137.20
TMP-1	1/28/13	118	351.2174	126.90
TMP-1	1/28/13	138	331.2174	118.80
TMP-1	2/6/13	18	451.2174	119.80

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-1	2/6/13	38	431.2174	139.70
TMP-1	2/6/13	58	411.2174	145.10
TMP-1	2/6/13	78	391.2174	143.80
TMP-1	2/6/13	98	371.2174	136.80
TMP-1	2/6/13	118	351.2174	126.60
TMP-1	2/6/13	138	331.2174	118.50
TMP-1	2/7/13	18	451.2174	120.60
TMP-1	2/7/13	38	431.2174	140.40
TMP-1	2/7/13	58	411.2174	145.70
TMP-1	2/7/13	78	391.2174	144.30
TMP-1	2/7/13	98	371.2174	137.20
TMP-1	2/7/13	118	351.2174	126.90
TMP-1	2/7/13	138	331.2174	118.70
TMP-1	2/13/13	18	451.2174	121.40
TMP-1	2/13/13	38	431.2174	141.20
TMP-1	2/13/13	58	411.2174	146.70
TMP-1	2/13/13	78	391.2174	145.30
TMP-1	2/13/13	98	371.2174	138.20
TMP-1	2/13/13	118	351.2174	127.90
TMP-1	2/13/13	138	331.2174	119.80
TMP-1	2/18/13	18	451.2174	120.30
TMP-1	2/18/13	38	431.2174	139.90
TMP-1	2/18/13	58	411.2174	145.30
TMP-1	2/18/13	78	391.2174	143.90
TMP-1	2/18/13	98	371.2174	136.90
TMP-1	2/18/13	118	351.2174	126.30
TMP-1	2/18/13	138	331.2174	118.20
TMP-1	2/25/13	18	451.2174	122.30
TMP-1	2/25/13	38	431.2174	141.70
TMP-1	2/25/13	58	411.2174	146.90
TMP-1	2/25/13	78	391.2174	145.40
TMP-1	2/25/13	98	371.2174	138.50
TMP-1	2/25/13	118	351.2174	128.00
TMP-1	2/25/13	138	331.2174	119.90
TMP-1	3/4/13	18	451.2174	123.40
TMP-1	3/4/13	38	431.2174	142.70
TMP-1	3/4/13	58	411.2174	146.20
TMP-1	3/4/13	78	391.2174	144.60
TMP-1	3/4/13	98	371.2174	137.60
TMP-1	3/4/13	118	351.2174	127.10
TMP-1	3/4/13	138	331.2174	119.00
TMP-1	3/12/13	18	451.2174	121.40
TMP-1	3/12/13	38	431.2174	141.60
TMP-1	3/12/13	58	411.2174	146.10
TMP-1	3/12/13	78	391.2174	144.50
TMP-1	3/12/13	98	371.2174	137.40

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-1	3/12/13	118	351.2174	127.00
TMP-1	3/12/13	138	331.2174	118.80
TMP-1	3/19/13	18	451.2174	122.60
TMP-1	3/19/13	38	431.2174	142.10
TMP-1	3/19/13	58	411.2174	147.20
TMP-1	3/19/13	78	391.2174	145.60
TMP-1	3/19/13	98	371.2174	138.50
TMP-1	3/19/13	118	351.2174	128.10
TMP-1	3/19/13	138	331.2174	119.90
TMP-1	3/26/13	18	451.2174	122.80
TMP-1	3/26/13	38	431.2174	141.60
TMP-1	3/26/13	58	411.2174	147.10
TMP-1	3/26/13	78	391.2174	145.60
TMP-1	3/26/13	98	371.2174	138.40
TMP-1	3/26/13	118	351.2174	128.10
TMP-1	3/26/13	138	331.2174	119.70
TMP-1	4/3/13	18	451.2174	123.20
TMP-1	4/3/13	38	431.2174	142.20
TMP-1	4/3/13	58	411.2174	147.60
TMP-1	4/3/13	78	391.2174	146.10
TMP-1	4/3/13	98	371.2174	139.00
TMP-1	4/3/13	118	351.2174	128.70
TMP-1	4/3/13	138	331.2174	120.60
TMP-1	4/10/13	18	451.2174	122.90
TMP-1	4/10/13	38	431.2174	141.40
TMP-1	4/10/13	58	411.2174	146.40
TMP-1	4/10/13	78	391.2174	144.70
TMP-1	4/10/13	98	371.2174	137.30
TMP-1	4/10/13	118	351.2174	126.80
TMP-1	4/10/13	138	331.2174	118.50
TMP-1	4/17/13	18	451.2174	122.00
TMP-1	4/17/13	38	431.2174	141.10
TMP-1	4/17/13	58	411.2174	146.40
TMP-1	4/17/13	78	391.2174	144.90
TMP-1	4/17/13	98	371.2174	137.60
TMP-1	4/17/13	118	351.2174	127.30
TMP-1	4/17/13	138	331.2174	119.20

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	11/12/12	0	488.3816	82.48
TMP-2	11/12/12	20	468.3816	108.39
TMP-2	11/12/12	40	448.3816	136.52
TMP-2	11/12/12	60	428.3816	152.91
TMP-2	11/12/12	80	408.3816	153.36
TMP-2	11/12/12	100	388.3816	153.91
TMP-2	11/12/12	120	368.3816	150.34
TMP-2	11/12/12	140	348.3816	145.66
TMP-2	11/12/12	160	328.3816	132.72
TMP-2	11/12/12	180	308.3816	127.03
TMP-2	11/12/12	200	288.3816	97.61
TMP-2	11/19/12	0	488.3816	85.67
TMP-2	11/19/12	20	468.3816	116.71
TMP-2	11/19/12	40	448.3816	142.99
TMP-2	11/19/12	60	428.3816	159.83
TMP-2	11/19/12	80	408.3816	160.01
TMP-2	11/19/12	100	388.3816	159.29
TMP-2	11/19/12	120	368.3816	154.37
TMP-2	11/19/12	140	348.3816	159.47
TMP-2	11/19/12	160	328.3816	141.89
TMP-2	11/19/12	180	308.3816	128.90
TMP-2	11/19/12	200	288.3816	97.04
TMP-2	11/26/12	0	488.3816	81.41
TMP-2	11/26/12	20	468.3816	117.56
TMP-2	11/26/12	40	448.3816	140.41
TMP-2	11/26/12	60	428.3816	157.38
TMP-2	11/26/12	80	408.3816	161.29
TMP-2	11/26/12	100	388.3816	155.92
TMP-2	11/26/12	120	368.3816	154.46
TMP-2	11/26/12	140	348.3816	147.59
TMP-2	11/26/12	160	328.3816	133.00
TMP-2	11/26/12	180	308.3816	121.69
TMP-2	11/26/12	200	288.3816	91.66
TMP-2	12/11/12	0	488.3816	77.81
TMP-2	12/11/12	20	468.3816	118.12
TMP-2	12/11/12	40	448.3816	145.39
TMP-2	12/11/12	60	428.3816	160.56
TMP-2	12/11/12	80	408.3816	163.73
TMP-2	12/11/12	100	388.3816	160.74
TMP-2	12/11/12	120	368.3816	155.65
TMP-2	12/11/12	140	348.3816	149.79
TMP-2	12/11/12	160	328.3816	140.87
TMP-2	12/11/12	180	308.3816	
TMP-2	12/11/12	200	288.3816	97.23
TMP-2	12/17/12	0	488.3816	77.81
TMP-2	12/17/12	20	468.3816	118.12

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	12/17/12	40	448.3816	145.39
TMP-2	12/17/12	60	428.3816	160.56
TMP-2	12/17/12	80	408.3816	163.73
TMP-2	12/17/12	100	388.3816	160.74
TMP-2	12/17/12	120	368.3816	155.65
TMP-2	12/17/12	140	348.3816	149.79
TMP-2	12/17/12	160	328.3816	140.87
TMP-2	12/17/12	180	308.3816	
TMP-2	12/17/12	200	288.3816	97.23
TMP-2	12/24/12	0	488.3816	81.70
TMP-2	12/24/12	20	468.3816	119.91
TMP-2	12/24/12	40	448.3816	147.78
TMP-2	12/24/12	60	428.3816	161.47
TMP-2	12/24/12	80	408.3816	165.09
TMP-2	12/24/12	100	388.3816	161.47
TMP-2	12/24/12	120	368.3816	156.01
TMP-2	12/24/12	140	348.3816	150.53
TMP-2	12/24/12	160	328.3816	140.41
TMP-2	12/24/12	180	308.3816	
TMP-2	12/24/12	200	288.3816	97.13
TMP-2	12/31/12	0	488.3816	79.76
TMP-2	12/31/12	20	468.3816	122.73
TMP-2	12/31/12	40	448.3816	148.69
TMP-2	12/31/12	60	428.3816	162.37
TMP-2	12/31/12	80	408.3816	165.09
TMP-2	12/31/12	100	388.3816	162.37
TMP-2	12/31/12	120	368.3816	156.92
TMP-2	12/31/12	140	348.3816	150.53
TMP-2	12/31/12	160	328.3816	140.41
TMP-2	12/31/12	180	308.3816	
TMP-2	12/31/12	200	288.3816	97.13
TMP-2	01/07/13	0	488.3816	81.70
TMP-2	01/07/13	20	468.3816	124.60
TMP-2	01/07/13	40	448.3816	149.61
TMP-2	01/07/13	60	428.3816	163.28
TMP-2	01/07/13	80	408.3816	166.00
TMP-2	01/07/13	100	388.3816	163.28
TMP-2	01/07/13	120	368.3816	157.83
TMP-2	01/07/13	140	348.3816	151.44
TMP-2	01/07/13	160	328.3816	142.26
TMP-2	01/07/13	180	308.3816	
TMP-2	01/07/13	200	288.3816	98.09
TMP-2	01/09/13	0	488.3816	77.50
TMP-2	01/09/13	20	468.3816	122.70
TMP-2	01/09/13	40	448.3816	152.30
TMP-2	01/09/13	60	428.3816	165.00

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	01/09/13	80	408.3816	168.30
TMP-2	01/09/13	100	388.3816	165.20
TMP-2	01/09/13	120	368.3816	159.50
TMP-2	01/09/13	140	348.3816	153.30
TMP-2	01/09/13	160	328.3816	144
TMP-2	01/09/13	180	308.3816	
TMP-2	01/09/13	200	288.3816	99.10
TMP-2	01/15/13	0	488.3816	78.00
TMP-2	01/15/13	20	468.3816	120.30
TMP-2	01/15/13	40	448.3816	152.20
TMP-2	01/15/13	60	428.3816	163.70
TMP-2	01/15/13	80	408.3816	167.70
TMP-2	01/15/13	100	388.3816	164.50
TMP-2	01/15/13	120	368.3816	158.70
TMP-2	01/15/13	140	348.3816	146.80
TMP-2	01/15/13	160	328.3816	142.9
TMP-2	01/15/13	180	308.3816	
TMP-2	01/15/13	200	288.3816	99.00
TMP-2	01/22/13	0	488.3816	76.70
TMP-2	01/22/13	20	468.3816	121.80
TMP-2	01/22/13	40	448.3816	153.40
TMP-2	01/22/13	60	428.3816	165.30
TMP-2	01/22/13	80	408.3816	169.70
TMP-2	01/22/13	100	388.3816	166.20
TMP-2	01/22/13	120	368.3816	160.30
TMP-2	01/22/13	140	348.3816	153.90
TMP-2	01/22/13	160	328.3816	144
TMP-2	01/22/13	180	308.3816	
TMP-2	01/22/13	200	288.3816	99.50
TMP-2	01/28/13	0	488.3816	71.50
TMP-2	01/28/13	20	468.3816	124.60
TMP-2	01/28/13	40	448.3816	152.30
TMP-2	01/28/13	60	428.3816	164.80
TMP-2	01/28/13	80	408.3816	165.10
TMP-2	01/28/13	100	388.3816	166.00
TMP-2	01/28/13	120	368.3816	157.70
TMP-2	01/28/13	140	348.3816	151.70
TMP-2	01/28/13	160	328.3816	141.2
TMP-2	01/28/13	180	308.3816	
TMP-2	01/28/13	200	288.3816	100.00
TMP-2	02/06/13	0	488.3816	71.00
TMP-2	02/06/13	20	468.3816	124.70
TMP-2	02/06/13	40	448.3816	145.80
TMP-2	02/06/13	60	428.3816	162.90
TMP-2	02/06/13	80	408.3816	166.90
TMP-2	02/06/13	100	388.3816	163.30

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	02/06/13	120	368.3816	157.20
TMP-2	02/06/13	140	348.3816	150.60
TMP-2	02/06/13	160	328.3816	141
TMP-2	02/06/13	180	308.3816	
TMP-2	02/06/13	200	288.3816	86.60
TMP-2	02/07/13	0	488.3816	74.50
TMP-2	02/07/13	20	468.3816	125.30
TMP-2	02/07/13	40	448.3816	151.60
TMP-2	02/07/13	60	428.3816	165.30
TMP-2	02/07/13	80	408.3816	168.80
TMP-2	02/07/13	100	388.3816	166.20
TMP-2	02/07/13	120	368.3816	159.90
TMP-2	02/07/13	140	348.3816	153.80
TMP-2	02/07/13	160	328.3816	144.1
TMP-2	02/07/13	180	308.3816	
TMP-2	02/07/13	200	288.3816	98.10
TMP-2	02/13/13	0	488.3816	73.80
TMP-2	02/13/13	20	468.3816	127.20
TMP-2	02/13/13	40	448.3816	150.00
TMP-2	02/13/13	60	428.3816	164.30
TMP-2	02/13/13	80	408.3816	168.50
TMP-2	02/13/13	100	388.3816	165.30
TMP-2	02/13/13	120	368.3816	159.20
TMP-2	02/13/13	140	348.3816	153.10
TMP-2	02/13/13	160	328.3816	143.7
TMP-2	02/13/13	180	308.3816	
TMP-2	02/13/13	200	288.3816	99.20
TMP-2	02/18/13	0	488.3816	73.10
TMP-2	02/18/13	20	468.3816	128.20
TMP-2	02/18/13	40	448.3816	150.40
TMP-2	02/18/13	60	428.3816	165.00
TMP-2	02/18/13	80	408.3816	169.30
TMP-2	02/18/13	100	388.3816	166.10
TMP-2	02/18/13	120	368.3816	159.70
TMP-2	02/18/13	140	348.3816	153.40
TMP-2	02/18/13	160	328.3816	144.1
TMP-2	02/18/13	180	308.3816	
TMP-2	02/18/13	200	288.3816	99.50
TMP-2	02/25/13	0	488.3816	72.20
TMP-2	02/25/13	20	468.3816	136.00
TMP-2	02/25/13	40	448.3816	150.40
TMP-2	02/25/13	60	428.3816	165.60
TMP-2	02/25/13	80	408.3816	169.80
TMP-2	02/25/13	100	388.3816	166.60
TMP-2	02/25/13	120	368.3816	160.20
TMP-2	02/25/13	140	348.3816	154.00

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	02/25/13	160	328.3816	144.5
TMP-2	02/25/13	180	308.3816	
TMP-2	02/25/13	200	288.3816	100.00
TMP-2	03/04/13	0	488.3816	70.20
TMP-2	03/04/13	20	468.3816	138.00
TMP-2	03/04/13	40	448.3816	151.60
TMP-2	03/04/13	60	428.3816	167.20
TMP-2	03/04/13	80	408.3816	171.70
TMP-2	03/04/13	100	388.3816	168.30
TMP-2	03/04/13	120	368.3816	161.60
TMP-2	03/04/13	140	348.3816	155.30
TMP-2	03/04/13	160	328.3816	145.7
TMP-2	03/04/13	180	308.3816	
TMP-2	03/04/13	200	288.3816	100.30
TMP-2	03/12/13	0	488.3816	70.00
TMP-2	03/12/13	20	468.3816	136.60
TMP-2	03/12/13	40	448.3816	150.10
TMP-2	03/12/13	60	428.3816	165.50
TMP-2	03/12/13	80	408.3816	170.00
TMP-2	03/12/13	100	388.3816	166.50
TMP-2	03/12/13	120	368.3816	159.80
TMP-2	03/12/13	140	348.3816	153.10
TMP-2	03/12/13	160	328.3816	145.6
TMP-2	03/12/13	180	308.3816	
TMP-2	03/12/13	200	288.3816	99.10
TMP-2	03/19/13	0	488.3816	69.30
TMP-2	03/19/13	20	468.3816	137.50
TMP-2	03/19/13	40	448.3816	149.20
TMP-2	03/19/13	60	428.3816	165.50
TMP-2	03/19/13	80	408.3816	169.90
TMP-2	03/19/13	100	388.3816	166.50
TMP-2	03/19/13	120	368.3816	159.90
TMP-2	03/19/13	140	348.3816	153.50
TMP-2	03/19/13	160	328.3816	145.8
TMP-2	03/19/13	180	308.3816	
TMP-2	03/19/13	200	288.3816	99.40
TMP-2	03/26/13	0	488.3816	69.30
TMP-2	03/26/13	20	468.3816	136.60
TMP-2	03/26/13	40	448.3816	149.70
TMP-2	03/26/13	60	428.3816	165.90
TMP-2	03/26/13	80	408.3816	159.60
TMP-2	03/26/13	100	388.3816	157.20
TMP-2	03/26/13	120	368.3816	159.50
TMP-2	03/26/13	140	348.3816	152.90
TMP-2	03/26/13	160	328.3816	143.1
TMP-2	03/26/13	180	308.3816	

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-2	03/26/13	200	288.3816	98.40
TMP-2	04/03/13	0	488.3816	73.50
TMP-2	04/03/13	20	468.3816	135.90
TMP-2	04/03/13	40	448.3816	150.60
TMP-2	04/03/13	60	428.3816	165.80
TMP-2	04/03/13	80	408.3816	170.00
TMP-2	04/03/13	100	388.3816	166.30
TMP-2	04/03/13	120	368.3816	159.70
TMP-2	04/03/13	140	348.3816	153.10
TMP-2	04/03/13	160	328.3816	145.5
TMP-2	04/03/13	180	308.3816	
TMP-2	04/03/13	200	288.3816	99.00
TMP-2	04/10/13	0	488.3816	78.90
TMP-2	04/10/13	20	468.3816	134.20
TMP-2	04/10/13	40	448.3816	152.50
TMP-2	04/10/13	60	428.3816	166.20
TMP-2	04/10/13	80	408.3816	169.80
TMP-2	04/10/13	100	388.3816	166.00
TMP-2	04/10/13	120	368.3816	159.30
TMP-2	04/10/13	140	348.3816	152.70
TMP-2	04/10/13	160	328.3816	143.6
TMP-2	04/10/13	180	308.3816	
TMP-2	04/10/13	200	288.3816	98.60
TMP-2	04/17/13	0	488.3816	86.10
TMP-2	04/17/13	20	468.3816	131.90
TMP-2	04/17/13	40	448.3816	152.70
TMP-2	04/17/13	60	428.3816	167.20
TMP-2	04/17/13	80	408.3816	171.50
TMP-2	04/17/13	100	388.3816	168.30
TMP-2	04/17/13	120	368.3816	161.60
TMP-2	04/17/13	140	348.3816	154.60
TMP-2	04/17/13	160	328.3816	147.4
TMP-2	04/17/13	180	308.3816	
TMP-2	04/17/13	200	288.3816	100.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	11/19/2012	10	490	95.41
TMP-3	11/19/2012	30	470	121.32
TMP-3	11/19/2012	50	450	137.82
TMP-3	11/19/2012	70	430	139.86
TMP-3	11/19/2012	90	410	144.1
TMP-3	11/19/2012	110	390	139.49
TMP-3	11/19/2012	130	370	135.13
TMP-3	11/19/2012	150	350	131.88
TMP-3	11/19/2012	170	330	129.27
TMP-3	11/19/2012	190	310	120.38
TMP-3	11/19/2012	210	290	106.39
TMP-3	11/19/2012	230	270	93.58
TMP-3	11/19/2012	250	250	82.67
TMP-3	11/26/2012	10	490	103.63
TMP-3	11/26/2012	30	470	124.23
TMP-3	11/26/2012	50	450	142.62
TMP-3	11/26/2012	70	430	146.22
TMP-3	11/26/2012	90	410	143.55
TMP-3	11/26/2012	110	390	141.79
TMP-3	11/26/2012	130	370	137.64
TMP-3	11/26/2012	150	350	141.89
TMP-3	11/26/2012	170	330	135.04
TMP-3	11/26/2012	190	310	118.97
TMP-3	11/26/2012	210	290	105.44
TMP-3	11/26/2012	230	270	93.77
TMP-3	11/26/2012	250	250	82.67
TMP-3	12/11/2012	10	490	126.28
TMP-3	12/11/2012	30	470	132.72
TMP-3	12/11/2012	50	450	148.69
TMP-3	12/11/2012	70	430	148.79
TMP-3	12/11/2012	90	410	150.25
TMP-3	12/11/2012	110	390	147.41
TMP-3	12/11/2012	130	370	142.81
TMP-3	12/11/2012	150	350	138.75
TMP-3	12/11/2012	170	330	134.02
TMP-3	12/11/2012	190	310	125.26
TMP-3	12/11/2012	210	290	110.85
TMP-3	12/11/2012	230	270	97.51
TMP-3	12/11/2012	250	250	85.19
TMP-3	12/17/2012	10	490	126.28
TMP-3	12/17/2012	30	470	132.72
TMP-3	12/17/2012	50	450	148.69
TMP-3	12/17/2012	70	430	148.79
TMP-3	12/17/2012	90	410	150.25
TMP-3	12/17/2012	110	390	147.41
TMP-3	12/17/2012	130	370	142.81

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	12/17/2012	150	350	138.75
TMP-3	12/17/2012	170	330	134.02
TMP-3	12/17/2012	190	310	125.26
TMP-3	12/17/2012	210	290	110.85
TMP-3	12/17/2012	230	270	97.51
TMP-3	12/17/2012	250	250	85.19
TMP-3	12/24/2012	10	490	123.66
TMP-3	12/24/2012	30	470	132.07
TMP-3	12/24/2012	50	450	146.86
TMP-3	12/24/2012	70	430	149.61
TMP-3	12/24/2012	90	410	150.53
TMP-3	12/24/2012	110	390	147.78
TMP-3	12/24/2012	130	370	143.18
TMP-3	12/24/2012	150	350	138.56
TMP-3	12/24/2012	170	330	133.93
TMP-3	12/24/2012	190	310	125.54
TMP-3	12/24/2012	210	290	110.47
TMP-3	12/24/2012	230	270	97.13
TMP-3	12/24/2012	250	250	85.58
TMP-3	12/31/2012	10	490	139.49
TMP-3	12/31/2012	30	470	135.78
TMP-3	12/31/2012	50	450	148.69
TMP-3	12/31/2012	70	430	150.53
TMP-3	12/31/2012	90	410	151.44
TMP-3	12/31/2012	110	390	149.61
TMP-3	12/31/2012	130	370	144.1
TMP-3	12/31/2012	150	350	139.49
TMP-3	12/31/2012	170	330	134.85
TMP-3	12/31/2012	190	310	125.54
TMP-3	12/31/2012	210	290	111.42
TMP-3	12/31/2012	230	270	98.09
TMP-3	12/31/2012	250	250	85.58
TMP-3	1/7/2013	10	490	144.1
TMP-3	1/7/2013	30	470	138.56
TMP-3	1/7/2013	50	450	150.53
TMP-3	1/7/2013	70	430	152.36
TMP-3	1/7/2013	90	410	154.19
TMP-3	1/7/2013	110	390	151.44
TMP-3	1/7/2013	130	370	145.02
TMP-3	1/7/2013	150	350	141.33
TMP-3	1/7/2013	170	330	136.71
TMP-3	1/7/2013	190	310	127.41
TMP-3	1/7/2013	210	290	112.37
TMP-3	1/7/2013	230	270	99.05
TMP-3	1/7/2013	250	250	87.51
TMP-3	1/9/2013	10	490	144.1

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	1/9/2013	30	470	136.1
TMP-3	1/9/2013	50	450	148.3
TMP-3	1/9/2013	70	430	151.4
TMP-3	1/9/2013	90	410	152.5
TMP-3	1/9/2013	110	390	150.1
TMP-3	1/9/2013	130	370	144.7
TMP-3	1/9/2013	150	350	140.6
TMP-3	1/9/2013	170	330	135.6
TMP-3	1/9/2013	190	310	126.8
TMP-3	1/9/2013	210	290	112.1
TMP-3	1/9/2013	230	270	98.1
TMP-3	1/9/2013	250	250	86
TMP-3	1/15/2013	10	490	132.5
TMP-3	1/15/2013	30	470	135.7
TMP-3	1/15/2013	50	450	148.9
TMP-3	1/15/2013	70	430	152.3
TMP-3	1/15/2013	90	410	153.4
TMP-3	1/15/2013	110	390	150.9
TMP-3	1/15/2013	130	370	145.5
TMP-3	1/15/2013	150	350	141.2
TMP-3	1/15/2013	170	330	136
TMP-3	1/15/2013	190	310	127.3
TMP-3	1/15/2013	210	290	112
TMP-3	1/15/2013	230	270	98.6
TMP-3	1/15/2013	250	250	86.3
TMP-3	1/22/2013	10	490	136.3
TMP-3	1/22/2013	30	470	138.7
TMP-3	1/22/2013	50	450	150.3
TMP-3	1/22/2013	70	430	153.5
TMP-3	1/22/2013	90	410	154.6
TMP-3	1/22/2013	110	390	152.2
TMP-3	1/22/2013	130	370	146.7
TMP-3	1/22/2013	150	350	142.2
TMP-3	1/22/2013	170	330	137
TMP-3	1/22/2013	190	310	128.3
TMP-3	1/22/2013	210	290	113.2
TMP-3	1/22/2013	230	270	99.6
TMP-3	1/22/2013	250	250	87.3
TMP-3	1/28/2013	10	490	140.2
TMP-3	1/28/2013	30	470	136.3
TMP-3	1/28/2013	50	450	149.2
TMP-3	1/28/2013	70	430	152.6
TMP-3	1/28/2013	90	410	153.6
TMP-3	1/28/2013	110	390	151.3
TMP-3	1/28/2013	130	370	145.8
TMP-3	1/28/2013	150	350	141.6

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	1/28/2013	170	330	136.4
TMP-3	1/28/2013	190	310	127.7
TMP-3	1/28/2013	210	290	112.8
TMP-3	1/28/2013	230	270	99.1
TMP-3	1/28/2013	250	250	87
TMP-3	2/6/2013	10	490	134.9
TMP-3	2/6/2013	30	470	137
TMP-3	2/6/2013	50	450	150.4
TMP-3	2/6/2013	70	430	153.7
TMP-3	2/6/2013	90	410	154.6
TMP-3	2/6/2013	110	390	152.3
TMP-3	2/6/2013	130	370	146.6
TMP-3	2/6/2013	150	350	142.2
TMP-3	2/6/2013	170	330	137.1
TMP-3	2/6/2013	190	310	127.3
TMP-3	2/6/2013	210	290	114.1
TMP-3	2/6/2013	230	270	99.6
TMP-3	2/6/2013	250	250	87.7
TMP-3	2/7/2013	10	490	133.6
TMP-3	2/7/2013	30	470	135.6
TMP-3	2/7/2013	50	450	149.5
TMP-3	2/7/2013	70	430	152.8
TMP-3	2/7/2013	90	410	153.9
TMP-3	2/7/2013	110	390	151.6
TMP-3	2/7/2013	130	370	145.8
TMP-3	2/7/2013	150	350	141.7
TMP-3	2/7/2013	170	330	136.5
TMP-3	2/7/2013	190	310	127.3
TMP-3	2/7/2013	210	290	113.5
TMP-3	2/7/2013	230	270	99.2
TMP-3	2/7/2013	250	250	87.2
TMP-3	2/13/2013	10	490	129.6
TMP-3	2/13/2013	30	470	134.6
TMP-3	2/13/2013	50	450	148.9
TMP-3	2/13/2013	70	430	152.3
TMP-3	2/13/2013	90	410	153.4
TMP-3	2/13/2013	110	390	151.2
TMP-3	2/13/2013	130	370	145.5
TMP-3	2/13/2013	150	350	141.4
TMP-3	2/13/2013	170	330	136.2
TMP-3	2/13/2013	190	310	125.5
TMP-3	2/13/2013	210	290	114.7
TMP-3	2/13/2013	230	270	98.9
TMP-3	2/13/2013	250	250	86.9
TMP-3	2/18/2013	10	490	132.7
TMP-3	2/18/2013	30	470	135.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	2/18/2013	50	450	144.7
TMP-3	2/18/2013	70	430	153.1
TMP-3	2/18/2013	90	410	154.1
TMP-3	2/18/2013	110	390	151.8
TMP-3	2/18/2013	130	370	146
TMP-3	2/18/2013	150	350	142
TMP-3	2/18/2013	170	330	136.7
TMP-3	2/18/2013	190	310	126.8
TMP-3	2/18/2013	210	290	115.6
TMP-3	2/18/2013	230	270	99.3
TMP-3	2/18/2013	250	250	87.6
TMP-3	2/25/2013	10	490	85.6
TMP-3	2/25/2013	30	470	103.2
TMP-3	2/25/2013	50	450	144.8
TMP-3	2/25/2013	70	430	153.1
TMP-3	2/25/2013	90	410	154.2
TMP-3	2/25/2013	110	390	152
TMP-3	2/25/2013	130	370	146.4
TMP-3	2/25/2013	150	350	142.1
TMP-3	2/25/2013	170	330	136.6
TMP-3	2/25/2013	190	310	126.8
TMP-3	2/25/2013	210	290	113.1
TMP-3	2/25/2013	230	270	99.1
TMP-3	2/25/2013	250	250	87.3
TMP-3	3/4/2013	10	490	135.4
TMP-3	3/4/2013	30	470	135.8
TMP-3	3/4/2013	50	450	150.4
TMP-3	3/4/2013	70	430	154.2
TMP-3	3/4/2013	90	410	155.1
TMP-3	3/4/2013	110	390	152.7
TMP-3	3/4/2013	130	370	146.7
TMP-3	3/4/2013	150	350	142.7
TMP-3	3/4/2013	170	330	137.2
TMP-3	3/4/2013	190	310	127.2
TMP-3	3/4/2013	210	290	112.6
TMP-3	3/4/2013	230	270	99.8
TMP-3	3/4/2013	250	250	88.4
TMP-3	3/12/2013	10	490	119
TMP-3	3/12/2013	30	470	130.3
TMP-3	3/12/2013	50	450	146.5
TMP-3	3/12/2013	70	430	152.3
TMP-3	3/12/2013	90	410	154.1
TMP-3	3/12/2013	110	390	152.1
TMP-3	3/12/2013	130	370	146.2
TMP-3	3/12/2013	150	350	141.9
TMP-3	3/12/2013	170	330	136.6

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	3/12/2013	190	310	130.8
TMP-3	3/12/2013	210	290	112.2
TMP-3	3/12/2013	230	270	99.9
TMP-3	3/12/2013	250	250	88.5
TMP-3	3/19/2013	10	490	116
TMP-3	3/19/2013	30	470	130.5
TMP-3	3/19/2013	50	450	143.9
TMP-3	3/19/2013	70	430	153.1
TMP-3	3/19/2013	90	410	154.4
TMP-3	3/19/2013	110	390	152.1
TMP-3	3/19/2013	130	370	146.1
TMP-3	3/19/2013	150	350	142.1
TMP-3	3/19/2013	170	330	136.8
TMP-3	3/19/2013	190	310	127.2
TMP-3	3/19/2013	210	290	112.6
TMP-3	3/19/2013	230	270	99.9
TMP-3	3/19/2013	250	250	88.2
TMP-3	3/26/2013	10	490	116.1
TMP-3	3/26/2013	30	470	128
TMP-3	3/26/2013	50	450	146.8
TMP-3	3/26/2013	70	430	153.2
TMP-3	3/26/2013	90	410	154.3
TMP-3	3/26/2013	110	390	151.9
TMP-3	3/26/2013	130	370	146
TMP-3	3/26/2013	150	350	141.8
TMP-3	3/26/2013	170	330	136.2
TMP-3	3/26/2013	190	310	126.7
TMP-3	3/26/2013	210	290	112.4
TMP-3	3/26/2013	230	270	99.4
TMP-3	3/26/2013	250	250	87.9
TMP-3	4/3/2013	10	490	128.7
TMP-3	4/3/2013	30	470	134.6
TMP-3	4/3/2013	50	450	148.1
TMP-3	4/3/2013	70	430	153.4
TMP-3	4/3/2013	90	410	154.5
TMP-3	4/3/2013	110	390	152.2
TMP-3	4/3/2013	130	370	145.9
TMP-3	4/3/2013	150	350	142
TMP-3	4/3/2013	170	330	136.5
TMP-3	4/3/2013	190	310	126.7
TMP-3	4/3/2013	210	290	112.7
TMP-3	4/3/2013	230	270	99.5
TMP-3	4/3/2013	250	250	88
TMP-3	4/10/2013	10	490	132.8
TMP-3	4/10/2013	30	470	133.9
TMP-3	4/10/2013	50	450	147.5

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-3	4/10/2013	70	430	153.7
TMP-3	4/10/2013	90	410	154.9
TMP-3	4/10/2013	110	390	152.6
TMP-3	4/10/2013	130	370	146.4
TMP-3	4/10/2013	150	350	142.6
TMP-3	4/10/2013	170	330	137.2
TMP-3	4/10/2013	190	310	127.8
TMP-3	4/10/2013	210	290	114.4
TMP-3	4/10/2013	230	270	100.5
TMP-3	4/10/2013	250	250	88.9
TMP-3	4/17/2013	10	490	83.6
TMP-3	4/17/2013	30	470	111.2
TMP-3	4/17/2013	50	450	139.7
TMP-3	4/17/2013	70	430	152.4
TMP-3	4/17/2013	90	410	154
TMP-3	4/17/2013	110	390	151.6
TMP-3	4/17/2013	130	370	145.7
TMP-3	4/17/2013	150	350	141.8
TMP-3	4/17/2013	170	330	136.4
TMP-3	4/17/2013	190	310	126.5
TMP-3	4/17/2013	210	290	113.4
TMP-3	4/17/2013	230	270	99.4
TMP-3	4/17/2013	250	250	87.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-4	11/8/2012	28	472	102.77
TMP-4	11/8/2012	48	452	97.99
TMP-4	11/12/2012	28	472	106.3
TMP-4	11/12/2012	48	452	101.05
TMP-4	11/19/2012	28	472	106.3
TMP-4	11/19/2012	48	452	76.93
TMP-4	11/26/2012	28	472	105.44
TMP-4	11/26/2012	48	452	98.38
TMP-4	12/11/2012	28	472	109.52
TMP-4	12/11/2012	48	452	103.34
TMP-4	12/17/2012	28	472	109.52
TMP-4	12/17/2012	48	452	103.34
TMP-4	12/24/2012	28	472	106.68
TMP-4	12/24/2012	48	452	100.96
TMP-4	12/31/2012	28	472	106.68
TMP-4	12/31/2012	48	452	101.91
TMP-4	1/7/2013	28	472	106.68
TMP-4	1/7/2013	48	452	101.91
TMP-4	1/9/2013	28	472	108.4
TMP-4	1/9/2013	48	452	103.7
TMP-4	1/15/2013	28	472	111
TMP-4	1/15/2013	48	452	105.7
TMP-4	1/22/2013	28	472	110.8
TMP-4	1/22/2013	48	452	106
TMP-4	1/28/2013	28	472	108.2
TMP-4	1/28/2013	48	452	103.9
TMP-4	2/6/2013	28	472	110.9
TMP-4	2/6/2013	48	452	106.1
TMP-4	2/7/2013	28	472	107
TMP-4	2/7/2013	48	452	103.5
TMP-4	2/13/2013	28	472	109
TMP-4	2/13/2013	48	452	104.3
TMP-4	2/18/2013	28	472	107.8
TMP-4	2/18/2013	48	452	103.4
TMP-4	2/25/2013	28	472	110.4
TMP-4	2/25/2013	48	452	103.4
TMP-4	3/4/2013	28	472	111.6
TMP-4	3/4/2013	48	452	104.5
TMP-4	3/12/2013	28	472	113.4
TMP-4	3/12/2013	48	452	104.8
TMP-4	3/19/2013	28	472	112.6
TMP-4	3/19/2013	48	452	103.2
TMP-4	3/26/2013	28	472	118
TMP-4	3/26/2013	48	452	107.3
TMP-4	4/3/2013	28	472	118.9
TMP-4	4/3/2013	48	452	107.5

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-4	4/10/2013	28	472	118.6
TMP-4	4/10/2013	48	452	107.4
TMP-4	4/17/2013	28	472	116.1
TMP-4	4/17/2013	48	452	104.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	12/11/2012	20	482.6242	67.05
TMP-5	12/11/2012	40	462.6242	115.77
TMP-5	12/11/2012	60	442.6242	142.16
TMP-5	12/11/2012	80	422.6242	146.95
TMP-5	12/11/2012	100	402.6242	146.77
TMP-5	12/11/2012	120	382.6242	156.01
TMP-5	12/11/2012	140	362.6242	152.91
TMP-5	12/11/2012	160	342.6242	134.85
TMP-5	12/11/2012	180	322.6242	
TMP-5	12/11/2012	200	302.6242	
TMP-5	12/11/2012	220	282.6242	117.65
TMP-5	12/11/2012	240	262.6242	
TMP-5	12/17/2012	20	482.6242	67.05
TMP-5	12/17/2012	40	462.6242	115.77
TMP-5	12/17/2012	60	442.6242	142.16
TMP-5	12/17/2012	80	422.6242	146.95
TMP-5	12/17/2012	100	402.6242	146.77
TMP-5	12/17/2012	120	382.6242	156.01
TMP-5	12/17/2012	140	362.6242	152.91
TMP-5	12/17/2012	160	342.6242	134.85
TMP-5	12/17/2012	180	322.6242	
TMP-5	12/17/2012	200	302.6242	
TMP-5	12/17/2012	220	282.6242	117.65
TMP-5	12/17/2012	240	262.6242	
TMP-5	12/24/2012	20	482.6242	67.05
TMP-5	12/24/2012	40	462.6242	115.2
TMP-5	12/24/2012	60	442.6242	145.02
TMP-5	12/24/2012	80	422.6242	147.78
TMP-5	12/24/2012	100	402.6242	147.78
TMP-5	12/24/2012	120	382.6242	156.92
TMP-5	12/24/2012	140	362.6242	153.27
TMP-5	12/24/2012	160	342.6242	134.85
TMP-5	12/24/2012	180	322.6242	
TMP-5	12/24/2012	200	302.6242	
TMP-5	12/24/2012	220	282.6242	116.14
TMP-5	12/24/2012	240	262.6242	
TMP-5	12/31/2012	20	482.6242	67.05
TMP-5	12/31/2012	40	462.6242	117.09
TMP-5	12/31/2012	60	442.6242	146.86
TMP-5	12/31/2012	80	422.6242	149.61
TMP-5	12/31/2012	100	402.6242	148.69
TMP-5	12/31/2012	120	382.6242	157.83
TMP-5	12/31/2012	140	362.6242	153.27
TMP-5	12/31/2012	160	342.6242	134.85
TMP-5	12/31/2012	180	322.6242	
TMP-5	12/31/2012	200	302.6242	

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	12/31/2012	220	282.6242	116.14
TMP-5	12/31/2012	240	262.6242	
TMP-5	1/7/2013	20	482.6242	66.07
TMP-5	1/7/2013	40	462.6242	119.91
TMP-5	1/7/2013	60	442.6242	146.86
TMP-5	1/7/2013	80	422.6242	148.69
TMP-5	1/7/2013	100	402.6242	149.61
TMP-5	1/7/2013	120	382.6242	157.83
TMP-5	1/7/2013	140	362.6242	154.19
TMP-5	1/7/2013	160	342.6242	134.85
TMP-5	1/7/2013	180	322.6242	
TMP-5	1/7/2013	200	302.6242	
TMP-5	1/7/2013	220	282.6242	116.14
TMP-5	1/7/2013	240	262.6242	
TMP-5	1/9/2013	20	482.6242	67
TMP-5	1/9/2013	40	462.6242	125.2
TMP-5	1/9/2013	60	442.6242	150.5
TMP-5	1/9/2013	80	422.6242	152.9
TMP-5	1/9/2013	100	402.6242	153.3
TMP-5	1/9/2013	120	382.6242	162.2
TMP-5	1/9/2013	140	362.6242	157
TMP-5	1/9/2013	160	342.6242	138
TMP-5	1/9/2013	180	322.6242	
TMP-5	1/9/2013	200	302.6242	
TMP-5	1/9/2013	220	282.6242	118.1
TMP-5	1/9/2013	240	262.6242	
TMP-5	1/15/2013	20	482.6242	66.6
TMP-5	1/15/2013	40	462.6242	126.1
TMP-5	1/15/2013	60	442.6242	151.3
TMP-5	1/15/2013	80	422.6242	154.6
TMP-5	1/15/2013	100	402.6242	154.5
TMP-5	1/15/2013	120	382.6242	163.1
TMP-5	1/15/2013	140	362.6242	158.7
TMP-5	1/15/2013	160	342.6242	139.1
TMP-5	1/15/2013	180	322.6242	
TMP-5	1/15/2013	200	302.6242	
TMP-5	1/15/2013	220	282.6242	119
TMP-5	1/15/2013	240	262.6242	
TMP-5	1/22/2013	20	482.6242	69.7
TMP-5	1/22/2013	40	462.6242	129.1
TMP-5	1/22/2013	60	442.6242	154.2
TMP-5	1/22/2013	80	422.6242	157.8
TMP-5	1/22/2013	100	402.6242	157.6
TMP-5	1/22/2013	120	382.6242	166
TMP-5	1/22/2013	140	362.6242	163.6
TMP-5	1/22/2013	160	342.6242	141.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	1/22/2013	180	322.6242	
TMP-5	1/22/2013	200	302.6242	
TMP-5	1/22/2013	220	282.6242	120.8
TMP-5	1/22/2013	240	262.6242	
TMP-5	1/28/2013	20	482.6242	64.5
TMP-5	1/28/2013	40	462.6242	126.1
TMP-5	1/28/2013	60	442.6242	150.7
TMP-5	1/28/2013	80	422.6242	155.1
TMP-5	1/28/2013	100	402.6242	155.2
TMP-5	1/28/2013	120	382.6242	163.8
TMP-5	1/28/2013	140	362.6242	161.6
TMP-5	1/28/2013	160	342.6242	139.7
TMP-5	1/28/2013	180	322.6242	
TMP-5	1/28/2013	200	302.6242	
TMP-5	1/28/2013	220	282.6242	119.5
TMP-5	1/28/2013	240	262.6242	
TMP-5	2/6/2013	20	482.6242	65.2
TMP-5	2/6/2013	40	462.6242	127.5
TMP-5	2/6/2013	60	442.6242	150
TMP-5	2/6/2013	80	422.6242	157.2
TMP-5	2/6/2013	100	402.6242	156
TMP-5	2/6/2013	120	382.6242	165.1
TMP-5	2/6/2013	140	362.6242	163.2
TMP-5	2/6/2013	160	342.6242	140.2
TMP-5	2/6/2013	180	322.6242	
TMP-5	2/6/2013	200	302.6242	
TMP-5	2/6/2013	220	282.6242	118.9
TMP-5	2/6/2013	240	262.6242	
TMP-5	2/7/2013	20	482.6242	64
TMP-5	2/7/2013	40	462.6242	127.2
TMP-5	2/7/2013	60	442.6242	149.5
TMP-5	2/7/2013	80	422.6242	155.1
TMP-5	2/7/2013	100	402.6242	155.2
TMP-5	2/7/2013	120	382.6242	164.5
TMP-5	2/7/2013	140	362.6242	163.1
TMP-5	2/7/2013	160	342.6242	139.6
TMP-5	2/7/2013	180	322.6242	
TMP-5	2/7/2013	200	302.6242	
TMP-5	2/7/2013	220	282.6242	118.9
TMP-5	2/7/2013	240	262.6242	
TMP-5	2/13/2013	20	482.6242	65.3
TMP-5	2/13/2013	40	462.6242	128.4
TMP-5	2/13/2013	60	442.6242	149.7
TMP-5	2/13/2013	80	422.6242	157.3
TMP-5	2/13/2013	100	402.6242	154.7
TMP-5	2/13/2013	120	382.6242	163.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	2/13/2013	140	362.6242	164.9
TMP-5	2/13/2013	160	342.6242	139.9
TMP-5	2/13/2013	180	322.6242	
TMP-5	2/13/2013	200	302.6242	
TMP-5	2/13/2013	220	282.6242	118.6
TMP-5	2/13/2013	240	262.6242	
TMP-5	2/18/2013	20	482.6242	63.8
TMP-5	2/18/2013	40	462.6242	128.3
TMP-5	2/18/2013	60	442.6242	149.4
TMP-5	2/18/2013	80	422.6242	157.1
TMP-5	2/18/2013	100	402.6242	154.2
TMP-5	2/18/2013	120	382.6242	163.5
TMP-5	2/18/2013	140	362.6242	165.5
TMP-5	2/18/2013	160	342.6242	139.8
TMP-5	2/18/2013	180	322.6242	
TMP-5	2/18/2013	200	302.6242	
TMP-5	2/18/2013	220	282.6242	117.9
TMP-5	2/18/2013	240	262.6242	
TMP-5	2/25/2013	20	482.6242	63.1
TMP-5	2/25/2013	40	462.6242	129.5
TMP-5	2/25/2013	60	442.6242	151.1
TMP-5	2/25/2013	80	422.6242	155.4
TMP-5	2/25/2013	100	402.6242	154.3
TMP-5	2/25/2013	120	382.6242	164.1
TMP-5	2/25/2013	140	362.6242	164.3
TMP-5	2/25/2013	160	342.6242	141.9
TMP-5	2/25/2013	180	322.6242	
TMP-5	2/25/2013	200	302.6242	
TMP-5	2/25/2013	220	282.6242	118.3
TMP-5	2/25/2013	240	262.6242	
TMP-5	3/4/2013	20	482.6242	62.8
TMP-5	3/4/2013	40	462.6242	129.1
TMP-5	3/4/2013	60	442.6242	151.1
TMP-5	3/4/2013	80	422.6242	156.9
TMP-5	3/4/2013	100	402.6242	155.2
TMP-5	3/4/2013	120	382.6242	165.7
TMP-5	3/4/2013	140	362.6242	165.6
TMP-5	3/4/2013	160	342.6242	141.8
TMP-5	3/4/2013	180	322.6242	
TMP-5	3/4/2013	200	302.6242	
TMP-5	3/4/2013	220	282.6242	119.8
TMP-5	3/4/2013	240	262.6242	
TMP-5	3/12/2013	20	482.6242	61.9
TMP-5	3/12/2013	40	462.6242	129
TMP-5	3/12/2013	60	442.6242	151.1
TMP-5	3/12/2013	80	422.6242	155.4

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	3/12/2013	100	402.6242	154.3
TMP-5	3/12/2013	120	382.6242	164
TMP-5	3/12/2013	140	362.6242	164.2
TMP-5	3/12/2013	160	342.6242	140.3
TMP-5	3/12/2013	180	322.6242	
TMP-5	3/12/2013	200	302.6242	
TMP-5	3/12/2013	220	282.6242	118.6
TMP-5	3/12/2013	240	262.6242	
TMP-5	3/19/2013	20	482.6242	60.7
TMP-5	3/19/2013	40	462.6242	129.5
TMP-5	3/19/2013	60	442.6242	150.9
TMP-5	3/19/2013	80	422.6242	156.3
TMP-5	3/19/2013	100	402.6242	155.8
TMP-5	3/19/2013	120	382.6242	164
TMP-5	3/19/2013	140	362.6242	165.9
TMP-5	3/19/2013	160	342.6242	141
TMP-5	3/19/2013	180	322.6242	
TMP-5	3/19/2013	200	302.6242	
TMP-5	3/19/2013	220	282.6242	123.7
TMP-5	3/19/2013	240	262.6242	
TMP-5	3/26/2013	20	482.6242	65.6
TMP-5	3/26/2013	40	462.6242	132
TMP-5	3/26/2013	60	442.6242	152.3
TMP-5	3/26/2013	80	422.6242	161.6
TMP-5	3/26/2013	100	402.6242	161.2
TMP-5	3/26/2013	120	382.6242	164.3
TMP-5	3/26/2013	140	362.6242	169.3
TMP-5	3/26/2013	160	342.6242	141.4
TMP-5	3/26/2013	180	322.6242	56.3
TMP-5	3/26/2013	200	302.6242	43.8
TMP-5	3/26/2013	220	282.6242	129.1
TMP-5	3/26/2013	240	262.6242	
TMP-5	4/3/2013	20	482.6242	64.3
TMP-5	4/3/2013	40	462.6242	133.1
TMP-5	4/3/2013	60	442.6242	151.8
TMP-5	4/3/2013	80	422.6242	157.5
TMP-5	4/3/2013	100	402.6242	156.8
TMP-5	4/3/2013	120	382.6242	172.5
TMP-5	4/3/2013	140	362.6242	178
TMP-5	4/3/2013	160	342.6242	142.7
TMP-5	4/3/2013	180	322.6242	
TMP-5	4/3/2013	200	302.6242	
TMP-5	4/3/2013	220	282.6242	126.2
TMP-5	4/3/2013	240	262.6242	
TMP-5	4/10/2013	20	482.6242	68.7
TMP-5	4/10/2013	40	462.6242	124.4

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-5	4/10/2013	60	442.6242	150.7
TMP-5	4/10/2013	80	422.6242	158
TMP-5	4/10/2013	100	402.6242	158.9
TMP-5	4/10/2013	120	382.6242	177.8
TMP-5	4/10/2013	140	362.6242	174.3
TMP-5	4/10/2013	160	342.6242	164
TMP-5	4/10/2013	180	322.6242	
TMP-5	4/10/2013	200	302.6242	
TMP-5	4/10/2013	220	282.6242	138.5
TMP-5	4/10/2013	240	262.6242	
TMP-5	4/17/2013	20	482.6242	62.4
TMP-5	4/17/2013	40	462.6242	121.6
TMP-5	4/17/2013	60	442.6242	
TMP-5	4/17/2013	80	422.6242	157.8
TMP-5	4/17/2013	100	402.6242	
TMP-5	4/17/2013	120	382.6242	163.2
TMP-5	4/17/2013	140	362.6242	164
TMP-5	4/17/2013	160	342.6242	143.1
TMP-5	4/17/2013	180	322.6242	
TMP-5	4/17/2013	200	302.6242	
TMP-5	4/17/2013	220	282.6242	119.3
TMP-5	4/17/2013	240	262.6242	

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	11/8/2012	15	472.2198	108.39
TMP-6	11/8/2012	35	452.2198	138.1
TMP-6	11/8/2012	55	432.2198	153.73
TMP-6	11/8/2012	75	412.2198	151.35
TMP-6	11/8/2012	95	392.2198	149.24
TMP-6	11/8/2012	115	372.2198	142.99
TMP-6	11/8/2012	135	352.2198	133.74
TMP-6	11/8/2012	155	332.2198	123.48
TMP-6	11/8/2012	175	312.2198	115.3
TMP-6	11/8/2012	195	292.2198	104.68
TMP-6	11/8/2012	215	272.2198	76.45
TMP-6	11/12/2012	15	472.2198	97.42
TMP-6	11/12/2012	35	452.2198	140.41
TMP-6	11/12/2012	55	432.2198	156.1
TMP-6	11/12/2012	75	412.2198	153.36
TMP-6	11/12/2012	95	392.2198	150.89
TMP-6	11/12/2012	115	372.2198	145.57
TMP-6	11/12/2012	135	352.2198	136.25
TMP-6	11/12/2012	155	332.2198	126.19
TMP-6	11/12/2012	175	312.2198	116.71
TMP-6	11/12/2012	195	292.2198	106.11
TMP-6	11/12/2012	215	272.2198	79.76
TMP-6	11/19/2012	15	472.2198	97.71
TMP-6	11/19/2012	35	452.2198	143.45
TMP-6	11/19/2012	55	432.2198	160.01
TMP-6	11/19/2012	75	412.2198	156.47
TMP-6	11/19/2012	95	392.2198	153.91
TMP-6	11/19/2012	115	372.2198	148.24
TMP-6	11/19/2012	135	352.2198	138.75
TMP-6	11/19/2012	155	332.2198	128.43
TMP-6	11/19/2012	175	312.2198	118.88
TMP-6	11/19/2012	195	292.2198	108.2
TMP-6	11/19/2012	215	272.2198	78.69
TMP-6	11/26/2012	15	472.2198	90.89
TMP-6	11/26/2012	35	452.2198	138.56
TMP-6	11/26/2012	55	432.2198	155.74
TMP-6	11/26/2012	75	412.2198	152.36
TMP-6	11/26/2012	95	392.2198	148.33
TMP-6	11/26/2012	115	372.2198	141.98
TMP-6	11/26/2012	135	352.2198	133.28
TMP-6	11/26/2012	155	332.2198	122.26
TMP-6	11/26/2012	175	312.2198	113.41
TMP-6	11/26/2012	195	292.2198	101.63
TMP-6	11/26/2012	215	272.2198	69.41
TMP-6	12/11/2012	15	472.2198	92.04
TMP-6	12/11/2012	35	452.2198	146.22

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	12/11/2012	55	432.2198	160.38
TMP-6	12/11/2012	75	412.2198	156.37
TMP-6	12/11/2012	95	392.2198	153.09
TMP-6	12/11/2012	115	372.2198	147.59
TMP-6	12/11/2012	135	352.2198	137.73
TMP-6	12/11/2012	155	332.2198	127.31
TMP-6	12/11/2012	175	312.2198	118.41
TMP-6	12/11/2012	195	292.2198	106.87
TMP-6	12/11/2012	215	272.2198	72.83
TMP-6	12/17/2012	15	472.2198	92.04
TMP-6	12/17/2012	35	452.2198	146.22
TMP-6	12/17/2012	55	432.2198	160.38
TMP-6	12/17/2012	75	412.2198	156.37
TMP-6	12/17/2012	95	392.2198	153.09
TMP-6	12/17/2012	115	372.2198	147.59
TMP-6	12/17/2012	135	352.2198	137.73
TMP-6	12/17/2012	155	332.2198	127.31
TMP-6	12/17/2012	175	312.2198	118.41
TMP-6	12/17/2012	195	292.2198	106.87
TMP-6	12/17/2012	215	272.2198	72.83
TMP-6	12/24/2012	15	472.2198	96.17
TMP-6	12/24/2012	35	452.2198	146.86
TMP-6	12/24/2012	55	432.2198	160.56
TMP-6	12/24/2012	75	412.2198	156.92
TMP-6	12/24/2012	95	392.2198	153.27
TMP-6	12/24/2012	115	372.2198	147.78
TMP-6	12/24/2012	135	352.2198	137.64
TMP-6	12/24/2012	155	332.2198	127.41
TMP-6	12/24/2012	175	312.2198	118.03
TMP-6	12/24/2012	195	292.2198	105.73
TMP-6	12/24/2012	215	272.2198	70.97
TMP-6	12/31/2012	15	472.2198	100
TMP-6	12/31/2012	35	452.2198	148.69
TMP-6	12/31/2012	55	432.2198	162.37
TMP-6	12/31/2012	75	412.2198	157.83
TMP-6	12/31/2012	95	392.2198	154.19
TMP-6	12/31/2012	115	372.2198	148.69
TMP-6	12/31/2012	135	352.2198	138.56
TMP-6	12/31/2012	155	332.2198	127.41
TMP-6	12/31/2012	175	312.2198	118.03
TMP-6	12/31/2012	195	292.2198	105.73
TMP-6	12/31/2012	215	272.2198	71.95
TMP-6	1/7/2013	15	472.2198	103.82
TMP-6	1/7/2013	35	452.2198	148.69
TMP-6	1/7/2013	55	432.2198	163.28
TMP-6	1/7/2013	75	412.2198	158.74

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	1/7/2013	95	392.2198	155.1
TMP-6	1/7/2013	115	372.2198	148.69
TMP-6	1/7/2013	135	352.2198	138.56
TMP-6	1/7/2013	155	332.2198	128.34
TMP-6	1/7/2013	175	312.2198	118.97
TMP-6	1/7/2013	195	292.2198	105.73
TMP-6	1/7/2013	215	272.2198	71.95
TMP-6	1/9/2013	15	472.2198	110
TMP-6	1/9/2013	35	452.2198	150.6
TMP-6	1/9/2013	55	432.2198	165.8
TMP-6	1/9/2013	75	412.2198	161.2
TMP-6	1/9/2013	95	392.2198	157.5
TMP-6	1/9/2013	115	372.2198	151.6
TMP-6	1/9/2013	135	352.2198	141.2
TMP-6	1/9/2013	155	332.2198	130.5
TMP-6	1/9/2013	175	312.2198	121.1
TMP-6	1/9/2013	195	292.2198	107.9
TMP-6	1/9/2013	215	272.2198	73.3
TMP-6	1/15/2013	15	472.2198	109.6
TMP-6	1/15/2013	35	452.2198	149.8
TMP-6	1/15/2013	55	432.2198	165
TMP-6	1/15/2013	75	412.2198	160.3
TMP-6	1/15/2013	95	392.2198	156.4
TMP-6	1/15/2013	115	372.2198	150.3
TMP-6	1/15/2013	135	352.2198	139.7
TMP-6	1/15/2013	155	332.2198	128.9
TMP-6	1/15/2013	175	312.2198	119.6
TMP-6	1/15/2013	195	292.2198	107.6
TMP-6	1/15/2013	215	272.2198	71.9
TMP-6	1/22/2013	15	472.2198	113.1
TMP-6	1/22/2013	35	452.2198	152.1
TMP-6	1/22/2013	55	432.2198	167.2
TMP-6	1/22/2013	75	412.2198	162.4
TMP-6	1/22/2013	95	392.2198	158.4
TMP-6	1/22/2013	115	372.2198	152.2
TMP-6	1/22/2013	135	352.2198	141.5
TMP-6	1/22/2013	155	332.2198	130.5
TMP-6	1/22/2013	175	312.2198	121.1
TMP-6	1/22/2013	195	292.2198	108.3
TMP-6	1/22/2013	215	272.2198	73.1
TMP-6	1/28/2013	15	472.2198	111.1
TMP-6	1/28/2013	35	452.2198	150.5
TMP-6	1/28/2013	55	432.2198	166.2
TMP-6	1/28/2013	75	412.2198	161.5
TMP-6	1/28/2013	95	392.2198	157.7
TMP-6	1/28/2013	115	372.2198	151.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	1/28/2013	135	352.2198	141.2
TMP-6	1/28/2013	155	332.2198	130.5
TMP-6	1/28/2013	175	312.2198	121.2
TMP-6	1/28/2013	195	292.2198	107.3
TMP-6	1/28/2013	215	272.2198	73.8
TMP-6	2/6/2013	15	472.2198	108.3
TMP-6	2/6/2013	35	452.2198	151.9
TMP-6	2/6/2013	55	432.2198	167.7
TMP-6	2/6/2013	75	412.2198	162.9
TMP-6	2/6/2013	95	392.2198	158.9
TMP-6	2/6/2013	115	372.2198	152.8
TMP-6	2/6/2013	135	352.2198	142.3
TMP-6	2/6/2013	155	332.2198	131.6
TMP-6	2/6/2013	175	312.2198	122.1
TMP-6	2/6/2013	195	292.2198	106
TMP-6	2/6/2013	215	272.2198	76.4
TMP-6	2/7/2013	15	472.2198	108.7
TMP-6	2/7/2013	35	452.2198	151
TMP-6	2/7/2013	55	432.2198	166.9
TMP-6	2/7/2013	75	412.2198	162.2
TMP-6	2/7/2013	95	392.2198	158.1
TMP-6	2/7/2013	115	372.2198	151.9
TMP-6	2/7/2013	135	352.2198	141.2
TMP-6	2/7/2013	155	332.2198	130.3
TMP-6	2/7/2013	175	312.2198	121
TMP-6	2/7/2013	195	292.2198	106
TMP-6	2/7/2013	215	272.2198	74.5
TMP-6	2/13/2013	15	472.2198	105.9
TMP-6	2/13/2013	35	452.2198	150.6
TMP-6	2/13/2013	55	432.2198	166.4
TMP-6	2/13/2013	75	412.2198	161.7
TMP-6	2/13/2013	95	392.2198	157.7
TMP-6	2/13/2013	115	372.2198	151.7
TMP-6	2/13/2013	135	352.2198	141
TMP-6	2/13/2013	155	332.2198	130.2
TMP-6	2/13/2013	175	312.2198	121.1
TMP-6	2/13/2013	195	292.2198	103.6
TMP-6	2/13/2013	215	272.2198	76.3
TMP-6	2/18/2013	15	472.2198	109
TMP-6	2/18/2013	35	452.2198	150
TMP-6	2/18/2013	55	432.2198	166.2
TMP-6	2/18/2013	75	412.2198	161.6
TMP-6	2/18/2013	95	392.2198	157.5
TMP-6	2/18/2013	115	372.2198	151.4
TMP-6	2/18/2013	135	352.2198	140.8
TMP-6	2/18/2013	155	332.2198	129.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	2/18/2013	175	312.2198	121.1
TMP-6	2/18/2013	195	292.2198	104.3
TMP-6	2/18/2013	215	272.2198	76.9
TMP-6	2/25/2013	15	472.2198	110.6
TMP-6	2/25/2013	35	452.2198	150.4
TMP-6	2/25/2013	55	432.2198	166.6
TMP-6	2/25/2013	75	412.2198	161.7
TMP-6	2/25/2013	95	392.2198	157.6
TMP-6	2/25/2013	115	372.2198	151.5
TMP-6	2/25/2013	135	352.2198	140.8
TMP-6	2/25/2013	155	332.2198	129.7
TMP-6	2/25/2013	175	312.2198	120.6
TMP-6	2/25/2013	195	292.2198	98.5
TMP-6	2/25/2013	215	272.2198	77
TMP-6	3/4/2013	15	472.2198	113.4
TMP-6	3/4/2013	35	452.2198	152
TMP-6	3/4/2013	55	432.2198	169.1
TMP-6	3/4/2013	75	412.2198	164.3
TMP-6	3/4/2013	95	392.2198	160.3
TMP-6	3/4/2013	115	372.2198	153.7
TMP-6	3/4/2013	135	352.2198	142.8
TMP-6	3/4/2013	155	332.2198	131.6
TMP-6	3/4/2013	175	312.2198	122.9
TMP-6	3/4/2013	195	292.2198	101.9
TMP-6	3/4/2013	215	272.2198	78.3
TMP-6	3/12/2013	15	472.2198	111.3
TMP-6	3/12/2013	35	452.2198	150.1
TMP-6	3/12/2013	55	432.2198	167.6
TMP-6	3/12/2013	75	412.2198	162.8
TMP-6	3/12/2013	95	392.2198	158.4
TMP-6	3/12/2013	115	372.2198	152
TMP-6	3/12/2013	135	352.2198	141.4
TMP-6	3/12/2013	155	332.2198	130.4
TMP-6	3/12/2013	175	312.2198	121.2
TMP-6	3/12/2013	195	292.2198	106.3
TMP-6	3/12/2013	215	272.2198	77.5
TMP-6	3/19/2013	15	472.2198	106.8
TMP-6	3/19/2013	35	452.2198	147.4
TMP-6	3/19/2013	55	432.2198	166.9
TMP-6	3/19/2013	75	412.2198	162.2
TMP-6	3/19/2013	95	392.2198	157.9
TMP-6	3/19/2013	115	372.2198	151.8
TMP-6	3/19/2013	135	352.2198	141.2
TMP-6	3/19/2013	155	332.2198	130.4
TMP-6	3/19/2013	175	312.2198	120.8
TMP-6	3/19/2013	195	292.2198	106.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-6	3/19/2013	215	272.2198	78
TMP-6	3/26/2013	15	472.2198	105.1
TMP-6	3/26/2013	35	452.2198	145.6
TMP-6	3/26/2013	55	432.2198	166.7
TMP-6	3/26/2013	75	412.2198	162.5
TMP-6	3/26/2013	95	392.2198	158.1
TMP-6	3/26/2013	115	372.2198	152.1
TMP-6	3/26/2013	135	352.2198	141.5
TMP-6	3/26/2013	155	332.2198	130.5
TMP-6	3/26/2013	175	312.2198	121.2
TMP-6	3/26/2013	195	292.2198	104.9
TMP-6	3/26/2013	215	272.2198	76.5
TMP-6	4/3/2013	15	472.2198	105.6
TMP-6	4/3/2013	35	452.2198	145.6
TMP-6	4/3/2013	55	432.2198	167.5
TMP-6	4/3/2013	75	412.2198	163.3
TMP-6	4/3/2013	95	392.2198	159
TMP-6	4/3/2013	115	372.2198	152.8
TMP-6	4/3/2013	135	352.2198	142.3
TMP-6	4/3/2013	155	332.2198	131.6
TMP-6	4/3/2013	175	312.2198	121.2
TMP-6	4/3/2013	195	292.2198	98.6
TMP-6	4/3/2013	215	272.2198	80.2
TMP-6	4/10/2013	15	472.2198	104.2
TMP-6	4/10/2013	35	452.2198	144.9
TMP-6	4/10/2013	55	432.2198	166.7
TMP-6	4/10/2013	75	412.2198	162.6
TMP-6	4/10/2013	95	392.2198	158.1
TMP-6	4/10/2013	115	372.2198	151.8
TMP-6	4/10/2013	135	352.2198	141.1
TMP-6	4/10/2013	155	332.2198	130.2
TMP-6	4/10/2013	175	312.2198	119.2
TMP-6	4/10/2013	195	292.2198	107.6
TMP-6	4/10/2013	215	272.2198	79.2
TMP-6	4/17/2013	15	472.2198	105.4
TMP-6	4/17/2013	35	452.2198	145.5
TMP-6	4/17/2013	55	432.2198	167.1
TMP-6	4/17/2013	75	412.2198	163.2
TMP-6	4/17/2013	95	392.2198	158.8
TMP-6	4/17/2013	115	372.2198	152.7
TMP-6	4/17/2013	135	352.2198	142
TMP-6	4/17/2013	155	332.2198	131.3
TMP-6	4/17/2013	175	312.2198	121.3
TMP-6	4/17/2013	195	292.2198	108.2
TMP-6	4/17/2013	215	272.2198	79.9

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	11/19/12	20	483.738	77.03
TMP-7R	11/19/12	40	463.738	144.28
TMP-7R	11/19/12	60	443.738	156.74
TMP-7R	11/19/12	80	423.738	158.92
TMP-7R	11/19/12	100	403.738	160.74
TMP-7R	11/19/12	120	383.738	159.29
TMP-7R	11/19/12	140	363.738	152.17
TMP-7R	11/19/12	160	343.738	137.91
TMP-7R	11/19/12	180	323.738	131.60
TMP-7R	11/19/12	200	303.738	128.34
TMP-7R	11/19/12	220	283.738	120.47
TMP-7R	11/19/12	240	263.738	113.60
TMP-7R	11/26/12	20	483.738	59.26
TMP-7R	11/26/12	40	463.738	139.67
TMP-7R	11/26/12	60	443.738	155.92
TMP-7R	11/26/12	80	423.738	159.38
TMP-7R	11/26/12	100	403.738	164.00
TMP-7R	11/26/12	120	383.738	161.38
TMP-7R	11/26/12	140	363.738	151.81
TMP-7R	11/26/12	160	343.738	137.45
TMP-7R	11/26/12	180	323.738	129.46
TMP-7R	11/26/12	200	303.738	127.97
TMP-7R	11/26/12	220	283.738	120.29
TMP-7R	11/26/12	240	263.738	107.72
TMP-7R	12/11/12	20	483.738	68.03
TMP-7R	12/11/12	40	463.738	142.90
TMP-7R	12/11/12	60	443.738	160.01
TMP-7R	12/11/12	80	423.738	164.19
TMP-7R	12/11/12	100	403.738	168.43
TMP-7R	12/11/12	120	383.738	167.17
TMP-7R	12/11/12	140	363.738	157.47
TMP-7R	12/11/12	160	343.738	139.12
TMP-7R	12/11/12	180	323.738	134.95
TMP-7R	12/11/12	200	303.738	128.71
TMP-7R	12/11/12	220	283.738	120.38
TMP-7R	12/11/12	240	263.738	105.34
TMP-7R	12/17/12	20	483.738	68.03
TMP-7R	12/17/12	40	463.738	142.90
TMP-7R	12/17/12	60	443.738	160.01
TMP-7R	12/17/12	80	423.738	164.19
TMP-7R	12/17/12	100	403.738	168.43
TMP-7R	12/17/12	120	383.738	167.17
TMP-7R	12/17/12	140	363.738	157.47
TMP-7R	12/17/12	160	343.738	139.12
TMP-7R	12/17/12	180	323.738	134.95
TMP-7R	12/17/12	200	303.738	128.71

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	12/17/12	220	283.738	120.38
TMP-7R	12/17/12	240	263.738	105.34
TMP-7R	12/24/12	20	483.738	68.03
TMP-7R	12/24/12	40	463.738	141.33
TMP-7R	12/24/12	60	443.738	160.56
TMP-7R	12/24/12	80	423.738	164.19
TMP-7R	12/24/12	100	403.738	169.61
TMP-7R	12/24/12	120	383.738	168.70
TMP-7R	12/24/12	140	363.738	158.74
TMP-7R	12/24/12	160	343.738	139.49
TMP-7R	12/24/12	180	323.738	134.85
TMP-7R	12/24/12	200	303.738	127.41
TMP-7R	12/24/12	220	283.738	118.97
TMP-7R	12/24/12	240	263.738	102.87
TMP-7R	12/31/12	20	483.738	67.05
TMP-7R	12/31/12	40	463.738	139.49
TMP-7R	12/31/12	60	443.738	160.56
TMP-7R	12/31/12	80	423.738	165.09
TMP-7R	12/31/12	100	403.738	170.51
TMP-7R	12/31/12	120	383.738	169.61
TMP-7R	12/31/12	140	363.738	159.65
TMP-7R	12/31/12	160	343.738	140.41
TMP-7R	12/31/12	180	323.738	134.85
TMP-7R	12/31/12	200	303.738	127.41
TMP-7R	12/31/12	220	283.738	117.09
TMP-7R	12/31/12	240	263.738	100.96
TMP-7R	01/07/13	20	483.738	66.07
TMP-7R	01/07/13	40	463.738	135.78
TMP-7R	01/07/13	60	443.738	161.47
TMP-7R	01/07/13	80	423.738	165.09
TMP-7R	01/07/13	100	403.738	170.51
TMP-7R	01/07/13	120	383.738	170.51
TMP-7R	01/07/13	140	363.738	159.65
TMP-7R	01/07/13	160	343.738	141.33
TMP-7R	01/07/13	180	323.738	133.00
TMP-7R	01/07/13	200	303.738	125.54
TMP-7R	01/07/13	220	283.738	115.20
TMP-7R	01/07/13	240	263.738	99.05
TMP-7R	01/09/13	20	483.738	66.20
TMP-7R	01/09/13	40	463.738	139.50
TMP-7R	01/09/13	60	443.738	164.80
TMP-7R	01/09/13	80	423.738	168.90
TMP-7R	01/09/13	100	403.738	174.60
TMP-7R	01/09/13	120	383.738	174.30
TMP-7R	01/09/13	140	363.738	163.50
TMP-7R	01/09/13	160	343.738	144.90

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	01/09/13	180	323.738	133.50
TMP-7R	01/09/13	200	303.738	125.10
TMP-7R	01/09/13	220	283.738	115.30
TMP-7R	01/09/13	240	263.738	99.80
TMP-7R	01/15/13	20	483.738	70.20
TMP-7R	01/15/13	40	463.738	144.10
TMP-7R	01/15/13	60	443.738	168.10
TMP-7R	01/15/13	80	423.738	172.20
TMP-7R	01/15/13	100	403.738	177.20
TMP-7R	01/15/13	120	383.738	177.10
TMP-7R	01/15/13	140	363.738	165.70
TMP-7R	01/15/13	160	343.738	146.90
TMP-7R	01/15/13	180	323.738	134.40
TMP-7R	01/15/13	200	303.738	126.20
TMP-7R	01/15/13	220	283.738	115.20
TMP-7R	01/15/13	240	263.738	101.20
TMP-7R	01/22/13	20	483.738	69.30
TMP-7R	01/22/13	40	463.738	146.00
TMP-7R	01/22/13	60	443.738	168.60
TMP-7R	01/22/13	80	423.738	172.50
TMP-7R	01/22/13	100	403.738	177.80
TMP-7R	01/22/13	120	383.738	177.50
TMP-7R	01/22/13	140	363.738	166.10
TMP-7R	01/22/13	160	343.738	146.90
TMP-7R	01/22/13	180	323.738	133.90
TMP-7R	01/22/13	200	303.738	126.80
TMP-7R	01/22/13	220	283.738	113.70
TMP-7R	01/22/13	240	263.738	99.30
TMP-7R	01/28/13	20	483.738	68.10
TMP-7R	01/28/13	40	463.738	145.80
TMP-7R	01/28/13	60	443.738	166.60
TMP-7R	01/28/13	80	423.738	171.20
TMP-7R	01/28/13	100	403.738	176.30
TMP-7R	01/28/13	120	383.738	175.80
TMP-7R	01/28/13	140	363.738	165.00
TMP-7R	01/28/13	160	343.738	145.70
TMP-7R	01/28/13	180	323.738	132.70
TMP-7R	01/28/13	200	303.738	124.70
TMP-7R	01/28/13	220	283.738	113.00
TMP-7R	01/28/13	240	263.738	99.60
TMP-7R	02/06/13	20	483.738	66.50
TMP-7R	02/06/13	40	463.738	151.20
TMP-7R	02/06/13	60	443.738	168.90
TMP-7R	02/06/13	80	423.738	173.40
TMP-7R	02/06/13	100	403.738	178.10
TMP-7R	02/06/13	120	383.738	177.80

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	02/06/13	140	363.738	166.80
TMP-7R	02/06/13	160	343.738	145.70
TMP-7R	02/06/13	180	323.738	133.30
TMP-7R	02/06/13	200	303.738	125.20
TMP-7R	02/06/13	220	283.738	111.50
TMP-7R	02/06/13	240	263.738	99.20
TMP-7R	02/07/13	20	483.738	63.90
TMP-7R	02/07/13	40	463.738	148.40
TMP-7R	02/07/13	60	443.738	166.70
TMP-7R	02/07/13	80	423.738	171.50
TMP-7R	02/07/13	100	403.738	176.30
TMP-7R	02/07/13	120	383.738	176.00
TMP-7R	02/07/13	140	363.738	164.70
TMP-7R	02/07/13	160	343.738	145.10
TMP-7R	02/07/13	180	323.738	131.80
TMP-7R	02/07/13	200	303.738	123.90
TMP-7R	02/07/13	220	283.738	112.10
TMP-7R	02/07/13	240	263.738	98.90
TMP-7R	02/13/13	20	483.738	64.20
TMP-7R	02/13/13	40	463.738	150.90
TMP-7R	02/13/13	60	443.738	166.90
TMP-7R	02/13/13	80	423.738	171.90
TMP-7R	02/13/13	100	403.738	176.70
TMP-7R	02/13/13	120	383.738	176.60
TMP-7R	02/13/13	140	363.738	165.20
TMP-7R	02/13/13	160	343.738	144.00
TMP-7R	02/13/13	180	323.738	131.90
TMP-7R	02/13/13	200	303.738	124.10
TMP-7R	02/13/13	220	283.738	111.70
TMP-7R	02/13/13	240	263.738	98.80
TMP-7R	02/18/13	20	483.738	64.10
TMP-7R	02/18/13	40	463.738	152.00
TMP-7R	02/18/13	60	443.738	167.20
TMP-7R	02/18/13	80	423.738	171.80
TMP-7R	02/18/13	100	403.738	176.90
TMP-7R	02/18/13	120	383.738	176.80
TMP-7R	02/18/13	140	363.738	165.70
TMP-7R	02/18/13	160	343.738	144.30
TMP-7R	02/18/13	180	323.738	132.00
TMP-7R	02/18/13	200	303.738	123.70
TMP-7R	02/18/13	220	283.738	111.60
TMP-7R	02/18/13	240	263.738	98.70
TMP-7R	02/25/13	20	483.738	65.30
TMP-7R	02/25/13	40	463.738	155.40
TMP-7R	02/25/13	60	443.738	167.40
TMP-7R	02/25/13	80	423.738	172.30

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	02/25/13	100	403.738	176.50
TMP-7R	02/25/13	120	383.738	176.40
TMP-7R	02/25/13	140	363.738	165.70
TMP-7R	02/25/13	160	343.738	144.10
TMP-7R	02/25/13	180	323.738	131.90
TMP-7R	02/25/13	200	303.738	123.80
TMP-7R	02/25/13	220	283.738	111.10
TMP-7R	02/25/13	240	263.738	98.30
TMP-7R	03/04/13	20	483.738	73.40
TMP-7R	03/04/13	40	463.738	159.90
TMP-7R	03/04/13	60	443.738	174.00
TMP-7R	03/04/13	80	423.738	178.80
TMP-7R	03/04/13	100	403.738	182.40
TMP-7R	03/04/13	120	383.738	180.10
TMP-7R	03/04/13	140	363.738	169.00
TMP-7R	03/04/13	160	343.738	146.70
TMP-7R	03/04/13	180	323.738	134.10
TMP-7R	03/04/13	200	303.738	127.10
TMP-7R	03/04/13	220	283.738	112.50
TMP-7R	03/04/13	240	263.738	99.80
TMP-7R	03/12/13	20	483.738	68.30
TMP-7R	03/12/13	40	463.738	160.40
TMP-7R	03/12/13	60	443.738	169.70
TMP-7R	03/12/13	80	423.738	174.60
TMP-7R	03/12/13	100	403.738	177.30
TMP-7R	03/12/13	120	383.738	177.60
TMP-7R	03/12/13	140	363.738	167.20
TMP-7R	03/12/13	160	343.738	144.60
TMP-7R	03/12/13	180	323.738	132.10
TMP-7R	03/12/13	200	303.738	123.00
TMP-7R	03/12/13	220	283.738	110.30
TMP-7R	03/12/13	240	263.738	96.80
TMP-7R	03/19/13	20	483.738	70.00
TMP-7R	03/19/13	40	463.738	160.40
TMP-7R	03/19/13	60	443.738	168.90
TMP-7R	03/19/13	80	423.738	173.70
TMP-7R	03/19/13	100	403.738	177.00
TMP-7R	03/19/13	120	383.738	176.90
TMP-7R	03/19/13	140	363.738	166.70
TMP-7R	03/19/13	160	343.738	144.00
TMP-7R	03/19/13	180	323.738	131.50
TMP-7R	03/19/13	200	303.738	123.40
TMP-7R	03/19/13	220	283.738	109.90
TMP-7R	03/19/13	240	263.738	96.40
TMP-7R	03/26/13	20	483.738	76.10
TMP-7R	03/26/13	40	463.738	164.10

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-7R	03/26/13	60	443.738	171.60
TMP-7R	03/26/13	80	423.738	176.00
TMP-7R	03/26/13	100	403.738	178.30
TMP-7R	03/26/13	120	383.738	177.70
TMP-7R	03/26/13	140	363.738	167.00
TMP-7R	03/26/13	160	343.738	146.10
TMP-7R	03/26/13	180	323.738	130.50
TMP-7R	03/26/13	200	303.738	122.80
TMP-7R	03/26/13	220	283.738	109.80
TMP-7R	03/26/13	240	263.738	95.30
TMP-7R	04/03/13	20	483.738	74.80
TMP-7R	04/03/13	40	463.738	165.50
TMP-7R	04/03/13	60	443.738	172.70
TMP-7R	04/03/13	80	423.738	177.30
TMP-7R	04/03/13	100	403.738	179.80
TMP-7R	04/03/13	120	383.738	179.60
TMP-7R	04/03/13	140	363.738	169.20
TMP-7R	04/03/13	160	343.738	146.50
TMP-7R	04/03/13	180	323.738	133.10
TMP-7R	04/03/13	200	303.738	124.70
TMP-7R	04/03/13	220	283.738	111.20
TMP-7R	04/03/13	240	263.738	98.20
TMP-7R	04/10/13	20	483.738	71.80
TMP-7R	04/10/13	40	463.738	161.20
TMP-7R	04/10/13	60	443.738	170.80
TMP-7R	04/10/13	80	423.738	174.70
TMP-7R	04/10/13	100	403.738	176.90
TMP-7R	04/10/13	120	383.738	178.40
TMP-7R	04/10/13	140	363.738	167.80
TMP-7R	04/10/13	160	343.738	146.50
TMP-7R	04/10/13	180	323.738	132.60
TMP-7R	04/10/13	200	303.738	124.70
TMP-7R	04/10/13	220	283.738	112.10
TMP-7R	04/10/13	240	263.738	97.40
TMP-7R	04/17/13	20	483.738	65.20
TMP-7R	04/17/13	40	463.738	160.40
TMP-7R	04/17/13	60	443.738	169.70
TMP-7R	04/17/13	80	423.738	174.20
TMP-7R	04/17/13	100	403.738	
TMP-7R	04/17/13	120	383.738	174.70
TMP-7R	04/17/13	140	363.738	168.00
TMP-7R	04/17/13	160	343.738	145.60
TMP-7R	04/17/13	180	323.738	
TMP-7R	04/17/13	200	303.738	124.70
TMP-7R	04/17/13	220	283.738	
TMP-7R	04/17/13	240	263.738	98.30

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	12/11/2012	20	501.9709	147.5
TMP-8	12/11/2012	40	481.9709	154
TMP-8	12/11/2012	60	461.9709	165.45
TMP-8	12/11/2012	80	441.9709	168.79
TMP-8	12/11/2012	100	421.9709	175
TMP-8	12/11/2012	120	401.9709	183.41
TMP-8	12/11/2012	140	381.9709	182.6
TMP-8	12/11/2012	160	361.9709	172.04
TMP-8	12/11/2012	180	341.9709	170.87
TMP-8	12/11/2012	200	321.9709	165.72
TMP-8	12/11/2012	220	301.9709	158.92
TMP-8	12/11/2012	240	281.9709	144.28
TMP-8	12/11/2012	260	261.9709	104.3
TMP-8	12/17/2012	20	501.9709	147.5
TMP-8	12/17/2012	40	481.9709	154
TMP-8	12/17/2012	60	461.9709	165.45
TMP-8	12/17/2012	80	441.9709	168.79
TMP-8	12/17/2012	100	421.9709	175
TMP-8	12/17/2012	120	401.9709	183.41
TMP-8	12/17/2012	140	381.9709	182.6
TMP-8	12/17/2012	160	361.9709	172.04
TMP-8	12/17/2012	180	341.9709	170.87
TMP-8	12/17/2012	200	321.9709	165.72
TMP-8	12/17/2012	220	301.9709	158.92
TMP-8	12/17/2012	240	281.9709	144.28
TMP-8	12/17/2012	260	261.9709	104.3
TMP-8	12/24/2012	20	501.9709	142.72
TMP-8	12/24/2012	40	481.9709	148.7
TMP-8	12/24/2012	60	461.9709	159.15
TMP-8	12/24/2012	80	441.9709	162.19
TMP-8	12/24/2012	100	421.9709	167.8
TMP-8	12/24/2012	120	401.9709	175.37
TMP-8	12/24/2012	140	381.9709	174.65
TMP-8	12/24/2012	160	361.9709	165.12
TMP-8	12/24/2012	180	341.9709	164.07
TMP-8	12/24/2012	200	321.9709	159.4
TMP-8	12/24/2012	220	301.9709	153.2
TMP-8	12/24/2012	240	281.9709	139.75
TMP-8	12/24/2012	260	261.9709	102.2
TMP-8	12/31/2012	20	501.9709	154.19
TMP-8	12/31/2012	40	481.9709	161.47
TMP-8	12/31/2012	60	461.9709	172.31
TMP-8	12/31/2012	80	441.9709	176.79
TMP-8	12/31/2012	100	421.9709	183.05
TMP-8	12/31/2012	120	401.9709	190.16
TMP-8	12/31/2012	140	381.9709	190.16

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	12/31/2012	160	361.9709	175.9
TMP-8	12/31/2012	180	341.9709	169.61
TMP-8	12/31/2012	200	321.9709	163.28
TMP-8	12/31/2012	220	301.9709	165.09
TMP-8	12/31/2012	240	281.9709	148.69
TMP-8	12/31/2012	260	261.9709	107.63
TMP-8	1/7/2013	20	501.9709	159.65
TMP-8	1/7/2013	40	481.9709	170.51
TMP-8	1/7/2013	60	461.9709	177.69
TMP-8	1/7/2013	80	441.9709	182.16
TMP-8	1/7/2013	100	421.9709	193.7
TMP-8	1/7/2013	120	401.9709	196.35
TMP-8	1/7/2013	140	381.9709	192.81
TMP-8	1/7/2013	160	361.9709	180.37
TMP-8	1/7/2013	180	341.9709	179.48
TMP-8	1/7/2013	200	321.9709	165.09
TMP-8	1/7/2013	220	301.9709	166.9
TMP-8	1/7/2013	240	281.9709	153.27
TMP-8	1/7/2013	260	261.9709	115.2
TMP-8	1/9/2013	20	501.9709	181.9
TMP-8	1/9/2013	40	481.9709	197.6
TMP-8	1/9/2013	60	461.9709	206.1
TMP-8	1/9/2013	80	441.9709	212
TMP-8	1/9/2013	100	421.9709	217.4
TMP-8	1/9/2013	120	401.9709	214.5
TMP-8	1/9/2013	140	381.9709	202.7
TMP-8	1/9/2013	160	361.9709	183.4
TMP-8	1/9/2013	180	341.9709	181
TMP-8	1/9/2013	200	321.9709	174.9
TMP-8	1/9/2013	220	301.9709	167.5
TMP-8	1/9/2013	240	281.9709	153.5
TMP-8	1/9/2013	260	261.9709	108.6
TMP-8	1/15/2013	20	501.9709	181.3
TMP-8	1/15/2013	40	481.9709	197.1
TMP-8	1/15/2013	60	461.9709	205.9
TMP-8	1/15/2013	80	441.9709	212
TMP-8	1/15/2013	100	421.9709	218.4
TMP-8	1/15/2013	120	401.9709	212.6
TMP-8	1/15/2013	140	381.9709	202.4
TMP-8	1/15/2013	160	361.9709	180.6
TMP-8	1/15/2013	180	341.9709	
TMP-8	1/15/2013	200	321.9709	172.6
TMP-8	1/15/2013	220	301.9709	165.5
TMP-8	1/15/2013	240	281.9709	151
TMP-8	1/15/2013	260	261.9709	107.2
TMP-8	1/22/2013	20	501.9709	195.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	1/22/2013	40	481.9709	211.4
TMP-8	1/22/2013	60	461.9709	220.3
TMP-8	1/22/2013	80	441.9709	227.8
TMP-8	1/22/2013	100	421.9709	233.7
TMP-8	1/22/2013	120	401.9709	223.1
TMP-8	1/22/2013	140	381.9709	212.8
TMP-8	1/22/2013	160	361.9709	198.2
TMP-8	1/22/2013	180	341.9709	196.2
TMP-8	1/22/2013	200	321.9709	188.2
TMP-8	1/22/2013	220	301.9709	181.6
TMP-8	1/22/2013	240	281.9709	168.1
TMP-8	1/22/2013	260	261.9709	125
TMP-8	1/28/2013	20	501.9709	196
TMP-8	1/28/2013	40	481.9709	211.3
TMP-8	1/28/2013	60	461.9709	222.8
TMP-8	1/28/2013	80	441.9709	229.2
TMP-8	1/28/2013	100	421.9709	234.3
TMP-8	1/28/2013	120	401.9709	229.5
TMP-8	1/28/2013	140	381.9709	213.7
TMP-8	1/28/2013	160	361.9709	190
TMP-8	1/28/2013	180	341.9709	187.5
TMP-8	1/28/2013	200	321.9709	181.3
TMP-8	1/28/2013	220	301.9709	174.2
TMP-8	1/28/2013	240	281.9709	161.1
TMP-8	1/28/2013	260	261.9709	116.9
TMP-8	2/6/2013	20	501.9709	198
TMP-8	2/6/2013	40	481.9709	215.2
TMP-8	2/6/2013	60	461.9709	225.7
TMP-8	2/6/2013	80	441.9709	231.1
TMP-8	2/6/2013	100	421.9709	236
TMP-8	2/6/2013	120	401.9709	239.2
TMP-8	2/6/2013	140	381.9709	269.3
TMP-8	2/6/2013	160	361.9709	189.3
TMP-8	2/6/2013	180	341.9709	187.4
TMP-8	2/6/2013	200	321.9709	180.8
TMP-8	2/6/2013	220	301.9709	173.8
TMP-8	2/6/2013	240	281.9709	159.7
TMP-8	2/6/2013	260	261.9709	115.9
TMP-8	2/7/2013	20	501.9709	200.8
TMP-8	2/7/2013	40	481.9709	218.3
TMP-8	2/7/2013	60	461.9709	228.4
TMP-8	2/7/2013	80	441.9709	233.7
TMP-8	2/7/2013	100	421.9709	239.2
TMP-8	2/7/2013	120	401.9709	242.5
TMP-8	2/7/2013	140	381.9709	278.1
TMP-8	2/7/2013	160	361.9709	191.9

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	2/7/2013	180	341.9709	189.8
TMP-8	2/7/2013	200	321.9709	183.3
TMP-8	2/7/2013	220	301.9709	176.2
TMP-8	2/7/2013	240	281.9709	162.2
TMP-8	2/7/2013	260	261.9709	118.7
TMP-8	2/13/2013	20	501.9709	189.8
TMP-8	2/13/2013	40	481.9709	204.9
TMP-8	2/13/2013	60	461.9709	213.8
TMP-8	2/13/2013	80	441.9709	219.3
TMP-8	2/13/2013	100	421.9709	224.5
TMP-8	2/13/2013	120	401.9709	228.6
TMP-8	2/13/2013	140	381.9709	251.7
TMP-8	2/13/2013	160	361.9709	175.5
TMP-8	2/13/2013	180	341.9709	172.8
TMP-8	2/13/2013	200	321.9709	166.5
TMP-8	2/13/2013	220	301.9709	158.8
TMP-8	2/13/2013	240	281.9709	144.3
TMP-8	2/13/2013	260	261.9709	110.8
TMP-8	2/18/2013	20	501.9709	199
TMP-8	2/18/2013	40	481.9709	218.3
TMP-8	2/18/2013	60	461.9709	228
TMP-8	2/18/2013	80	441.9709	232.5
TMP-8	2/18/2013	100	421.9709	237.6
TMP-8	2/18/2013	120	401.9709	242.4
TMP-8	2/18/2013	140	381.9709	259.2
TMP-8	2/18/2013	160	361.9709	188.1
TMP-8	2/18/2013	180	341.9709	186
TMP-8	2/18/2013	200	321.9709	179.3
TMP-8	2/18/2013	220	301.9709	172.8
TMP-8	2/18/2013	240	281.9709	158.7
TMP-8	2/18/2013	260	261.9709	115.8
TMP-8	2/25/2013	20	501.9709	192.2
TMP-8	2/25/2013	40	481.9709	210.6
TMP-8	2/25/2013	60	461.9709	219.8
TMP-8	2/25/2013	80	441.9709	224.7
TMP-8	2/25/2013	100	421.9709	229.9
TMP-8	2/25/2013	120	401.9709	235.5
TMP-8	2/25/2013	140	381.9709	260.5
TMP-8	2/25/2013	160	361.9709	183.8
TMP-8	2/25/2013	180	341.9709	176.8
TMP-8	2/25/2013	200	321.9709	
TMP-8	2/25/2013	220	301.9709	163
TMP-8	2/25/2013	240	281.9709	149.5
TMP-8	2/25/2013	260	261.9709	105.9
TMP-8	3/4/2013	20	501.9709	198.7
TMP-8	3/4/2013	40	481.9709	219.8

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	3/4/2013	60	461.9709	
TMP-8	3/4/2013	80	441.9709	232.9
TMP-8	3/4/2013	100	421.9709	239.5
TMP-8	3/4/2013	120	401.9709	244.3
TMP-8	3/4/2013	140	381.9709	284.9
TMP-8	3/4/2013	160	361.9709	194.4
TMP-8	3/4/2013	180	341.9709	
TMP-8	3/4/2013	200	321.9709	
TMP-8	3/4/2013	220	301.9709	171.3
TMP-8	3/4/2013	240	281.9709	
TMP-8	3/4/2013	260	261.9709	114.7
TMP-8	3/12/2013	20	501.9709	199.5
TMP-8	3/12/2013	40	481.9709	216.5
TMP-8	3/12/2013	60	461.9709	
TMP-8	3/12/2013	80	441.9709	236.5
TMP-8	3/12/2013	100	421.9709	243.3
TMP-8	3/12/2013	120	401.9709	249.8
TMP-8	3/12/2013	140	381.9709	285.7
TMP-8	3/12/2013	160	361.9709	196.8
TMP-8	3/12/2013	180	341.9709	
TMP-8	3/12/2013	200	321.9709	
TMP-8	3/12/2013	220	301.9709	174.3
TMP-8	3/12/2013	240	281.9709	
TMP-8	3/12/2013	260	261.9709	
TMP-8	3/19/2013	20	501.9709	190.5
TMP-8	3/19/2013	40	481.9709	210
TMP-8	3/19/2013	60	461.9709	
TMP-8	3/19/2013	80	441.9709	212.7
TMP-8	3/19/2013	100	421.9709	237.7
TMP-8	3/19/2013	120	401.9709	
TMP-8	3/19/2013	140	381.9709	279.9
TMP-8	3/19/2013	160	361.9709	189.9
TMP-8	3/19/2013	180	341.9709	
TMP-8	3/19/2013	200	321.9709	
TMP-8	3/19/2013	220	301.9709	160.1
TMP-8	3/19/2013	240	281.9709	
TMP-8	3/19/2013	260	261.9709	
TMP-8	3/26/2013	20	501.9709	206.1
TMP-8	3/26/2013	40	481.9709	231.2
TMP-8	3/26/2013	60	461.9709	245.8
TMP-8	3/26/2013	80	441.9709	201.3
TMP-8	3/26/2013	100	421.9709	267.5
TMP-8	3/26/2013	120	401.9709	
TMP-8	3/26/2013	140	381.9709	309.4
TMP-8	3/26/2013	160	361.9709	
TMP-8	3/26/2013	180	341.9709	

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-8	3/26/2013	200	321.9709	
TMP-8	3/26/2013	220	301.9709	205.5
TMP-8	3/26/2013	240	281.9709	
TMP-8	3/26/2013	260	261.9709	
TMP-8	4/3/2013	20	501.9709	188.7
TMP-8	4/3/2013	40	481.9709	214.1
TMP-8	4/3/2013	60	461.9709	
TMP-8	4/3/2013	80	441.9709	236.4
TMP-8	4/3/2013	100	421.9709	242.5
TMP-8	4/3/2013	120	401.9709	
TMP-8	4/3/2013	140	381.9709	283.5
TMP-8	4/3/2013	160	361.9709	
TMP-8	4/3/2013	180	341.9709	
TMP-8	4/3/2013	200	321.9709	
TMP-8	4/3/2013	220	301.9709	166.9
TMP-8	4/3/2013	240	281.9709	
TMP-8	4/3/2013	260	261.9709	
TMP-8	4/10/2013	20	501.9709	191.5
TMP-8	4/10/2013	40	481.9709	218.7
TMP-8	4/10/2013	60	461.9709	
TMP-8	4/10/2013	80	441.9709	239.4
TMP-8	4/10/2013	100	421.9709	247.5
TMP-8	4/10/2013	120	401.9709	
TMP-8	4/10/2013	140	381.9709	284.2
TMP-8	4/10/2013	160	361.9709	
TMP-8	4/10/2013	180	341.9709	
TMP-8	4/10/2013	200	321.9709	
TMP-8	4/10/2013	220	301.9709	167.8
TMP-8	4/10/2013	240	281.9709	
TMP-8	4/10/2013	260	261.9709	
TMP-8	4/17/2013	20	501.9709	191.1
TMP-8	4/17/2013	40	481.9709	
TMP-8	4/17/2013	60	461.9709	
TMP-8	4/17/2013	80	441.9709	238.8
TMP-8	4/17/2013	100	421.9709	240.1
TMP-8	4/17/2013	120	401.9709	
TMP-8	4/17/2013	140	381.9709	297.1
TMP-8	4/17/2013	160	361.9709	
TMP-8	4/17/2013	180	341.9709	
TMP-8	4/17/2013	200	321.9709	
TMP-8	4/17/2013	220	301.9709	170.5
TMP-8	4/17/2013	240	281.9709	
TMP-8	4/17/2013	260	261.9709	

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-9	11/8/2012	20	465.6642	146.86
TMP-9	11/8/2012	40	445.6642	164.28
TMP-9	11/8/2012	60	425.6642	165.36
TMP-9	11/8/2012	80	405.6642	196.35
TMP-9	11/8/2012	100	385.6642	179.48
TMP-9	11/12/2012	20	465.6642	151.63
TMP-9	11/12/2012	40	445.6642	167.44
TMP-9	11/12/2012	60	425.6642	168.79
TMP-9	11/12/2012	80	405.6642	198.11
TMP-9	11/12/2012	100	385.6642	181.89
TMP-9	11/19/2012	20	465.6642	152.36
TMP-9	11/19/2012	40	445.6642	169.52
TMP-9	11/19/2012	60	425.6642	171.23
TMP-9	11/19/2012	80	405.6642	198.11
TMP-9	11/19/2012	100	385.6642	184.12
TMP-9	11/26/2012	20	465.6642	147.78
TMP-9	11/26/2012	40	445.6642	169.88
TMP-9	11/26/2012	60	425.6642	172.22
TMP-9	11/26/2012	80	405.6642	195.2
TMP-9	11/26/2012	100	385.6642	183.41
TMP-9	12/11/2012	20	465.6642	157.65
TMP-9	12/11/2012	40	445.6642	187.05
TMP-9	12/11/2012	60	425.6642	190.69
TMP-9	12/11/2012	80	405.6642	197.14
TMP-9	12/11/2012	100	385.6642	184.74
TMP-9	12/17/2012	20	465.6642	157.65
TMP-9	12/17/2012	40	445.6642	187.05
TMP-9	12/17/2012	60	425.6642	190.69
TMP-9	12/17/2012	80	405.6642	197.14
TMP-9	12/17/2012	100	385.6642	184.74
TMP-9	12/24/2012	20	465.6642	156.92
TMP-9	12/24/2012	40	445.6642	191.93
TMP-9	12/24/2012	60	425.6642	196.35
TMP-9	12/24/2012	80	405.6642	197.23
TMP-9	12/24/2012	100	385.6642	184.83
TMP-9	12/31/2012	20	465.6642	150.53
TMP-9	12/31/2012	40	445.6642	198.11
TMP-9	12/31/2012	60	425.6642	203.38
TMP-9	12/31/2012	80	405.6642	199.87
TMP-9	12/31/2012	100	385.6642	186.61
TMP-9	1/7/2013	20	465.6642	163.28
TMP-9	1/7/2013	40	445.6642	203.38
TMP-9	1/7/2013	60	425.6642	208.63
TMP-9	1/7/2013	80	405.6642	200.75
TMP-9	1/7/2013	100	385.6642	186.61
TMP-9	1/9/2013	20	465.6642	167.9

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-9	1/9/2013	40	445.6642	204.4
TMP-9	1/9/2013	60	425.6642	219.6
TMP-9	1/9/2013	80	405.6642	208.1
TMP-9	1/9/2013	100	385.6642	192.3
TMP-9	1/15/2013	20	465.6642	166.6
TMP-9	1/15/2013	40	445.6642	203.3
TMP-9	1/15/2013	60	425.6642	219.1
TMP-9	1/15/2013	80	405.6642	207.6
TMP-9	1/15/2013	100	385.6642	190.5
TMP-9	1/22/2013	20	465.6642	167
TMP-9	1/22/2013	40	445.6642	207.2
TMP-9	1/22/2013	60	425.6642	221.8
TMP-9	1/22/2013	80	405.6642	210.9
TMP-9	1/22/2013	100	385.6642	192
TMP-9	1/28/2013	20	465.6642	168.7
TMP-9	1/28/2013	40	445.6642	206.4
TMP-9	1/28/2013	60	425.6642	221.6
TMP-9	1/28/2013	80	405.6642	211.8
TMP-9	1/28/2013	100	385.6642	191.1
TMP-9	2/6/2013	20	465.6642	169.9
TMP-9	2/6/2013	40	445.6642	208.7
TMP-9	2/6/2013	60	425.6642	222.4
TMP-9	2/6/2013	80	405.6642	214.6
TMP-9	2/6/2013	100	385.6642	189.5
TMP-9	2/7/2013	20	465.6642	169.6
TMP-9	2/7/2013	40	445.6642	208.8
TMP-9	2/7/2013	60	425.6642	222.5
TMP-9	2/7/2013	80	405.6642	214.6
TMP-9	2/7/2013	100	385.6642	187.1
TMP-9	2/13/2013	20	465.6642	171.1
TMP-9	2/13/2013	40	445.6642	207.7
TMP-9	2/13/2013	60	425.6642	221.8
TMP-9	2/13/2013	80	405.6642	215.4
TMP-9	2/13/2013	100	385.6642	190.7
TMP-9	2/18/2013	20	465.6642	173.2
TMP-9	2/18/2013	40	445.6642	206.9
TMP-9	2/18/2013	60	425.6642	222.4
TMP-9	2/18/2013	80	405.6642	216.7
TMP-9	2/18/2013	100	385.6642	218.3
TMP-9	2/25/2013	20	465.6642	176.5
TMP-9	2/25/2013	40	445.6642	206.1
TMP-9	2/25/2013	60	425.6642	223.5
TMP-9	2/25/2013	80	405.6642	218.1
TMP-9	2/25/2013	100	385.6642	193.8
TMP-9	3/4/2013	20	465.6642	184.6
TMP-9	3/4/2013	40	445.6642	208.7

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-9	3/4/2013	60	425.6642	226.1
TMP-9	3/4/2013	80	405.6642	221
TMP-9	3/4/2013	100	385.6642	195
TMP-9	3/12/2013	20	465.6642	183.2
TMP-9	3/12/2013	40	445.6642	207.6
TMP-9	3/12/2013	60	425.6642	225.3
TMP-9	3/12/2013	80	405.6642	220.3
TMP-9	3/12/2013	100	385.6642	193.3
TMP-9	3/19/2013	20	465.6642	183.3
TMP-9	3/19/2013	40	445.6642	209
TMP-9	3/19/2013	60	425.6642	226.1
TMP-9	3/19/2013	80	405.6642	220.7
TMP-9	3/19/2013	100	385.6642	192.7
TMP-9	3/26/2013	20	465.6642	184.7
TMP-9	3/26/2013	40	445.6642	211.2
TMP-9	3/26/2013	60	425.6642	227.5
TMP-9	3/26/2013	80	405.6642	221.1
TMP-9	3/26/2013	100	385.6642	193
TMP-9	4/3/2013	20	465.6642	182.7
TMP-9	4/3/2013	40	445.6642	211.1
TMP-9	4/3/2013	60	425.6642	226.7
TMP-9	4/3/2013	80	405.6642	218.9
TMP-9	4/3/2013	100	385.6642	190.2
TMP-9	4/10/2013	20	465.6642	186.5
TMP-9	4/10/2013	40	445.6642	212.8
TMP-9	4/10/2013	60	425.6642	228.1
TMP-9	4/10/2013	80	405.6642	220
TMP-9	4/10/2013	100	385.6642	193
TMP-9	4/17/2013	20	465.6642	185.8
TMP-9	4/17/2013	40	445.6642	211.7
TMP-9	4/17/2013	60	425.6642	227.2
TMP-9	4/17/2013	80	405.6642	219.5
TMP-9	4/17/2013	100	385.6642	193

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-10	4/6/2013	13	476.289	98
TMP-10	4/6/2013	33	456.289	129.1
TMP-10	4/6/2013	53	436.289	148.8
TMP-10	4/6/2013	73	416.289	147
TMP-10	4/6/2013	93	396.289	155.7
TMP-10	4/6/2013	113	376.289	152.6
TMP-10	4/6/2013	133	356.289	137.3
TMP-10	4/10/2013	13	476.289	99.3
TMP-10	4/10/2013	33	456.289	135
TMP-10	4/10/2013	53	436.289	155.6
TMP-10	4/10/2013	73	416.289	158.5
TMP-10	4/10/2013	93	396.289	161.7
TMP-10	4/10/2013	113	376.289	157.6
TMP-10	4/10/2013	133	356.289	147.2
TMP-10	4/17/2013	13	476.289	97.9
TMP-10	4/17/2013	33	456.289	135.3
TMP-10	4/17/2013	53	436.289	156.6
TMP-10	4/17/2013	73	416.289	160.7
TMP-10	4/17/2013	93	396.289	162.5
TMP-10	4/17/2013	113	376.289	158.2
TMP-10	4/17/2013	133	356.289	149.1

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-11	4/6/2013	16	482.307	114.2
TMP-11	4/6/2013	36	462.307	143.5
TMP-11	4/6/2013	56	442.307	156.1
TMP-11	4/6/2013	76	422.307	165.6
TMP-11	4/6/2013	96	402.307	164.3
TMP-11	4/6/2013	116	382.307	159.7
TMP-11	4/6/2013	136	362.307	156.6
TMP-11	4/6/2013	156	342.307	150.7
TMP-11	4/6/2013	176	322.307	141.2
TMP-11	4/6/2013	196	302.307	125.2
TMP-11	4/6/2013	216	282.307	101.4
TMP-11	4/10/2013	16	482.307	111.6
TMP-11	4/10/2013	36	462.307	143.6
TMP-11	4/10/2013	56	442.307	159.2
TMP-11	4/10/2013	76	422.307	168.7
TMP-11	4/10/2013	96	402.307	169.1
TMP-11	4/10/2013	116	382.307	164.2
TMP-11	4/10/2013	136	362.307	160
TMP-11	4/10/2013	156	342.307	154.3
TMP-11	4/10/2013	176	322.307	144.8
TMP-11	4/10/2013	196	302.307	126.8
TMP-11	4/10/2013	216	282.307	104.9
TMP-11	4/17/2013	16	482.307	107.7
TMP-11	4/17/2013	36	462.307	141.1
TMP-11	4/17/2013	56	442.307	156.3
TMP-11	4/17/2013	76	422.307	165.4
TMP-11	4/17/2013	96	402.307	165.3
TMP-11	4/17/2013	116	382.307	160.4
TMP-11	4/17/2013	136	362.307	156.4
TMP-11	4/17/2013	156	342.307	151
TMP-11	4/17/2013	176	322.307	141.7
TMP-11	4/17/2013	196	302.307	123.2
TMP-11	4/17/2013	216	282.307	101.6

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-12	4/6/2013	15	485.713	124
TMP-12	4/6/2013	35	465.713	139.8
TMP-12	4/6/2013	55	445.713	145.3
TMP-12	4/6/2013	75	425.713	140.3
TMP-12	4/6/2013	95	405.713	138.7
TMP-12	4/6/2013	115	385.713	136.8
TMP-12	4/6/2013	135	365.713	130.7
TMP-12	4/6/2013	155	345.713	129.4
TMP-12	4/6/2013	175	325.713	123.9
TMP-12	4/6/2013	195	305.713	115.2
TMP-12	4/10/2013	15	485.713	125.2
TMP-12	4/10/2013	35	465.713	141.7
TMP-12	4/10/2013	55	445.713	146.5
TMP-12	4/10/2013	75	425.713	141.2
TMP-12	4/10/2013	95	405.713	139
TMP-12	4/10/2013	115	385.713	137.6
TMP-12	4/10/2013	135	365.713	131.6
TMP-12	4/10/2013	155	345.713	130.2
TMP-12	4/10/2013	175	325.713	125.1
TMP-12	4/10/2013	195	305.713	115.7
TMP-12	4/17/2013	15	485.713	124.6
TMP-12	4/17/2013	35	465.713	141.1
TMP-12	4/17/2013	55	445.713	145.9
TMP-12	4/17/2013	75	425.713	140.2
TMP-12	4/17/2013	95	405.713	137.6
TMP-12	4/17/2013	115	385.713	136.4
TMP-12	4/17/2013	135	365.713	130.9
TMP-12	4/17/2013	155	345.713	129.4
TMP-12	4/17/2013	175	325.713	123.6
TMP-12	4/17/2013	195	305.713	113.9

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-13	4/6/2013	9	490.664	134.5
TMP-13	4/6/2013	29	470.664	139.9
TMP-13	4/6/2013	49	450.664	164.3
TMP-13	4/6/2013	69	430.664	168.2
TMP-13	4/6/2013	89	410.664	170.6
TMP-13	4/6/2013	109	390.664	171.3
TMP-13	4/6/2013	129	370.664	163.1
TMP-13	4/6/2013	149	350.664	160
TMP-13	4/6/2013	169	330.664	147
TMP-13	4/6/2013	189	310.664	131.2
TMP-13	4/6/2013	209	290.664	
TMP-13	4/10/2013	9	490.664	138.2
TMP-13	4/10/2013	29	470.664	145
TMP-13	4/10/2013	49	450.664	166.6
TMP-13	4/10/2013	69	430.664	169
TMP-13	4/10/2013	89	410.664	171.4
TMP-13	4/10/2013	109	390.664	171
TMP-13	4/10/2013	129	370.664	162.6
TMP-13	4/10/2013	149	350.664	159.5
TMP-13	4/10/2013	169	330.664	146.5
TMP-13	4/10/2013	189	310.664	132
TMP-13	4/17/2013	9	490.664	138.8
TMP-13	4/17/2013	29	470.664	146.9
TMP-13	4/17/2013	49	450.664	167.3
TMP-13	4/17/2013	69	430.664	168.5
TMP-13	4/17/2013	89	410.664	172
TMP-13	4/17/2013	109	390.664	170.6
TMP-13	4/17/2013	129	370.664	164.4
TMP-13	4/17/2013	149	350.664	159.3
TMP-13	4/17/2013	169	330.664	151.1
TMP-13	4/17/2013	189	310.664	135.1

TMP_ID	READ_DATE	DEPTH	ELEVATION	READING
TMP-14	4/6/2013	21	476.747	143.6
TMP-14	4/6/2013	41	456.747	153.8
TMP-14	4/6/2013	61	436.747	163.9
TMP-14	4/6/2013	81	416.747	170.4
TMP-14	4/6/2013	101	396.747	171.3
TMP-14	4/6/2013	121	376.747	166.7
TMP-14	4/6/2013	141	356.747	160
TMP-14	4/6/2013	161	336.747	149.6
TMP-14	4/6/2013	181	316.747	137
TMP-14	4/6/2013	201	296.747	120.3
TMP-14	4/10/2013	21	476.747	147.9
TMP-14	4/10/2013	41	456.747	158.5
TMP-14	4/10/2013	61	436.747	167.5
TMP-14	4/10/2013	81	416.747	174
TMP-14	4/10/2013	101	396.747	175.3
TMP-14	4/10/2013	121	376.747	170.1
TMP-14	4/10/2013	141	356.747	163.3
TMP-14	4/10/2013	161	336.747	152.8
TMP-14	4/10/2013	181	316.747	139.9
TMP-14	4/10/2013	201	296.747	122.7
TMP-14	4/17/2013	21	476.747	144.6
TMP-14	4/17/2013	41	456.747	155.6
TMP-14	4/17/2013	61	436.747	164.3
TMP-14	4/17/2013	81	416.747	170.9
TMP-14	4/17/2013	101	396.747	172.3
TMP-14	4/17/2013	121	376.747	166.9
TMP-14	4/17/2013	141	356.747	160.1
TMP-14	4/17/2013	161	336.747	149.7
TMP-14	4/17/2013	181	316.747	136.6
TMP-14	4/17/2013	201	296.747	120