

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	11/8/2016	18	116.9	451	
TMP-1	11/8/2016	38	144.0	431	
TMP-1	11/8/2016	58	149.0	411	
TMP-1	11/8/2016	78	145.0	391	
TMP-1	11/8/2016	98	136.5	371	
TMP-1	11/8/2016	118	125.6	351	
TMP-1	11/8/2016	138	117.2	331	
TMP-1	11/14/2016	18	116.3	451	
TMP-1	11/14/2016	38	143.2	431	
TMP-1	11/14/2016	58	148.1	411	
TMP-1	11/14/2016	78	143.9	391	
TMP-1	11/14/2016	98	135.4	371	
TMP-1	11/14/2016	118	124.7	351	
TMP-1	11/14/2016	138	116.4	331	
TMP-1	11/21/2016	18	114.3	451	
TMP-1	11/21/2016	38	141.2	431	
TMP-1	11/21/2016	58	146.2	411	
TMP-1	11/21/2016	78	142.1	391	
TMP-1	11/21/2016	98	133.6	371	
TMP-1	11/21/2016	118	122.9	351	
TMP-1	11/21/2016	138	114.9	331	
TMP-1	11/29/2016	18	117.1	451	
TMP-1	11/29/2016	38	143.8	431	
TMP-1	11/29/2016	58	148.6	411	
TMP-1	11/29/2016	78	144.5	391	
TMP-1	11/29/2016	98	135.8	371	
TMP-1	11/29/2016	118	125.0	351	
TMP-1	11/29/2016	138	116.4	331	
TMP-1	12/5/2016	18	116.2	451	
TMP-1	12/5/2016	38	142.9	431	
TMP-1	12/5/2016	58	147.8	411	
TMP-1	12/5/2016	78	143.7	391	
TMP-1	12/5/2016	98	135.2	371	
TMP-1	12/5/2016	118	124.4	351	
TMP-1	12/5/2016	138	116.0	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	11/8/2016	0	88.4	488	
TMP-2	11/8/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	11/8/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	11/8/2016	60	168.4	428	
TMP-2	11/8/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	11/8/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	11/8/2016	120	161.2	368	
TMP-2	11/8/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	11/8/2016	200	102.6	288	
TMP-2	11/14/2016	0	86.8	488	
TMP-2	11/14/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	11/14/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	11/14/2016	60	167.5	428	
TMP-2	11/14/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	11/14/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	11/14/2016	120	160.3	368	
TMP-2	11/14/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	11/14/2016	200	102.0	288	
TMP-2	11/21/2016	0	85.9	488	
TMP-2	11/21/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	11/21/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	11/21/2016	60	168.8	428	
TMP-2	11/21/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	11/21/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	11/21/2016	120	161.2	368	
TMP-2	11/21/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	11/21/2016	200	102.7	288	
TMP-2	11/29/2016	0	83.6	488	
TMP-2	11/29/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	11/29/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	11/29/2016	60	168.0	428	
TMP-2	11/29/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	11/29/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	11/29/2016	120	160.4	368	
TMP-2	11/29/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	11/29/2016	200	101.9	288	
TMP-2	12/5/2016	0		488	Not read on 12/05
TMP-2	12/5/2016	20		468	Not read on 12/05
TMP-2	12/5/2016	40		448	Not read on 12/05
TMP-2	12/5/2016	60		428	Not read on 12/05
TMP-2	12/5/2016	80		408	Not read on 12/05
TMP-2	12/5/2016	100		388	Not read on 12/05
TMP-2	12/5/2016	120		368	Not read on 12/05
TMP-2	12/5/2016	140		348	Not read on 12/05
TMP-2	12/5/2016	200		288	Not read on 12/05

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	11/22/2016	20	121.0	440	
TMP-2R	11/22/2016	40	148.2	420	
TMP-2R	11/22/2016	60	154.0	400	
TMP-2R	11/22/2016	80	173.9	380	
TMP-2R	11/22/2016	100	169.9	360	
TMP-2R	11/22/2016	120	156.6	340	
TMP-2R	11/22/2016	140	154.1	320	
TMP-2R	11/22/2016	160	147.5	300	
TMP-2R	11/22/2016	180	133.9	280	
TMP-2R	11/29/2016	20	120.8	440	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	40	149.3	420	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	60	157.7	400	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	80	175.3	380	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	100	171.3	360	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	120	157.8	340	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	140	155.0	320	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	160	148.2	300	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	11/29/2016	180	134.6	280	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-2R	12/5/2016	20	122.8	440	
TMP-2R	12/5/2016	40	151.6	420	
TMP-2R	12/5/2016	60	161.0	400	
TMP-2R	12/5/2016	80	177.6	380	
TMP-2R	12/5/2016	100	173.1	360	
TMP-2R	12/5/2016	120	159.9	340	
TMP-2R	12/5/2016	140	157.0	320	
TMP-2R	12/5/2016	160	149.8	300	
TMP-2R	12/5/2016	180	136.2	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	11/8/2016	30	147.5	470	
TMP-3	11/8/2016	50	156.4	450	
TMP-3	11/8/2016	70	155.7	430	
TMP-3	11/8/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/8/2016	150	147.0	350	
TMP-3	11/8/2016	190	125.7	310	
TMP-3	11/8/2016	230	104.1	270	
TMP-3	11/14/2016	30	147.5	470	
TMP-3	11/14/2016	50	155.7	450	
TMP-3	11/14/2016	70	154.9	430	
TMP-3	11/14/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/14/2016	150	145.9	350	
TMP-3	11/14/2016	190	124.9	310	
TMP-3	11/14/2016	230	103.0	270	
TMP-3	11/21/2016	30	146.8	470	
TMP-3	11/21/2016	50	155.0	450	
TMP-3	11/21/2016	70	154.3	430	
TMP-3	11/21/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/21/2016	150	145.8	350	
TMP-3	11/21/2016	190	124.8	310	
TMP-3	11/21/2016	230	103.5	270	
TMP-3	11/29/2016	30	147.3	470	
TMP-3	11/29/2016	50	155.8	450	
TMP-3	11/29/2016	70	155.0	430	
TMP-3	11/29/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/29/2016	150	146.0	350	
TMP-3	11/29/2016	190	124.7	310	
TMP-3	11/29/2016	230	103.6	270	
TMP-3	12/5/2016	30	148.2	470	
TMP-3	12/5/2016	50	156.5	450	
TMP-3	12/5/2016	70	155.6	430	
TMP-3	12/5/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/5/2016	150	146.6	350	
TMP-3	12/5/2016	190	125.4	310	
TMP-3	12/5/2016	230	104.0	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	11/8/2016	20	138.3	479	
TMP-3R	11/8/2016	40	157.1	459	
TMP-3R	11/8/2016	60	159.0	439	
TMP-3R	11/8/2016	80	160.1	419	
TMP-3R	11/8/2016	100	159.0	399	
TMP-3R	11/8/2016	120	155.3	379	
TMP-3R	11/8/2016	140	154.8	359	
TMP-3R	11/8/2016	160	143.2	339	
TMP-3R	11/8/2016	180	133.9	319	
TMP-3R	11/8/2016	200	118.5	299	
TMP-3R	11/8/2016	218	105.8	281	
TMP-3R	11/14/2016	20	137.1	479	
TMP-3R	11/14/2016	40	156.2	459	
TMP-3R	11/14/2016	60	158.1	439	
TMP-3R	11/14/2016	80	159.5	419	
TMP-3R	11/14/2016	100	158.5	399	
TMP-3R	11/14/2016	120	154.9	379	
TMP-3R	11/14/2016	140	154.4	359	
TMP-3R	11/14/2016	160	143.0	339	
TMP-3R	11/14/2016	180	133.7	319	
TMP-3R	11/14/2016	200	118.4	299	
TMP-3R	11/14/2016	218	105.7	281	
TMP-3R	11/21/2016	20	139.5	479	
TMP-3R	11/21/2016	40	157.9	459	
TMP-3R	11/21/2016	60	159.8	439	
TMP-3R	11/21/2016	80	161.1	419	
TMP-3R	11/21/2016	100	160.1	399	
TMP-3R	11/21/2016	120	156.4	379	
TMP-3R	11/21/2016	140	155.7	359	
TMP-3R	11/21/2016	160	144.3	339	
TMP-3R	11/21/2016	180	135.0	319	
TMP-3R	11/21/2016	200	119.7	299	
TMP-3R	11/21/2016	218	107.1	281	
TMP-3R	11/29/2016	20	137.8	479	
TMP-3R	11/29/2016	40	156.7	459	
TMP-3R	11/29/2016	60	158.6	439	
TMP-3R	11/29/2016	80	159.7	419	
TMP-3R	11/29/2016	100	158.6	399	
TMP-3R	11/29/2016	120	154.9	379	
TMP-3R	11/29/2016	140	154.3	359	
TMP-3R	11/29/2016	160	142.8	339	
TMP-3R	11/29/2016	180	133.5	319	
TMP-3R	11/29/2016	200	118.2	299	
TMP-3R	11/29/2016	218	105.5	281	
TMP-3R	12/5/2016	20	138.0	479	
TMP-3R	12/5/2016	40	157.2	459	
TMP-3R	12/5/2016	60	159.1	439	
TMP-3R	12/5/2016	80	160.3	419	
TMP-3R	12/5/2016	100	159.5	399	
TMP-3R	12/5/2016	120	156.0	379	
TMP-3R	12/5/2016	140	155.3	359	
TMP-3R	12/5/2016	160	143.8	339	
TMP-3R	12/5/2016	180	134.4	319	
TMP-3R	12/5/2016	200	119.1	299	
TMP-3R	12/5/2016	218	106.4	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	11/8/2016	28	135.2	472	
TMP-4	11/14/2016	28	133.7	472	
TMP-4	11/21/2016	28	134.9	472	
TMP-4	11/29/2016	28	134.6	472	
TMP-4	12/5/2016	28	135.2	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	11/8/2016	10	111.5	489	
TMP-4R	11/8/2016	20	120.9	479	
TMP-4R	11/8/2016	29	132.3	470	
TMP-4R	11/14/2016	10	111.0	489	
TMP-4R	11/14/2016	20	120.5	479	
TMP-4R	11/14/2016	29	131.8	470	
TMP-4R	11/21/2016	10	112.5	489	
TMP-4R	11/21/2016	20	122.6	479	
TMP-4R	11/21/2016	29	133.9	470	
TMP-4R	11/29/2016	10	109.8	489	
TMP-4R	11/29/2016	20	120.6	479	
TMP-4R	11/29/2016	29	132.0	470	
TMP-4R	12/5/2016	10	109.7	489	
TMP-4R	12/5/2016	20	121.2	479	
TMP-4R	12/5/2016	29	132.3	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	11/8/2016	15	157.6	472	
TMP-6	11/8/2016	95	163.4	392	fluctuating resistance, possibly unreliable
TMP-6	11/8/2016	115	154.3	372	
TMP-6	11/8/2016	135	141.9	352	
TMP-6	11/14/2016	15	157.9	472	
TMP-6	11/14/2016	95	162.9	392	fluctuating resistance, possibly unreliable
TMP-6	11/14/2016	115	154.1	372	
TMP-6	11/14/2016	135	141.7	352	
TMP-6	11/21/2016	15	159.1	472	
TMP-6	11/21/2016	95	164.1	392	fluctuating resistance, possibly unreliable
TMP-6	11/21/2016	115	155.0	372	
TMP-6	11/21/2016	135	142.6	352	
TMP-6	11/29/2016	15	157.9	472	
TMP-6	11/29/2016	95	163.4	392	fluctuating resistance, possibly unreliable
TMP-6	11/29/2016	115	154.3	372	
TMP-6	11/29/2016	135	141.8	352	
TMP-6	12/5/2016	15	158.7	472	
TMP-6	12/5/2016	95	163.9	392	fluctuating resistance, possibly unreliable
TMP-6	12/5/2016	115	154.8	372	
TMP-6	12/5/2016	135	142.4	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	11/8/2016	40	205.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	11/14/2016	40	204.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	11/21/2016	40	205.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	11/29/2016	40	204.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	12/5/2016	40	204.9	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	11/8/2016	13	111.4	476	
TMP-10	11/8/2016	33	151.2	456	
TMP-10	11/8/2016	53	168.4	436	
TMP-10	11/8/2016	73	174.8	416	
TMP-10	11/8/2016	93	171.5	396	
TMP-10	11/8/2016	113	171.4	376	unreliable reading - resistance too low
TMP-10	11/8/2016	133	152.3	356	
TMP-10	11/14/2016	13	111.2	476	
TMP-10	11/14/2016	33	151.1	456	
TMP-10	11/14/2016	53	168.1	436	
TMP-10	11/14/2016	73	174.4	416	
TMP-10	11/14/2016	93	171.2	396	
TMP-10	11/14/2016	113	171.3	376	unreliable reading - resistance too low
TMP-10	11/14/2016	133	151.6	356	
TMP-10	11/21/2016	13	111.7	476	
TMP-10	11/21/2016	33	151.4	456	
TMP-10	11/21/2016	53	168.5	436	
TMP-10	11/21/2016	73	174.9	416	
TMP-10	11/21/2016	93	171.6	396	
TMP-10	11/21/2016	113	171.8	376	unreliable reading - resistance too low
TMP-10	11/21/2016	133	152.0	356	
TMP-10	11/29/2016	13	111.3	476	
TMP-10	11/29/2016	33	151.4	456	
TMP-10	11/29/2016	53	168.2	436	
TMP-10	11/29/2016	73	174.6	416	
TMP-10	11/29/2016	93	171.3	396	
TMP-10	11/29/2016	113		376	unreliable reading - resistance too low
TMP-10	11/29/2016	133	151.5	356	
TMP-10	12/5/2016	13	112.2	476	
TMP-10	12/5/2016	33	152.0	456	
TMP-10	12/5/2016	53	169.0	436	
TMP-10	12/5/2016	73	175.2	416	
TMP-10	12/5/2016	93	172.0	396	
TMP-10	12/5/2016	113		376	unreliable reading - resistance too low
TMP-10	12/5/2016	133	152.4	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	11/22/2016	20	121.2	448	
TMP-11R	11/22/2016	40	129.6	428	
TMP-11R	11/22/2016	60	124.9	408	
TMP-11R	11/22/2016	80	122.4	388	
TMP-11R	11/22/2016	100	111.6	368	
TMP-11R	11/22/2016	120	105.0	348	
TMP-11R	11/29/2016	20	121.6	448	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	11/29/2016	40	130.4	428	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	11/29/2016	60	125.4	408	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	11/29/2016	80	123.3	388	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	11/29/2016	100	113.2	368	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	11/29/2016	120	106.1	348	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal.
TMP-11R	12/5/2016	20	122.3	448	
TMP-11R	12/5/2016	40	131.2	428	
TMP-11R	12/5/2016	60	126.1	408	
TMP-11R	12/5/2016	80	122.8	388	
TMP-11R	12/5/2016	100	113.7	368	
TMP-11R	12/5/2016	120	107.0	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	11/8/2016	20	113.3	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	39	145.6	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	58	162.9	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	77	164.8	435	wires repaired 6/15/16
TMP-16	11/8/2016	96	158.9	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	115	149.8	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	134	138.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/8/2016	153	113.1	359	wires repaired 6/15/16
TMP-16	11/14/2016	20	114.1	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	39	146.3	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	58	164.5	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	77	165.1	435	wires repaired 6/15/16
TMP-16	11/14/2016	96	158.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	134	137.5	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/14/2016	153	114.5	359	wires repaired 6/15/16
TMP-16	11/21/2016	20	111.8	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	39	144.5	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	58	162.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	77	165.0	435	wires repaired 6/15/16
TMP-16	11/21/2016	96	157.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	115	149.6	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	134	138.5	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/21/2016	153	114.6	359	wires repaired 6/15/16
TMP-16	11/29/2016	20	113.8	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	39	146.2	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	58	162.9	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	77	165.1	435	wires repaired 6/15/16
TMP-16	11/29/2016	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	115	149.6	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	134	138.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	153	114.0	359	wires repaired 6/15/16
TMP-16	12/5/2016	20	113.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	39	145.7	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	58	163.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	77	165.0	435	wires repaired 6/15/16
TMP-16	12/5/2016	96	158.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	115	149.6	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	134	138.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	153	115.2	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	11/8/2016	20	110.1	496	
TMP-17	11/8/2016	40	140.2	476	
TMP-17	11/8/2016	60	159.0	456	
TMP-17	11/8/2016	80	161.1	436	
TMP-17	11/8/2016	100	157.7	416	
TMP-17	11/8/2016	120	152.0	396	
TMP-17	11/8/2016	140	144.0	376	
TMP-17	11/8/2016	160	129.5	356	
TMP-17	11/8/2016	180	122.1	336	
TMP-17	11/8/2016	200	115.7	316	
TMP-17	11/8/2016	220	109.1	296	
TMP-17	11/8/2016	237	101.4	279	
TMP-17	11/14/2016	20	108.7	496	
TMP-17	11/14/2016	40	138.7	476	
TMP-17	11/14/2016	60	157.9	456	
TMP-17	11/14/2016	80	160.4	436	
TMP-17	11/14/2016	100	157.4	416	
TMP-17	11/14/2016	120	152.0	396	
TMP-17	11/14/2016	140	143.9	376	
TMP-17	11/14/2016	160	129.6	356	
TMP-17	11/14/2016	180	122.3	336	
TMP-17	11/14/2016	200	116.0	316	
TMP-17	11/14/2016	220	109.5	296	
TMP-17	11/14/2016	237	101.8	279	
TMP-17	11/21/2016	20	109.8	496	
TMP-17	11/21/2016	40	139.0	476	
TMP-17	11/21/2016	60	158.9	456	
TMP-17	11/21/2016	80	161.2	436	
TMP-17	11/21/2016	100	158.0	416	
TMP-17	11/21/2016	120	152.7	396	
TMP-17	11/21/2016	140	144.3	376	
TMP-17	11/21/2016	160	130.0	356	
TMP-17	11/21/2016	180	122.6	336	
TMP-17	11/21/2016	200	116.5	316	
TMP-17	11/21/2016	220	110.0	296	
TMP-17	11/21/2016	237	102.2	279	
TMP-17	11/29/2016	20	109.7	496	
TMP-17	11/29/2016	40	138.8	476	
TMP-17	11/29/2016	60	158.5	456	
TMP-17	11/29/2016	80	160.7	436	
TMP-17	11/29/2016	100	157.4	416	
TMP-17	11/29/2016	120	152.0	396	
TMP-17	11/29/2016	140	143.1	376	
TMP-17	11/29/2016	160	128.9	356	
TMP-17	11/29/2016	180	121.5	336	
TMP-17	11/29/2016	200	115.3	316	
TMP-17	11/29/2016	220	108.6	296	
TMP-17	11/29/2016	237	100.9	279	
TMP-17	12/5/2016	20	109.9	496	
TMP-17	12/5/2016	40	138.5	476	
TMP-17	12/5/2016	60	158.9	456	
TMP-17	12/5/2016	80	161.1	436	
TMP-17	12/5/2016	100	158.0	416	
TMP-17	12/5/2016	120	152.3	396	
TMP-17	12/5/2016	140	143.9	376	
TMP-17	12/5/2016	160	129.7	356	
TMP-17	12/5/2016	180	122.5	336	
TMP-17	12/5/2016	200	115.9	316	
TMP-17	12/5/2016	220	109.6	296	
TMP-17	12/5/2016	237	101.7	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	11/8/2016	20	96.0	489	
TMP-18	11/8/2016	39	136.1	470	
TMP-18	11/8/2016	58	153.2	451	
TMP-18	11/8/2016	77	152.6	432	
TMP-18	11/8/2016	96	147.7	413	
TMP-18	11/8/2016	115	139.9	394	
TMP-18	11/8/2016	134	131.9	375	
TMP-18	11/8/2016	153	125.4	356	
TMP-18	11/8/2016	172	119.5	337	
TMP-18	11/8/2016	191	114.4	318	
TMP-18	11/8/2016	210	110.6	299	
TMP-18	11/8/2016	227	107.9	282	
TMP-18	11/14/2016	20	96.2	489	
TMP-18	11/14/2016	39	136.1	470	
TMP-18	11/14/2016	58	153.3	451	
TMP-18	11/14/2016	77	152.8	432	
TMP-18	11/14/2016	96	148.0	413	
TMP-18	11/14/2016	115	140.5	394	
TMP-18	11/14/2016	134	132.5	375	
TMP-18	11/14/2016	153	126.1	356	
TMP-18	11/14/2016	172	120.4	337	
TMP-18	11/14/2016	191	115.4	318	
TMP-18	11/14/2016	210	111.7	299	
TMP-18	11/14/2016	227	109.2	282	
TMP-18	11/21/2016	20	97.2	489	
TMP-18	11/21/2016	39	137.0	470	
TMP-18	11/21/2016	58	154.1	451	
TMP-18	11/21/2016	77	153.6	432	
TMP-18	11/21/2016	96	148.9	413	
TMP-18	11/21/2016	115	141.4	394	
TMP-18	11/21/2016	134	133.6	375	
TMP-18	11/21/2016	153	127.1	356	
TMP-18	11/21/2016	172	121.4	337	
TMP-18	11/21/2016	191	116.3	318	
TMP-18	11/21/2016	210	112.6	299	
TMP-18	11/21/2016	227	110.0	282	
TMP-18	11/29/2016	20	96.6	489	
TMP-18	11/29/2016	39	136.4	470	
TMP-18	11/29/2016	58	153.4	451	
TMP-18	11/29/2016	77	152.7	432	
TMP-18	11/29/2016	96	147.7	413	
TMP-18	11/29/2016	115	140.0	394	
TMP-18	11/29/2016	134	131.9	375	
TMP-18	11/29/2016	153	125.4	356	
TMP-18	11/29/2016	172	119.6	337	
TMP-18	11/29/2016	191	114.5	318	
TMP-18	11/29/2016	210	110.7	299	
TMP-18	11/29/2016	227	108.0	282	
TMP-18	12/5/2016	20	96.8	489	
TMP-18	12/5/2016	39	136.5	470	
TMP-18	12/5/2016	58	153.6	451	
TMP-18	12/5/2016	77	152.9	432	
TMP-18	12/5/2016	96	148.0	413	
TMP-18	12/5/2016	115	140.4	394	
TMP-18	12/5/2016	134	132.3	375	
TMP-18	12/5/2016	153	125.9	356	
TMP-18	12/5/2016	172	120.1	337	
TMP-18	12/5/2016	191	115.0	318	
TMP-18	12/5/2016	210	111.2	299	
TMP-18	12/5/2016	227	108.6	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	11/8/2016	13	88.7	461	
TMP-21	11/8/2016	26	94.9	448	
TMP-21	11/8/2016	41	90.7	433	
TMP-21	11/14/2016	13	88.5	461	
TMP-21	11/14/2016	26	94.8	448	
TMP-21	11/14/2016	41	90.6	433	
TMP-21	11/21/2016	13	89.4	461	
TMP-21	11/21/2016	26	95.9	448	
TMP-21	11/21/2016	41	91.7	433	
TMP-21	11/29/2016	13	88.5	461	
TMP-21	11/29/2016	26	94.5	448	
TMP-21	11/29/2016	41	90.4	433	
TMP-21	12/5/2016	13	89.1	461	
TMP-21	12/5/2016	26	95.1	448	
TMP-21	12/5/2016	41	91.0	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	11/8/2016	15	105.5	474	
TMP-22	11/8/2016	31	125.6	458	
TMP-22	11/8/2016	50	124.5	439	
TMP-22	11/8/2016	70	116.5	419	
TMP-22	11/14/2016	15	105.2	474	
TMP-22	11/14/2016	31	125.3	458	
TMP-22	11/14/2016	50	124.1	439	
TMP-22	11/14/2016	70	116.0	419	
TMP-22	11/21/2016	15	105.6	474	
TMP-22	11/21/2016	31	125.5	458	
TMP-22	11/21/2016	50	124.3	439	
TMP-22	11/21/2016	70	116.3	419	
TMP-22	11/29/2016	15	105.0	474	
TMP-22	11/29/2016	31	125.0	458	
TMP-22	11/29/2016	50	124.0	439	
TMP-22	11/29/2016	70	116.1	419	
TMP-22	12/5/2016	15	105.3	474	
TMP-22	12/5/2016	31	125.1	458	
TMP-22	12/5/2016	50	124.1	439	
TMP-22	12/5/2016	70	116.1	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	11/8/2016	20	115.8	477	
TMP-23	11/8/2016	38	138.8	459	
TMP-23	11/8/2016	56	141.6	441	
TMP-23	11/8/2016	74	134.2	423	
TMP-23	11/8/2016	92	125.4	405	
TMP-23	11/8/2016	106	117.0	391	
TMP-23	11/14/2016	20	116.0	477	
TMP-23	11/14/2016	38	139.1	459	
TMP-23	11/14/2016	56	141.8	441	
TMP-23	11/14/2016	74	134.4	423	
TMP-23	11/14/2016	92	125.5	405	
TMP-23	11/14/2016	106	117.0	391	
TMP-23	11/21/2016	20	116.3	477	
TMP-23	11/21/2016	38	139.5	459	
TMP-23	11/21/2016	56	142.4	441	
TMP-23	11/21/2016	74	135.1	423	
TMP-23	11/21/2016	92	126.3	405	
TMP-23	11/21/2016	106	117.6	391	
TMP-23	11/29/2016	20	115.1	477	
TMP-23	11/29/2016	38	138.3	459	
TMP-23	11/29/2016	56	141.1	441	
TMP-23	11/29/2016	74	133.8	423	
TMP-23	11/29/2016	92	124.9	405	
TMP-23	11/29/2016	106	116.5	391	
TMP-23	12/5/2016	20	115.5	477	
TMP-23	12/5/2016	38	138.6	459	
TMP-23	12/5/2016	56	141.4	441	
TMP-23	12/5/2016	74	134.1	423	
TMP-23	12/5/2016	92	125.2	405	
TMP-23	12/5/2016	106	116.8	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	11/8/2016	20	101.9	492	
TMP-24	11/8/2016	40	128.8	472	
TMP-24	11/8/2016	60	141.8	452	
TMP-24	11/8/2016	67	143.0	445	
TMP-24	11/14/2016	20	102.3	492	
TMP-24	11/14/2016	40	128.9	472	
TMP-24	11/14/2016	60	141.6	452	
TMP-24	11/14/2016	67	142.4	445	
TMP-24	11/21/2016	20	102.4	492	
TMP-24	11/21/2016	40	129.0	472	
TMP-24	11/21/2016	60	141.9	452	
TMP-24	11/21/2016	67	142.8	445	
TMP-24	11/29/2016	20	102.2	492	
TMP-24	11/29/2016	40	128.8	472	
TMP-24	11/29/2016	60	141.8	452	
TMP-24	11/29/2016	67	142.9	445	
TMP-24	12/5/2016	20	102.2	492	
TMP-24	12/5/2016	40	128.7	472	
TMP-24	12/5/2016	60	141.6	452	
TMP-24	12/5/2016	67	142.7	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	11/8/2016	20	123.0	495	
TMP-25	11/8/2016	40	147.9	475	
TMP-25	11/8/2016	60	160.5	455	
TMP-25	11/8/2016	80	161.7	435	
TMP-25	11/8/2016	100	156.0	415	
TMP-25	11/8/2016	120	145.2	395	
TMP-25	11/8/2016	140	133.6	375	
TMP-25	11/8/2016	160	120.8	355	
TMP-25	11/8/2016	180	113.4	335	
TMP-25	11/8/2016	200	107.8	315	
TMP-25	11/8/2016	220	96.7	295	
TMP-25	11/8/2016	235	92.8	280	
TMP-25	11/14/2016	20	122.4	495	
TMP-25	11/14/2016	40	147.3	475	
TMP-25	11/14/2016	60	160.1	455	
TMP-25	11/14/2016	80	161.2	435	
TMP-25	11/14/2016	100	155.6	415	
TMP-25	11/14/2016	120	144.7	395	
TMP-25	11/14/2016	140	133.1	375	
TMP-25	11/14/2016	160	120.3	355	
TMP-25	11/14/2016	180	112.7	335	
TMP-25	11/14/2016	200	107.1	315	
TMP-25	11/14/2016	220	95.8	295	
TMP-25	11/14/2016	235	91.8	280	
TMP-25	11/21/2016	20	123.7	495	
TMP-25	11/21/2016	40	148.6	475	
TMP-25	11/21/2016	60	161.3	455	
TMP-25	11/21/2016	80	162.4	435	
TMP-25	11/21/2016	100	156.8	415	
TMP-25	11/21/2016	120	145.8	395	
TMP-25	11/21/2016	140	134.0	375	
TMP-25	11/21/2016	160	121.1	355	
TMP-25	11/21/2016	180	113.5	335	
TMP-25	11/21/2016	200	107.8	315	
TMP-25	11/21/2016	220	96.7	295	
TMP-25	11/21/2016	235	92.7	280	
TMP-25	11/29/2016	20	122.2	495	
TMP-25	11/29/2016	40	147.2	475	
TMP-25	11/29/2016	60	159.8	455	
TMP-25	11/29/2016	80	160.9	435	
TMP-25	11/29/2016	100	155.4	415	
TMP-25	11/29/2016	120	144.5	395	
TMP-25	11/29/2016	140	132.8	375	
TMP-25	11/29/2016	160	120.1	355	
TMP-25	11/29/2016	180	112.7	335	
TMP-25	11/29/2016	200	107.2	315	
TMP-25	11/29/2016	220	96.1	295	
TMP-25	11/29/2016	235	92.2	280	
TMP-25	12/5/2016	20	122.6	495	
TMP-25	12/5/2016	40	147.6	475	
TMP-25	12/5/2016	60	160.1	455	
TMP-25	12/5/2016	80	161.3	435	
TMP-25	12/5/2016	100	155.6	415	
TMP-25	12/5/2016	120	144.7	395	
TMP-25	12/5/2016	140	133.1	375	
TMP-25	12/5/2016	160	120.3	355	
TMP-25	12/5/2016	180	112.8	335	
TMP-25	12/5/2016	200	107.3	315	
TMP-25	12/5/2016	220	96.0	295	
TMP-25	12/5/2016	235	92.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	11/8/2016	20	106.2	479	
TMP-26	11/8/2016	40	119.6	459	
TMP-26	11/8/2016	60	123.4	439	
TMP-26	11/8/2016	80	123.1	419	
TMP-26	11/8/2016	100	114.5	399	
TMP-26	11/8/2016	120	119.7	379	
TMP-26	11/8/2016	140	121.0	359	
TMP-26	11/8/2016	142	120.1	357	
TMP-26	11/14/2016	20	105.8	479	
TMP-26	11/14/2016	40	118.5	459	
TMP-26	11/14/2016	60	122.1	439	
TMP-26	11/14/2016	80	121.7	419	
TMP-26	11/14/2016	100	113.2	399	
TMP-26	11/14/2016	120	118.2	379	
TMP-26	11/14/2016	140	119.5	359	
TMP-26	11/14/2016	142	118.6	357	
TMP-26	11/21/2016	20	107.5	479	
TMP-26	11/21/2016	40	120.3	459	
TMP-26	11/21/2016	60	123.8	439	
TMP-26	11/21/2016	80	123.6	419	
TMP-26	11/21/2016	100	115.1	399	
TMP-26	11/21/2016	120	120.3	379	
TMP-26	11/21/2016	140	121.7	359	
TMP-26	11/21/2016	142	120.9	357	
TMP-26	11/29/2016	20	107.3	479	
TMP-26	11/29/2016	40	119.7	459	
TMP-26	11/29/2016	60	123.3	439	
TMP-26	11/29/2016	80	122.9	419	
TMP-26	11/29/2016	100	114.3	399	
TMP-26	11/29/2016	120	119.6	379	
TMP-26	11/29/2016	140	120.9	359	
TMP-26	11/29/2016	142	120.0	357	
TMP-26	12/5/2016	20	108.2	479	
TMP-26	12/5/2016	40	120.5	459	
TMP-26	12/5/2016	60	124.1	439	
TMP-26	12/5/2016	80	123.9	419	
TMP-26	12/5/2016	100	115.1	399	
TMP-26	12/5/2016	120	120.4	379	
TMP-26	12/5/2016	140	121.7	359	
TMP-26	12/5/2016	142	120.8	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	11/8/2016	20	100.8	493	
TMP-27	11/8/2016	40	142.5	473	
TMP-27	11/8/2016	60	154.4	453	
TMP-27	11/8/2016	80	157.1	433	
TMP-27	11/8/2016	100	153.8	413	
TMP-27	11/8/2016	120	148.4	393	
TMP-27	11/8/2016	140	142.6	373	
TMP-27	11/8/2016	160	135.7	353	
TMP-27	11/8/2016	180	129.4	333	
TMP-27	11/8/2016	200	125.1	313	
TMP-27	11/8/2016	220	120.2	293	
TMP-27	11/8/2016	233	115.4	280	
TMP-27	11/14/2016	20	101.1	493	
TMP-27	11/14/2016	40	143.7	473	
TMP-27	11/14/2016	60	155.2	453	
TMP-27	11/14/2016	80	158.0	433	
TMP-27	11/14/2016	100	154.9	413	
TMP-27	11/14/2016	120	149.5	393	
TMP-27	11/14/2016	140	143.4	373	
TMP-27	11/14/2016	160	136.5	353	
TMP-27	11/14/2016	180	130.1	333	
TMP-27	11/14/2016	200	125.7	313	
TMP-27	11/14/2016	220	120.8	293	
TMP-27	11/14/2016	233	115.9	280	
TMP-27	11/21/2016	20	102.8	493	
TMP-27	11/21/2016	40	144.8	473	
TMP-27	11/21/2016	60	156.6	453	
TMP-27	11/21/2016	80	159.2	433	
TMP-27	11/21/2016	100	155.7	413	
TMP-27	11/21/2016	120	149.9	393	
TMP-27	11/21/2016	140	143.7	373	
TMP-27	11/21/2016	160	136.6	353	
TMP-27	11/21/2016	180	129.9	333	
TMP-27	11/21/2016	200	125.5	313	
TMP-27	11/21/2016	220	120.4	293	
TMP-27	11/21/2016	233	115.4	280	
TMP-27	11/29/2016	20	101.3	493	
TMP-27	11/29/2016	40	143.7	473	
TMP-27	11/29/2016	60	154.7	453	
TMP-27	11/29/2016	80	157.3	433	
TMP-27	11/29/2016	100	153.9	413	
TMP-27	11/29/2016	120	148.6	393	
TMP-27	11/29/2016	140	142.7	373	
TMP-27	11/29/2016	160	135.8	353	
TMP-27	11/29/2016	180	129.4	333	
TMP-27	11/29/2016	200	125.1	313	
TMP-27	11/29/2016	220	120.1	293	
TMP-27	11/29/2016	233	115.4	280	
TMP-27	12/5/2016	20	102.3	493	
TMP-27	12/5/2016	40	144.7	473	
TMP-27	12/5/2016	60	155.9	453	
TMP-27	12/5/2016	80	158.6	433	
TMP-27	12/5/2016	100	155.1	413	
TMP-27	12/5/2016	120	149.5	393	
TMP-27	12/5/2016	140	143.5	373	
TMP-27	12/5/2016	160	136.5	353	
TMP-27	12/5/2016	180	130.0	333	
TMP-27	12/5/2016	200	125.6	313	
TMP-27	12/5/2016	220	120.5	293	
TMP-27	12/5/2016	233	115.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	11/8/2016	20	100.9	480	
TMP-28	11/8/2016	40	138.2	460	
TMP-28	11/8/2016	60	134.1	440	
TMP-28	11/8/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	11/8/2016	100	132.5	400	
TMP-28	11/8/2016	120	127.2	380	
TMP-28	11/8/2016	140	122.8	360	
TMP-28	11/8/2016	160	118.4	340	
TMP-28	11/8/2016	180	114.7	320	
TMP-28	11/8/2016	200	112.5	300	
TMP-28	11/8/2016	217		283	no longer working
TMP-28	11/14/2016	20	100.1	480	
TMP-28	11/14/2016	40	137.6	460	
TMP-28	11/14/2016	60	133.7	440	
TMP-28	11/14/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	11/14/2016	100	132.2	400	
TMP-28	11/14/2016	120	126.8	380	
TMP-28	11/14/2016	140	122.3	360	
TMP-28	11/14/2016	160	117.6	340	
TMP-28	11/14/2016	180	113.6	320	
TMP-28	11/14/2016	200	111.2	300	
TMP-28	11/14/2016	217		283	no longer working
TMP-28	11/21/2016	20	102.6	480	
TMP-28	11/21/2016	40	139.5	460	
TMP-28	11/21/2016	60	135.5	440	
TMP-28	11/21/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	11/21/2016	100	133.8	400	
TMP-28	11/21/2016	120	128.4	380	
TMP-28	11/21/2016	140	123.9	360	
TMP-28	11/21/2016	160	119.1	340	
TMP-28	11/21/2016	180	115.1	320	
TMP-28	11/21/2016	200	112.8	300	
TMP-28	11/21/2016	217		283	no longer working
TMP-28	11/29/2016	20	101.4	480	
TMP-28	11/29/2016	40	138.1	460	
TMP-28	11/29/2016	60	134.2	440	
TMP-28	11/29/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	11/29/2016	100	132.5	400	
TMP-28	11/29/2016	120	127.3	380	
TMP-28	11/29/2016	140	122.9	360	
TMP-28	11/29/2016	160	118.4	340	
TMP-28	11/29/2016	180	114.6	320	
TMP-28	11/29/2016	200	112.5	300	
TMP-28	11/29/2016	217		283	no longer working
TMP-28	12/5/2016	20	101.9	480	
TMP-28	12/5/2016	40	138.4	460	
TMP-28	12/5/2016	60	134.5	440	
TMP-28	12/5/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	12/5/2016	100	132.8	400	
TMP-28	12/5/2016	120	127.6	380	
TMP-28	12/5/2016	140	123.2	360	
TMP-28	12/5/2016	160	118.7	340	
TMP-28	12/5/2016	180	114.9	320	
TMP-28	12/5/2016	200	112.8	300	
TMP-28	12/5/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	11/8/2016	8	75.8	488	
TMP-29	11/8/2016	16	80.5	480	
TMP-29	11/8/2016	25	86.6	471	
TMP-29	11/14/2016	8	75.6	488	
TMP-29	11/14/2016	16	80.6	480	
TMP-29	11/14/2016	25	86.8	471	
TMP-29	11/21/2016	8	77.0	488	
TMP-29	11/21/2016	16	82.4	480	
TMP-29	11/21/2016	25	88.4	471	
TMP-29	11/29/2016	8	74.9	488	
TMP-29	11/29/2016	16	80.8	480	
TMP-29	11/29/2016	25	86.6	471	
TMP-29	12/5/2016	8	75.3	488	
TMP-29	12/5/2016	16	81.5	480	
TMP-29	12/5/2016	25	87.4	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	11/15/2016	20	95.4	484	
TMP-33	11/15/2016	40	104.0	464	
TMP-33	11/15/2016	53	102.3	451	
TMP-33	11/22/2016	20	94.6	484	
TMP-33	11/22/2016	40	103.4	464	
TMP-33	11/22/2016	53	101.6	451	
TMP-33	11/29/2016	20	96.3	484	
TMP-33	11/29/2016	40	104.7	464	
TMP-33	11/29/2016	53	103.2	451	
TMP-33	12/5/2016	20	97.9	484	
TMP-33	12/5/2016	40	106.4	464	
TMP-33	12/5/2016	53	105.0	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	11/22/2016	20	97.7	495	
TMP-34	11/22/2016	40	110.5	475	
TMP-34	11/22/2016	50	110.9	465	
TMP-34	11/22/2016	63	108.4	452	
TMP-34	11/29/2016	20	99.6	495	
TMP-34	11/29/2016	40	112.1	475	
TMP-34	11/29/2016	50	112.4	465	
TMP-34	11/29/2016	63	110.2	452	
TMP-34	12/5/2016	20	100.8	495	
TMP-34	12/5/2016	40	113.0	475	
TMP-34	12/5/2016	50	113.2	465	
TMP-34	12/5/2016	63	111.1	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	11/22/2016	20	82.7	500	
TMP-35	11/22/2016	40	107.9	480	
TMP-35	11/22/2016	60	108.7	460	
TMP-35	11/22/2016	70	102.5	450	
TMP-35	11/29/2016	20	93.8	500	
TMP-35	11/29/2016	40	108.8	480	
TMP-35	11/29/2016	60	108.2	460	
TMP-35	11/29/2016	70	104.1	450	
TMP-35	12/5/2016	20	95.1	500	
TMP-35	12/5/2016	40	109.8	480	
TMP-35	12/5/2016	60	109.3	460	
TMP-35	12/5/2016	70	105.6	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36	11/8/2016	15	80.1	471	
TMP-36	11/8/2016	20	81.1	466	
TMP-36	11/8/2016	30	82.3	456	
TMP-36	11/15/2016	15	80.4	471	
TMP-36	11/15/2016	20	81.3	466	
TMP-36	11/15/2016	30	82.5	456	
TMP-36	11/22/2016	15	80.1	471	
TMP-36	11/22/2016	20	80.8	466	
TMP-36	11/22/2016	30	81.8	456	
TMP-36	11/29/2016	15	81.9	471	
TMP-36	11/29/2016	20	82.6	466	
TMP-36	11/29/2016	30	83.5	456	
TMP-36	12/5/2016	15	83.8	471	
TMP-36	12/5/2016	20	84.5	466	
TMP-36	12/5/2016	30	85.4	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	11/8/2016	20	90.9	480	
TMP-37	11/8/2016	40	98.1	460	
TMP-37	11/8/2016	50	96.2	450	
TMP-37	11/15/2016	20	91.3	480	
TMP-37	11/15/2016	40	99.1	460	
TMP-37	11/15/2016	50	97.4	450	
TMP-37	11/22/2016	20	90.8	480	
TMP-37	11/22/2016	40	98.0	460	
TMP-37	11/22/2016	50	96.4	450	
TMP-37	11/29/2016	20	92.9	480	
TMP-37	11/29/2016	40	99.8	460	
TMP-37	11/29/2016	50	98.3	450	
TMP-37	12/5/2016	20	94.3	480	
TMP-37	12/5/2016	40	101.4	460	
TMP-37	12/5/2016	50	99.7	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	11/22/2016	20	100.9	495	
TMP-38	11/22/2016	40	109.6	475	
TMP-38	11/22/2016	60	110.4	455	
TMP-38	11/22/2016	70	107.2	445	
TMP-38	11/29/2016	20	103.0	495	
TMP-38	11/29/2016	40	113.6	475	
TMP-38	11/29/2016	60	112.8	455	
TMP-38	11/29/2016	70	110.4	445	
TMP-38	12/5/2016	20	105.3	495	
TMP-38	12/5/2016	40	115.6	475	
TMP-38	12/5/2016	60	115.1	455	
TMP-38	12/5/2016	70	112.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	11/22/2016	20	100.4	501	
TMP-39	11/22/2016	40	123.5	481	
TMP-39	11/22/2016	60	124.0	461	
TMP-39	11/22/2016	80	118.4	441	
TMP-39	11/29/2016	20	101.8	501	
TMP-39	11/29/2016	40	124.6	481	
TMP-39	11/29/2016	60	125.2	461	
TMP-39	11/29/2016	80	117.9	441	
TMP-39	12/5/2016	20	102.2	501	
TMP-39	12/5/2016	40	125.3	481	
TMP-39	12/5/2016	60	126.0	461	
TMP-39	12/5/2016	80	118.7	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	11/22/2016	20	95.9	505	
TMP-40	11/22/2016	40	124.6	485	
TMP-40	11/22/2016	60	129.9	465	
TMP-40	11/22/2016	80	124.8	445	
TMP-40	11/29/2016	20	96.9	505	
TMP-40	11/29/2016	40	126.0	485	
TMP-40	11/29/2016	60	131.1	465	
TMP-40	11/29/2016	80	126.3	445	
TMP-40	12/5/2016	20	97.9	505	
TMP-40	12/5/2016	40	127.0	485	
TMP-40	12/5/2016	60	132.1	465	
TMP-40	12/5/2016	80	127.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	11/22/2016	20	100.9	504	
TMP-41	11/22/2016	40	124.8	484	
TMP-41	11/22/2016	60	126.8	464	
TMP-41	11/22/2016	80	121.0	444	
TMP-41	11/22/2016	98	113.5	426	
TMP-41	11/29/2016	20	101.8	504	
TMP-41	11/29/2016	40	125.7	484	
TMP-41	11/29/2016	60	127.3	464	
TMP-41	11/29/2016	80	121.4	444	
TMP-41	11/29/2016	98	114.6	426	
TMP-41	12/5/2016	20	102.7	504	
TMP-41	12/5/2016	40	126.5	484	
TMP-41	12/5/2016	60	128.1	464	
TMP-41	12/5/2016	80	122.0	444	
TMP-41	12/5/2016	98	114.6	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	11/8/2016	20	116.2	498	
TMP-42	11/8/2016	40	122.8	478	
TMP-42	11/8/2016	60	119.9	458	
TMP-42	11/8/2016	78	114.3	440	
TMP-42	11/15/2016	20	116.8	498	
TMP-42	11/15/2016	40	123.2	478	
TMP-42	11/15/2016	60	120.3	458	
TMP-42	11/15/2016	78	114.9	440	
TMP-42	11/22/2016	20	116.2	498	
TMP-42	11/22/2016	40	122.7	478	
TMP-42	11/22/2016	60	119.6	458	
TMP-42	11/22/2016	78	114.3	440	
TMP-42	11/29/2016	20	117.2	498	
TMP-42	11/29/2016	40	123.4	478	
TMP-42	11/29/2016	60	120.5	458	
TMP-42	11/29/2016	78	115.0	440	
TMP-42	12/5/2016	20	118.2	498	
TMP-42	12/5/2016	40	124.5	478	
TMP-42	12/5/2016	60	121.3	458	
TMP-42	12/5/2016	78	115.7	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	11/8/2016	20	107.7	496	
TMP-43	11/8/2016	40	122.7	476	
TMP-43	11/8/2016	60	127.6	456	
TMP-43	11/8/2016	80	125.7	436	
TMP-43	11/8/2016	100	118.5	416	
TMP-43	11/15/2016	20	107.3	496	
TMP-43	11/15/2016	40	122.6	476	
TMP-43	11/15/2016	60	126.7	456	
TMP-43	11/15/2016	80	125.2	436	
TMP-43	11/15/2016	100	117.8	416	
TMP-43	11/22/2016	20	107.3	496	
TMP-43	11/22/2016	40	123.2	476	
TMP-43	11/22/2016	60	127.5	456	
TMP-43	11/22/2016	80	125.8	436	
TMP-43	11/22/2016	100	118.4	416	
TMP-43	11/29/2016	20	108.1	496	
TMP-43	11/29/2016	40	124.0	476	
TMP-43	11/29/2016	60	128.0	456	
TMP-43	11/29/2016	80	126.4	436	
TMP-43	11/29/2016	100	118.9	416	
TMP-43	12/5/2016	20	109.0	496	
TMP-43	12/5/2016	40	124.9	476	
TMP-43	12/5/2016	60	128.9	456	
TMP-43	12/5/2016	80	127.3	436	
TMP-43	12/5/2016	100	119.7	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	11/8/2016	20	102.7	491	
TMP-44	11/8/2016	40	131.1	471	
TMP-44	11/8/2016	60	145.5	451	
TMP-44	11/8/2016	80	151.8	431	
TMP-44	11/8/2016	100	154.0	411	
TMP-44	11/8/2016	120	154.2	391	
TMP-44	11/8/2016	140	153.5	371	
TMP-44	11/8/2016	160	143.9	351	
TMP-44	11/8/2016	180	126.6	331	
TMP-44	11/15/2016	20	102.5	491	
TMP-44	11/15/2016	40	131.1	471	
TMP-44	11/15/2016	60	145.4	451	
TMP-44	11/15/2016	80	151.2	431	
TMP-44	11/15/2016	100	153.6	411	
TMP-44	11/15/2016	120	153.6	391	
TMP-44	11/15/2016	140	153.2	371	
TMP-44	11/15/2016	160	143.4	351	
TMP-44	11/15/2016	180	126.3	331	
TMP-44	11/22/2016	20	102.1	491	
TMP-44	11/22/2016	40	131.7	471	
TMP-44	11/22/2016	60	145.8	451	
TMP-44	11/22/2016	80	151.9	431	
TMP-44	11/22/2016	100	154.4	411	
TMP-44	11/22/2016	120	154.4	391	
TMP-44	11/22/2016	140	153.9	371	
TMP-44	11/22/2016	160	144.1	351	
TMP-44	11/22/2016	180	126.8	331	
TMP-44	11/29/2016	20	102.4	491	
TMP-44	11/29/2016	40	132.3	471	
TMP-44	11/29/2016	60	146.4	451	
TMP-44	11/29/2016	80	152.4	431	
TMP-44	11/29/2016	100	154.9	411	
TMP-44	11/29/2016	120	155.0	391	
TMP-44	11/29/2016	140	154.4	371	
TMP-44	11/29/2016	160	144.3	351	
TMP-44	11/29/2016	180	127.1	331	
TMP-44	12/5/2016	20	103.2	491	
TMP-44	12/5/2016	40	133.1	471	
TMP-44	12/5/2016	60	146.9	451	
TMP-44	12/5/2016	80	153.1	431	
TMP-44	12/5/2016	100	155.5	411	
TMP-44	12/5/2016	120	155.4	391	
TMP-44	12/5/2016	140	155.0	371	
TMP-44	12/5/2016	160	145.0	351	
TMP-44	12/5/2016	180	127.7	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	11/8/2016	15	78.0	464	
TMP-45	11/8/2016	30	85.4	449	
TMP-45	11/8/2016	45	88.2	434	
TMP-45	11/15/2016	15	78.3	464	
TMP-45	11/15/2016	30	85.6	449	
TMP-45	11/15/2016	45	88.5	434	
TMP-45	11/22/2016	15	78.5	464	
TMP-45	11/22/2016	30	85.5	449	
TMP-45	11/22/2016	45	88.6	434	
TMP-45	11/29/2016	15	79.1	464	
TMP-45	11/29/2016	30	86.0	449	
TMP-45	11/29/2016	45	89.2	434	
TMP-45	12/5/2016	15	79.4	464	
TMP-45	12/5/2016	30	86.1	459	
TMP-45	12/5/2016	45	88.9	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	11/8/2016	20	73.7	457	
TMP-46	11/8/2016	40	84.4	437	
TMP-46	11/8/2016	60	92.4	417	
TMP-46	11/15/2016	20	74.2	457	
TMP-46	11/15/2016	40	84.6	437	
TMP-46	11/15/2016	60	92.5	417	
TMP-46	11/22/2016	20	74.7	457	
TMP-46	11/22/2016	40	85.2	437	
TMP-46	11/22/2016	60	93.4	417	
TMP-46	11/29/2016	20	75.0	457	
TMP-46	11/29/2016	40	85.3	437	
TMP-46	11/29/2016	60	93.2	417	
TMP-46	12/5/2016	20	75.2	457	
TMP-46	12/5/2016	40	85.4	437	
TMP-46	12/5/2016	60	93.3	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	11/29/2016	20	70.5	457	
TMP-47	11/29/2016	40	74.7	437	
TMP-47	11/29/2016	60	77.7	417	
TMP-47	12/5/2016	20	70.7	457	
TMP-47	12/5/2016	40	74.8	437	
TMP-47	12/5/2016	60	77.3	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	11/29/2016	20	68.5	455	
TMP-48	11/29/2016	40	70.3	435	
TMP-48	11/29/2016	60	76.0	415	
TMP-48	11/29/2016	72	74.4	403	
TMP-48	12/5/2016	20	68.3	455	
TMP-48	12/5/2016	40	69.8	435	
TMP-48	12/5/2016	60	75.5	415	
TMP-48	12/5/2016	72	73.8	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	11/29/2016	20	66.7	453	
TMP-49	11/29/2016	40	68.6	433	
TMP-49	11/29/2016	60	71.9	413	
TMP-49	12/5/2016	20	66.6	453	
TMP-49	12/5/2016	40	67.6	433	
TMP-49	12/5/2016	60	71.3	413	