

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	6/6/2016	18	117.0	451	
TMP-1	6/6/2016	38	145.8	431	
TMP-1	6/6/2016	58	150.2	411	
TMP-1	6/6/2016	78	145.9	391	
TMP-1	6/6/2016	98	137.2	371	
TMP-1	6/6/2016	118	126.3	351	
TMP-1	6/6/2016	138	117.8	331	
TMP-1	6/13/2016	18	115.6	451	
TMP-1	6/13/2016	38	144.5	431	
TMP-1	6/13/2016	58	148.9	411	
TMP-1	6/13/2016	78	144.6	391	
TMP-1	6/13/2016	98	135.9	371	
TMP-1	6/13/2016	118	124.9	351	
TMP-1	6/13/2016	138	116.4	331	
TMP-1	6/20/2016	18	116.2	451	
TMP-1	6/20/2016	38	144.9	431	
TMP-1	6/20/2016	58	149.3	411	
TMP-1	6/20/2016	78	144.8	391	
TMP-1	6/20/2016	98	136.3	371	
TMP-1	6/20/2016	118	125.2	351	
TMP-1	6/20/2016	138	116.6	331	
TMP-1	6/27/2016	18	118.9	451	
TMP-1	6/27/2016	38	147.6	431	
TMP-1	6/27/2016	58	152.0	411	
TMP-1	6/27/2016	78	147.5	391	
TMP-1	6/27/2016	98	138.4	371	
TMP-1	6/27/2016	118	127.4	351	
TMP-1	6/27/2016	138	118.8	331	
TMP-1	7/5/2016	18	115.3	451	
TMP-1	7/5/2016	38	144.4	431	
TMP-1	7/5/2016	58	148.9	411	
TMP-1	7/5/2016	78	145.1	391	
TMP-1	7/5/2016	98	135.9	371	
TMP-1	7/5/2016	118	125.1	351	
TMP-1	7/5/2016	138	116.7	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	6/6/2016	0	80.4	488	
TMP-2	6/6/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	60	167.4	428	
TMP-2	6/6/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	120	160.4	368	
TMP-2	6/6/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	200	102.3	288	
TMP-2	6/13/2016	0	81.5	488	
TMP-2	6/13/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	60	166.6	428	
TMP-2	6/13/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	120	159.6	368	
TMP-2	6/13/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	200	101.4	288	
TMP-2	6/20/2016	0	84.1	488	
TMP-2	6/20/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/20/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/20/2016	60	166.9	428	
TMP-2	6/20/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/20/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/20/2016	120	160.2	368	
TMP-2	6/20/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/20/2016	200	101.8	288	
TMP-2	6/27/2016	0	87.7	488	
TMP-2	6/27/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/27/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/27/2016	60	168.1	428	
TMP-2	6/27/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/27/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/27/2016	120	161.3	368	
TMP-2	6/27/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/27/2016	200	102.8	288	
TMP-2	7/5/2016	0	90.4	488	
TMP-2	7/5/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	7/5/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	7/5/2016	60	167.9	428	
TMP-2	7/5/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	7/5/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	7/5/2016	120	161.0	368	
TMP-2	7/5/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	7/5/2016	200	102.2	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	6/6/2016	30	147.6	470	
TMP-3	6/6/2016	50	154.8	450	
TMP-3	6/6/2016	70	154.1	430	
TMP-3	6/6/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/6/2016	150	144.8	350	
TMP-3	6/6/2016	190	123.9	310	
TMP-3	6/6/2016	230	100.4	270	
TMP-3	6/13/2016	30	147.7	470	
TMP-3	6/13/2016	50	155.0	450	
TMP-3	6/13/2016	70	154.5	430	
TMP-3	6/13/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/13/2016	150	145.0	350	
TMP-3	6/13/2016	190	124.1	310	
TMP-3	6/13/2016	230	100.7	270	
TMP-3	6/20/2016	30	149.2	470	
TMP-3	6/20/2016	50	156.1	450	
TMP-3	6/20/2016	70	155.2	430	
TMP-3	6/20/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/20/2016	150	145.8	350	
TMP-3	6/20/2016	190	124.8	310	
TMP-3	6/20/2016	230	101.1	270	
TMP-3	6/27/2016	30	148.6	470	
TMP-3	6/27/2016	50	155.4	450	
TMP-3	6/27/2016	70	154.9	430	
TMP-3	6/27/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/27/2016	150	145.6	350	
TMP-3	6/27/2016	190	124.5	310	
TMP-3	6/27/2016	230	100.8	270	
TMP-3	7/5/2016	30	148.4	470	
TMP-3	7/5/2016	50	155.5	450	
TMP-3	7/5/2016	70	155.2	430	
TMP-3	7/5/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	7/5/2016	150	146.1	350	
TMP-3	7/5/2016	190	125.3	310	
TMP-3	7/5/2016	230	101.9	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	6/6/2016	20	136.3	479	
TMP-3R	6/6/2016	40	153.8	459	
TMP-3R	6/6/2016	60	156.3	439	
TMP-3R	6/6/2016	80	158.0	419	
TMP-3R	6/6/2016	100	157.0	399	
TMP-3R	6/6/2016	120	153.2	379	
TMP-3R	6/6/2016	140	153.0	359	
TMP-3R	6/6/2016	160	141.5	339	
TMP-3R	6/6/2016	180	132.4	319	
TMP-3R	6/6/2016	200	117.3	299	
TMP-3R	6/6/2016	218	104.4	281	
TMP-3R	6/13/2016	20	136.9	479	
TMP-3R	6/13/2016	40	154.1	459	
TMP-3R	6/13/2016	60	156.5	439	
TMP-3R	6/13/2016	80	158.2	419	
TMP-3R	6/13/2016	100	157.1	399	
TMP-3R	6/13/2016	120	153.3	379	
TMP-3R	6/13/2016	140	153.0	359	
TMP-3R	6/13/2016	160	141.4	339	
TMP-3R	6/13/2016	180	132.2	319	
TMP-3R	6/13/2016	200	116.8	299	
TMP-3R	6/13/2016	218	103.9	281	
TMP-3R	6/20/2016	20	137.2	479	
TMP-3R	6/20/2016	40	154.8	459	
TMP-3R	6/20/2016	60	157.2	439	
TMP-3R	6/20/2016	80	159.0	419	
TMP-3R	6/20/2016	100	157.9	399	
TMP-3R	6/20/2016	120	154.1	379	
TMP-3R	6/20/2016	140	154.0	359	
TMP-3R	6/20/2016	160	142.3	339	
TMP-3R	6/20/2016	180	133.2	319	
TMP-3R	6/20/2016	200	117.9	299	
TMP-3R	6/20/2016	218	105.1	281	
TMP-3R	6/27/2016	20	137.2	479	
TMP-3R	6/27/2016	40	154.7	459	
TMP-3R	6/27/2016	60	157.2	439	
TMP-3R	6/27/2016	80	159.0	419	
TMP-3R	6/27/2016	100	158.0	399	
TMP-3R	6/27/2016	120	154.1	379	
TMP-3R	6/27/2016	140	154.0	359	
TMP-3R	6/27/2016	160	142.4	339	
TMP-3R	6/27/2016	180	133.3	319	
TMP-3R	6/27/2016	200	117.9	299	
TMP-3R	6/27/2016	218	105.0	281	
TMP-3R	7/5/2016	20	138.2	479	
TMP-3R	7/5/2016	40	155.5	459	
TMP-3R	7/5/2016	60	157.8	439	
TMP-3R	7/5/2016	80	159.4	419	
TMP-3R	7/5/2016	100	158.4	399	
TMP-3R	7/5/2016	120	154.5	379	
TMP-3R	7/5/2016	140	154.3	359	
TMP-3R	7/5/2016	160	142.6	339	
TMP-3R	7/5/2016	180	133.4	319	
TMP-3R	7/5/2016	200	118.1	299	
TMP-3R	7/5/2016	218	105.2	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	6/6/2016	28	137.1	472	
TMP-4	6/13/2016	28	137.5	472	
TMP-4	6/20/2016	28	135.1	472	
TMP-4	6/27/2016	28	137.2	472	
TMP-4	7/5/2016	28	136.5	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	6/6/2016	10	101.9	489	
TMP-4R	6/6/2016	20	124.2	479	
TMP-4R	6/6/2016	29	132.8	470	
TMP-4R	6/13/2016	10	103.1	489	
TMP-4R	6/13/2016	20	124.6	479	
TMP-4R	6/13/2016	29	133.5	470	
TMP-4R	6/20/2016	10	101.0	489	
TMP-4R	6/20/2016	20	122.0	479	
TMP-4R	6/20/2016	29	131.3	470	
TMP-4R	6/27/2016	10	103.7	489	
TMP-4R	6/27/2016	20	123.5	479	
TMP-4R	6/27/2016	29	132.8	470	
TMP-4R	7/5/2016	10	105.1	489	
TMP-4R	7/5/2016	20	124.4	479	
TMP-4R	7/5/2016	29	133.8	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	6/6/2016	15	160.5	472	
TMP-6	6/6/2016	95	163.7	392	fluctuating resistance, possibly unreliable
TMP-6	6/6/2016	115	154.4	372	
TMP-6	6/6/2016	135	142.3	352	
TMP-6	6/13/2016	15	158.8	472	
TMP-6	6/13/2016	95	162.3	392	fluctuating resistance, possibly unreliable
TMP-6	6/13/2016	115	153.1	372	
TMP-6	6/13/2016	135	141.0	352	
TMP-6	6/20/2016	15	158.6	472	
TMP-6	6/20/2016	95	162.8	392	fluctuating resistance, possibly unreliable
TMP-6	6/20/2016	115	153.5	372	
TMP-6	6/20/2016	135	141.3	352	
TMP-6	6/27/2016	15	161.0	472	
TMP-6	6/27/2016	95	164.6	392	fluctuating resistance, possibly unreliable
TMP-6	6/27/2016	115	155.0	372	
TMP-6	6/27/2016	135	142.9	352	
TMP-6	7/5/2016	15	160.1	472	
TMP-6	7/5/2016	95	164.0	392	fluctuating resistance, possibly unreliable
TMP-6	7/5/2016	115	154.7	372	
TMP-6	7/5/2016	135	142.6	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	6/6/2016	40	217.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/13/2016	40	217.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/20/2016	40	216.0	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/27/2016	40	215.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	7/5/2016	40	214.4	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	6/6/2016	13	105.2	476	
TMP-10	6/6/2016	33	149.2	456	
TMP-10	6/6/2016	53	166.7	436	
TMP-10	6/6/2016	73	173.8	416	
TMP-10	6/6/2016	93	170.8	396	
TMP-10	6/6/2016	113	161.9	376	
TMP-10	6/6/2016	133	151.8	356	
TMP-10	6/13/2016	13	103.7	476	
TMP-10	6/13/2016	33	148.2	456	
TMP-10	6/13/2016	53	165.5	436	
TMP-10	6/13/2016	73	172.6	416	
TMP-10	6/13/2016	93	169.6	396	
TMP-10	6/13/2016	113	160.7	376	
TMP-10	6/13/2016	133	150.8	356	
TMP-10	6/20/2016	13	105.3	476	
TMP-10	6/20/2016	33	149.6	456	
TMP-10	6/20/2016	53	167.2	436	
TMP-10	6/20/2016	73	174.0	416	
TMP-10	6/20/2016	93	171.2	396	
TMP-10	6/20/2016	113	162.3	376	
TMP-10	6/20/2016	133	152.3	356	
TMP-10	6/27/2016	13	106.0	476	
TMP-10	6/27/2016	33	150.2	456	
TMP-10	6/27/2016	53	167.4	436	
TMP-10	6/27/2016	73	174.3	416	
TMP-10	6/27/2016	93	171.5	396	
TMP-10	6/27/2016	113	162.5	376	
TMP-10	6/27/2016	133	152.5	356	
TMP-10	7/5/2016	13	105.3	476	
TMP-10	7/5/2016	33	149.0	456	
TMP-10	7/5/2016	53	166.8	436	
TMP-10	7/5/2016	73	173.6	416	
TMP-10	7/5/2016	93	170.6	396	
TMP-10	7/5/2016	113	161.6	376	
TMP-10	7/5/2016	133	151.5	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	6/6/2016	16	143.8	482	
TMP-11	6/6/2016	36	173.9	462	
TMP-11	6/6/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/6/2016	96	171.0	402	
TMP-11	6/6/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/6/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/6/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/6/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/13/2016	16	141.8	482	
TMP-11	6/13/2016	36	174.3	462	
TMP-11	6/13/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/13/2016	96	171.4	402	
TMP-11	6/13/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/13/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/13/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/13/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/20/2016	16	140.3	482	
TMP-11	6/20/2016	36	173.9	462	
TMP-11	6/20/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/20/2016	96	170.8	402	
TMP-11	6/20/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/20/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/20/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/20/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/27/2016	16	141.9	482	
TMP-11	6/27/2016	36	175.1	462	
TMP-11	6/27/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/27/2016	96	172.0	402	
TMP-11	6/27/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/27/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/27/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/27/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	7/5/2016	16	142.1	482	
TMP-11	7/5/2016	36	174.4	462	
TMP-11	7/5/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	7/5/2016	96	171.4	402	
TMP-11	7/5/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	7/5/2016	156		342	low resistivity value, unreliable temperature
TMP-11	7/5/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	7/5/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	6/6/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/20/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/27/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	7/5/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	6/6/2016	20	119.3	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	39	146.8	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/6/2016	77		435	[possibly not reliable per connectivity test 10/15] - unreasonable drop in temperature, not reliable
TMP-16	6/6/2016	96		416	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	115	151.2	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	134	137.7	378	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/13/2016	20	118.8	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	39	146.3	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/13/2016	77		435	[possibly not reliable per connectivity test 10/15] - unreasonable drop in temperature, not reliable
TMP-16	6/13/2016	96		416	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/13/2016	115	150.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	134	139.1	378	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/15/2016	20	115.1	492	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	39	144.7	473	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	58	161.5	454	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	77	163.9	435	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	96	158.1	416	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	115	149.1	397	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	134	137.8	378	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	153	107.3	359	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/20/2016	20	118.2	492	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	39	147.2	473	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	58	163.9	454	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	77	165.3	435	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	96	160.3	416	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	115	151.3	397	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16

TMP-16	6/20/2016	134	139.1	378	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/20/2016	153	105.7	359	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	20	119.9	492	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	39	147.8	473	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	58	162.6	454	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	77	164.8	435	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	96	159.8	416	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	115	151.7	397	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	134	137.4	378	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	6/27/2016	153	96.6	359	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	20	120.5	492	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	39	148.5	473	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	58	162.7	454	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	77	164.8	435	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	96	159.3	416	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	115	152.5	397	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	134	137.6	378	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16
TMP-16	7/5/2016	153	107.0	359	[possibly not reliable per connectivity test 10/15], wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	6/6/2016	20	110.1	496	
TMP-17	6/6/2016	40	142.5	476	
TMP-17	6/6/2016	60	158.7	456	
TMP-17	6/6/2016	80	161.2	436	
TMP-17	6/6/2016	100	158.3	416	
TMP-17	6/6/2016	120	153.6	396	
TMP-17	6/6/2016	140	143.8	376	
TMP-17	6/6/2016	160	129.7	356	
TMP-17	6/6/2016	180	122.3	336	
TMP-17	6/6/2016	200	116.2	316	
TMP-17	6/6/2016	220	109.9	296	
TMP-17	6/6/2016	237	101.9	279	
TMP-17	6/13/2016	20	108.3	496	
TMP-17	6/13/2016	40	140.5	476	
TMP-17	6/13/2016	60	156.9	456	
TMP-17	6/13/2016	80	159.4	436	
TMP-17	6/13/2016	100	156.4	416	
TMP-17	6/13/2016	120	151.7	396	
TMP-17	6/13/2016	140	141.9	376	
TMP-17	6/13/2016	160	127.8	356	
TMP-17	6/13/2016	180	120.2	336	
TMP-17	6/13/2016	200	113.8	316	
TMP-17	6/13/2016	220	107.5	296	
TMP-17	6/13/2016	237	99.4	279	
TMP-17	6/20/2016	20	109.0	496	
TMP-17	6/20/2016	40	141.8	476	
TMP-17	6/20/2016	60	158.1	456	
TMP-17	6/20/2016	80	160.7	436	
TMP-17	6/20/2016	100	157.8	416	
TMP-17	6/20/2016	120	153.3	396	
TMP-17	6/20/2016	140	143.8	376	
TMP-17	6/20/2016	160	129.1	356	
TMP-17	6/20/2016	180	121.7	336	
TMP-17	6/20/2016	200	115.2	316	
TMP-17	6/20/2016	220	108.7	296	
TMP-17	6/20/2016	237	100.8	279	
TMP-17	6/27/2016	20	108.3	496	
TMP-17	6/27/2016	40	141.2	476	
TMP-17	6/27/2016	60	157.5	456	
TMP-17	6/27/2016	80	160.0	436	
TMP-17	6/27/2016	100	157.2	416	
TMP-17	6/27/2016	120	152.6	396	
TMP-17	6/27/2016	140	143.9	376	
TMP-17	6/27/2016	160	128.7	356	
TMP-17	6/27/2016	180	121.3	336	
TMP-17	6/27/2016	200	115.1	316	
TMP-17	6/27/2016	220	108.8	296	
TMP-17	6/27/2016	237	100.9	279	
TMP-17	7/5/2016	20	110.6	496	
TMP-17	7/5/2016	40	143.5	476	
TMP-17	7/5/2016	60	159.5	456	
TMP-17	7/5/2016	80	162.0	436	
TMP-17	7/5/2016	100	159.0	416	
TMP-17	7/5/2016	120	154.4	396	
TMP-17	7/5/2016	140	145.4	376	
TMP-17	7/5/2016	160	130.3	356	
TMP-17	7/5/2016	180	122.7	336	
TMP-17	7/5/2016	200	116.3	316	
TMP-17	7/5/2016	220	109.7	296	
TMP-17	7/5/2016	237	101.8	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	6/6/2016	20	94.5	489	
TMP-18	6/6/2016	39	133.9	470	
TMP-18	6/6/2016	58	152.7	451	
TMP-18	6/6/2016	77	152.0	432	
TMP-18	6/6/2016	96	147.0	413	
TMP-18	6/6/2016	115	139.2	394	
TMP-18	6/6/2016	134	131.1	375	
TMP-18	6/6/2016	153	124.6	356	
TMP-18	6/6/2016	172	118.6	337	
TMP-18	6/6/2016	191	113.7	318	
TMP-18	6/6/2016	210	109.8	299	
TMP-18	6/6/2016	227	107.1	282	
TMP-18	6/13/2016	20	94.3	489	
TMP-18	6/13/2016	39	133.7	470	
TMP-18	6/13/2016	58	152.3	451	
TMP-18	6/13/2016	77	151.5	432	
TMP-18	6/13/2016	96	146.5	413	
TMP-18	6/13/2016	115	138.8	394	
TMP-18	6/13/2016	134	130.6	375	
TMP-18	6/13/2016	153	124.2	356	
TMP-18	6/13/2016	172	118.1	337	
TMP-18	6/13/2016	191	113.2	318	
TMP-18	6/13/2016	210	109.2	299	
TMP-18	6/13/2016	227	106.7	282	
TMP-18	6/20/2016	20	94.8	489	
TMP-18	6/20/2016	39	134.5	470	
TMP-18	6/20/2016	58	153.0	451	
TMP-18	6/20/2016	77	152.3	432	
TMP-18	6/20/2016	96	147.4	413	
TMP-18	6/20/2016	115	139.9	394	
TMP-18	6/20/2016	134	131.9	375	
TMP-18	6/20/2016	153	125.6	356	
TMP-18	6/20/2016	172	119.7	337	
TMP-18	6/20/2016	191	115.0	318	
TMP-18	6/20/2016	210	111.1	299	
TMP-18	6/20/2016	227	108.6	282	
TMP-18	6/27/2016	20	93.5	489	
TMP-18	6/27/2016	39	133.7	470	
TMP-18	6/27/2016	58	152.2	451	
TMP-18	6/27/2016	77	151.6	432	
TMP-18	6/27/2016	96	146.6	413	
TMP-18	6/27/2016	115	139.0	394	
TMP-18	6/27/2016	134	130.9	375	
TMP-18	6/27/2016	153	124.5	356	
TMP-18	6/27/2016	172	118.4	337	
TMP-18	6/27/2016	191	113.7	318	
TMP-18	6/27/2016	210	109.8	299	
TMP-18	6/27/2016	227	107.3	282	
TMP-18	7/5/2016	20	94.9	489	
TMP-18	7/5/2016	39	135.1	470	
TMP-18	7/5/2016	58	153.4	451	
TMP-18	7/5/2016	77	152.6	432	
TMP-18	7/5/2016	96	147.6	413	
TMP-18	7/5/2016	115	139.8	394	
TMP-18	7/5/2016	134	131.6	375	
TMP-18	7/5/2016	153	125.2	356	
TMP-18	7/5/2016	172	119.1	337	
TMP-18	7/5/2016	191	114.2	318	
TMP-18	7/5/2016	210	110.2	299	
TMP-18	7/5/2016	227	107.6	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	6/6/2016	13	87.2	461	
TMP-21	6/6/2016	26	94.8	448	
TMP-21	6/6/2016	41	89.6	433	
TMP-21	6/13/2016	13	87.8	461	
TMP-21	6/13/2016	26	95.3	448	
TMP-21	6/13/2016	41	90.3	433	
TMP-21	6/20/2016	13	87.1	461	
TMP-21	6/20/2016	26	95.0	448	
TMP-21	6/20/2016	41	89.8	433	
TMP-21	6/27/2016	13	87.3	461	
TMP-21	6/27/2016	26	95.2	448	
TMP-21	6/27/2016	41	90.4	433	
TMP-21	7/5/2016	13	88.1	461	
TMP-21	7/5/2016	26	96.1	448	
TMP-21	7/5/2016	41	91.2	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	6/6/2016	15	107.3	474	
TMP-22	6/6/2016	31	126.4	458	
TMP-22	6/6/2016	50	124.2	439	
TMP-22	6/6/2016	70	116.2	419	
TMP-22	6/13/2016	15	107.1	474	
TMP-22	6/13/2016	31	126.3	458	
TMP-22	6/13/2016	50	124.1	439	
TMP-22	6/13/2016	70	116.0	419	
TMP-22	6/20/2016	15	107.4	474	
TMP-22	6/20/2016	31	126.6	458	
TMP-22	6/20/2016	50	124.6	439	
TMP-22	6/20/2016	70	116.4	419	
TMP-22	6/27/2016	15	106.0	474	
TMP-22	6/27/2016	31	125.8	458	
TMP-22	6/27/2016	50	124.0	439	
TMP-22	6/27/2016	70	116.2	419	
TMP-22	7/5/2016	15	108.0	474	
TMP-22	7/5/2016	31	127.3	458	
TMP-22	7/5/2016	50	125.2	439	
TMP-22	7/5/2016	70	117.0	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	6/6/2016	20	117.5	477	
TMP-23	6/6/2016	38	139.7	459	
TMP-23	6/6/2016	56	142.2	441	
TMP-23	6/6/2016	74	134.7	423	
TMP-23	6/6/2016	92	125.8	405	
TMP-23	6/6/2016	106	117.2	391	
TMP-23	6/13/2016	20	117.5	477	
TMP-23	6/13/2016	38	140.1	459	
TMP-23	6/13/2016	56	142.6	441	
TMP-23	6/13/2016	74	135.2	423	
TMP-23	6/13/2016	92	126.3	405	
TMP-23	6/13/2016	106	117.7	391	
TMP-23	6/20/2016	20	117.2	477	
TMP-23	6/20/2016	38	139.4	459	
TMP-23	6/20/2016	56	142.0	441	
TMP-23	6/20/2016	74	134.6	423	
TMP-23	6/20/2016	92	125.6	405	
TMP-23	6/20/2016	106	117.1	391	
TMP-23	6/27/2016	20	116.9	477	
TMP-23	6/27/2016	38	139.6	459	
TMP-23	6/27/2016	56	142.2	441	
TMP-23	6/27/2016	74	134.8	423	
TMP-23	6/27/2016	92	125.9	405	
TMP-23	6/27/2016	106	117.5	391	
TMP-23	7/5/2016	20	117.7	477	
TMP-23	7/5/2016	38	140.3	459	
TMP-23	7/5/2016	56	142.9	441	
TMP-23	7/5/2016	74	135.6	423	
TMP-23	7/5/2016	92	126.7	405	
TMP-23	7/5/2016	106	118.1	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	6/6/2016	20	102.4	492	
TMP-24	6/6/2016	40	129.2	472	
TMP-24	6/6/2016	60	141.9	452	
TMP-24	6/6/2016	67	143.1	445	
TMP-24	6/13/2016	20	101.9	492	
TMP-24	6/13/2016	40	129.2	472	
TMP-24	6/13/2016	60	141.8	452	
TMP-24	6/13/2016	67	142.8	445	
TMP-24	6/20/2016	20	100.2	492	
TMP-24	6/20/2016	40	127.4	472	
TMP-24	6/20/2016	60	140.3	452	
TMP-24	6/20/2016	67	141.5	445	
TMP-24	6/27/2016	20	102.4	492	
TMP-24	6/27/2016	40	129.5	472	
TMP-24	6/27/2016	60	142.3	452	
TMP-24	6/27/2016	67	143.4	445	
TMP-24	7/5/2016	20	103.6	492	
TMP-24	7/5/2016	40	130.6	472	
TMP-24	7/5/2016	60	143.2	452	
TMP-24	7/5/2016	67	144.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	6/6/2016	20	122.3	495	
TMP-25	6/6/2016	40	147.1	475	
TMP-25	6/6/2016	60	159.8	455	
TMP-25	6/6/2016	80	161.2	435	
TMP-25	6/6/2016	100	156.0	415	
TMP-25	6/6/2016	120	145.3	395	
TMP-25	6/6/2016	140	133.7	375	
TMP-25	6/6/2016	160	120.7	355	
TMP-25	6/6/2016	180	113.1	335	
TMP-25	6/6/2016	200	107.3	315	
TMP-25	6/6/2016	220	96.5	295	
TMP-25	6/6/2016	235	92.9	280	
TMP-25	6/13/2016	20	121.7	495	
TMP-25	6/13/2016	40	146.5	475	
TMP-25	6/13/2016	60	159.2	455	
TMP-25	6/13/2016	80	160.7	435	
TMP-25	6/13/2016	100	155.7	415	
TMP-25	6/13/2016	120	145.1	395	
TMP-25	6/13/2016	140	133.6	375	
TMP-25	6/13/2016	160	120.7	355	
TMP-25	6/13/2016	180	113.2	335	
TMP-25	6/13/2016	200	107.4	315	
TMP-25	6/13/2016	220	96.6	295	
TMP-25	6/13/2016	235	92.9	280	
TMP-25	6/20/2016	20	122.3	495	
TMP-25	6/20/2016	40	147.0	475	
TMP-25	6/20/2016	60	159.6	455	
TMP-25	6/20/2016	80	161.1	435	
TMP-25	6/20/2016	100	155.9	415	
TMP-25	6/20/2016	120	145.2	395	
TMP-25	6/20/2016	140	133.7	375	
TMP-25	6/20/2016	160	120.6	355	
TMP-25	6/20/2016	180	113.1	335	
TMP-25	6/20/2016	200	107.3	315	
TMP-25	6/20/2016	220	96.6	295	
TMP-25	6/20/2016	235	93.0	280	
TMP-25	6/27/2016	20	122.3	495	
TMP-25	6/27/2016	40	147.2	475	
TMP-25	6/27/2016	60	160.0	455	
TMP-25	6/27/2016	80	161.5	435	
TMP-25	6/27/2016	100	156.3	415	
TMP-25	6/27/2016	120	145.7	395	
TMP-25	6/27/2016	140	134.1	375	
TMP-25	6/27/2016	160	121.1	355	
TMP-25	6/27/2016	180	113.7	335	
TMP-25	6/27/2016	200	107.8	315	
TMP-25	6/27/2016	220	96.8	295	
TMP-25	6/27/2016	235	93.3	280	
TMP-25	7/5/2016	20	123.0	495	
TMP-25	7/5/2016	40	147.8	475	
TMP-25	7/5/2016	60	160.6	455	
TMP-25	7/5/2016	80	162.1	435	
TMP-25	7/5/2016	100	156.9	415	
TMP-25	7/5/2016	120	146.1	395	
TMP-25	7/5/2016	140	134.5	375	
TMP-25	7/5/2016	160	121.5	355	
TMP-25	7/5/2016	180	113.9	335	
TMP-25	7/5/2016	200	108.2	315	
TMP-25	7/5/2016	220	97.3	295	
TMP-25	7/5/2016	235	93.8	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	6/6/2016	20	100.4	479	
TMP-26	6/6/2016	40	118.9	459	
TMP-26	6/6/2016	60	123.6	439	
TMP-26	6/6/2016	80	123.2	419	
TMP-26	6/6/2016	100	115.0	399	
TMP-26	6/6/2016	120	119.5	379	
TMP-26	6/6/2016	140	120.8	359	
TMP-26	6/6/2016	142	119.7	357	
TMP-26	6/13/2016	20	100.9	479	
TMP-26	6/13/2016	40	119.1	459	
TMP-26	6/13/2016	60	123.7	439	
TMP-26	6/13/2016	80	123.3	419	
TMP-26	6/13/2016	100	115.0	399	
TMP-26	6/13/2016	120	119.6	379	
TMP-26	6/13/2016	140	120.8	359	
TMP-26	6/13/2016	142	119.7	357	
TMP-26	6/20/2016	20	100.0	479	
TMP-26	6/20/2016	40	118.1	459	
TMP-26	6/20/2016	60	122.7	439	
TMP-26	6/20/2016	80	122.5	419	
TMP-26	6/20/2016	100	114.8	399	
TMP-26	6/20/2016	120	118.8	379	
TMP-26	6/20/2016	140	120.1	359	
TMP-26	6/20/2016	142	119.0	357	
TMP-26	6/27/2016	20	99.3	479	
TMP-26	6/27/2016	40	118.1	459	
TMP-26	6/27/2016	60	121.9	439	
TMP-26	6/27/2016	80	121.8	419	
TMP-26	6/27/2016	100	113.4	399	
TMP-26	6/27/2016	120	117.9	379	
TMP-26	6/27/2016	140	119.1	359	
TMP-26	6/27/2016	142	118.0	357	
TMP-26	7/5/2016	20	101.2	479	
TMP-26	7/5/2016	40	120.8	459	
TMP-26	7/5/2016	60	123.2	439	
TMP-26	7/5/2016	80	124.0	419	
TMP-26	7/5/2016	100	115.4	399	
TMP-26	7/5/2016	120	119.9	379	
TMP-26	7/5/2016	140	120.9	359	
TMP-26	7/5/2016	142	119.7	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	6/6/2016	20	100.5	493	
TMP-27	6/6/2016	40	142.3	473	
TMP-27	6/6/2016	60	154.6	453	
TMP-27	6/6/2016	80	157.8	433	
TMP-27	6/6/2016	100	154.6	413	
TMP-27	6/6/2016	120	149.4	393	
TMP-27	6/6/2016	140	143.7	373	
TMP-27	6/6/2016	160	136.9	353	
TMP-27	6/6/2016	180	130.4	333	
TMP-27	6/6/2016	200	126.1	313	
TMP-27	6/6/2016	220	121.0	293	
TMP-27	6/6/2016	233	115.9	280	
TMP-27	6/13/2016	20	100.4	493	
TMP-27	6/13/2016	40	142.1	473	
TMP-27	6/13/2016	60	154.4	453	
TMP-27	6/13/2016	80	157.6	433	
TMP-27	6/13/2016	100	154.4	413	
TMP-27	6/13/2016	120	149.3	393	
TMP-27	6/13/2016	140	143.6	373	
TMP-27	6/13/2016	160	136.8	353	
TMP-27	6/13/2016	180	130.3	333	
TMP-27	6/13/2016	200	125.8	313	
TMP-27	6/13/2016	220	120.7	293	
TMP-27	6/13/2016	233	115.6	280	
TMP-27	6/20/2016	20	100.4	493	
TMP-27	6/20/2016	40	142.3	473	
TMP-27	6/20/2016	60	154.4	453	
TMP-27	6/20/2016	80	157.5	433	
TMP-27	6/20/2016	100	154.4	413	
TMP-27	6/20/2016	120	149.4	393	
TMP-27	6/20/2016	140	143.9	373	
TMP-27	6/20/2016	160	137.4	353	
TMP-27	6/20/2016	180	131.1	333	
TMP-27	6/20/2016	200	126.9	313	
TMP-27	6/20/2016	220	122.0	293	
TMP-27	6/20/2016	233	117.0	280	
TMP-27	6/27/2016	20	100.1	493	
TMP-27	6/27/2016	40	142.4	473	
TMP-27	6/27/2016	60	154.5	453	
TMP-27	6/27/2016	80	157.7	433	
TMP-27	6/27/2016	100	154.6	413	
TMP-27	6/27/2016	120	149.3	393	
TMP-27	6/27/2016	140	143.6	373	
TMP-27	6/27/2016	160	136.9	353	
TMP-27	6/27/2016	180	130.5	333	
TMP-27	6/27/2016	200	126.1	313	
TMP-27	6/27/2016	220	121.1	293	
TMP-27	6/27/2016	233	116.0	280	
TMP-27	7/5/2016	20	101.6	493	
TMP-27	7/5/2016	40	143.9	473	
TMP-27	7/5/2016	60	156.0	453	
TMP-27	7/5/2016	80	159.4	433	
TMP-27	7/5/2016	100	156.8	413	
TMP-27	7/5/2016	120	146.9	393	
TMP-27	7/5/2016	140	141.1	373	
TMP-27	7/5/2016	160	134.3	353	
TMP-27	7/5/2016	180	127.8	333	
TMP-27	7/5/2016	200	123.4	313	
TMP-27	7/5/2016	220	118.4	293	
TMP-27	7/5/2016	233	113.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	6/6/2016	20	101.2	480	
TMP-28	6/6/2016	40	140.2	460	
TMP-28	6/6/2016	60	135.7	440	
TMP-28	6/6/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/6/2016	100	133.7	400	
TMP-28	6/6/2016	120	128.2	380	
TMP-28	6/6/2016	140	123.9	360	
TMP-28	6/6/2016	160	119.7	340	
TMP-28	6/6/2016	180	115.9	320	
TMP-28	6/6/2016	200	113.6	300	
TMP-28	6/6/2016	217		283	no longer working
TMP-28	6/13/2016	20	99.9	480	
TMP-28	6/13/2016	40	139.2	460	
TMP-28	6/13/2016	60	135.0	440	
TMP-28	6/13/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/13/2016	100	132.9	400	
TMP-28	6/13/2016	120	127.4	380	
TMP-28	6/13/2016	140	122.9	360	
TMP-28	6/13/2016	160	118.5	340	
TMP-28	6/13/2016	180	114.7	320	
TMP-28	6/13/2016	200	112.4	300	
TMP-28	6/13/2016	217		283	no longer working
TMP-28	6/20/2016	20	99.5	480	
TMP-28	6/20/2016	40	138.8	460	
TMP-28	6/20/2016	60	134.5	440	
TMP-28	6/20/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/20/2016	100	132.7	400	
TMP-28	6/20/2016	120	127.3	380	
TMP-28	6/20/2016	140	122.9	360	
TMP-28	6/20/2016	160	118.2	340	
TMP-28	6/20/2016	180	114.4	320	
TMP-28	6/20/2016	200	112.0	300	
TMP-28	6/20/2016	217		283	no longer working
TMP-28	6/27/2016	20	99.9	480	
TMP-28	6/27/2016	40	139.3	460	
TMP-28	6/27/2016	60	134.9	440	
TMP-28	6/27/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/27/2016	100	133.0	400	
TMP-28	6/27/2016	120	127.5	380	
TMP-28	6/27/2016	140	123.1	360	
TMP-28	6/27/2016	160	118.7	340	
TMP-28	6/27/2016	180	114.7	320	
TMP-28	6/27/2016	200	112.4	300	
TMP-28	6/27/2016	217		283	no longer working
TMP-28	7/5/2016	20	99.5	480	
TMP-28	7/5/2016	40	139.1	460	
TMP-28	7/5/2016	60	135.0	440	
TMP-28	7/5/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	7/5/2016	100	132.6	400	
TMP-28	7/5/2016	120	127.4	380	
TMP-28	7/5/2016	140	123.6	360	
TMP-28	7/5/2016	160	119.9	340	
TMP-28	7/5/2016	180	116.9	320	
TMP-28	7/5/2016	200	114.9	300	
TMP-28	7/5/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	6/6/2016	8	65.4	488	
TMP-29	6/6/2016	16	76.8	480	
TMP-29	6/6/2016	25	86.4	471	
TMP-29	6/13/2016	8	65.5	488	
TMP-29	6/13/2016	16	75.8	480	
TMP-29	6/13/2016	25	85.2	471	
TMP-29	6/20/2016	8	66.3	488	
TMP-29	6/20/2016	16	76.0	480	
TMP-29	6/20/2016	25	85.5	471	
TMP-29	6/27/2016	8	66.4	488	
TMP-29	6/27/2016	16	74.8	480	
TMP-29	6/27/2016	25	84.3	471	
TMP-29	7/5/2016	8	68.9	488	
TMP-29	7/5/2016	16	76.3	480	
TMP-29	7/5/2016	25	85.7	471	