

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	8/17/2015	18	115.9	451	
TMP-1	8/17/2015	38	142.8	431	
TMP-1	8/17/2015	58	147.3	411	
TMP-1	8/17/2015	78	143.0	391	
TMP-1	8/17/2015	98	134.6	371	
TMP-1	8/17/2015	118	123.8	351	
TMP-1	8/17/2015	138	115.7	331	
TMP-1	8/24/2015	18	115.8	451	
TMP-1	8/24/2015	38	142.3	431	
TMP-1	8/24/2015	58	146.5	411	
TMP-1	8/24/2015	78	142.7	391	
TMP-1	8/24/2015	98	134.3	371	
TMP-1	8/24/2015	118	123.6	351	
TMP-1	8/24/2015	138	115.6	331	
TMP-1	8/31/2015	18	116.2	451	
TMP-1	8/31/2015	38	142.5	431	
TMP-1	8/31/2015	58	147.1	411	
TMP-1	8/31/2015	78	143.0	391	
TMP-1	8/31/2015	98	134.6	371	
TMP-1	8/31/2015	118	123.9	351	
TMP-1	8/31/2015	138	114.9	331	
TMP-1	9/9/2015	18	117.2	451	
TMP-1	9/9/2015	38	143.8	431	
TMP-1	9/9/2015	58	148.1	411	
TMP-1	9/9/2015	78	144.3	391	
TMP-1	9/9/2015	98	135.8	371	
TMP-1	9/9/2015	118	125.1	351	
TMP-1	9/9/2015	138	116.8	331	
TMP-1	9/15/2015	18	116.6	451	
TMP-1	9/15/2015	38	142.6	431	
TMP-1	9/15/2015	58	147.0	411	
TMP-1	9/15/2015	78	142.8	391	
TMP-1	9/15/2015	98	134.4	371	
TMP-1	9/15/2015	118	123.5	351	
TMP-1	9/15/2015	138	115.1	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	8/17/2015	0	94.2	488	
TMP-2	8/17/2015	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/17/2015	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/17/2015	60	165.5	428	
TMP-2	8/17/2015	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/17/2015	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/17/2015	120	159.5	368	
TMP-2	8/17/2015	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/17/2015	200	100.4	288	
TMP-2	8/24/2015	0	95.1	488	
TMP-2	8/24/2015	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/24/2015	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/24/2015	60	165.8	428	
TMP-2	8/24/2015	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/24/2015	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/24/2015	120	159.6	368	
TMP-2	8/24/2015	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/24/2015	200	100.5	288	
TMP-2	8/31/2015	0	92.4	488	
TMP-2	8/31/2015	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/31/2015	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/31/2015	60	165.0	428	
TMP-2	8/31/2015	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/31/2015	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/31/2015	120	158.9	368	
TMP-2	8/31/2015	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/31/2015	200	100.0	288	
TMP-2	9/9/2015	0	93.8	488	
TMP-2	9/9/2015	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/9/2015	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/9/2015	60	165.7	428	
TMP-2	9/9/2015	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/9/2015	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/9/2015	120	159.5	368	
TMP-2	9/9/2015	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/9/2015	200	100.6	288	
TMP-2	9/15/2015	0	92.6	488	
TMP-2	9/15/2015	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/15/2015	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/15/2015	60	165.6	428	
TMP-2	9/15/2015	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/15/2015	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/15/2015	120	159.2	368	
TMP-2	9/15/2015	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/15/2015	200	100.5	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	8/17/2015	30	143.1	470	
TMP-3	8/17/2015	50	152.2	450	
TMP-3	8/17/2015	70	152.6	430	
TMP-3	8/17/2015	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/17/2015	150	143.9	350	
TMP-3	8/17/2015	190	123.6	310	
TMP-3	8/17/2015	230	100.7	270	
TMP-3	8/24/2015	30	144.0	470	
TMP-3	8/24/2015	50	153.1	450	
TMP-3	8/24/2015	70	153.4	430	
TMP-3	8/24/2015	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/24/2015	150	144.7	350	
TMP-3	8/24/2015	190	124.5	310	
TMP-3	8/24/2015	230	101.4	270	
TMP-3	8/31/2015	30	143.0	470	
TMP-3	8/31/2015	50	152.3	450	
TMP-3	8/31/2015	70	152.6	430	
TMP-3	8/31/2015	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/31/2015	150	144.0	350	
TMP-3	8/31/2015	190	123.5	310	
TMP-3	8/31/2015	230	100.4	270	
TMP-3	9/9/2015	30	144.1	470	
TMP-3	9/9/2015	50	152.9	450	
TMP-3	9/9/2015	70	152.8	430	
TMP-3	9/9/2015	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/9/2015	150	144.3	350	
TMP-3	9/9/2015	190	124.0	310	
TMP-3	9/9/2015	230	100.9	270	
TMP-3	9/15/2015	30	143.2	470	
TMP-3	9/15/2015	50	152.4	450	
TMP-3	9/15/2015	70	152.8	430	
TMP-3	9/15/2015	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/15/2015	150	143.9	350	
TMP-3	9/15/2015	190	123.7	310	
TMP-3	9/15/2015	230	101.6	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	8/17/2015	20	134.3	479	
TMP-3R	8/17/2015	40	149.8	459	
TMP-3R	8/17/2015	60	153.9	439	
TMP-3R	8/17/2015	80	156.8	419	
TMP-3R	8/17/2015	100	155.6	399	
TMP-3R	8/17/2015	120	152.0	379	
TMP-3R	8/17/2015	140	150.6	359	
TMP-3R	8/17/2015	160	140.8	339	
TMP-3R	8/17/2015	180	131.8	319	
TMP-3R	8/17/2015	200	116.5	299	
TMP-3R	8/17/2015	218	103.6	281	
TMP-3R	8/24/2015	20	138.5	479	Recheck on Monday (Restivity, Temp) 13.2, 135.3
TMP-3R	8/24/2015	40	153.8	459	
TMP-3R	8/24/2015	60	157.7	439	Recheck on Monday (Restivity, Temp) 25.1, 154.7
TMP-3R	8/24/2015	80	160.6	419	Recheck on Monday (Restivity, Temp) 30.9, 157.6
TMP-3R	8/24/2015	100	159.2	399	Recheck on Monday (Restivity, Temp) 36.6, 156.4
TMP-3R	8/24/2015	120	155.4	379	Recheck on Monday (Restivity, Temp) 43.1, 152.8
TMP-3R	8/24/2015	140	153.7	359	Recheck on Monday (Restivity, Temp) 48.0, 151.3
TMP-3R	8/24/2015	160	143.7	339	
TMP-3R	8/24/2015	180	134.8	319	
TMP-3R	8/24/2015	200	119.3	299	
TMP-3R	8/24/2015	218	106.4	281	
TMP-3R	8/31/2015	20	134.3	479	
TMP-3R	8/31/2015	40	149.9	459	
TMP-3R	8/31/2015	60	153.9	439	
TMP-3R	8/31/2015	80	156.8	419	
TMP-3R	8/31/2015	100	155.7	399	
TMP-3R	8/31/2015	120	152.2	379	
TMP-3R	8/31/2015	140	150.7	359	
TMP-3R	8/31/2015	160	141.0	339	
TMP-3R	8/31/2015	180	132.0	319	
TMP-3R	8/31/2015	200	116.6	299	
TMP-3R	8/31/2015	218	103.7	281	
TMP-3R	9/9/2015	20	135.1	479	
TMP-3R	9/9/2015	40	150.9	459	
TMP-3R	9/9/2015	60	154.8	439	
TMP-3R	9/9/2015	80	157.6	419	
TMP-3R	9/9/2015	100	156.4	399	
TMP-3R	9/9/2015	120	152.9	379	
TMP-3R	9/9/2015	140	151.4	359	
TMP-3R	9/9/2015	160	141.7	339	
TMP-3R	9/9/2015	180	132.6	319	
TMP-3R	9/9/2015	200	117.1	299	
TMP-3R	9/9/2015	218	104.2	281	
TMP-3R	9/15/2015	20	135.3	479	
TMP-3R	9/15/2015	40	151.0	459	
TMP-3R	9/15/2015	60	155.0	439	
TMP-3R	9/15/2015	80	157.7	419	
TMP-3R	9/15/2015	100	156.6	399	
TMP-3R	9/15/2015	120	152.9	379	
TMP-3R	9/15/2015	140	151.3	359	
TMP-3R	9/15/2015	160	141.7	339	
TMP-3R	9/15/2015	180	132.7	319	
TMP-3R	9/15/2015	200	117.3	299	
TMP-3R	9/15/2015	218	104.5	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	8/17/2015	28	133.6	472	
TMP-4	8/24/2015	28	135.1	472	
TMP-4	8/31/2015	28	131.3	472	
TMP-4	9/9/2015	28	134.0	472	
TMP-4	9/15/2015	28	132.8	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	8/17/2015	10	120.0	489	
TMP-4R	8/17/2015	20	130.7	479	
TMP-4R	8/17/2015	29	132.8	470	
TMP-4R	8/24/2015	10	120.3	489	
TMP-4R	8/24/2015	20	131.3	479	
TMP-4R	8/24/2015	29	133.0	470	
TMP-4R	8/31/2015	10	117.9	489	
TMP-4R	8/31/2015	20	129.0	479	
TMP-4R	8/31/2015	29	130.2	470	
TMP-4R	9/9/2015	10	119.5	489	
TMP-4R	9/9/2015	20	130.6	479	
TMP-4R	9/9/2015	29	131.5	470	
TMP-4R	9/15/2015	10	121.3	489	
TMP-4R	9/15/2015	20	131.9	479	
TMP-4R	9/15/2015	29	132.9	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	8/17/2015	15	159.3	472	
TMP-6	8/17/2015	95	159.1	392	fluctuating resistance, possibly unreliable
TMP-6	8/17/2015	115	151.1	372	
TMP-6	8/17/2015	135	139.7	352	
TMP-6	8/24/2015	15	159.3	472	
TMP-6	8/24/2015	95	160.1	392	fluctuating resistance, possibly unreliable
TMP-6	8/24/2015	115	151.8	372	
TMP-6	8/24/2015	135	140.4	352	
TMP-6	8/31/2015	15	159.5	472	
TMP-6	8/31/2015	95	159.4	392	fluctuating resistance, possibly unreliable
TMP-6	8/31/2015	115	151.5	372	
TMP-6	8/31/2015	135	140.0	352	
TMP-6	9/9/2015	15	157.8	472	
TMP-6	9/9/2015	95	159.0	392	fluctuating resistance, possibly unreliable
TMP-6	9/9/2015	115	151.5	372	
TMP-6	9/9/2015	135	140.0	352	
TMP-6	9/15/2015	15	156.2	472	
TMP-6	9/15/2015	95	159.4	392	fluctuating resistance, possibly unreliable
TMP-6	9/15/2015	115	151.7	372	
TMP-6	9/15/2015	135	140.0	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-8	8/17/2015	20	141.7	502	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-8	8/17/2015	40		482	[not reliable - connectivity test 10/14]
TMP-8	8/17/2015	60		462	[not reliable - connectivity test 10/14]
TMP-8	8/24/2015	20	142.2	502	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-8	8/24/2015	40		482	[not reliable - connectivity test 10/14]
TMP-8	8/24/2015	60		462	[not reliable - connectivity test 10/14]
TMP-8	8/31/2015	20	142.5	502	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-8	8/31/2015	40		482	[not reliable - connectivity test 10/14]
TMP-8	8/31/2015	60		462	[not reliable - connectivity test 10/14]
TMP-8	9/9/2015	20		502	[not reliable per connectivity test 10/15]
TMP-8	9/9/2015	40		482	[not reliable - connectivity test 10/14]
TMP-8	9/9/2015	60		462	[not reliable - connectivity test 10/14]
TMP-8	9/15/2015	20		502	[not reliable per connectivity test 10/15]
TMP-8	9/15/2015	40		482	[not reliable - connectivity test 10/14]
TMP-8	9/15/2015	60		462	[not reliable - connectivity test 10/14]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	8/17/2015	40	224.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/24/2015	40	223.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/31/2015	40	222.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/9/2015	40	222.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/15/2015	40	222.4	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	8/17/2015	13	101.0	476	
TMP-10	8/17/2015	33	144.0	456	
TMP-10	8/17/2015	53	162.1	436	
TMP-10	8/17/2015	73	169.1	416	
TMP-10	8/17/2015	93	166.9	396	
TMP-10	8/17/2015	113	159.1	376	
TMP-10	8/17/2015	133	149.9	356	
TMP-10	8/24/2015	13	102.8	476	
TMP-10	8/24/2015	33	144.9	456	
TMP-10	8/24/2015	53	163.1	436	
TMP-10	8/24/2015	73	170.0	416	
TMP-10	8/24/2015	93	167.7	396	
TMP-10	8/24/2015	113	159.9	376	
TMP-10	8/24/2015	133	150.6	356	
TMP-10	8/31/2015	13	103.2	476	
TMP-10	8/31/2015	33	144.8	456	
TMP-10	8/31/2015	53	162.9	436	
TMP-10	8/31/2015	73	170.0	416	
TMP-10	8/31/2015	93	167.7	396	
TMP-10	8/31/2015	113	159.9	376	
TMP-10	8/31/2015	133	150.7	356	
TMP-10	9/9/2015	13	103.8	476	
TMP-10	9/9/2015	33	144.8	456	
TMP-10	9/9/2015	53	163.3	436	
TMP-10	9/9/2015	73	170.0	416	
TMP-10	9/9/2015	93	167.8	396	
TMP-10	9/9/2015	113	159.9	376	
TMP-10	9/9/2015	133	150.7	356	
TMP-10	9/15/2015	13	104.1	476	
TMP-10	9/15/2015	33	144.8	456	
TMP-10	9/15/2015	53	162.9	436	
TMP-10	9/15/2015	73	170.0	416	
TMP-10	9/15/2015	93	167.6	396	
TMP-10	9/15/2015	113	159.7	376	
TMP-10	9/15/2015	133	150.3	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	8/17/2015	16	150.5	482	
TMP-11	8/17/2015	36	164.1	462	
TMP-11	8/17/2015	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/17/2015	96	168.0	402	
TMP-11	8/17/2015	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/17/2015	156	147.7	342	
TMP-11	8/17/2015	196	120.0	302	
TMP-11	8/17/2015	216		282	
TMP-11	8/24/2015	16	150.3	482	
TMP-11	8/24/2015	36	164.6	462	
TMP-11	8/24/2015	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/24/2015	96	168.5	402	
TMP-11	8/24/2015	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/24/2015	156	147.8	342	
TMP-11	8/24/2015	196	120.8	302	
TMP-11	8/24/2015	216		282	
TMP-11	8/31/2015	16	151.3	482	
TMP-11	8/31/2015	36	165.4	462	
TMP-11	8/31/2015	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/31/2015	96	168.7	402	
TMP-11	8/31/2015	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/31/2015	156	148.0	342	
TMP-11	8/31/2015	196	122.7	302	
TMP-11	8/31/2015	216		282	
TMP-11	9/9/2015	16	150.2	482	
TMP-11	9/9/2015	36	164.7	462	
TMP-11	9/9/2015	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/9/2015	96	168.4	402	
TMP-11	9/9/2015	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/9/2015	156	148.3	342	
TMP-11	9/9/2015	196	120.7	302	
TMP-11	9/9/2015	216	100.4	282	
TMP-11	9/15/2015	16	149.7	482	
TMP-11	9/15/2015	36	164.7	462	
TMP-11	9/15/2015	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/15/2015	96	168.4	402	
TMP-11	9/15/2015	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/15/2015	156	148.1	342	
TMP-11	9/15/2015	196	121.1	302	
TMP-11	9/15/2015	216	100.2	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-12	8/17/2015	15	165.1	486	
TMP-12	8/17/2015	35	201.3	466	
TMP-12	8/17/2015	55		446	[not reliable - connectivity test 03/15]
TMP-12	8/17/2015	95		406	[not reliable - connectivity test 03/15]
TMP-12	8/24/2015	15	168.0	486	
TMP-12	8/24/2015	35	202.6	466	
TMP-12	8/24/2015	55		446	[not reliable - connectivity test 03/15]
TMP-12	8/24/2015	95		406	[not reliable - connectivity test 03/15]
TMP-12	8/31/2015	15	160.4	486	
TMP-12	8/31/2015	35	199.5	466	
TMP-12	8/31/2015	55		446	[not reliable - connectivity test 03/15]
TMP-12	8/31/2015	95		406	[not reliable - connectivity test 03/15]
TMP-12	9/9/2015	15	163.2	486	
TMP-12	9/9/2015	35	201.2	466	
TMP-12	9/9/2015	55		446	[not reliable - connectivity test 03/15]
TMP-12	9/9/2015	95		406	[not reliable - connectivity test 03/15]
TMP-12	9/15/2015	15	161.3	486	
TMP-12	9/15/2015	35	200.4	466	
TMP-12	9/15/2015	55		446	[not reliable - connectivity test 03/15]
TMP-12	9/15/2015	95		406	[not reliable - connectivity test 03/15]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	8/17/2015	41	202.0	457	
TMP-14	8/17/2015	61	197.2	437	
TMP-14	8/17/2015	81	186.4	417	
TMP-14	8/17/2015	101	190.2	397	
TMP-14	8/17/2015	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	8/17/2015	201		297	fluctuating/high resistivity reading, possibly unreliable
TMP-14	8/24/2015	41	202.1	457	
TMP-14	8/24/2015	61	198.5	437	
TMP-14	8/24/2015	81	186.8	417	
TMP-14	8/24/2015	101	190.7	397	
TMP-14	8/24/2015	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	8/24/2015	201		297	fluctuating/high resistivity reading, possibly unreliable
TMP-14	8/31/2015	41	201.9	457	
TMP-14	8/31/2015	61	199.0	437	
TMP-14	8/31/2015	81	186.3	417	
TMP-14	8/31/2015	101	190.8	397	
TMP-14	8/31/2015	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	8/31/2015	201		297	fluctuating/high resistivity reading, possibly unreliable
TMP-14	9/9/2015	41	201.3	457	
TMP-14	9/9/2015	61	199.5	437	
TMP-14	9/9/2015	81	186.9	417	
TMP-14	9/9/2015	101	190.6	397	
TMP-14	9/9/2015	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	9/9/2015	201		297	fluctuating/high resistivity reading, possibly unreliable
TMP-14	9/15/2015	41	202.4	457	
TMP-14	9/15/2015	61	200.9	437	
TMP-14	9/15/2015	81	188.4	417	
TMP-14	9/15/2015	101	191.2	397	
TMP-14	9/15/2015	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	9/15/2015	201		297	fluctuating/high resistivity reading, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	8/17/2015	20	114.8	492	
TMP-16	8/17/2015	39	145.0	473	
TMP-16	8/17/2015	58	162.6	454	
TMP-16	8/17/2015	77	164.9	435	
TMP-16	8/17/2015	96	159.2	416	
TMP-16	8/17/2015	115	150.8	397	
TMP-16	8/17/2015	134	139.9	378	
TMP-16	8/17/2015	153	108.3	359	
TMP-16	8/24/2015	20	112.2	492	
TMP-16	8/24/2015	39	142.5	473	
TMP-16	8/24/2015	58	160.2	454	
TMP-16	8/24/2015	77	162.7	435	
TMP-16	8/24/2015	96	157.0	416	
TMP-16	8/24/2015	115	149.1	397	
TMP-16	8/24/2015	134	138.5	378	
TMP-16	8/24/2015	153	107.6	359	
TMP-16	8/31/2015	20	113.8	492	
TMP-16	8/31/2015	39	144.2	473	
TMP-16	8/31/2015	58	161.7	454	
TMP-16	8/31/2015	77	164.1	435	
TMP-16	8/31/2015	96	158.2	416	
TMP-16	8/31/2015	115	150.0	397	
TMP-16	8/31/2015	134	139.0	378	
TMP-16	8/31/2015	153	112.3	359	Was re-read later in the day at 108.6 F, which is consistent with previous week
TMP-16	9/9/2015	20	112.2	492	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	39	142.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	58	160.5	454	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	77	163.1	435	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	96	157.7	416	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	115	150.0	397	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	134	139.6	378	[possibly not reliable per connectivity test 10/15]
TMP-16	9/9/2015	153	109.1	359	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	20	113.0	492	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	39	143.3	473	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	58	160.9	454	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	77	163.2	435	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	96	157.1	416	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	115	149.0	397	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	134	138.1	378	[possibly not reliable per connectivity test 10/15]
TMP-16	9/15/2015	153	108.5	359	[possibly not reliable per connectivity test 10/15]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	8/17/2015	20	109.7	496	
TMP-17	8/17/2015	40	141.5	476	
TMP-17	8/17/2015	60	157.6	456	
TMP-17	8/17/2015	80	160.5	436	
TMP-17	8/17/2015	100	158.0	416	
TMP-17	8/17/2015	120	153.6	396	
TMP-17	8/17/2015	140	144.7	376	
TMP-17	8/17/2015	160	130.8	356	
TMP-17	8/17/2015	180	123.2	336	
TMP-17	8/17/2015	200	116.9	316	
TMP-17	8/17/2015	220	110.4	296	
TMP-17	8/17/2015	237	101.3	279	
TMP-17	8/24/2015	20	107.5	496	
TMP-17	8/24/2015	40	141.2	476	
TMP-17	8/24/2015	60	157.2	456	
TMP-17	8/24/2015	80	160.1	436	
TMP-17	8/24/2015	100	157.4	416	
TMP-17	8/24/2015	120	153.1	396	
TMP-17	8/24/2015	140	144.0	376	
TMP-17	8/24/2015	160	130.0	356	
TMP-17	8/24/2015	180	122.2	336	
TMP-17	8/24/2015	200	115.7	316	
TMP-17	8/24/2015	220	109.1	296	
TMP-17	8/24/2015	237	100.5	279	
TMP-17	8/31/2015	20	108.9	496	
TMP-17	8/31/2015	40	141.3	476	
TMP-17	8/31/2015	60	157.4	456	
TMP-17	8/31/2015	80	160.2	436	
TMP-17	8/31/2015	100	157.7	416	
TMP-17	8/31/2015	120	153.5	396	
TMP-17	8/31/2015	140	144.4	376	
TMP-17	8/31/2015	160	130.8	356	
TMP-17	8/31/2015	180	123.5	336	
TMP-17	8/31/2015	200	116.8	316	
TMP-17	8/31/2015	220	110.0	296	
TMP-17	8/31/2015	237	101.5	279	
TMP-17	9/9/2015	20	107.8	496	
TMP-17	9/9/2015	40	140.5	476	
TMP-17	9/9/2015	60	156.3	456	
TMP-17	9/9/2015	80	159.2	436	
TMP-17	9/9/2015	100	156.4	416	
TMP-17	9/9/2015	120	152.0	396	
TMP-17	9/9/2015	140	142.8	376	
TMP-17	9/9/2015	160	129.0	356	
TMP-17	9/9/2015	180	121.4	336	
TMP-17	9/9/2015	200	114.6	316	

TMP-17	9/9/2015	220	107.7	296
TMP-17	9/9/2015	237	99.3	279
TMP-17	9/15/2015	20	107.4	496
TMP-17	9/15/2015	40	140.4	476
TMP-17	9/15/2015	60	156.3	456
TMP-17	9/15/2015	80	159.2	436
TMP-17	9/15/2015	100	156.7	416
TMP-17	9/15/2015	120	152.3	396
TMP-17	9/15/2015	140	142.5	376
TMP-17	9/15/2015	160	129.5	356
TMP-17	9/15/2015	180	122.1	336
TMP-17	9/15/2015	200	115.4	316
TMP-17	9/15/2015	220	108.5	296
TMP-17	9/15/2015	237	100.2	279

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	8/17/2015	20	95.4	489	
TMP-18	8/17/2015	39	133.7	470	
TMP-18	8/17/2015	58	153.2	451	
TMP-18	8/17/2015	77	153.1	432	
TMP-18	8/17/2015	96	148.5	413	
TMP-18	8/17/2015	115	141.0	394	
TMP-18	8/17/2015	134	132.9	375	
TMP-18	8/17/2015	153	126.9	356	
TMP-18	8/17/2015	172	121.0	337	
TMP-18	8/17/2015	191	116.0	318	
TMP-18	8/17/2015	210	112.1	299	
TMP-18	8/17/2015	227	108.7	282	
TMP-18	8/24/2015	20	94.1	489	
TMP-18	8/24/2015	39	132.8	470	
TMP-18	8/24/2015	58	152.4	451	
TMP-18	8/24/2015	77	152.3	432	
TMP-18	8/24/2015	96	147.1	413	
TMP-18	8/24/2015	115	140.1	394	
TMP-18	8/24/2015	134	131.9	375	
TMP-18	8/24/2015	153	125.7	356	
TMP-18	8/24/2015	172	119.9	337	
TMP-18	8/24/2015	191	114.9	318	
TMP-18	8/24/2015	210	111.2	299	
TMP-18	8/24/2015	227	108.7	282	
TMP-18	8/31/2015	20	93.8	489	
TMP-18	8/31/2015	39	132.3	470	
TMP-18	8/31/2015	58	151.7	451	
TMP-18	8/31/2015	77	151.6	432	
TMP-18	8/31/2015	96	147.2	413	
TMP-18	8/31/2015	115	139.6	394	
TMP-18	8/31/2015	134	131.5	375	
TMP-18	8/31/2015	153	125.4	356	
TMP-18	8/31/2015	172	119.5	337	
TMP-18	8/31/2015	191	114.5	318	
TMP-18	8/31/2015	210	110.6	299	
TMP-18	8/31/2015	227	107.3	282	
TMP-18	9/9/2015	20	94.5	489	
TMP-18	9/9/2015	39	132.9	470	
TMP-18	9/9/2015	58	152.3	451	
TMP-18	9/9/2015	77	152.0	432	
TMP-18	9/9/2015	96	147.5	413	

TMP-18	9/9/2015	115	139.9	394
TMP-18	9/9/2015	134	131.5	375
TMP-18	9/9/2015	153	125.1	356
TMP-18	9/9/2015	172	119.2	337
TMP-18	9/9/2015	191	114.2	318
TMP-18	9/9/2015	210	110.2	299
TMP-18	9/9/2015	227	107.5	282
TMP-18	9/15/2015	20	94.3	489
TMP-18	9/15/2015	39	132.6	470
TMP-18	9/15/2015	58	151.9	451
TMP-18	9/15/2015	77	151.6	432
TMP-18	9/15/2015	96	147.2	413
TMP-18	9/15/2015	115	139.6	394
TMP-18	9/15/2015	134	131.5	375
TMP-18	9/15/2015	153	125.2	356
TMP-18	9/15/2015	172	119.4	337
TMP-18	9/15/2015	191	114.3	318
TMP-18	9/15/2015	210	110.5	299
TMP-18	9/15/2015	227	107.9	282

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	8/17/2015	13	90.5	461	
TMP-21	8/17/2015	26	95.3	448	
TMP-21	8/17/2015	41	87.3	433	
TMP-21	8/24/2015	13	91.8	461	
TMP-21	8/24/2015	26	94.5	448	
TMP-21	8/24/2015	41	86.9	433	
TMP-21	8/31/2015	13	90.5	461	
TMP-21	8/31/2015	26	95.4	448	
TMP-21	8/31/2015	41	87.7	433	
TMP-21	9/9/2015	13	90.3	461	
TMP-21	9/9/2015	26	95.0	448	
TMP-21	9/9/2015	41	87.5	433	
TMP-21	9/15/2015	13	90.4	461	
TMP-21	9/15/2015	26	95.1	448	
TMP-21	9/15/2015	41	87.7	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	8/17/2015	15	111.9	474	
TMP-22	8/17/2015	31	128.7	458	
TMP-22	8/17/2015	50	123.6	439	
TMP-22	8/17/2015	70	116.3	419	
TMP-22	8/24/2015	15	110.8	474	
TMP-22	8/24/2015	31	128.0	458	
TMP-22	8/24/2015	50	123.1	439	
TMP-22	8/24/2015	70	115.0	419	
TMP-22	8/31/2015	15	111.5	474	
TMP-22	8/31/2015	31	128.5	458	
TMP-22	8/31/2015	50	123.6	439	
TMP-22	8/31/2015	70	115.3	419	
TMP-22	9/9/2015	15	110.4	474	
TMP-22	9/9/2015	31	127.8	458	
TMP-22	9/9/2015	50	123.1	439	
TMP-22	9/9/2015	70	115.0	419	
TMP-22	9/15/2015	15	110.5	474	
TMP-22	9/15/2015	31	127.8	458	
TMP-22	9/15/2015	50	123.0	439	
TMP-22	9/15/2015	70	114.9	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	8/17/2015	20	119.6	477	
TMP-23	8/17/2015	38	139.4	459	
TMP-23	8/17/2015	56	141.4	441	
TMP-23	8/17/2015	74	133.5	423	
TMP-23	8/17/2015	92	124.4	405	
TMP-23	8/17/2015	106	115.8	391	
TMP-23	8/24/2015	20	119.7	477	
TMP-23	8/24/2015	38	139.4	459	
TMP-23	8/24/2015	56	141.3	441	
TMP-23	8/24/2015	74	133.3	423	
TMP-23	8/24/2015	92	124.2	405	
TMP-23	8/24/2015	106	115.7	391	
TMP-23	8/31/2015	20	121.0	477	
TMP-23	8/31/2015	38	140.8	459	
TMP-23	8/31/2015	56	142.7	441	
TMP-23	8/31/2015	74	134.7	423	
TMP-23	8/31/2015	92	125.5	405	
TMP-23	8/31/2015	106	116.9	391	
TMP-23	9/9/2015	20	119.3	477	
TMP-23	9/9/2015	38	139.4	459	
TMP-23	9/9/2015	56	141.4	441	
TMP-23	9/9/2015	74	133.5	423	
TMP-23	9/9/2015	92	124.5	405	
TMP-23	9/9/2015	106	116.1	391	
TMP-23	9/15/2015	20	119.3	477	
TMP-23	9/15/2015	38	139.3	459	
TMP-23	9/15/2015	56	141.3	441	
TMP-23	9/15/2015	74	133.3	423	
TMP-23	9/15/2015	92	124.2	405	
TMP-23	9/15/2015	106	115.7	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	8/17/2015	20	104.0	492	
TMP-24	8/17/2015	40	130.0	472	
TMP-24	8/17/2015	60	142.5	452	
TMP-24	8/17/2015	67	143.6	445	
TMP-24	8/24/2015	20	102.2	492	
TMP-24	8/24/2015	40	128.8	472	
TMP-24	8/24/2015	60	141.4	452	
TMP-24	8/24/2015	67	142.5	445	
TMP-24	8/31/2015	20	103.3	492	
TMP-24	8/31/2015	40	129.1	472	
TMP-24	8/31/2015	60	141.4	452	
TMP-24	8/31/2015	67	142.4	445	
TMP-24	9/9/2015	20	103.9	492	
TMP-24	9/9/2015	40	130.4	472	
TMP-24	9/9/2015	60	142.8	452	
TMP-24	9/9/2015	67	144.0	445	
TMP-24	9/15/2015	20	101.9	492	
TMP-24	9/15/2015	40	128.6	472	
TMP-24	9/15/2015	60	140.9	452	
TMP-24	9/15/2015	67	141.9	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	8/17/2015	20	124.0	495	
TMP-25	8/17/2015	40	148.3	475	
TMP-25	8/17/2015	60	160.0	455	
TMP-25	8/17/2015	80	161.5	435	
TMP-25	8/17/2015	100	157.4	415	
TMP-25	8/17/2015	120	146.9	395	
TMP-25	8/17/2015	140	135.3	375	
TMP-25	8/17/2015	160	122.4	355	
TMP-25	8/17/2015	180	114.6	335	
TMP-25	8/17/2015	200	108.4	315	
TMP-25	8/17/2015	220	96.9	295	
TMP-25	8/17/2015	235	93.7	280	
TMP-25	8/24/2015	20	121.2	495	
TMP-25	8/24/2015	40	145.3	475	
TMP-25	8/24/2015	60	157.0	455	
TMP-25	8/24/2015	80	158.6	435	
TMP-25	8/24/2015	100	154.7	415	
TMP-25	8/24/2015	120	144.2	395	
TMP-25	8/24/2015	140	133.0	375	
TMP-25	8/24/2015	160	120.1	355	
TMP-25	8/24/2015	180	112.4	335	
TMP-25	8/24/2015	200	106.4	315	
TMP-25	8/24/2015	220	94.9	295	
TMP-25	8/24/2015	235	91.6	280	
TMP-25	8/31/2015	20	120.4	495	
TMP-25	8/31/2015	40	144.6	475	
TMP-25	8/31/2015	60	156.4	455	
TMP-25	8/31/2015	80	158.1	435	
TMP-25	8/31/2015	100	153.9	415	
TMP-25	8/31/2015	120	143.8	395	
TMP-25	8/31/2015	140	132.6	375	
TMP-25	8/31/2015	160	119.5	355	
TMP-25	8/31/2015	180	111.8	335	
TMP-25	8/31/2015	200	105.6	315	
TMP-25	8/31/2015	220	94.1	295	
TMP-25	8/31/2015	235	90.7	280	
TMP-25	9/9/2015	20	120.9	495	
TMP-25	9/9/2015	40	145.3	475	
TMP-25	9/9/2015	60	157.2	455	
TMP-25	9/9/2015	80	158.8	435	
TMP-25	9/9/2015	100	154.6	415	
TMP-25	9/9/2015	120	144.5	395	
TMP-25	9/9/2015	140	133.5	375	
TMP-25	9/9/2015	160	120.5	355	
TMP-25	9/9/2015	180	112.7	335	
TMP-25	9/9/2015	200	106.8	315	

TMP-25	9/9/2015	220	95.3	295
TMP-25	9/9/2015	235	91.8	280
TMP-25	9/15/2015	20	121.6	495
TMP-25	9/15/2015	40	145.9	475
TMP-25	9/15/2015	60	157.7	455
TMP-25	9/15/2015	80	159.3	435
TMP-25	9/15/2015	100	154.9	415
TMP-25	9/15/2015	120	144.7	395
TMP-25	9/15/2015	140	133.5	375
TMP-25	9/15/2015	160	120.3	355
TMP-25	9/15/2015	180	112.5	335
TMP-25	9/15/2015	200	106.3	315
TMP-25	9/15/2015	220	94.7	295
TMP-25	9/15/2015	235	91.4	280

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	8/17/2015	20	91.0	479	
TMP-26	8/17/2015	40	119.6	459	
TMP-26	8/17/2015	60	125.8	439	
TMP-26	8/17/2015	80	125.9	419	
TMP-26	8/17/2015	100	115.4	399	
TMP-26	8/17/2015	120	122.6	379	
TMP-26	8/17/2015	140	124.4	359	
TMP-26	8/17/2015	142	123.7	357	
TMP-26	8/24/2015	20	90.4	479	
TMP-26	8/24/2015	40	119.4	459	
TMP-26	8/24/2015	60	125.5	439	
TMP-26	8/24/2015	80	125.7	419	
TMP-26	8/24/2015	100	115.3	399	
TMP-26	8/24/2015	120	122.4	379	
TMP-26	8/24/2015	140	124.3	359	
TMP-26	8/24/2015	142	123.7	357	
TMP-26	8/31/2015	20	88.4	479	
TMP-26	8/31/2015	40	116.7	459	
TMP-26	8/31/2015	60	122.8	439	
TMP-26	8/31/2015	80	122.7	419	
TMP-26	8/31/2015	100	112.1	399	
TMP-26	8/31/2015	120	119.2	379	
TMP-26	8/31/2015	140	121.0	359	
TMP-26	8/31/2015	142	120.1	357	
TMP-26	9/9/2015	20	90.3	479	
TMP-26	9/9/2015	40	118.3	459	
TMP-26	9/9/2015	60	124.3	439	
TMP-26	9/9/2015	80	124.2	419	
TMP-26	9/9/2015	100	113.8	399	
TMP-26	9/9/2015	120	120.3	379	
TMP-26	9/9/2015	140	122.0	359	
TMP-26	9/9/2015	142	121.0	357	
TMP-26	9/15/2015	20	91.0	479	
TMP-26	9/15/2015	40	118.1	459	
TMP-26	9/15/2015	60	124.4	439	
TMP-26	9/15/2015	80	124.2	419	
TMP-26	9/15/2015	100	113.7	399	
TMP-26	9/15/2015	120	120.4	379	
TMP-26	9/15/2015	140	121.9	359	
TMP-26	9/15/2015	142	120.9	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	8/17/2015	20	101.0	493	
TMP-27	8/17/2015	40	140.7	473	
TMP-27	8/17/2015	60	154.4	453	
TMP-27	8/17/2015	80	157.6	433	
TMP-27	8/17/2015	100	154.5	413	
TMP-27	8/17/2015	120	148.9	393	
TMP-27	8/17/2015	140	143.0	373	
TMP-27	8/17/2015	160	136.5	353	
TMP-27	8/17/2015	180	129.8	333	
TMP-27	8/17/2015	200	125.3	313	
TMP-27	8/17/2015	220	119.9	293	
TMP-27	8/17/2015	233	115.3	280	
TMP-27	8/24/2015	20	99.5	493	
TMP-27	8/24/2015	40	139.4	473	
TMP-27	8/24/2015	60	153.1	453	
TMP-27	8/24/2015	80	156.1	433	
TMP-27	8/24/2015	100	153.2	413	
TMP-27	8/24/2015	120	148.2	393	
TMP-27	8/24/2015	140	143.1	373	
TMP-27	8/24/2015	160	137.3	353	
TMP-27	8/24/2015	180	131.2	333	
TMP-27	8/24/2015	200	127.2	313	
TMP-27	8/24/2015	220	122.0	293	
TMP-27	8/24/2015	233	116.8	280	
TMP-27	8/31/2015	20	99.3	493	
TMP-27	8/31/2015	40	139.6	473	
TMP-27	8/31/2015	60	153.3	453	
TMP-27	8/31/2015	80	156.6	433	
TMP-27	8/31/2015	100	153.5	413	
TMP-27	8/31/2015	120	148.3	393	
TMP-27	8/31/2015	140	142.7	373	
TMP-27	8/31/2015	160	136.3	353	
TMP-27	8/31/2015	180	129.6	333	
TMP-27	8/31/2015	200	125.4	313	
TMP-27	8/31/2015	220	120.1	293	
TMP-27	8/31/2015	233	114.6	280	
TMP-27	9/9/2015	20	98.6	493	
TMP-27	9/9/2015	40	138.8	473	
TMP-27	9/9/2015	60	152.5	453	
TMP-27	9/9/2015	80	155.7	433	
TMP-27	9/9/2015	100	152.8	413	
TMP-27	9/9/2015	120	147.7	393	
TMP-27	9/9/2015	140	142.2	373	
TMP-27	9/9/2015	160	136.0	353	
TMP-27	9/9/2015	180	129.6	333	
TMP-27	9/9/2015	200	125.3	313	

TMP-27	9/9/2015	220	120.1	293
TMP-27	9/9/2015	233	115.1	280
TMP-27	9/15/2015	20	98.8	493
TMP-27	9/15/2015	40	139.2	473
TMP-27	9/15/2015	60	152.8	453
TMP-27	9/15/2015	80	156.0	433
TMP-27	9/15/2015	100	153.2	413
TMP-27	9/15/2015	120	148.0	393
TMP-27	9/15/2015	140	142.4	373
TMP-27	9/15/2015	160	136.0	353
TMP-27	9/15/2015	180	129.5	333
TMP-27	9/15/2015	200	125.2	313
TMP-27	9/15/2015	220	119.7	293
TMP-27	9/15/2015	233	114.6	280

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	8/17/2015	20	101.0	480	
TMP-28	8/17/2015	40	140.2	460	
TMP-28	8/17/2015	60	137.1	440	
TMP-28	8/17/2015	80	136.3	420	
TMP-28	8/17/2015	100	133.3	400	
TMP-28	8/17/2015	120	127.4	380	
TMP-28	8/17/2015	140	123.0	360	
TMP-28	8/17/2015	160	118.6	340	
TMP-28	8/17/2015	180	114.9	320	
TMP-28	8/17/2015	200	112.8	300	
TMP-28	8/17/2015	217		283	no temperature was obtained
TMP-28	8/24/2015	20	100.0	480	
TMP-28	8/24/2015	40	139.1	460	
TMP-28	8/24/2015	60	136.1	440	
TMP-28	8/24/2015	80	135.5	420	
TMP-28	8/24/2015	100	132.5	400	
TMP-28	8/24/2015	120	126.6	380	
TMP-28	8/24/2015	140	122.3	360	
TMP-28	8/24/2015	160	118.1	340	
TMP-28	8/24/2015	180	114.5	320	
TMP-28	8/24/2015	200	112.6	300	
TMP-28	8/24/2015	217		283	no longer working
TMP-28	8/31/2015	20	99.3	480	
TMP-28	8/31/2015	40	138.7	460	
TMP-28	8/31/2015	60	135.6	440	
TMP-28	8/31/2015	80	135.0	420	
TMP-28	8/31/2015	100	132.2	400	
TMP-28	8/31/2015	120	126.3	380	
TMP-28	8/31/2015	140	121.8	360	
TMP-28	8/31/2015	160	117.4	340	
TMP-28	8/31/2015	180	113.7	320	
TMP-28	8/31/2015	200	111.6	300	
TMP-28	8/31/2015	217		283	no longer working
TMP-28	9/9/2015	20	100.3	480	
TMP-28	9/9/2015	40	139.5	460	
TMP-28	9/9/2015	60	136.5	440	
TMP-28	9/9/2015	80	135.9	420	
TMP-28	9/9/2015	100	133.1	400	
TMP-28	9/9/2015	120	127.2	380	
TMP-28	9/9/2015	140	122.7	360	
TMP-28	9/9/2015	160	118.4	340	
TMP-28	9/9/2015	180	114.8	320	
TMP-28	9/9/2015	200	112.7	300	
TMP-28	9/9/2015	217		283	no longer working
TMP-28	9/15/2015	20	100.5	480	
TMP-28	9/15/2015	40	139.5	460	

TMP-28	9/15/2015	60	136.6	440	
TMP-28	9/15/2015	80	135.9	420	
TMP-28	9/15/2015	100	133.0	400	
TMP-28	9/15/2015	120	127.2	380	
TMP-28	9/15/2015	140	122.7	360	
TMP-28	9/15/2015	160	118.1	340	
TMP-28	9/15/2015	180	114.2	320	
TMP-28	9/15/2015	200	112.0	300	
TMP-28	9/15/2015	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	8/17/2015	8	74.2	488	
TMP-29	8/17/2015	16	79.3	480	
TMP-29	8/17/2015	25	87.6	471	
TMP-29	8/24/2015	8	75.5	488	
TMP-29	8/24/2015	16	79.5	480	
TMP-29	8/24/2015	25	87.5	471	
TMP-29	8/31/2015	8	73.5	488	
TMP-29	8/31/2015	16	77.0	480	
TMP-29	8/31/2015	25	85.2	471	
TMP-29	9/9/2015	8	75.0	488	
TMP-29	9/9/2015	16	78.2	480	
TMP-29	9/9/2015	25	86.3	471	
TMP-29	9/15/2015	8	75.2	488	
TMP-29	9/15/2015	16	78.1	480	
TMP-29	9/15/2015	25	85.9	471	