

Bridgeton Landfill, LLC

Weekly Data Submittals

**Required by Section 52.F of Agreed Order, Case No. 13SL-CC01088
Effective May 13, 2013**

Contents:

**Attachment A – Leachate Levels in Leachate Collection Sumps
Attachment B – Temperature Monitoring Probe Analytical Charts
Attachment C – Gas Interceptor Wellhead Temperature Graphs
Attachment D – Gas Well GEW-54 Wellhead Temperature**

Provided Separately:

- Leachate Level in Leachate Collection Sump Raw Data Excel Spreadsheet**
- Temperature Monitoring Probe Raw Data Excel Spreadsheet**
- Gas Interceptor Well Reading Raw Data Excel Spreadsheet**

September 10, 2013

Commentary on Data

Attachment A – Leachate Levels in Leachate Collection Sumps

Bridgeton Landfill has installed replacement sump LCS-3C but is unable to install a pump due to excessive pressures and surging conditions. A replacement for LCS-4B has been drilled but attempts to place well casing and pump in it have been temporarily abandoned until some excess pressure in the LCS is relieved. LCS-1 appears to be compromised (bent or collapsed) partially down so it is not possible to insert a full-depth pump; however, we will insert a Blackhawk pump as deep as possible to resume leachate removal.

The other leachate collection sumps appear to be operating properly with measured leachate levels below the required pumping levels.

Attachment B – Temperature Monitoring Probe Analytical Charts

The following TMPs indicated virtually identical or lower temperature profiles than previous week(s): TMP-1, -2, -5, -6, -9, -10, -13, and -14.

TMP-3, -4, -7, -11, and -12 appear to have warmed slightly in the past couple of weeks.

The 129' and 149' depth intervals in TMP-13 are no longer functioning. We will submit a forensics report summarizing the findings that lead to that conclusion. Bridgeton Landfill has committed to replacing TMP-13 as soon as possible and has ordered parts and drilling to accomplish this.

Attachment C – Gas Interceptor Wellhead Temperature Graphs

The following GIWs indicated virtually identical or slightly trending lower wellhead temperatures as recent previous week(s): GIW-1, -2, -3, -4 -7, -8, -9, -12, and -13. The following GIWs indicated slight to moderate observable increases in wellhead temperatures as recent previous week(s): GIW-5, -6, -10, and -11.

Overall, GIW wellhead temperatures have been steady or intermittently increasing. The function of these wells is to remove heat from in front of the reaction and they appear to be consistently performing that function.

Attachment D - Gas Well GEW-54 Wellhead Temperature


This attachment was first added to the weekly data report on July 23, 2013 to track wellhead temperature in GEW-54 which is located in the North Quarry, has historically exhibited somewhat elevated temperatures, and which, on June 18, 2013, exhibited a wellhead temperature of 155°F.

As seen in Attachment D, the most recent wellhead temperature is 143° F. The past four weekly monitoring events indicate a narrow 143-146° F temperature range.

ATTACHMENT A


LEACHATE LEVELS IN LEACHATE COLLECTION SUMPS

LCS-1D Liquid Level Above Quarry Floor




◆ Height of Liquid (Ft.) ■ Compliance Level (Ft. Above Quarry Floor)

LCS-2D Liquid Level Above Quarry Floor




◆ Height of Liquid (Ft.) ■ Compliance Level (Ft. Above Quarry Floor)

LCS-5A Liquid Level Above Quarry Floor



◆ Height of Liquid (Ft.) ■ Compliance Level (Ft. Above Quarry Floor)

LCS-6B Liquid Level Above Quarry Floor




◆ Height of Liquid (Ft.) ■ Compliance Level (Ft. Above Quarry Floor)

ATTACHMENT B


TEMPERATURE MONITORING PROBE ANALYTICAL CHARTS

TMP-1




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-2




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-3




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-4




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-5




Notes:
1. Units at 180 and 240 ft had resistance readings above acceptable.

TMP-6




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-7R




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-8




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-9




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-10




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-11




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-12




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-13




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-14




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

9/03/2013 -DEPTH




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

9/03/2013 - ELEVATION



TEMPERATURE VS ELEVATION
BRIDGETON LANDFILL

MAXIMUM TEMPERATURES



Note: 11/01/12 12/01/12 01/01/13 02/01/13 03/01/13 04/01/13 05/01/13 06/01/13 07/01/13 08/01/13 09/01/13 10/01/13


- From 5/22 - 6/12/13, only the TMP-8 reading at 20' depth was operational.
No valid readings were obtained for TMP-8 since 8/1/2013.
- A new OMEGA dial was installed at TMP-7R on 6/12/2013 enabling more valid readings.
- No valid readings were obtained for TMP-10 and TMP-12 on 7/18/2013 or 7/25/2013.
- End terminals were replaced just prior to the 8/6/2013 readings with type T Omega connectors (part # SMPW-CC-T-M) on all TMPs except for TMP-8.

TEMPERATURE VS TIME
BRIDGETON LANDFILL

ATTACHMENT C


GAS INTERCEPTOR WELLHEAD TEMPERATURE GRAPHS

GIW-1 Wellhead Temperatures




Wellhead Temp. (F)

GIW-2 Wellhead Temperatures




Wellhead Temp. (F)

GIW-3 Wellhead Temperatures




Wellhead Temp. (F)

GIW-4 Wellhead Temperatures




Wellhead Temp. (F)

GIW-5 Wellhead Temperatures




Wellhead Temp. (F)

GIW-6 Wellhead Temperatures




Wellhead Temp. (F)

GIW-7 Wellhead Temperatures




Wellhead Temp. (F)

GIW-8 Wellhead Temperatures




Wellhead Temp. (F)


GIW-9 Wellhead Temperatures



GIW-10 Wellhead Temperatures




GIW-11 Wellhead Temperatures




Wellhead Temp. (F)

GIW-12 Wellhead Temperatures



GIW-13 Wellhead Temperatures



ATTACHMENT D

GAS WELL GEW-54 WELLHEAD TEMPERATURE

Weekly Wellhead Temperature Monitoring of GEW-54 (North Quarry)

| <u>Date</u> | <u>Time</u> | <u>Temperature Reading</u> |
|-------------|-------------|----------------------------|
| 7/22/13 | 5:11 PM | 149° F |
| 7/30/13 | 9:30 AM | 148° F |
| 8/05/13 | 8:51 PM | 152° F |
| 8/12/13 | 11:57 AM | 144° F |
| 8/19/13 | 7:23 AM | 143° F |
| 8/26/13 | 7:45 AM | 143° F |
| 9/02/13 | 12:30 PM | 146° F |
| 9/09/13 | 11:12 AM | 143° F |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-1 | 1 | 11/8/2012 | 18 | 108.481 | 451.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 38 | 121.5071 | 431.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 58 | 129.7388 | 411.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 78 | 122.5392 | 391.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 98 | 122.8205 | 371.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 118 | 117.8404 | 351.2174 | | |
| TMP-1 | 1 | 11/8/2012 | 138 | 106.8663 | 331.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 18 | 108.5759 | 451.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 38 | 131.4155 | 431.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 58 | 134.7617 | 411.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 78 | 136.3385 | 391.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 98 | 134.0189 | 371.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 118 | 121.1315 | 351.2174 | | |
| TMP-1 | 2 | 11/12/2012 | 138 | 112.1769 | 331.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 18 | 113.0282 | 451.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 38 | 134.7617 | 431.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 58 | 136.2458 | 411.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 78 | 137.1725 | 391.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 98 | 130.3911 | 371.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 118 | 119.5341 | 351.2174 | | |
| TMP-1 | 3 | 11/19/2012 | 138 | 113.3118 | 331.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 18 | 106.0106 | 451.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 38 | 130.1116 | 431.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 58 | 131.0431 | 411.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 78 | 130.1116 | 391.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 98 | 131.5086 | 371.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 118 | 114.8233 | 351.2174 | | |
| TMP-1 | 4 | 11/26/2012 | 138 | 104.4877 | 331.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 18 | 110.0934 | 451.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 38 | 136.0604 | 431.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 58 | 141.3333 | 411.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 78 | 140.5023 | 391.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 98 | 134.0189 | 371.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 118 | 124.5071 | 351.2174 | | |
| TMP-1 | 5 | 12/11/2012 | 138 | 117.181 | 331.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 18 | 110.0934 | 451.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 38 | 136.0604 | 431.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 58 | 141.3333 | 411.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 78 | 140.5023 | 391.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 98 | 134.0189 | 371.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 118 | 124.5071 | 351.2174 | | |
| TMP-1 | 6 | 12/17/2012 | 138 | 117.181 | 331.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 18 | 115.2008 | 451.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 38 | 136.7092 | 431.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 58 | 142.256 | 411.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 78 | 140.4099 | 391.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-1 | 7 | 12/24/2012 | 98 | 133.926 | 371.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 118 | 124.6007 | 351.2174 | | |
| TMP-1 | 7 | 12/24/2012 | 138 | 117.0868 | 331.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 18 | 115.2008 | 451.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 38 | 136.7092 | 431.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 58 | 141.3333 | 411.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 78 | 140.4099 | 391.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 98 | 132.9968 | 371.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 118 | 123.6641 | 351.2174 | | |
| TMP-1 | 8 | 12/31/2012 | 138 | 115.2008 | 331.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 18 | 117.0868 | 451.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 38 | 137.6355 | 431.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 58 | 143.1779 | 411.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 78 | 141.3333 | 391.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 98 | 134.8545 | 371.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 118 | 124.6007 | 351.2174 | | |
| TMP-1 | 9 | 1/7/2013 | 138 | 116.1442 | 331.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 18 | 118.5 | 451.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 38 | 139.5 | 431.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 58 | 145 | 411.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 78 | 143.7 | 391.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 98 | 136.9 | 371.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 118 | 126.7 | 351.2174 | | |
| TMP-1 | 10 | 1/9/2013 | 138 | 118.7 | 331.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 18 | 120.1 | 451.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 38 | 140.5 | 431.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 58 | 146.8 | 411.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 78 | 144.9 | 391.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 98 | 137.9 | 371.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 118 | 127.7 | 351.2174 | | |
| TMP-1 | 11 | 1/15/2013 | 138 | 119.6 | 331.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 18 | 121.4 | 451.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 38 | 141.1 | 431.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 58 | 146.1 | 411.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 78 | 144.7 | 391.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 98 | 137.4 | 371.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 118 | 127.1 | 351.2174 | | |
| TMP-1 | 12 | 1/22/2013 | 138 | 118.7 | 331.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 18 | 120.1 | 451.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 38 | 140.2 | 431.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 58 | 145.6 | 411.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 78 | 144.3 | 391.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 98 | 137.2 | 371.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 118 | 126.9 | 351.2174 | | |
| TMP-1 | 13 | 1/28/2013 | 138 | 118.8 | 331.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 18 | 119.8 | 451.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-1 | 14 | 2/6/2013 | 38 | 139.7 | 431.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 58 | 145.1 | 411.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 78 | 143.8 | 391.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 98 | 136.8 | 371.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 118 | 126.6 | 351.2174 | | |
| TMP-1 | 14 | 2/6/2013 | 138 | 118.5 | 331.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 18 | 120.6 | 451.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 38 | 140.4 | 431.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 58 | 145.7 | 411.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 78 | 144.3 | 391.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 98 | 137.2 | 371.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 118 | 126.9 | 351.2174 | | |
| TMP-1 | 15 | 2/7/2013 | 138 | 118.7 | 331.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 18 | 121.4 | 451.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 38 | 141.2 | 431.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 58 | 146.7 | 411.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 78 | 145.3 | 391.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 98 | 138.2 | 371.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 118 | 127.9 | 351.2174 | | |
| TMP-1 | 16 | 2/13/2013 | 138 | 119.8 | 331.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 18 | 120.3 | 451.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 38 | 139.9 | 431.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 58 | 145.3 | 411.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 78 | 143.9 | 391.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 98 | 136.9 | 371.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 118 | 126.3 | 351.2174 | | |
| TMP-1 | 17 | 2/18/2013 | 138 | 118.2 | 331.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 18 | 122.3 | 451.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 38 | 141.7 | 431.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 58 | 146.9 | 411.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 78 | 145.4 | 391.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 98 | 138.5 | 371.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 118 | 128 | 351.2174 | | |
| TMP-1 | 18 | 2/25/2013 | 138 | 119.9 | 331.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 18 | 123.4 | 451.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 38 | 142.7 | 431.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 58 | 146.2 | 411.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 78 | 144.6 | 391.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 98 | 137.6 | 371.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 118 | 127.1 | 351.2174 | | |
| TMP-1 | 19 | 3/4/2013 | 138 | 119 | 331.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 18 | 121.4 | 451.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 38 | 141.6 | 431.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 58 | 146.1 | 411.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 78 | 144.5 | 391.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 98 | 137.4 | 371.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-1 | 20 | 3/12/2013 | 118 | 127 | 351.2174 | | |
| TMP-1 | 20 | 3/12/2013 | 138 | 118.8 | 331.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 18 | 122.6 | 451.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 38 | 142.1 | 431.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 58 | 147.2 | 411.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 78 | 145.6 | 391.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 98 | 138.5 | 371.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 118 | 128.1 | 351.2174 | | |
| TMP-1 | 21 | 3/19/2013 | 138 | 119.9 | 331.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 18 | 122.8 | 451.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 38 | 141.6 | 431.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 58 | 147.1 | 411.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 78 | 145.6 | 391.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 98 | 138.4 | 371.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 118 | 128.1 | 351.2174 | | |
| TMP-1 | 22 | 3/26/2013 | 138 | 119.7 | 331.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 18 | 123.2 | 451.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 38 | 142.2 | 431.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 58 | 147.6 | 411.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 78 | 146.1 | 391.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 98 | 139 | 371.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 118 | 128.7 | 351.2174 | | |
| TMP-1 | 23 | 4/3/2013 | 138 | 120.6 | 331.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 18 | 122.9 | 451.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 38 | 141.4 | 431.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 58 | 146.4 | 411.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 78 | 144.7 | 391.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 98 | 137.3 | 371.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 118 | 126.8 | 351.2174 | | |
| TMP-1 | 26 | 4/10/2013 | 138 | 118.5 | 331.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 18 | 122 | 451.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 38 | 141.1 | 431.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 58 | 146.4 | 411.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 78 | 144.9 | 391.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 98 | 137.6 | 371.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 118 | 127.3 | 351.2174 | | |
| TMP-1 | 27 | 4/17/2013 | 138 | 119.2 | 331.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 18 | 122.5 | 451.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 38 | 140 | 431.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 58 | 145.3 | 411.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 78 | 143.6 | 391.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 98 | 136.4 | 371.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 118 | 126 | 351.2174 | | |
| TMP-1 | 28 | 4/30/2013 | 138 | 117.8 | 331.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 18 | 122.8 | 451.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 38 | 142.9 | 431.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-1 | 29 | 5/9/2013 | 58 | 148.1 | 411.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 78 | 146.5 | 391.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 98 | 139.2 | 371.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 118 | 128.8 | 351.2174 | | |
| TMP-1 | 29 | 5/9/2013 | 138 | 120.7 | 331.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 18 | 120.2 | 451.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 38 | 140.1 | 431.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 58 | 145.2 | 411.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 78 | 143.6 | 391.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 98 | 136.1 | 371.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 118 | 125.5 | 351.2174 | | |
| TMP-1 | 30 | 5/15/2013 | 138 | 117.2 | 331.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 18 | 122.5 | 451.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 38 | 141.9 | 431.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 58 | 147.1 | 411.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 78 | 145.5 | 391.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 98 | 138 | 371.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 118 | 127.5 | 351.2174 | | |
| TMP-1 | 31 | 5/22/2013 | 138 | 119.3 | 331.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 18 | 120.7 | 451.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 38 | 140.1 | 431.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 58 | 145.3 | 411.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 78 | 143.6 | 391.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 98 | 136.3 | 371.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 118 | 126 | 351.2174 | | |
| TMP-1 | 32 | 5/29/2013 | 138 | 117.8 | 331.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 18 | 121.2 | 451.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 38 | 140.5 | 431.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 58 | 145.7 | 411.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 78 | 144.1 | 391.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 98 | 136.8 | 371.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 118 | 126.5 | 351.2174 | | |
| TMP-1 | 34 | 6/5/2013 | 138 | 118.3 | 331.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 18 | 123.3 | 451.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 38 | 142.2 | 431.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 58 | 147.3 | 411.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 78 | 145.6 | 391.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 98 | 138.4 | 371.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 118 | 128.1 | 351.2174 | | |
| TMP-1 | 35 | 6/12/2013 | 138 | 119.9 | 331.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 18 | 126.4 | 451.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 38 | 144.7 | 431.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 58 | 150 | 411.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 78 | 147.9 | 391.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 98 | 140.2 | 371.2174 | | |
| TMP-1 | 36 | 6/19/2013 | 118 | 129.8 | 351.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-1 | 36 | 6/19/2013 | 138 | 121.3 | 331.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 18 | 121.4 | 451.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 38 | 140 | 431.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 58 | 145.4 | 411.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 78 | 143.6 | 391.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 98 | 136.1 | 371.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 118 | 125.8 | 351.2174 | | |
| TMP-1 | 37 | 6/27/2013 | 138 | 117.6 | 331.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 18 | 127.2 | 451.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 38 | 145 | 431.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 58 | 150.1 | 411.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 78 | 148 | 391.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 98 | 140.2 | 371.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 118 | 129.7 | 351.2174 | | |
| TMP-1 | 38 | 7/3/2013 | 138 | 121.2 | 331.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 18 | 122.3 | 451.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 38 | 140.4 | 431.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 58 | 145.6 | 411.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 78 | 143.7 | 391.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 98 | 136.2 | 371.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 118 | 125.9 | 351.2174 | | |
| TMP-1 | 40 | 7/10/2013 | 138 | 117.7 | 331.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 18 | 125.4 | 451.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 38 | 143.5 | 431.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 58 | 148.5 | 411.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 78 | 146.8 | 391.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 98 | 139.5 | 371.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 118 | 129.2 | 351.2174 | | |
| TMP-1 | 41 | 7/18/2013 | 138 | 120.9 | 331.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 18 | 125.7 | 451.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 38 | 143.8 | 431.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 58 | 148.8 | 411.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 78 | 146.8 | 391.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 98 | 139.3 | 371.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 118 | 128.9 | 351.2174 | | |
| TMP-1 | 42 | 7/25/2013 | 138 | 120.6 | 331.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 18 | 122.9 | 451.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 38 | 140.9 | 431.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 58 | 145.9 | 411.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 78 | 144.1 | 391.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 98 | 136.8 | 371.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 118 | 126.7 | 351.2174 | | |
| TMP-1 | 43 | 8/1/2013 | 138 | 118.6 | 331.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 18 | 123.4 | 451.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 38 | 141.2 | 431.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 58 | 146.1 | 411.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-1 | 44 | 8/6/2013 | 78 | 144.2 | 391.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 98 | 136.8 | 371.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 118 | 126.4 | 351.2174 | | |
| TMP-1 | 44 | 8/6/2013 | 138 | 118 | 331.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 18 | 122.1 | 451.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 38 | 139.8 | 431.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 58 | 144.7 | 411.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 78 | 142.9 | 391.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 98 | 135.7 | 371.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 118 | 125.3 | 351.2174 | | |
| TMP-1 | 45 | 8/14/2013 | 138 | 117.1 | 331.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 18 | 122.5 | 451.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 38 | 140.1 | 431.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 58 | 144.9 | 411.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 78 | 143 | 391.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 98 | 135.6 | 371.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 118 | 125.1 | 351.2174 | | |
| TMP-1 | 48 | 8/20/2013 | 138 | 116.7 | 331.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 18 | 121.8 | 451.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 38 | 139.2 | 431.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 58 | 144 | 411.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 78 | 142.1 | 391.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 98 | 134.7 | 371.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 118 | 124.3 | 351.2174 | | |
| TMP-1 | 49 | 8/27/2013 | 138 | 116 | 331.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 18 | 122.4 | 451.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 38 | 139.69 | 431.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 58 | 144.3 | 411.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 78 | 142.3 | 391.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 98 | 135 | 371.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 118 | 124.6 | 351.2174 | | |
| TMP-1 | 50 | 9/3/2013 | 138 | 116.2 | 331.2174 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-2 | 2 | 11/12/2012 | 0 | 82.4755 | 488.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 20 | 108.386 | 468.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 40 | 136.5239 | 448.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 60 | 152.9062 | 428.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 80 | 153.3631 | 408.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 100 | 153.9112 | 388.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 120 | 150.3442 | 368.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 140 | 145.6635 | 348.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 160 | 132.7179 | 328.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 180 | 127.0324 | 308.3816 | | |
| TMP-2 | 2 | 11/12/2012 | 200 | 97.61063 | 288.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 0 | 85.67269 | 488.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 20 | 116.7099 | 468.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 40 | 142.9936 | 448.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 60 | 159.8323 | 428.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 80 | 160.014 | 408.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 100 | 159.287 | 388.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 120 | 154.3677 | 368.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 140 | 159.4688 | 348.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 160 | 141.887 | 328.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 180 | 128.9 | 308.3816 | | |
| TMP-2 | 3 | 11/19/2012 | 200 | 97.03574 | 288.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 0 | 81.40788 | 488.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 20 | 117.5579 | 468.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 40 | 140.4099 | 448.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 60 | 157.3763 | 428.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 80 | 161.2853 | 408.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 100 | 155.9185 | 388.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 120 | 154.459 | 368.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 140 | 147.5931 | 348.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 160 | 132.9968 | 328.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 180 | 121.6948 | 308.3816 | | |
| TMP-2 | 4 | 11/26/2012 | 200 | 91.65659 | 288.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 0 | 77.80986 | 488.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 20 | 118.1228 | 468.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 40 | 145.3875 | 448.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 60 | 160.559 | 428.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 80 | 163.7332 | 408.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 100 | 160.7406 | 388.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 120 | 155.645 | 368.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 140 | 149.7945 | 348.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 160 | 140.8717 | 328.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 180 | | 308.3816 | | |
| TMP-2 | 5 | 12/11/2012 | 200 | 97.2274 | 288.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 0 | 77.80986 | 488.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 20 | 118.1228 | 468.3816 | | |

| | | | | | | | |
|-------|----|------------|-----|----------|----------|--|--|
| TMP-2 | 6 | 12/17/2012 | 40 | 145.3875 | 448.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 60 | 160.559 | 428.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 80 | 163.7332 | 408.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 100 | 160.7406 | 388.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 120 | 155.645 | 368.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 140 | 149.7945 | 348.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 160 | 140.8717 | 328.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 180 | | 308.3816 | | |
| TMP-2 | 6 | 12/17/2012 | 200 | 97.2274 | 288.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 0 | 81.69915 | 488.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 20 | 119.9102 | 468.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 40 | 147.7767 | 448.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 60 | 161.4668 | 428.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 80 | 165.091 | 408.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 100 | 161.4668 | 388.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 120 | 156.0097 | 368.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 140 | 150.5274 | 348.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 160 | 140.4099 | 328.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 180 | | 308.3816 | | |
| TMP-2 | 7 | 12/24/2012 | 200 | 97.13157 | 288.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 0 | 79.75607 | 488.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 20 | 122.7268 | 468.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 40 | 148.6943 | 448.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 60 | 162.3739 | 428.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 80 | 165.091 | 408.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 100 | 162.3739 | 388.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 120 | 156.921 | 368.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 140 | 150.5274 | 348.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 160 | 140.4099 | 328.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 180 | | 308.3816 | | |
| TMP-2 | 8 | 12/31/2012 | 200 | 97.13157 | 288.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 0 | 81.69915 | 488.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 20 | 124.6007 | 468.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 40 | 149.6112 | 448.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 60 | 163.2803 | 428.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 80 | 165.9953 | 408.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 100 | 163.2803 | 388.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 120 | 157.8315 | 368.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 140 | 151.4429 | 348.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 160 | 142.256 | 328.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 180 | | 308.3816 | | |
| TMP-2 | 9 | 1/7/2013 | 200 | 98.0895 | 288.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 0 | 77.5 | 488.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 20 | 122.7 | 468.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 40 | 152.3 | 448.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 60 | 165 | 428.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 80 | 168.3 | 408.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|--|--|
| TMP-2 | 10 | 1/9/2013 | 100 | 165.2 | 388.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 120 | 159.5 | 368.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 140 | 153.3 | 348.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 160 | 144 | 328.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 180 | | 308.3816 | | |
| TMP-2 | 10 | 1/9/2013 | 200 | 99.1 | 288.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 0 | 78 | 488.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 20 | 120.3 | 468.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 40 | 152.2 | 448.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 60 | 163.7 | 428.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 80 | 167.7 | 408.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 100 | 164.5 | 388.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 120 | 158.7 | 368.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 140 | 146.8 | 348.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 160 | 142.9 | 328.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 180 | | 308.3816 | | |
| TMP-2 | 11 | 1/15/2013 | 200 | 99 | 288.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 0 | 76.7 | 488.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 20 | 121.8 | 468.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 40 | 153.4 | 448.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 60 | 165.3 | 428.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 80 | 169.7 | 408.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 100 | 166.2 | 388.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 120 | 160.3 | 368.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 140 | 153.9 | 348.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 160 | 144 | 328.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 180 | | 308.3816 | | |
| TMP-2 | 12 | 1/22/2013 | 200 | 99.5 | 288.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 0 | 71.5 | 488.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 20 | 124.6 | 468.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 40 | 152.3 | 448.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 60 | 164.8 | 428.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 80 | 165.1 | 408.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 100 | 166 | 388.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 120 | 157.7 | 368.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 140 | 151.7 | 348.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 160 | 141.2 | 328.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 180 | | 308.3816 | | |
| TMP-2 | 13 | 1/28/2013 | 200 | 100 | 288.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 0 | 71 | 488.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 20 | 124.7 | 468.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 40 | 145.8 | 448.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 60 | 162.9 | 428.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 80 | 166.9 | 408.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 100 | 163.3 | 388.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 120 | 157.2 | 368.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 140 | 150.6 | 348.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|--|--|
| TMP-2 | 14 | 2/6/2013 | 160 | 141 | 328.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 180 | | 308.3816 | | |
| TMP-2 | 14 | 2/6/2013 | 200 | 86.6 | 288.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 0 | 74.5 | 488.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 20 | 125.3 | 468.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 40 | 151.6 | 448.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 60 | 165.3 | 428.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 80 | 168.8 | 408.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 100 | 166.2 | 388.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 120 | 159.9 | 368.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 140 | 153.8 | 348.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 160 | 144.1 | 328.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 180 | | 308.3816 | | |
| TMP-2 | 15 | 2/7/2013 | 200 | 98.1 | 288.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 0 | 73.8 | 488.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 20 | 127.2 | 468.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 40 | 150 | 448.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 60 | 164.3 | 428.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 80 | 168.5 | 408.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 100 | 165.3 | 388.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 120 | 159.2 | 368.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 140 | 153.1 | 348.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 160 | 143.7 | 328.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 180 | | 308.3816 | | |
| TMP-2 | 16 | 2/13/2013 | 200 | 99.2 | 288.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 0 | 73.1 | 488.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 20 | 128.2 | 468.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 40 | 150.4 | 448.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 60 | 165 | 428.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 80 | 169.3 | 408.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 100 | 166.1 | 388.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 120 | 159.7 | 368.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 140 | 153.4 | 348.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 160 | 144.1 | 328.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 180 | | 308.3816 | | |
| TMP-2 | 17 | 2/18/2013 | 200 | 99.5 | 288.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 0 | 72.2 | 488.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 20 | 136 | 468.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 40 | 150.4 | 448.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 60 | 165.6 | 428.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 80 | 169.8 | 408.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 100 | 166.6 | 388.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 120 | 160.2 | 368.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 140 | 154 | 348.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 160 | 144.5 | 328.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 180 | | 308.3816 | | |
| TMP-2 | 18 | 2/25/2013 | 200 | 100 | 288.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|--|--|
| TMP-2 | 19 | 3/4/2013 | 0 | 70.2 | 488.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 20 | 138 | 468.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 40 | 151.6 | 448.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 60 | 167.2 | 428.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 80 | 171.7 | 408.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 100 | 168.3 | 388.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 120 | 161.6 | 368.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 140 | 155.3 | 348.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 160 | 145.7 | 328.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 180 | | 308.3816 | | |
| TMP-2 | 19 | 3/4/2013 | 200 | 100.3 | 288.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 0 | 70 | 488.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 20 | 136.6 | 468.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 40 | 150.1 | 448.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 60 | 165.5 | 428.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 80 | 170 | 408.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 100 | 166.5 | 388.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 120 | 159.8 | 368.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 140 | 153.1 | 348.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 160 | 145.6 | 328.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 180 | | 308.3816 | | |
| TMP-2 | 20 | 3/12/2013 | 200 | 99.1 | 288.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 0 | 69.3 | 488.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 20 | 137.5 | 468.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 40 | 149.2 | 448.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 60 | 165.5 | 428.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 80 | 169.9 | 408.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 100 | 166.5 | 388.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 120 | 159.9 | 368.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 140 | 153.5 | 348.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 160 | 145.8 | 328.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 180 | | 308.3816 | | |
| TMP-2 | 21 | 3/19/2013 | 200 | 99.4 | 288.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 0 | 69.3 | 488.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 20 | 136.6 | 468.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 40 | 149.7 | 448.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 60 | 165.9 | 428.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 80 | 159.6 | 408.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 100 | 157.2 | 388.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 120 | 159.5 | 368.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 140 | 152.9 | 348.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 160 | 143.1 | 328.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 180 | | 308.3816 | | |
| TMP-2 | 22 | 3/26/2013 | 200 | 98.4 | 288.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 0 | 73.5 | 488.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 20 | 135.9 | 468.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 40 | 150.6 | 448.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|--|--|
| TMP-2 | 23 | 4/3/2013 | 60 | 165.8 | 428.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 80 | 170 | 408.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 100 | 166.3 | 388.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 120 | 159.7 | 368.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 140 | 153.1 | 348.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 160 | 145.5 | 328.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 180 | | 308.3816 | | |
| TMP-2 | 23 | 4/3/2013 | 200 | 99 | 288.3816 | | |
| TMP-2 | 26 | 4/10/2013 | 0 | 78.9 | 488.3816 | | |
| TMP-2 | 26 | 4/10/2013 | 20 | 134.2 | 468.3816 | | |
| TMP-2 | 26 | 4/10/2013 | 40 | 152.5 | 448.3816 | | |
| TMP-2 | 26 | 4/10/2013 | 200 | 98.6 | 288.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 0 | 86.1 | 488.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 20 | 131.9 | 468.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 40 | 152.7 | 448.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 60 | 167.2 | 428.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 80 | 171.5 | 408.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 100 | 168.3 | 388.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 120 | 161.6 | 368.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 140 | 154.6 | 348.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 160 | 147.4 | 328.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 180 | | 308.3816 | | |
| TMP-2 | 27 | 4/17/2013 | 200 | 100.7 | 288.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 0 | 78.5 | 488.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 20 | 136.2 | 468.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 40 | 152.1 | 448.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 60 | 166.8 | 428.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 80 | 170.7 | 408.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 100 | 167 | 388.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 120 | 160.3 | 368.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 140 | 153 | 348.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 160 | 145.1 | 328.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 180 | | 308.3816 | | |
| TMP-2 | 28 | 4/30/2013 | 200 | 99.2 | 288.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 0 | 86.4 | 488.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 20 | 136.8 | 468.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 40 | 151.2 | 448.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 60 | 166.5 | 428.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 80 | 170.8 | 408.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 100 | 167.3 | 388.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 120 | 160.5 | 368.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 140 | 153.5 | 348.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 160 | 146.3 | 328.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 180 | | 308.3816 | | |
| TMP-2 | 29 | 5/9/2013 | 200 | 99.9 | 288.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 0 | 88.8 | 488.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 20 | 136.2 | 468.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|--|--|
| TMP-2 | 30 | 5/15/2013 | 40 | 149.7 | 448.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 60 | 165.2 | 428.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 80 | 169.3 | 408.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 100 | 165.8 | 388.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 120 | 159.2 | 368.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 140 | 151.3 | 348.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 160 | 143.6 | 328.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 180 | | 308.3816 | | |
| TMP-2 | 30 | 5/15/2013 | 200 | 98.3 | 288.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 0 | 96.6 | 488.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 20 | 137.3 | 468.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 40 | 149.8 | 448.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 60 | 165.2 | 428.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 80 | 169.6 | 408.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 100 | 166.1 | 388.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 120 | 159.4 | 368.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 140 | 151.2 | 348.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 160 | 144.3 | 328.3816 | | |
| TMP-2 | 31 | 5/22/2013 | 180 | | 308.3816 | | reading didn't equalize |
| TMP-2 | 31 | 5/22/2013 | 200 | 98.9 | 288.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 0 | 101 | 488.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 20 | 137.4 | 468.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 40 | 149.5 | 448.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 60 | 164 | 428.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 80 | 169.3 | 408.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 100 | 165.8 | 388.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 120 | 159.1 | 368.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 140 | 148.6 | 348.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 160 | 145 | 328.3816 | | |
| TMP-2 | 32 | 5/29/2013 | 180 | | 308.3816 | | Reading bounced could not obtain valid reading |
| TMP-2 | 32 | 5/29/2013 | 200 | 98.5 | 288.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 0 | 102.3 | 488.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 20 | 135.3 | 468.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 40 | 149.5 | 448.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 60 | 163.8 | 428.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 80 | 169 | 408.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 100 | 165.6 | 388.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 120 | 158.9 | 368.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 140 | 150.7 | 348.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 160 | 145.6 | 328.3816 | | |
| TMP-2 | 34 | 6/5/2013 | 180 | | 308.3816 | | NLW, Large fluctuation during Reading |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|-------|----------------------------------|
| TMP-2 | 34 | 6/5/2013 | 200 | 98.9 | 288.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 0 | 108.6 | 488.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 20 | 135.9 | 468.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 40 | 149.9 | 448.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 60 | 165 | 428.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 80 | 170.4 | 408.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 100 | 166.8 | 388.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 120 | 160.1 | 368.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 140 | 150.4 | 348.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 160 | 146.9 | 328.3816 | | |
| TMP-2 | 35 | 6/12/2013 | 180 | | 308.3816 | | Large fluctuation during Reading |
| TMP-2 | 35 | 6/12/2013 | 200 | 99.8 | 288.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 0 | 93.8 | 488.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 20 | 120.6 | 468.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 40 | 135.4 | 448.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 60 | 150.7 | 428.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 80 | 156.2 | 408.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 100 | 152.3 | 388.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 120 | 145.7 | 368.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 140 | 138.5 | 348.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 160 | 131.9 | 328.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 180 | | 308.3816 | | |
| TMP-2 | 36 | 6/19/2013 | 200 | 83 | 288.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 0 | 109.5 | 488.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 20 | 133.2 | 468.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 40 | 148.6 | 448.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 60 | 164.7 | 428.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 80 | 169.5 | 408.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 100 | 165.9 | 388.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 120 | 159.2 | 368.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 140 | 152.9 | 348.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 160 | 146 | 328.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 180 | | 308.3816 | | |
| TMP-2 | 37 | 6/27/2013 | 200 | 99.1 | 288.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 0 | 107.5 | 488.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 20 | 132.7 | 468.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 40 | 148.7 | 448.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 60 | 157.4 | 428.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 80 | 168.7 | 408.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 100 | | 388.3816 | 158.7 | |
| TMP-2 | 38 | 7/3/2013 | 120 | 161.4 | 368.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 140 | 155 | 348.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 160 | 147.8 | 328.3816 | | |
| TMP-2 | 38 | 7/3/2013 | 180 | | 308.3816 | | Unable to read |
| TMP-2 | 38 | 7/3/2013 | 200 | 100.5 | 288.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|-------|----------------|
| TMP-2 | 39 | 7/8/2013 | 0 | 107.6 | 488.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 20 | 131.6 | 468.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 40 | 148 | 448.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 60 | 163.7 | 428.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 80 | 168.8 | 408.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 100 | 164.6 | 388.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 120 | 157.9 | 368.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 140 | 152 | 348.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 160 | 143.9 | 328.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 180 | | 308.3816 | | |
| TMP-2 | 39 | 7/8/2013 | 200 | 98.1 | 288.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 0 | 102.6 | 488.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 20 | 125.9 | 468.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 40 | 142.4 | 448.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 60 | 158.3 | 428.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 80 | 163.6 | 408.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 100 | | 388.3816 | 159.3 | |
| TMP-2 | 40 | 7/10/2013 | 120 | 152.6 | 368.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 140 | 146.5 | 348.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 160 | 138.6 | 328.3816 | | |
| TMP-2 | 40 | 7/10/2013 | 180 | | 308.3816 | | Unable to read |
| TMP-2 | 40 | 7/10/2013 | 200 | 99.2 | 288.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 0 | 113.2 | 488.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 20 | 136.5 | 468.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 40 | 153.1 | 448.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 60 | 169 | 428.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 80 | 174.1 | 408.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 100 | 170 | 388.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 120 | 163.4 | 368.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 140 | 157.4 | 348.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 160 | 149.8 | 328.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 180 | | 308.3816 | | |
| TMP-2 | 41 | 7/18/2013 | 200 | 104.9 | 288.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 0 | 114.7 | 488.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 20 | 136.6 | 468.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 40 | 152 | 448.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 60 | 168.3 | 428.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 80 | 172.5 | 408.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 100 | 167.9 | 388.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 120 | 161.5 | 368.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 140 | 154.9 | 348.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 160 | 146.7 | 328.3816 | | |
| TMP-2 | 42 | 7/25/2013 | 180 | | 308.3816 | | Unable to read |
| TMP-2 | 42 | 7/25/2013 | 200 | 99.6 | 288.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 0 | 116.7 | 488.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 20 | 135.4 | 468.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 40 | 151.5 | 448.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|-------|-------------------------------|
| TMP-2 | 43 | 8/1/2013 | 60 | 166.7 | 428.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 80 | 170.1 | 408.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 100 | 165.9 | 388.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 120 | 159.8 | 368.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 140 | 153.4 | 348.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 160 | 144.7 | 328.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 180 | | 308.3816 | | |
| TMP-2 | 43 | 8/1/2013 | 200 | 99.3 | 288.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 0 | 113.2 | 488.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 20 | 132.3 | 468.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 40 | 148.3 | 448.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 60 | 164.6 | 428.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 80 | 168.6 | 408.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 100 | 165.2 | 388.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 120 | 159 | 368.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 140 | 152.7 | 348.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 160 | 144.6 | 328.3816 | | |
| TMP-2 | 44 | 8/6/2013 | 180 | | 308.3816 | 392.8 | Fluctating temp/ohm |
| TMP-2 | 44 | 8/6/2013 | 200 | 99.9 | 288.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 0 | 113 | 488.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 20 | 131.2 | 468.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 40 | 148.8 | 448.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 60 | 165.3 | 428.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 80 | 169.3 | 408.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 100 | 165.8 | 388.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 120 | 159.8 | 368.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 140 | 153.7 | 348.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 160 | 143.3 | 328.3816 | | |
| TMP-2 | 45 | 8/14/2013 | 180 | | 308.3816 | | NOT VALID |
| TMP-2 | 45 | 8/14/2013 | 200 | 99.9 | 288.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 0 | 110.8 | 488.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 20 | 131.8 | 468.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 40 | 147.5 | 448.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 60 | 164.6 | 428.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 80 | 168.7 | 408.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 100 | 165 | 388.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 120 | 159 | 368.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 140 | 150.8 | 348.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 160 | 144.1 | 328.3816 | | |
| TMP-2 | 48 | 8/20/2013 | 180 | | 308.3816 | 300 | RESISTANCE TOO HIGH NOT VALID |
| TMP-2 | 48 | 8/20/2013 | 200 | 99.1 | 288.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 0 | 112.5 | 488.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 20 | 127.9 | 468.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 40 | 147.6 | 448.3816 | | |

| | | | | | | | |
|-------|----|-----------|-----|-------|----------|-----|-------------------------------------|
| TMP-2 | 49 | 8/27/2013 | 60 | 164.1 | 428.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 80 | 168.3 | 408.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 100 | 164.3 | 388.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 120 | 158.6 | 368.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 140 | 152.4 | 348.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 160 | 143.5 | 328.3816 | | |
| TMP-2 | 49 | 8/27/2013 | 180 | | 308.3816 | 300 | RESISTANCE TOO HIGH NOT VALID |
| TMP-2 | 49 | 8/27/2013 | 200 | 98.6 | 288.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 0 | 113.2 | 488.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 20 | 132.7 | 468.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 40 | 149.1 | 448.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 60 | 166 | 428.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 80 | 170.3 | 408.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 100 | 165.1 | 388.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 120 | 160.4 | 368.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 140 | 154.1 | 348.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 160 | 145.9 | 328.3816 | | |
| TMP-2 | 50 | 9/3/2013 | 180 | | 308.3816 | | No longer working |
| TMP-2 | 50 | 9/3/2013 | 200 | 100.1 | 288.3816 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-3 | 3 | 11/19/2012 | 10 | 95.40535 | 490 | | |
| TMP-3 | 3 | 11/19/2012 | 30 | 121.3193 | 470 | | |
| TMP-3 | 3 | 11/19/2012 | 50 | 137.8207 | 450 | | |
| TMP-3 | 3 | 11/19/2012 | 70 | 139.8556 | 430 | | |
| TMP-3 | 3 | 11/19/2012 | 90 | 144.0991 | 410 | | |
| TMP-3 | 3 | 11/19/2012 | 110 | 139.4859 | 390 | | |
| TMP-3 | 3 | 11/19/2012 | 130 | 135.1329 | 370 | | |
| TMP-3 | 3 | 11/19/2012 | 150 | 131.8808 | 350 | | |
| TMP-3 | 3 | 11/19/2012 | 170 | 129.2726 | 330 | | |
| TMP-3 | 3 | 11/19/2012 | 190 | 120.3801 | 310 | | |
| TMP-3 | 3 | 11/19/2012 | 210 | 106.391 | 290 | | |
| TMP-3 | 3 | 11/19/2012 | 230 | 93.58051 | 270 | | |
| TMP-3 | 3 | 11/19/2012 | 250 | 82.66951 | 250 | | |
| TMP-3 | 4 | 11/26/2012 | 10 | 103.6303 | 490 | | |
| TMP-3 | 4 | 11/26/2012 | 30 | 124.2262 | 470 | | |
| TMP-3 | 4 | 11/26/2012 | 50 | 142.6248 | 450 | | |
| TMP-3 | 4 | 11/26/2012 | 70 | 146.2151 | 430 | | |
| TMP-3 | 4 | 11/26/2012 | 90 | 143.5464 | 410 | | |
| TMP-3 | 4 | 11/26/2012 | 110 | 141.7947 | 390 | | |
| TMP-3 | 4 | 11/26/2012 | 130 | 137.6355 | 370 | | |
| TMP-3 | 4 | 11/26/2012 | 150 | 141.887 | 350 | | |
| TMP-3 | 4 | 11/26/2012 | 170 | 135.0401 | 330 | | |
| TMP-3 | 4 | 11/26/2012 | 190 | 118.9698 | 310 | | |
| TMP-3 | 4 | 11/26/2012 | 210 | 105.4397 | 290 | | |
| TMP-3 | 4 | 11/26/2012 | 230 | 93.77273 | 270 | | |
| TMP-3 | 4 | 11/26/2012 | 250 | 82.66951 | 250 | | |
| TMP-3 | 5 | 12/11/2012 | 10 | 126.2848 | 490 | | |
| TMP-3 | 5 | 12/11/2012 | 30 | 132.7179 | 470 | | |
| TMP-3 | 5 | 12/11/2012 | 50 | 148.6943 | 450 | | |
| TMP-3 | 5 | 12/11/2012 | 70 | 148.786 | 430 | | |
| TMP-3 | 5 | 12/11/2012 | 90 | 150.2526 | 410 | | |
| TMP-3 | 5 | 12/11/2012 | 110 | 147.4094 | 390 | | |
| TMP-3 | 5 | 12/11/2012 | 130 | 142.8092 | 370 | | |
| TMP-3 | 5 | 12/11/2012 | 150 | 138.7461 | 350 | | |
| TMP-3 | 5 | 12/11/2012 | 170 | 134.0189 | 330 | | |
| TMP-3 | 5 | 12/11/2012 | 190 | 125.2559 | 310 | | |
| TMP-3 | 5 | 12/11/2012 | 210 | 110.8515 | 290 | | |
| TMP-3 | 5 | 12/11/2012 | 230 | 97.51484 | 270 | | |
| TMP-3 | 5 | 12/11/2012 | 250 | 85.18882 | 250 | | |
| TMP-3 | 6 | 12/17/2012 | 10 | 126.2848 | 490 | | |
| TMP-3 | 6 | 12/17/2012 | 30 | 132.7179 | 470 | | |
| TMP-3 | 6 | 12/17/2012 | 50 | 148.6943 | 450 | | |
| TMP-3 | 6 | 12/17/2012 | 70 | 148.786 | 430 | | |
| TMP-3 | 6 | 12/17/2012 | 90 | 150.2526 | 410 | | |
| TMP-3 | 6 | 12/17/2012 | 110 | 147.4094 | 390 | | |
| TMP-3 | 6 | 12/17/2012 | 130 | 142.8092 | 370 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-3 | 6 | 12/17/2012 | 150 | 138.7461 | 350 | | |
| TMP-3 | 6 | 12/17/2012 | 170 | 134.0189 | 330 | | |
| TMP-3 | 6 | 12/17/2012 | 190 | 125.2559 | 310 | | |
| TMP-3 | 6 | 12/17/2012 | 210 | 110.8515 | 290 | | |
| TMP-3 | 6 | 12/17/2012 | 230 | 97.51484 | 270 | | |
| TMP-3 | 6 | 12/17/2012 | 250 | 85.18882 | 250 | | |
| TMP-3 | 7 | 12/24/2012 | 10 | 123.6641 | 490 | | |
| TMP-3 | 7 | 12/24/2012 | 30 | 132.0669 | 470 | | |
| TMP-3 | 7 | 12/24/2012 | 50 | 146.8584 | 450 | | |
| TMP-3 | 7 | 12/24/2012 | 70 | 149.6112 | 430 | | |
| TMP-3 | 7 | 12/24/2012 | 90 | 150.5274 | 410 | | |
| TMP-3 | 7 | 12/24/2012 | 110 | 147.7767 | 390 | | |
| TMP-3 | 7 | 12/24/2012 | 130 | 143.1779 | 370 | | |
| TMP-3 | 7 | 12/24/2012 | 150 | 138.561 | 350 | | |
| TMP-3 | 7 | 12/24/2012 | 170 | 133.926 | 330 | | |
| TMP-3 | 7 | 12/24/2012 | 190 | 125.5366 | 310 | | |
| TMP-3 | 7 | 12/24/2012 | 210 | 110.4725 | 290 | | |
| TMP-3 | 7 | 12/24/2012 | 230 | 97.13157 | 270 | | |
| TMP-3 | 7 | 12/24/2012 | 250 | 85.57593 | 250 | | |
| TMP-3 | 8 | 12/31/2012 | 10 | 139.4859 | 490 | | |
| TMP-3 | 8 | 12/31/2012 | 30 | 135.7822 | 470 | | |
| TMP-3 | 8 | 12/31/2012 | 50 | 148.6943 | 450 | | |
| TMP-3 | 8 | 12/31/2012 | 70 | 150.5274 | 430 | | |
| TMP-3 | 8 | 12/31/2012 | 90 | 151.4429 | 410 | | |
| TMP-3 | 8 | 12/31/2012 | 110 | 149.6112 | 390 | | |
| TMP-3 | 8 | 12/31/2012 | 130 | 144.0991 | 370 | | |
| TMP-3 | 8 | 12/31/2012 | 150 | 139.4859 | 350 | | |
| TMP-3 | 8 | 12/31/2012 | 170 | 134.8545 | 330 | | |
| TMP-3 | 8 | 12/31/2012 | 190 | 125.5366 | 310 | | |
| TMP-3 | 8 | 12/31/2012 | 210 | 111.4197 | 290 | | |
| TMP-3 | 8 | 12/31/2012 | 230 | 98.0895 | 270 | | |
| TMP-3 | 8 | 12/31/2012 | 250 | 85.57593 | 250 | | |
| TMP-3 | 9 | 1/7/2013 | 10 | 144.0991 | 490 | | |
| TMP-3 | 9 | 1/7/2013 | 30 | 138.561 | 470 | | |
| TMP-3 | 9 | 1/7/2013 | 50 | 150.5274 | 450 | | |
| TMP-3 | 9 | 1/7/2013 | 70 | 152.3577 | 430 | | |
| TMP-3 | 9 | 1/7/2013 | 90 | 154.1851 | 410 | | |
| TMP-3 | 9 | 1/7/2013 | 110 | 151.4429 | 390 | | |
| TMP-3 | 9 | 1/7/2013 | 130 | 145.0196 | 370 | | |
| TMP-3 | 9 | 1/7/2013 | 150 | 141.3333 | 350 | | |
| TMP-3 | 9 | 1/7/2013 | 170 | 136.7092 | 330 | | |
| TMP-3 | 9 | 1/7/2013 | 190 | 127.4061 | 310 | | |
| TMP-3 | 9 | 1/7/2013 | 210 | 112.3661 | 290 | | |
| TMP-3 | 9 | 1/7/2013 | 230 | 99.04666 | 270 | | |
| TMP-3 | 9 | 1/7/2013 | 250 | 87.50965 | 250 | | |
| TMP-3 | 10 | 1/9/2013 | 10 | 144.1 | 490 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 10 | 1/9/2013 | 30 | 136.1 | 470 | | |
| TMP-3 | 10 | 1/9/2013 | 50 | 148.3 | 450 | | |
| TMP-3 | 10 | 1/9/2013 | 70 | 151.4 | 430 | | |
| TMP-3 | 10 | 1/9/2013 | 90 | 152.5 | 410 | | |
| TMP-3 | 10 | 1/9/2013 | 110 | 150.1 | 390 | | |
| TMP-3 | 10 | 1/9/2013 | 130 | 144.7 | 370 | | |
| TMP-3 | 10 | 1/9/2013 | 150 | 140.6 | 350 | | |
| TMP-3 | 10 | 1/9/2013 | 170 | 135.6 | 330 | | |
| TMP-3 | 10 | 1/9/2013 | 190 | 126.8 | 310 | | |
| TMP-3 | 10 | 1/9/2013 | 210 | 112.1 | 290 | | |
| TMP-3 | 10 | 1/9/2013 | 230 | 98.1 | 270 | | |
| TMP-3 | 10 | 1/9/2013 | 250 | 86 | 250 | | |
| TMP-3 | 11 | 1/15/2013 | 10 | 132.5 | 490 | | |
| TMP-3 | 11 | 1/15/2013 | 30 | 135.7 | 470 | | |
| TMP-3 | 11 | 1/15/2013 | 50 | 148.9 | 450 | | |
| TMP-3 | 11 | 1/15/2013 | 70 | 152.3 | 430 | | |
| TMP-3 | 11 | 1/15/2013 | 90 | 153.4 | 410 | | |
| TMP-3 | 11 | 1/15/2013 | 110 | 150.9 | 390 | | |
| TMP-3 | 11 | 1/15/2013 | 130 | 145.5 | 370 | | |
| TMP-3 | 11 | 1/15/2013 | 150 | 141.2 | 350 | | |
| TMP-3 | 11 | 1/15/2013 | 170 | 136 | 330 | | |
| TMP-3 | 11 | 1/15/2013 | 190 | 127.3 | 310 | | |
| TMP-3 | 11 | 1/15/2013 | 210 | 112 | 290 | | |
| TMP-3 | 11 | 1/15/2013 | 230 | 98.6 | 270 | | |
| TMP-3 | 11 | 1/15/2013 | 250 | 86.3 | 250 | | |
| TMP-3 | 12 | 1/22/2013 | 10 | 136.3 | 490 | | |
| TMP-3 | 12 | 1/22/2013 | 30 | 138.7 | 470 | | |
| TMP-3 | 12 | 1/22/2013 | 50 | 150.3 | 450 | | |
| TMP-3 | 12 | 1/22/2013 | 70 | 153.5 | 430 | | |
| TMP-3 | 12 | 1/22/2013 | 90 | 154.6 | 410 | | |
| TMP-3 | 12 | 1/22/2013 | 110 | 152.2 | 390 | | |
| TMP-3 | 12 | 1/22/2013 | 130 | 146.7 | 370 | | |
| TMP-3 | 12 | 1/22/2013 | 150 | 142.2 | 350 | | |
| TMP-3 | 12 | 1/22/2013 | 170 | 137 | 330 | | |
| TMP-3 | 12 | 1/22/2013 | 190 | 128.3 | 310 | | |
| TMP-3 | 12 | 1/22/2013 | 210 | 113.2 | 290 | | |
| TMP-3 | 12 | 1/22/2013 | 230 | 99.6 | 270 | | |
| TMP-3 | 12 | 1/22/2013 | 250 | 87.3 | 250 | | |
| TMP-3 | 13 | 1/28/2013 | 10 | 140.2 | 490 | | |
| TMP-3 | 13 | 1/28/2013 | 30 | 136.3 | 470 | | |
| TMP-3 | 13 | 1/28/2013 | 50 | 149.2 | 450 | | |
| TMP-3 | 13 | 1/28/2013 | 70 | 152.6 | 430 | | |
| TMP-3 | 13 | 1/28/2013 | 90 | 153.6 | 410 | | |
| TMP-3 | 13 | 1/28/2013 | 110 | 151.3 | 390 | | |
| TMP-3 | 13 | 1/28/2013 | 130 | 145.8 | 370 | | |
| TMP-3 | 13 | 1/28/2013 | 150 | 141.6 | 350 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 13 | 1/28/2013 | 170 | 136.4 | 330 | | |
| TMP-3 | 13 | 1/28/2013 | 190 | 127.7 | 310 | | |
| TMP-3 | 13 | 1/28/2013 | 210 | 112.8 | 290 | | |
| TMP-3 | 13 | 1/28/2013 | 230 | 99.1 | 270 | | |
| TMP-3 | 13 | 1/28/2013 | 250 | 87 | 250 | | |
| TMP-3 | 14 | 2/6/2013 | 10 | 134.9 | 490 | | |
| TMP-3 | 14 | 2/6/2013 | 30 | 137 | 470 | | |
| TMP-3 | 14 | 2/6/2013 | 50 | 150.4 | 450 | | |
| TMP-3 | 14 | 2/6/2013 | 70 | 153.7 | 430 | | |
| TMP-3 | 14 | 2/6/2013 | 90 | 154.6 | 410 | | |
| TMP-3 | 14 | 2/6/2013 | 110 | 152.3 | 390 | | |
| TMP-3 | 14 | 2/6/2013 | 130 | 146.6 | 370 | | |
| TMP-3 | 14 | 2/6/2013 | 150 | 142.2 | 350 | | |
| TMP-3 | 14 | 2/6/2013 | 170 | 137.1 | 330 | | |
| TMP-3 | 14 | 2/6/2013 | 190 | 127.3 | 310 | | |
| TMP-3 | 14 | 2/6/2013 | 210 | 114.1 | 290 | | |
| TMP-3 | 14 | 2/6/2013 | 230 | 99.6 | 270 | | |
| TMP-3 | 14 | 2/6/2013 | 250 | 87.7 | 250 | | |
| TMP-3 | 15 | 2/7/2013 | 10 | 133.6 | 490 | | |
| TMP-3 | 15 | 2/7/2013 | 30 | 135.6 | 470 | | |
| TMP-3 | 15 | 2/7/2013 | 50 | 149.5 | 450 | | |
| TMP-3 | 15 | 2/7/2013 | 70 | 152.8 | 430 | | |
| TMP-3 | 15 | 2/7/2013 | 90 | 153.9 | 410 | | |
| TMP-3 | 15 | 2/7/2013 | 110 | 151.6 | 390 | | |
| TMP-3 | 15 | 2/7/2013 | 130 | 145.8 | 370 | | |
| TMP-3 | 15 | 2/7/2013 | 150 | 141.7 | 350 | | |
| TMP-3 | 15 | 2/7/2013 | 170 | 136.5 | 330 | | |
| TMP-3 | 15 | 2/7/2013 | 190 | 127.3 | 310 | | |
| TMP-3 | 15 | 2/7/2013 | 210 | 113.5 | 290 | | |
| TMP-3 | 15 | 2/7/2013 | 230 | 99.2 | 270 | | |
| TMP-3 | 15 | 2/7/2013 | 250 | 87.2 | 250 | | |
| TMP-3 | 16 | 2/13/2013 | 10 | 129.6 | 490 | | |
| TMP-3 | 16 | 2/13/2013 | 30 | 134.6 | 470 | | |
| TMP-3 | 16 | 2/13/2013 | 50 | 148.9 | 450 | | |
| TMP-3 | 16 | 2/13/2013 | 70 | 152.3 | 430 | | |
| TMP-3 | 16 | 2/13/2013 | 90 | 153.4 | 410 | | |
| TMP-3 | 16 | 2/13/2013 | 110 | 151.2 | 390 | | |
| TMP-3 | 16 | 2/13/2013 | 130 | 145.5 | 370 | | |
| TMP-3 | 16 | 2/13/2013 | 150 | 141.4 | 350 | | |
| TMP-3 | 16 | 2/13/2013 | 170 | 136.2 | 330 | | |
| TMP-3 | 16 | 2/13/2013 | 190 | 125.5 | 310 | | |
| TMP-3 | 16 | 2/13/2013 | 210 | 114.7 | 290 | | |
| TMP-3 | 16 | 2/13/2013 | 230 | 98.9 | 270 | | |
| TMP-3 | 16 | 2/13/2013 | 250 | 86.9 | 250 | | |
| TMP-3 | 17 | 2/18/2013 | 10 | 132.7 | 490 | | |
| TMP-3 | 17 | 2/18/2013 | 30 | 135.7 | 470 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 17 | 2/18/2013 | 50 | 144.7 | 450 | | |
| TMP-3 | 17 | 2/18/2013 | 70 | 153.1 | 430 | | |
| TMP-3 | 17 | 2/18/2013 | 90 | 154.1 | 410 | | |
| TMP-3 | 17 | 2/18/2013 | 110 | 151.8 | 390 | | |
| TMP-3 | 17 | 2/18/2013 | 130 | 146 | 370 | | |
| TMP-3 | 17 | 2/18/2013 | 150 | 142 | 350 | | |
| TMP-3 | 17 | 2/18/2013 | 170 | 136.7 | 330 | | |
| TMP-3 | 17 | 2/18/2013 | 190 | 126.8 | 310 | | |
| TMP-3 | 17 | 2/18/2013 | 210 | 115.6 | 290 | | |
| TMP-3 | 17 | 2/18/2013 | 230 | 99.3 | 270 | | |
| TMP-3 | 17 | 2/18/2013 | 250 | 87.6 | 250 | | |
| TMP-3 | 18 | 2/25/2013 | 10 | 85.6 | 490 | | |
| TMP-3 | 18 | 2/25/2013 | 30 | 103.2 | 470 | | |
| TMP-3 | 18 | 2/25/2013 | 50 | 144.8 | 450 | | |
| TMP-3 | 18 | 2/25/2013 | 70 | 153.1 | 430 | | |
| TMP-3 | 18 | 2/25/2013 | 90 | 154.2 | 410 | | |
| TMP-3 | 18 | 2/25/2013 | 110 | 152 | 390 | | |
| TMP-3 | 18 | 2/25/2013 | 130 | 146.4 | 370 | | |
| TMP-3 | 18 | 2/25/2013 | 150 | 142.1 | 350 | | |
| TMP-3 | 18 | 2/25/2013 | 170 | 136.6 | 330 | | |
| TMP-3 | 18 | 2/25/2013 | 190 | 126.8 | 310 | | |
| TMP-3 | 18 | 2/25/2013 | 210 | 113.1 | 290 | | |
| TMP-3 | 18 | 2/25/2013 | 230 | 99.1 | 270 | | |
| TMP-3 | 18 | 2/25/2013 | 250 | 87.3 | 250 | | |
| TMP-3 | 19 | 3/4/2013 | 10 | 135.4 | 490 | | |
| TMP-3 | 19 | 3/4/2013 | 30 | 135.8 | 470 | | |
| TMP-3 | 19 | 3/4/2013 | 50 | 150.4 | 450 | | |
| TMP-3 | 19 | 3/4/2013 | 70 | 154.2 | 430 | | |
| TMP-3 | 19 | 3/4/2013 | 90 | 155.1 | 410 | | |
| TMP-3 | 19 | 3/4/2013 | 110 | 152.7 | 390 | | |
| TMP-3 | 19 | 3/4/2013 | 130 | 146.7 | 370 | | |
| TMP-3 | 19 | 3/4/2013 | 150 | 142.7 | 350 | | |
| TMP-3 | 19 | 3/4/2013 | 170 | 137.2 | 330 | | |
| TMP-3 | 19 | 3/4/2013 | 190 | 127.2 | 310 | | |
| TMP-3 | 19 | 3/4/2013 | 210 | 112.6 | 290 | | |
| TMP-3 | 19 | 3/4/2013 | 230 | 99.8 | 270 | | |
| TMP-3 | 19 | 3/4/2013 | 250 | 88.4 | 250 | | |
| TMP-3 | 20 | 3/12/2013 | 10 | 119 | 490 | | |
| TMP-3 | 20 | 3/12/2013 | 30 | 130.3 | 470 | | |
| TMP-3 | 20 | 3/12/2013 | 50 | 146.5 | 450 | | |
| TMP-3 | 20 | 3/12/2013 | 70 | 152.3 | 430 | | |
| TMP-3 | 20 | 3/12/2013 | 90 | 154.1 | 410 | | |
| TMP-3 | 20 | 3/12/2013 | 110 | 152.1 | 390 | | |
| TMP-3 | 20 | 3/12/2013 | 130 | 146.2 | 370 | | |
| TMP-3 | 20 | 3/12/2013 | 150 | 141.9 | 350 | | |
| TMP-3 | 20 | 3/12/2013 | 170 | 136.6 | 330 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 20 | 3/12/2013 | 190 | 130.8 | 310 | | |
| TMP-3 | 20 | 3/12/2013 | 210 | 112.2 | 290 | | |
| TMP-3 | 20 | 3/12/2013 | 230 | 99.9 | 270 | | |
| TMP-3 | 20 | 3/12/2013 | 250 | 88.5 | 250 | | |
| TMP-3 | 21 | 3/19/2013 | 10 | 116 | 490 | | |
| TMP-3 | 21 | 3/19/2013 | 30 | 130.5 | 470 | | |
| TMP-3 | 21 | 3/19/2013 | 50 | 143.9 | 450 | | |
| TMP-3 | 21 | 3/19/2013 | 70 | 153.1 | 430 | | |
| TMP-3 | 21 | 3/19/2013 | 90 | 154.4 | 410 | | |
| TMP-3 | 21 | 3/19/2013 | 110 | 152.1 | 390 | | |
| TMP-3 | 21 | 3/19/2013 | 130 | 146.1 | 370 | | |
| TMP-3 | 21 | 3/19/2013 | 150 | 142.1 | 350 | | |
| TMP-3 | 21 | 3/19/2013 | 170 | 136.8 | 330 | | |
| TMP-3 | 21 | 3/19/2013 | 190 | 127.2 | 310 | | |
| TMP-3 | 21 | 3/19/2013 | 210 | 112.6 | 290 | | |
| TMP-3 | 22 | 3/26/2013 | 110 | 151.9 | 390 | | |
| TMP-3 | 22 | 3/26/2013 | 130 | 146 | 370 | | |
| TMP-3 | 22 | 3/26/2013 | 150 | 141.8 | 350 | | |
| TMP-3 | 22 | 3/26/2013 | 170 | 136.2 | 330 | | |
| TMP-3 | 22 | 3/26/2013 | 190 | 126.7 | 310 | | |
| TMP-3 | 22 | 3/26/2013 | 210 | 112.4 | 290 | | |
| TMP-3 | 22 | 3/26/2013 | 230 | 99.4 | 270 | | |
| TMP-3 | 22 | 3/26/2013 | 250 | 87.9 | 250 | | |
| TMP-3 | 23 | 4/3/2013 | 10 | 128.7 | 490 | | |
| TMP-3 | 23 | 4/3/2013 | 30 | 134.6 | 470 | | |
| TMP-3 | 23 | 4/3/2013 | 50 | 148.1 | 450 | | |
| TMP-3 | 23 | 4/3/2013 | 70 | 153.4 | 430 | | |
| TMP-3 | 23 | 4/3/2013 | 90 | 154.5 | 410 | | |
| TMP-3 | 23 | 4/3/2013 | 110 | 152.2 | 390 | | |
| TMP-3 | 23 | 4/3/2013 | 130 | 145.9 | 370 | | |
| TMP-3 | 23 | 4/3/2013 | 150 | 142 | 350 | | |
| TMP-3 | 23 | 4/3/2013 | 170 | 136.5 | 330 | | |
| TMP-3 | 23 | 4/3/2013 | 190 | 126.7 | 310 | | |
| TMP-3 | 23 | 4/3/2013 | 210 | 112.7 | 290 | | |
| TMP-3 | 23 | 4/3/2013 | 230 | 99.5 | 270 | | |
| TMP-3 | 23 | 4/3/2013 | 250 | 88 | 250 | | |
| TMP-3 | 26 | 4/10/2013 | 10 | 132.8 | 490 | | |
| TMP-3 | 26 | 4/10/2013 | 30 | 133.9 | 470 | | |
| TMP-3 | 26 | 4/10/2013 | 50 | 147.5 | 450 | | |
| TMP-3 | 26 | 4/10/2013 | 70 | 153.7 | 430 | | |
| TMP-3 | 26 | 4/10/2013 | 90 | 154.9 | 410 | | |
| TMP-3 | 26 | 4/10/2013 | 110 | 152.6 | 390 | | |
| TMP-3 | 26 | 4/10/2013 | 130 | 146.4 | 370 | | |
| TMP-3 | 26 | 4/10/2013 | 150 | 142.6 | 350 | | |
| TMP-3 | 26 | 4/10/2013 | 170 | 137.2 | 330 | | |
| TMP-3 | 26 | 4/10/2013 | 190 | 127.8 | 310 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 26 | 4/10/2013 | 210 | 114.4 | 290 | | |
| TMP-3 | 26 | 4/10/2013 | 230 | 100.5 | 270 | | |
| TMP-3 | 26 | 4/10/2013 | 250 | 88.9 | 250 | | |
| TMP-3 | 27 | 4/17/2013 | 10 | 83.6 | 490 | | |
| TMP-3 | 27 | 4/17/2013 | 30 | 111.2 | 470 | | |
| TMP-3 | 27 | 4/17/2013 | 50 | 139.7 | 450 | | |
| TMP-3 | 27 | 4/17/2013 | 70 | 152.4 | 430 | | |
| TMP-3 | 27 | 4/17/2013 | 90 | 154 | 410 | | |
| TMP-3 | 27 | 4/17/2013 | 110 | 151.6 | 390 | | |
| TMP-3 | 27 | 4/17/2013 | 130 | 145.7 | 370 | | |
| TMP-3 | 27 | 4/17/2013 | 150 | 141.8 | 350 | | |
| TMP-3 | 27 | 4/17/2013 | 170 | 136.4 | 330 | | |
| TMP-3 | 27 | 4/17/2013 | 190 | 126.5 | 310 | | |
| TMP-3 | 27 | 4/17/2013 | 210 | 113.4 | 290 | | |
| TMP-3 | 27 | 4/17/2013 | 230 | 99.4 | 270 | | |
| TMP-3 | 27 | 4/17/2013 | 250 | 87.8 | 250 | | |
| TMP-3 | 28 | 4/30/2013 | 10 | 130.4 | 490 | | |
| TMP-3 | 28 | 4/30/2013 | 30 | 132.6 | 470 | | |
| TMP-3 | 28 | 4/30/2013 | 50 | 148 | 450 | | |
| TMP-3 | 28 | 4/30/2013 | 70 | 153.5 | 430 | | |
| TMP-3 | 28 | 4/30/2013 | 90 | 154.6 | 410 | | |
| TMP-3 | 28 | 4/30/2013 | 110 | 152.1 | 390 | | |
| TMP-3 | 28 | 4/30/2013 | 130 | 145.8 | 370 | | |
| TMP-3 | 28 | 4/30/2013 | 150 | 142 | 350 | | |
| TMP-3 | 28 | 4/30/2013 | 170 | 136.4 | 330 | | |
| TMP-3 | 28 | 4/30/2013 | 190 | 126.1 | 310 | | |
| TMP-3 | 28 | 4/30/2013 | 210 | 113.8 | 290 | | |
| TMP-3 | 28 | 4/30/2013 | 230 | 99.5 | 270 | | |
| TMP-3 | 28 | 4/30/2013 | 250 | 87.8 | 250 | | |
| TMP-3 | 29 | 5/9/2013 | 10 | 129.4 | 490 | | |
| TMP-3 | 29 | 5/9/2013 | 30 | 132.3 | 470 | | |
| TMP-3 | 29 | 5/9/2013 | 50 | 148 | 450 | | |
| TMP-3 | 29 | 5/9/2013 | 70 | 153.7 | 430 | | |
| TMP-3 | 29 | 5/9/2013 | 90 | 154.8 | 410 | | |
| TMP-3 | 29 | 5/9/2013 | 110 | 152.4 | 390 | | |
| TMP-3 | 29 | 5/9/2013 | 130 | 146 | 370 | | |
| TMP-3 | 29 | 5/9/2013 | 150 | 142.3 | 350 | | |
| TMP-3 | 29 | 5/9/2013 | 170 | 136.8 | 330 | | |
| TMP-3 | 29 | 5/9/2013 | 190 | 128.1 | 310 | | |
| TMP-3 | 29 | 5/9/2013 | 210 | 114.2 | 290 | | |
| TMP-3 | 29 | 5/9/2013 | 230 | 100 | 270 | | |
| TMP-3 | 29 | 5/9/2013 | 250 | 88 | 250 | | |
| TMP-3 | 30 | 5/15/2013 | 10 | 133.1 | 490 | | |
| TMP-3 | 30 | 5/15/2013 | 30 | 133 | 470 | | |
| TMP-3 | 30 | 5/15/2013 | 50 | 146.5 | 450 | | |
| TMP-3 | 30 | 5/15/2013 | 70 | 152.3 | 430 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 30 | 5/15/2013 | 90 | 153.3 | 410 | | |
| TMP-3 | 30 | 5/15/2013 | 110 | 151.2 | 390 | | |
| TMP-3 | 30 | 5/15/2013 | 130 | 144.8 | 370 | | |
| TMP-3 | 30 | 5/15/2013 | 150 | 141.3 | 350 | | |
| TMP-3 | 30 | 5/15/2013 | 170 | 135.8 | 330 | | |
| TMP-3 | 30 | 5/15/2013 | 190 | 127.4 | 310 | | |
| TMP-3 | 30 | 5/15/2013 | 210 | 113.8 | 290 | | |
| TMP-3 | 30 | 5/15/2013 | 230 | 99.2 | 270 | | |
| TMP-3 | 30 | 5/15/2013 | 250 | 87.2 | 250 | | |
| TMP-3 | 31 | 5/22/2013 | 10 | 130.2 | 490 | | |
| TMP-3 | 31 | 5/22/2013 | 30 | 132.3 | 470 | | |
| TMP-3 | 31 | 5/22/2013 | 50 | 146.5 | 450 | | |
| TMP-3 | 31 | 5/22/2013 | 70 | 152.4 | 430 | | |
| TMP-3 | 31 | 5/22/2013 | 90 | 153.4 | 410 | | |
| TMP-3 | 31 | 5/22/2013 | 110 | 151.2 | 390 | | |
| TMP-3 | 31 | 5/22/2013 | 130 | 144.8 | 370 | | |
| TMP-3 | 31 | 5/22/2013 | 150 | 141.2 | 350 | | |
| TMP-3 | 31 | 5/22/2013 | 170 | 135.6 | 330 | | |
| TMP-3 | 31 | 5/22/2013 | 190 | 127.2 | 310 | | |
| TMP-3 | 31 | 5/22/2013 | 210 | 114.3 | 290 | | |
| TMP-3 | 31 | 5/22/2013 | 230 | 98.7 | 270 | | |
| TMP-3 | 31 | 5/22/2013 | 250 | 86.8 | 250 | | |
| TMP-3 | 32 | 5/29/2013 | 10 | 126.8 | 490 | | |
| TMP-3 | 32 | 5/29/2013 | 30 | 132.6 | 470 | | |
| TMP-3 | 32 | 5/29/2013 | 50 | 146.8 | 450 | | |
| TMP-3 | 32 | 5/29/2013 | 70 | 152.7 | 430 | | |
| TMP-3 | 32 | 5/29/2013 | 90 | 153.8 | 410 | | |
| TMP-3 | 32 | 5/29/2013 | 110 | 151.5 | 390 | | |
| TMP-3 | 32 | 5/29/2013 | 130 | 145.3 | 370 | | |
| TMP-3 | 32 | 5/29/2013 | 150 | 141.6 | 350 | | |
| TMP-3 | 32 | 5/29/2013 | 170 | 136.8 | 330 | | |
| TMP-3 | 32 | 5/29/2013 | 190 | 127.4 | 310 | | |
| TMP-3 | 32 | 5/29/2013 | 210 | 114.5 | 290 | | |
| TMP-3 | 32 | 5/29/2013 | 230 | 99.1 | 270 | | |
| TMP-3 | 32 | 5/29/2013 | 250 | 87.1 | 250 | | |
| TMP-3 | 34 | 6/5/2013 | 10 | 125.9 | 490 | | |
| TMP-3 | 34 | 6/5/2013 | 30 | 133.2 | 470 | | |
| TMP-3 | 34 | 6/5/2013 | 50 | 147 | 450 | | |
| TMP-3 | 34 | 6/5/2013 | 70 | 152.3 | 430 | | |
| TMP-3 | 34 | 6/5/2013 | 90 | 153.3 | 410 | | |
| TMP-3 | 34 | 6/5/2013 | 110 | 151.2 | 390 | | |
| TMP-3 | 34 | 6/5/2013 | 130 | 144.9 | 370 | | |
| TMP-3 | 34 | 6/5/2013 | 150 | 141.2 | 350 | | |
| TMP-3 | 34 | 6/5/2013 | 170 | 135.6 | 330 | | |
| TMP-3 | 34 | 6/5/2013 | 190 | 126.1 | 310 | | |
| TMP-3 | 34 | 6/5/2013 | 210 | 113.7 | 290 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--------------------------------|
| TMP-3 | 34 | 6/5/2013 | 230 | 98.4 | 270 | | |
| TMP-3 | 34 | 6/5/2013 | 250 | 86.3 | 250 | | |
| TMP-3 | 35 | 6/12/2013 | 10 | 130.5 | 490 | | |
| TMP-3 | 35 | 6/12/2013 | 30 | 134.8 | 470 | | |
| TMP-3 | 35 | 6/12/2013 | 50 | 148.3 | 450 | | |
| TMP-3 | 35 | 6/12/2013 | 70 | 153.6 | 430 | | |
| TMP-3 | 35 | 6/12/2013 | 90 | 154.5 | 410 | | |
| TMP-3 | 35 | 6/12/2013 | 110 | 152.4 | 390 | | |
| TMP-3 | 35 | 6/12/2013 | 130 | 146.3 | 370 | | |
| TMP-3 | 35 | 6/12/2013 | 150 | 142.3 | 350 | | |
| TMP-3 | 35 | 6/12/2013 | 170 | 142.8 | 330 | | |
| TMP-3 | 35 | 6/12/2013 | 190 | 137.1 | 310 | | |
| TMP-3 | 35 | 6/12/2013 | 210 | 128 | 290 | | |
| TMP-3 | 35 | 6/12/2013 | 230 | 114.7 | 270 | | |
| TMP-3 | 35 | 6/12/2013 | 250 | 100.2 | 250 | | |
| TMP-3 | 36 | 6/19/2013 | 10 | 124.1 | 490 | | |
| TMP-3 | 36 | 6/19/2013 | 30 | | 470 | 128.4 | Resistivity is out of range |
| TMP-3 | 36 | 6/19/2013 | 50 | 147.9 | 450 | | |
| TMP-3 | 36 | 6/19/2013 | 70 | 153.6 | 430 | | |
| TMP-3 | 36 | 6/19/2013 | 90 | 154.5 | 410 | | |
| TMP-3 | 36 | 6/19/2013 | 110 | 152.3 | 390 | | |
| TMP-3 | 36 | 6/19/2013 | 130 | 146.3 | 370 | | |
| TMP-3 | 36 | 6/19/2013 | 150 | 142.7 | 350 | | |
| TMP-3 | 36 | 6/19/2013 | 170 | 136.9 | 330 | | |
| TMP-3 | 36 | 6/19/2013 | 190 | 127.8 | 310 | | |
| TMP-3 | 36 | 6/19/2013 | 210 | 114.6 | 290 | | |
| TMP-3 | 36 | 6/19/2013 | 230 | 99.8 | 270 | | |
| TMP-3 | 36 | 6/19/2013 | 250 | 87.9 | 250 | | |
| TMP-3 | 37 | 6/27/2013 | 10 | 122.5 | 490 | | |
| TMP-3 | 37 | 6/27/2013 | 30 | 131.9 | 470 | | |
| TMP-3 | 37 | 6/27/2013 | 50 | 147.5 | 450 | | |
| TMP-3 | 37 | 6/27/2013 | 70 | 152.5 | 430 | | |
| TMP-3 | 37 | 6/27/2013 | 90 | 153.3 | 410 | | |
| TMP-3 | 37 | 6/27/2013 | 110 | 151.1 | 390 | | |
| TMP-3 | 37 | 6/27/2013 | 130 | 145.3 | 370 | | |
| TMP-3 | 37 | 6/27/2013 | 150 | 141.7 | 350 | | |
| TMP-3 | 37 | 6/27/2013 | 170 | 135.7 | 330 | | |
| TMP-3 | 37 | 6/27/2013 | 190 | 126.7 | 310 | | |
| TMP-3 | 37 | 6/27/2013 | 210 | 113.6 | 290 | | |
| TMP-3 | 37 | 6/27/2013 | 230 | 99 | 270 | | |
| TMP-3 | 37 | 6/27/2013 | 250 | 86.9 | 250 | | |
| TMP-3 | 38 | 7/3/2013 | 10 | 118.1 | 490 | | |
| TMP-3 | 38 | 7/3/2013 | 30 | 133.9 | 470 | | Unable to get a steady reading |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--------------------------------|
| TMP-3 | 38 | 7/3/2013 | 50 | 148.9 | 450 | | |
| TMP-3 | 38 | 7/3/2013 | 70 | 153.9 | 430 | | |
| TMP-3 | 38 | 7/3/2013 | 90 | 154.7 | 410 | | |
| TMP-3 | 38 | 7/3/2013 | 110 | 152.4 | 390 | | |
| TMP-3 | 38 | 7/3/2013 | 130 | 146.7 | 370 | | |
| TMP-3 | 38 | 7/3/2013 | 150 | 143 | 350 | | |
| TMP-3 | 38 | 7/3/2013 | 170 | 136.9 | 330 | | |
| TMP-3 | 38 | 7/3/2013 | 190 | 126.5 | 310 | | |
| TMP-3 | 38 | 7/3/2013 | 210 | 115.5 | 290 | | |
| TMP-3 | 38 | 7/3/2013 | 230 | 99.9 | 270 | | |
| TMP-3 | 38 | 7/3/2013 | 250 | 88.2 | 250 | | |
| TMP-3 | 40 | 7/10/2013 | 10 | 123 | 490 | | |
| TMP-3 | 40 | 7/10/2013 | 30 | | 470 | | Unable to get a steady reading |
| TMP-3 | 40 | 7/10/2013 | 50 | 148.5 | 450 | | |
| TMP-3 | 40 | 7/10/2013 | 70 | 153.4 | 430 | | |
| TMP-3 | 40 | 7/10/2013 | 90 | 154.2 | 410 | | |
| TMP-3 | 40 | 7/10/2013 | 110 | 151.8 | 390 | | |
| TMP-3 | 40 | 7/10/2013 | 130 | 146.3 | 370 | | |
| TMP-3 | 40 | 7/10/2013 | 150 | 142.6 | 350 | | |
| TMP-3 | 40 | 7/10/2013 | 170 | 136.3 | 330 | | |
| TMP-3 | 40 | 7/10/2013 | 190 | 126.3 | 310 | | |
| TMP-3 | 40 | 7/10/2013 | 210 | 116.2 | 290 | | |
| TMP-3 | 40 | 7/10/2013 | 230 | 99.5 | 270 | | |
| TMP-3 | 40 | 7/10/2013 | 250 | 87.6 | 250 | | |
| TMP-3 | 41 | 7/18/2013 | 10 | 125.3 | 490 | | |
| TMP-3 | 41 | 7/18/2013 | 30 | | 470 | | |
| TMP-3 | 41 | 7/18/2013 | 50 | 147.9 | 450 | | |
| TMP-3 | 41 | 7/18/2013 | 70 | 152.8 | 430 | | |
| TMP-3 | 41 | 7/18/2013 | 90 | 153.8 | 410 | | |
| TMP-3 | 41 | 7/18/2013 | 110 | 151.6 | 390 | | |
| TMP-3 | 41 | 7/18/2013 | 130 | 146.4 | 370 | | |
| TMP-3 | 41 | 7/18/2013 | 150 | 142.9 | 350 | | |
| TMP-3 | 41 | 7/18/2013 | 170 | 136.5 | 330 | | |
| TMP-3 | 41 | 7/18/2013 | 190 | 128.6 | 310 | | |
| TMP-3 | 41 | 7/18/2013 | 210 | 116.7 | 290 | | |
| TMP-3 | 41 | 7/18/2013 | 230 | 100.3 | 270 | | |
| TMP-3 | 41 | 7/18/2013 | 250 | 88.3 | 250 | | |
| TMP-3 | 42 | 7/25/2013 | 10 | 122.9 | 490 | | |
| TMP-3 | 42 | 7/25/2013 | 30 | 133.7 | 470 | | |
| TMP-3 | 42 | 7/25/2013 | 50 | 146.6 | 450 | | |
| TMP-3 | 42 | 7/25/2013 | 70 | 151.5 | 430 | | |
| TMP-3 | 42 | 7/25/2013 | 90 | 152.3 | 410 | | |
| TMP-3 | 42 | 7/25/2013 | 110 | 150 | 390 | | |
| TMP-3 | 42 | 7/25/2013 | 130 | 144.9 | 370 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 42 | 7/25/2013 | 150 | 141.3 | 350 | | |
| TMP-3 | 42 | 7/25/2013 | 170 | 134.9 | 330 | | |
| TMP-3 | 42 | 7/25/2013 | 190 | 126 | 310 | | |
| TMP-3 | 42 | 7/25/2013 | 210 | 115 | 290 | | |
| TMP-3 | 42 | 7/25/2013 | 230 | 99 | 270 | | |
| TMP-3 | 42 | 7/25/2013 | 250 | 87.1 | 250 | | |
| TMP-3 | 43 | 8/1/2013 | 10 | 127.3 | 490 | | |
| TMP-3 | 43 | 8/1/2013 | 30 | 138.3 | 470 | | |
| TMP-3 | 43 | 8/1/2013 | 50 | 151.5 | 450 | | |
| TMP-3 | 43 | 8/1/2013 | 70 | 156.5 | 430 | | |
| TMP-3 | 43 | 8/1/2013 | 90 | 157.6 | 410 | | |
| TMP-3 | 43 | 8/1/2013 | 110 | 155.4 | 390 | | |
| TMP-3 | 43 | 8/1/2013 | 130 | 150.6 | 370 | | |
| TMP-3 | 43 | 8/1/2013 | 150 | 146.6 | 350 | | |
| TMP-3 | 43 | 8/1/2013 | 170 | 139.7 | 330 | | |
| TMP-3 | 43 | 8/1/2013 | 190 | 130.4 | 310 | | |
| TMP-3 | 43 | 8/1/2013 | 210 | 119.2 | 290 | | |
| TMP-3 | 43 | 8/1/2013 | 230 | 103 | 270 | | |
| TMP-3 | 43 | 8/1/2013 | 250 | 90.9 | 250 | | |
| TMP-3 | 44 | 8/6/2013 | 10 | 128.8 | 490 | | |
| TMP-3 | 44 | 8/6/2013 | 30 | 137.8 | 470 | | |
| TMP-3 | 44 | 8/6/2013 | 50 | 150.3 | 450 | | |
| TMP-3 | 44 | 8/6/2013 | 70 | 155 | 430 | | |
| TMP-3 | 44 | 8/6/2013 | 90 | 155.8 | 410 | | |
| TMP-3 | 44 | 8/6/2013 | 110 | 153.4 | 390 | | |
| TMP-3 | 44 | 8/6/2013 | 130 | 148.6 | 370 | | |
| TMP-3 | 44 | 8/6/2013 | 150 | 144.8 | 350 | | |
| TMP-3 | 44 | 8/6/2013 | 170 | 137.9 | 330 | | |
| TMP-3 | 44 | 8/6/2013 | 190 | 128.8 | 310 | | |
| TMP-3 | 44 | 8/6/2013 | 210 | 117.8 | 290 | | |
| TMP-3 | 44 | 8/6/2013 | 230 | 102 | 270 | | |
| TMP-3 | 44 | 8/6/2013 | 250 | 90 | 250 | | |
| TMP-3 | 45 | 8/14/2013 | 10 | 124.6 | 490 | | |
| TMP-3 | 45 | 8/14/2013 | 30 | 136 | 470 | | |
| TMP-3 | 45 | 8/14/2013 | 50 | 148.5 | 450 | | |
| TMP-3 | 45 | 8/14/2013 | 70 | 153.1 | 430 | | |
| TMP-3 | 45 | 8/14/2013 | 90 | 153.9 | 410 | | |
| TMP-3 | 45 | 8/14/2013 | 110 | 151.5 | 390 | | |
| TMP-3 | 45 | 8/14/2013 | 130 | 147.1 | 370 | | |
| TMP-3 | 45 | 8/14/2013 | 150 | 143.1 | 350 | | |
| TMP-3 | 45 | 8/14/2013 | 170 | 136.1 | 330 | | |
| TMP-3 | 45 | 8/14/2013 | 190 | 126.9 | 310 | | |
| TMP-3 | 45 | 8/14/2013 | 210 | 116.3 | 290 | | |
| TMP-3 | 45 | 8/14/2013 | 230 | 100.5 | 270 | | |
| TMP-3 | 45 | 8/14/2013 | 250 | 88.5 | 250 | | |
| TMP-3 | 48 | 8/20/2013 | 10 | 124.9 | 490 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-3 | 48 | 8/20/2013 | 30 | 136.5 | 470 | | |
| TMP-3 | 48 | 8/20/2013 | 50 | 148.9 | 450 | | |
| TMP-3 | 48 | 8/20/2013 | 70 | 153.6 | 430 | | |
| TMP-3 | 48 | 8/20/2013 | 90 | 154.4 | 410 | | |
| TMP-3 | 48 | 8/20/2013 | 110 | 151.9 | 390 | | |
| TMP-3 | 48 | 8/20/2013 | 130 | 147.6 | 370 | | |
| TMP-3 | 48 | 8/20/2013 | 150 | 143.7 | 350 | | |
| TMP-3 | 48 | 8/20/2013 | 170 | 136.6 | 330 | | |
| TMP-3 | 48 | 8/20/2013 | 190 | 127.8 | 310 | | |
| TMP-3 | 48 | 8/20/2013 | 210 | 117 | 290 | | |
| TMP-3 | 48 | 8/20/2013 | 230 | 101.4 | 270 | | |
| TMP-3 | 48 | 8/20/2013 | 250 | 89.4 | 250 | | |
| TMP-3 | 49 | 8/27/2013 | 10 | 124.4 | 490 | | |
| TMP-3 | 49 | 8/27/2013 | 30 | 135.8 | 470 | | |
| TMP-3 | 49 | 8/27/2013 | 50 | 148.1 | 450 | | |
| TMP-3 | 49 | 8/27/2013 | 70 | 152.6 | 430 | | |
| TMP-3 | 49 | 8/27/2013 | 90 | 153.5 | 410 | | |
| TMP-3 | 49 | 8/27/2013 | 110 | 150.9 | 390 | | |
| TMP-3 | 49 | 8/27/2013 | 130 | 146.8 | 370 | | |
| TMP-3 | 49 | 8/27/2013 | 150 | 142.7 | 350 | | |
| TMP-3 | 49 | 8/27/2013 | 170 | 135.4 | 330 | | |
| TMP-3 | 49 | 8/27/2013 | 190 | 126.4 | 310 | | |
| TMP-3 | 49 | 8/27/2013 | 210 | 115.8 | 290 | | |
| TMP-3 | 49 | 8/27/2013 | 230 | 100.2 | 270 | | |
| TMP-3 | 49 | 8/27/2013 | 250 | 88.1 | 250 | | |
| TMP-3 | 50 | 9/3/2013 | 10 | 127.3 | 490 | | |
| TMP-3 | 50 | 9/3/2013 | 30 | 138.2 | 470 | | |
| TMP-3 | 50 | 9/3/2013 | 50 | 150.3 | 450 | | |
| TMP-3 | 50 | 9/3/2013 | 70 | 154.8 | 430 | | |
| TMP-3 | 50 | 9/3/2013 | 90 | 155.5 | 410 | | |
| TMP-3 | 50 | 9/3/2013 | 110 | 152.9 | 390 | | |
| TMP-3 | 50 | 9/3/2013 | 130 | 148.8 | 370 | | |
| TMP-3 | 50 | 9/3/2013 | 150 | 144.8 | 350 | | |
| TMP-3 | 50 | 9/3/2013 | 170 | 137.4 | 330 | | |
| TMP-3 | 50 | 9/3/2013 | 190 | 128.3 | 310 | | |
| TMP-3 | 50 | 9/3/2013 | 210 | 117.8 | 290 | | |
| TMP-3 | 50 | 9/3/2013 | 230 | 102.4 | 270 | | |
| TMP-3 | 50 | 9/3/2013 | 250 | 90.2 | 250 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-4 | 1 | 11/8/2012 | 28 | 102.7722 | 472 | | |
| TMP-4 | 1 | 11/8/2012 | 48 | 97.99374 | 452 | | |
| TMP-4 | 2 | 11/12/2012 | 28 | 106.2959 | 472 | | |
| TMP-4 | 2 | 11/12/2012 | 48 | 101.0542 | 452 | | |
| TMP-4 | 3 | 11/19/2012 | 28 | 106.2959 | 472 | | |
| TMP-4 | 3 | 11/19/2012 | 48 | 76.93305 | 452 | | |
| TMP-4 | 4 | 11/26/2012 | 28 | 105.4397 | 472 | | |
| TMP-4 | 4 | 11/26/2012 | 48 | 98.37673 | 452 | | |
| TMP-4 | 5 | 12/11/2012 | 28 | 109.5246 | 472 | | |
| TMP-4 | 5 | 12/11/2012 | 48 | 103.3443 | 452 | | |
| TMP-4 | 6 | 12/17/2012 | 28 | 109.5246 | 472 | | |
| TMP-4 | 6 | 12/17/2012 | 48 | 103.3443 | 452 | | |
| TMP-4 | 7 | 12/24/2012 | 28 | 106.6762 | 472 | | |
| TMP-4 | 7 | 12/24/2012 | 48 | 100.9587 | 452 | | |
| TMP-4 | 8 | 12/31/2012 | 28 | 106.6762 | 472 | | |
| TMP-4 | 8 | 12/31/2012 | 48 | 101.9135 | 452 | | |
| TMP-4 | 9 | 1/7/2013 | 28 | 106.6762 | 472 | | |
| TMP-4 | 9 | 1/7/2013 | 48 | 101.9135 | 452 | | |
| TMP-4 | 10 | 1/9/2013 | 28 | 108.4 | 472 | | |
| TMP-4 | 10 | 1/9/2013 | 48 | 103.7 | 452 | | |
| TMP-4 | 11 | 1/15/2013 | 28 | 111 | 472 | | |
| TMP-4 | 11 | 1/15/2013 | 48 | 105.7 | 452 | | |
| TMP-4 | 12 | 1/22/2013 | 28 | 110.8 | 472 | | |
| TMP-4 | 12 | 1/22/2013 | 48 | 106 | 452 | | |
| TMP-4 | 13 | 1/28/2013 | 28 | 108.2 | 472 | | |
| TMP-4 | 13 | 1/28/2013 | 48 | 103.9 | 452 | | |
| TMP-4 | 14 | 2/6/2013 | 28 | 110.9 | 472 | | |
| TMP-4 | 14 | 2/6/2013 | 48 | 106.1 | 452 | | |
| TMP-4 | 15 | 2/7/2013 | 28 | 107 | 472 | | |
| TMP-4 | 15 | 2/7/2013 | 48 | 103.5 | 452 | | |
| TMP-4 | 16 | 2/13/2013 | 28 | 109 | 472 | | |
| TMP-4 | 16 | 2/13/2013 | 48 | 104.3 | 452 | | |
| TMP-4 | 17 | 2/18/2013 | 28 | 107.8 | 472 | | |
| TMP-4 | 17 | 2/18/2013 | 48 | 103.4 | 452 | | |
| TMP-4 | 18 | 2/25/2013 | 28 | 110.4 | 472 | | |
| TMP-4 | 18 | 2/25/2013 | 48 | 103.4 | 452 | | |
| TMP-4 | 19 | 3/4/2013 | 28 | 111.6 | 472 | | |
| TMP-4 | 19 | 3/4/2013 | 48 | 104.5 | 452 | | |
| TMP-4 | 20 | 3/12/2013 | 28 | 113.4 | 472 | | |
| TMP-4 | 20 | 3/12/2013 | 48 | 104.8 | 452 | | |
| TMP-4 | 21 | 3/19/2013 | 28 | 112.6 | 472 | | |
| TMP-4 | 21 | 3/19/2013 | 48 | 103.2 | 452 | | |
| TMP-4 | 22 | 3/26/2013 | 28 | 118 | 472 | | |
| TMP-4 | 22 | 3/26/2013 | 48 | 107.3 | 452 | | |
| TMP-4 | 23 | 4/3/2013 | 28 | 118.9 | 472 | | |
| TMP-4 | 23 | 4/3/2013 | 48 | 107.5 | 452 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-4 | 26 | 4/10/2013 | 28 | 118.6 | 472 | | |
| TMP-4 | 26 | 4/10/2013 | 48 | 107.4 | 452 | | |
| TMP-4 | 27 | 4/17/2013 | 28 | 116.1 | 472 | | |
| TMP-4 | 27 | 4/17/2013 | 48 | 104.8 | 452 | | |
| TMP-4 | 28 | 4/30/2013 | 28 | 117.9 | 472 | | |
| TMP-4 | 28 | 4/30/2013 | 48 | 106.5 | 452 | | |
| TMP-4 | 29 | 5/9/2013 | 28 | 117 | 472 | | |
| TMP-4 | 29 | 5/9/2013 | 48 | 106.1 | 452 | | |
| TMP-4 | 30 | 5/15/2013 | 28 | 117.7 | 472 | | |
| TMP-4 | 30 | 5/15/2013 | 48 | 107 | 452 | | |
| TMP-4 | 31 | 5/22/2013 | 28 | 117.2 | 472 | | |
| TMP-4 | 31 | 5/22/2013 | 48 | 106.5 | 452 | | |
| TMP-4 | 32 | 5/29/2013 | 28 | 139.5 | 472 | | |
| TMP-4 | 32 | 5/29/2013 | 48 | 123 | 452 | | |
| TMP-4 | 34 | 6/5/2013 | 28 | 117.3 | 472 | | |
| TMP-4 | 34 | 6/5/2013 | 48 | 106.1 | 452 | | |
| TMP-4 | 35 | 6/12/2013 | 28 | 120.2 | 472 | | |
| TMP-4 | 35 | 6/12/2013 | 48 | 107.6 | 452 | | |
| TMP-4 | 36 | 6/19/2013 | 28 | 122.2 | 472 | | |
| TMP-4 | 36 | 6/19/2013 | 48 | 109.3 | 452 | | |
| TMP-4 | 37 | 6/27/2013 | 28 | 120.9 | 472 | | |
| TMP-4 | 37 | 6/27/2013 | 48 | 106.9 | 452 | | |
| TMP-4 | 38 | 7/3/2013 | 28 | 122.6 | 472 | | |
| TMP-4 | 38 | 7/3/2013 | 48 | 108.7 | 452 | | |
| TMP-4 | 40 | 7/10/2013 | 28 | 123.2 | 472 | | |
| TMP-4 | 40 | 7/10/2013 | 48 | 108.9 | 452 | | |
| TMP-4 | 41 | 7/18/2013 | 28 | 104.7 | 472 | | |
| TMP-4 | 41 | 7/18/2013 | 48 | 109.4 | 452 | | |
| TMP-4 | 42 | 7/25/2013 | 28 | 124.2 | 472 | | |
| TMP-4 | 42 | 7/25/2013 | 48 | 109.1 | 452 | | |
| TMP-4 | 43 | 8/1/2013 | 28 | 127 | 472 | | |
| TMP-4 | 43 | 8/1/2013 | 48 | 111.4 | 452 | | |
| TMP-4 | 44 | 8/6/2013 | 28 | 126.9 | 472 | | |
| TMP-4 | 44 | 8/6/2013 | 48 | 111 | 452 | | |
| TMP-4 | 45 | 8/14/2013 | 28 | 127.6 | 472 | | |
| TMP-4 | 45 | 8/14/2013 | 48 | 111.2 | 452 | | |
| TMP-4 | 48 | 8/20/2013 | 28 | 126.6 | 472 | | |
| TMP-4 | 48 | 8/20/2013 | 48 | 110.1 | 452 | | |
| TMP-4 | 49 | 8/27/2013 | 28 | 126 | 472 | | |
| TMP-4 | 49 | 8/27/2013 | 48 | 109.3 | 452 | | |
| TMP-4 | 50 | 9/3/2013 | 28 | 128 | 472 | | |
| TMP-4 | 50 | 9/3/2013 | 48 | 111.1 | 452 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-5 | 5 | 12/11/2012 | 20 | 67.04984 | 482.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 40 | 115.7669 | 462.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 60 | 142.1637 | 442.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 80 | 146.9502 | 422.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 100 | 146.7665 | 402.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 120 | 156.0097 | 382.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 140 | 152.9062 | 362.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 160 | 134.8545 | 342.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 180 | | 322.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 200 | | 302.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 220 | 117.652 | 282.6242 | | |
| TMP-5 | 5 | 12/11/2012 | 240 | | 262.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 20 | 67.04984 | 482.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 40 | 115.7669 | 462.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 60 | 142.1637 | 442.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 80 | 146.9502 | 422.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 100 | 146.7665 | 402.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 120 | 156.0097 | 382.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 140 | 152.9062 | 362.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 160 | 134.8545 | 342.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 180 | | 322.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 200 | | 302.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 220 | 117.652 | 282.6242 | | |
| TMP-5 | 6 | 12/17/2012 | 240 | | 262.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 20 | 67.04984 | 482.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 40 | 115.2008 | 462.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 60 | 145.0196 | 442.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 80 | 147.7767 | 422.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 100 | 147.7767 | 402.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 120 | 156.921 | 382.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 140 | 153.2717 | 362.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 160 | 134.8545 | 342.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 180 | | 322.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 200 | | 302.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 220 | 116.1442 | 282.6242 | | |
| TMP-5 | 7 | 12/24/2012 | 240 | | 262.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 20 | 67.04984 | 482.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 40 | 117.0868 | 462.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 60 | 146.8584 | 442.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 80 | 149.6112 | 422.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 100 | 148.6943 | 402.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 120 | 157.8315 | 382.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 140 | 153.2717 | 362.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 160 | 134.8545 | 342.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 180 | | 322.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 200 | | 302.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-5 | 8 | 12/31/2012 | 220 | 116.1442 | 282.6242 | | |
| TMP-5 | 8 | 12/31/2012 | 240 | | 262.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 20 | 66.06696 | 482.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 40 | 119.9102 | 462.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 60 | 146.8584 | 442.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 80 | 148.6943 | 422.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 100 | 149.6112 | 402.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 120 | 157.8315 | 382.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 140 | 154.1851 | 362.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 160 | 134.8545 | 342.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 180 | | 322.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 200 | | 302.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 220 | 116.1442 | 282.6242 | | |
| TMP-5 | 9 | 1/7/2013 | 240 | | 262.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 20 | 67 | 482.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 40 | 125.2 | 462.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 60 | 150.5 | 442.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 80 | 152.9 | 422.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 100 | 153.3 | 402.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 120 | 162.2 | 382.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 140 | 157 | 362.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 160 | 138 | 342.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 180 | | 322.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 200 | | 302.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 220 | 118.1 | 282.6242 | | |
| TMP-5 | 10 | 1/9/2013 | 240 | | 262.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 20 | 66.6 | 482.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 40 | 126.1 | 462.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 60 | 151.3 | 442.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 80 | 154.6 | 422.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 100 | 154.5 | 402.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 120 | 163.1 | 382.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 140 | 158.7 | 362.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 160 | 139.1 | 342.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 180 | | 322.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 200 | | 302.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 220 | 119 | 282.6242 | | |
| TMP-5 | 11 | 1/15/2013 | 240 | | 262.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 20 | 69.7 | 482.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 40 | 129.1 | 462.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 60 | 154.2 | 442.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 80 | 157.8 | 422.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 100 | 157.6 | 402.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 120 | 166 | 382.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 140 | 163.6 | 362.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 160 | 141.7 | 342.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5 | 12 | 1/22/2013 | 180 | | 322.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 200 | | 302.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 220 | 120.8 | 282.6242 | | |
| TMP-5 | 12 | 1/22/2013 | 240 | | 262.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 20 | 64.5 | 482.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 40 | 126.1 | 462.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 60 | 150.7 | 442.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 80 | 155.1 | 422.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 100 | 155.2 | 402.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 120 | 163.8 | 382.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 140 | 161.6 | 362.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 160 | 139.7 | 342.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 180 | | 322.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 200 | | 302.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 220 | 119.5 | 282.6242 | | |
| TMP-5 | 13 | 1/28/2013 | 240 | | 262.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 20 | 65.2 | 482.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 40 | 127.5 | 462.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 60 | 150 | 442.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 80 | 157.2 | 422.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 100 | 156 | 402.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 120 | 165.1 | 382.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 140 | 163.2 | 362.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 160 | 140.2 | 342.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 180 | | 322.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 200 | | 302.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 220 | 118.9 | 282.6242 | | |
| TMP-5 | 14 | 2/6/2013 | 240 | | 262.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 20 | 64 | 482.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 40 | 127.2 | 462.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 60 | 149.5 | 442.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 80 | 155.1 | 422.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 100 | 155.2 | 402.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 120 | 164.5 | 382.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 140 | 163.1 | 362.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 160 | 139.6 | 342.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 180 | | 322.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 200 | | 302.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 220 | 118.9 | 282.6242 | | |
| TMP-5 | 15 | 2/7/2013 | 240 | | 262.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 20 | 65.3 | 482.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 40 | 128.4 | 462.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 60 | 149.7 | 442.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 80 | 157.3 | 422.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 100 | 154.7 | 402.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 120 | 163.8 | 382.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-5 | 16 | 2/13/2013 | 140 | 164.9 | 362.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 160 | 139.9 | 342.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 180 | | 322.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 200 | | 302.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 220 | 118.6 | 282.6242 | | |
| TMP-5 | 16 | 2/13/2013 | 240 | | 262.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 20 | 63.8 | 482.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 40 | 128.3 | 462.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 60 | 149.4 | 442.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 80 | 157.1 | 422.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 100 | 154.2 | 402.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 120 | 163.5 | 382.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 140 | 165.5 | 362.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 160 | 139.8 | 342.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 180 | | 322.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 200 | | 302.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 220 | 117.9 | 282.6242 | | |
| TMP-5 | 17 | 2/18/2013 | 240 | | 262.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 20 | 63.1 | 482.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 40 | 129.5 | 462.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 60 | 151.1 | 442.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 80 | 155.4 | 422.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 100 | 154.3 | 402.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 120 | 164.1 | 382.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 140 | 164.3 | 362.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 160 | 141.9 | 342.6242 | | |
| | | 2/25/2013 | | | | | A reading of 52.800 was removed because it seemed eronious. |
| TMP-5 | 18 | | 180 | | 322.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 200 | | 302.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 220 | 118.3 | 282.6242 | | |
| TMP-5 | 18 | 2/25/2013 | 240 | | 262.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 20 | 62.8 | 482.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 40 | 129.1 | 462.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 60 | 151.1 | 442.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 80 | 156.9 | 422.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 100 | 155.2 | 402.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 120 | 165.7 | 382.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 140 | 165.6 | 362.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 160 | 141.8 | 342.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 180 | | 322.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 200 | | 302.6242 | | |
| TMP-5 | 19 | 3/4/2013 | 220 | 119.8 | 282.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5 | 19 | 3/4/2013 | 240 | | 262.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 20 | 61.9 | 482.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 40 | 129 | 462.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 60 | 151.1 | 442.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 80 | 155.4 | 422.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 100 | 154.3 | 402.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 120 | 164 | 382.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 140 | 164.2 | 362.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 160 | 140.3 | 342.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 180 | | 322.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 200 | | 302.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 220 | 118.6 | 282.6242 | | |
| TMP-5 | 20 | 3/12/2013 | 240 | | 262.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 20 | 60.7 | 482.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 40 | 129.5 | 462.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 60 | 150.9 | 442.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 80 | 156.3 | 422.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 100 | 155.8 | 402.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 120 | 164 | 382.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 140 | 165.9 | 362.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 160 | 141 | 342.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 180 | | 322.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 200 | | 302.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 220 | 123.7 | 282.6242 | | |
| TMP-5 | 21 | 3/19/2013 | 240 | | 262.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 20 | 65.6 | 482.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 40 | 132 | 462.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 60 | 152.3 | 442.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 80 | 161.6 | 422.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 100 | 161.2 | 402.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 120 | 164.3 | 382.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 140 | 169.3 | 362.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 160 | 141.4 | 342.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 180 | | 322.6242 | 56.3 | |
| TMP-5 | 22 | 3/26/2013 | 200 | | 302.6242 | 43.8 | |
| TMP-5 | 22 | 3/26/2013 | 220 | 129.1 | 282.6242 | | |
| TMP-5 | 22 | 3/26/2013 | 240 | | 262.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 20 | 64.3 | 482.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 40 | 133.1 | 462.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 60 | 151.8 | 442.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 80 | 157.5 | 422.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 100 | 156.8 | 402.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 120 | 172.5 | 382.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 140 | 178 | 362.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 160 | 142.7 | 342.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 180 | | 322.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-------------|
| TMP-5 | 23 | 4/3/2013 | 200 | | 302.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 220 | 126.2 | 282.6242 | | |
| TMP-5 | 23 | 4/3/2013 | 240 | | 262.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 20 | 68.7 | 482.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 40 | 124.4 | 462.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 60 | 150.7 | 442.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 80 | 158 | 422.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 100 | 158.9 | 402.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 120 | 177.8 | 382.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 140 | 174.3 | 362.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 160 | 164 | 342.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 180 | | 322.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 200 | | 302.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 220 | 138.5 | 282.6242 | | |
| TMP-5 | 26 | 4/10/2013 | 240 | | 262.6242 | | |
| TMP-5 | 27 | 4/17/2013 | 20 | 62.4 | 482.6242 | | |
| TMP-5 | 27 | 4/17/2013 | 40 | 121.6 | 462.6242 | | |
| TMP-5 | 27 | 4/17/2013 | 60 | | 442.6242 | 163.9 | Resistivity |
| TMP-5 | 27 | 4/17/2013 | 80 | 157.8 | 422.6242 | | |
| TMP-5 | 27 | 4/17/2013 | 100 | | 402.6242 | 215.9 | Resistivity |
| TMP-5 | 28 | 4/30/2013 | 20 | 63.4 | 482.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 40 | 123 | 462.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 60 | | 442.6242 | 232 | Resistivity |
| TMP-5 | 28 | 4/30/2013 | 80 | 157.3 | 422.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 100 | | 402.6242 | 234.1 | Resistivity |
| TMP-5 | 28 | 4/30/2013 | 120 | 162.3 | 382.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 140 | 160.1 | 362.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 160 | 147.5 | 342.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 180 | | 322.6242 | 232.8 | Resistivity |
| TMP-5 | 28 | 4/30/2013 | 200 | | 302.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 220 | 117.5 | 282.6242 | | |
| TMP-5 | 28 | 4/30/2013 | 240 | | 262.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 20 | 64.5 | 482.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 40 | 123.5 | 462.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 60 | | 442.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 80 | 158.2 | 422.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 100 | | 402.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 120 | 163 | 382.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 140 | 177.4 | 362.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 160 | 147.7 | 342.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 180 | | 322.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 200 | 91.8 | 302.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 220 | 119.4 | 282.6242 | | |
| TMP-5 | 29 | 5/9/2013 | 240 | | 262.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 20 | 65.3 | 482.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 40 | 123.1 | 462.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5 | 30 | 5/15/2013 | 60 | | 442.6242 | | Resistivity |
| TMP-5 | 30 | 5/15/2013 | 80 | 157.7 | 422.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 100 | | 402.6242 | | Resistivity |
| TMP-5 | 30 | 5/15/2013 | 120 | 162.4 | 382.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 140 | 172.9 | 362.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 160 | 143.4 | 342.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 180 | | 322.6242 | | Resistivity |
| TMP-5 | 30 | 5/15/2013 | 200 | 82.7 | 302.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 220 | 118.5 | 282.6242 | | |
| TMP-5 | 30 | 5/15/2013 | 240 | | 262.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 20 | 66.3 | 482.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 40 | 122.5 | 462.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 60 | | 442.6242 | | NLW-resistivity & reading did not equalize |
| TMP-5 | 31 | 5/22/2013 | 80 | 157 | 422.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 100 | | 402.6242 | | NLW-resistivity & reading did not equalize |
| TMP-5 | 31 | 5/22/2013 | 120 | | 382.6242 | 162.4 | NLW-Resistance was OL |
| TMP-5 | 31 | 5/22/2013 | 140 | 162.9 | 362.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 160 | 143.3 | 342.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 180 | | 322.6242 | | NLW-resistivity & reading did not equalize |
| TMP-5 | 31 | 5/22/2013 | 200 | 82 | 302.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 220 | 117.9 | 282.6242 | | |
| TMP-5 | 31 | 5/22/2013 | 240 | | 262.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 20 | 66 | 482.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 40 | 120.4 | 462.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 60 | | 442.6242 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-5 | 32 | 5/29/2013 | 80 | 155 | 422.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5 | 32 | 5/29/2013 | 100 | | 402.6242 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-5 | 32 | 5/29/2013 | 120 | | 382.6242 | 247.3 | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-5 | 32 | 5/29/2013 | 140 | 172 | 362.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 160 | 152.1 | 342.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 180 | | 322.6242 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-5 | 32 | 5/29/2013 | 200 | 86.7 | 302.6242 | | |
| TMP-5 | 32 | 5/29/2013 | 220 | | 282.6242 | 76.2 | Reading bounced could not obtain valid reading |
| TMP-5 | 32 | 5/29/2013 | 240 | | 262.6242 | | Reading bounced could not obtain valid reading |
| TMP-5 | 34 | 6/5/2013 | 20 | 68.7 | 482.6242 | | |
| TMP-5 | 34 | 6/5/2013 | 40 | 121.6 | 462.6242 | | |
| TMP-5 | 34 | 6/5/2013 | 60 | | 442.6242 | | NLW - resistivity |
| TMP-5 | 34 | 6/5/2013 | 80 | 156.1 | 422.6242 | | |
| TMP-5 | 34 | 6/5/2013 | 100 | | 402.6242 | | NLW - resistivity |
| TMP-5 | 34 | 6/5/2013 | 120 | 161.4 | 382.6242 | | NLW - resistivity |
| TMP-5 | 34 | 6/5/2013 | 140 | 163.4 | 362.6242 | | |
| TMP-5 | 34 | 6/5/2013 | 160 | 147.3 | 342.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5 | 34 | 6/5/2013 | 180 | | 322.6242 | | NLW - resistivity |
| TMP-5 | 34 | 6/5/2013 | 200 | 90 | 302.6242 | | |
| TMP-5 | 34 | 6/5/2013 | 220 | | 282.6242 | | NLW, Large fluctuation during Reading |
| TMP-5 | 34 | 6/5/2013 | 240 | | 262.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 20 | 71.5 | 482.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 40 | 122.9 | 462.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 60 | | 442.6242 | | NLW - resistivity |
| TMP-5 | 35 | 6/12/2013 | 80 | 157.1 | 422.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 100 | | 402.6242 | | NLW - resistivity |
| TMP-5 | 35 | 6/12/2013 | 120 | | 382.6242 | 163.5 | NLW - resistivity |
| TMP-5 | 35 | 6/12/2013 | 140 | 164.1 | 362.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 160 | 150.4 | 342.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 180 | | 322.6242 | 249.3 | NLW - resistivity |
| TMP-5 | 35 | 6/12/2013 | 200 | 106.6 | 302.6242 | | |
| TMP-5 | 35 | 6/12/2013 | 220 | 119 | 282.6242 | | was able to get a stable reading today |
| TMP-5 | 35 | 6/12/2013 | 240 | 105.9 | 262.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 20 | 74.6 | 482.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 40 | 123.7 | 462.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 60 | | 442.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 80 | 157.6 | 422.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 100 | | 402.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 120 | | 382.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 140 | 163.5 | 362.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 160 | 148.5 | 342.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 180 | | 322.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 200 | 100.1 | 302.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 220 | 120.1 | 282.6242 | | |
| TMP-5 | 36 | 6/19/2013 | 240 | 130 | 262.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 20 | 74.2 | 482.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 40 | 122.2 | 462.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 60 | 151.9 | 442.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 80 | 155.8 | 422.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 100 | 161.5 | 402.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 120 | 161.4 | 382.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 140 | 161.7 | 362.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 160 | 89.3 | 342.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 180 | | 322.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-----------------|
| TMP-5 | 37 | 6/27/2013 | 200 | 107.4 | 302.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 220 | 118.9 | 282.6242 | | |
| TMP-5 | 37 | 6/27/2013 | 240 | | 262.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 20 | 76.1 | 482.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 40 | 123 | 462.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 60 | | 442.6242 | 257.9 | |
| TMP-5 | 38 | 7/3/2013 | 80 | 156.6 | 422.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 100 | | 402.6242 | 236.5 | |
| TMP-5 | 38 | 7/3/2013 | 120 | | 382.6242 | 162.2 | |
| TMP-5 | 38 | 7/3/2013 | 140 | 161.6 | 362.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 160 | 142.7 | 342.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 180 | | 322.6242 | 104.1 | |
| TMP-5 | 38 | 7/3/2013 | 200 | | 302.6242 | 108.2 | |
| TMP-5 | 38 | 7/3/2013 | 220 | 120.7 | 282.6242 | | |
| TMP-5 | 38 | 7/3/2013 | 240 | | 262.6242 | | unable to read |
| TMP-5 | 39 | 7/8/2013 | 20 | 69.2 | 482.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 40 | 116.2 | 462.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 60 | 144.9 | 442.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 80 | 151.7 | 422.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 100 | 151.8 | 402.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 120 | 158 | 382.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 140 | 157.4 | 362.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 160 | 138.8 | 342.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 180 | 119.9 | 322.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 200 | 120.6 | 302.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 220 | 115.3 | 282.6242 | | |
| TMP-5 | 39 | 7/8/2013 | 240 | | 262.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 20 | 75.8 | 482.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 40 | 121.7 | 462.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 60 | | 442.6242 | 149.4 | |
| TMP-5 | 40 | 7/10/2013 | 80 | 155.1 | 422.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 100 | | 402.6242 | 155 | |
| TMP-5 | 40 | 7/10/2013 | 120 | | 382.6242 | 160.8 | |
| TMP-5 | 40 | 7/10/2013 | 140 | 160 | 362.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 160 | 141.6 | 342.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 180 | | 322.6242 | 123.2 | |
| TMP-5 | 40 | 7/10/2013 | 200 | | 302.6242 | 123.5 | |
| TMP-5 | 40 | 7/10/2013 | 220 | 117.6 | 282.6242 | | |
| TMP-5 | 40 | 7/10/2013 | 240 | 99.5 | 262.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 20 | 77.4 | 482.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 40 | 122.4 | 462.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 60 | | 442.6242 | 153.5 | High resistance |
| TMP-5 | 41 | 7/18/2013 | 80 | 155.3 | 422.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 100 | 156.6 | 402.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 120 | 160.8 | 382.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|------------------------|
| TMP-5 | 41 | 7/18/2013 | 140 | 159.8 | 362.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 160 | 141.9 | 342.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 180 | | 322.6242 | 124.4 | High resistance |
| TMP-5 | 41 | 7/18/2013 | 200 | 125.6 | 302.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 220 | 117.4 | 282.6242 | | |
| TMP-5 | 41 | 7/18/2013 | 240 | | 262.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 20 | 76.9 | 482.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 40 | 120.5 | 462.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 60 | | 442.6242 | 147.6 | |
| TMP-5 | 42 | 7/25/2013 | 80 | 154.1 | 422.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 100 | | 402.6242 | 154.1 | fluctuates |
| TMP-5 | 42 | 7/25/2013 | 120 | 159.7 | 382.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 140 | 158.5 | 362.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 160 | 141.7 | 342.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 180 | | 322.6242 | 119.7 | fluctuates |
| TMP-5 | 42 | 7/25/2013 | 200 | 121.6 | 302.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 220 | 117 | 282.6242 | | |
| TMP-5 | 42 | 7/25/2013 | 240 | 118.3 | 262.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 20 | 87.1 | 482.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 40 | 129.3 | 462.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 60 | 160.4 | 442.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 80 | 161.4 | 422.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 100 | 159.9 | 402.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 120 | 166.5 | 382.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 140 | 164.9 | 362.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 160 | | 342.6242 | 148.1 | high resistivity |
| TMP-5 | 43 | 8/1/2013 | 180 | 121.9 | 322.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 200 | 128.3 | 302.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 220 | 121.8 | 282.6242 | | |
| TMP-5 | 43 | 8/1/2013 | 240 | 121.4 | 262.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 20 | 87.5 | 482.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 40 | 129.2 | 462.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 60 | 152.8 | 442.6242 | | Minor fluctuating temp |
| TMP-5 | 44 | 8/6/2013 | 80 | 161.3 | 422.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 100 | 158.7 | 402.6242 | | Fluctuating ohm |
| TMP-5 | 44 | 8/6/2013 | 120 | 167.6 | 382.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 140 | 165.9 | 362.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 160 | 149.7 | 342.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 180 | | 322.6242 | 112.6 | Fluctuating ohm |
| TMP-5 | 44 | 8/6/2013 | 200 | 124.5 | 302.6242 | | |
| TMP-5 | 44 | 8/6/2013 | 220 | 122.9 | 282.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5 | 44 | 8/6/2013 | 240 | | 262.6242 | 124 | Fluctuating ohm |
| TMP-5 | 45 | 8/14/2013 | 20 | | 482.6242 | 84.8 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 40 | | 462.6242 | 125.2 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 60 | | 442.6242 | 151.3 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 80 | | 422.6242 | 157.2 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 100 | | 402.6242 | 155.3 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 120 | | 382.6242 | 162.6 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 140 | | 362.6242 | 160.4 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 160 | | 342.6242 | 145.6 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 180 | | 322.6242 | 90.5 | RESISTANCE LOW SUSPECT - re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 200 | | 302.6242 | 127.2 | RESISTANCE HIGH - re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 220 | | 282.6242 | 118.5 | re-read on 8/15/13 |
| TMP-5 | 45 | 8/14/2013 | 240 | | 262.6242 | 115.4 | NOT VALID-RESISTANCE TOO HIGH - re-read on 8/15/13 |
| TMP-5 | 46 | 8/15/2013 | 20 | 88.6 | 482.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 40 | 127.2 | 462.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 60 | 153.4 | 442.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 80 | 158.8 | 422.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 100 | 158.2 | 402.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 120 | 163.8 | 382.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 140 | 162 | 362.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 160 | 146 | 342.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 180 | | 322.6242 | 90.9 | Resistance is low indicates compromised TMP |
| TMP-5 | 46 | 8/15/2013 | 200 | 129 | 302.6242 | | |
| TMP-5 | 46 | 8/15/2013 | 220 | 119 | 282.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-5 | 46 | 8/15/2013 | 240 | | 262.6242 | | RESISTANCE TOO HIGH NOT VALID |
| TMP-5 | 48 | 8/20/2013 | 20 | 84.2 | 482.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 40 | 123.8 | 462.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 60 | 150.1 | 442.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 80 | 155.5 | 422.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 100 | 155.4 | 402.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 120 | 161 | 382.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 140 | 159.3 | 362.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 160 | 143.8 | 342.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 180 | | 322.6242 | | RESISTANCE TOO HIGH NOT VALID |
| TMP-5 | 48 | 8/20/2013 | 200 | 125.4 | 302.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 220 | 117.5 | 282.6242 | | |
| TMP-5 | 48 | 8/20/2013 | 240 | | 262.6242 | | RESISTANCE TOO HIGH NOT VALID |
| TMP-5 | 49 | 8/27/2013 | 20 | 84.3 | 482.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 40 | 123.6 | 462.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 60 | 149.8 | 442.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 80 | 154.7 | 422.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 100 | 154.5 | 402.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 120 | 160 | 382.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 140 | 158.2 | 362.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 160 | 143.2 | 342.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 180 | | 322.6242 | | RESISTANCE TOO HIGH NOT VALID - NO TEMPERATURE READING |
| TMP-5 | 49 | 8/27/2013 | 200 | 124.6 | 302.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 220 | 116.2 | 282.6242 | | |
| TMP-5 | 49 | 8/27/2013 | 240 | | 262.6242 | | RESISTANCE TOO HIGH NOT VALID - NO TEMPERATURE READING |
| TMP-5 | 50 | 9/3/2013 | 20 | 87.9 | 482.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 40 | 126 | 462.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 60 | 151.8 | 442.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 80 | 156.4 | 422.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 100 | 156.1 | 402.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-5 | 50 | 9/3/2013 | 120 | 161.3 | 382.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 140 | 159.3 | 362.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 160 | 144.9 | 342.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 180 | | 322.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 200 | 126.6 | 302.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 220 | 117.3 | 282.6242 | | |
| TMP-5 | 50 | 9/3/2013 | 240 | | 262.6242 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-6 | 1 | 11/8/2012 | 15 | 108.386 | 472.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 35 | 138.0984 | 452.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 55 | 153.7285 | 432.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 75 | 151.3514 | 412.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 95 | 149.2445 | 392.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 115 | 142.9936 | 372.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 135 | 133.7402 | 352.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 155 | 123.4767 | 332.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 175 | 115.2952 | 312.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 195 | 104.6782 | 292.2198 | | |
| TMP-6 | 1 | 11/8/2012 | 215 | 76.44566 | 272.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 15 | 97.41903 | 472.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 35 | 140.4099 | 452.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 55 | 156.1009 | 432.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 75 | 153.3631 | 412.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 95 | 150.8937 | 392.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 115 | 145.5715 | 372.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 135 | 136.2458 | 352.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 155 | 126.1913 | 332.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 175 | 116.7099 | 312.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 195 | 106.1057 | 292.2198 | | |
| TMP-6 | 2 | 11/12/2012 | 215 | 79.75607 | 272.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 15 | 97.70642 | 472.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 35 | 143.4543 | 452.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 55 | 160.014 | 432.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 75 | 156.4654 | 412.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 95 | 153.9112 | 392.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 115 | 148.2356 | 372.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 135 | 138.7461 | 352.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 155 | 128.4331 | 332.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 175 | 118.8757 | 312.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 195 | 108.1962 | 292.2198 | | |
| TMP-6 | 3 | 11/19/2012 | 215 | 78.68604 | 272.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 15 | 90.88616 | 472.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 35 | 138.561 | 452.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 55 | 155.7362 | 432.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 75 | 152.3577 | 412.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 95 | 148.3273 | 392.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 115 | 141.9792 | 372.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 135 | 133.2757 | 352.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 155 | 122.2578 | 332.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 175 | 113.4063 | 312.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 195 | 101.6271 | 292.2198 | | |
| TMP-6 | 4 | 11/26/2012 | 215 | 69.40555 | 272.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 15 | 92.04162 | 472.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 35 | 146.2151 | 452.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-6 | 5 | 12/11/2012 | 55 | 160.3774 | 432.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 75 | 156.3743 | 412.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 95 | 153.089 | 392.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 115 | 147.5931 | 372.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 135 | 137.7281 | 352.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 155 | 127.3127 | 332.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 175 | 118.4052 | 312.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 195 | 106.8663 | 292.2198 | | |
| TMP-6 | 5 | 12/11/2012 | 215 | 72.83289 | 272.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 15 | 92.04162 | 472.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 35 | 146.2151 | 452.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 55 | 160.3774 | 432.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 75 | 156.3743 | 412.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 95 | 153.089 | 392.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 115 | 147.5931 | 372.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 135 | 137.7281 | 352.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 155 | 127.3127 | 332.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 175 | 118.4052 | 312.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 195 | 106.8663 | 292.2198 | | |
| TMP-6 | 6 | 12/17/2012 | 215 | 72.83289 | 272.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 15 | 96.17287 | 472.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 35 | 146.8584 | 452.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 55 | 160.559 | 432.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 75 | 156.921 | 412.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 95 | 153.2717 | 392.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 115 | 147.7767 | 372.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 135 | 137.6355 | 352.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 155 | 127.4061 | 332.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 175 | 118.0287 | 312.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 195 | 105.7252 | 292.2198 | | |
| TMP-6 | 7 | 12/24/2012 | 215 | 70.97352 | 272.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 15 | 100.003 | 472.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 35 | 148.6943 | 452.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 55 | 162.3739 | 432.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 75 | 157.8315 | 412.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 95 | 154.1851 | 392.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 115 | 148.6943 | 372.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 135 | 138.561 | 352.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 155 | 127.4061 | 332.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 175 | 118.0287 | 312.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 195 | 105.7252 | 292.2198 | | |
| TMP-6 | 8 | 12/31/2012 | 215 | 71.95249 | 272.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 15 | 103.8209 | 472.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 35 | 148.6943 | 452.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 55 | 163.2803 | 432.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 75 | 158.7414 | 412.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|----------|-----------|------------|----------|
| TMP-6 | 9 | 1/7/2013 | 95 | 155.0977 | 392.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 115 | 148.6943 | 372.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 135 | 138.561 | 352.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 155 | 128.3397 | 332.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 175 | 118.9698 | 312.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 195 | 105.7252 | 292.2198 | | |
| TMP-6 | 9 | 1/7/2013 | 215 | 71.95249 | 272.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 15 | 110 | 472.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 35 | 150.6 | 452.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 55 | 165.8 | 432.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 75 | 161.2 | 412.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 95 | 157.5 | 392.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 115 | 151.6 | 372.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 135 | 141.2 | 352.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 155 | 130.5 | 332.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 175 | 121.1 | 312.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 195 | 107.9 | 292.2198 | | |
| TMP-6 | 10 | 1/9/2013 | 215 | 73.3 | 272.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 15 | 109.6 | 472.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 35 | 149.8 | 452.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 55 | 165 | 432.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 75 | 160.3 | 412.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 95 | 156.4 | 392.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 115 | 150.3 | 372.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 135 | 139.7 | 352.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 155 | 128.9 | 332.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 175 | 119.6 | 312.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 195 | 107.6 | 292.2198 | | |
| TMP-6 | 11 | 1/15/2013 | 215 | 71.9 | 272.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 15 | 113.1 | 472.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 35 | 152.1 | 452.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 55 | 167.2 | 432.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 75 | 162.4 | 412.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 95 | 158.4 | 392.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 115 | 152.2 | 372.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 135 | 141.5 | 352.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 155 | 130.5 | 332.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 175 | 121.1 | 312.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 195 | 108.3 | 292.2198 | | |
| TMP-6 | 12 | 1/22/2013 | 215 | 73.1 | 272.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 15 | 111.1 | 472.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 35 | 150.5 | 452.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 55 | 166.2 | 432.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 75 | 161.5 | 412.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 95 | 157.7 | 392.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 115 | 151.7 | 372.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 13 | 1/28/2013 | 135 | 141.2 | 352.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 155 | 130.5 | 332.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 175 | 121.2 | 312.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 195 | 107.3 | 292.2198 | | |
| TMP-6 | 13 | 1/28/2013 | 215 | 73.8 | 272.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 15 | 108.3 | 472.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 35 | 151.9 | 452.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 55 | 167.7 | 432.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 75 | 162.9 | 412.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 95 | 158.9 | 392.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 115 | 152.8 | 372.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 135 | 142.3 | 352.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 155 | 131.6 | 332.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 175 | 122.1 | 312.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 195 | 106 | 292.2198 | | |
| TMP-6 | 14 | 2/6/2013 | 215 | 76.4 | 272.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 15 | 108.7 | 472.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 35 | 151 | 452.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 55 | 166.9 | 432.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 75 | 162.2 | 412.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 95 | 158.1 | 392.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 115 | 151.9 | 372.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 135 | 141.2 | 352.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 155 | 130.3 | 332.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 175 | 121 | 312.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 195 | 106 | 292.2198 | | |
| TMP-6 | 15 | 2/7/2013 | 215 | 74.5 | 272.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 15 | 105.9 | 472.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 35 | 150.6 | 452.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 55 | 166.4 | 432.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 75 | 161.7 | 412.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 95 | 157.7 | 392.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 115 | 151.7 | 372.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 135 | 141 | 352.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 155 | 130.2 | 332.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 175 | 121.1 | 312.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 195 | 103.6 | 292.2198 | | |
| TMP-6 | 16 | 2/13/2013 | 215 | 76.3 | 272.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 15 | 109 | 472.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 35 | 150 | 452.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 55 | 166.2 | 432.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 75 | 161.6 | 412.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 95 | 157.5 | 392.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 115 | 151.4 | 372.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 135 | 140.8 | 352.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 155 | 129.8 | 332.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 17 | 2/18/2013 | 175 | 121.1 | 312.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 195 | 104.3 | 292.2198 | | |
| TMP-6 | 17 | 2/18/2013 | 215 | 76.9 | 272.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 15 | 110.6 | 472.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 35 | 150.4 | 452.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 55 | 166.6 | 432.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 75 | 161.7 | 412.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 95 | 157.6 | 392.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 115 | 151.5 | 372.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 135 | 140.8 | 352.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 155 | 129.7 | 332.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 175 | 120.6 | 312.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 195 | 98.5 | 292.2198 | | |
| TMP-6 | 18 | 2/25/2013 | 215 | 77 | 272.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 15 | 113.4 | 472.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 35 | 152 | 452.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 55 | 169.1 | 432.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 75 | 164.3 | 412.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 95 | 160.3 | 392.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 115 | 153.7 | 372.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 135 | 142.8 | 352.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 155 | 131.6 | 332.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 175 | 122.9 | 312.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 195 | 101.9 | 292.2198 | | |
| TMP-6 | 19 | 3/4/2013 | 215 | 78.3 | 272.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 15 | 111.3 | 472.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 35 | 150.1 | 452.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 55 | 167.6 | 432.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 75 | 162.8 | 412.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 95 | 158.4 | 392.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 115 | 152 | 372.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 135 | 141.4 | 352.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 155 | 130.4 | 332.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 175 | 121.2 | 312.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 195 | 106.3 | 292.2198 | | |
| TMP-6 | 20 | 3/12/2013 | 215 | 77.5 | 272.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 15 | 106.8 | 472.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 35 | 147.4 | 452.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 55 | 166.9 | 432.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 75 | 162.2 | 412.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 95 | 157.9 | 392.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 115 | 151.8 | 372.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 135 | 141.2 | 352.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 155 | 130.4 | 332.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 175 | 120.8 | 312.2198 | | |
| TMP-6 | 21 | 3/19/2013 | 195 | 106.7 | 292.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 21 | 3/19/2013 | 215 | 78 | 272.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 15 | 105.1 | 472.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 35 | 145.6 | 452.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 55 | 166.7 | 432.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 75 | 162.5 | 412.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 95 | 158.1 | 392.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 115 | 152.1 | 372.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 135 | 141.5 | 352.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 155 | 130.5 | 332.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 175 | 121.2 | 312.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 195 | 104.9 | 292.2198 | | |
| TMP-6 | 22 | 3/26/2013 | 215 | 76.5 | 272.2198 | | |
| TMP-6 | 23 | 4/3/2013 | 15 | 105.6 | 472.2198 | | |
| TMP-6 | 23 | 4/3/2013 | 35 | 145.6 | 452.2198 | | |
| TMP-6 | 23 | 4/3/2013 | 55 | 167.5 | 432.2198 | | |
| TMP-6 | 23 | 4/3/2013 | 215 | 80.2 | 272.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 15 | 104.2 | 472.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 35 | 144.9 | 452.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 55 | 166.7 | 432.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 75 | 162.6 | 412.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 95 | 158.1 | 392.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 115 | 151.8 | 372.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 135 | 141.1 | 352.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 155 | 130.2 | 332.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 175 | 119.2 | 312.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 195 | 107.6 | 292.2198 | | |
| TMP-6 | 26 | 4/10/2013 | 215 | 79.2 | 272.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 15 | 105.4 | 472.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 35 | 145.5 | 452.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 55 | 167.1 | 432.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 75 | 163.2 | 412.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 95 | 158.8 | 392.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 115 | 152.7 | 372.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 135 | 142 | 352.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 155 | 131.3 | 332.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 175 | 121.3 | 312.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 195 | 108.2 | 292.2198 | | |
| TMP-6 | 27 | 4/17/2013 | 215 | 79.9 | 272.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 15 | 101.8 | 472.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 35 | 146.9 | 452.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 55 | 166.4 | 432.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 75 | 162.4 | 412.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 95 | 157.7 | 392.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 115 | 151.5 | 372.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 135 | 140.8 | 352.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 155 | 129.9 | 332.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 28 | 4/30/2013 | 175 | 120.6 | 312.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 195 | 107.7 | 292.2198 | | |
| TMP-6 | 28 | 4/30/2013 | 215 | 75.9 | 272.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 15 | 102.4 | 472.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 35 | 146.6 | 452.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 55 | 165.6 | 432.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 75 | 161.8 | 412.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 95 | 157.1 | 392.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 115 | 151 | 372.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 135 | 140.3 | 352.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 155 | 129.6 | 332.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 175 | 120.1 | 312.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 195 | 108.6 | 292.2198 | | |
| TMP-6 | 29 | 5/9/2013 | 215 | 73.1 | 272.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 15 | 101.6 | 472.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 35 | 146.7 | 452.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 55 | 165.3 | 432.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 75 | 161.4 | 412.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 95 | 156.7 | 392.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 115 | 150.4 | 372.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 135 | 139.6 | 352.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 155 | 128.9 | 332.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 175 | 119.5 | 312.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 195 | 107.5 | 292.2198 | | |
| TMP-6 | 30 | 5/15/2013 | 215 | 71.7 | 272.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 15 | 103.2 | 472.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 35 | 149.7 | 452.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 55 | 167.1 | 432.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 75 | 163.3 | 412.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 95 | 158.5 | 392.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 115 | 152.3 | 372.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 135 | 141.2 | 352.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 155 | 130.3 | 332.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 175 | 121 | 312.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 195 | 108.7 | 292.2198 | | |
| TMP-6 | 31 | 5/22/2013 | 215 | 73.4 | 272.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 15 | 104.9 | 472.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 35 | 149 | 452.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 55 | 165.8 | 432.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 75 | 161.9 | 412.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 95 | 157 | 392.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 115 | 151 | 372.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 135 | 140.2 | 352.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 155 | 129.5 | 332.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 175 | 120.2 | 312.2198 | | |
| TMP-6 | 32 | 5/29/2013 | 195 | 107.2 | 292.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 32 | 5/29/2013 | 215 | 72.3 | 272.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 15 | 106.7 | 472.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 35 | 150.1 | 452.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 55 | 166.9 | 432.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 75 | 162.9 | 412.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 95 | 157.8 | 392.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 115 | 151.7 | 372.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 135 | 140.9 | 352.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 155 | 130.1 | 332.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 175 | 120.9 | 312.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 195 | 105.5 | 292.2198 | | |
| TMP-6 | 34 | 6/5/2013 | 215 | 73.8 | 272.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 15 | 106.3 | 472.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 35 | 151.4 | 452.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 55 | 167.9 | 432.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 75 | 164.1 | 412.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 95 | 159.3 | 392.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 115 | 153.1 | 372.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 135 | 142.5 | 352.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 155 | 131.8 | 332.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 175 | 122.5 | 312.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 195 | 108.2 | 292.2198 | | |
| TMP-6 | 35 | 6/12/2013 | 215 | 74.3 | 272.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 15 | 109 | 472.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 35 | 150.8 | 452.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 55 | 167.1 | 432.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 75 | 163 | 412.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 95 | 158 | 392.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 115 | 151.6 | 372.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 135 | 140.8 | 352.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 155 | 130 | 332.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 175 | 120.6 | 312.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 195 | 106.5 | 292.2198 | | |
| TMP-6 | 36 | 6/19/2013 | 215 | 72.2 | 272.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 15 | 111.2 | 472.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 35 | 149.8 | 452.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 55 | 165.8 | 432.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 75 | 161.9 | 412.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 95 | 157 | 392.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 115 | 150.8 | 372.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 135 | 140 | 352.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 155 | 129.3 | 332.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 175 | 120.1 | 312.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 195 | 105.7 | 292.2198 | | |
| TMP-6 | 37 | 6/27/2013 | 215 | 74.6 | 272.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 15 | 120.1 | 472.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 38 | 7/3/2013 | 35 | 153.2 | 452.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 55 | 168.8 | 432.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 75 | 165 | 412.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 95 | 159.9 | 392.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 115 | 153.6 | 372.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 135 | 142.8 | 352.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 155 | 132.1 | 332.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 175 | 122.7 | 312.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 195 | 105.8 | 292.2198 | | |
| TMP-6 | 38 | 7/3/2013 | 215 | 77.6 | 272.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 15 | 119.6 | 472.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 35 | 150.7 | 452.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 55 | 166.4 | 432.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 75 | 162.5 | 412.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 95 | 157.5 | 392.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 115 | 151.2 | 372.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 135 | 140.4 | 352.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 155 | 129.6 | 332.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 175 | 119.1 | 312.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 195 | 104.6 | 292.2198 | | |
| TMP-6 | 39 | 7/8/2013 | 215 | 76 | 272.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 15 | 118 | 472.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 35 | 150.8 | 452.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 55 | 166.5 | 432.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 75 | 162.6 | 412.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 95 | 157.5 | 392.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 115 | 151.2 | 372.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 135 | 140.3 | 352.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 155 | 129.6 | 332.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 175 | 119.5 | 312.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 195 | 104.4 | 292.2198 | | |
| TMP-6 | 40 | 7/10/2013 | 215 | 76.2 | 272.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 15 | 124.6 | 472.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 35 | 154.3 | 452.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 55 | 170 | 432.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 75 | 166.2 | 412.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 95 | 161 | 392.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 115 | 154.7 | 372.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 135 | 143.9 | 352.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 155 | 133.1 | 332.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 175 | 123.3 | 312.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 195 | 107 | 292.2198 | | |
| TMP-6 | 41 | 7/18/2013 | 215 | 80.7 | 272.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 15 | 127.3 | 472.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 35 | 154.7 | 452.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 55 | 169.7 | 432.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 42 | 7/25/2013 | 75 | 166 | 412.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 95 | 160.8 | 392.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 115 | 154.5 | 372.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 135 | 143.6 | 352.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 155 | 132.8 | 332.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 175 | 123.7 | 312.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 195 | 110.9 | 292.2198 | | |
| TMP-6 | 42 | 7/25/2013 | 215 | 81.2 | 272.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 15 | 125 | 472.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 35 | 152.6 | 452.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 55 | 168 | 432.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 75 | 165.4 | 412.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 95 | 160.2 | 392.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 115 | 154.2 | 372.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 135 | 143.6 | 352.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 155 | 133.3 | 332.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 175 | 124.3 | 312.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 195 | 107.4 | 292.2198 | | |
| TMP-6 | 43 | 8/1/2013 | 215 | 82.7 | 272.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 15 | 124.9 | 472.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 35 | 152 | 452.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 55 | 166.9 | 432.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 75 | 163.7 | 412.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 95 | 158.4 | 392.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 115 | 152.1 | 372.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 135 | 141.4 | 352.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 155 | 130.8 | 332.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 175 | 121.8 | 312.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 195 | 104.2 | 292.2198 | | |
| TMP-6 | 44 | 8/6/2013 | 215 | 81.2 | 272.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 15 | 127 | 472.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 35 | 153 | 452.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 55 | 167.7 | 432.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 75 | 163.9 | 412.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 95 | 158.1 | 392.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 115 | 151.3 | 372.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 135 | 140.2 | 352.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 155 | 129 | 332.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 175 | 119.5 | 312.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 195 | 102 | 292.2198 | | |
| TMP-6 | 45 | 8/14/2013 | 215 | 78.9 | 272.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 15 | 126.2 | 472.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 35 | 151.6 | 452.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 55 | 167.3 | 432.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 75 | 163.9 | 412.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 95 | 158.6 | 392.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-6 | 48 | 8/20/2013 | 115 | 152.3 | 372.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 135 | 141.5 | 352.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 155 | 130.7 | 332.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 175 | 121.6 | 312.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 195 | 104 | 292.2198 | | |
| TMP-6 | 48 | 8/20/2013 | 215 | 82 | 272.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 15 | 126.6 | 472.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 35 | 151.2 | 452.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 55 | 167.4 | 432.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 75 | 163.9 | 412.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 95 | 158.6 | 392.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 115 | 152.3 | 372.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 135 | 141.6 | 352.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 155 | 130.8 | 332.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 175 | 121.7 | 312.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 195 | 103.9 | 292.2198 | | |
| TMP-6 | 49 | 8/27/2013 | 215 | 82.6 | 272.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 15 | 122.3 | 472.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 35 | 150.1 | 452.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 55 | 166.5 | 432.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 75 | 163 | 412.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 95 | 157.7 | 392.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 115 | 151.4 | 372.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 135 | 140.7 | 352.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 155 | 129.9 | 332.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 175 | 120.8 | 312.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 195 | 103.1 | 292.2198 | | |
| TMP-6 | 50 | 9/3/2013 | 215 | 82.1 | 272.2198 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-7R | 3 | 11/19/2012 | 20 | 77.03051 | 483.738 | | |
| TMP-7R | 3 | 11/19/2012 | 40 | 144.2832 | 463.738 | | |
| TMP-7R | 3 | 11/19/2012 | 60 | 156.7388 | 443.738 | | |
| TMP-7R | 3 | 11/19/2012 | 80 | 158.9233 | 423.738 | | |
| TMP-7R | 3 | 11/19/2012 | 100 | 160.7406 | 403.738 | | |
| TMP-7R | 3 | 11/19/2012 | 120 | 159.287 | 383.738 | | |
| TMP-7R | 3 | 11/19/2012 | 140 | 152.1748 | 363.738 | | |
| TMP-7R | 3 | 11/19/2012 | 160 | 137.9132 | 343.738 | | |
| TMP-7R | 3 | 11/19/2012 | 180 | 131.6016 | 323.738 | | |
| TMP-7R | 3 | 11/19/2012 | 200 | 128.3397 | 303.738 | | |
| TMP-7R | 3 | 11/19/2012 | 220 | 120.474 | 283.738 | | |
| TMP-7R | 3 | 11/19/2012 | 240 | 113.5953 | 263.738 | | |
| TMP-7R | 4 | 11/26/2012 | 20 | 59.26385 | 483.738 | | |
| TMP-7R | 4 | 11/26/2012 | 40 | 139.6707 | 463.738 | | |
| TMP-7R | 4 | 11/26/2012 | 60 | 155.9185 | 443.738 | | |
| TMP-7R | 4 | 11/26/2012 | 80 | 159.3779 | 423.738 | | |
| TMP-7R | 4 | 11/26/2012 | 100 | 164.0049 | 403.738 | | |
| TMP-7R | 4 | 11/26/2012 | 120 | 161.376 | 383.738 | | |
| TMP-7R | 4 | 11/26/2012 | 140 | 151.8089 | 363.738 | | |
| TMP-7R | 4 | 11/26/2012 | 160 | 137.4503 | 343.738 | | |
| TMP-7R | 4 | 11/26/2012 | 180 | 129.4591 | 323.738 | | |
| TMP-7R | 4 | 11/26/2012 | 200 | 127.9664 | 303.738 | | |
| TMP-7R | 4 | 11/26/2012 | 220 | 120.2861 | 283.738 | | |
| TMP-7R | 4 | 11/26/2012 | 240 | 107.7214 | 263.738 | | |
| TMP-7R | 5 | 12/11/2012 | 20 | 68.03193 | 483.738 | | |
| TMP-7R | 5 | 12/11/2012 | 40 | 142.9014 | 463.738 | | |
| TMP-7R | 5 | 12/11/2012 | 60 | 160.014 | 443.738 | | |
| TMP-7R | 5 | 12/11/2012 | 80 | 164.186 | 423.738 | | |
| TMP-7R | 5 | 12/11/2012 | 100 | 168.4336 | 403.738 | | |
| TMP-7R | 5 | 12/11/2012 | 120 | 167.1699 | 383.738 | | |
| TMP-7R | 5 | 12/11/2012 | 140 | 157.4674 | 363.738 | | |
| TMP-7R | 5 | 12/11/2012 | 160 | 139.116 | 343.738 | | |
| TMP-7R | 5 | 12/11/2012 | 180 | 134.9473 | 323.738 | | |
| TMP-7R | 5 | 12/11/2012 | 200 | 128.713 | 303.738 | | |
| TMP-7R | 5 | 12/11/2012 | 220 | 120.3801 | 283.738 | | |
| TMP-7R | 5 | 12/11/2012 | 240 | 105.3446 | 263.738 | | |
| TMP-7R | 6 | 12/17/2012 | 20 | 68.03193 | 483.738 | | |
| TMP-7R | 6 | 12/17/2012 | 40 | 142.9014 | 463.738 | | |
| TMP-7R | 6 | 12/17/2012 | 60 | 160.014 | 443.738 | | |
| TMP-7R | 6 | 12/17/2012 | 80 | 164.186 | 423.738 | | |
| TMP-7R | 6 | 12/17/2012 | 100 | 168.4336 | 403.738 | | |
| TMP-7R | 6 | 12/17/2012 | 120 | 167.1699 | 383.738 | | |
| TMP-7R | 6 | 12/17/2012 | 140 | 157.4674 | 363.738 | | |
| TMP-7R | 6 | 12/17/2012 | 160 | 139.116 | 343.738 | | |
| TMP-7R | 6 | 12/17/2012 | 180 | 134.9473 | 323.738 | | |
| TMP-7R | 6 | 12/17/2012 | 200 | 128.713 | 303.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-7R | 6 | 12/17/2012 | 220 | 120.3801 | 283.738 | | |
| TMP-7R | 6 | 12/17/2012 | 240 | 105.3446 | 263.738 | | |
| TMP-7R | 7 | 12/24/2012 | 20 | 68.03193 | 483.738 | | |
| TMP-7R | 7 | 12/24/2012 | 40 | 141.3333 | 463.738 | | |
| TMP-7R | 7 | 12/24/2012 | 60 | 160.559 | 443.738 | | |
| TMP-7R | 7 | 12/24/2012 | 80 | 164.186 | 423.738 | | |
| TMP-7R | 7 | 12/24/2012 | 100 | 169.6058 | 403.738 | | |
| TMP-7R | 7 | 12/24/2012 | 120 | 168.7042 | 383.738 | | |
| TMP-7R | 7 | 12/24/2012 | 140 | 158.7414 | 363.738 | | |
| TMP-7R | 7 | 12/24/2012 | 160 | 139.4859 | 343.738 | | |
| TMP-7R | 7 | 12/24/2012 | 180 | 134.8545 | 323.738 | | |
| TMP-7R | 7 | 12/24/2012 | 200 | 127.4061 | 303.738 | | |
| TMP-7R | 7 | 12/24/2012 | 220 | 118.9698 | 283.738 | | |
| TMP-7R | 7 | 12/24/2012 | 240 | 102.8676 | 263.738 | | |
| TMP-7R | 8 | 12/31/2012 | 20 | 67.04984 | 483.738 | | |
| TMP-7R | 8 | 12/31/2012 | 40 | 139.4859 | 463.738 | | |
| TMP-7R | 8 | 12/31/2012 | 60 | 160.559 | 443.738 | | |
| TMP-7R | 8 | 12/31/2012 | 80 | 165.091 | 423.738 | | |
| TMP-7R | 8 | 12/31/2012 | 100 | 170.5068 | 403.738 | | |
| TMP-7R | 8 | 12/31/2012 | 120 | 169.6058 | 383.738 | | |
| TMP-7R | 8 | 12/31/2012 | 140 | 159.6505 | 363.738 | | |
| TMP-7R | 8 | 12/31/2012 | 160 | 140.4099 | 343.738 | | |
| TMP-7R | 8 | 12/31/2012 | 180 | 134.8545 | 323.738 | | |
| TMP-7R | 8 | 12/31/2012 | 200 | 127.4061 | 303.738 | | |
| TMP-7R | 8 | 12/31/2012 | 220 | 117.0868 | 283.738 | | |
| TMP-7R | 8 | 12/31/2012 | 240 | 100.9587 | 263.738 | | |
| TMP-7R | 9 | 1/7/2013 | 20 | 66.06696 | 483.738 | | |
| TMP-7R | 9 | 1/7/2013 | 40 | 135.7822 | 463.738 | | |
| TMP-7R | 9 | 1/7/2013 | 60 | 161.4668 | 443.738 | | |
| TMP-7R | 9 | 1/7/2013 | 80 | 165.091 | 423.738 | | |
| TMP-7R | 9 | 1/7/2013 | 100 | 170.5068 | 403.738 | | |
| TMP-7R | 9 | 1/7/2013 | 120 | 170.5068 | 383.738 | | |
| TMP-7R | 9 | 1/7/2013 | 140 | 159.6505 | 363.738 | | |
| TMP-7R | 9 | 1/7/2013 | 160 | 141.3333 | 343.738 | | |
| TMP-7R | 9 | 1/7/2013 | 180 | 132.9968 | 323.738 | | |
| TMP-7R | 9 | 1/7/2013 | 200 | 125.5366 | 303.738 | | |
| TMP-7R | 9 | 1/7/2013 | 220 | 115.2008 | 283.738 | | |
| TMP-7R | 9 | 1/7/2013 | 240 | 99.04666 | 263.738 | | |
| TMP-7R | 10 | 1/9/2013 | 20 | 66.2 | 483.738 | | |
| TMP-7R | 10 | 1/9/2013 | 40 | 139.5 | 463.738 | | |
| TMP-7R | 10 | 1/9/2013 | 60 | 164.8 | 443.738 | | |
| TMP-7R | 10 | 1/9/2013 | 80 | 168.9 | 423.738 | | |
| TMP-7R | 10 | 1/9/2013 | 100 | 174.6 | 403.738 | | |
| TMP-7R | 10 | 1/9/2013 | 120 | 174.3 | 383.738 | | |
| TMP-7R | 10 | 1/9/2013 | 140 | 163.5 | 363.738 | | |
| TMP-7R | 10 | 1/9/2013 | 160 | 144.9 | 343.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-7R | 10 | 1/9/2013 | 180 | 133.5 | 323.738 | | |
| TMP-7R | 10 | 1/9/2013 | 200 | 125.1 | 303.738 | | |
| TMP-7R | 10 | 1/9/2013 | 220 | 115.3 | 283.738 | | |
| TMP-7R | 10 | 1/9/2013 | 240 | 99.8 | 263.738 | | |
| TMP-7R | 11 | 1/15/2013 | 20 | 70.2 | 483.738 | | |
| TMP-7R | 11 | 1/15/2013 | 40 | 144.1 | 463.738 | | |
| TMP-7R | 11 | 1/15/2013 | 60 | 168.1 | 443.738 | | |
| TMP-7R | 11 | 1/15/2013 | 80 | 172.2 | 423.738 | | |
| TMP-7R | 11 | 1/15/2013 | 100 | 177.2 | 403.738 | | |
| TMP-7R | 11 | 1/15/2013 | 120 | 177.1 | 383.738 | | |
| TMP-7R | 11 | 1/15/2013 | 140 | 165.7 | 363.738 | | |
| TMP-7R | 11 | 1/15/2013 | 160 | 146.9 | 343.738 | | |
| TMP-7R | 11 | 1/15/2013 | 180 | 134.4 | 323.738 | | |
| TMP-7R | 11 | 1/15/2013 | 200 | 126.2 | 303.738 | | |
| TMP-7R | 11 | 1/15/2013 | 220 | 115.2 | 283.738 | | |
| TMP-7R | 11 | 1/15/2013 | 240 | 101.2 | 263.738 | | |
| TMP-7R | 12 | 1/22/2013 | 20 | 69.3 | 483.738 | | |
| TMP-7R | 12 | 1/22/2013 | 40 | 146 | 463.738 | | |
| TMP-7R | 12 | 1/22/2013 | 60 | 168.6 | 443.738 | | |
| TMP-7R | 12 | 1/22/2013 | 80 | 172.5 | 423.738 | | |
| TMP-7R | 12 | 1/22/2013 | 100 | 177.8 | 403.738 | | |
| TMP-7R | 12 | 1/22/2013 | 120 | 177.5 | 383.738 | | |
| TMP-7R | 12 | 1/22/2013 | 140 | 166.1 | 363.738 | | |
| TMP-7R | 12 | 1/22/2013 | 160 | 146.9 | 343.738 | | |
| TMP-7R | 12 | 1/22/2013 | 180 | 133.9 | 323.738 | | |
| TMP-7R | 12 | 1/22/2013 | 200 | 126.8 | 303.738 | | |
| TMP-7R | 12 | 1/22/2013 | 220 | 113.7 | 283.738 | | |
| TMP-7R | 12 | 1/22/2013 | 240 | 99.3 | 263.738 | | |
| TMP-7R | 13 | 1/28/2013 | 20 | 68.1 | 483.738 | | |
| TMP-7R | 13 | 1/28/2013 | 40 | 145.8 | 463.738 | | |
| TMP-7R | 13 | 1/28/2013 | 60 | 166.6 | 443.738 | | |
| TMP-7R | 13 | 1/28/2013 | 80 | 171.2 | 423.738 | | |
| TMP-7R | 13 | 1/28/2013 | 100 | 176.3 | 403.738 | | |
| TMP-7R | 13 | 1/28/2013 | 120 | 175.8 | 383.738 | | |
| TMP-7R | 13 | 1/28/2013 | 140 | 165 | 363.738 | | |
| TMP-7R | 13 | 1/28/2013 | 160 | 145.7 | 343.738 | | |
| TMP-7R | 13 | 1/28/2013 | 180 | 132.7 | 323.738 | | |
| TMP-7R | 13 | 1/28/2013 | 200 | 124.7 | 303.738 | | |
| TMP-7R | 13 | 1/28/2013 | 220 | 113 | 283.738 | | |
| TMP-7R | 13 | 1/28/2013 | 240 | 99.6 | 263.738 | | |
| TMP-7R | 14 | 2/6/2013 | 20 | 66.5 | 483.738 | | |
| TMP-7R | 14 | 2/6/2013 | 40 | 151.2 | 463.738 | | |
| TMP-7R | 14 | 2/6/2013 | 60 | 168.9 | 443.738 | | |
| TMP-7R | 14 | 2/6/2013 | 80 | 173.4 | 423.738 | | |
| TMP-7R | 14 | 2/6/2013 | 100 | 178.1 | 403.738 | | |
| TMP-7R | 14 | 2/6/2013 | 120 | 177.8 | 383.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-7R | 14 | 2/6/2013 | 140 | 166.8 | 363.738 | | |
| TMP-7R | 14 | 2/6/2013 | 160 | 145.7 | 343.738 | | |
| TMP-7R | 14 | 2/6/2013 | 180 | 133.3 | 323.738 | | |
| TMP-7R | 14 | 2/6/2013 | 200 | 125.2 | 303.738 | | |
| TMP-7R | 14 | 2/6/2013 | 220 | 111.5 | 283.738 | | |
| TMP-7R | 14 | 2/6/2013 | 240 | 99.2 | 263.738 | | |
| TMP-7R | 15 | 2/7/2013 | 20 | 63.9 | 483.738 | | |
| TMP-7R | 15 | 2/7/2013 | 40 | 148.4 | 463.738 | | |
| TMP-7R | 15 | 2/7/2013 | 60 | 166.7 | 443.738 | | |
| TMP-7R | 15 | 2/7/2013 | 80 | 171.5 | 423.738 | | |
| TMP-7R | 15 | 2/7/2013 | 100 | 176.3 | 403.738 | | |
| TMP-7R | 15 | 2/7/2013 | 120 | 176 | 383.738 | | |
| TMP-7R | 15 | 2/7/2013 | 140 | 164.7 | 363.738 | | |
| TMP-7R | 15 | 2/7/2013 | 160 | 145.1 | 343.738 | | |
| TMP-7R | 15 | 2/7/2013 | 180 | 131.8 | 323.738 | | |
| TMP-7R | 15 | 2/7/2013 | 200 | 123.9 | 303.738 | | |
| TMP-7R | 15 | 2/7/2013 | 220 | 112.1 | 283.738 | | |
| TMP-7R | 15 | 2/7/2013 | 240 | 98.9 | 263.738 | | |
| TMP-7R | 16 | 2/13/2013 | 20 | 64.2 | 483.738 | | |
| TMP-7R | 16 | 2/13/2013 | 40 | 150.9 | 463.738 | | |
| TMP-7R | 16 | 2/13/2013 | 60 | 166.9 | 443.738 | | |
| TMP-7R | 16 | 2/13/2013 | 80 | 171.9 | 423.738 | | |
| TMP-7R | 16 | 2/13/2013 | 100 | 176.7 | 403.738 | | |
| TMP-7R | 16 | 2/13/2013 | 120 | 176.6 | 383.738 | | |
| TMP-7R | 16 | 2/13/2013 | 140 | 165.2 | 363.738 | | |
| TMP-7R | 16 | 2/13/2013 | 160 | 144 | 343.738 | | |
| TMP-7R | 16 | 2/13/2013 | 180 | 131.9 | 323.738 | | |
| TMP-7R | 16 | 2/13/2013 | 200 | 124.1 | 303.738 | | |
| TMP-7R | 16 | 2/13/2013 | 220 | 111.7 | 283.738 | | |
| TMP-7R | 16 | 2/13/2013 | 240 | 98.8 | 263.738 | | |
| TMP-7R | 17 | 2/18/2013 | 20 | 64.1 | 483.738 | | |
| TMP-7R | 17 | 2/18/2013 | 40 | 152 | 463.738 | | |
| TMP-7R | 17 | 2/18/2013 | 60 | 167.2 | 443.738 | | |
| TMP-7R | 17 | 2/18/2013 | 80 | 171.8 | 423.738 | | |
| TMP-7R | 17 | 2/18/2013 | 100 | 176.9 | 403.738 | | |
| TMP-7R | 17 | 2/18/2013 | 120 | 176.8 | 383.738 | | |
| TMP-7R | 17 | 2/18/2013 | 140 | 165.7 | 363.738 | | |
| TMP-7R | 17 | 2/18/2013 | 160 | 144.3 | 343.738 | | |
| TMP-7R | 17 | 2/18/2013 | 180 | 132 | 323.738 | | |
| TMP-7R | 17 | 2/18/2013 | 200 | 123.7 | 303.738 | | |
| TMP-7R | 17 | 2/18/2013 | 220 | 111.6 | 283.738 | | |
| TMP-7R | 17 | 2/18/2013 | 240 | 98.7 | 263.738 | | |
| TMP-7R | 18 | 2/25/2013 | 20 | 65.3 | 483.738 | | |
| TMP-7R | 18 | 2/25/2013 | 40 | 155.4 | 463.738 | | |
| TMP-7R | 18 | 2/25/2013 | 60 | 167.4 | 443.738 | | |
| TMP-7R | 18 | 2/25/2013 | 80 | 172.3 | 423.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-7R | 18 | 2/25/2013 | 100 | 176.5 | 403.738 | | |
| TMP-7R | 18 | 2/25/2013 | 120 | 176.4 | 383.738 | | |
| TMP-7R | 18 | 2/25/2013 | 140 | 165.7 | 363.738 | | |
| TMP-7R | 18 | 2/25/2013 | 160 | 144.1 | 343.738 | | |
| TMP-7R | 18 | 2/25/2013 | 180 | 131.9 | 323.738 | | |
| TMP-7R | 18 | 2/25/2013 | 200 | 123.8 | 303.738 | | |
| TMP-7R | 18 | 2/25/2013 | 220 | 111.1 | 283.738 | | |
| TMP-7R | 18 | 2/25/2013 | 240 | 98.3 | 263.738 | | |
| TMP-7R | 19 | 3/4/2013 | 20 | 73.4 | 483.738 | | |
| TMP-7R | 19 | 3/4/2013 | 40 | 159.9 | 463.738 | | |
| TMP-7R | 19 | 3/4/2013 | 60 | 174 | 443.738 | | |
| TMP-7R | 19 | 3/4/2013 | 80 | 178.8 | 423.738 | | |
| TMP-7R | 19 | 3/4/2013 | 100 | 182.4 | 403.738 | | |
| TMP-7R | 19 | 3/4/2013 | 120 | 180.1 | 383.738 | | |
| TMP-7R | 19 | 3/4/2013 | 140 | 169 | 363.738 | | |
| TMP-7R | 19 | 3/4/2013 | 160 | 146.7 | 343.738 | | |
| TMP-7R | 19 | 3/4/2013 | 180 | 134.1 | 323.738 | | |
| TMP-7R | 19 | 3/4/2013 | 200 | 127.1 | 303.738 | | |
| TMP-7R | 19 | 3/4/2013 | 220 | 112.5 | 283.738 | | |
| TMP-7R | 19 | 3/4/2013 | 240 | 99.8 | 263.738 | | |
| TMP-7R | 20 | 3/12/2013 | 20 | 68.3 | 483.738 | | |
| TMP-7R | 20 | 3/12/2013 | 40 | 160.4 | 463.738 | | |
| TMP-7R | 20 | 3/12/2013 | 60 | 169.7 | 443.738 | | |
| TMP-7R | 20 | 3/12/2013 | 80 | 174.6 | 423.738 | | |
| TMP-7R | 20 | 3/12/2013 | 100 | 177.3 | 403.738 | | |
| TMP-7R | 20 | 3/12/2013 | 120 | 177.6 | 383.738 | | |
| TMP-7R | 20 | 3/12/2013 | 140 | 167.2 | 363.738 | | |
| TMP-7R | 20 | 3/12/2013 | 160 | 144.6 | 343.738 | | |
| TMP-7R | 20 | 3/12/2013 | 180 | 132.1 | 323.738 | | |
| TMP-7R | 20 | 3/12/2013 | 200 | 123 | 303.738 | | |
| TMP-7R | 20 | 3/12/2013 | 220 | 110.3 | 283.738 | | |
| TMP-7R | 20 | 3/12/2013 | 240 | 96.8 | 263.738 | | |
| TMP-7R | 21 | 3/19/2013 | 20 | 70 | 483.738 | | |
| TMP-7R | 21 | 3/19/2013 | 40 | 160.4 | 463.738 | | |
| TMP-7R | 21 | 3/19/2013 | 60 | 168.9 | 443.738 | | |
| TMP-7R | 21 | 3/19/2013 | 80 | 173.7 | 423.738 | | |
| TMP-7R | 21 | 3/19/2013 | 100 | 177 | 403.738 | | |
| TMP-7R | 21 | 3/19/2013 | 120 | 176.9 | 383.738 | | |
| TMP-7R | 21 | 3/19/2013 | 140 | 166.7 | 363.738 | | |
| TMP-7R | 21 | 3/19/2013 | 160 | 144 | 343.738 | | |
| TMP-7R | 21 | 3/19/2013 | 180 | 131.5 | 323.738 | | |
| TMP-7R | 21 | 3/19/2013 | 200 | 123.4 | 303.738 | | |
| TMP-7R | 21 | 3/19/2013 | 220 | 109.9 | 283.738 | | |
| TMP-7R | 21 | 3/19/2013 | 240 | 96.4 | 263.738 | | |
| TMP-7R | 22 | 3/26/2013 | 20 | 76.1 | 483.738 | | |
| TMP-7R | 22 | 3/26/2013 | 40 | 164.1 | 463.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-------------|
| TMP-7R | 22 | 3/26/2013 | 60 | 171.6 | 443.738 | | |
| TMP-7R | 22 | 3/26/2013 | 80 | 176 | 423.738 | | |
| TMP-7R | 22 | 3/26/2013 | 100 | 178.3 | 403.738 | | |
| TMP-7R | 22 | 3/26/2013 | 120 | 177.7 | 383.738 | | |
| TMP-7R | 22 | 3/26/2013 | 140 | 167 | 363.738 | | |
| TMP-7R | 22 | 3/26/2013 | 160 | 146.1 | 343.738 | | |
| TMP-7R | 22 | 3/26/2013 | 180 | 130.5 | 323.738 | | |
| TMP-7R | 22 | 3/26/2013 | 200 | 122.8 | 303.738 | | |
| TMP-7R | 22 | 3/26/2013 | 220 | 109.8 | 283.738 | | |
| TMP-7R | 22 | 3/26/2013 | 240 | 95.3 | 263.738 | | |
| TMP-7R | 23 | 4/3/2013 | 20 | 74.8 | 483.738 | | |
| TMP-7R | 23 | 4/3/2013 | 40 | 165.5 | 463.738 | | |
| TMP-7R | 23 | 4/3/2013 | 60 | 172.7 | 443.738 | | |
| TMP-7R | 23 | 4/3/2013 | 80 | 177.3 | 423.738 | | |
| TMP-7R | 23 | 4/3/2013 | 100 | 179.8 | 403.738 | | |
| TMP-7R | 26 | 4/10/2013 | 20 | 71.8 | 483.738 | | |
| TMP-7R | 26 | 4/10/2013 | 40 | 161.2 | 463.738 | | |
| TMP-7R | 26 | 4/10/2013 | 60 | 170.8 | 443.738 | | |
| TMP-7R | 26 | 4/10/2013 | 80 | 174.7 | 423.738 | | |
| TMP-7R | 26 | 4/10/2013 | 100 | 176.9 | 403.738 | | |
| TMP-7R | 26 | 4/10/2013 | 120 | 178.4 | 383.738 | | |
| TMP-7R | 26 | 4/10/2013 | 140 | 167.8 | 363.738 | | |
| TMP-7R | 26 | 4/10/2013 | 160 | 146.5 | 343.738 | | |
| TMP-7R | 26 | 4/10/2013 | 180 | 132.6 | 323.738 | | |
| TMP-7R | 26 | 4/10/2013 | 200 | 124.7 | 303.738 | | |
| TMP-7R | 26 | 4/10/2013 | 220 | 112.1 | 283.738 | | |
| TMP-7R | 26 | 4/10/2013 | 240 | 97.4 | 263.738 | | |
| TMP-7R | 27 | 4/17/2013 | 20 | 65.2 | 483.738 | | |
| TMP-7R | 27 | 4/17/2013 | 40 | 160.4 | 463.738 | | |
| TMP-7R | 27 | 4/17/2013 | 60 | 169.7 | 443.738 | | |
| TMP-7R | 27 | 4/17/2013 | 80 | 174.2 | 423.738 | | |
| TMP-7R | 27 | 4/17/2013 | 100 | | 403.738 | 176.5 | Resistivity |
| TMP-7R | 27 | 4/17/2013 | 120 | 174.7 | 383.738 | | |
| TMP-7R | 27 | 4/17/2013 | 140 | 168 | 363.738 | | |
| TMP-7R | 27 | 4/17/2013 | 160 | 145.6 | 343.738 | | |
| TMP-7R | 27 | 4/17/2013 | 180 | | 323.738 | 132.6 | Resistivity |
| TMP-7R | 27 | 4/17/2013 | 200 | 124.7 | 303.738 | | |
| TMP-7R | 27 | 4/17/2013 | 220 | | 283.738 | 112 | Resistivity |
| TMP-7R | 27 | 4/17/2013 | 240 | 98.3 | 263.738 | | |
| TMP-7R | 28 | 4/30/2013 | 20 | 71.9 | 483.738 | | |
| TMP-7R | 28 | 4/30/2013 | 40 | 161.5 | 463.738 | | |
| TMP-7R | 28 | 4/30/2013 | 60 | 171 | 443.738 | | |
| TMP-7R | 28 | 4/30/2013 | 80 | 174.9 | 423.738 | | |
| TMP-7R | 28 | 4/30/2013 | 100 | | 403.738 | 177.2 | Resistivity |
| TMP-7R | 28 | 4/30/2013 | 120 | 178.6 | 383.738 | | |
| TMP-7R | 28 | 4/30/2013 | 140 | 168.1 | 363.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-7R | 28 | 4/30/2013 | 160 | 146.8 | 343.738 | | |
| TMP-7R | 28 | 4/30/2013 | 180 | | 323.738 | 132.7 | Resistivity |
| TMP-7R | 28 | 4/30/2013 | 200 | 124.6 | 303.738 | | |
| TMP-7R | 28 | 4/30/2013 | 220 | | 283.738 | 112.3 | Resistivity |
| TMP-7R | 28 | 4/30/2013 | 240 | 97.6 | 263.738 | | |
| TMP-7R | 29 | 5/9/2013 | 20 | 69.1 | 483.738 | | |
| TMP-7R | 29 | 5/9/2013 | 40 | 163.6 | 463.738 | | |
| TMP-7R | 29 | 5/9/2013 | 60 | 172.1 | 443.738 | | |
| TMP-7R | 29 | 5/9/2013 | 80 | 176.8 | 423.738 | | |
| TMP-7R | 29 | 5/9/2013 | 100 | | 403.738 | 178.4 | Resistivity |
| TMP-7R | 29 | 5/9/2013 | 120 | 153.2 | 383.738 | | |
| TMP-7R | 29 | 5/9/2013 | 140 | 169.7 | 363.738 | | |
| TMP-7R | 29 | 5/9/2013 | 160 | 145.5 | 343.738 | | |
| TMP-7R | 29 | 5/9/2013 | 180 | | 323.738 | 132.6 | Resistivity |
| TMP-7R | 29 | 5/9/2013 | 200 | 124.9 | 303.738 | | |
| TMP-7R | 29 | 5/9/2013 | 220 | | 283.738 | 110.9 | Resistivity |
| TMP-7R | 29 | 5/9/2013 | 240 | 96.7 | 263.738 | | |
| TMP-7R | 30 | 5/15/2013 | 20 | 78.6 | 483.738 | | |
| TMP-7R | 30 | 5/15/2013 | 40 | 171.1 | 463.738 | | |
| TMP-7R | 30 | 5/15/2013 | 60 | 178 | 443.738 | | |
| TMP-7R | 30 | 5/15/2013 | 80 | 179.7 | 423.738 | | |
| TMP-7R | 30 | 5/15/2013 | 100 | | 403.738 | 179.9 | Resistivity |
| TMP-7R | 30 | 5/15/2013 | 120 | 175.3 | 383.738 | | |
| TMP-7R | 30 | 5/15/2013 | 140 | 173.7 | 363.738 | | |
| TMP-7R | 30 | 5/15/2013 | 160 | 147.6 | 343.738 | | |
| TMP-7R | 30 | 5/15/2013 | 180 | | 323.738 | 133 | Resistivity |
| TMP-7R | 30 | 5/15/2013 | 200 | 126.3 | 303.738 | | |
| TMP-7R | 30 | 5/15/2013 | 220 | | 283.738 | 114.1 | Resistivity |
| TMP-7R | 30 | 5/15/2013 | 240 | 104.1 | 263.738 | | |
| TMP-7R | 31 | 5/22/2013 | 20 | 74.7 | 483.738 | | |
| TMP-7R | 31 | 5/22/2013 | 40 | | 463.738 | 167 | Resistivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 60 | | 443.738 | 176.3 | Resistivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 80 | | 423.738 | 179.5 | Resistivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 100 | 178 | 403.738 | | |
| TMP-7R | 31 | 5/22/2013 | 120 | | 383.738 | 177.7 | Resistivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 140 | 170.9 | 363.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-7R | 31 | 5/22/2013 | 160 | | 343.738 | 149.7 | Resitivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 180 | 134 | 323.738 | | |
| TMP-7R | 31 | 5/22/2013 | 200 | | 303.738 | 127 | Resistivity Outside Acceptable Limit |
| TMP-7R | 31 | 5/22/2013 | 220 | 102.1 | 283.738 | | |
| TMP-7R | 31 | 5/22/2013 | 240 | | 263.738 | | Large Flucuations - Unit No Longer Functioning |
| TMP-7R | 32 | 5/29/2013 | 20 | | 483.738 | 68.4 | Reading bounced could not obtain valid reading |
| TMP-7R | 32 | 5/29/2013 | 40 | | 463.738 | 122.1 | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 60 | | 443.738 | 204.9 | Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 80 | | 423.738 | 191.2 | Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 100 | 180.7 | 403.738 | | |
| TMP-7R | 32 | 5/29/2013 | 120 | | 383.738 | 162 | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 140 | 170.2 | 363.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-7R | 32 | 5/29/2013 | 160 | | 343.738 | 147.7 | Reading bounced could not obtain valid readingResistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 180 | 140.2 | 323.738 | | |
| TMP-7R | 32 | 5/29/2013 | 200 | | 303.738 | 129.3 | Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 32 | 5/29/2013 | 220 | 109.4 | 283.738 | | |
| TMP-7R | 32 | 5/29/2013 | 240 | | 263.738 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-7R | 34 | 6/5/2013 | 20 | | 483.738 | | NLW, Large fluctuation during Reading |
| TMP-7R | 34 | 6/5/2013 | 40 | | 463.738 | | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 60 | | 443.738 | 188.7 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 80 | 182.1 | 423.738 | | |
| TMP-7R | 34 | 6/5/2013 | 100 | | 403.738 | | OL |
| TMP-7R | 34 | 6/5/2013 | 120 | | 383.738 | 185.4 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 140 | 167.8 | 363.738 | | |
| TMP-7R | 34 | 6/5/2013 | 160 | | 343.738 | 160.6 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 180 | | 323.738 | 184 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 200 | | 303.738 | 146.2 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 220 | | 283.738 | 106.5 | NLW - resistivity |
| TMP-7R | 34 | 6/5/2013 | 240 | | 263.738 | | NLW - resistivity |
| TMP-7R | 35 | 6/12/2013 | 20 | 83.1 | 483.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 40 | 192.1 | 463.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 60 | 189.8 | 443.738 | | Installed new OMEGA dial on TMP 7, |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|------------------------------------|
| TMP-7R | 35 | 6/12/2013 | 80 | 194.2 | 423.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 100 | 217.3 | 403.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 120 | 207.6 | 383.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 140 | 174.5 | 363.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 160 | 150.4 | 343.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 180 | 136.7 | 323.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 200 | 128.4 | 303.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 220 | 115.1 | 283.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 35 | 6/12/2013 | 240 | 99.4 | 263.738 | | Installed new OMEGA dial on TMP 7, |
| TMP-7R | 36 | 6/19/2013 | 20 | 83.7 | 483.738 | | |
| TMP-7R | 36 | 6/19/2013 | 40 | 198.9 | 463.738 | | |
| TMP-7R | 36 | 6/19/2013 | 60 | 203 | 443.738 | | |
| TMP-7R | 36 | 6/19/2013 | 80 | 208.9 | 423.738 | | |
| TMP-7R | 36 | 6/19/2013 | 100 | 235.1 | 403.738 | | |
| TMP-7R | 36 | 6/19/2013 | 120 | 206.7 | 383.738 | | |
| TMP-7R | 36 | 6/19/2013 | 140 | 175.3 | 363.738 | | |
| TMP-7R | 36 | 6/19/2013 | 160 | 153.8 | 343.738 | | |
| TMP-7R | 36 | 6/19/2013 | 180 | 141 | 323.738 | | |
| TMP-7R | 36 | 6/19/2013 | 200 | 128.6 | 303.738 | | |
| TMP-7R | 36 | 6/19/2013 | 220 | 115 | 283.738 | | |
| TMP-7R | 36 | 6/19/2013 | 240 | 99 | 263.738 | | |
| TMP-7R | 37 | 6/27/2013 | 20 | 87.2 | 483.738 | | |
| TMP-7R | 37 | 6/27/2013 | 40 | 207.1 | 463.738 | | |
| TMP-7R | 37 | 6/27/2013 | 60 | 212.4 | 443.738 | | |
| TMP-7R | 37 | 6/27/2013 | 80 | 218.2 | 423.738 | | |
| TMP-7R | 37 | 6/27/2013 | 100 | 241.2 | 403.738 | | |
| TMP-7R | 37 | 6/27/2013 | 120 | 204.8 | 383.738 | | |
| TMP-7R | 37 | 6/27/2013 | 140 | 173.1 | 363.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|------------------------|
| TMP-7R | 37 | 6/27/2013 | 160 | 149.5 | 343.738 | | |
| TMP-7R | 37 | 6/27/2013 | 180 | 139.9 | 323.738 | | |
| TMP-7R | 37 | 6/27/2013 | 200 | 119.5 | 303.738 | | |
| TMP-7R | 37 | 6/27/2013 | 220 | 111.6 | 283.738 | | |
| TMP-7R | 37 | 6/27/2013 | 240 | 98 | 263.738 | | |
| TMP-7R | 38 | 7/3/2013 | 20 | 89 | 483.738 | | |
| TMP-7R | 38 | 7/3/2013 | 40 | 212.4 | 463.738 | | |
| TMP-7R | 38 | 7/3/2013 | 60 | 218.1 | 443.738 | | |
| TMP-7R | 38 | 7/3/2013 | 80 | 221.2 | 423.738 | | |
| TMP-7R | 38 | 7/3/2013 | 100 | 240.7 | 403.738 | | |
| TMP-7R | 38 | 7/3/2013 | 120 | 214.6 | 383.738 | | |
| TMP-7R | 38 | 7/3/2013 | 140 | 174 | 363.738 | | |
| TMP-7R | 38 | 7/3/2013 | 160 | 148.1 | 343.738 | | |
| TMP-7R | 38 | 7/3/2013 | 180 | 139.9 | 323.738 | | |
| TMP-7R | 38 | 7/3/2013 | 200 | 121.3 | 303.738 | | |
| TMP-7R | 38 | 7/3/2013 | 220 | 111.6 | 283.738 | | |
| TMP-7R | 38 | 7/3/2013 | 240 | 98.5 | 263.738 | | |
| TMP-7R | 40 | 7/10/2013 | 20 | 112.1 | 483.738 | | |
| TMP-7R | 40 | 7/10/2013 | 40 | 216.9 | 463.738 | | |
| TMP-7R | 40 | 7/10/2013 | 60 | 223.8 | 443.738 | | |
| TMP-7R | 40 | 7/10/2013 | 80 | 227.2 | 423.738 | | |
| TMP-7R | 40 | 7/10/2013 | 100 | 255.4 | 403.738 | | |
| TMP-7R | 40 | 7/10/2013 | 120 | 219.5 | 383.738 | | |
| TMP-7R | 40 | 7/10/2013 | 140 | 185.1 | 363.738 | | |
| TMP-7R | 40 | 7/10/2013 | 160 | 148 | 343.738 | | |
| TMP-7R | 40 | 7/10/2013 | 180 | 157.3 | 323.738 | | |
| TMP-7R | 40 | 7/10/2013 | 200 | 127.1 | 303.738 | | |
| TMP-7R | 40 | 7/10/2013 | 220 | 117 | 283.738 | | |
| TMP-7R | 40 | 7/10/2013 | 240 | 100.4 | 263.738 | | |
| TMP-7R | 41 | 7/18/2013 | 20 | 106 | 483.738 | | |
| TMP-7R | 41 | 7/18/2013 | 40 | 225.8 | 463.738 | | |
| TMP-7R | 41 | 7/18/2013 | 60 | 234.8 | 443.738 | | |
| TMP-7R | 41 | 7/18/2013 | 80 | | 423.738 | 253.7 | High resistance |
| TMP-7R | 41 | 7/18/2013 | 100 | 248.8 | 403.738 | | |
| TMP-7R | 41 | 7/18/2013 | 120 | 232.1 | 383.738 | | |
| TMP-7R | 41 | 7/18/2013 | 140 | 189.3 | 363.738 | | |
| TMP-7R | 41 | 7/18/2013 | 160 | 154.1 | 343.738 | | |
| TMP-7R | 41 | 7/18/2013 | 180 | 143.8 | 323.738 | | |
| TMP-7R | 41 | 7/18/2013 | 200 | 132.7 | 303.738 | | |
| TMP-7R | 41 | 7/18/2013 | 220 | | 283.738 | 126.2 | High resistance |
| TMP-7R | 41 | 7/18/2013 | 240 | 101.7 | 263.738 | | |
| TMP-7R | 42 | 7/25/2013 | 20 | 120.7 | 483.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 40 | 231.5 | 463.738 | | fluctuates resistivity |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------|
| TMP-7R | 42 | 7/25/2013 | 60 | 243.1 | 443.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 80 | | 423.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 100 | 266.7 | 403.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 120 | 259.1 | 383.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 140 | 215 | 363.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 160 | 173.1 | 343.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 180 | 142.5 | 323.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 200 | 127.5 | 303.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 220 | 109.7 | 283.738 | | fluctuates resistivity |
| TMP-7R | 42 | 7/25/2013 | 240 | 99.5 | 263.738 | | fluctuates resistivity |
| TMP-7R | 43 | 8/1/2013 | 20 | 121.1 | 483.738 | | |
| TMP-7R | 43 | 8/1/2013 | 40 | 210.1 | 463.738 | | |
| TMP-7R | 43 | 8/1/2013 | 60 | 239.5 | 443.738 | | |
| TMP-7R | 43 | 8/1/2013 | 80 | 234.7 | 423.738 | | |
| TMP-7R | 43 | 8/1/2013 | 100 | 255.5 | 403.738 | | |
| TMP-7R | 43 | 8/1/2013 | 120 | 246 | 383.738 | | |
| TMP-7R | 43 | 8/1/2013 | 140 | 198.9 | 363.738 | | |
| TMP-7R | 43 | 8/1/2013 | 160 | 166.1 | 343.738 | | |
| TMP-7R | 43 | 8/1/2013 | 180 | 140.2 | 323.738 | | |
| TMP-7R | 43 | 8/1/2013 | 200 | 125.3 | 303.738 | | |
| TMP-7R | 43 | 8/1/2013 | 220 | 109.8 | 283.738 | | |
| TMP-7R | 43 | 8/1/2013 | 240 | 97.4 | 263.738 | | |
| TMP-7R | 44 | 8/6/2013 | 20 | 116.1 | 483.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 40 | 226.3 | 463.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 60 | 234.9 | 443.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 80 | 240.9 | 423.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 100 | 258.6 | 403.738 | | Minor fluctuation temp/ohm |
| TMP-7R | 44 | 8/6/2013 | 120 | 224.9 | 383.738 | | Minor fluctuation ohm |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-7R | 44 | 8/6/2013 | 140 | 210.5 | 363.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 160 | 152.8 | 343.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 180 | 142.3 | 323.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 200 | 114.7 | 303.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 220 | 122.7 | 283.738 | | Minor fluctuation ohm |
| TMP-7R | 44 | 8/6/2013 | 240 | 99.8 | 263.738 | | Minor fluctuation ohm |
| TMP-7R | 45 | 8/14/2013 | 20 | | 483.738 | 115.3 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 40 | | 463.738 | 214.1 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 60 | | 443.738 | 227.3 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 80 | | 423.738 | 650.6 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 100 | | 403.738 | 236.3 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 120 | | 383.738 | 231.3 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 140 | | 363.738 | 186.2 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 160 | | 343.738 | 157.3 | RESISTANCE TOO HIGH NOT VALID re-read on 8/15/13 |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-7R | 45 | 8/14/2013 | 180 | | 323.738 | 138.6 | RESISTANCE TOO HIGH NOT VALID - re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 200 | | 303.738 | 132.2 | RESISTANCE TOO HIGH NOT VALID - re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 220 | | 283.738 | 119.6 | RESISTANCE TOO HIGH NOT VALID - re-read on 8/15/13 |
| TMP-7R | 45 | 8/14/2013 | 240 | | 263.738 | 97.2 | RESISTANCE TOO HIGH NOT VALID - re-read on 8/15/13 |
| TMP-7R | 46 | 8/15/2013 | 20 | 114.2 | 483.738 | | |
| TMP-7R | 46 | 8/15/2013 | 40 | 216.7 | 463.738 | | |
| TMP-7R | 46 | 8/15/2013 | 60 | 227.9 | 443.738 | | |
| TMP-7R | 46 | 8/15/2013 | 80 | 230.3 | 423.738 | | |
| TMP-7R | 46 | 8/15/2013 | 100 | 236.9 | 403.738 | | |
| TMP-7R | 46 | 8/15/2013 | 120 | 230.4 | 383.738 | | |
| TMP-7R | 46 | 8/15/2013 | 140 | 179.2 | 363.738 | | |
| TMP-7R | 46 | 8/15/2013 | 160 | 154.8 | 343.738 | | |
| TMP-7R | 46 | 8/15/2013 | 180 | 138.9 | 323.738 | | |
| TMP-7R | 46 | 8/15/2013 | 200 | 133.6 | 303.738 | | |
| TMP-7R | 46 | 8/15/2013 | 220 | 118 | 283.738 | | |
| TMP-7R | 46 | 8/15/2013 | 240 | 101.3 | 263.738 | | |
| TMP-7R | 48 | 8/20/2013 | 20 | 114.4 | 483.738 | | |
| TMP-7R | 48 | 8/20/2013 | 40 | 216.1 | 463.738 | | |
| TMP-7R | 48 | 8/20/2013 | 60 | 226.5 | 443.738 | | |
| TMP-7R | 48 | 8/20/2013 | 80 | 231 | 423.738 | | |
| TMP-7R | 48 | 8/20/2013 | 100 | 240.4 | 403.738 | | |
| TMP-7R | 48 | 8/20/2013 | 120 | 239.5 | 383.738 | | |
| TMP-7R | 48 | 8/20/2013 | 140 | 179.6 | 363.738 | | |
| TMP-7R | 48 | 8/20/2013 | 160 | 151.9 | 343.738 | | |
| TMP-7R | 48 | 8/20/2013 | 180 | 135.2 | 323.738 | | |
| TMP-7R | 48 | 8/20/2013 | 200 | 129.6 | 303.738 | | |
| TMP-7R | 48 | 8/20/2013 | 220 | 112.1 | 283.738 | | |
| TMP-7R | 48 | 8/20/2013 | 240 | 96 | 263.738 | | |
| TMP-7R | 49 | 8/27/2013 | 20 | 114.9 | 483.738 | | |
| TMP-7R | 49 | 8/27/2013 | 40 | 215.2 | 463.738 | | |
| TMP-7R | 49 | 8/27/2013 | 60 | 225.5 | 443.738 | | |
| TMP-7R | 49 | 8/27/2013 | 80 | 230.6 | 423.738 | | |
| TMP-7R | 49 | 8/27/2013 | 100 | 248.2 | 403.738 | | |
| TMP-7R | 49 | 8/27/2013 | 120 | 260.4 | 383.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------|
| TMP-7R | 49 | 8/27/2013 | 140 | 184.3 | 363.738 | | |
| TMP-7R | 49 | 8/27/2013 | 160 | 153.1 | 343.738 | | |
| TMP-7R | 49 | 8/27/2013 | 180 | 137.5 | 323.738 | | |
| TMP-7R | 49 | 8/27/2013 | 200 | 132.6 | 303.738 | | |
| TMP-7R | 49 | 8/27/2013 | 220 | 109.3 | 283.738 | | |
| TMP-7R | 49 | 8/27/2013 | 240 | 93.1 | 263.738 | | |
| TMP-7R | 50 | 9/3/2013 | 20 | 118.4 | 483.738 | | |
| TMP-7R | 50 | 9/3/2013 | 40 | 215.5 | 463.738 | | |
| TMP-7R | 50 | 9/3/2013 | 60 | 227.4 | 443.738 | | |
| TMP-7R | 50 | 9/3/2013 | 80 | 231.5 | 423.738 | | |
| TMP-7R | 50 | 9/3/2013 | 100 | 250.6 | 403.738 | | |
| TMP-7R | 50 | 9/3/2013 | 120 | 269.6 | 383.738 | | |
| TMP-7R | 50 | 9/3/2013 | 140 | | 363.738 | | Temperature fluctuation/NR |
| TMP-7R | 50 | 9/3/2013 | 160 | 154.6 | 343.738 | | |
| TMP-7R | 50 | 9/3/2013 | 180 | 130.2 | 323.738 | | |
| TMP-7R | 50 | 9/3/2013 | 200 | | 303.738 | | Temperature fluctuation/NR |
| TMP-7R | 50 | 9/3/2013 | 220 | 110.3 | 283.738 | | |
| TMP-7R | 50 | 9/3/2013 | 240 | 95.3 | 263.738 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|-------------|-----------|------------|----------|
| TMP-8 | 5 | 12/11/2012 | 20 | 147.5012661 | 501.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 40 | 154.0024726 | 481.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 60 | 165.4528086 | 461.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 80 | 168.7944236 | 441.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 100 | 175.0013188 | 421.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 120 | 183.4060251 | 401.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 140 | 182.6038369 | 381.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 160 | 172.0368033 | 361.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 180 | 170.8669543 | 341.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 200 | 165.7240985 | 321.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 220 | 158.9232677 | 301.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 240 | 144.2832287 | 281.9709 | | |
| TMP-8 | 5 | 12/11/2012 | 260 | 104.2972327 | 261.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 20 | 147.5012661 | 501.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 40 | 154.0024726 | 481.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 60 | 165.4528086 | 461.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 80 | 168.7944236 | 441.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 100 | 175.0013188 | 421.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 120 | 183.4060251 | 401.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 140 | 182.6038369 | 381.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 160 | 172.0368033 | 361.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 180 | 170.8669543 | 341.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 200 | 165.7240985 | 321.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 220 | 158.9232677 | 301.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 240 | 144.2832287 | 281.9709 | | |
| TMP-8 | 6 | 12/17/2012 | 260 | 104.2972327 | 261.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 20 | 142.718174 | 501.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 40 | 148.6965734 | 481.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 60 | 159.1531426 | 461.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 80 | 162.1874541 | 441.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 100 | 167.8031353 | 421.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 120 | 175.3655628 | 401.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 140 | 174.6458157 | 381.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 160 | 165.1242875 | 361.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 180 | 164.0655129 | 341.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 200 | 159.3997728 | 321.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 220 | 153.2016124 | 301.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 240 | 139.7476613 | 281.9709 | | |
| TMP-8 | 7 | 12/24/2012 | 260 | 102.1971566 | 261.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 20 | 154.1850889 | 501.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 40 | 161.4667883 | 481.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 60 | 172.3066068 | 461.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 80 | 176.7944512 | 441.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 100 | 183.0495623 | 421.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 120 | 190.159096 | 401.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 140 | 190.159096 | 381.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|-------------|-----------|------------|----------|
| TMP-8 | 8 | 12/31/2012 | 160 | 175.8982181 | 361.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 180 | 169.6058405 | 341.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 200 | 163.2802674 | 321.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 220 | 165.0909929 | 301.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 240 | 148.6943053 | 281.9709 | | |
| TMP-8 | 8 | 12/31/2012 | 260 | 107.6264054 | 261.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 20 | 159.650543 | 501.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 40 | 170.5067713 | 481.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 60 | 177.6900196 | 461.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 80 | 182.157948 | 441.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 100 | 193.6984467 | 421.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 120 | 196.3463019 | 401.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 140 | 192.8145634 | 381.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 160 | 180.3727529 | 361.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 180 | 179.4791688 | 341.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 200 | 165.0909929 | 321.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 220 | 166.898977 | 301.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 240 | 153.2717259 | 281.9709 | | |
| TMP-8 | 9 | 1/7/2013 | 260 | 115.2008175 | 261.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 20 | 181.9 | 501.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 40 | 197.6 | 481.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 60 | 206.1 | 461.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 80 | 212 | 441.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 100 | 217.4 | 421.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 120 | 214.5 | 401.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 140 | 202.7 | 381.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 160 | 183.4 | 361.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 180 | 181 | 341.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 200 | 174.9 | 321.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 220 | 167.5 | 301.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 240 | 153.5 | 281.9709 | | |
| TMP-8 | 10 | 1/9/2013 | 260 | 108.6 | 261.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 20 | 181.3 | 501.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 40 | 197.1 | 481.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 60 | 205.9 | 461.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 80 | 212 | 441.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 100 | 218.4 | 421.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 120 | 212.6 | 401.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 140 | 202.4 | 381.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 160 | 180.6 | 361.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 180 | | 341.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 200 | 172.6 | 321.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 220 | 165.5 | 301.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 240 | 151 | 281.9709 | | |
| TMP-8 | 11 | 1/15/2013 | 260 | 107.2 | 261.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 20 | 195.8 | 501.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-8 | 12 | 1/22/2013 | 40 | 211.4 | 481.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 60 | 220.3 | 461.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 80 | 227.8 | 441.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 100 | 233.7 | 421.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 120 | 223.1 | 401.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 140 | 212.8 | 381.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 160 | 198.2 | 361.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 180 | 196.2 | 341.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 200 | 188.2 | 321.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 220 | 181.6 | 301.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 240 | 168.1 | 281.9709 | | |
| TMP-8 | 12 | 1/22/2013 | 260 | 125 | 261.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 20 | 196 | 501.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 40 | 211.3 | 481.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 60 | 222.8 | 461.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 80 | 229.2 | 441.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 100 | 234.3 | 421.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 120 | 229.5 | 401.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 140 | 213.7 | 381.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 160 | 190 | 361.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 180 | 187.5 | 341.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 200 | 181.3 | 321.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 220 | 174.2 | 301.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 240 | 161.1 | 281.9709 | | |
| TMP-8 | 13 | 1/28/2013 | 260 | 116.9 | 261.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 20 | 198 | 501.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 40 | 215.2 | 481.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 60 | 225.7 | 461.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 80 | 231.1 | 441.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 100 | 236 | 421.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 120 | 239.2 | 401.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 140 | 269.3 | 381.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 160 | 189.3 | 361.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 180 | 187.4 | 341.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 200 | 180.8 | 321.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 220 | 173.8 | 301.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 240 | 159.7 | 281.9709 | | |
| TMP-8 | 14 | 2/6/2013 | 260 | 115.9 | 261.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 20 | 200.8 | 501.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 40 | 218.3 | 481.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 60 | 228.4 | 461.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 80 | 233.7 | 441.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 100 | 239.2 | 421.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 120 | 242.5 | 401.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 140 | 278.1 | 381.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 160 | 191.9 | 361.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-8 | 15 | 2/7/2013 | 180 | 189.8 | 341.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 200 | 183.3 | 321.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 220 | 176.2 | 301.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 240 | 162.2 | 281.9709 | | |
| TMP-8 | 15 | 2/7/2013 | 260 | 118.7 | 261.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 20 | 189.8 | 501.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 40 | 204.9 | 481.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 60 | 213.8 | 461.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 80 | 219.3 | 441.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 100 | 224.5 | 421.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 120 | 228.6 | 401.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 140 | 251.7 | 381.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 160 | 175.5 | 361.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 180 | 172.8 | 341.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 200 | 166.5 | 321.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 220 | 158.8 | 301.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 240 | 144.3 | 281.9709 | | |
| TMP-8 | 16 | 2/13/2013 | 260 | 110.8 | 261.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 20 | 199 | 501.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 40 | 218.3 | 481.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 60 | 228 | 461.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 80 | 232.5 | 441.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 100 | 237.6 | 421.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 120 | 242.4 | 401.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 140 | 259.2 | 381.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 160 | 188.1 | 361.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 180 | 186 | 341.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 200 | 179.3 | 321.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 220 | 172.8 | 301.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 240 | 158.7 | 281.9709 | | |
| TMP-8 | 17 | 2/18/2013 | 260 | 115.8 | 261.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 20 | 192.2 | 501.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 40 | 210.6 | 481.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 60 | 219.8 | 461.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 80 | 224.7 | 441.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 100 | 229.9 | 421.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 120 | 235.5 | 401.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 140 | 260.5 | 381.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 160 | 183.8 | 361.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 180 | 176.8 | 341.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 200 | | 321.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 220 | 163 | 301.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 240 | 149.5 | 281.9709 | | |
| TMP-8 | 18 | 2/25/2013 | 260 | 105.9 | 261.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 20 | 198.7 | 501.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 40 | 219.8 | 481.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-8 | 19 | 3/4/2013 | 60 | | 461.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 80 | 232.9 | 441.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 100 | 239.5 | 421.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 120 | 244.3 | 401.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 140 | 284.9 | 381.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 160 | 194.4 | 361.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 180 | | 341.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 200 | | 321.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 220 | 171.3 | 301.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 240 | | 281.9709 | | |
| TMP-8 | 19 | 3/4/2013 | 260 | 114.7 | 261.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 20 | 199.5 | 501.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 40 | 216.5 | 481.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 60 | | 461.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 80 | 236.5 | 441.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 100 | 243.3 | 421.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 120 | 249.8 | 401.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 140 | 285.7 | 381.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 160 | 196.8 | 361.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 180 | | 341.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 200 | | 321.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 220 | 174.3 | 301.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 240 | | 281.9709 | | |
| TMP-8 | 20 | 3/12/2013 | 260 | | 261.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 20 | 190.5 | 501.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 40 | 210 | 481.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 60 | | 461.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 80 | 212.7 | 441.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 100 | 237.7 | 421.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 120 | | 401.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 140 | 279.9 | 381.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 160 | 189.9 | 361.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 180 | | 341.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 200 | | 321.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 220 | 160.1 | 301.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 240 | | 281.9709 | | |
| TMP-8 | 21 | 3/19/2013 | 260 | | 261.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 20 | 206.1 | 501.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 40 | 231.2 | 481.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 60 | 245.8 | 461.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 80 | 201.3 | 441.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 100 | 267.5 | 421.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 120 | | 401.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 140 | 309.4 | 381.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 160 | | 361.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 180 | | 341.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-------------|
| TMP-8 | 22 | 3/26/2013 | 200 | | 321.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 220 | 205.5 | 301.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 240 | | 281.9709 | | |
| TMP-8 | 22 | 3/26/2013 | 260 | | 261.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 20 | 188.7 | 501.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 40 | 214.1 | 481.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 60 | | 461.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 80 | 236.4 | 441.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 100 | 242.5 | 421.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 120 | | 401.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 140 | 283.5 | 381.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 160 | | 361.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 180 | | 341.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 200 | | 321.9709 | | |
| TMP-8 | 23 | 4/3/2013 | 220 | 166.9 | 301.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 120 | | 401.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 140 | 284.2 | 381.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 160 | | 361.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 180 | | 341.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 200 | | 321.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 220 | 167.8 | 301.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 240 | | 281.9709 | | |
| TMP-8 | 26 | 4/10/2013 | 260 | | 261.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 20 | 191.1 | 501.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 40 | | 481.9709 | 218.9 | Resistivity |
| TMP-8 | 27 | 4/17/2013 | 60 | | 461.9709 | 226.3 | Resistivity |
| TMP-8 | 27 | 4/17/2013 | 80 | 238.8 | 441.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 100 | 240.1 | 421.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 120 | | 401.9709 | | Resistivity |
| TMP-8 | 27 | 4/17/2013 | 140 | 297.1 | 381.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 160 | | 361.9709 | | Resistivity |
| TMP-8 | 27 | 4/17/2013 | 180 | | 341.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 200 | | 321.9709 | | Resistivity |
| TMP-8 | 27 | 4/17/2013 | 220 | 170.5 | 301.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 240 | | 281.9709 | | |
| TMP-8 | 27 | 4/17/2013 | 260 | | 261.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 20 | 176 | 501.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 40 | | 481.9709 | 245.2 | Resistivity |
| TMP-8 | 28 | 4/30/2013 | 60 | | 461.9709 | 226.8 | Resistivity |
| TMP-8 | 28 | 4/30/2013 | 80 | 244.1 | 441.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 100 | 258.6 | 421.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 120 | | 401.9709 | | Resistivity |
| TMP-8 | 28 | 4/30/2013 | 140 | 284.1 | 381.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 160 | | 361.9709 | | Resistivity |
| TMP-8 | 28 | 4/30/2013 | 180 | | 341.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 200 | | 321.9709 | | Resistivity |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-8 | 28 | 4/30/2013 | 220 | 168.5 | 301.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 240 | | 281.9709 | | |
| TMP-8 | 28 | 4/30/2013 | 260 | | 261.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 20 | 180.4 | 501.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 40 | | 481.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 60 | | 461.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 80 | 243.9 | 441.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 100 | 234.6 | 421.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 120 | | 401.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 140 | | 381.9709 | | Unable to read |
| TMP-8 | 29 | 5/9/2013 | 160 | | 361.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 180 | | 341.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 200 | | 321.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 220 | 165.2 | 301.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 240 | | 281.9709 | | |
| TMP-8 | 29 | 5/9/2013 | 260 | | 261.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 20 | 163.5 | 501.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 40 | | 481.9709 | | Resistivity - reading didn't equalize L:222.3 H:240.8 |
| TMP-8 | 30 | 5/15/2013 | 60 | | 461.9709 | | Resistivity |
| TMP-8 | 30 | 5/15/2013 | 80 | 255.4 | 441.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 100 | | 421.9709 | | reading didn't equalize L:232.00 H: 286.8 |
| TMP-8 | 30 | 5/15/2013 | 120 | | 401.9709 | | Resistivity |
| TMP-8 | 30 | 5/15/2013 | 140 | | 381.9709 | | reading didn't equalize L:318.00 H:325.8 |
| TMP-8 | 30 | 5/15/2013 | 160 | | 361.9709 | | Resistivity |
| TMP-8 | 30 | 5/15/2013 | 180 | | 341.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 200 | | 321.9709 | | Resistivity |
| TMP-8 | 30 | 5/15/2013 | 220 | | 301.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 240 | | 281.9709 | | |
| TMP-8 | 30 | 5/15/2013 | 260 | | 261.9709 | | |
| TMP-8 | 31 | 5/22/2013 | 20 | 163 | 501.9709 | | |
| TMP-8 | 31 | 5/22/2013 | 40 | | 481.9709 | | reading didn't equalize |
| TMP-8 | 31 | 5/22/2013 | 60 | | 461.9709 | | reading didn't equalize |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-8 | 31 | 5/22/2013 | 80 | | 441.9709 | | Temp reading was OL & reading did not equalize |
| TMP-8 | 31 | 5/22/2013 | 100 | | 421.9709 | | reading didn't equalize |
| TMP-8 | 31 | 5/22/2013 | 120 | | 401.9709 | | NLW-Resistance was OL & reading did not equalize |
| TMP-8 | 31 | 5/22/2013 | 140 | | 381.9709 | | Temp reading was OL & reading did not equalize |
| TMP-8 | 31 | 5/22/2013 | 160 | | 361.9709 | | NLW-resistivity & reading did not equalize |
| TMP-8 | 31 | 5/22/2013 | 180 | | 341.9709 | | NLW-resistivity & Temp reading was OL |
| TMP-8 | 31 | 5/22/2013 | 200 | | 321.9709 | | NLW-resistivity & Temp reading was OL |
| TMP-8 | 31 | 5/22/2013 | 220 | | 301.9709 | | NLW-resistivity & reading did not equalize |
| TMP-8 | 31 | 5/22/2013 | 240 | | 281.9709 | | NLW-Resistance was OL & Temp reading was OL |
| TMP-8 | 31 | 5/22/2013 | 260 | | 261.9709 | | NLW |
| TMP-8 | 32 | 5/29/2013 | 20 | 157.5 | 501.9709 | | |
| TMP-8 | 32 | 5/29/2013 | 40 | | 481.9709 | | Reading bounced could not obtain valid reading |
| TMP-8 | 32 | 5/29/2013 | 60 | | 461.9709 | | Reading bounced could not obtain valid reading |
| TMP-8 | 32 | 5/29/2013 | 80 | | 441.9709 | | Reading bounced could not obtain valid reading |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-8 | 32 | 5/29/2013 | 100 | | 421.9709 | | Reading bounced could not obtain valid reading |
| TMP-8 | 32 | 5/29/2013 | 120 | | 401.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-8 | 32 | 5/29/2013 | 140 | | 381.9709 | | Reading bounced could not obtain valid reading |
| TMP-8 | 32 | 5/29/2013 | 160 | | 361.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-8 | 32 | 5/29/2013 | 180 | | 341.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-8 | 32 | 5/29/2013 | 200 | | 321.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-8 | 32 | 5/29/2013 | 220 | | 301.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-8 | 32 | 5/29/2013 | 240 | | 281.9709 | | Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22) |
| TMP-8 | 32 | 5/29/2013 | 260 | | 261.9709 | | |
| TMP-8 | 34 | 6/5/2013 | 20 | 147.8 | 501.9709 | | |
| TMP-8 | 34 | 6/5/2013 | 40 | | 481.9709 | | NLW, Large fluctuation during Reading |
| TMP-8 | 34 | 6/5/2013 | 60 | | 461.9709 | | NLW, Large fluctuation during Reading |
| TMP-8 | 34 | 6/5/2013 | 80 | | 441.9709 | | NLW, Large fluctuation during Reading |
| TMP-8 | 34 | 6/5/2013 | 100 | | 421.9709 | | NLW, Large fluctuation during Reading |
| TMP-8 | 34 | 6/5/2013 | 120 | | 401.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 140 | | 381.9709 | | NLW, Large fluctuation during Reading |
| TMP-8 | 34 | 6/5/2013 | 160 | | 361.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 180 | | 341.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 200 | | 321.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 220 | | 301.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 240 | | 281.9709 | | NLW - resistivity |
| TMP-8 | 34 | 6/5/2013 | 260 | | 261.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------------------------------|
| TMP-8 | 35 | 6/12/2013 | 20 | 158.2 | 501.9709 | | |
| TMP-8 | 35 | 6/12/2013 | 40 | | 481.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 60 | | 461.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 80 | | 441.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 100 | | 421.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 120 | | 401.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 140 | | 381.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 160 | | 361.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 180 | | 341.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 200 | | 321.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 220 | | 301.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 240 | | 281.9709 | | Large fluctuation during Reading |
| TMP-8 | 35 | 6/12/2013 | 260 | | 261.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 20 | 159.5 | 501.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 40 | | 481.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 60 | | 461.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 80 | 238.5 | 441.9709 | | able to get a reading |
| TMP-8 | 36 | 6/19/2013 | 100 | | 421.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 120 | | 401.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 140 | | 381.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 160 | | 361.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 180 | | 341.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 200 | | 321.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|------------------------------|
| TMP-8 | 36 | 6/19/2013 | 220 | | 301.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 240 | | 281.9709 | | |
| TMP-8 | 36 | 6/19/2013 | 260 | | 261.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 20 | 154.6 | 501.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 40 | | 481.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 60 | | 461.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 80 | 243.5 | 441.9709 | 243.5 | |
| TMP-8 | 37 | 6/27/2013 | 100 | | 421.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 120 | | 401.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 140 | | 381.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 160 | | 361.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 180 | 249.3 | 341.9709 | 249.3 | |
| TMP-8 | 37 | 6/27/2013 | 200 | | 321.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 220 | | 301.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 240 | | 281.9709 | | |
| TMP-8 | 37 | 6/27/2013 | 260 | | 261.9709 | | |
| TMP-8 | 38 | 7/3/2013 | 20 | | 501.9709 | | unable to read |
| TMP-8 | 38 | 7/3/2013 | 40 | | 481.9709 | 215.6 | |
| TMP-8 | 38 | 7/3/2013 | 60 | | 461.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 80 | 256.1 | 441.9709 | | |
| TMP-8 | 38 | 7/3/2013 | 100 | 268.4 | 421.9709 | | |
| TMP-8 | 38 | 7/3/2013 | 120 | | 401.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 140 | | 381.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 160 | | 361.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 180 | 247.5 | 341.9709 | | |
| TMP-8 | 38 | 7/3/2013 | 200 | | 321.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 220 | | 301.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 240 | | 281.9709 | | readings failed to stabilize |
| TMP-8 | 38 | 7/3/2013 | 260 | | 261.9709 | | |
| TMP-8 | 40 | 7/10/2013 | 20 | | 501.9709 | | unable to read |
| TMP-8 | 40 | 7/10/2013 | 40 | | 481.9709 | 213 | |
| TMP-8 | 40 | 7/10/2013 | 60 | | 461.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 80 | 246.7 | 441.9709 | | |
| TMP-8 | 40 | 7/10/2013 | 100 | | 421.9709 | | |
| TMP-8 | 40 | 7/10/2013 | 120 | | 401.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 140 | | 381.9709 | | readings failed to stabilize |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-8 | 40 | 7/10/2013 | 160 | | 361.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 180 | | 341.9709 | | |
| TMP-8 | 40 | 7/10/2013 | 200 | | 321.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 220 | | 301.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 240 | | 281.9709 | | readings failed to stabilize |
| TMP-8 | 40 | 7/10/2013 | 260 | | 261.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 20 | | 501.9709 | 117.2 | High resistance |
| TMP-8 | 41 | 7/18/2013 | 40 | | 481.9709 | 209 | High resistance |
| TMP-8 | 41 | 7/18/2013 | 60 | | 461.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 80 | 251.1 | 441.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 100 | | 421.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 120 | | 401.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 140 | | 381.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 160 | | 361.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 180 | | 341.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 200 | | 321.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 220 | | 301.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 240 | | 281.9709 | | |
| TMP-8 | 41 | 7/18/2013 | 260 | | 261.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 20 | | 501.9709 | -5.3 | fluctuates resistivity |
| TMP-8 | 42 | 7/25/2013 | 40 | | 481.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 60 | | 461.9709 | 242.8 | last resistivity reading for this depth was high |
| TMP-8 | 42 | 7/25/2013 | 80 | 251.2 | 441.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 100 | | 421.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 120 | | 401.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 140 | | 381.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 160 | | 361.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 180 | | 341.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 200 | | 321.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 220 | | 301.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 240 | | 281.9709 | | |
| TMP-8 | 42 | 7/25/2013 | 260 | | 261.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 20 | | 501.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 40 | | 481.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 60 | | 461.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 80 | | 441.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 100 | | 421.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 120 | | 401.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 140 | | 381.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-8 | 43 | 8/1/2013 | 160 | | 361.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 180 | | 341.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 200 | | 321.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 220 | | 301.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 240 | | 281.9709 | | |
| TMP-8 | 43 | 8/1/2013 | 260 | | 261.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 20 | | 501.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 40 | | 481.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 60 | | 461.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 80 | | 441.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 100 | | 421.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 120 | | 401.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 140 | | 381.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 160 | | 361.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 180 | | 341.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 200 | | 321.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 220 | | 301.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 240 | | 281.9709 | | |
| TMP-8 | 44 | 8/6/2013 | 260 | | 261.9709 | | |
| TMP-8 | 45 | 8/14/2013 | 20 | | 501.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 40 | | 481.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 60 | | 461.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 80 | | 441.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 100 | | 421.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 120 | | 401.9709 | | No temp/ohm reading taken - TMP not working |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-8 | 45 | 8/14/2013 | 140 | | 381.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 160 | | 361.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 180 | | 341.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 200 | | 321.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 220 | | 301.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 240 | | 281.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 45 | 8/14/2013 | 260 | | 261.9709 | | No temp/ohm reading taken - TMP not working |
| TMP-8 | 48 | 8/20/2013 | 20 | | 501.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 40 | | 481.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 60 | | 461.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 80 | | 441.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 100 | | 421.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 120 | | 401.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 140 | | 381.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 160 | | 361.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 180 | | 341.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 200 | | 321.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 220 | | 301.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 240 | | 281.9709 | | |
| TMP-8 | 48 | 8/20/2013 | 260 | | 261.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 20 | | 501.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 40 | | 481.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 60 | | 461.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 80 | | 441.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 100 | | 421.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-8 | 49 | 8/27/2013 | 120 | | 401.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 140 | | 381.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 160 | | 361.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 180 | | 341.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 200 | | 321.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 220 | | 301.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 240 | | 281.9709 | | |
| TMP-8 | 49 | 8/27/2013 | 260 | | 261.9709 | | |
| TMP-8 | 50 | 9/3/2013 | 20 | | 501.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 40 | | 481.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 60 | | 461.9709 | | NNL |
| TMP-8 | 50 | 9/3/2013 | 80 | | 441.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 100 | | 421.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 120 | | 401.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 140 | | 381.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 160 | | 361.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 180 | | 341.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 200 | | 321.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 220 | | 301.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 240 | | 281.9709 | | NLW |
| TMP-8 | 50 | 9/3/2013 | 260 | | 261.9709 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|------------|-------|----------|-----------|------------|----------|
| TMP-9 | 1 | 11/8/2012 | 20 | 146.8584 | 465.6642 | | |
| TMP-9 | 1 | 11/8/2012 | 40 | 164.2765 | 445.6642 | | |
| TMP-9 | 1 | 11/8/2012 | 60 | 165.3624 | 425.6642 | | |
| TMP-9 | 1 | 11/8/2012 | 80 | 196.3463 | 405.6642 | | |
| TMP-9 | 1 | 11/8/2012 | 100 | 179.4792 | 385.6642 | | |
| TMP-9 | 2 | 11/12/2012 | 20 | 151.6259 | 465.6642 | | |
| TMP-9 | 2 | 11/12/2012 | 40 | 167.4408 | 445.6642 | | |
| TMP-9 | 2 | 11/12/2012 | 60 | 168.7944 | 425.6642 | | |
| TMP-9 | 2 | 11/12/2012 | 80 | 198.1084 | 405.6642 | | |
| TMP-9 | 2 | 11/12/2012 | 100 | 181.8903 | 385.6642 | | |
| TMP-9 | 3 | 11/19/2012 | 20 | 152.3577 | 465.6642 | | |
| TMP-9 | 3 | 11/19/2012 | 40 | 169.5157 | 445.6642 | | |
| TMP-9 | 3 | 11/19/2012 | 60 | 171.227 | 425.6642 | | |
| TMP-9 | 3 | 11/19/2012 | 80 | 198.1084 | 405.6642 | | |
| TMP-9 | 3 | 11/19/2012 | 100 | 184.1186 | 385.6642 | | |
| TMP-9 | 4 | 11/26/2012 | 20 | 147.7767 | 465.6642 | | |
| TMP-9 | 4 | 11/26/2012 | 40 | 169.8762 | 445.6642 | | |
| TMP-9 | 4 | 11/26/2012 | 60 | 172.2167 | 425.6642 | | |
| TMP-9 | 4 | 11/26/2012 | 80 | 195.1996 | 405.6642 | | |
| TMP-9 | 4 | 11/26/2012 | 100 | 183.406 | 385.6642 | | |
| TMP-9 | 5 | 12/11/2012 | 20 | 157.6495 | 465.6642 | | |
| TMP-9 | 5 | 12/11/2012 | 40 | 187.0538 | 445.6642 | | |
| TMP-9 | 5 | 12/11/2012 | 60 | 190.6906 | 425.6642 | | |
| TMP-9 | 5 | 12/11/2012 | 80 | 197.1396 | 405.6642 | | |
| TMP-9 | 5 | 12/11/2012 | 100 | 184.7418 | 385.6642 | | |
| TMP-9 | 6 | 12/17/2012 | 20 | 157.6495 | 465.6642 | | |
| TMP-9 | 6 | 12/17/2012 | 40 | 187.0538 | 445.6642 | | |
| TMP-9 | 6 | 12/17/2012 | 60 | 190.6906 | 425.6642 | | |
| TMP-9 | 6 | 12/17/2012 | 80 | 197.1396 | 405.6642 | | |
| TMP-9 | 6 | 12/17/2012 | 100 | 184.7418 | 385.6642 | | |
| TMP-9 | 7 | 12/24/2012 | 20 | 156.921 | 465.6642 | | |
| TMP-9 | 7 | 12/24/2012 | 40 | 191.93 | 445.6642 | | |
| TMP-9 | 7 | 12/24/2012 | 60 | 196.3463 | 425.6642 | | |
| TMP-9 | 7 | 12/24/2012 | 80 | 197.2277 | 405.6642 | | |
| TMP-9 | 7 | 12/24/2012 | 100 | 184.8308 | 385.6642 | | |
| TMP-9 | 8 | 12/31/2012 | 20 | 150.5274 | 465.6642 | | |
| TMP-9 | 8 | 12/31/2012 | 40 | 198.1084 | 445.6642 | | |
| TMP-9 | 8 | 12/31/2012 | 60 | 203.3797 | 425.6642 | | |
| TMP-9 | 8 | 12/31/2012 | 80 | 199.868 | 405.6642 | | |
| TMP-9 | 8 | 12/31/2012 | 100 | 186.6095 | 385.6642 | | |
| TMP-9 | 9 | 1/7/2013 | 20 | 163.2803 | 465.6642 | | |
| TMP-9 | 9 | 1/7/2013 | 40 | 203.3797 | 445.6642 | | |
| TMP-9 | 9 | 1/7/2013 | 60 | 208.6289 | 425.6642 | | |
| TMP-9 | 9 | 1/7/2013 | 80 | 200.7468 | 405.6642 | | |
| TMP-9 | 9 | 1/7/2013 | 100 | 186.6095 | 385.6642 | | |
| TMP-9 | 10 | 1/9/2013 | 20 | 167.9 | 465.6642 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-9 | 10 | 1/9/2013 | 40 | 204.4 | 445.6642 | | |
| TMP-9 | 10 | 1/9/2013 | 60 | 219.6 | 425.6642 | | |
| TMP-9 | 10 | 1/9/2013 | 80 | 208.1 | 405.6642 | | |
| TMP-9 | 10 | 1/9/2013 | 100 | 192.3 | 385.6642 | | |
| TMP-9 | 11 | 1/15/2013 | 20 | 166.6 | 465.6642 | | |
| TMP-9 | 11 | 1/15/2013 | 40 | 203.3 | 445.6642 | | |
| TMP-9 | 11 | 1/15/2013 | 60 | 219.1 | 425.6642 | | |
| TMP-9 | 11 | 1/15/2013 | 80 | 207.6 | 405.6642 | | |
| TMP-9 | 11 | 1/15/2013 | 100 | 190.5 | 385.6642 | | |
| TMP-9 | 12 | 1/22/2013 | 20 | 167 | 465.6642 | | |
| TMP-9 | 12 | 1/22/2013 | 40 | 207.2 | 445.6642 | | |
| TMP-9 | 12 | 1/22/2013 | 60 | 221.8 | 425.6642 | | |
| TMP-9 | 12 | 1/22/2013 | 80 | 210.9 | 405.6642 | | |
| TMP-9 | 12 | 1/22/2013 | 100 | 192 | 385.6642 | | |
| TMP-9 | 13 | 1/28/2013 | 20 | 168.7 | 465.6642 | | |
| TMP-9 | 13 | 1/28/2013 | 40 | 206.4 | 445.6642 | | |
| TMP-9 | 13 | 1/28/2013 | 60 | 221.6 | 425.6642 | | |
| TMP-9 | 13 | 1/28/2013 | 80 | 211.8 | 405.6642 | | |
| TMP-9 | 13 | 1/28/2013 | 100 | 191.1 | 385.6642 | | |
| TMP-9 | 14 | 2/6/2013 | 20 | 169.9 | 465.6642 | | |
| TMP-9 | 14 | 2/6/2013 | 40 | 208.7 | 445.6642 | | |
| TMP-9 | 14 | 2/6/2013 | 60 | 222.4 | 425.6642 | | |
| TMP-9 | 14 | 2/6/2013 | 80 | 214.6 | 405.6642 | | |
| TMP-9 | 14 | 2/6/2013 | 100 | 189.5 | 385.6642 | | |
| TMP-9 | 15 | 2/7/2013 | 20 | 169.6 | 465.6642 | | |
| TMP-9 | 15 | 2/7/2013 | 40 | 208.8 | 445.6642 | | |
| TMP-9 | 15 | 2/7/2013 | 60 | 222.5 | 425.6642 | | |
| TMP-9 | 15 | 2/7/2013 | 80 | 214.6 | 405.6642 | | |
| TMP-9 | 15 | 2/7/2013 | 100 | 187.1 | 385.6642 | | |
| TMP-9 | 16 | 2/13/2013 | 20 | 171.1 | 465.6642 | | |
| TMP-9 | 16 | 2/13/2013 | 40 | 207.7 | 445.6642 | | |
| TMP-9 | 16 | 2/13/2013 | 60 | 221.8 | 425.6642 | | |
| TMP-9 | 16 | 2/13/2013 | 80 | 215.4 | 405.6642 | | |
| TMP-9 | 16 | 2/13/2013 | 100 | 190.7 | 385.6642 | | |
| TMP-9 | 17 | 2/18/2013 | 20 | 173.2 | 465.6642 | | |
| TMP-9 | 17 | 2/18/2013 | 40 | 206.9 | 445.6642 | | |
| TMP-9 | 17 | 2/18/2013 | 60 | 222.4 | 425.6642 | | |
| TMP-9 | 17 | 2/18/2013 | 80 | 216.7 | 405.6642 | | |
| TMP-9 | 17 | 2/18/2013 | 100 | 218.3 | 385.6642 | | |
| TMP-9 | 18 | 2/25/2013 | 20 | 176.5 | 465.6642 | | |
| TMP-9 | 18 | 2/25/2013 | 40 | 206.1 | 445.6642 | | |
| TMP-9 | 18 | 2/25/2013 | 60 | 223.5 | 425.6642 | | |
| TMP-9 | 18 | 2/25/2013 | 80 | 218.1 | 405.6642 | | |
| TMP-9 | 18 | 2/25/2013 | 100 | 193.8 | 385.6642 | | |
| TMP-9 | 19 | 3/4/2013 | 20 | 184.6 | 465.6642 | | |
| TMP-9 | 19 | 3/4/2013 | 40 | 208.7 | 445.6642 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-9 | 19 | 3/4/2013 | 60 | 226.1 | 425.6642 | | |
| TMP-9 | 19 | 3/4/2013 | 80 | 221 | 405.6642 | | |
| TMP-9 | 19 | 3/4/2013 | 100 | 195 | 385.6642 | | |
| TMP-9 | 20 | 3/12/2013 | 20 | 183.2 | 465.6642 | | |
| TMP-9 | 20 | 3/12/2013 | 40 | 207.6 | 445.6642 | | |
| TMP-9 | 20 | 3/12/2013 | 60 | 225.3 | 425.6642 | | |
| TMP-9 | 20 | 3/12/2013 | 80 | 220.3 | 405.6642 | | |
| TMP-9 | 20 | 3/12/2013 | 100 | 193.3 | 385.6642 | | |
| TMP-9 | 21 | 3/19/2013 | 20 | 183.3 | 465.6642 | | |
| TMP-9 | 21 | 3/19/2013 | 40 | 209 | 445.6642 | | |
| TMP-9 | 21 | 3/19/2013 | 60 | 226.1 | 425.6642 | | |
| TMP-9 | 21 | 3/19/2013 | 80 | 220.7 | 405.6642 | | |
| TMP-9 | 21 | 3/19/2013 | 100 | 192.7 | 385.6642 | | |
| TMP-9 | 22 | 3/26/2013 | 20 | 184.7 | 465.6642 | | |
| TMP-9 | 22 | 3/26/2013 | 40 | 211.2 | 445.6642 | | |
| TMP-9 | 22 | 3/26/2013 | 60 | 227.5 | 425.6642 | | |
| TMP-9 | 22 | 3/26/2013 | 80 | 221.1 | 405.6642 | | |
| TMP-9 | 22 | 3/26/2013 | 100 | 193 | 385.6642 | | |
| TMP-9 | 23 | 4/3/2013 | 20 | 182.7 | 465.6642 | | |
| TMP-9 | 23 | 4/3/2013 | 40 | 211.1 | 445.6642 | | |
| TMP-9 | 23 | 4/3/2013 | 60 | 226.7 | 425.6642 | | |
| TMP-9 | 23 | 4/3/2013 | 80 | 218.9 | 405.6642 | | |
| TMP-9 | 23 | 4/3/2013 | 100 | 190.2 | 385.6642 | | |
| TMP-9 | 26 | 4/10/2013 | 20 | 186.5 | 465.6642 | | |
| TMP-9 | 26 | 4/10/2013 | 40 | 212.8 | 445.6642 | | |
| TMP-9 | 26 | 4/10/2013 | 60 | 228.1 | 425.6642 | | |
| TMP-9 | 26 | 4/10/2013 | 80 | 220 | 405.6642 | | |
| TMP-9 | 26 | 4/10/2013 | 100 | 193 | 385.6642 | | |
| TMP-9 | 27 | 4/17/2013 | 20 | 185.8 | 465.6642 | | |
| TMP-9 | 27 | 4/17/2013 | 40 | 211.7 | 445.6642 | | |
| TMP-9 | 27 | 4/17/2013 | 60 | 227.2 | 425.6642 | | |
| TMP-9 | 27 | 4/17/2013 | 80 | 219.5 | 405.6642 | | |
| TMP-9 | 27 | 4/17/2013 | 100 | 193 | 385.6642 | | |
| TMP-9 | 28 | 4/30/2013 | 20 | 188.4 | 465.6642 | | |
| TMP-9 | 28 | 4/30/2013 | 40 | 212.6 | 445.6642 | | |
| TMP-9 | 28 | 4/30/2013 | 60 | 228.3 | 425.6642 | | |
| TMP-9 | 28 | 4/30/2013 | 80 | 222.6 | 405.6642 | | |
| TMP-9 | 28 | 4/30/2013 | 100 | 194.5 | 385.6642 | | |
| TMP-9 | 29 | 5/9/2013 | 20 | 190.8 | 465.6642 | | |
| TMP-9 | 29 | 5/9/2013 | 40 | 215 | 445.6642 | | |
| TMP-9 | 29 | 5/9/2013 | 60 | 231.5 | 425.6642 | | |
| TMP-9 | 29 | 5/9/2013 | 80 | 224.5 | 405.6642 | | |
| TMP-9 | 29 | 5/9/2013 | 100 | 196.3 | 385.6642 | | |
| TMP-9 | 30 | 5/15/2013 | 20 | 189.2 | 465.6642 | | |
| TMP-9 | 30 | 5/15/2013 | 40 | 214.2 | 445.6642 | | |
| TMP-9 | 30 | 5/15/2013 | 60 | 231 | 425.6642 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|---|
| TMP-9 | 30 | 5/15/2013 | 80 | 223.1 | 405.6642 | | |
| TMP-9 | 30 | 5/15/2013 | 100 | 194.3 | 385.6642 | | |
| TMP-9 | 31 | 5/22/2013 | 20 | 190.9 | 465.6642 | | |
| TMP-9 | 31 | 5/22/2013 | 40 | 214.2 | 445.6642 | | |
| TMP-9 | 31 | 5/22/2013 | 60 | 232.3 | 425.6642 | | |
| TMP-9 | 31 | 5/22/2013 | 80 | 224.1 | 405.6642 | | |
| TMP-9 | 31 | 5/22/2013 | 100 | 195.7 | 385.6642 | | |
| TMP-9 | 32 | 5/29/2013 | 20 | 189.9 | 465.6642 | | fixed wiring issue |
| TMP-9 | 32 | 5/29/2013 | 40 | 213.9 | 445.6642 | | fixed wiring issue |
| TMP-9 | 32 | 5/29/2013 | 60 | 232.9 | 425.6642 | | fixed wiring issue |
| TMP-9 | 32 | 5/29/2013 | 80 | 223.9 | 405.6642 | | fixed wiring issue |
| TMP-9 | 32 | 5/29/2013 | 100 | 196.4 | 385.6642 | | fixed wiring issue |
| TMP-9 | 34 | 6/5/2013 | 20 | 189.2 | 465.6642 | | 125.7 - 1st round of readings incorrect, reread |
| TMP-9 | 34 | 6/5/2013 | 40 | 213.6 | 445.6642 | | 153.1 - 1st round of readings incorrect, reread |
| TMP-9 | 34 | 6/5/2013 | 60 | 230.8 | 425.6642 | | 175.2 - 1st round of readings incorrect, reread |
| TMP-9 | 34 | 6/5/2013 | 80 | 225 | 405.6642 | | 161.4 - 1st round of readings incorrect, reread |
| TMP-9 | 34 | 6/5/2013 | 100 | 196 | 385.6642 | | 132.8 - 1st round of readings incorrect, reread |
| TMP-9 | 35 | 6/12/2013 | 20 | 176.3 | 465.6642 | | |
| TMP-9 | 35 | 6/12/2013 | 40 | 204.3 | 445.6642 | | |
| TMP-9 | 35 | 6/12/2013 | 60 | 221 | 425.6642 | | |
| TMP-9 | 35 | 6/12/2013 | 80 | 217.8 | 405.6642 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|------------------------|
| TMP-9 | 35 | 6/12/2013 | 100 | 186.9 | 385.6642 | | |
| TMP-9 | 36 | 6/19/2013 | 20 | 117.3 | 465.6642 | | |
| TMP-9 | 36 | 6/19/2013 | 40 | 199.5 | 445.6642 | | |
| TMP-9 | 36 | 6/19/2013 | 60 | 220.2 | 425.6642 | | |
| TMP-9 | 36 | 6/19/2013 | 80 | 215.6 | 405.6642 | | |
| TMP-9 | 36 | 6/19/2013 | 100 | 187.8 | 385.6642 | | |
| TMP-9 | 37 | 6/27/2013 | 20 | 187.9 | 465.6642 | | |
| TMP-9 | 37 | 6/27/2013 | 40 | 203.8 | 445.6642 | | |
| TMP-9 | 37 | 6/27/2013 | 60 | 222.9 | 425.6642 | | |
| TMP-9 | 37 | 6/27/2013 | 80 | 217.7 | 405.6642 | | |
| TMP-9 | 37 | 6/27/2013 | 100 | 194.3 | 385.6642 | | |
| TMP-9 | 38 | 7/3/2013 | 20 | 185.4 | 465.6642 | | |
| TMP-9 | 38 | 7/3/2013 | 40 | 211.9 | 445.6642 | | |
| TMP-9 | 38 | 7/3/2013 | 60 | 231.9 | 425.6642 | | |
| TMP-9 | 38 | 7/3/2013 | 80 | 221.6 | 405.6642 | | |
| TMP-9 | 38 | 7/3/2013 | 100 | 196.7 | 385.6642 | | |
| TMP-9 | 40 | 7/10/2013 | 20 | 189.5 | 465.6642 | | |
| TMP-9 | 40 | 7/10/2013 | 40 | 208.1 | 445.6642 | | |
| TMP-9 | 40 | 7/10/2013 | 60 | 234.7 | 425.6642 | | |
| TMP-9 | 40 | 7/10/2013 | 80 | 218.4 | 405.6642 | | |
| TMP-9 | 40 | 7/10/2013 | 100 | 221.5 | 385.6642 | | |
| TMP-9 | 41 | 7/18/2013 | 20 | 182.7 | 465.6642 | | High resistance |
| TMP-9 | 41 | 7/18/2013 | 40 | 212.9 | 445.6642 | | High resistance |
| TMP-9 | 41 | 7/18/2013 | 60 | 233.1 | 425.6642 | | High resistance |
| TMP-9 | 41 | 7/18/2013 | 80 | 215.4 | 405.6642 | | High resistance |
| TMP-9 | 41 | 7/18/2013 | 100 | | 385.6642 | | |
| TMP-9 | 42 | 7/25/2013 | 20 | 179.3 | 465.6642 | | fluctuates resistivity |
| TMP-9 | 42 | 7/25/2013 | 40 | 200.1 | 445.6642 | | fluctuates resistivity |
| TMP-9 | 42 | 7/25/2013 | 60 | 216.4 | 425.6642 | | fluctuates resistivity |
| TMP-9 | 42 | 7/25/2013 | 80 | 203 | 405.6642 | | fluctuates resistivity |
| TMP-9 | 42 | 7/25/2013 | 100 | 203.7 | 385.6642 | | fluctuates resistivity |
| TMP-9 | 43 | 8/1/2013 | 20 | 192.7 | 465.6642 | | |
| TMP-9 | 43 | 8/1/2013 | 40 | 216.8 | 445.6642 | | |
| TMP-9 | 43 | 8/1/2013 | 60 | 245.5 | 425.6642 | | |
| TMP-9 | 43 | 8/1/2013 | 80 | 241.3 | 405.6642 | | |
| TMP-9 | 43 | 8/1/2013 | 100 | | 385.6642 | 461.2 | Questionable temp. |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-9 | 44 | 8/6/2013 | 20 | 194.3 | 465.6642 | | |
| TMP-9 | 44 | 8/6/2013 | 40 | 218 | 445.6642 | | |
| TMP-9 | 44 | 8/6/2013 | 60 | 231.5 | 425.6642 | | Minor fluctuation ohm |
| TMP-9 | 44 | 8/6/2013 | 80 | 231.7 | 405.6642 | | Minor fluctuation ohm |
| TMP-9 | 44 | 8/6/2013 | 100 | | 385.6642 | | Fluctuating ohm |
| TMP-9 | 45 | 8/14/2013 | 20 | 192.8 | 465.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 45 | 8/14/2013 | 40 | 216.8 | 445.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 45 | 8/14/2013 | 60 | 234.9 | 425.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 45 | 8/14/2013 | 80 | 230.3 | 405.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 45 | 8/14/2013 | 100 | | 385.6642 | | RESISTANCE TOO HIGH NOT VALID |
| TMP-9 | 48 | 8/20/2013 | 20 | 192.4 | 465.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 48 | 8/20/2013 | 40 | 215.7 | 445.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--|
| TMP-9 | 48 | 8/20/2013 | 60 | 227.8 | 425.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 48 | 8/20/2013 | 80 | 224.2 | 405.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 48 | 8/20/2013 | 100 | | 385.6642 | | RESISTANCE TOO HIGH NOT VALID |
| TMP-9 | 49 | 8/27/2013 | 20 | 192.2 | 465.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 49 | 8/27/2013 | 40 | 216.8 | 445.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 49 | 8/27/2013 | 60 | 217.5 | 425.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 49 | 8/27/2013 | 80 | 214.3 | 405.6642 | | RESISTANCE IS ELEVATED BUT READINGS OK TO SHOW |
| TMP-9 | 49 | 8/27/2013 | 100 | | 385.6642 | | RESISTANCE TOO HIGH NOT VALID - NO TEMPERATURE READING |
| TMP-9 | 50 | 9/3/2013 | 20 | 192.1 | 465.6642 | | Ohm value is high/fluctuation |
| TMP-9 | 50 | 9/3/2013 | 40 | 201.2 | 445.6642 | | Ohm value is high/fluctuation |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-------------------------------|
| TMP-9 | 50 | 9/3/2013 | 60 | 228.8 | 425.6642 | | Ohm value is high/fluctuation |
| TMP-9 | 50 | 9/3/2013 | 80 | 236.6 | 405.6642 | | Ohm value is high/fluctuation |
| TMP-9 | 50 | 9/3/2013 | 100 | | 385.6642 | | NLW |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10 | 25 | 4/6/2013 | 13 | 98 | 476.289 | | |
| TMP-10 | 25 | 4/6/2013 | 33 | 129.1 | 456.289 | | |
| TMP-10 | 25 | 4/6/2013 | 53 | 148.8 | 436.289 | | |
| TMP-10 | 25 | 4/6/2013 | 73 | 147 | 416.289 | | |
| TMP-10 | 25 | 4/6/2013 | 93 | 155.7 | 396.289 | | |
| TMP-10 | 25 | 4/6/2013 | 113 | 152.6 | 376.289 | | |
| TMP-10 | 25 | 4/6/2013 | 133 | 137.3 | 356.289 | | |
| TMP-10 | 26 | 4/10/2013 | 13 | 99.3 | 476.289 | | |
| TMP-10 | 26 | 4/10/2013 | 33 | 135 | 456.289 | | |
| TMP-10 | 26 | 4/10/2013 | 53 | 155.6 | 436.289 | | |
| TMP-10 | 26 | 4/10/2013 | 73 | 158.5 | 416.289 | | |
| TMP-10 | 26 | 4/10/2013 | 93 | 161.7 | 396.289 | | |
| TMP-10 | 26 | 4/10/2013 | 113 | 157.6 | 376.289 | | |
| TMP-10 | 26 | 4/10/2013 | 133 | 147.2 | 356.289 | | |
| TMP-10 | 27 | 4/17/2013 | 13 | 97.9 | 476.289 | | |
| TMP-10 | 27 | 4/17/2013 | 33 | 135.3 | 456.289 | | |
| TMP-10 | 27 | 4/17/2013 | 53 | 156.6 | 436.289 | | |
| TMP-10 | 27 | 4/17/2013 | 73 | 160.7 | 416.289 | | |
| TMP-10 | 27 | 4/17/2013 | 93 | 162.5 | 396.289 | | |
| TMP-10 | 27 | 4/17/2013 | 113 | 158.2 | 376.289 | | |
| TMP-10 | 27 | 4/17/2013 | 133 | 149.1 | 356.289 | | |
| TMP-10 | 28 | 4/30/2013 | 13 | 95.5 | 476.289 | | |
| TMP-10 | 28 | 4/30/2013 | 33 | 136.8 | 456.289 | | |
| TMP-10 | 28 | 4/30/2013 | 53 | 158.6 | 436.289 | | |
| TMP-10 | 28 | 4/30/2013 | 73 | 164 | 416.289 | | |
| TMP-10 | 28 | 4/30/2013 | 93 | 164.2 | 396.289 | | |
| TMP-10 | 28 | 4/30/2013 | 113 | 159.5 | 376.289 | | |
| TMP-10 | 28 | 4/30/2013 | 133 | 151.1 | 356.289 | | |
| TMP-10 | 29 | 5/9/2013 | 13 | 97.1 | 476.289 | | |
| TMP-10 | 29 | 5/9/2013 | 33 | 138.2 | 456.289 | | |
| TMP-10 | 29 | 5/9/2013 | 53 | 160.2 | 436.289 | | |
| TMP-10 | 29 | 5/9/2013 | 73 | 166 | 416.289 | | |
| TMP-10 | 29 | 5/9/2013 | 93 | 166 | 396.289 | | |
| TMP-10 | 29 | 5/9/2013 | 113 | 161.2 | 376.289 | | |
| TMP-10 | 29 | 5/9/2013 | 133 | 153 | 356.289 | | |
| TMP-10 | 30 | 5/15/2013 | 13 | 95.3 | 476.289 | | |
| TMP-10 | 30 | 5/15/2013 | 33 | 137 | 456.289 | | |
| TMP-10 | 30 | 5/15/2013 | 53 | 158.6 | 436.289 | | |
| TMP-10 | 30 | 5/15/2013 | 73 | 164.5 | 416.289 | | |
| TMP-10 | 30 | 5/15/2013 | 93 | 164.3 | 396.289 | | |
| TMP-10 | 30 | 5/15/2013 | 113 | 159.3 | 376.289 | | |
| TMP-10 | 30 | 5/15/2013 | 133 | 151.1 | 356.289 | | |
| TMP-10 | 31 | 5/22/2013 | 13 | 96.5 | 476.289 | | |
| TMP-10 | 31 | 5/22/2013 | 33 | 139.5 | 456.289 | | |
| TMP-10 | 31 | 5/22/2013 | 53 | 159.9 | 436.289 | | |
| TMP-10 | 31 | 5/22/2013 | 73 | 166 | 416.289 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10 | 31 | 5/22/2013 | 93 | 165.7 | 396.289 | | |
| TMP-10 | 31 | 5/22/2013 | 113 | 160.6 | 376.289 | | |
| TMP-10 | 31 | 5/22/2013 | 133 | 152.4 | 356.289 | | |
| TMP-10 | 32 | 5/29/2013 | 13 | 95.6 | 476.289 | | |
| TMP-10 | 32 | 5/29/2013 | 33 | 138.5 | 456.289 | | |
| TMP-10 | 32 | 5/29/2013 | 53 | 159.3 | 436.289 | | |
| TMP-10 | 32 | 5/29/2013 | 73 | 165.4 | 416.289 | | |
| TMP-10 | 32 | 5/29/2013 | 93 | 165 | 396.289 | | |
| TMP-10 | 32 | 5/29/2013 | 113 | 160.1 | 376.289 | | |
| TMP-10 | 32 | 5/29/2013 | 133 | 151.9 | 356.289 | | |
| TMP-10 | 34 | 6/5/2013 | 13 | 95.8 | 476.289 | | |
| TMP-10 | 34 | 6/5/2013 | 33 | 139.4 | 456.289 | | |
| TMP-10 | 34 | 6/5/2013 | 53 | 160.1 | 436.289 | | |
| TMP-10 | 34 | 6/5/2013 | 73 | 166.2 | 416.289 | | |
| TMP-10 | 34 | 6/5/2013 | 93 | 165.7 | 396.289 | | |
| TMP-10 | 34 | 6/5/2013 | 113 | 160.5 | 376.289 | | |
| TMP-10 | 34 | 6/5/2013 | 133 | 152.4 | 356.289 | | |
| TMP-10 | 35 | 6/12/2013 | 13 | 96.5 | 476.289 | | |
| TMP-10 | 35 | 6/12/2013 | 33 | 139.9 | 456.289 | | |
| TMP-10 | 35 | 6/12/2013 | 53 | 161 | 436.289 | | |
| TMP-10 | 35 | 6/12/2013 | 73 | 167 | 416.289 | | |
| TMP-10 | 35 | 6/12/2013 | 93 | 166.5 | 396.289 | | |
| TMP-10 | 35 | 6/12/2013 | 113 | 161.4 | 376.289 | | |
| TMP-10 | 35 | 6/12/2013 | 133 | 155.2 | 356.289 | | |
| TMP-10 | 36 | 6/19/2013 | 13 | 96.6 | 476.289 | | |
| TMP-10 | 36 | 6/19/2013 | 33 | 140.1 | 456.289 | | |
| TMP-10 | 36 | 6/19/2013 | 53 | 160.9 | 436.289 | | |
| TMP-10 | 36 | 6/19/2013 | 73 | 166.9 | 416.289 | | |
| TMP-10 | 36 | 6/19/2013 | 93 | 166.3 | 396.289 | | |
| TMP-10 | 36 | 6/19/2013 | 113 | 161.2 | 376.289 | | |
| TMP-10 | 36 | 6/19/2013 | 133 | 152.8 | 356.289 | | |
| TMP-10 | 37 | 6/27/2013 | 13 | 94.5 | 476.289 | | |
| TMP-10 | 37 | 6/27/2013 | 33 | 138.5 | 456.289 | | |
| TMP-10 | 37 | 6/27/2013 | 53 | 159.5 | 436.289 | | |
| TMP-10 | 37 | 6/27/2013 | 73 | 165.2 | 416.289 | | |
| TMP-10 | 37 | 6/27/2013 | 93 | 164.5 | 396.289 | | |
| TMP-10 | 37 | 6/27/2013 | 113 | 159.3 | 376.289 | | |
| TMP-10 | 37 | 6/27/2013 | 133 | 150.9 | 356.289 | | |
| TMP-10 | 38 | 7/3/2013 | 13 | 97.1 | 476.289 | | |
| TMP-10 | 38 | 7/3/2013 | 33 | 140.7 | 456.289 | | |
| TMP-10 | 38 | 7/3/2013 | 53 | 162 | 436.289 | | |
| TMP-10 | 38 | 7/3/2013 | 73 | 167.9 | 416.289 | | |
| TMP-10 | 38 | 7/3/2013 | 93 | 167.3 | 396.289 | | |
| TMP-10 | 38 | 7/3/2013 | 113 | 162 | 376.289 | | |
| TMP-10 | 38 | 7/3/2013 | 133 | 153.6 | 356.289 | | |
| TMP-10 | 40 | 7/10/2013 | 13 | 96 | 476.289 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--------------------|
| TMP-10 | 40 | 7/10/2013 | 33 | 139.2 | 456.289 | | |
| TMP-10 | 40 | 7/10/2013 | 53 | 161.1 | 436.289 | | |
| TMP-10 | 40 | 7/10/2013 | 73 | 167 | 416.289 | | |
| TMP-10 | 40 | 7/10/2013 | 93 | 166.4 | 396.289 | | |
| TMP-10 | 40 | 7/10/2013 | 113 | 161.3 | 376.289 | | |
| TMP-10 | 40 | 7/10/2013 | 133 | 152.9 | 356.289 | | |
| TMP-10 | 41 | 7/18/2013 | 13 | | 476.289 | 109.9 | Invalid reading |
| TMP-10 | 41 | 7/18/2013 | 33 | | 456.289 | 64.7 | invalid reading |
| TMP-10 | 41 | 7/18/2013 | 53 | | 436.289 | 39.2 | invalid reading |
| TMP-10 | 41 | 7/18/2013 | 73 | | 416.289 | 30.8 | invalid reading |
| TMP-10 | 41 | 7/18/2013 | 93 | | 396.289 | 30.6 | invalid reading |
| TMP-10 | 41 | 7/18/2013 | 113 | | 376.289 | 35.6 | invalid reading |
| TMP-10 | 41 | 7/18/2013 | 133 | | 356.289 | 43.8 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 13 | | 476.289 | 101.4 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 33 | | 456.289 | 58.4 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 53 | | 436.289 | 35.6 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 73 | | 416.289 | 38 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 93 | | 396.289 | 40 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 113 | | 376.289 | 46.2 | invalid reading |
| TMP-10 | 42 | 7/25/2013 | 133 | | 356.289 | 57.2 | invalid reading |
| TMP-10 | 43 | 8/1/2013 | 13 | 110 | 476.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 33 | 152.3 | 456.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 53 | 173.7 | 436.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 73 | 179.5 | 416.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 93 | 178.3 | 396.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 113 | 173 | 376.289 | | Corrected polarity |
| TMP-10 | 43 | 8/1/2013 | 133 | 164.6 | 356.289 | | Corrected polarity |
| TMP-10 | 44 | 8/6/2013 | 13 | 96.5 | 476.289 | | |
| TMP-10 | 44 | 8/6/2013 | 33 | 139.2 | 456.289 | | |
| TMP-10 | 44 | 8/6/2013 | 53 | 161.2 | 436.289 | | |
| TMP-10 | 44 | 8/6/2013 | 73 | 167.1 | 416.289 | | |
| TMP-10 | 44 | 8/6/2013 | 93 | 166.4 | 396.289 | | |
| TMP-10 | 44 | 8/6/2013 | 113 | 161.4 | 376.289 | | |
| TMP-10 | 44 | 8/6/2013 | 133 | 152.8 | 356.289 | | |
| TMP-10 | 45 | 8/14/2013 | 13 | 96.7 | 476.289 | | |
| TMP-10 | 45 | 8/14/2013 | 33 | 138.8 | 456.289 | | |
| TMP-10 | 45 | 8/14/2013 | 53 | 160.9 | 436.289 | | |
| TMP-10 | 45 | 8/14/2013 | 73 | 166.7 | 416.289 | | |
| TMP-10 | 45 | 8/14/2013 | 93 | 166 | 396.289 | | |
| TMP-10 | 45 | 8/14/2013 | 113 | 160.9 | 376.289 | | |
| TMP-10 | 45 | 8/14/2013 | 133 | 152.5 | 356.289 | | |
| TMP-10 | 48 | 8/20/2013 | 13 | 96.5 | 476.289 | | |
| TMP-10 | 48 | 8/20/2013 | 33 | 138.3 | 456.289 | | |
| TMP-10 | 48 | 8/20/2013 | 53 | 160.4 | 436.289 | | |
| TMP-10 | 48 | 8/20/2013 | 73 | 166.3 | 416.289 | | |
| TMP-10 | 48 | 8/20/2013 | 93 | 165.6 | 396.289 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-10 | 48 | 8/20/2013 | 113 | 160.5 | 376.289 | | |
| TMP-10 | 48 | 8/20/2013 | 133 | 152 | 356.289 | | |
| TMP-10 | 49 | 8/27/2013 | 13 | 98.4 | 476.289 | | |
| TMP-10 | 49 | 8/27/2013 | 33 | 140.4 | 456.289 | | |
| TMP-10 | 49 | 8/27/2013 | 53 | 161.9 | 436.289 | | |
| TMP-10 | 49 | 8/27/2013 | 73 | 167.8 | 416.289 | | |
| TMP-10 | 49 | 8/27/2013 | 93 | 167 | 396.289 | | |
| TMP-10 | 49 | 8/27/2013 | 113 | 161.9 | 376.289 | | |
| TMP-10 | 49 | 8/27/2013 | 133 | 153.5 | 356.289 | | |
| TMP-10 | 50 | 9/3/2013 | 13 | 97.7 | 476.289 | | |
| TMP-10 | 50 | 9/3/2013 | 33 | 139 | 456.289 | | |
| TMP-10 | 50 | 9/3/2013 | 53 | 160.7 | 436.289 | | |
| TMP-10 | 50 | 9/3/2013 | 73 | 166.6 | 416.289 | | |
| TMP-10 | 50 | 9/3/2013 | 93 | 165.8 | 396.289 | | |
| TMP-10 | 50 | 9/3/2013 | 113 | 160.6 | 376.289 | | |
| TMP-10 | 50 | 9/3/2013 | 133 | 152 | 356.289 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-11 | 25 | 4/6/2013 | 16 | 114.2 | 482.307 | | |
| TMP-11 | 25 | 4/6/2013 | 36 | 143.5 | 462.307 | | |
| TMP-11 | 25 | 4/6/2013 | 56 | 156.1 | 442.307 | | |
| TMP-11 | 25 | 4/6/2013 | 76 | 165.6 | 422.307 | | |
| TMP-11 | 25 | 4/6/2013 | 96 | 164.3 | 402.307 | | |
| TMP-11 | 25 | 4/6/2013 | 116 | 159.7 | 382.307 | | |
| TMP-11 | 25 | 4/6/2013 | 136 | 156.6 | 362.307 | | |
| TMP-11 | 25 | 4/6/2013 | 156 | 150.7 | 342.307 | | |
| TMP-11 | 25 | 4/6/2013 | 176 | 141.2 | 322.307 | | |
| TMP-11 | 25 | 4/6/2013 | 196 | 125.2 | 302.307 | | |
| TMP-11 | 25 | 4/6/2013 | 216 | 101.4 | 282.307 | | |
| TMP-11 | 26 | 4/10/2013 | 16 | 111.6 | 482.307 | | |
| TMP-11 | 26 | 4/10/2013 | 36 | 143.6 | 462.307 | | |
| TMP-11 | 26 | 4/10/2013 | 56 | 159.2 | 442.307 | | |
| TMP-11 | 26 | 4/10/2013 | 76 | 168.7 | 422.307 | | |
| TMP-11 | 26 | 4/10/2013 | 96 | 169.1 | 402.307 | | |
| TMP-11 | 26 | 4/10/2013 | 116 | 164.2 | 382.307 | | |
| TMP-11 | 26 | 4/10/2013 | 136 | 160 | 362.307 | | |
| TMP-11 | 26 | 4/10/2013 | 156 | 154.3 | 342.307 | | |
| TMP-11 | 26 | 4/10/2013 | 176 | 144.8 | 322.307 | | |
| TMP-11 | 26 | 4/10/2013 | 196 | 126.8 | 302.307 | | |
| TMP-11 | 26 | 4/10/2013 | 216 | 104.9 | 282.307 | | |
| TMP-11 | 27 | 4/17/2013 | 16 | 107.7 | 482.307 | | |
| TMP-11 | 27 | 4/17/2013 | 36 | 141.1 | 462.307 | | |
| TMP-11 | 27 | 4/17/2013 | 56 | 156.3 | 442.307 | | |
| TMP-11 | 27 | 4/17/2013 | 76 | 165.4 | 422.307 | | |
| TMP-11 | 27 | 4/17/2013 | 96 | 165.3 | 402.307 | | |
| TMP-11 | 27 | 4/17/2013 | 116 | 160.4 | 382.307 | | |
| TMP-11 | 27 | 4/17/2013 | 136 | 156.4 | 362.307 | | |
| TMP-11 | 27 | 4/17/2013 | 156 | 151 | 342.307 | | |
| TMP-11 | 27 | 4/17/2013 | 176 | 141.7 | 322.307 | | |
| TMP-11 | 27 | 4/17/2013 | 196 | 123.2 | 302.307 | | |
| TMP-11 | 27 | 4/17/2013 | 216 | 101.6 | 282.307 | | |
| TMP-11 | 28 | 4/30/2013 | 16 | 109.2 | 482.307 | | |
| TMP-11 | 28 | 4/30/2013 | 36 | 141.7 | 462.307 | | |
| TMP-11 | 28 | 4/30/2013 | 56 | 157.8 | 442.307 | | |
| TMP-11 | 28 | 4/30/2013 | 76 | 166 | 422.307 | | |
| TMP-11 | 28 | 4/30/2013 | 96 | 165.9 | 402.307 | | |
| TMP-11 | 28 | 4/30/2013 | 116 | 161.2 | 382.307 | | |
| TMP-11 | 28 | 4/30/2013 | 136 | 156.1 | 362.307 | | |
| TMP-11 | 28 | 4/30/2013 | 156 | 150.2 | 342.307 | | |
| TMP-11 | 28 | 4/30/2013 | 176 | 141.1 | 322.307 | | |
| TMP-11 | 28 | 4/30/2013 | 196 | 123.5 | 302.307 | | |
| TMP-11 | 28 | 4/30/2013 | 216 | 101.4 | 282.307 | | |
| TMP-11 | 29 | 5/9/2013 | 16 | 110.2 | 482.307 | | |
| TMP-11 | 29 | 5/9/2013 | 36 | 143.1 | 462.307 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-11 | 29 | 5/9/2013 | 56 | 159.7 | 442.307 | | |
| TMP-11 | 29 | 5/9/2013 | 76 | 167.6 | 422.307 | | |
| TMP-11 | 29 | 5/9/2013 | 96 | 165.5 | 402.307 | | |
| TMP-11 | 29 | 5/9/2013 | 116 | 162.7 | 382.307 | | |
| TMP-11 | 29 | 5/9/2013 | 136 | 157.3 | 362.307 | | |
| TMP-11 | 29 | 5/9/2013 | 156 | 151.6 | 342.307 | | |
| TMP-11 | 29 | 5/9/2013 | 176 | 143.6 | 322.307 | | |
| TMP-11 | 29 | 5/9/2013 | 196 | 124.6 | 302.307 | | |
| TMP-11 | 29 | 5/9/2013 | 216 | 102.4 | 282.307 | | |
| TMP-11 | 30 | 5/15/2013 | 16 | 109 | 482.307 | | |
| TMP-11 | 30 | 5/15/2013 | 36 | 142.1 | 462.307 | | |
| TMP-11 | 30 | 5/15/2013 | 56 | 159 | 442.307 | | |
| TMP-11 | 30 | 5/15/2013 | 76 | 166.7 | 422.307 | | |
| TMP-11 | 30 | 5/15/2013 | 96 | 166.6 | 402.307 | | |
| TMP-11 | 30 | 5/15/2013 | 116 | 161.9 | 382.307 | | |
| TMP-11 | 30 | 5/15/2013 | 136 | 153.2 | 362.307 | | |
| TMP-11 | 30 | 5/15/2013 | 156 | 150.7 | 342.307 | | |
| TMP-11 | 30 | 5/15/2013 | 176 | 143 | 322.307 | | |
| TMP-11 | 30 | 5/15/2013 | 196 | 125.7 | 302.307 | | |
| TMP-11 | 30 | 5/15/2013 | 216 | 102.1 | 282.307 | | |
| TMP-11 | 31 | 5/22/2013 | 16 | 109.5 | 482.307 | | |
| TMP-11 | 31 | 5/22/2013 | 36 | 142.6 | 462.307 | | |
| TMP-11 | 31 | 5/22/2013 | 56 | 159.4 | 442.307 | | |
| TMP-11 | 31 | 5/22/2013 | 76 | 167 | 422.307 | | |
| TMP-11 | 31 | 5/22/2013 | 96 | 166.5 | 402.307 | | |
| TMP-11 | 31 | 5/22/2013 | 116 | 162.1 | 382.307 | | |
| TMP-11 | 31 | 5/22/2013 | 136 | 156.9 | 362.307 | | |
| TMP-11 | 31 | 5/22/2013 | 156 | 151 | 342.307 | | |
| TMP-11 | 31 | 5/22/2013 | 176 | 143.2 | 322.307 | | |
| TMP-11 | 31 | 5/22/2013 | 196 | 125.3 | 302.307 | | |
| TMP-11 | 31 | 5/22/2013 | 216 | 102.4 | 282.307 | | |
| TMP-11 | 32 | 5/29/2013 | 16 | 108.4 | 482.307 | | |
| TMP-11 | 32 | 5/29/2013 | 36 | 141.7 | 462.307 | | |
| TMP-11 | 32 | 5/29/2013 | 56 | 158.7 | 442.307 | | |
| TMP-11 | 32 | 5/29/2013 | 76 | 166.2 | 422.307 | | |
| TMP-11 | 32 | 5/29/2013 | 96 | 166 | 402.307 | | |
| TMP-11 | 32 | 5/29/2013 | 116 | 161.3 | 382.307 | | |
| TMP-11 | 32 | 5/29/2013 | 136 | 155 | 362.307 | | |
| TMP-11 | 32 | 5/29/2013 | 156 | 149.7 | 342.307 | | |
| TMP-11 | 32 | 5/29/2013 | 176 | 141.7 | 322.307 | | |
| TMP-11 | 32 | 5/29/2013 | 196 | 123.7 | 302.307 | | |
| TMP-11 | 32 | 5/29/2013 | 216 | 101 | 282.307 | | |
| TMP-11 | 34 | 6/5/2013 | 16 | 108.4 | 482.307 | | |
| TMP-11 | 34 | 6/5/2013 | 36 | 142 | 462.307 | | |
| TMP-11 | 34 | 6/5/2013 | 56 | 158.9 | 442.307 | | |
| TMP-11 | 34 | 6/5/2013 | 76 | 166.4 | 422.307 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-11 | 34 | 6/5/2013 | 96 | 165.8 | 402.307 | | |
| TMP-11 | 34 | 6/5/2013 | 116 | 161.1 | 382.307 | | |
| TMP-11 | 34 | 6/5/2013 | 136 | 156 | 362.307 | | |
| TMP-11 | 34 | 6/5/2013 | 156 | 149.8 | 342.307 | | |
| TMP-11 | 34 | 6/5/2013 | 176 | 140.5 | 322.307 | | |
| TMP-11 | 34 | 6/5/2013 | 196 | 123.7 | 302.307 | | |
| TMP-11 | 34 | 6/5/2013 | 216 | 101.3 | 282.307 | | |
| TMP-11 | 35 | 6/12/2013 | 16 | 110.1 | 482.307 | | |
| TMP-11 | 35 | 6/12/2013 | 36 | 143.3 | 462.307 | | |
| TMP-11 | 35 | 6/12/2013 | 56 | 160 | 442.307 | | |
| TMP-11 | 35 | 6/12/2013 | 76 | 167.5 | 422.307 | | |
| TMP-11 | 35 | 6/12/2013 | 96 | 167.1 | 402.307 | | |
| TMP-11 | 35 | 6/12/2013 | 116 | 162.5 | 382.307 | | |
| TMP-11 | 35 | 6/12/2013 | 136 | 157.3 | 362.307 | | |
| TMP-11 | 35 | 6/12/2013 | 156 | 151.2 | 342.307 | | |
| TMP-11 | 35 | 6/12/2013 | 176 | 141.7 | 322.307 | | |
| TMP-11 | 35 | 6/12/2013 | 196 | 124.9 | 302.307 | | |
| TMP-11 | 35 | 6/12/2013 | 216 | 102.3 | 282.307 | | |
| TMP-11 | 36 | 6/19/2013 | 16 | 110.3 | 482.307 | | |
| TMP-11 | 36 | 6/19/2013 | 36 | 143.5 | 462.307 | | |
| TMP-11 | 36 | 6/19/2013 | 56 | 160.4 | 442.307 | | |
| TMP-11 | 36 | 6/19/2013 | 76 | 167.9 | 422.307 | | |
| TMP-11 | 36 | 6/19/2013 | 96 | 167.7 | 402.307 | | |
| TMP-11 | 36 | 6/19/2013 | 116 | 163 | 382.307 | | |
| TMP-11 | 36 | 6/19/2013 | 136 | 157.8 | 362.307 | | |
| TMP-11 | 36 | 6/19/2013 | 156 | 151.7 | 342.307 | | |
| TMP-11 | 36 | 6/19/2013 | 176 | 142.6 | 322.307 | | |
| TMP-11 | 36 | 6/19/2013 | 196 | 125.4 | 302.307 | | |
| TMP-11 | 36 | 6/19/2013 | 216 | 102.7 | 282.307 | | |
| TMP-11 | 37 | 6/27/2013 | 16 | 109 | 482.307 | | |
| TMP-11 | 37 | 6/27/2013 | 36 | 142.1 | 462.307 | | |
| TMP-11 | 37 | 6/27/2013 | 56 | 158.5 | 442.307 | | |
| TMP-11 | 37 | 6/27/2013 | 76 | 165.9 | 422.307 | | |
| TMP-11 | 37 | 6/27/2013 | 96 | 165.4 | 402.307 | | |
| TMP-11 | 37 | 6/27/2013 | 116 | 160.7 | 382.307 | | |
| TMP-11 | 37 | 6/27/2013 | 136 | 154.9 | 362.307 | | |
| TMP-11 | 37 | 6/27/2013 | 156 | 148.7 | 342.307 | | |
| TMP-11 | 37 | 6/27/2013 | 176 | 139.8 | 322.307 | | |
| TMP-11 | 37 | 6/27/2013 | 196 | 122.9 | 302.307 | | |
| TMP-11 | 37 | 6/27/2013 | 216 | 100.4 | 282.307 | | |
| TMP-11 | 38 | 7/3/2013 | 16 | 111.3 | 482.307 | | |
| TMP-11 | 38 | 7/3/2013 | 36 | 144.4 | 462.307 | | |
| TMP-11 | 38 | 7/3/2013 | 56 | 160.7 | 442.307 | | |
| TMP-11 | 38 | 7/3/2013 | 76 | 168.1 | 422.307 | | |
| TMP-11 | 38 | 7/3/2013 | 96 | 167.5 | 402.307 | | |
| TMP-11 | 38 | 7/3/2013 | 116 | 162.9 | 382.307 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|-----------------|
| TMP-11 | 38 | 7/3/2013 | 136 | 157.5 | 362.307 | | |
| TMP-11 | 38 | 7/3/2013 | 156 | 150.2 | 342.307 | | |
| TMP-11 | 38 | 7/3/2013 | 176 | 139.9 | 322.307 | | |
| TMP-11 | 38 | 7/3/2013 | 196 | 123.8 | 302.307 | | |
| TMP-11 | 38 | 7/3/2013 | 216 | 102.5 | 282.307 | | |
| TMP-11 | 39 | 7/8/2013 | 16 | 109.7 | 482.307 | | |
| TMP-11 | 39 | 7/8/2013 | 36 | 142.3 | 462.307 | | |
| TMP-11 | 39 | 7/8/2013 | 56 | 158.9 | 442.307 | | |
| TMP-11 | 39 | 7/8/2013 | 76 | 166.4 | 422.307 | | |
| TMP-11 | 39 | 7/8/2013 | 96 | 164.7 | 402.307 | | |
| TMP-11 | 39 | 7/8/2013 | 116 | 161 | 382.307 | | |
| TMP-11 | 39 | 7/8/2013 | 136 | 155.7 | 362.307 | | |
| TMP-11 | 39 | 7/8/2013 | 156 | 148.3 | 342.307 | | |
| TMP-11 | 39 | 7/8/2013 | 176 | 137.6 | 322.307 | | |
| TMP-11 | 39 | 7/8/2013 | 196 | 121.6 | 302.307 | | |
| TMP-11 | 39 | 7/8/2013 | 216 | 100.4 | 282.307 | | |
| TMP-11 | 40 | 7/10/2013 | 16 | 110.4 | 482.307 | | |
| TMP-11 | 40 | 7/10/2013 | 36 | 143.1 | 462.307 | | |
| TMP-11 | 40 | 7/10/2013 | 56 | 159.7 | 442.307 | | |
| TMP-11 | 40 | 7/10/2013 | 76 | 167.2 | 422.307 | | |
| TMP-11 | 40 | 7/10/2013 | 96 | 166.5 | 402.307 | | |
| TMP-11 | 40 | 7/10/2013 | 116 | 161.8 | 382.307 | | |
| TMP-11 | 40 | 7/10/2013 | 136 | 155.8 | 362.307 | | |
| TMP-11 | 40 | 7/10/2013 | 156 | 149.1 | 342.307 | | |
| TMP-11 | 40 | 7/10/2013 | 176 | 138.5 | 322.307 | | |
| TMP-11 | 40 | 7/10/2013 | 196 | 123.1 | 302.307 | | |
| TMP-11 | 40 | 7/10/2013 | 216 | 101.5 | 282.307 | | |
| TMP-11 | 41 | 7/18/2013 | 16 | 109 | 482.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 36 | 141.5 | 462.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 56 | 158.2 | 442.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 76 | 165.7 | 422.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 96 | 165.1 | 402.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 116 | 160.3 | 382.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 136 | 154.7 | 362.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 156 | 147.5 | 342.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 176 | 137.1 | 322.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 196 | 123.3 | 302.307 | | High resistance |
| TMP-11 | 41 | 7/18/2013 | 216 | 99.7 | 282.307 | | High resistance |
| TMP-11 | 42 | 7/25/2013 | 16 | 108 | 482.307 | | |
| TMP-11 | 42 | 7/25/2013 | 36 | 140.1 | 462.307 | | |
| TMP-11 | 42 | 7/25/2013 | 56 | 156.4 | 442.307 | | |
| TMP-11 | 42 | 7/25/2013 | 76 | 162.2 | 422.307 | | |
| TMP-11 | 42 | 7/25/2013 | 96 | 161.5 | 402.307 | | |
| TMP-11 | 42 | 7/25/2013 | 116 | 157.7 | 382.307 | | |
| TMP-11 | 42 | 7/25/2013 | 136 | 152.5 | 362.307 | | |
| TMP-11 | 42 | 7/25/2013 | 156 | 143.4 | 342.307 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-11 | 42 | 7/25/2013 | 176 | 134 | 322.307 | | |
| TMP-11 | 42 | 7/25/2013 | 196 | 120 | 302.307 | | |
| TMP-11 | 42 | 7/25/2013 | 216 | 95.2 | 282.307 | | |
| TMP-11 | 43 | 8/1/2013 | 16 | 106.5 | 482.307 | | |
| TMP-11 | 43 | 8/1/2013 | 36 | 138.1 | 462.307 | | |
| TMP-11 | 43 | 8/1/2013 | 56 | 154.3 | 442.307 | | |
| TMP-11 | 43 | 8/1/2013 | 76 | 161.8 | 422.307 | | |
| TMP-11 | 43 | 8/1/2013 | 96 | 161.3 | 402.307 | | |
| TMP-11 | 43 | 8/1/2013 | 116 | 156.9 | 382.307 | | |
| TMP-11 | 43 | 8/1/2013 | 136 | 152.1 | 362.307 | | |
| TMP-11 | 43 | 8/1/2013 | 156 | 145.5 | 342.307 | | |
| TMP-11 | 43 | 8/1/2013 | 176 | 135 | 322.307 | | |
| TMP-11 | 43 | 8/1/2013 | 196 | 120.5 | 302.307 | | |
| TMP-11 | 43 | 8/1/2013 | 216 | 95.2 | 282.307 | | |
| TMP-11 | 44 | 8/6/2013 | 16 | 110.6 | 482.307 | | |
| TMP-11 | 44 | 8/6/2013 | 36 | 142.9 | 462.307 | | |
| TMP-11 | 44 | 8/6/2013 | 56 | 159 | 442.307 | | |
| TMP-11 | 44 | 8/6/2013 | 76 | 166.5 | 422.307 | | |
| TMP-11 | 44 | 8/6/2013 | 96 | 165.9 | 402.307 | | |
| TMP-11 | 44 | 8/6/2013 | 116 | 161.2 | 382.307 | | |
| TMP-11 | 44 | 8/6/2013 | 136 | 156.1 | 362.307 | | |
| TMP-11 | 44 | 8/6/2013 | 156 | 148.4 | 342.307 | | |
| TMP-11 | 44 | 8/6/2013 | 176 | 138.9 | 322.307 | | |
| TMP-11 | 44 | 8/6/2013 | 196 | 125.2 | 302.307 | | |
| TMP-11 | 44 | 8/6/2013 | 216 | 100.5 | 282.307 | | |
| TMP-11 | 45 | 8/14/2013 | 16 | 111.3 | 482.307 | | |
| TMP-11 | 45 | 8/14/2013 | 36 | 143.7 | 462.307 | | |
| TMP-11 | 45 | 8/14/2013 | 56 | 159.8 | 442.307 | | |
| TMP-11 | 45 | 8/14/2013 | 76 | 167.3 | 422.307 | | |
| TMP-11 | 45 | 8/14/2013 | 96 | 166.8 | 402.307 | | |
| TMP-11 | 45 | 8/14/2013 | 116 | 162.1 | 382.307 | | |
| TMP-11 | 45 | 8/14/2013 | 136 | 156.9 | 362.307 | | |
| TMP-11 | 45 | 8/14/2013 | 156 | 149.4 | 342.307 | | |
| TMP-11 | 45 | 8/14/2013 | 176 | 140.2 | 322.307 | | |
| TMP-11 | 45 | 8/14/2013 | 196 | 126.5 | 302.307 | | |
| TMP-11 | 45 | 8/14/2013 | 216 | 101.7 | 282.307 | | |
| TMP-11 | 48 | 8/20/2013 | 16 | 110.1 | 482.307 | | |
| TMP-11 | 48 | 8/20/2013 | 36 | 142.6 | 462.307 | | |
| TMP-11 | 48 | 8/20/2013 | 56 | 158.7 | 442.307 | | |
| TMP-11 | 48 | 8/20/2013 | 76 | 166.2 | 422.307 | | |
| TMP-11 | 48 | 8/20/2013 | 96 | 165.8 | 402.307 | | |
| TMP-11 | 48 | 8/20/2013 | 116 | 161.1 | 382.307 | | |
| TMP-11 | 48 | 8/20/2013 | 136 | 155.8 | 362.307 | | |
| TMP-11 | 48 | 8/20/2013 | 156 | 148.6 | 342.307 | | |
| TMP-11 | 48 | 8/20/2013 | 176 | 139.2 | 322.307 | | |
| TMP-11 | 48 | 8/20/2013 | 196 | 125.5 | 302.307 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-11 | 48 | 8/20/2013 | 216 | 100.6 | 282.307 | | |
| TMP-11 | 49 | 8/27/2013 | 16 | 112 | 482.307 | | |
| TMP-11 | 49 | 8/27/2013 | 36 | 144.3 | 462.307 | | |
| TMP-11 | 49 | 8/27/2013 | 56 | 160.2 | 442.307 | | |
| TMP-11 | 49 | 8/27/2013 | 76 | 167.9 | 422.307 | | |
| TMP-11 | 49 | 8/27/2013 | 96 | 167.3 | 402.307 | | |
| TMP-11 | 49 | 8/27/2013 | 116 | 162.7 | 382.307 | | |
| TMP-11 | 49 | 8/27/2013 | 136 | 157.5 | 362.307 | | |
| TMP-11 | 49 | 8/27/2013 | 156 | 150.1 | 342.307 | | |
| TMP-11 | 49 | 8/27/2013 | 176 | 140.7 | 322.307 | | |
| TMP-11 | 49 | 8/27/2013 | 196 | 126.8 | 302.307 | | |
| TMP-11 | 49 | 8/27/2013 | 216 | 101.8 | 282.307 | | |
| TMP-11 | 50 | 9/3/2013 | 16 | 112.9 | 482.307 | | |
| TMP-11 | 50 | 9/3/2013 | 36 | 145 | 462.307 | | |
| TMP-11 | 50 | 9/3/2013 | 56 | 160.8 | 442.307 | | |
| TMP-11 | 50 | 9/3/2013 | 216 | 102.1 | 282.307 | | |
| TMP-11 | 50 | 9/3/2013 | 16 | 112.9 | 482.307 | | |
| TMP-11 | 50 | 9/3/2013 | 36 | 145 | 462.307 | | |
| TMP-11 | 50 | 9/3/2013 | 56 | 160.8 | 442.307 | | |
| TMP-11 | 50 | 9/3/2013 | 76 | 168.4 | 422.307 | | |
| TMP-11 | 50 | 9/3/2013 | 96 | 167.8 | 402.307 | | |
| TMP-11 | 50 | 9/3/2013 | 116 | 163.1 | 382.307 | | |
| TMP-11 | 50 | 9/3/2013 | 136 | 157.7 | 362.307 | | |
| TMP-11 | 50 | 9/3/2013 | 156 | 150.4 | 342.307 | | |
| TMP-11 | 50 | 9/3/2013 | 176 | 140.9 | 322.307 | | |
| TMP-11 | 50 | 9/3/2013 | 196 | 126.9 | 302.307 | | |
| TMP-11 | 50 | 9/3/2013 | 216 | 102.1 | 282.307 | | |

Note: The reading from this TMP on July 3rd appeared to be affected by resistance, so it was read

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-12 | 25 | 4/6/2013 | 15 | 124 | 485.713 | | |
| TMP-12 | 25 | 4/6/2013 | 35 | 139.8 | 465.713 | | |
| TMP-12 | 25 | 4/6/2013 | 55 | 145.3 | 445.713 | | |
| TMP-12 | 25 | 4/6/2013 | 75 | 140.3 | 425.713 | | |
| TMP-12 | 25 | 4/6/2013 | 95 | 138.7 | 405.713 | | |
| TMP-12 | 25 | 4/6/2013 | 115 | 136.8 | 385.713 | | |
| TMP-12 | 25 | 4/6/2013 | 135 | 130.7 | 365.713 | | |
| TMP-12 | 25 | 4/6/2013 | 155 | 129.4 | 345.713 | | |
| TMP-12 | 25 | 4/6/2013 | 175 | 123.9 | 325.713 | | |
| TMP-12 | 25 | 4/6/2013 | 195 | 115.2 | 305.713 | | |
| TMP-12 | 26 | 4/10/2013 | 15 | 125.2 | 485.713 | | |
| TMP-12 | 26 | 4/10/2013 | 35 | 141.7 | 465.713 | | |
| TMP-12 | 26 | 4/10/2013 | 55 | 146.5 | 445.713 | | |
| TMP-12 | 26 | 4/10/2013 | 75 | 141.2 | 425.713 | | |
| TMP-12 | 26 | 4/10/2013 | 95 | 139 | 405.713 | | |
| TMP-12 | 26 | 4/10/2013 | 115 | 137.6 | 385.713 | | |
| TMP-12 | 26 | 4/10/2013 | 135 | 131.6 | 365.713 | | |
| TMP-12 | 26 | 4/10/2013 | 155 | 130.2 | 345.713 | | |
| TMP-12 | 26 | 4/10/2013 | 175 | 125.1 | 325.713 | | |
| TMP-12 | 26 | 4/10/2013 | 195 | 115.7 | 305.713 | | |
| TMP-12 | 27 | 4/17/2013 | 15 | 124.6 | 485.713 | | |
| TMP-12 | 27 | 4/17/2013 | 35 | 141.1 | 465.713 | | |
| TMP-12 | 27 | 4/17/2013 | 55 | 145.9 | 445.713 | | |
| TMP-12 | 27 | 4/17/2013 | 75 | 140.2 | 425.713 | | |
| TMP-12 | 27 | 4/17/2013 | 95 | 137.6 | 405.713 | | |
| TMP-12 | 27 | 4/17/2013 | 115 | 136.4 | 385.713 | | |
| TMP-12 | 27 | 4/17/2013 | 135 | 130.9 | 365.713 | | |
| TMP-12 | 27 | 4/17/2013 | 155 | 129.4 | 345.713 | | |
| TMP-12 | 27 | 4/17/2013 | 175 | 123.6 | 325.713 | | |
| TMP-12 | 27 | 4/17/2013 | 195 | 113.9 | 305.713 | | |
| TMP-12 | 28 | 4/30/2013 | 15 | 126.7 | 485.713 | | |
| TMP-12 | 28 | 4/30/2013 | 35 | 142.7 | 465.713 | | |
| TMP-12 | 28 | 4/30/2013 | 55 | 146.5 | 445.713 | | |
| TMP-12 | 28 | 4/30/2013 | 75 | 140.9 | 425.713 | | |
| TMP-12 | 28 | 4/30/2013 | 95 | 137.5 | 405.713 | | |
| TMP-12 | 28 | 4/30/2013 | 115 | 137 | 385.713 | | |
| TMP-12 | 28 | 4/30/2013 | 135 | 131.5 | 365.713 | | |
| TMP-12 | 28 | 4/30/2013 | 155 | 131 | 345.713 | | |
| TMP-12 | 28 | 4/30/2013 | 175 | 123.9 | 325.713 | | |
| TMP-12 | 28 | 4/30/2013 | 195 | 112.7 | 305.713 | | |
| TMP-12 | 29 | 5/9/2013 | 15 | 127.5 | 485.713 | | |
| TMP-12 | 29 | 5/9/2013 | 35 | 143.3 | 465.713 | | |
| TMP-12 | 29 | 5/9/2013 | 55 | 147.3 | 445.713 | | |
| TMP-12 | 29 | 5/9/2013 | 75 | 141.6 | 425.713 | | |
| TMP-12 | 29 | 5/9/2013 | 95 | 138.3 | 405.713 | | |
| TMP-12 | 29 | 5/9/2013 | 115 | 138.1 | 385.713 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-12 | 29 | 5/9/2013 | 135 | 132.1 | 365.713 | | |
| TMP-12 | 29 | 5/9/2013 | 155 | 132.9 | 345.713 | | |
| TMP-12 | 29 | 5/9/2013 | 175 | 125.8 | 325.713 | | |
| TMP-12 | 29 | 5/9/2013 | 195 | 113.4 | 305.713 | | |
| TMP-12 | 30 | 5/15/2013 | 15 | 126.8 | 485.713 | | |
| TMP-12 | 30 | 5/15/2013 | 35 | 141.2 | 465.713 | | |
| TMP-12 | 30 | 5/15/2013 | 55 | 144.8 | 445.713 | | |
| TMP-12 | 30 | 5/15/2013 | 75 | 138.1 | 425.713 | | |
| TMP-12 | 30 | 5/15/2013 | 95 | 134.3 | 405.713 | | |
| TMP-12 | 30 | 5/15/2013 | 115 | 133.3 | 385.713 | | |
| TMP-12 | 30 | 5/15/2013 | 135 | 128 | 365.713 | | |
| TMP-12 | 30 | 5/15/2013 | 155 | 128.9 | 345.713 | | |
| TMP-12 | 30 | 5/15/2013 | 175 | 120.9 | 325.713 | | |
| TMP-12 | 30 | 5/15/2013 | 195 | 105.5 | 305.713 | | |
| TMP-12 | 31 | 5/22/2013 | 15 | 126.5 | 485.713 | | |
| TMP-12 | 31 | 5/22/2013 | 35 | 140.4 | 465.713 | | |
| TMP-12 | 31 | 5/22/2013 | 55 | 145 | 445.713 | | |
| TMP-12 | 31 | 5/22/2013 | 75 | 136.8 | 425.713 | | |
| TMP-12 | 31 | 5/22/2013 | 95 | 132.4 | 405.713 | | |
| TMP-12 | 31 | 5/22/2013 | 115 | 131.1 | 385.713 | | |
| TMP-12 | 31 | 5/22/2013 | 135 | 125.3 | 365.713 | | |
| TMP-12 | 31 | 5/22/2013 | 155 | 125 | 345.713 | | |
| TMP-12 | 31 | 5/22/2013 | 175 | 116.9 | 325.713 | | |
| TMP-12 | 31 | 5/22/2013 | 195 | 104.6 | 305.713 | | |
| TMP-12 | 32 | 5/29/2013 | 15 | 126.8 | 485.713 | | |
| TMP-12 | 32 | 5/29/2013 | 35 | 141 | 465.713 | | |
| TMP-12 | 32 | 5/29/2013 | 55 | 146.8 | 445.713 | | |
| TMP-12 | 32 | 5/29/2013 | 75 | 139.1 | 425.713 | | |
| TMP-12 | 32 | 5/29/2013 | 95 | 135.3 | 405.713 | | |
| TMP-12 | 32 | 5/29/2013 | 115 | 134.6 | 385.713 | | |
| TMP-12 | 32 | 5/29/2013 | 135 | 121.8 | 365.713 | | |
| TMP-12 | 32 | 5/29/2013 | 155 | 131.7 | 345.713 | | |
| TMP-12 | 32 | 5/29/2013 | 175 | 129.1 | 325.713 | | |
| TMP-12 | 32 | 5/29/2013 | 195 | 108.7 | 305.713 | | |
| TMP-12 | 34 | 6/5/2013 | 15 | 124.9 | 485.713 | | |
| TMP-12 | 34 | 6/5/2013 | 35 | 138.2 | 465.713 | | |
| TMP-12 | 34 | 6/5/2013 | 55 | 142 | 445.713 | | |
| TMP-12 | 34 | 6/5/2013 | 75 | 133.9 | 425.713 | | |
| TMP-12 | 34 | 6/5/2013 | 95 | 129.3 | 405.713 | | |
| TMP-12 | 34 | 6/5/2013 | 115 | 126.5 | 385.713 | | |
| TMP-12 | 34 | 6/5/2013 | 135 | 122.5 | 365.713 | | |
| TMP-12 | 34 | 6/5/2013 | 155 | 119.3 | 345.713 | | |
| TMP-12 | 34 | 6/5/2013 | 175 | 115.1 | 325.713 | | |
| TMP-12 | 34 | 6/5/2013 | 195 | 95.7 | 305.713 | | |
| TMP-12 | 35 | 6/12/2013 | 15 | 126.1 | 485.713 | | |
| TMP-12 | 35 | 6/12/2013 | 35 | 137.3 | 465.713 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-12 | 35 | 6/12/2013 | 55 | 141.8 | 445.713 | | |
| TMP-12 | 35 | 6/12/2013 | 75 | 132.2 | 425.713 | | |
| TMP-12 | 35 | 6/12/2013 | 95 | 126.4 | 405.713 | | |
| TMP-12 | 35 | 6/12/2013 | 115 | 123.1 | 385.713 | | |
| TMP-12 | 35 | 6/12/2013 | 135 | 128.2 | 365.713 | | |
| TMP-12 | 35 | 6/12/2013 | 155 | 91.2 | 345.713 | | |
| TMP-12 | 35 | 6/12/2013 | 175 | 131.9 | 325.713 | | |
| TMP-12 | 35 | 6/12/2013 | 195 | 94.5 | 305.713 | | |
| TMP-12 | 36 | 6/19/2013 | 15 | 132.4 | 485.713 | | |
| TMP-12 | 36 | 6/19/2013 | 35 | 146.9 | 465.713 | | |
| TMP-12 | 36 | 6/19/2013 | 55 | 153.3 | 445.713 | | |
| TMP-12 | 36 | 6/19/2013 | 75 | 146.2 | 425.713 | | |
| TMP-12 | 36 | 6/19/2013 | 95 | 142.9 | 405.713 | | |
| TMP-12 | 36 | 6/19/2013 | 115 | 142.4 | 385.713 | | |
| TMP-12 | 36 | 6/19/2013 | 135 | 140.6 | 365.713 | | |
| TMP-12 | 36 | 6/19/2013 | 155 | 120 | 345.713 | | |
| TMP-12 | 36 | 6/19/2013 | 175 | 148.8 | 325.713 | | |
| TMP-12 | 36 | 6/19/2013 | 195 | 128.7 | 305.713 | | |
| TMP-12 | 37 | 6/27/2013 | 15 | 135.9 | 485.713 | | |
| TMP-12 | 37 | 6/27/2013 | 35 | 141.8 | 465.713 | | |
| TMP-12 | 37 | 6/27/2013 | 55 | 143 | 445.713 | | |
| TMP-12 | 37 | 6/27/2013 | 75 | 141.7 | 425.713 | | |
| TMP-12 | 37 | 6/27/2013 | 95 | 137.9 | 405.713 | | |
| TMP-12 | 37 | 6/27/2013 | 115 | 136.8 | 385.713 | | |
| TMP-12 | 37 | 6/27/2013 | 135 | 140.5 | 365.713 | | |
| TMP-12 | 37 | 6/27/2013 | 155 | 132 | 345.713 | | |
| TMP-12 | 37 | 6/27/2013 | 175 | 135.7 | 325.713 | | |
| TMP-12 | 37 | 6/27/2013 | 195 | 115.7 | 305.713 | | |
| TMP-12 | 38 | 7/3/2013 | 15 | 128.3 | 485.713 | | |
| TMP-12 | 38 | 7/3/2013 | 35 | 143.2 | 465.713 | | |
| TMP-12 | 38 | 7/3/2013 | 55 | 149.2 | 445.713 | | |
| TMP-12 | 38 | 7/3/2013 | 75 | 141.4 | 425.713 | | |
| TMP-12 | 38 | 7/3/2013 | 95 | 137.2 | 405.713 | | |
| TMP-12 | 38 | 7/3/2013 | 115 | 137.1 | 385.713 | | |
| TMP-12 | 38 | 7/3/2013 | 135 | 132.3 | 365.713 | | |
| TMP-12 | 38 | 7/3/2013 | 155 | 131.7 | 345.713 | | |
| TMP-12 | 38 | 7/3/2013 | 175 | 127.2 | 325.713 | | |
| TMP-12 | 38 | 7/3/2013 | 195 | 114.7 | 305.713 | | |
| TMP-12 | 40 | 7/10/2013 | 15 | 126.9 | 485.713 | | |
| TMP-12 | 40 | 7/10/2013 | 35 | 143.5 | 465.713 | | |
| TMP-12 | 40 | 7/10/2013 | 55 | 149.4 | 445.713 | | |
| TMP-12 | 40 | 7/10/2013 | 75 | 141.5 | 425.713 | | |
| TMP-12 | 40 | 7/10/2013 | 95 | 137.4 | 405.713 | | |
| TMP-12 | 40 | 7/10/2013 | 115 | 136.9 | 385.713 | | |
| TMP-12 | 40 | 7/10/2013 | 135 | 132.1 | 365.713 | | |
| TMP-12 | 40 | 7/10/2013 | 155 | 134.5 | 345.713 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|--------------------|
| TMP-12 | 40 | 7/10/2013 | 175 | 125.6 | 325.713 | | |
| TMP-12 | 40 | 7/10/2013 | 195 | 115.1 | 305.713 | | |
| TMP-12 | 41 | 7/18/2013 | 15 | | 485.713 | 86.7 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 35 | | 465.713 | 67.6 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 55 | | 445.713 | 61.5 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 75 | | 425.713 | 70 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 95 | | 405.713 | 74.3 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 115 | | 385.713 | 74.9 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 135 | | 365.713 | 79.7 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 155 | | 345.713 | 76.9 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 175 | | 325.713 | 86.6 | invalid reading |
| TMP-12 | 41 | 7/18/2013 | 195 | | 305.713 | 97.2 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 15 | | 485.713 | 58 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 35 | | 465.713 | 36.5 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 55 | | 445.713 | 30 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 75 | | 425.713 | 38.7 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 95 | | 405.713 | 42.6 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 115 | | 385.713 | 43.1 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 135 | | 365.713 | 47.6 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 155 | | 345.713 | 42.2 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 175 | | 325.713 | 56.4 | invalid reading |
| TMP-12 | 42 | 7/25/2013 | 195 | | 305.713 | 65.3 | invalid reading |
| TMP-12 | 43 | 8/1/2013 | 15 | 113.4 | 485.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 35 | 135.8 | 465.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 55 | 143.1 | 445.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 75 | 137.3 | 425.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 95 | 135.4 | 405.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 115 | 135.5 | 385.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 135 | 132.1 | 365.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 155 | 137.7 | 345.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 175 | 124.9 | 325.713 | | Corrected polarity |
| TMP-12 | 43 | 8/1/2013 | 195 | 117 | 305.713 | | Corrected polarity |
| TMP-12 | 44 | 8/6/2013 | 15 | 128.2 | 485.713 | | |
| TMP-12 | 44 | 8/6/2013 | 35 | 148.9 | 465.713 | | |
| TMP-12 | 44 | 8/6/2013 | 55 | 153.6 | 445.713 | | |
| TMP-12 | 44 | 8/6/2013 | 75 | 146 | 425.713 | | |
| TMP-12 | 44 | 8/6/2013 | 95 | 142.2 | 405.713 | | |
| TMP-12 | 44 | 8/6/2013 | 115 | 141.4 | 385.713 | | |
| TMP-12 | 44 | 8/6/2013 | 135 | 136.6 | 365.713 | | |
| TMP-12 | 44 | 8/6/2013 | 155 | 141.1 | 345.713 | | |
| TMP-12 | 44 | 8/6/2013 | 175 | 127.6 | 325.713 | | |
| TMP-12 | 44 | 8/6/2013 | 195 | 118.6 | 305.713 | | |
| TMP-12 | 45 | 8/14/2013 | 15 | 125.5 | 485.713 | | |
| TMP-12 | 45 | 8/14/2013 | 35 | 147.8 | 465.713 | | |
| TMP-12 | 45 | 8/14/2013 | 55 | 152.2 | 445.713 | | |
| TMP-12 | 45 | 8/14/2013 | 75 | 144.5 | 425.713 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-12 | 45 | 8/14/2013 | 95 | 140.6 | 405.713 | | |
| TMP-12 | 45 | 8/14/2013 | 115 | 139.5 | 385.713 | | |
| TMP-12 | 45 | 8/14/2013 | 135 | 134.7 | 365.713 | | |
| TMP-12 | 45 | 8/14/2013 | 155 | 139.3 | 345.713 | | |
| TMP-12 | 45 | 8/14/2013 | 175 | 125.7 | 325.713 | | |
| TMP-12 | 45 | 8/14/2013 | 195 | 116.6 | 305.713 | | |
| TMP-12 | 48 | 8/20/2013 | 15 | 123.3 | 485.713 | | |
| TMP-12 | 48 | 8/20/2013 | 35 | 146.2 | 465.713 | | |
| TMP-12 | 48 | 8/20/2013 | 55 | 150.3 | 445.713 | | |
| TMP-12 | 48 | 8/20/2013 | 75 | 142.6 | 425.713 | | |
| TMP-12 | 48 | 8/20/2013 | 95 | 138.8 | 405.713 | | |
| TMP-12 | 48 | 8/20/2013 | 115 | 137.7 | 385.713 | | |
| TMP-12 | 48 | 8/20/2013 | 135 | 133 | 365.713 | | |
| TMP-12 | 48 | 8/20/2013 | 155 | 137.9 | 345.713 | | |
| TMP-12 | 48 | 8/20/2013 | 175 | 124.3 | 325.713 | | |
| TMP-12 | 48 | 8/20/2013 | 195 | 115.2 | 305.713 | | |
| TMP-12 | 49 | 8/27/2013 | 15 | 121.6 | 485.713 | | |
| TMP-12 | 49 | 8/27/2013 | 35 | 146.1 | 465.713 | | |
| TMP-12 | 49 | 8/27/2013 | 55 | 149.3 | 445.713 | | |
| TMP-12 | 49 | 8/27/2013 | 75 | 141.8 | 425.713 | | |
| TMP-12 | 49 | 8/27/2013 | 95 | 138 | 405.713 | | |
| TMP-12 | 49 | 8/27/2013 | 115 | 136.9 | 385.713 | | |
| TMP-12 | 49 | 8/27/2013 | 135 | 132 | 365.713 | | |
| TMP-12 | 49 | 8/27/2013 | 155 | 137.1 | 345.713 | | |
| TMP-12 | 49 | 8/27/2013 | 175 | 123.3 | 325.713 | | |
| TMP-12 | 49 | 8/27/2013 | 195 | 114.5 | 305.713 | | |
| TMP-12 | 50 | 9/3/2013 | 15 | 123.4 | 485.713 | | |
| TMP-12 | 50 | 9/3/2013 | 35 | 149 | 465.713 | | |
| TMP-12 | 50 | 9/3/2013 | 55 | 151 | 445.713 | | |
| TMP-12 | 50 | 9/3/2013 | 75 | 143.8 | 425.713 | | |
| TMP-12 | 50 | 9/3/2013 | 95 | 140 | 405.713 | | |
| TMP-12 | 50 | 9/3/2013 | 115 | 138.7 | 385.713 | | |
| TMP-12 | 50 | 9/3/2013 | 135 | 133.6 | 365.713 | | |
| TMP-12 | 50 | 9/3/2013 | 155 | 138.8 | 345.713 | | |
| TMP-12 | 50 | 9/3/2013 | 175 | 124.7 | 325.713 | | |
| TMP-12 | 50 | 9/3/2013 | 195 | 115.5 | 305.713 | | |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|----------|
| 4/6/2013 | 9 | 134.5 | 490.664 | | |
| 4/6/2013 | 29 | 139.9 | 470.664 | | |
| 4/6/2013 | 49 | 164.3 | 450.664 | | |
| 4/6/2013 | 69 | 168.2 | 430.664 | | |
| 4/6/2013 | 89 | 170.6 | 410.664 | | |
| 4/6/2013 | 109 | 171.3 | 390.664 | | |
| 4/6/2013 | 129 | 163.1 | 370.664 | | |
| 4/6/2013 | 149 | 160 | 350.664 | | |
| 4/6/2013 | 169 | 147 | 330.664 | | |
| 4/6/2013 | 189 | 131.2 | 310.664 | | |
| 4/6/2013 | 209 | | 290.664 | | |
| 4/10/2013 | 9 | 138.2 | 490.664 | | |
| 4/10/2013 | 29 | 145 | 470.664 | | |
| 4/10/2013 | 49 | 166.6 | 450.664 | | |
| 4/10/2013 | 69 | 169 | 430.664 | | |
| 4/10/2013 | 89 | 171.4 | 410.664 | | |
| 4/10/2013 | 109 | 171 | 390.664 | | |
| 4/10/2013 | 129 | 162.6 | 370.664 | | |
| 4/10/2013 | 149 | 159.5 | 350.664 | | |
| 4/10/2013 | 169 | 146.5 | 330.664 | | |
| 4/10/2013 | 189 | 132 | 310.664 | | |
| 4/17/2013 | 9 | 138.8 | 490.664 | | |
| 4/17/2013 | 29 | 146.9 | 470.664 | | |
| 4/17/2013 | 49 | 167.3 | 450.664 | | |
| 4/17/2013 | 69 | 168.5 | 430.664 | | |
| 4/17/2013 | 89 | 172 | 410.664 | | |
| 4/17/2013 | 109 | 170.6 | 390.664 | | |
| 4/17/2013 | 129 | 164.4 | 370.664 | | |
| 4/17/2013 | 149 | 159.3 | 350.664 | | |
| 4/17/2013 | 169 | 151.1 | 330.664 | | |
| 4/17/2013 | 189 | 135.1 | 310.664 | | |
| 4/30/2013 | 9 | 139.9 | 490.664 | | |
| 4/30/2013 | 29 | 150.7 | 470.664 | | |
| 4/30/2013 | 49 | 168.7 | 450.664 | | |
| 4/30/2013 | 69 | 168.9 | 430.664 | | |
| 4/30/2013 | 89 | 172.2 | 410.664 | | |
| 4/30/2013 | 109 | 171.1 | 390.664 | | |
| 4/30/2013 | 129 | 163.2 | 370.664 | | |
| 4/30/2013 | 149 | 159.4 | 350.664 | | |
| 4/30/2013 | 169 | 148.7 | 330.664 | | |
| 4/30/2013 | 189 | 130.1 | 310.664 | | |
| 5/9/2013 | 9 | 140.6 | 490.664 | | |
| 5/9/2013 | 29 | 152.4 | 470.664 | | |
| 5/9/2013 | 49 | 168.7 | 450.664 | | |
| 5/9/2013 | 69 | 169.5 | 430.664 | | |
| 5/9/2013 | 89 | 173.1 | 410.664 | | |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|----------|
| 5/9/2013 | 109 | 171.9 | 390.664 | | |
| 5/9/2013 | 129 | 164.9 | 370.664 | | |
| 5/9/2013 | 149 | 157.4 | 350.664 | | |
| 5/9/2013 | 169 | 147.4 | 330.664 | | |
| 5/9/2013 | 189 | 131.8 | 310.664 | | |
| 5/15/2013 | 9 | 143.9 | 490.664 | | |
| 5/15/2013 | 29 | 152.1 | 470.664 | | |
| 5/15/2013 | 49 | 168.7 | 450.664 | | |
| 5/15/2013 | 69 | 168.5 | 430.664 | | |
| 5/15/2013 | 89 | 172.4 | 410.664 | | |
| 5/15/2013 | 109 | 170.8 | 390.664 | | |
| 5/15/2013 | 129 | 164.1 | 370.664 | | |
| 5/15/2013 | 149 | 157.9 | 350.664 | | |
| 5/15/2013 | 169 | 146.6 | 330.664 | | |
| 5/15/2013 | 189 | 130.8 | 310.664 | | |
| 5/22/2013 | 9 | 139.2 | 490.664 | | |
| 5/22/2013 | 29 | 150.7 | 470.664 | | |
| 5/22/2013 | 49 | 166.7 | 450.664 | | |
| 5/22/2013 | 69 | 165.9 | 430.664 | | |
| 5/22/2013 | 89 | 169.9 | 410.664 | | |
| 5/22/2013 | 109 | 168.2 | 390.664 | | |
| 5/22/2013 | 129 | 161.7 | 370.664 | | |
| 5/22/2013 | 149 | 155.3 | 350.664 | | |
| 5/22/2013 | 169 | 144 | 330.664 | | |
| 5/22/2013 | 189 | 128.1 | 310.664 | | |
| 5/29/2013 | 9 | 150.1 | 490.664 | | |
| 5/29/2013 | 29 | 159.2 | 470.664 | | |
| 5/29/2013 | 49 | 173 | 450.664 | | |
| 5/29/2013 | 69 | 171.6 | 430.664 | | |
| 5/29/2013 | 89 | 175.7 | 410.664 | | |
| 5/29/2013 | 109 | 173.3 | 390.664 | | |
| 5/29/2013 | 129 | 167.3 | 370.664 | | |
| 5/29/2013 | 149 | 159.7 | 350.664 | | |
| 5/29/2013 | 169 | 147.4 | 330.664 | | |
| 5/29/2013 | 189 | 131.2 | 310.664 | | |
| 6/5/2013 | 9 | 144.3 | 490.664 | | |
| 6/5/2013 | 29 | 154.4 | 470.664 | | |
| 6/5/2013 | 49 | 167.2 | 450.664 | | |
| 6/5/2013 | 69 | 167.9 | 430.664 | | |
| 6/5/2013 | 89 | 172.5 | 410.664 | | |
| 6/5/2013 | 109 | 171.1 | 390.664 | | |
| 6/5/2013 | 129 | 164.1 | 370.664 | | |
| 6/5/2013 | 149 | 155.1 | 350.664 | | |
| 6/5/2013 | 169 | 143.3 | 330.664 | | |
| 6/5/2013 | 189 | 126.3 | 310.664 | | |
| 6/12/2013 | 9 | 145.6 | 490.664 | | |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|----------|
| 6/12/2013 | 29 | 156.8 | 470.664 | | |
| 6/12/2013 | 49 | 171.2 | 450.664 | | |
| 6/12/2013 | 69 | 171.5 | 430.664 | | |
| 6/12/2013 | 89 | 177.2 | 410.664 | | |
| 6/12/2013 | 109 | 176.2 | 390.664 | | |
| 6/12/2013 | 129 | 169.8 | 370.664 | | |
| 6/12/2013 | 149 | 163.9 | 350.664 | | |
| 6/12/2013 | 169 | 148.1 | 330.664 | | |
| 6/12/2013 | 189 | 130.2 | 310.664 | | |
| 6/19/2013 | 9 | 144.1 | 490.664 | | |
| 6/19/2013 | 29 | 153.7 | 470.664 | | |
| 6/19/2013 | 49 | 167 | 450.664 | | |
| 6/19/2013 | 69 | 169.2 | 430.664 | | |
| 6/19/2013 | 89 | 172.5 | 410.664 | | |
| 6/19/2013 | 109 | 172.2 | 390.664 | | |
| 6/19/2013 | 129 | 165.8 | 370.664 | | |
| 6/19/2013 | 149 | 159.9 | 350.664 | | |
| 6/19/2013 | 169 | 144.8 | 330.664 | | |
| 6/19/2013 | 189 | 128.7 | 310.664 | | |
| 6/27/2013 | 9 | 148.3 | 490.664 | | |
| 6/27/2013 | 29 | 154.7 | 470.664 | | |
| 6/27/2013 | 49 | 166.7 | 450.664 | | |
| 6/27/2013 | 69 | 169.5 | 430.664 | | |
| 6/27/2013 | 89 | 171.2 | 410.664 | | |
| 6/27/2013 | 109 | 169.8 | 390.664 | | |
| 6/27/2013 | 129 | 163.8 | 370.664 | | |
| 6/27/2013 | 149 | 153.9 | 350.664 | | |
| 6/27/2013 | 169 | 141.7 | 330.664 | | |
| 6/27/2013 | 189 | 127.3 | 310.664 | | |
| 7/3/2013 | 9 | 147.5 | 490.664 | | |
| 7/3/2013 | 29 | 151 | 470.664 | | |
| 7/3/2013 | 49 | 166.7 | 450.664 | | |
| 7/3/2013 | 69 | 170.7 | 430.664 | | |
| 7/3/2013 | 89 | 173.1 | 410.664 | | |
| 7/3/2013 | 109 | 172.3 | 390.664 | | |
| 7/3/2013 | 129 | 165.9 | 370.664 | | |
| 7/3/2013 | 149 | 154.1 | 350.664 | | |
| 7/3/2013 | 169 | 143.9 | 330.664 | | |
| 7/3/2013 | 189 | 128.4 | 310.664 | | |
| 7/10/2013 | 9 | 148.9 | 490.664 | | |
| 7/10/2013 | 29 | 154.8 | 470.664 | | |
| 7/10/2013 | 49 | 166.4 | 450.664 | | |
| 7/10/2013 | 69 | 169.9 | 430.664 | | |
| 7/10/2013 | 89 | 172.6 | 410.664 | | |
| 7/10/2013 | 109 | 171.9 | 390.664 | | |
| 7/10/2013 | 129 | 166.7 | 370.664 | | |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|------------------------|
| 7/10/2013 | 149 | 156.2 | 350.664 | | |
| 7/10/2013 | 169 | 144.8 | 330.664 | | |
| 7/10/2013 | 189 | 128.5 | 310.664 | | |
| 7/18/2013 | 9 | 150.5 | 490.664 | | |
| 7/18/2013 | 29 | 155.3 | 470.664 | | |
| 7/18/2013 | 49 | 168.4 | 450.664 | | |
| 7/18/2013 | 69 | 172.3 | 430.664 | | |
| 7/18/2013 | 89 | 174.4 | 410.664 | | |
| 7/18/2013 | 109 | 174.3 | 390.664 | | |
| 7/18/2013 | 129 | 167.7 | 370.664 | | |
| 7/18/2013 | 149 | 156.6 | 350.664 | | |
| 7/18/2013 | 169 | 144.8 | 330.664 | | |
| 7/18/2013 | 189 | 129.8 | 310.664 | | |
| 7/25/2013 | 9 | 151.5 | 490.664 | | |
| 7/25/2013 | 29 | 154.2 | 470.664 | | |
| 7/25/2013 | 49 | 167.4 | 450.664 | | |
| 7/25/2013 | 69 | 176.6 | 430.664 | | |
| 7/25/2013 | 89 | 178.4 | 410.664 | | fluctuates resistivity |
| 7/25/2013 | 109 | 177 | 390.664 | | |
| 7/25/2013 | 129 | 173.1 | 370.664 | | fluctuates resistivity |
| 7/25/2013 | 149 | 169.3 | 350.664 | | fluctuates resistivity |
| 7/25/2013 | 169 | 153.9 | 330.664 | | |
| 7/25/2013 | 189 | 129.7 | 310.664 | | |
| 8/1/2013 | 9 | 149.3 | 490.664 | | Corrected polarity |
| 8/1/2013 | 29 | 148.8 | 470.664 | | Corrected polarity |
| 8/1/2013 | 49 | 163.6 | 450.664 | | Corrected polarity |
| 8/1/2013 | 69 | 169 | 430.664 | | Corrected polarity |
| 8/1/2013 | 89 | 172.5 | 410.664 | | Corrected polarity |
| 8/1/2013 | 109 | 173.4 | 390.664 | | Corrected polarity |
| 8/1/2013 | 129 | 173.4 | 370.664 | | Corrected polarity |
| 8/1/2013 | 149 | 173 | 350.664 | | Corrected polarity |
| 8/1/2013 | 169 | 147.5 | 330.664 | | Corrected polarity |
| 8/1/2013 | 189 | | 310.664 | 125.3 | Corrected polarity |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|---|
| 8/6/2013 | 9 | 165.9 | 490.664 | | |
| 8/6/2013 | 29 | 161.5 | 470.664 | | |
| 8/6/2013 | 49 | 173.9 | 450.664 | | |
| 8/6/2013 | 69 | 176.1 | 430.664 | | |
| 8/6/2013 | 89 | 177.7 | 410.664 | | |
| 8/6/2013 | 109 | 176.4 | 390.664 | | |
| 8/6/2013 | 129 | 179 | 370.664 | | Minor fluctuating ohm/ resistivity is too low |
| 8/6/2013 | 149 | 161.5 | 350.664 | | Minor fluctuating ohm/ resistivity is too low |
| 8/6/2013 | 169 | 147.3 | 330.664 | | |
| 8/6/2013 | 189 | 134.1 | 310.664 | | |
| 8/14/2013 | 9 | 165.4 | 490.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 29 | 158.8 | 470.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 49 | 170.2 | 450.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 69 | 174.1 | 430.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 89 | 175.2 | 410.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 109 | 173.6 | 390.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 129 | 186.5 | 370.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 149 | 155.5 | 350.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 169 | 144.5 | 330.664 | | re-read on 8/19/2013 |
| 8/14/2013 | 189 | 131.4 | 310.664 | | re-read on 8/19/2013 |
| 8/19/2013 | 9 | 167.5 | 490.664 | | |
| 8/19/2013 | 29 | 158 | 470.664 | | |
| 8/19/2013 | 49 | 169.1 | 450.664 | | |
| 8/19/2013 | 69 | 172.8 | 430.664 | | |
| 8/19/2013 | 89 | 169.8 | 410.664 | | |
| 8/19/2013 | 109 | 168.3 | 390.664 | | |
| 8/19/2013 | 129 | 186.2 | 370.664 | | Resistance is low indicates compromised TMP |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|---|
| 8/19/2013 | 149 | 162.6 | 350.664 | | Resistance is low indicates compromised TMP |
| 8/19/2013 | 169 | 136.3 | 330.664 | | |
| 8/19/2013 | 189 | 129.7 | 310.664 | | |
| 8/20/2013 | 9 | 168.2 | 490.664 | | |
| 8/20/2013 | 29 | 158.2 | 470.664 | | |
| 8/20/2013 | 49 | 169.3 | 450.664 | | |
| 8/20/2013 | 69 | 173 | 430.664 | | |
| 8/20/2013 | 89 | 174.4 | 410.664 | | |
| 8/20/2013 | 109 | 171.7 | 390.664 | | |
| 8/20/2013 | 129 | | 370.664 | 187.8 | Resistance is low due to compromised insulation, no longer reliable/working |
| 8/20/2013 | 149 | | 350.664 | 163.6 | Resistance is low due to compromised insulation, no longer reliable/working |
| 8/20/2013 | 169 | 142.3 | 330.664 | | |
| 8/20/2013 | 189 | 129.9 | 310.664 | | |
| 8/27/2013 | 9 | 173.7 | 490.664 | | |
| 8/27/2013 | 29 | 160.6 | 470.664 | | |
| 8/27/2013 | 49 | 170.8 | 450.664 | | |
| 8/27/2013 | 69 | 174.6 | 430.664 | | |
| 8/27/2013 | 89 | 175.8 | 410.664 | | |
| 8/27/2013 | 109 | 160.8 | 390.664 | | Resistance is low |
| 8/27/2013 | 129 | | 370.664 | | Resistance is low due to compromised insulation, no longer reliable/working |

| READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|-----------|-------|---------|-----------|------------|---|
| 8/27/2013 | 149 | | 350.664 | | Resistance is low due to compromised insulation, no longer reliable/working |
| 8/27/2013 | 169 | 143.2 | 330.664 | | |
| 8/27/2013 | 189 | 131.5 | 310.664 | | |
| 9/3/2013 | 9 | 177.8 | 490.664 | | |
| 9/3/2013 | 29 | 161.3 | 470.664 | | |
| 9/3/2013 | 49 | 170.3 | 450.664 | | |
| 9/3/2013 | 69 | 174.4 | 430.664 | | |
| 9/3/2013 | 89 | 175.9 | 410.664 | | |
| 9/3/2013 | 109 | 164.9 | 390.664 | | Ohm value is low |
| 9/3/2013 | 129 | | 370.664 | | NLW |
| 9/3/2013 | 149 | | 350.664 | | NLW |
| 9/3/2013 | 169 | 143.5 | 330.664 | 117.4 | Original reading showed ohm value = 826, T = 117.4. Reread requested and taken on 9/5/2013 with a newly installed Omega Type T miniconnector. |
| 9/3/2013 | 189 | 132.2 | 310.664 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14 | 25 | 4/6/2013 | 21 | 143.6 | 476.747 | | |
| TMP-14 | 25 | 4/6/2013 | 41 | 153.8 | 456.747 | | |
| TMP-14 | 25 | 4/6/2013 | 61 | 163.9 | 436.747 | | |
| TMP-14 | 25 | 4/6/2013 | 81 | 170.4 | 416.747 | | |
| TMP-14 | 25 | 4/6/2013 | 101 | 171.3 | 396.747 | | |
| TMP-14 | 25 | 4/6/2013 | 121 | 166.7 | 376.747 | | |
| TMP-14 | 25 | 4/6/2013 | 141 | 160 | 356.747 | | |
| TMP-14 | 25 | 4/6/2013 | 161 | 149.6 | 336.747 | | |
| TMP-14 | 25 | 4/6/2013 | 181 | 137 | 316.747 | | |
| TMP-14 | 25 | 4/6/2013 | 201 | 120.3 | 296.747 | | |
| TMP-14 | 26 | 4/10/2013 | 21 | 147.9 | 476.747 | | |
| TMP-14 | 26 | 4/10/2013 | 41 | 158.5 | 456.747 | | |
| TMP-14 | 26 | 4/10/2013 | 61 | 167.5 | 436.747 | | |
| TMP-14 | 26 | 4/10/2013 | 81 | 174 | 416.747 | | |
| TMP-14 | 26 | 4/10/2013 | 101 | 175.3 | 396.747 | | |
| TMP-14 | 26 | 4/10/2013 | 121 | 170.1 | 376.747 | | |
| TMP-14 | 26 | 4/10/2013 | 141 | 163.3 | 356.747 | | |
| TMP-14 | 26 | 4/10/2013 | 161 | 152.8 | 336.747 | | |
| TMP-14 | 26 | 4/10/2013 | 181 | 139.9 | 316.747 | | |
| TMP-14 | 26 | 4/10/2013 | 201 | 122.7 | 296.747 | | |
| TMP-14 | 27 | 4/17/2013 | 21 | 144.6 | 476.747 | | |
| TMP-14 | 27 | 4/17/2013 | 41 | 155.6 | 456.747 | | |
| TMP-14 | 27 | 4/17/2013 | 61 | 164.3 | 436.747 | | |
| TMP-14 | 27 | 4/17/2013 | 81 | 170.9 | 416.747 | | |
| TMP-14 | 27 | 4/17/2013 | 101 | 172.3 | 396.747 | | |
| TMP-14 | 27 | 4/17/2013 | 121 | 166.9 | 376.747 | | |
| TMP-14 | 27 | 4/17/2013 | 141 | 160.1 | 356.747 | | |
| TMP-14 | 27 | 4/17/2013 | 161 | 149.7 | 336.747 | | |
| TMP-14 | 27 | 4/17/2013 | 181 | 136.6 | 316.747 | | |
| TMP-14 | 27 | 4/17/2013 | 201 | 120 | 296.747 | | |
| TMP-14 | 28 | 4/30/2013 | 21 | 144.6 | 476.747 | | |
| TMP-14 | 28 | 4/30/2013 | 41 | 156.2 | 456.747 | | |
| TMP-14 | 28 | 4/30/2013 | 61 | 164.3 | 436.747 | | |
| TMP-14 | 28 | 4/30/2013 | 81 | 170.9 | 416.747 | | |
| TMP-14 | 28 | 4/30/2013 | 101 | 172.9 | 396.747 | | |
| TMP-14 | 28 | 4/30/2013 | 121 | 167.1 | 376.747 | | |
| TMP-14 | 28 | 4/30/2013 | 141 | 160 | 356.747 | | |
| TMP-14 | 28 | 4/30/2013 | 161 | 149.5 | 336.747 | | |
| TMP-14 | 28 | 4/30/2013 | 181 | 136.3 | 316.747 | | |
| TMP-14 | 28 | 4/30/2013 | 201 | 119.3 | 296.747 | | |
| TMP-14 | 29 | 5/9/2013 | 21 | 145.9 | 476.747 | | |
| TMP-14 | 29 | 5/9/2013 | 41 | 157.7 | 456.747 | | |
| TMP-14 | 29 | 5/9/2013 | 61 | 165.5 | 436.747 | | |
| TMP-14 | 29 | 5/9/2013 | 81 | 172.2 | 416.747 | | |
| TMP-14 | 29 | 5/9/2013 | 101 | 174.4 | 396.747 | | |
| TMP-14 | 29 | 5/9/2013 | 121 | 168.6 | 376.747 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14 | 29 | 5/9/2013 | 141 | 161.5 | 356.747 | | |
| TMP-14 | 29 | 5/9/2013 | 161 | 150.9 | 336.747 | | |
| TMP-14 | 29 | 5/9/2013 | 181 | 137.5 | 316.747 | | |
| TMP-14 | 29 | 5/9/2013 | 201 | 120.5 | 296.747 | | |
| TMP-14 | 30 | 5/15/2013 | 21 | 144.2 | 476.747 | | |
| TMP-14 | 30 | 5/15/2013 | 41 | 156.3 | 456.747 | | |
| TMP-14 | 30 | 5/15/2013 | 61 | 163.9 | 436.747 | | |
| TMP-14 | 30 | 5/15/2013 | 81 | 170.8 | 416.747 | | |
| TMP-14 | 30 | 5/15/2013 | 101 | 173 | 396.747 | | |
| TMP-14 | 30 | 5/15/2013 | 121 | 167.2 | 376.747 | | |
| TMP-14 | 30 | 5/15/2013 | 141 | 160.1 | 356.747 | | |
| TMP-14 | 30 | 5/15/2013 | 161 | 149.5 | 336.747 | | |
| TMP-14 | 30 | 5/15/2013 | 181 | 136.1 | 316.747 | | |
| TMP-14 | 30 | 5/15/2013 | 201 | 118.9 | 296.747 | | |
| TMP-14 | 31 | 5/22/2013 | 21 | 145 | 476.747 | | |
| TMP-14 | 31 | 5/22/2013 | 41 | 157.1 | 456.747 | | |
| TMP-14 | 31 | 5/22/2013 | 61 | 164.7 | 436.747 | | |
| TMP-14 | 31 | 5/22/2013 | 81 | 171.5 | 416.747 | | |
| TMP-14 | 31 | 5/22/2013 | 101 | 173.8 | 396.747 | | |
| TMP-14 | 31 | 5/22/2013 | 121 | 167.9 | 376.747 | | |
| TMP-14 | 31 | 5/22/2013 | 141 | 160.7 | 356.747 | | |
| TMP-14 | 31 | 5/22/2013 | 161 | 150.1 | 336.747 | | |
| TMP-14 | 31 | 5/22/2013 | 181 | 136.7 | 316.747 | | |
| TMP-14 | 31 | 5/22/2013 | 201 | 119.4 | 296.747 | | |
| TMP-14 | 32 | 5/29/2013 | 21 | 143.2 | 476.747 | | |
| TMP-14 | 32 | 5/29/2013 | 41 | 156.4 | 456.747 | | |
| TMP-14 | 32 | 5/29/2013 | 61 | 163.9 | 436.747 | | |
| TMP-14 | 32 | 5/29/2013 | 81 | 170.6 | 416.747 | | |
| TMP-14 | 32 | 5/29/2013 | 101 | 173 | 396.747 | | |
| TMP-14 | 32 | 5/29/2013 | 121 | 167.2 | 376.747 | | |
| TMP-14 | 32 | 5/29/2013 | 141 | 160 | 356.747 | | |
| TMP-14 | 32 | 5/29/2013 | 161 | 149.3 | 336.747 | | |
| TMP-14 | 32 | 5/29/2013 | 181 | 135.8 | 316.747 | | |
| TMP-14 | 32 | 5/29/2013 | 201 | 118.4 | 296.747 | | |
| TMP-14 | 34 | 6/5/2013 | 21 | 143.4 | 476.747 | | |
| TMP-14 | 34 | 6/5/2013 | 41 | 156.8 | 456.747 | | |
| TMP-14 | 34 | 6/5/2013 | 61 | 164.4 | 436.747 | | |
| TMP-14 | 34 | 6/5/2013 | 81 | 171 | 416.747 | | |
| TMP-14 | 34 | 6/5/2013 | 101 | 173.4 | 396.747 | | |
| TMP-14 | 34 | 6/5/2013 | 121 | 167.6 | 376.747 | | |
| TMP-14 | 34 | 6/5/2013 | 141 | 160.3 | 356.747 | | |
| TMP-14 | 34 | 6/5/2013 | 161 | 149.7 | 336.747 | | |
| TMP-14 | 34 | 6/5/2013 | 181 | 136.1 | 316.747 | | |
| TMP-14 | 34 | 6/5/2013 | 201 | 118.8 | 296.747 | | |
| TMP-14 | 35 | 6/12/2013 | 21 | 144.4 | 476.747 | | |
| TMP-14 | 35 | 6/12/2013 | 41 | 158.3 | 456.747 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14 | 35 | 6/12/2013 | 61 | 166 | 436.747 | | |
| TMP-14 | 35 | 6/12/2013 | 81 | 172.5 | 416.747 | | |
| TMP-14 | 35 | 6/12/2013 | 101 | 175 | 396.747 | | |
| TMP-14 | 35 | 6/12/2013 | 121 | 169.3 | 376.747 | | |
| TMP-14 | 35 | 6/12/2013 | 141 | 161.9 | 356.747 | | |
| TMP-14 | 35 | 6/12/2013 | 161 | 151.3 | 336.747 | | |
| TMP-14 | 35 | 6/12/2013 | 181 | 137.8 | 316.747 | | |
| TMP-14 | 35 | 6/12/2013 | 201 | 120.4 | 296.747 | | |
| TMP-14 | 36 | 6/19/2013 | 21 | 143.7 | 476.747 | | |
| TMP-14 | 36 | 6/19/2013 | 41 | 157.9 | 456.747 | | |
| TMP-14 | 36 | 6/19/2013 | 61 | 165.6 | 436.747 | | |
| TMP-14 | 36 | 6/19/2013 | 81 | 172.1 | 416.747 | | |
| TMP-14 | 36 | 6/19/2013 | 101 | 174.8 | 396.747 | | |
| TMP-14 | 36 | 6/19/2013 | 121 | 169 | 376.747 | | |
| TMP-14 | 36 | 6/19/2013 | 141 | 161.6 | 356.747 | | |
| TMP-14 | 36 | 6/19/2013 | 161 | 151 | 336.747 | | |
| TMP-14 | 36 | 6/19/2013 | 181 | 137.5 | 316.747 | | |
| TMP-14 | 36 | 6/19/2013 | 201 | 120 | 296.747 | | |
| TMP-14 | 37 | 6/27/2013 | 21 | 143 | 476.747 | | |
| TMP-14 | 37 | 6/27/2013 | 41 | 157.8 | 456.747 | | |
| TMP-14 | 37 | 6/27/2013 | 61 | 165.8 | 436.747 | | |
| TMP-14 | 37 | 6/27/2013 | 81 | 172.1 | 416.747 | | |
| TMP-14 | 37 | 6/27/2013 | 101 | 174.9 | 396.747 | | |
| TMP-14 | 37 | 6/27/2013 | 121 | 169.2 | 376.747 | | |
| TMP-14 | 37 | 6/27/2013 | 141 | 161.6 | 356.747 | | |
| TMP-14 | 37 | 6/27/2013 | 161 | 151.1 | 336.747 | | |
| TMP-14 | 37 | 6/27/2013 | 181 | 137.5 | 316.747 | | |
| TMP-14 | 37 | 6/27/2013 | 201 | 119.8 | 296.747 | | |
| TMP-14 | 38 | 7/3/2013 | 21 | 143.9 | 476.747 | | |
| TMP-14 | 38 | 7/3/2013 | 41 | 158.1 | 456.747 | | |
| TMP-14 | 38 | 7/3/2013 | 61 | 166.1 | 436.747 | | |
| TMP-14 | 38 | 7/3/2013 | 81 | 172.4 | 416.747 | | |
| TMP-14 | 38 | 7/3/2013 | 101 | 175.1 | 396.747 | | |
| TMP-14 | 38 | 7/3/2013 | 121 | 169.3 | 376.747 | | |
| TMP-14 | 38 | 7/3/2013 | 141 | 161.7 | 356.747 | | |
| TMP-14 | 38 | 7/3/2013 | 161 | 151.2 | 336.747 | | |
| TMP-14 | 38 | 7/3/2013 | 181 | 137.6 | 316.747 | | |
| TMP-14 | 38 | 7/3/2013 | 201 | 119.9 | 296.747 | | |
| TMP-14 | 40 | 7/10/2013 | 21 | 143.8 | 476.747 | | |
| TMP-14 | 40 | 7/10/2013 | 41 | 157.5 | 456.747 | | |
| TMP-14 | 40 | 7/10/2013 | 61 | 165.5 | 436.747 | | |
| TMP-14 | 40 | 7/10/2013 | 81 | 171.4 | 416.747 | | |
| TMP-14 | 40 | 7/10/2013 | 101 | 174.2 | 396.747 | | |
| TMP-14 | 40 | 7/10/2013 | 121 | 168.4 | 376.747 | | |
| TMP-14 | 40 | 7/10/2013 | 141 | 160.7 | 356.747 | | |
| TMP-14 | 40 | 7/10/2013 | 161 | 150.3 | 336.747 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14 | 40 | 7/10/2013 | 181 | 136.7 | 316.747 | | |
| TMP-14 | 40 | 7/10/2013 | 201 | 119 | 296.747 | | |
| TMP-14 | 41 | 7/18/2013 | 21 | 142.8 | 476.747 | | |
| TMP-14 | 41 | 7/18/2013 | 41 | 157.5 | 456.747 | | |
| TMP-14 | 41 | 7/18/2013 | 61 | 165.5 | 436.747 | | |
| TMP-14 | 41 | 7/18/2013 | 81 | 171.6 | 416.747 | | |
| TMP-14 | 41 | 7/18/2013 | 101 | 174.4 | 396.747 | | |
| TMP-14 | 41 | 7/18/2013 | 121 | 168.7 | 376.747 | | |
| TMP-14 | 41 | 7/18/2013 | 141 | 161.1 | 356.747 | | |
| TMP-14 | 41 | 7/18/2013 | 161 | 150.7 | 336.747 | | |
| TMP-14 | 41 | 7/18/2013 | 181 | 137.1 | 316.747 | | |
| TMP-14 | 41 | 7/18/2013 | 201 | 119.5 | 296.747 | | |
| TMP-14 | 42 | 7/25/2013 | 21 | 145.2 | 476.747 | | |
| TMP-14 | 42 | 7/25/2013 | 41 | 160 | 456.747 | | |
| TMP-14 | 42 | 7/25/2013 | 61 | 167.9 | 436.747 | | |
| TMP-14 | 42 | 7/25/2013 | 81 | 173.7 | 416.747 | | |
| TMP-14 | 42 | 7/25/2013 | 101 | 176.6 | 396.747 | | |
| TMP-14 | 42 | 7/25/2013 | 121 | 170.7 | 376.747 | | |
| TMP-14 | 42 | 7/25/2013 | 141 | 163.1 | 356.747 | | |
| TMP-14 | 42 | 7/25/2013 | 161 | 152.6 | 336.747 | | |
| TMP-14 | 42 | 7/25/2013 | 181 | 138.8 | 316.747 | | |
| TMP-14 | 42 | 7/25/2013 | 201 | 121.1 | 296.747 | | |
| TMP-14 | 43 | 8/1/2013 | 21 | 143.2 | 476.747 | | |
| TMP-14 | 43 | 8/1/2013 | 41 | 158.5 | 456.747 | | |
| TMP-14 | 43 | 8/1/2013 | 61 | 166 | 436.747 | | |
| TMP-14 | 43 | 8/1/2013 | 81 | 172.1 | 416.747 | | |
| TMP-14 | 43 | 8/1/2013 | 101 | 174.8 | 396.747 | | |
| TMP-14 | 43 | 8/1/2013 | 121 | 168.8 | 376.747 | | |
| TMP-14 | 43 | 8/1/2013 | 141 | 161.1 | 356.747 | | |
| TMP-14 | 43 | 8/1/2013 | 161 | 150.5 | 336.747 | | |
| TMP-14 | 43 | 8/1/2013 | 181 | 136.7 | 316.747 | | |
| TMP-14 | 43 | 8/1/2013 | 201 | 119.1 | 296.747 | | |
| TMP-14 | 44 | 8/6/2013 | 21 | 141.8 | 476.747 | | |
| TMP-14 | 44 | 8/6/2013 | 41 | 157.5 | 456.747 | | |
| TMP-14 | 44 | 8/6/2013 | 61 | 165.3 | 436.747 | | |
| TMP-14 | 44 | 8/6/2013 | 81 | 171.6 | 416.747 | | |
| TMP-14 | 44 | 8/6/2013 | 101 | 174.6 | 396.747 | | |
| TMP-14 | 44 | 8/6/2013 | 121 | 168.9 | 376.747 | | |
| TMP-14 | 44 | 8/6/2013 | 141 | 161.5 | 356.747 | | |
| TMP-14 | 44 | 8/6/2013 | 161 | 151 | 336.747 | | |
| TMP-14 | 44 | 8/6/2013 | 181 | 137.6 | 316.747 | | |
| TMP-14 | 44 | 8/6/2013 | 201 | 120.5 | 296.747 | | |
| TMP-14 | 45 | 8/14/2013 | 21 | 141.9 | 476.747 | | |
| TMP-14 | 45 | 8/14/2013 | 41 | 158 | 456.747 | | |
| TMP-14 | 45 | 8/14/2013 | 61 | 165.3 | 436.747 | | |
| TMP-14 | 45 | 8/14/2013 | 81 | 171.3 | 416.747 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
| TMP-14 | 45 | 8/14/2013 | 101 | 174.3 | 396.747 | | |
| TMP-14 | 45 | 8/14/2013 | 121 | 168.5 | 376.747 | | |
| TMP-14 | 45 | 8/14/2013 | 141 | 160.9 | 356.747 | | |
| TMP-14 | 45 | 8/14/2013 | 161 | 150.4 | 336.747 | | |
| TMP-14 | 45 | 8/14/2013 | 181 | 136.9 | 316.747 | | |
| TMP-14 | 45 | 8/14/2013 | 201 | 119.6 | 296.747 | | |
| TMP-14 | 48 | 8/20/2013 | 21 | 142.3 | 476.747 | | |
| TMP-14 | 48 | 8/20/2013 | 41 | 158.5 | 456.747 | | |
| TMP-14 | 48 | 8/20/2013 | 61 | 165.8 | 436.747 | | |
| TMP-14 | 48 | 8/20/2013 | 81 | 171.8 | 416.747 | | |
| TMP-14 | 48 | 8/20/2013 | 101 | 174.8 | 396.747 | | |
| TMP-14 | 48 | 8/20/2013 | 121 | 168.9 | 376.747 | | |
| TMP-14 | 48 | 8/20/2013 | 141 | 161.4 | 356.747 | | |
| TMP-14 | 48 | 8/20/2013 | 161 | 150.9 | 336.747 | | |
| TMP-14 | 48 | 8/20/2013 | 181 | 137.3 | 316.747 | | |
| TMP-14 | 48 | 8/20/2013 | 201 | 120.5 | 296.747 | | |
| TMP-14 | 49 | 8/27/2013 | 21 | 142 | 476.747 | | |
| TMP-14 | 49 | 8/27/2013 | 41 | 158.2 | 456.747 | | |
| TMP-14 | 49 | 8/27/2013 | 61 | 165.7 | 436.747 | | |
| TMP-14 | 49 | 8/27/2013 | 81 | 171.5 | 416.747 | | |
| TMP-14 | 49 | 8/27/2013 | 101 | 174.6 | 396.747 | | |
| TMP-14 | 49 | 8/27/2013 | 121 | 168.7 | 376.747 | | |
| TMP-14 | 49 | 8/27/2013 | 141 | 161.2 | 356.747 | | |
| TMP-14 | 49 | 8/27/2013 | 161 | 150.6 | 336.747 | | |
| TMP-14 | 49 | 8/27/2013 | 181 | 136.8 | 316.747 | | |
| TMP-14 | 49 | 8/27/2013 | 201 | 119.8 | 296.747 | | |
| TMP-14 | 50 | 9/3/2013 | 21 | 141.6 | 476.747 | | |
| TMP-14 | 50 | 9/3/2013 | 41 | 157.9 | 456.747 | | |
| TMP-14 | 50 | 9/3/2013 | 61 | 165.3 | 436.747 | | |
| TMP-14 | 50 | 9/3/2013 | 81 | 171.1 | 416.747 | | |
| TMP-14 | 50 | 9/3/2013 | 101 | 174.1 | 396.747 | | |
| TMP-14 | 50 | 9/3/2013 | 121 | 168.2 | 376.747 | | |
| TMP-14 | 50 | 9/3/2013 | 141 | 160.7 | 356.747 | | |
| TMP-14 | 50 | 9/3/2013 | 161 | 150.1 | 336.747 | | |
| TMP-14 | 50 | 9/3/2013 | 181 | 136.4 | 316.747 | | |
| TMP-14 | 50 | 9/3/2013 | 201 | 119.4 | 296.747 | | |

| TMP_ID | READ_ID | READ_DATE | DEPTH | READING | ELEVATION | READING_NA | Comments |
|--------|---------|-----------|-------|---------|-----------|------------|----------|
|--------|---------|-----------|-------|---------|-----------|------------|----------|

Republic Services due to issues with installation of this TMP has decided to abandon it.

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-01 | 04/08/13 | 1.2 | 73.9 | 0 | 24.9 | 140 | -0.2 | N | |
| GW-01 | 04/09/13 | 1.7 | 75.2 | 0 | 23.1 | 160 | 0 | Y | |
| GW-01 | 04/10/13 | 1.6 | 74.4 | 0.2 | 23.8 | 165 | -1.1 | Y | |
| GW-01 | 04/11/13 | 1.7 | 73.7 | 0.1 | 24.5 | 155 | 0.9 | Y | |
| GW-01 | 04/12/13 | 1.9 | 73.3 | 0.2 | 24.6 | 160 | -1.3 | Y | |
| GW-01 | 04/13/13 | 1.9 | 74.3 | 0.4 | 23.4 | 160 | 1.6 | Y | |
| GW-01 | 04/14/13 | 1.9 | 75.9 | 0.2 | 22 | 160 | -2.3 | Y | |
| GW-01 | 04/15/13 | 2 | 74.5 | 0.2 | 23.3 | 165 | 1.6 | Y | |
| GW-01 | 04/16/13 | 2.1 | 73.2 | 0.3 | 24.4 | 165 | -1.8 | Y | |
| GW-01 | 04/17/13 | 2.1 | 74.4 | 0.3 | 23.2 | 160 | -1 | Y | |
| GW-01 | 04/18/13 | 2.1 | 76.3 | 0.2 | 21.4 | 165 | -2 | Y | |
| GW-01 | 04/19/13 | 2.1 | 71.9 | 0.6 | 25.4 | 165 | -2.9 | Y | |
| GW-01 | 04/20/13 | 2.1 | 74.2 | 0.3 | 23.4 | 170 | -1 | Y | |
| GW-01 | 04/21/13 | 2.1 | 73.1 | 0.8 | 24 | 170 | -2.8 | Y | |
| GW-01 | 04/22/13 | 2.1 | 75.2 | 0.2 | 22.5 | 172 | -3 | Y | |
| GW-01 | 04/23/13 | 2.1 | 72.5 | 0.6 | 24.8 | 170 | -2.1 | Y | |
| GW-01 | 04/24/13 | 1.9 | 72.2 | 0 | 25.9 | 160 | -4.6 | Y | |
| GW-01 | 04/25/13 | 2.1 | 70.7 | 0 | 27.1 | 170 | -3.1 | Y | |
| GW-01 | 04/26/13 | 1.9 | 73.2 | 0.5 | 24.4 | 168 | -4.3 | Y | |
| GW-01 | 04/27/13 | 2 | 73.4 | 1 | 23.6 | 170 | -4.4 | Y | |
| GW-01 | 04/28/13 | 1.9 | 74.3 | 0.4 | 23.4 | 165 | -4.7 | Y | |
| GW-01 | 04/29/13 | 1.8 | 76.8 | 0.1 | 21.3 | 170 | -4.3 | Y | |
| GW-01 | 04/30/13 | 1.6 | 77.1 | 0.6 | 20.7 | 170 | -4.2 | Y | |
| GW-01 | 05/01/13 | 1.6 | 77.3 | 0 | 21.1 | 170 | -4 | Y | |
| GW-01 | 05/02/13 | 1.8 | 75.3 | 0.2 | 22.7 | 170 | -4.4 | Y | |
| GW-01 | 05/03/13 | 2 | 71.1 | 0.3 | 26.6 | 165 | -4.3 | Y | |
| GW-01 | 05/04/13 | 1.8 | 71.5 | 0.4 | 26.3 | 168 | -4 | Y | |
| GW-01 | 05/05/13 | 1.7 | 74.6 | 0.3 | 23.4 | 155 | -4.6 | Y | Begin using fluke temp meter |
| GW-01 | 05/06/13 | 1.8 | 74.8 | 0 | 23.4 | 172 | -4.5 | Y | |
| GW-01 | 05/07/13 | 1.6 | 74.2 | 0.3 | 23.9 | 173 | -4.4 | Y | |
| GW-01 | 05/08/13 | 1.7 | 73.8 | 0.3 | 24.2 | 173 | -4.4 | Y | |
| GW-01 | 05/09/13 | 1.8 | 76 | 0 | 22.2 | 172 | -3 | Y | |
| GW-01 | 05/10/13 | 1.7 | 76 | 0 | 22.3 | 171 | -4.1 | Y | |
| GW-01 | 05/11/13 | 2.1 | 75.2 | 0 | 22.7 | 171 | -4.4 | Y | |
| GW-01 | 05/12/13 | 1.8 | 75.2 | 0.1 | 22.9 | 172 | -4.2 | Y | |
| GW-01 | 05/13/13 | 1.7 | 76.1 | 0 | 22.2 | 173 | -4.1 | Y | |
| GW-01 | 05/14/13 | 1.7 | 75.6 | 0 | 22.7 | 173 | -4.3 | Y | Replaced 1-inch rod seal |
| GW-01 | 05/15/13 | 1.6 | 75.3 | 0 | 23.1 | 172 | -4.2 | Y | Installed check valve |
| GW-01 | 05/16/13 | 1.8 | 74 | 0 | 24.2 | 174 | -4.9 | Y | |
| GW-01 | 05/17/13 | 1.7 | 75.4 | 0 | 22.9 | 172 | -4.4 | Y | |
| GW-01 | 05/18/13 | 1.8 | 74.2 | 0.2 | 23.8 | 178 | -4 | Y | |
| GW-01 | 05/19/13 | 1.7 | 77 | 0 | 21.3 | 175 | -3 | Y | |
| GW-01 | 05/20/13 | 1.8 | 74.5 | 0.1 | 23.6 | 172 | -4 | Y | |
| GW-01 | 05/21/13 | 1.8 | 73.8 | 0.2 | 24.2 | 172 | -4.8 | Y | |
| GW-01 | 05/22/13 | 2.1 | 73.5 | 0.2 | 24.2 | 176 | -3.7 | Y | |
| GW-01 | 05/23/13 | 1.9 | 74.4 | 0 | 23.7 | 176 | -5.2 | Y | |
| GW-01 | 05/24/13 | 2 | 73.6 | 0.6 | 23.8 | 178 | -4.2 | Y | |
| GW-01 | 05/25/13 | 1.9 | 75.3 | 0.2 | 22.6 | 177 | -3.9 | Y | |
| GW-01 | 05/26/13 | 1.9 | 75.1 | 0.4 | 22.6 | 172 | -4.2 | Y | |
| GW-01 | 05/27/13 | 2.3 | 75.1 | 0.2 | 22.4 | 171 | -3.1 | Y | |
| GW-01 | 05/28/13 | 3.8 | 74 | 0.5 | 21.7 | 174 | -3.3 | Y | |
| GW-01 | 05/29/13 | 1.9 | 73.5 | 0.1 | 24.5 | 174 | -2.8 | Y | Vacuum low, working on header |
| GW-01 | 05/30/13 | 2 | 74.1 | 0.2 | 23.7 | 178 | -3.8 | Y | |
| GW-01 | 05/31/13 | 2.1 | 75.2 | 0 | 22.7 | 176 | -3.7 | Y | |
| GW-01 | 06/01/13 | 1.9 | 74.7 | 0 | 23.4 | 171 | -3.2 | Y | |
| GW-01 | 06/02/13 | 2.1 | 75.5 | 0 | 22.4 | 179 | -4 | Y | |
| GW-01 | 06/03/13 | 2 | 75.6 | 0 | 22.4 | 179 | -2.5 | Y | Working on available vac issue |
| GW-01 | 06/04/13 | 2.2 | 75.3 | 0.1 | 22.4 | 176 | -1 | Y | Working on available vac issue |
| GW-01 | 06/05/13 | 3.5 | 73.5 | 0.6 | 22.4 | 177 | -1.2 | Y | Working on available vac issue |
| GW-01 | 06/06/13 | 5.1 | 73.2 | 0.6 | 21.1 | 173 | -2.6 | Y | Working on available vac issue |
| GW-01 | 06/07/13 | 2.2 | 69.9 | 0.3 | 27.6 | 176 | -2.4 | Y | Working on available vac issue |
| GW-01 | 06/08/13 | 2.2 | 70.7 | 0.1 | 27 | 178 | -0.8 | Y | Sag main header, jumper installed late 6-8 |
| GW-01 | 06/09/13 | 3.5 | 71.5 | 0.4 | 24.6 | 179 | -3.7 | Y | Vacuum restored |
| GW-01 | 06/10/13 | 2.1 | 72.8 | 0.3 | 24.8 | 178 | -5.3 | Y | |
| GW-01 | 06/11/13 | 2 | 72.1 | 0.3 | 25.6 | 178 | -4 | Y | |
| GW-01 | 06/12/13 | 2.5 | 70.5 | 0 | 27 | 181 | -3.9 | Y | |
| GW-01 | 06/13/13 | 4.2 | 73.4 | 0 | 22.4 | 180 | -4.6 | Y | |
| GW-01 | 06/14/13 | 2.7 | 70.7 | 0.4 | 26.2 | 179 | -4.8 | Y | |
| GW-01 | 06/15/13 | 2.3 | 71.1 | 0.2 | 26.4 | 180 | -4.8 | Y | |
| GW-01 | 06/16/13 | 1.7 | 72 | 0.1 | 26.2 | 174 | -2.9 | Y | Blown seal, replaced pump head |
| GW-01 | 06/17/13 | 2 | 71.7 | 0.5 | 25.8 | 174 | -4.3 | Y | |
| GW-01 | 06/18/13 | 1.8 | 73.1 | 0.1 | 25 | 178 | -4.1 | Y | |
| GW-01 | 06/19/13 | 1.7 | 73.7 | 0.5 | 24.1 | 181 | -4 | Y | |
| GW-01 | 06/20/13 | 1.4 | 78.5 | 0.7 | 19.4 | 179 | -4.4 | Y | |
| GW-01 | 06/21/13 | 2 | 73 | 0.2 | 24.8 | 180 | -4 | Y | |
| GW-01 | 06/22/13 | 1.8 | 72.2 | 0.3 | 25.7 | 178 | -4.1 | Y | |
| GW-01 | 06/23/13 | 2.6 | 70.1 | 0.2 | 27.1 | 178 | -4 | Y | |
| GW-01 | 06/24/13 | 1.7 | 69.9 | 0.9 | 27.5 | 179 | -4.2 | Y | |
| GW-01 | 06/25/13 | 4.7 | 70.8 | 0.8 | 23.7 | 179 | -4.1 | Y | |
| GW-01 | 06/26/13 | 5.2 | 71.8 | 0.6 | 22.4 | 180 | -4 | Y | |
| GW-01 | 06/27/13 | 2 | 64.8 | 1.4 | 31.8 | 178 | -5.4 | Y | |
| GW-01 | 06/28/13 | 2.9 | 72 | 0.4 | 24.7 | 179 | -4 | Y | |
| GW-01 | 06/29/13 | 2.2 | 69.2 | 0.4 | 28.2 | 180 | -4.7 | Y | |
| GW-01 | 06/30/13 | 2.2 | 71.8 | 0.4 | 25.6 | 181 | -4.7 | Y | |
| GW-01 | 07/01/13 | 2.1 | 69.7 | 0.8 | 27.4 | 179 | -3.9 | Y | |
| GW-01 | 07/02/13 | 2.1 | 71.9 | 0.2 | 25.8 | 180 | -4.7 | Y | |
| GW-01 | 07/03/13 | 2.3 | 70.9 | 0 | 26.8 | 180 | -4 | Y | Replaced 1-inch rod seal |
| GW-01 | 07/04/13 | 3.4 | 66.7 | 0.7 | 29.2 | 182 | -4 | Y | |
| GW-01 | 07/05/13 | 2.6 | 67 | 0.2 | 30.2 | 181 | -4 | Y | |
| GW-01 | 07/06/13 | 3 | 72.1 | 0 | 24.9 | 181 | -4.1 | Y | |
| GW-01 | 07/07/13 | 3.1 | 72 | 0.1 | 24.8 | 182 | -4 | Y | |
| GW-01 | 07/08/13 | 2.6 | 73.4 | 0.6 | 23.4 | 182 | -4 | Y | |
| GW-01 | 07/09/13 | 2.1 | 71.6 | 0.4 | 25.9 | 183 | -3.9 | Y | |
| GW-01 | 07/10/13 | 2.6 | 72.8 | 0.4 | 24.2 | 179 | -4.6 | Y | |
| GW-01 | 07/11/13 | 3.3 | 67.9 | 0.9 | 27.9 | 181 | -3.9 | N | Replaced 1-inch rod seal, pump operating |
| GW-01 | 07/12/13 | 2.1 | 71.9 | 0 | 26 | 184 | -4 | Y | |
| GW-01 | 07/13/13 | 4.5 | 76.3 | 0 | 19.2 | 183 | -4.2 | Y | |
| GW-01 | 07/14/13 | 2.3 | 70.1 | 0 | 27.6 | 184 | -4.1 | N | Repl. rod seals & 4-way valve, operating |
| GW-01 | 07/15/13 | 2.1 | 68.4 | 0.3 | 29.2 | 187 | -4.2 | Y | |
| GW-01 | 07/17/13 | 2.1 | 74.6 | 0.1 | 23.2 | 187 | -4.6 | Y | Collected 1 min after midnight |
| GW-01 | 07/17/13 | 2.3 | 74.6 | 0.4 | 22.7 | 186 | -3 | Y | |
| GW-01 | 07/18/13 | 2.1 | 72.6 | 0 | 25.3 | 185 | -3.1 | Y | |
| GW-01 | 07/19/13 | 2.3 | 73.4 | 0.2 | 24.1 | 185 | -3 | Y | |
| GW-01 | 07/20/13 | 2.3 | 75.5 | 0.4 | 21.8 | 186 | -2.1 | Y | |
| GW-01 | 07/21/13 | 2.4 | 73.9 | 0 | 23.7 | 185 | -3.5 | Y | |
| GW-01 | 07/22/13 | 2.1 | 72.6 | 0.3 | 25 | 187 | -3.4 | Y | |
| GW-01 | 07/23/13 | 2.2 | 74.2 | 0 | 23.6 | 186 | -4.5 | Y | |
| GW-01 | 07/24/13 | 4.2 | 70.2 | 0.5 | 25.1 | 186 | -4.5 | Y | |
| GW-01 | 07/25/13 | 2.8 | 73.3 | 0.4 | 23.5 | 187 | -3.1 | Y | |
| GW-01 | 07/26/13 | 3.8 | 72.5 | 0.6 | 23.1 | 186 | -1.9 | Y | |
| GW-01 | 07/27/13 | 2.5 | 70.9 | 0 | 26.6 | 185 | -2.3 | Y | |
| GW-01 | 07/28/13 | 3.1 | 71.1 | 0.3 | 25.5 | 186 | -2.6 | Y | |
| GW-01 | 07/29/13 | 2.5 | 72.6 | 0.1 | 24.8 | 186 | -2 | Y | |
| GW-01 | 07/30/13 | 3.4 | 69.2 | 0.1 | 27.3 | 186 | -3.2 | Y | |
| GW-01 | 07/31/13 | 2.5 | 70.7 | 0.3 | 26.5 | 186 | -1.9 | Y | |
| GW-01 | 08/01/13 | 2.5 | 74.3 | 0 | 23.2 | 187 | -1.8 | Y | |
| GW-01 | 08/02/13 | 2.5 | 73.6 | 0 | 23.9 | 187 | -2.3 | Y | |
| GW-01 | 08/03/13 | 3.6 | 72.5 | 0.3 | 23.6 | 187 | -2.6 | Y | |
| GW-01 | 08/04/13 | 2.9 | 74.7 | 0.1 | 22.3 | 186 | -2.4 | Y | |
| GW-01 | 08/05/13 | 2.6 | 73.5 | 0.2 | 23.7 | 186 | -2.1 | Y | |
| GW-01 | 08/06/13 | 2.5 | 73.1 | 0.2 | 24.2 | 139 | -2.1 | Y | Possible temperature error |
| GW-01 | 08/07/13 | 2 | 72.8 | 0 | 25.2 | 182 | -3.8 | Y | |
| GW-01 | 08/08/13 | 5.5 | 71.7 | 0.3 | 22.5 | 183 | -4.4 | Y | |
| GW-01 | 08/09/13 | 1.7 | 73.3 | 0.5 | 24.5 | 183 | -4.4 | Y | |
| GW-01 | 08/10/13 | 3.6 | 71.8 | 0.4 | 24.2 | 185 | -4.8 | Y | |
| GW-01 | 08/11/13 | 1.4 | 71.6 | 0.8 | 26.2 | 186 | -4.8 | Y | |
| GW-01 | 08/12/13 | 2.3 | 71.4 | 0.8 | 25.5 | 184 | -4.2 | Y | |
| GW-01 | 08/13/13 | 1.3 | 70.9 | 0.8 | 27 | 183 | -4.8 | Y | |
| GW-01 | 08/14/13 | 1.5 | 69.7 | 0.5 | 28.3 | 183 | -5 | Y | |
| GW-01 | 08/15/13 | 1.4 | 72.7 | 0.3 | 25.6 | 184 | -4.6 | Y | |
| GW-01 | 08/16/13 | 1.5 | 72.7 | 0.2 | 25.6 | 184 | -4.4 | Y | |
| GW-01 | 08/17/13 | 1.4 | 71.2 | 0.3 | 27.1 | 184 | -4.8 | Y | |
| GW-01 | 08/18/13 | 1.6 | 73.2 | 0.2 | 25 | 181 | -4.7 | Y | |
| GW-01 | 08/19/13 | 1.5 | 73.2 | 0.2 | 25.1 | 184 | -5 | Y | |
| GW-01 | 08/20/13 | 2 | 66 | 0 | 32 | 185 | -4.6 | Y | |
| GW-01 | 08/21/13 | 2.5 | 73.8 | 0 | 23.7 | 184 | -4.2 | Y | |
| GW-01 | 08/22/13 | 2.2 | 73.1 | 0 | 24.7 | 183 | -3.9 | Y | |
| GW-01 | 08/23/13 | 1.2 | 74.3 | 0 | 24.5 | 185 | -4 | N | Replaced 1" rod seal - pump operational |
| GW-01 | 08/24/13 | 2.2 | 74.9 | 0.4 | 22.5 | 184 | -3.1 | Y | |
| GW-01 | 08/25/13 | 1.1 | 74.4 | 0.3 | 24.2 | 181 | -4.5 | Y | |
| GW-01 | 08/26/13 | 1.4 | 74.1 | 0 | 24.5 | 184 | -4.4 | Y | |
| GW-01 | 08/27/13 | 1 | 74.6 | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-02 | 04/08/13 | 2.2 | 68.6 | 0 | 29.2 | 72 | -0.3 | N | |
| GW-02 | 04/09/13 | 2.8 | 92.5 | 0.3 | 4.4 | 144 | -0.3 | Y | |
| GW-02 | 04/10/13 | 1.6 | 72.3 | 0.2 | 25.9 | 140 | -1.1 | Y | |
| GW-02 | 04/11/13 | 1.4 | 70.8 | 0.2 | 27.6 | 126 | -0.1 | Y | |
| GW-02 | 04/12/13 | 1.1 | 69.6 | 0.3 | 29 | 150 | -0.3 | Y | |
| GW-02 | 04/13/13 | 1.1 | 70 | 0.3 | 28.6 | 150 | -0.1 | Y | |
| GW-02 | 04/14/13 | 1.1 | 75.1 | 0.2 | 23.6 | 154 | -0.1 | Y | |
| GW-02 | 04/15/13 | 1.2 | 70.5 | 0.3 | 28 | 158 | -0.1 | Y | |
| GW-02 | 04/16/13 | 1.4 | 69 | 0.2 | 29.4 | 160 | -0.5 | Y | |
| GW-02 | 04/17/13 | 9.1 | 67.7 | 0.2 | 23 | 158 | -2.1 | Y | |
| GW-02 | 04/18/13 | 10.5 | 71.8 | 0.3 | 17.4 | 155 | -1.1 | Y | |
| GW-02 | 04/19/13 | 9.7 | 61.1 | 0.6 | 28.6 | 152 | -2.8 | Y | |
| GW-02 | 04/20/13 | 9 | 63.2 | 0.3 | 27.5 | 152 | -2.6 | Y | |
| GW-02 | 04/21/13 | 8.9 | 63.2 | 0.8 | 27.1 | 152 | -2.7 | Y | |
| GW-02 | 04/22/13 | 9.1 | 72.4 | 0.3 | 18.2 | 155 | -2 | Y | |
| GW-02 | 04/23/13 | 9.1 | 61.5 | 0.8 | 28.6 | 152 | -3.1 | Y | |
| GW-02 | 04/24/13 | 6.8 | 53.2 | 0.6 | 39.4 | 148 | -4.9 | Y | |
| GW-02 | 04/25/13 | 7.1 | 53 | 0.4 | 39.5 | 140 | -4.6 | Y | |
| GW-02 | 04/26/13 | 7 | 56.9 | 0.6 | 35.5 | 148 | -3.4 | Y | |
| GW-02 | 04/27/13 | 7.9 | 52.5 | 1.4 | 38.2 | 142 | -5 | Y | |
| GW-02 | 04/28/13 | 6.8 | 59.8 | 0.8 | 32.6 | 148 | -4 | Y | |
| GW-02 | 04/29/13 | 7.4 | 62 | 0.3 | 30.3 | 155 | -4.1 | Y | |
| GW-02 | 04/30/13 | 6.7 | 62 | 0.6 | 30.7 | 150 | -4.1 | Y | |
| GW-02 | 05/01/13 | 7.7 | 63.2 | 0 | 29.1 | 154 | -4 | Y | |
| GW-02 | 05/02/13 | 8.7 | 63.1 | 0 | 28.2 | 148 | -5.2 | Y | |
| GW-02 | 05/03/13 | 6.5 | 55.2 | 0.6 | 37.7 | 145 | -4.8 | Y | |
| GW-02 | 05/04/13 | 7.2 | 57.5 | 0.4 | 34.9 | 148 | -4 | Y | |
| GW-02 | 05/05/13 | 9 | 54.6 | 0 | 36.4 | 140 | -5.4 | Y | Begin using fluke temp meter |
| GW-02 | 05/06/13 | 10.4 | 57.7 | 0 | 31.9 | 143 | -4.3 | Y | |
| GW-02 | 05/07/13 | 10.6 | 58.4 | 0.3 | 30.7 | 146 | -4.7 | Y | |
| GW-02 | 05/08/13 | 9.9 | 53.3 | 0.4 | 36.4 | 144 | -4.9 | Y | |
| GW-02 | 05/09/13 | 10.8 | 63 | 0 | 26.2 | 148 | -3.8 | Y | |
| GW-02 | 05/10/13 | 10.1 | 58.9 | 0 | 31 | 143 | -4.5 | Y | |
| GW-02 | 05/11/13 | 10.1 | 55.8 | 0 | 34.1 | 143 | -5.2 | Y | |
| GW-02 | 05/12/13 | 9.5 | 57.3 | 0.1 | 33.1 | 135 | -4.2 | Y | |
| GW-02 | 05/13/13 | 9.7 | 60 | 0 | 30.3 | 143 | -4.2 | Y | |
| GW-02 | 05/14/13 | 10.1 | 61.2 | 0 | 28.7 | 143 | -4.1 | Y | |
| GW-02 | 05/15/13 | 9.9 | 58.4 | 0 | 31.7 | 142 | -4.3 | Y | Installed check valve |
| GW-02 | 05/16/13 | 10.3 | 56.4 | 0 | 33.5 | 142 | -4.4 | Y | |
| GW-02 | 05/17/13 | 9.7 | 56.6 | 0.2 | 33.5 | 142 | -4.1 | Y | |
| GW-02 | 05/18/13 | 10.6 | 57.9 | 0.3 | 31.2 | 144 | -3.5 | Y | |
| GW-02 | 05/19/13 | 11.2 | 65.3 | 0 | 23.5 | 142 | -2.7 | Y | |
| GW-02 | 05/20/13 | 13.8 | 63.1 | 0.1 | 23 | 142 | -3.8 | Y | |
| GW-02 | 05/21/13 | 13.5 | 63.5 | 0.3 | 22.7 | 144 | -4.5 | Y | |
| GW-02 | 05/22/13 | 13.4 | 63.6 | 0.3 | 22.7 | 144 | -3.7 | Y | |
| GW-02 | 05/23/13 | 10.1 | 60.5 | 0 | 29.4 | 140 | -5.2 | Y | Replaced 1-inch rod seal |
| GW-02 | 05/24/13 | 11.9 | 59 | 0.7 | 28.4 | 140 | -4.4 | N | Replaced 4-way valve |
| GW-02 | 05/25/13 | 11.6 | 62 | 0.3 | 26.1 | 144 | -3.9 | Y | |
| GW-02 | 05/26/13 | 9 | 54.2 | 0.5 | 36.3 | 143 | -4.2 | Y | |
| GW-02 | 05/27/13 | 11 | 58.7 | 0.5 | 29.8 | 144 | -3 | Y | |
| GW-02 | 05/28/13 | 17.7 | 58.8 | 0.6 | 22.9 | 144 | -3.1 | Y | |
| GW-02 | 05/29/13 | 12.4 | 58.2 | 0.6 | 28.8 | 141 | -2.3 | Y | Vacuum low, working on header |
| GW-02 | 05/30/13 | 13.9 | 63 | 0.6 | 22.5 | 144 | -3.2 | Y | |
| GW-02 | 05/31/13 | 10.8 | 58 | 0.5 | 30.7 | 142 | -3.1 | Y | |
| GW-02 | 06/01/13 | 9.8 | 55.6 | 0.5 | 34.1 | 141 | -4.3 | Y | |
| GW-02 | 06/02/13 | 10.1 | 54.5 | 0.8 | 34.6 | 141 | -3.1 | Y | |
| GW-02 | 06/03/13 | 10.2 | 54.6 | 0.4 | 34.8 | 139 | -2.2 | Y | Working on available vac issue |
| GW-02 | 06/04/13 | 12 | 59.7 | 0.2 | 27.8 | 143 | -1.1 | Y | Working on available vac issue |
| GW-02 | 06/05/13 | 15.9 | 62.6 | 0.4 | 23.6 | 144 | -1 | Y | Working on available vac issue |
| GW-02 | 06/06/13 | 16.7 | 56.7 | 0.7 | 25.9 | 148 | -2.5 | Y | Working on available vac issue |
| GW-02 | 06/07/13 | 12.9 | 53.4 | 0.6 | 33.1 | 143 | -1.8 | Y | Working on available vac issue |
| GW-02 | 06/08/13 | 13.1 | 56.1 | 0.2 | 30.6 | 141 | -0.9 | Y | Sag main header, jumper installed late 6-8 |
| GW-02 | 06/09/13 | 17.9 | 54 | 0.7 | 27.4 | 142 | -3.2 | Y | Vacuum restored |
| GW-02 | 06/10/13 | 10.8 | 45.8 | 1.1 | 42.3 | 144 | -5.1 | N | Replaced 4-way valve - pump operating |
| GW-02 | 06/11/13 | 10.3 | 48.5 | 0.6 | 40.6 | 141 | -4.5 | Y | |
| GW-02 | 06/12/13 | 14.7 | 48.9 | 0.3 | 36.1 | 147 | -4.7 | Y | |
| GW-02 | 06/13/13 | 13.6 | 49.8 | 0.6 | 36 | 137 | -4.6 | Y | |
| GW-02 | 06/14/13 | 14.4 | 68.3 | 0.3 | 17 | 139 | -4 | Y | |
| GW-02 | 06/15/13 | 13.7 | 50.5 | 0.7 | 35.1 | 141 | -3.9 | Y | |
| GW-02 | 06/16/13 | 15.1 | 72 | 0.4 | 12.5 | 157 | -2.4 | Y | |
| GW-02 | 06/17/13 | 12.3 | 57.3 | 0.4 | 30 | 151 | -5.4 | Y | |
| GW-02 | 06/18/13 | 11 | 56.9 | 0.4 | 31.7 | 144 | -4 | Y | |
| GW-02 | 06/19/13 | 10.6 | 55.8 | 0.9 | 32.7 | 146 | -4 | Y | |
| GW-02 | 06/20/13 | 10.7 | 59.2 | 0.9 | 29.2 | 143 | -4.8 | Y | |
| GW-02 | 06/21/13 | 13.7 | 60 | 0.3 | 26 | 146 | -4.3 | Y | |
| GW-02 | 06/22/13 | 11.8 | 55.4 | 0.8 | 32 | 141 | -4.9 | Y | |
| GW-02 | 06/23/13 | 11.2 | 51.1 | 1 | 36.7 | 146 | -4.2 | Y | |
| GW-02 | 06/24/13 | 10.6 | 48.6 | 1.6 | 39.2 | 139 | -4.4 | N | |
| GW-02 | 06/25/13 | 15.9 | 52.4 | 1.2 | 33.5 | 145 | -3.9 | N | Replaced 1-inch rod seal, pump operating |
| GW-02 | 06/26/13 | 15.6 | 51.7 | 1.3 | 31.4 | 143 | -4 | Y | |
| GW-02 | 06/27/13 | 11.9 | 45.3 | 1.6 | 41.2 | 143 | -4.8 | Y | |
| GW-02 | 06/28/13 | 14.9 | 56.1 | 0.5 | 28.5 | 146 | -4 | Y | |
| GW-02 | 06/29/13 | 12.1 | 50.9 | 0.6 | 36.4 | 144 | -4.7 | Y | |
| GW-02 | 06/30/13 | 12.7 | 53.5 | 0.5 | 33.3 | 148 | -4.8 | Y | |
| GW-02 | 07/01/13 | 12.5 | 49.7 | 0.8 | 37 | 144 | -4 | Y | |
| GW-02 | 07/02/13 | 13.3 | 51.5 | 0.5 | 34.7 | 140 | -4.3 | Y | |
| GW-02 | 07/03/13 | 14 | 53.3 | 0.3 | 32.4 | 142 | -4 | Y | |
| GW-02 | 07/04/13 | 13.6 | 46.5 | 0.9 | 39 | 144 | -4.5 | Y | |
| GW-02 | 07/05/13 | 16.4 | 54.6 | 1.2 | 27.8 | 147 | -4 | Y | |
| GW-02 | 07/06/13 | 19.1 | 55.6 | 1.5 | 23.8 | 141 | -4.3 | Y | |
| GW-02 | 07/07/13 | 13.8 | 51.1 | 1.9 | 33.2 | 145 | -4.3 | Y | |
| GW-02 | 07/08/13 | 14.6 | 55.1 | 2.2 | 28.1 | 144 | -4.2 | Y | |
| GW-02 | 07/09/13 | 11 | 56.7 | 2 | 30.3 | 144 | -3.9 | Y | |
| GW-02 | 07/10/13 | 7.4 | 61.7 | 1.8 | 29.1 | 136 | -4 | Y | |
| GW-02 | 07/11/13 | 6.8 | 65.6 | 0.5 | 27.1 | 142 | -4 | Y | |
| GW-02 | 07/12/13 | 1.9 | 65.7 | 0.6 | 31.8 | 142 | -4 | Y | |
| GW-02 | 07/13/13 | 4.5 | 72.8 | 0.4 | 22.3 | 144 | -4.1 | Y | |
| GW-02 | 07/14/13 | 2 | 62.2 | 0.1 | 35.7 | 145 | -4 | N | Repl. rod seals & 4-way valve, operating |
| GW-02 | 07/15/13 | 2.1 | 73.8 | 0 | 24.1 | 145 | -4.3 | Y | |
| GW-02 | 07/17/13 | 13.1 | 61 | 3.7 | 22.2 | 164 | -4.3 | Y | Coll. 49 mins after midnight |
| GW-02 | 07/17/13 | 3.1 | 74.3 | 0.1 | 22.5 | 167 | -0.2 | Y | |
| GW-02 | 07/18/13 | 11.1 | 64.9 | 1.3 | 22.7 | 162 | -1.3 | Y | |
| GW-02 | 07/19/13 | 7.6 | 65.2 | 2 | 25.2 | 162 | -0.6 | Y | |
| GW-02 | 07/20/13 | 12 | 66.5 | 1.7 | 19.8 | 160 | -1.2 | Y | |
| GW-02 | 07/21/13 | 6.9 | 65.8 | 1.8 | 25.5 | 155 | -0.8 | Y | |
| GW-02 | 07/22/13 | 10.9 | 59.6 | 3.3 | 26.2 | 157 | -1.2 | Y | |
| GW-02 | 07/23/13 | 10.1 | 63.5 | 2 | 24.4 | 155 | -0.8 | Y | |
| GW-02 | 07/24/13 | 12.9 | 63.1 | 1.9 | 22.1 | 161 | -1.1 | Y | |
| GW-02 | 07/25/13 | 2.4 | 72.8 | 0.2 | 24.6 | 169 | -0.6 | Y | |
| GW-02 | 07/26/13 | 9.9 | 63.8 | 2.3 | 23.9 | 163 | -0.5 | Y | |
| GW-02 | 07/27/13 | 12 | 62.9 | 1.6 | 23.5 | 164 | -0.5 | Y | |
| GW-02 | 07/28/13 | 13 | 62.8 | 2 | 22.2 | 161 | -1.1 | Y | |
| GW-02 | 07/29/13 | 8.5 | 69.3 | 1.4 | 20.8 | 162 | -1 | Y | |
| GW-02 | 07/30/13 | 13.2 | 65 | 1.4 | 20.4 | 164 | -1 | Y | |
| GW-02 | 07/31/13 | 9.7 | 65.6 | 1.2 | 23.5 | 161 | -0.5 | Y | |
| GW-02 | 08/01/13 | 11.6 | 63.9 | 1.8 | 22.7 | 161 | -1.4 | Y | |
| GW-02 | 08/02/13 | 11.3 | 65.3 | 1.4 | 22 | 162 | -0.7 | Y | |
| GW-02 | 08/03/13 | 14.2 | 63.7 | 1.8 | 20.3 | 161 | -1.1 | Y | |
| GW-02 | 08/04/13 | 11.3 | 66.3 | 1.4 | 21 | 160 | -0.8 | Y | |
| GW-02 | 08/05/13 | 11.8 | 65 | 1.8 | 21.4 | 161 | -0.4 | Y | |
| GW-02 | 08/06/13 | 8.9 | 71.2 | 0.2 | 19.7 | 168 | -0.4 | Y | |
| GW-02 | 08/07/13 | 8.4 | 66.3 | 1.5 | 23.8 | 165 | -1.1 | Y | |
| GW-02 | 08/08/13 | 11 | 64 | 1.8 | 23.2 | 161 | -1.7 | Y | |
| GW-02 | 08/09/13 | 9.1 | 65.4 | 1.9 | 23.6 | 167 | -1.1 | Y | |
| GW-02 | 08/10/13 | 10.8 | 63.8 | 1.9 | 23.5 | 166 | -1 | N | Replaced 4way Valve - Pump operational |
| GW-02 | 08/11/13 | 10.1 | 65.1 | 1.8 | 23 | 166 | -0.7 | Y | |
| GW-02 | 08/12/13 | 11.4 | 65.5 | 1.8 | 21.3 | 166 | -0.8 | Y | |
| GW-02 | 08/13/13 | 9.2 | 64.1 | 1.8 | 24.9 | 167 | -1.3 | Y | |
| GW-02 | 08/14/13 | 10.5 | 63.2 | 1.7 | 24.6 | 167 | -1.2 | Y | |
| GW-02 | 08/15/13 | 10.3 | 69 | 0.5 | 20.2 | 167 | -1.1 | Y | |
| GW-02 | 08/16/13 | 9.5 | 66.1 | 1.5 | 22.9 | 165 | -1.2 | Y | |
| GW-02 | 08/17/13 | 10.3 | 64.9 | 1.6 | 23.2 | 167 | -1.4 | Y | |
| GW-02 | 08/18/13 | 10.9 | 66.1 | 1.6 | 21.4 | 167 | -0.9 | Y | |
| GW-02 | 08/19/13 | 10.8 | 67.1 | 1.2 | 20.9 | 168 | -1.1 | Y | |
| GW-02 | 08/20/13 | 10.2 | 66.8 | 0.9 | 22.1 | 166 | -1.1 | Y | |
| GW-02 | 08/21/13 | 13.7 | 67.9 | 1 | 17.4 | 166 | -1.1 | Y | |
| GW-02 | 08/22/13 | 14 | 64.6 | 1.6 | 19.8 | 168 | -1.4 | Y | |
| GW-02 | 08/23/13 | 10.9 | 65.8 | 1.6 | 21.7 | 165 | -1.4 | Y | |
| GW-02 | 08/24/13 | 10.8 | 69.3 | 1.1 | 18.8 | 167 | -1.1 | N | Replaced 1" rod seal - pump operational |
| GW-02 | 08/25/13 | 10.3 | 66.6 | 1.8 | 21.3 | 167 | -1.4 | Y | |
| GW-02 | | | | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-03 | 04/08/13 | 3.3 | 70.1 | 0 | 26.6 | 120 | -0.1 | N | |
| GW-03 | 04/09/13 | 3.4 | 71.9 | 0 | 24.7 | 130 | -0.2 | Y | |
| GW-03 | 04/10/13 | 2.2 | 70.4 | 0.2 | 27.2 | 130 | -0.2 | Y | |
| GW-03 | 04/11/13 | 3.2 | 70.2 | 0.3 | 26.3 | 120 | -0.7 | Y | |
| GW-03 | 04/12/13 | 3.4 | 70.5 | 0.2 | 25.9 | 120 | -0.1 | Y | |
| GW-03 | 04/13/13 | 0.6 | 72.1 | 0.1 | 27.2 | 110 | -7.6 | Y | |
| GW-03 | 04/14/13 | 1.7 | 72 | 0.1 | 26.2 | 130 | 1.7 | Y | |
| GW-03 | 04/15/13 | 0.7 | 72.5 | 0.2 | 26.6 | 130 | -0.3 | Y | |
| GW-03 | 04/16/13 | 3.2 | 68.9 | 0.2 | 27.7 | 130 | -1.2 | Y | |
| GW-03 | 04/17/13 | 3.1 | 70.6 | 0.2 | 26.1 | 128 | -2.7 | Y | |
| GW-03 | 04/18/13 | 2.7 | 72.2 | 0.2 | 24.9 | 125 | -0.1 | Y | |
| GW-03 | 04/19/13 | 3.2 | 68.4 | 0.6 | 27.8 | 125 | -2.9 | Y | |
| GW-03 | 04/20/13 | 3.2 | 69 | 0.3 | 27.5 | 132 | -2.5 | Y | |
| GW-03 | 04/21/13 | 2.5 | 71.1 | 0.7 | 25.7 | 130 | -1.2 | Y | |
| GW-03 | 04/22/13 | 3.3 | 76.3 | 0.4 | 20 | 132 | -2.8 | Y | |
| GW-03 | 04/23/13 | 2.1 | 71.3 | 0.6 | 26 | 132 | -1.8 | Y | |
| GW-03 | 04/24/13 | 2.4 | 66.2 | 0.8 | 30.6 | 138 | -5.8 | Y | |
| GW-03 | 04/25/13 | 1.9 | 68.5 | 0.3 | 29.3 | 128 | -4.2 | Y | |
| GW-03 | 04/26/13 | 2.7 | 68.3 | 0.9 | 28.1 | 130 | -4.1 | Y | |
| GW-03 | 04/27/13 | 2.7 | 67 | 2 | 28.3 | 130 | -4.5 | Y | operating but not moving liquid, will repair |
| GW-03 | 04/28/13 | 3 | 71.9 | 0.3 | 24.8 | 130 | -4 | Y | |
| GW-03 | 04/29/13 | 2.8 | 69.9 | 0.2 | 27.1 | 150 | -3.3 | Y | |
| GW-03 | 04/30/13 | 2.4 | 72.1 | 0.4 | 25.1 | 150 | -4.3 | Y | |
| GW-03 | 05/01/13 | 2.2 | 73.6 | 0.8 | 23.4 | 158 | -4 | Y | |
| GW-03 | 05/02/13 | 2.5 | 68.4 | 1 | 28.1 | 135 | -5.7 | Y | |
| GW-03 | 05/03/13 | 2.6 | 65.4 | 1.4 | 30.6 | 138 | -4.9 | Y | |
| GW-03 | 05/04/13 | 2.4 | 69.3 | 0.4 | 27.9 | 138 | -4.2 | Y | |
| GW-03 | 05/05/13 | 2.7 | 70.7 | 0 | 26.6 | 132 | -4.7 | Y | Begin using fluke temp meter |
| GW-03 | 05/06/13 | 2.6 | 70.3 | 0 | 27.1 | 154 | -4.4 | Y | |
| GW-03 | 05/07/13 | 2.6 | 69.7 | 0.4 | 27.3 | 156 | -4.7 | Y | |
| GW-03 | 05/08/13 | 2.9 | 68 | 0.5 | 28.6 | 156 | -4.7 | Y | |
| GW-03 | 05/09/13 | 2.9 | 70.9 | 0 | 26.2 | 134 | -3.5 | Y | |
| GW-03 | 05/10/13 | 2.5 | 72.5 | 0 | 25 | 156 | -4.4 | Y | |
| GW-03 | 05/11/13 | 3.4 | 71.1 | 0 | 25.5 | 153 | -6 | Y | |
| GW-03 | 05/12/13 | 3.6 | 70.3 | 0 | 26.1 | 157 | -4 | Y | |
| GW-03 | 05/13/13 | 3 | 70.5 | 0 | 26.5 | 156 | -4.3 | Y | |
| GW-03 | 05/14/13 | 2.5 | 73 | 0 | 24.5 | 155 | -4.1 | Y | |
| GW-03 | 05/15/13 | 2.9 | 71.1 | 0 | 26 | 147 | -4.4 | Y | Installed check valve |
| GW-03 | 05/16/13 | 2.5 | 69.5 | 0 | 28 | 159 | -4.5 | Y | |
| GW-03 | 05/17/13 | 2.5 | 70.3 | 0.1 | 27.1 | 155 | -4.5 | Y | |
| GW-03 | 05/18/13 | 2.6 | 68.8 | 0.2 | 28.4 | 160 | -4 | Y | |
| GW-03 | 05/19/13 | 2.6 | 71 | 0.1 | 26.3 | 158 | -2.6 | Y | |
| GW-03 | 05/20/13 | 2.4 | 70.3 | 0 | 27.3 | 152 | -4.2 | Y | |
| GW-03 | 05/21/13 | 2.4 | 68.9 | 0.2 | 28.5 | 160 | -4.6 | Y | |
| GW-03 | 05/22/13 | 2.9 | 69.2 | 0.2 | 27.7 | 159 | -3.8 | Y | |
| GW-03 | 05/23/13 | 2.7 | 68.9 | 0.2 | 28.2 | 156 | -5.3 | Y | |
| GW-03 | 05/24/13 | 2.6 | 69.8 | 0.6 | 27 | 160 | -4.1 | Y | |
| GW-03 | 05/25/13 | 2.3 | 70.1 | 0.2 | 27.4 | 161 | -4 | Y | |
| GW-03 | 05/26/13 | 2.3 | 69.7 | 0.4 | 27.6 | 160 | -3.9 | Y | |
| GW-03 | 05/27/13 | 3.1 | 69.4 | 0.3 | 27.2 | 158 | -3.4 | Y | |
| GW-03 | 05/28/13 | 5.8 | 67.5 | 0.4 | 26.3 | 153 | -3.7 | Y | |
| GW-03 | 05/29/13 | 2.2 | 69.6 | 0.1 | 28.1 | 155 | -2.8 | Y | Vacuum low, working on header |
| GW-03 | 05/30/13 | 2.8 | 69 | 0.4 | 27.8 | 159 | -3.5 | Y | |
| GW-03 | 05/31/13 | 2.6 | 70.2 | 0 | 27.2 | 162 | -3.5 | Y | |
| GW-03 | 06/01/13 | 2.3 | 67.5 | 0 | 30.2 | 158 | -3.5 | Y | |
| GW-03 | 06/02/13 | 2.5 | 70.3 | 0.1 | 27.1 | 160 | -4 | Y | |
| GW-03 | 06/03/13 | 2.3 | 68.4 | 0 | 29.3 | 162 | -2.1 | Y | Working on available vac issue |
| GW-03 | 06/04/13 | 2.4 | 70.4 | 0.1 | 27.1 | 158 | -1 | Y | Working on available vac issue |
| GW-03 | 06/05/13 | 1.9 | 67.4 | 0.6 | 30.1 | 154 | -0.7 | Y | Working on available vac issue |
| GW-03 | 06/06/13 | 2.5 | 68.1 | 0.3 | 29.1 | 152 | -2.2 | Y | Working on available vac issue |
| GW-03 | 06/07/13 | 2.6 | 64.7 | 0.2 | 32.5 | 153 | -1.7 | Y | Working on available vac issue |
| GW-03 | 06/08/13 | 3.5 | 65.3 | 0 | 31.2 | 151 | -0.7 | Y | Sag main header, jumper installed late 6-8 |
| GW-03 | 06/09/13 | 3.9 | 65.2 | 0.5 | 30.4 | 162 | -2.9 | Y | Vacuum restored |
| GW-03 | 06/10/13 | 2.7 | 65.7 | 0.4 | 31.2 | 164 | -5.5 | Y | |
| GW-03 | 06/11/13 | 2.2 | 66.9 | 0 | 30.9 | 162 | -3.9 | Y | |
| GW-03 | 06/12/13 | 3.2 | 66.4 | 0 | 30.4 | 166 | -4 | Y | |
| GW-03 | 06/13/13 | 2 | 69.4 | 0 | 28.6 | 163 | -4.4 | Y | |
| GW-03 | 06/14/13 | 3.9 | 64 | 0.1 | 32 | 163 | -4.5 | Y | |
| GW-03 | 06/15/13 | 6.1 | 65.6 | 0.4 | 27.9 | 160 | -4 | Y | |
| GW-03 | 06/16/13 | 3.1 | 67.9 | 0.1 | 28.9 | 162 | -2.2 | Y | |
| GW-03 | 06/17/13 | 2.7 | 67.9 | 0.3 | 29.1 | 163 | -4.8 | Y | |
| GW-03 | 06/18/13 | 4 | 68.7 | 0 | 27.3 | 166 | -4 | Y | |
| GW-03 | 06/19/13 | 2.7 | 69.2 | 0.4 | 27.7 | 165 | -4 | Y | |
| GW-03 | 06/20/13 | 1.6 | 73.3 | 0.4 | 24.7 | 166 | -4.9 | Y | |
| GW-03 | 06/21/13 | 2.9 | 67.7 | 0.2 | 29.2 | 165 | -4.1 | Y | |
| GW-03 | 06/22/13 | 2.2 | 64.9 | 0.9 | 32 | 160 | -4.5 | Y | |
| GW-03 | 06/23/13 | 4.8 | 65 | 0.9 | 29.3 | 164 | -4 | Y | |
| GW-03 | 06/24/13 | 1.5 | 63.9 | 1.5 | 33.1 | 161 | -4.1 | Y | |
| GW-03 | 06/25/13 | 5 | 64.2 | 1.5 | 29.3 | 163 | -4 | Y | |
| GW-03 | 06/26/13 | 2.7 | 73.3 | 0.8 | 23.2 | 160 | -4 | Y | |
| GW-03 | 06/27/13 | 1.9 | 62.7 | 0.5 | 34.9 | 163 | -4.7 | Y | |
| GW-03 | 06/28/13 | 2.7 | 69 | 0.5 | 27.8 | 166 | -4.2 | Y | |
| GW-03 | 06/29/13 | 2.1 | 64.9 | 0.3 | 32.7 | 160 | -4.5 | Y | |
| GW-03 | 06/30/13 | 1.7 | 70.9 | 0.3 | 27.1 | 160 | -4.1 | Y | |
| GW-03 | 07/01/13 | 1.9 | 65 | 0.6 | 32.5 | 164 | -4.3 | Y | |
| GW-03 | 07/02/13 | 2.1 | 66.7 | 0.2 | 31 | 162 | -4.8 | Y | |
| GW-03 | 07/03/13 | 2.3 | 66.1 | 0.2 | 31.4 | 169 | -4 | Y | |
| GW-03 | 07/04/13 | 2.7 | 67.2 | 0.5 | 29.6 | 165 | -4.1 | Y | |
| GW-03 | 07/05/13 | 2.5 | 66.9 | 0.5 | 30.1 | 168 | -4.1 | Y | |
| GW-03 | 07/06/13 | 1.3 | 72.5 | 0 | 26.2 | 168 | -3.6 | Y | |
| GW-03 | 07/07/13 | 2.6 | 67.1 | 0 | 30.3 | 164 | -4.4 | Y | |
| GW-03 | 07/08/13 | 1.9 | 67.5 | 0.4 | 30.2 | 164 | -4.1 | Y | |
| GW-03 | 07/09/13 | 1.5 | 69.8 | 0.4 | 28.3 | 168 | -3.9 | Y | |
| GW-03 | 07/10/13 | 2.2 | 71.5 | 0.4 | 25.9 | 161 | -4.5 | Y | |
| GW-03 | 07/11/13 | 3.8 | 68.7 | 0.3 | 27.2 | 169 | -3.9 | Y | |
| GW-03 | 07/12/13 | 0.5 | 72.1 | 0 | 27.4 | 168 | -4 | Y | |
| GW-03 | 07/13/13 | 2.2 | 75.1 | 0 | 22.7 | 170 | -4.1 | Y | |
| GW-03 | 07/14/13 | 1.6 | 69 | 0 | 29.4 | 174 | -4.3 | Y | |
| GW-03 | 07/15/13 | 1.5 | 72 | 0.1 | 26.4 | 166 | -4.6 | Y | |
| GW-03 | 07/16/13 | 2.9 | 75.1 | 0 | 23 | 168 | -4.3 | Y | |
| GW-03 | 07/17/13 | 1.3 | 74.3 | 0.2 | 24.2 | 166 | -3.1 | Y | |
| GW-03 | 07/18/13 | 1.7 | 67 | 0 | 31.3 | 166 | -3.6 | Y | |
| GW-03 | 07/19/13 | 1.8 | 67.2 | 0.3 | 30.7 | 164 | -3.7 | Y | |
| GW-03 | 07/20/13 | 1.6 | 70 | 0.1 | 28.3 | 165 | -3 | Y | |
| GW-03 | 07/21/13 | 1.3 | 71.7 | 0 | 27 | 166 | -3.6 | Y | |
| GW-03 | 07/22/13 | 1.6 | 66.7 | 0.5 | 31.2 | 166 | -3.8 | Y | |
| GW-03 | 07/23/13 | 0.9 | 74 | 0 | 25.1 | 167 | -3.9 | Y | |
| GW-03 | 07/24/13 | 2.9 | 68.1 | 0.4 | 28.6 | 166 | -4.2 | Y | |
| GW-03 | 07/25/13 | 2.3 | 67.8 | 0.4 | 29.5 | 166 | -3.7 | Y | |
| GW-03 | 07/26/13 | 1.2 | 67.3 | 0.6 | 30.9 | 167 | -3 | Y | |
| GW-03 | 07/27/13 | 1.3 | 65.9 | 0 | 32.8 | 165 | -3.3 | Y | |
| GW-03 | 07/28/13 | 2.2 | 67 | 0.4 | 30.4 | 166 | -3.4 | Y | |
| GW-03 | 07/29/13 | 1.1 | 69.4 | 0 | 29.5 | 167 | -2.6 | Y | |
| GW-03 | 07/30/13 | 2.5 | 66.5 | 0.1 | 30.9 | 165 | -3.4 | Y | |
| GW-03 | 07/31/13 | 1.1 | 67 | 0.4 | 31.5 | 166 | -2.5 | Y | |
| GW-03 | 08/01/13 | 0.7 | 73.3 | 0 | 26 | 166 | -2.1 | Y | |
| GW-03 | 08/02/13 | 1.1 | 69.6 | 0 | 29.3 | 166 | -2.8 | Y | |
| GW-03 | 08/03/13 | 2.2 | 69 | 0.4 | 29.4 | 164 | -2.7 | Y | |
| GW-03 | 08/04/13 | 1.4 | 73.6 | 0.1 | 25.9 | 166 | -2 | Y | |
| GW-03 | 08/05/13 | 1.8 | 69.8 | 0.3 | 28.1 | 167 | -2.8 | Y | |
| GW-03 | 08/06/13 | 0.9 | 71.8 | 0.3 | 27 | 166 | -1.8 | Y | |
| GW-03 | 08/07/13 | 1 | 69.3 | 0 | 29.7 | 165 | -3.3 | Y | |
| GW-03 | 08/08/13 | 0.9 | 69.4 | 0.3 | 29.4 | 169 | -4 | Y | |
| GW-03 | 08/09/13 | 1 | 70.2 | 0.4 | 28.4 | 167 | -3.4 | Y | |
| GW-03 | 08/10/13 | 0.9 | 69.9 | 0.3 | 28.9 | 168 | -4.2 | Y | |
| GW-03 | 08/11/13 | 0.8 | 69.7 | 0.6 | 28.9 | 168 | -4 | Y | |
| GW-03 | 08/12/13 | 2 | 70.1 | 0.4 | 27.5 | 167 | -3.8 | Y | |
| GW-03 | 08/13/13 | 0.8 | 68.9 | 0.5 | 29.8 | 167 | -4.3 | Y | |
| GW-03 | 08/14/13 | 1.1 | 66.4 | 0.2 | 32.3 | 167 | -4.8 | Y | |
| GW-03 | 08/15/13 | 1.1 | 68.4 | 0 | 30.5 | 165 | -4.2 | Y | |
| GW-03 | 08/16/13 | 1 | 71.9 | 0 | 27.1 | 167 | -3.9 | Y | |
| GW-03 | 08/17/13 | 0.9 | 72 | 0 | 27.1 | 169 | -4.4 | Y | |
| GW-03 | 08/18/13 | 1.1 | 72.5 | 0 | 26.4 | 167 | -3.9 | Y | |
| GW-03 | 08/19/13 | 0.9 | 70.3 | 0.1 | 28.7 | 170 | -4 | Y | |
| GW-03 | 08/20/13 | 1.2 | 68.1 | 0 | 30.7 | 167 | -4.1 | Y | |
| GW-03 | 08/21/13 | 2 | 71 | 0 | 27 | 166 | -3.6 | Y | |
| GW-03 | 08/22/13 | 1.9 | 71 | 0 | 27.1 | 170 | -3.5 | Y | |
| GW-03 | 08/23/13 | 0.8 | 70.2 | 0 | 29 | 168 | -3.2 | Y | |
| GW-03 | 08/24/13 | 2.4 | 72.9 | 0 | 24.7 | 170 | -2.9 | Y | |
| GW-03 | 08/25/13 | 0.7 | 73.2 | 0.2 | 25.9 | 169 | -3.5 | Y | |
| GW-03 | 08/26/13 | 0.5 | 73.2 | 0 | 26.3 | 168 | -3.4 | Y | |
| GW-03 | 08/27/13 | 0.8 | 70 | 0 | 29.2 | 168 | -4 | Y | |
| GW-03 | 08/28/13 | 3.4 | 73.3 | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (ln W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-04 | 04/08/13 | 0.4 | 73.7 | 0 | 25.9 | 150 | -0.7 | N | |
| GW-04 | 04/09/13 | 0.4 | 73.6 | 0.6 | 25.4 | 150 | -0.4 | Y | |
| GW-04 | 04/10/13 | 0.4 | 75.1 | 0.2 | 24.3 | 150 | -0.8 | Y | |
| GW-04 | 04/11/13 | 0.5 | 75.3 | 0.1 | 24.1 | 145 | -0.5 | Y | |
| GW-04 | 04/12/13 | 0.5 | 75 | 0.1 | 24.4 | 140 | -1.6 | Y | |
| GW-04 | 04/13/13 | 0.5 | 74.1 | 0.1 | 25.3 | 140 | -2.7 | Y | |
| GW-04 | 04/14/13 | 0.5 | 78.5 | 0.1 | 20.9 | 160 | 0.6 | Y | |
| GW-04 | 04/15/13 | 0.6 | 75.2 | 0.2 | 24 | 160 | -0.1 | Y | |
| GW-04 | 04/16/13 | 0.6 | 73.8 | 0.3 | 25.3 | 142 | -0.6 | Y | |
| GW-04 | 04/17/13 | 0.6 | 74.4 | 0.2 | 24.8 | 145 | -1.4 | Y | |
| GW-04 | 04/18/13 | 0.7 | 76.7 | 0.2 | 22.4 | 140 | -2.7 | Y | |
| GW-04 | 04/19/13 | 0.7 | 73.2 | 0.5 | 25.6 | 145 | -3 | Y | |
| GW-04 | 04/20/13 | 0.7 | 74.1 | 0.2 | 25 | 150 | -2.3 | Y | |
| GW-04 | 04/21/13 | 0.7 | 73.6 | 0.8 | 24.9 | 150 | -3.3 | Y | |
| GW-04 | 04/22/13 | 0.7 | 82.5 | 0.2 | 16.6 | 152 | -2.4 | Y | |
| GW-04 | 04/23/13 | 0.8 | 73.2 | 0.6 | 25.4 | 150 | -3.1 | Y | |
| GW-04 | 04/24/13 | 0.5 | 73.5 | 0 | 26 | 140 | -4.8 | Y | |
| GW-04 | 04/25/13 | 0.5 | 73.2 | 0 | 26.3 | 148 | -4.5 | Y | |
| GW-04 | 04/26/13 | 0.5 | 75.9 | 0.7 | 22.9 | 155 | -4.4 | Y | |
| GW-04 | 04/27/13 | 0.6 | 75 | 1.1 | 23.3 | 160 | -4.3 | Y | |
| GW-04 | 04/28/13 | 0.5 | 77.7 | 0.5 | 21.3 | 142 | -4.4 | Y | |
| GW-04 | 04/29/13 | 0.5 | 77.8 | 0 | 21.7 | 160 | -4.5 | Y | |
| GW-04 | 04/30/13 | 0.4 | 77.2 | 0.4 | 22 | 148 | -4.3 | Y | |
| GW-04 | 05/01/13 | 0.4 | 78.6 | 0.1 | 20.9 | 158 | -4.1 | Y | |
| GW-04 | 05/02/13 | 0.5 | 76.2 | 0.1 | 23.2 | 150 | -4.3 | Y | |
| GW-04 | 05/03/13 | 0.5 | 73.7 | 0.4 | 25.4 | 145 | -4.2 | Y | |
| GW-04 | 05/04/13 | 0.5 | 75.3 | 0.3 | 23.9 | 148 | -4.2 | Y | |
| GW-04 | 05/05/13 | 0.4 | 76.2 | 0 | 23.4 | 143 | -4.9 | Y | Begin using fluke temp meter |
| GW-04 | 05/06/13 | 0.5 | 76.4 | 0 | 23.1 | 152 | -4.2 | Y | |
| GW-04 | 05/07/13 | 0.4 | 74.7 | 0.4 | 24.5 | 155 | -4.2 | Y | |
| GW-04 | 05/08/13 | 0.4 | 74.8 | 0.2 | 24.6 | 151 | -4.9 | Y | |
| GW-04 | 05/09/13 | 0.5 | 76.6 | 0 | 22.9 | 150 | -1.1 | Y | |
| GW-04 | 05/10/13 | 0.5 | 78.1 | 0 | 21.4 | 153 | -4.1 | Y | |
| GW-04 | 05/11/13 | 0.6 | 76.9 | 0.1 | 22.4 | 154 | -6.2 | Y | |
| GW-04 | 05/12/13 | 1.8 | 77.4 | 0 | 20.8 | 144 | -4.2 | Y | |
| GW-04 | 05/13/13 | 0.6 | 76.9 | 0 | 22.5 | 152 | -4.1 | Y | |
| GW-04 | 05/14/13 | 0.9 | 76 | 0 | 23.1 | 153 | -4.2 | Y | |
| GW-04 | 05/15/13 | 1.2 | 77.9 | 0 | 20.9 | 153 | -4.4 | Y | Installed check valve, replaced 1" rod seal |
| GW-04 | 05/16/13 | 0.5 | 78.8 | 0.5 | 24.1 | 155 | -4.5 | Y | |
| GW-04 | 05/17/13 | 0.4 | 75.1 | 0.6 | 23.9 | 155 | -4.3 | Y | |
| GW-04 | 05/18/13 | 0.5 | 73.7 | 0.8 | 25 | 158 | -4 | Y | |
| GW-04 | 05/19/13 | 0.4 | 78 | 0 | 21.6 | 158 | -2.9 | Y | |
| GW-04 | 05/20/13 | 0.6 | 75.5 | 0.5 | 23.4 | 152 | -4.2 | Y | |
| GW-04 | 05/21/13 | 0.4 | 73.8 | 0.6 | 25.2 | 150 | -4.6 | Y | |
| GW-04 | 05/22/13 | 1.1 | 73.5 | 0.8 | 24.6 | 152 | -4 | Y | |
| GW-04 | 05/23/13 | 0.5 | 74.5 | 0.6 | 24.4 | 144 | -5.5 | Y | |
| GW-04 | 05/24/13 | 0.4 | 72.2 | 0.5 | 26.9 | 151 | -4.6 | Y | |
| GW-04 | 05/25/13 | 0.8 | 74.6 | 0.7 | 23.9 | 153 | -4.4 | Y | |
| GW-04 | 05/26/13 | 0.9 | 75 | 0.7 | 23.4 | 148 | -4.2 | Y | |
| GW-04 | 05/27/13 | 4.7 | 74.7 | 0.5 | 20.1 | 152 | -3 | Y | |
| GW-04 | 05/28/13 | 2.6 | 73.9 | 0.8 | 22.7 | 151 | -3.5 | Y | |
| GW-04 | 05/29/13 | 0.6 | 74.4 | 0.3 | 24.7 | 152 | -2.3 | Y | Vacuum low, working on header |
| GW-04 | 05/30/13 | 0.9 | 75 | 0.4 | 23.7 | 154 | -3.3 | Y | |
| GW-04 | 05/31/13 | 1.4 | 75.4 | 0.3 | 22.9 | 153 | -3.7 | Y | |
| GW-04 | 06/01/13 | 0.4 | 75.7 | 0.2 | 23.7 | 150 | -3.9 | Y | |
| GW-04 | 06/02/13 | 0.5 | 77.3 | 0 | 22.2 | 154 | -4 | N | Replaced 4-way valve - pump operational |
| GW-04 | 06/03/13 | 0.5 | 75 | 0 | 24.5 | 152 | -2.5 | Y | Working on available vac issue |
| GW-04 | 06/04/13 | 0.5 | 77 | 0.3 | 22.2 | 153 | -1.1 | Y | Working on available vac issue |
| GW-04 | 06/05/13 | 0.2 | 75.1 | 0.6 | 24.1 | 153 | -0.5 | Y | Working on available vac issue |
| GW-04 | 06/06/13 | 0.5 | 75.2 | 0.7 | 23.6 | 155 | -1.7 | Y | Working on available vac issue |
| GW-04 | 06/07/13 | 1.2 | 70.6 | 0.5 | 27.7 | 152 | -1.9 | Y | Working on available vac issue |
| GW-04 | 06/08/13 | 0.6 | 72.5 | 0.3 | 26.6 | 150 | -0.6 | Y | Sag main header, jumper installed late 6-8 |
| GW-04 | 06/09/13 | 2.7 | 72.7 | 0.6 | 24 | 152 | -3.1 | Y | Vacuum restored |
| GW-04 | 06/10/13 | 0.3 | 71 | 0.7 | 28 | 156 | -5.1 | Y | |
| GW-04 | 06/11/13 | 0.3 | 75 | 0.2 | 24.5 | 154 | -4.5 | Y | |
| GW-04 | 06/12/13 | 0.3 | 73.5 | 0 | 26.2 | 155 | -4.1 | N | Replaced 1-inch rod seal - pump operating |
| GW-04 | 06/13/13 | 0.2 | 75.9 | 0 | 23.9 | 149 | -4.4 | Y | |
| GW-04 | 06/14/13 | 2.4 | 71.5 | 0.3 | 25.8 | 155 | -4.6 | Y | |
| GW-04 | 06/15/13 | 2.9 | 73.2 | 0.4 | 23.5 | 156 | -4.1 | Y | |
| GW-04 | 06/16/13 | 0.4 | 75.1 | 0.1 | 24.4 | 158 | -3 | Y | |
| GW-04 | 06/17/13 | 0.9 | 74.6 | 0.2 | 24.3 | 152 | -5.9 | Y | |
| GW-04 | 06/18/13 | 1.7 | 74.4 | 0.2 | 23.7 | 154 | -4.2 | Y | |
| GW-04 | 06/19/13 | 0.3 | 75.3 | 0.5 | 23.9 | 156 | -4 | Y | |
| GW-04 | 06/20/13 | 0.5 | 79.2 | 0.5 | 19.8 | 156 | -4.7 | Y | |
| GW-04 | 06/21/13 | 1.8 | 75.2 | 0 | 23 | 155 | -4.7 | Y | |
| GW-04 | 06/22/13 | 1.8 | 73.8 | 0.3 | 24.1 | 158 | -4.5 | Y | |
| GW-04 | 06/23/13 | 2.6 | 71.8 | 0.4 | 25.2 | 156 | -4 | Y | |
| GW-04 | 06/24/13 | 0.2 | 73.4 | 0.3 | 26.1 | 151 | -4.8 | Y | |
| GW-04 | 06/25/13 | 5.3 | 74.3 | 0.3 | 24.1 | 154 | -4.6 | Y | |
| GW-04 | 06/26/13 | 0 | 72.5 | 1 | 26.5 | 155 | -4.3 | Y | |
| GW-04 | 06/27/13 | 0.8 | 66.5 | 1.1 | 31.6 | 155 | -4.2 | Y | |
| GW-04 | 06/28/13 | 1.8 | 75.2 | 0.2 | 22.8 | 156 | -4.3 | Y | |
| GW-04 | 06/29/13 | 0.3 | 72.1 | 0.4 | 27.2 | 152 | -4.2 | Y | |
| GW-04 | 06/30/13 | 0.4 | 73.9 | 0.5 | 25.2 | 155 | -4.7 | Y | |
| GW-04 | 07/01/13 | 0.3 | 72.5 | 0.5 | 26.7 | 151 | -4 | Y | |
| GW-04 | 07/02/13 | 0.3 | 74.8 | 0.2 | 24.7 | 153 | -4.5 | Y | |
| GW-04 | 07/03/13 | 0.3 | 74.6 | 0.1 | 25 | 157 | -4.1 | Y | |
| GW-04 | 07/04/13 | 1.2 | 69.8 | 0.3 | 28.7 | 157 | -4.1 | Y | |
| GW-04 | 07/05/13 | 0.9 | 73.5 | 0.5 | 25.1 | 156 | -4.2 | Y | |
| GW-04 | 07/06/13 | 0.3 | 74.8 | 0 | 24.9 | 155 | -3.3 | Y | |
| GW-04 | 07/07/13 | 0.9 | 74.3 | 0.2 | 24.6 | 154 | -4.3 | Y | |
| GW-04 | 07/08/13 | 0.3 | 72.7 | 1.5 | 25.5 | 155 | -4.2 | Y | |
| GW-04 | 07/09/13 | 0.3 | 73 | 0.7 | 26 | 157 | -4 | Y | |
| GW-04 | 07/10/13 | 2.6 | 74.8 | 0.6 | 22 | 151 | -4.9 | Y | |
| GW-04 | 07/11/13 | 2.2 | 68.8 | 0.5 | 28.5 | 151 | -4.1 | Y | |
| GW-04 | 07/12/13 | 0.2 | 73.5 | 0.1 | 26.2 | 157 | -4 | Y | |
| GW-04 | 07/13/13 | 1.1 | 78.7 | 0.1 | 20.1 | 158 | -4.2 | Y | |
| GW-04 | 07/14/13 | 0.7 | 74.4 | 0 | 24.9 | 157 | -4.2 | Y | |
| GW-04 | 07/15/13 | 0.4 | 75.3 | 0 | 24.3 | 155 | -4.8 | Y | |
| GW-04 | 07/16/13 | 0.8 | 80.6 | 0 | 18.6 | 158 | -5.1 | Y | |
| GW-04 | 07/17/13 | 0.6 | 77.4 | 0.1 | 21.9 | 158 | -4 | Y | |
| GW-04 | 07/18/13 | 0.3 | 75 | 0 | 24.7 | 158 | -3.7 | Y | |
| GW-04 | 07/19/13 | 0.4 | 75.2 | 0.2 | 24.2 | 156 | -3.9 | Y | |
| GW-04 | 07/20/13 | 0.4 | 77.3 | 0.2 | 22.1 | 158 | -3.3 | Y | |
| GW-04 | 07/21/13 | 0.4 | 75.9 | 0.2 | 23.5 | 151 | -4.2 | Y | |
| GW-04 | 07/22/13 | 0.4 | 75 | 0.4 | 24.2 | 154 | -4.2 | Y | |
| GW-04 | 07/23/13 | 0.4 | 76.3 | 0 | 23.3 | 156 | -4.7 | Y | |
| GW-04 | 07/24/13 | 1.3 | 73.2 | 0.4 | 25.1 | 155 | -4.6 | N | Replaced 4 way manifold - pump operational |
| GW-04 | 07/25/13 | 1.5 | 74.3 | 0.4 | 23.8 | 155 | -3.2 | N | Replaced cylinder head - pump operational |
| GW-04 | 07/26/13 | 0.3 | 73.2 | 0.6 | 25.9 | 153 | -2.4 | N | replaced manifold muffler - pump operational |
| GW-04 | 07/27/13 | 0.3 | 72.7 | 0 | 27 | 155 | -3 | Y | |
| GW-04 | 07/28/13 | 2.3 | 73.5 | 0.2 | 24 | 155 | -3.1 | Y | |
| GW-04 | 07/29/13 | 0.3 | 74.2 | 0 | 25.5 | 156 | -2.9 | Y | |
| GW-04 | 07/30/13 | 1.9 | 72.1 | 0.8 | 25.2 | 155 | -3.3 | Y | |
| GW-04 | 07/31/13 | 0.3 | 72.3 | 0.4 | 27 | 154 | -2.2 | Y | |
| GW-04 | 08/01/13 | 0.3 | 75.1 | 0 | 24.6 | 155 | -2.4 | Y | |
| GW-04 | 08/02/13 | 0.3 | 75.2 | 0 | 24.5 | 158 | -2.9 | Y | |
| GW-04 | 08/03/13 | 1.3 | 74.5 | 0.2 | 24 | 156 | -3.1 | Y | |
| GW-04 | 08/04/13 | 0.9 | 75.6 | 0.2 | 23.3 | 156 | -2.7 | Y | |
| GW-04 | 08/05/13 | 1 | 74.8 | 0.4 | 23.8 | 156 | -3.1 | Y | |
| GW-04 | 08/06/13 | 0.5 | 74.9 | 0.2 | 24.4 | 155 | -2.1 | N | Replaced 4way valve - pump operational |
| GW-04 | 08/07/13 | 0.2 | 75.3 | 0 | 24.5 | 157 | -3.7 | Y | |
| GW-04 | 08/08/13 | 0.3 | 74.2 | 0.1 | 25.4 | 156 | -4.5 | Y | |
| GW-04 | 08/09/13 | 0.3 | 74.1 | 0.4 | 25.2 | 159 | -4 | Y | |
| GW-04 | 08/10/13 | 0.3 | 75.2 | 0 | 24.5 | 157 | -4.7 | Y | |
| GW-04 | 08/11/13 | 0.3 | 74.5 | 0.5 | 24.7 | 159 | -4.5 | Y | |
| GW-04 | 08/12/13 | 1.8 | 75.2 | 0.3 | 22.7 | 157 | -3.7 | Y | |
| GW-04 | 08/13/13 | 0.2 | 73.2 | 0.5 | 26.1 | 156 | -4.7 | Y | |
| GW-04 | 08/14/13 | 0.4 | 72.2 | 0.2 | 27.2 | 157 | -4.7 | Y | |
| GW-04 | 08/15/13 | 0.5 | 74.6 | 0 | 24.9 | 157 | -4.5 | Y | |
| GW-04 | 08/16/13 | 0.5 | 75.3 | 0 | 24.2 | 160 | -4.2 | Y | |
| GW-04 | 08/17/13 | 0.4 | 73.6 | 0 | 26 | 156 | -4.7 | Y | |
| GW-04 | 08/18/13 | 0.6 | 75.8 | 0 | 23.6 | 157 | -4.2 | Y | |
| GW-04 | 08/19/13 | 0.5 | 74.2 | 0 | 25.3 | 160 | -4.2 | Y | |
| GW-04 | 08/20/13 | 0.6 | 72.9 | 0 | 26.5 | 157 | -4.2 | Y | |
| GW-04 | 08/21/13 | 1.5 | 73.3 | 0 | 25.2 | 161 | -3.9 | Y | |
| GW-04 | 08/22/13 | 1.1 | 74.8 | 0 | 24.1 | 159 | -4.1 | N | Repalce 1" rod seal - pump operational |
| GW-04 | 08/23/13 | 0.3 | 72.8 | 0 | 26.9 | 160 | -3.9 | Y | |
| GW-04 | 08/24/13 | 3.4 | 77.1 | 0.1 | 19.4 | 161 | -3.2 | Y | |
| GW-04 | 08/25/13 | 0.3 | 77.2 | 0.4 | 22.1 | 158 | -3.9 | Y | |
| GW-04 | 08/26/13 | 0.3 | 75.7 | 0 | 24 | 159 | -3.9 | Y | |
| | | | | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-05 | 04/08/13 | 0.2 | 72.4 | 0 | 27.4 | 160 | -0.1 | N | |
| GW-05 | 04/09/13 | 0.6 | 66.7 | 2.5 | 30.2 | 170 | -0.3 | Y | |
| GW-05 | 04/10/13 | 0.3 | 72.5 | 0.3 | 26.9 | 170 | -0.2 | Y | |
| GW-05 | 04/11/13 | 0.3 | 73.2 | 0.2 | 26.3 | 165 | -0.5 | Y | |
| GW-05 | 04/12/13 | 0.3 | 72.5 | 0.2 | 27 | 160 | -0.7 | Y | |
| GW-05 | 04/13/13 | 0.3 | 72.2 | 0.2 | 27.3 | 160 | -0.9 | Y | |
| GW-05 | 04/14/13 | 0.2 | 75.1 | 0.2 | 24.5 | 160 | 1 | Y | |
| GW-05 | 04/15/13 | 0.7 | 72.3 | 0.3 | 26.7 | 170 | -0.5 | Y | |
| GW-05 | 04/16/13 | 0.9 | 71.6 | 0.2 | 27.3 | 170 | -1.8 | Y | |
| GW-05 | 04/17/13 | 1.8 | 71.3 | 0.3 | 26.6 | 160 | -2.2 | Y | |
| GW-05 | 04/18/13 | 0.3 | 74.2 | 0.2 | 25.3 | 165 | -1 | Y | |
| GW-05 | 04/19/13 | 1.8 | 69.4 | 1.2 | 27.6 | 165 | -2.9 | Y | |
| GW-05 | 04/20/13 | 0.3 | 71.3 | 0.2 | 28.2 | 165 | -2.6 | Y | |
| GW-05 | 04/21/13 | 1.1 | 70 | 0.8 | 28.1 | 172 | -3 | Y | |
| GW-05 | 04/22/13 | 0.2 | 79.6 | 0.3 | 19.9 | 170 | -2 | Y | |
| GW-05 | 04/23/13 | 0.4 | 71 | 0.5 | 28.1 | 170 | -4.2 | Y | |
| GW-05 | 04/24/13 | 0.2 | 71.1 | 0 | 28.7 | 160 | -4.3 | Y | |
| GW-05 | 04/25/13 | 0.3 | 69.9 | 0 | 29.8 | 165 | -4.4 | Y | |
| GW-05 | 04/26/13 | 0.1 | 73.6 | 0.2 | 28.1 | 166 | -4.6 | Y | Removed B-Hawk, Installed AP4 Pump |
| GW-05 | 04/27/13 | 0.2 | 74.3 | 0.6 | 24.9 | 155 | -4.7 | N | New AP4 not operating, will repair |
| GW-05 | 04/28/13 | 0.1 | 75.7 | 0.3 | 23.9 | 150 | -4.4 | N | New AP4 not operating, will repair |
| GW-05 | 04/29/13 | 0 | 75.6 | 0 | 24.4 | 160 | -4.4 | N | Replacing AP4 with Blackhawk |
| GW-05 | 04/30/13 | 0 | 74.8 | 0.5 | 24.7 | 165 | -4.3 | N | Pump replaced will be operational today |
| GW-05 | 05/01/13 | 0 | 77.4 | 0 | 22.6 | 160 | -4.5 | N | Operating but not moving liquid, will repair |
| GW-05 | 05/02/13 | 0.1 | 74.1 | 0.1 | 25.7 | 165 | -4.8 | N | Operating but not moving liquid, will repair |
| GW-05 | 05/03/13 | 0.2 | 71.6 | 0.4 | 27.8 | 160 | -4.4 | N | Operating but not moving liquid, will repair |
| GW-05 | 05/04/13 | 0.1 | 72.1 | 0.5 | 27.3 | 160 | -4.6 | N | Operating but not moving liquid, will repair |
| GW-05 | 05/05/13 | 0 | 74.6 | 0 | 25.4 | 161 | -4.4 | N | Begin using fluke temp meter |
| GW-05 | 05/06/13 | 0.1 | 74.4 | 0 | 25.5 | 167 | -4.9 | Y | Pump repaired, moving liquid |
| GW-05 | 05/07/13 | 0.1 | 70.9 | 0.6 | 28.4 | 170 | -4.9 | Y | |
| GW-05 | 05/08/13 | 0.7 | 69.5 | 0.2 | 29.6 | 183 | -4.4 | Y | |
| GW-05 | 05/09/13 | 0.2 | 73 | 0 | 26.8 | 179 | -1.7 | Y | |
| GW-05 | 05/10/13 | 0.2 | 72.6 | 0 | 27.2 | 184 | -3.7 | Y | |
| GW-05 | 05/11/13 | 0.5 | 71.3 | 0 | 28.2 | 186 | -5.8 | Y | |
| GW-05 | 05/12/13 | 1 | 70 | 0 | 29 | 178 | -4 | Y | |
| GW-05 | 05/13/13 | 0.2 | 70.1 | 0 | 29.7 | 187 | -4.2 | Y | |
| GW-05 | 05/14/13 | 0.3 | 67.6 | 0 | 32.1 | 189 | -4.1 | Y | |
| GW-05 | 05/15/13 | 1.4 | 71.3 | 0 | 27.3 | 184 | -4.7 | Y | Installed check valve |
| GW-05 | 05/16/13 | 0.1 | 71.8 | 0.1 | 28 | 178 | -4.7 | Y | Replaced 4-way valve |
| GW-05 | 05/17/13 | 0.1 | 71.9 | 0 | 28 | 180 | -4 | Y | |
| GW-05 | 05/18/13 | 0.3 | 71.1 | 0.4 | 28.2 | 175 | -4.6 | Y | Replaced pump head |
| GW-05 | 05/19/13 | 3.7 | 68 | 0.5 | 27.8 | 182 | -4.1 | Y | |
| GW-05 | 05/20/13 | 0.9 | 70 | 0.2 | 28.9 | 182 | -4.7 | Y | |
| GW-05 | 05/21/13 | 0.4 | 69.3 | 0.3 | 30 | 183 | -4.7 | Y | |
| GW-05 | 05/22/13 | 0.7 | 68.5 | 0.5 | 30.3 | 184 | -4.4 | Y | |
| GW-05 | 05/23/13 | 0.7 | 69.1 | 0.4 | 29.8 | 186 | -4.9 | Y | |
| GW-05 | 05/24/13 | 0.1 | 67.2 | 0.7 | 32 | 180 | -4.1 | N | Replaced 4-way valve. |
| GW-05 | 05/25/13 | 0.6 | 71.3 | 0.2 | 27.9 | 180 | -4.6 | Y | |
| GW-05 | 05/26/13 | 1 | 69.6 | 0.9 | 28.5 | 182 | -4.8 | N | Replaced 4-way valve - pump operating |
| GW-05 | 05/27/13 | 5.7 | 71 | 0.5 | 22.8 | 181 | -4.1 | Y | |
| GW-05 | 05/28/13 | 0.7 | 69.6 | 0.8 | 28.9 | 182 | -4.9 | N | Replaced 4-way valve - pump operating |
| GW-05 | 05/29/13 | 0.4 | 69.2 | 0.5 | 29.9 | 186 | -5.3 | Y | |
| GW-05 | 05/30/13 | 1.5 | 68.7 | 0.5 | 29.3 | 187 | -4 | Y | |
| GW-05 | 05/31/13 | 2.2 | 69.5 | 0.2 | 28.1 | 188 | -4 | Y | |
| GW-05 | 06/01/13 | 0.4 | 67.3 | 0 | 32.3 | 190 | -4.6 | Y | |
| GW-05 | 06/02/13 | 0.4 | 70.8 | 0 | 28.8 | 189 | -4.2 | Y | |
| GW-05 | 06/03/13 | 0.2 | 69.8 | 0.3 | 29.7 | 185 | -4.5 | Y | |
| GW-05 | 06/04/13 | 0.1 | 68 | 1.3 | 30.6 | 181 | -4.3 | Y | |
| GW-05 | 06/05/13 | 2.2 | 71.5 | 0.4 | 25.8 | 181 | -4.6 | Y | |
| GW-05 | 06/06/13 | 0 | 68.3 | 1.6 | 30.1 | 181 | -8 | Y | |
| GW-05 | 06/07/13 | 1.6 | 65.3 | 0.9 | 32.2 | 176 | -4.4 | Y | |
| GW-05 | 06/08/13 | 1.7 | 69.1 | 0.7 | 28.5 | 177 | -4.3 | Y | |
| GW-05 | 06/09/13 | 0.2 | 70.4 | 0.2 | 29.2 | 178 | -4.7 | Y | Changed air box |
| GW-05 | 06/10/13 | 0.2 | 70.8 | 0.3 | 28.7 | 177 | -5.4 | N | Replaced 4-way valve - pump operating |
| GW-05 | 06/11/13 | 0.1 | 71.8 | 0 | 28.1 | 180 | -4.3 | Y | |
| GW-05 | 06/12/13 | 0.1 | 72 | 0 | 27.9 | 178 | -5 | Y | |
| GW-05 | 06/13/13 | 0.1 | 73.5 | 0 | 26.4 | 175 | -4.3 | Y | |
| GW-05 | 06/14/13 | 1.3 | 69 | 0.3 | 29.4 | 179 | -4.6 | Y | Replaced air box |
| GW-05 | 06/15/13 | 1.4 | 69.6 | 0.5 | 28.5 | 179 | -4.1 | N | Replaced air box |
| GW-05 | 06/16/13 | 0.2 | 71.9 | 0.1 | 27.8 | 178 | -4.4 | Y | |
| GW-05 | 06/17/13 | 0.3 | 72.2 | 0.1 | 27.4 | 174 | -4.2 | N | Rod separated from pump head |
| GW-05 | 06/18/13 | 0 | 70.8 | 0.4 | 28.8 | 171 | -4.1 | N | Pump head repair complete, operational |
| GW-05 | 06/19/13 | 0.3 | 72 | 0.6 | 27.1 | 168 | -4.8 | Y | Bottom seal bad, replaced |
| GW-05 | 06/20/13 | 0 | 75.5 | 0.7 | 23.8 | 174 | -4.7 | Y | |
| GW-05 | 06/21/13 | 0.4 | 72.2 | 0 | 27.4 | 174 | -4.5 | Y | |
| GW-05 | 06/22/13 | 0.3 | 70.7 | 0.4 | 28.6 | 174 | -4.4 | Y | |
| GW-05 | 06/23/13 | 0.7 | 69.3 | 0.2 | 29.8 | 176 | -4.3 | Y | |
| GW-05 | 06/24/13 | 0 | 70.6 | 0.1 | 29.3 | 178 | -4.9 | Y | |
| GW-05 | 06/25/13 | 2.3 | 71.5 | 0.4 | 25.8 | 180 | -4.6 | N | FG rod damaged, replaced, operational |
| GW-05 | 06/26/13 | 0 | 70.6 | 0.4 | 29 | 177 | -4.3 | Y | |
| GW-05 | 06/27/13 | 1 | 59.1 | 0.2 | 39.7 | 174 | -4.3 | N | Replaced 1-inch rod seal, pump operating |
| GW-05 | 06/28/13 | 0.7 | 70.5 | 0.6 | 28.2 | 181 | -4.4 | N | Replaced cylinder cap, pump operating |
| GW-05 | 06/29/13 | 0.2 | 66.2 | 0.4 | 33.2 | 178 | -4.5 | Y | |
| GW-05 | 06/30/13 | 2 | 67.5 | 0.2 | 30.3 | 178 | -4.2 | Y | |
| GW-05 | 07/01/13 | 4.5 | 65.1 | 0.9 | 29.5 | 182 | -4 | Y | |
| GW-05 | 07/02/13 | 2.4 | 66.8 | 0.3 | 30.5 | 183 | -4.5 | Y | |
| GW-05 | 07/03/13 | 2.7 | 64.8 | 0.3 | 32.2 | 181 | -4.1 | Y | |
| GW-05 | 07/04/13 | 3 | 62.6 | 0.4 | 34 | 182 | -4.1 | Y | |
| GW-05 | 07/05/13 | 2.5 | 65 | 0.5 | 32 | 180 | -3.9 | Y | |
| GW-05 | 07/06/13 | 2.4 | 67.2 | 0 | 30.4 | 178 | -4.3 | Y | |
| GW-05 | 07/07/13 | 3.9 | 66.9 | 0 | 29.2 | 184 | -4 | Y | |
| GW-05 | 07/08/13 | 2.5 | 65 | 0.7 | 31.8 | 183 | -4.6 | Y | |
| GW-05 | 07/09/13 | 3.4 | 66 | 0.9 | 29.7 | 180 | -4.7 | Y | |
| GW-05 | 07/10/13 | 5.5 | 67.2 | 0.8 | 26.5 | 182 | -4.7 | Y | |
| GW-05 | 07/11/13 | 8 | 63.8 | 0.5 | 27.7 | 183 | -4.1 | Y | |
| GW-05 | 07/12/13 | 2.3 | 66.3 | 0 | 31.4 | 182 | -4.1 | Y | |
| GW-05 | 07/13/13 | 3.3 | 69.8 | 0 | 26.9 | 193 | -4.3 | N | Poss Temp error-Repl 4-way valve.operating |
| GW-05 | 07/14/13 | 2.1 | 67.5 | 0 | 30.4 | 184 | -4.1 | Y | |
| GW-05 | 07/15/13 | 2.4 | 71 | 0 | 26.6 | 186 | -4.2 | Y | |
| GW-05 | 07/16/13 | 3.7 | 72.1 | 0 | 24.2 | 190 | -4.4 | Y | |
| GW-05 | 07/17/13 | 2.5 | 70.9 | 0.1 | 26.5 | 187 | -1.9 | Y | |
| GW-05 | 07/18/13 | 2.4 | 67.9 | 0 | 29.7 | 188 | -2.8 | Y | |
| GW-05 | 07/19/13 | 3.1 | 68.3 | 0.1 | 28.5 | 187 | -4.6 | Y | |
| GW-05 | 07/20/13 | 3.5 | 67.9 | 0.2 | 28.4 | 186 | -3.2 | Y | |
| GW-05 | 07/21/13 | 2.5 | 68.1 | 0.2 | 29.2 | 185 | -4.4 | Y | |
| GW-05 | 07/22/13 | 2.1 | 67.5 | 0.3 | 30.1 | 191 | -4 | Y | |
| GW-05 | 07/23/13 | 0.3 | 69.2 | 0.2 | 30.3 | 189 | -4.7 | Y | |
| GW-05 | 07/24/13 | 1.8 | 67.3 | 0.5 | 30.4 | 187 | -4.1 | Y | |
| GW-05 | 07/25/13 | 0.1 | 71.5 | 0.4 | 28 | 189 | -4.7 | N | Replaced 4 way valve - pump operational |
| GW-05 | 07/26/13 | 3 | 69.2 | 0.5 | 27.3 | 192 | -0.5 | Y | pressure error -hose kink with gem |
| GW-05 | 07/27/13 | 0.1 | 67.6 | 0.4 | 31.9 | 189 | -3.9 | Y | |
| GW-05 | 07/28/13 | 1.3 | 69.1 | 0.2 | 29.4 | 189 | -4.5 | Y | |
| GW-05 | 07/29/13 | 0.2 | 69.1 | 0.2 | 30.5 | 189 | -4.1 | N | New seals replaced, pump operating |
| GW-05 | 07/30/13 | 1.3 | 68.3 | 0 | 30.4 | 189 | -4.1 | Y | |
| GW-05 | 07/31/13 | 0.1 | 66.2 | 0.5 | 33.2 | 190 | -3.4 | Y | |
| GW-05 | 08/01/13 | 0.1 | 68.9 | 0.2 | 30.8 | 190 | -5.1 | Y | |
| GW-05 | 08/02/13 | 0.1 | 69.2 | 0 | 30.7 | 192 | -4 | Y | |
| GW-05 | 08/03/13 | 1.1 | 68.6 | 0.4 | 29.9 | 190 | -4.7 | Y | |
| GW-05 | 08/04/13 | 0.9 | 69.5 | 0.4 | 29.2 | 190 | -4.4 | Y | |
| GW-05 | 08/05/13 | 0.9 | 70.1 | 0.1 | 28.9 | 189 | -4.7 | Y | |
| GW-05 | 08/06/13 | 0.5 | 70.7 | 0.1 | 28.7 | 189 | -4.1 | N | Replace 1" rod seals - pump operational |
| GW-05 | 08/07/13 | 0 | 71.1 | 0 | 28.9 | 185 | -4.8 | Y | |
| GW-05 | 08/08/13 | 0.2 | 70.1 | 0.1 | 29.6 | 189 | -4.9 | Y | |
| GW-05 | 08/09/13 | 0.2 | 70.2 | 0.4 | 29.2 | 189 | -4.2 | Y | |
| GW-05 | 08/10/13 | 0.1 | 70.1 | 0.3 | 29.5 | 189 | -4.8 | N | Replace 1" rod seals - pump operational |
| GW-05 | 08/11/13 | 0.4 | 70.9 | 0.8 | 27.9 | 190 | -4.5 | Y | |
| GW-05 | 08/12/13 | 2 | 70.5 | 0.5 | 27 | 191 | -4.2 | Y | |
| GW-05 | 08/13/13 | 0.1 | 69.6 | 0.6 | 29.7 | 190 | -4.7 | Y | |
| GW-05 | 08/14/13 | 0.4 | 68.3 | 0.4 | 30.9 | 189 | -4.5 | Y | |
| GW-05 | 08/15/13 | 0.3 | 71.1 | 0 | 28.6 | 188 | -4.5 | Y | |
| GW-05 | 08/16/13 | 0.4 | 71.4 | 0 | 28.2 | 190 | -4.5 | Y | |
| GW-05 | 08/17/13 | 0.3 | 71.8 | 0 | 27.9 | 189 | -4.7 | Y | |
| GW-05 | 08/18/13 | 0.5 | 71.7 | 0.1 | 27.7 | 189 | -4.8 | Y | |
| GW-05 | 08/19/13 | 0.4 | 71.4 | 0.1 | 28.1 | 193 | -4.2 | Y | |
| GW-05 | 08/20/13 | 0.4 | 72.1 | 0 | 27.5 | 190 | -4.3 | Y | |
| GW-05 | 08/21/13 | 1.3 | 70 | 0 | 28.7 | 190 | -4.5 | Y | |
| GW-05 | 08/22/13 | 1 | 71.8 | 0 | 27.2 | 188 | -4.5 | Y | |
| GW-05 | 08/23/13 | 0.2 | 72.4 | 0 | 27.4 | 191 | -4.3 | Y | |
| GW-05 | 08/24/13 | 11.3 | 71.7 | 0.3 | 16.7 | 188 | -2.8 | Y | |
| GW-05 | 08/25/13 | 0.2 | 73.2 | 0.3 | 26.3 | 189 | -4.5 | Y | |
| GW-05 | | | | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|---|
| GW-06 | 04/08/13 | 0.5 | 75.3 | 0 | 24.2 | 150 | -0.7 | N | |
| GW-06 | 04/09/13 | 0.3 | 76.2 | 0 | 23.5 | 152 | -3.1 | Y | |
| GW-06 | 04/10/13 | 0.2 | 76.1 | 0.3 | 23.4 | 155 | -2.3 | Y | |
| GW-06 | 04/11/13 | 0.3 | 77.2 | 0.1 | 22.4 | 140 | -1.5 | Y | |
| GW-06 | 04/12/13 | 0.4 | 76.2 | 0.2 | 23.2 | 140 | -1.1 | Y | |
| GW-06 | 04/13/13 | 0.3 | 76.1 | 0.2 | 23.4 | 145 | 1.6 | Y | |
| GW-06 | 04/14/13 | 0.3 | 77.6 | 0.2 | 21.9 | 150 | -0.6 | Y | |
| GW-06 | 04/15/13 | 0.4 | 76.5 | 0.3 | 22.8 | 140 | -2 | Y | |
| GW-06 | 04/16/13 | 0.3 | 75.9 | 0.2 | 23.6 | 150 | -1.4 | Y | |
| GW-06 | 04/17/13 | 0.3 | 75.5 | 0.3 | 23.9 | 155 | -2.1 | Y | |
| GW-06 | 04/18/13 | 0.3 | 78.2 | 0.2 | 21.3 | 140 | -1.8 | Y | |
| GW-06 | 04/19/13 | 0.4 | 74.1 | 1 | 24.5 | 140 | -2.4 | Y | |
| GW-06 | 04/20/13 | 0.5 | 75.1 | 0.2 | 24.2 | 156 | -2.2 | Y | |
| GW-06 | 04/21/13 | 0.6 | 74.2 | 0.8 | 24.4 | 155 | -2 | Y | |
| GW-06 | 04/22/13 | 0.4 | 83.6 | 0.2 | 15.8 | 158 | -2.2 | Y | |
| GW-06 | 04/23/13 | 0.4 | 75.1 | 0.4 | 24.1 | 155 | -4.2 | Y | |
| GW-06 | 04/24/13 | 0.2 | 74.3 | 0.3 | 25.2 | 150 | -4.1 | Y | |
| GW-06 | 04/25/13 | 0.2 | 74.1 | 0 | 25.7 | 150 | -3.4 | Y | |
| GW-06 | 04/26/13 | 0.1 | 77.2 | 0.3 | 22.4 | 148 | -4.7 | Y | |
| GW-06 | 04/27/13 | 0.2 | 77.1 | 0.8 | 21.9 | 150 | -4.5 | Y | |
| GW-06 | 04/28/13 | 0.2 | 79.8 | 0.4 | 19.6 | 148 | -4.3 | Y | |
| GW-06 | 04/29/13 | 0.1 | 78.3 | 0 | 21.6 | 155 | -3.9 | Y | |
| GW-06 | 04/30/13 | 0.1 | 78.6 | 0.5 | 20.8 | 166 | -4.5 | Y | |
| GW-06 | 05/01/13 | 0 | 81.1 | 0 | 18.9 | 165 | -4.5 | Y | |
| GW-06 | 05/02/13 | 0.1 | 77.2 | 0.2 | 22.5 | 155 | -4.4 | Y | |
| GW-06 | 05/03/13 | 0.2 | 76.2 | 0 | 23.6 | 160 | -4.8 | Y | |
| GW-06 | 05/04/13 | 0.1 | 77 | 0.2 | 22.7 | 158 | -4.2 | Y | |
| GW-06 | 05/05/13 | 0.1 | 78.3 | 0.3 | 21.3 | 152 | -4.6 | Y | Begin using fluke temp meter |
| GW-06 | 05/06/13 | 0.2 | 77.5 | 0 | 22.3 | 160 | -4.3 | Y | |
| GW-06 | 05/07/13 | 0.1 | 76.1 | 0.4 | 23.4 | 159 | -5 | Y | |
| GW-06 | 05/08/13 | 0.2 | 75 | 0.3 | 24.5 | 158 | -4.3 | Y | |
| GW-06 | 05/09/13 | 0.3 | 78.5 | 0 | 21.2 | 160 | -6.2 | Y | |
| GW-06 | 05/10/13 | 0.2 | 79.1 | 0 | 20.7 | 159 | -4.1 | Y | Replaced piston |
| GW-06 | 05/11/13 | 0.3 | 79.2 | 0 | 20.5 | 154 | -4.4 | Y | |
| GW-06 | 05/12/13 | 0.9 | 78.1 | 0 | 21 | 161 | -4.8 | Y | |
| GW-06 | 05/13/13 | 0.5 | 75.7 | 0 | 23.8 | 133 | -4.4 | Y | Pulled pump and replaced seals |
| GW-06 | 05/14/13 | 0.3 | 77.9 | 0 | 21.8 | 162 | -4.3 | Y | Replaced fiberglass rod |
| GW-06 | 05/15/13 | 0.4 | 79.3 | 0 | 20.3 | 162 | -4.7 | Y | Installed check valve, replaced 1" rod seal |
| GW-06 | 05/16/13 | 0.1 | 77.1 | 0 | 23.8 | 166 | -4.4 | Y | |
| GW-06 | 05/17/13 | 0.1 | 78 | 0 | 21.9 | 162 | -4.6 | Y | |
| GW-06 | 05/18/13 | 0.2 | 75.9 | 0.3 | 23.6 | 162 | -4.1 | Y | |
| GW-06 | 05/19/13 | 2.4 | 76.8 | 0.3 | 20.5 | 166 | -4.9 | Y | Replaced rod and piston |
| GW-06 | 05/20/13 | 0.3 | 77.8 | 0 | 21.9 | 162 | -4.9 | Y | |
| GW-06 | 05/21/13 | 0.1 | 76.1 | 0.3 | 23.5 | 160 | -4.6 | Y | |
| GW-06 | 05/22/13 | 0.3 | 76 | 0.5 | 23.2 | 166 | -4.8 | Y | |
| GW-06 | 05/23/13 | 0.3 | 77.2 | 0.1 | 22.4 | 160 | -5.2 | Y | Shortened down tube and rod 2-ft. |
| GW-06 | 05/24/13 | 0.2 | 75 | 0.1 | 24.7 | 164 | -4.2 | Y | |
| GW-06 | 05/25/13 | 0.7 | 77.1 | 0.1 | 22.1 | 161 | -4.8 | Y | |
| GW-06 | 05/26/13 | 1 | 77.4 | 0.3 | 21.3 | 161 | -4.9 | Y | |
| GW-06 | 05/27/13 | 0.8 | 78.3 | 0.4 | 20.5 | 166 | -4.8 | Y | |
| GW-06 | 05/28/13 | 0.3 | 76.9 | 0.4 | 22.4 | 160 | -4.7 | Y | |
| GW-06 | 05/29/13 | 0.4 | 76.1 | 0.3 | 23.2 | 162 | -4.5 | Y | |
| GW-06 | 05/30/13 | 0.7 | 77.2 | 0.2 | 21.9 | 168 | -4.7 | Y | |
| GW-06 | 05/31/13 | 1.4 | 77.6 | 0 | 21 | 162 | -4.3 | Y | |
| GW-06 | 06/01/13 | 0.2 | 77.6 | 0 | 22.2 | 167 | -4.5 | Y | |
| GW-06 | 06/02/13 | 0.3 | 79.4 | 0 | 20.3 | 161 | -4.1 | Y | |
| GW-06 | 06/03/13 | 0.2 | 77.7 | 0 | 22.1 | 168 | -4.3 | Y | Installed new blackhawk 103 |
| GW-06 | 06/04/13 | 0.1 | 75.6 | 0.4 | 23.9 | 170 | -4.7 | Y | |
| GW-06 | 06/05/13 | 0.2 | 76.9 | 0.4 | 22.5 | 168 | -4.7 | Y | |
| GW-06 | 06/06/13 | 1.3 | 75.8 | 0.7 | 22.2 | 169 | -4.8 | Y | |
| GW-06 | 06/07/13 | 3.9 | 71.7 | 0.5 | 24.8 | 173 | -4.7 | N | Repl. air driver and 4-way valve -operating |
| GW-06 | 06/08/13 | 1.6 | 76.6 | 0.1 | 21.7 | 175 | -4.9 | Y | |
| GW-06 | 06/09/13 | 0.6 | 74.7 | 0.1 | 24.6 | 174 | -4.3 | Y | |
| GW-06 | 06/10/13 | 1.6 | 74.6 | 0.4 | 23.4 | 173 | -4.2 | N | Pump silted, cleaned, pump operating |
| GW-06 | 06/11/13 | 0.2 | 76.6 | 0 | 23.2 | 176 | -4.7 | N | Replaced 4-way valve - pump operating |
| GW-06 | 06/12/13 | 0.8 | 74.4 | 0 | 24.8 | 176 | -4 | Y | |
| GW-06 | 06/13/13 | 0.2 | 76.4 | 0.2 | 23.2 | 172 | -4.8 | Y | |
| GW-06 | 06/14/13 | 2 | 73.2 | 0.3 | 24.5 | 173 | -4.1 | Y | |
| GW-06 | 06/15/13 | 7.4 | 72.7 | 0.5 | 19.4 | 170 | -4.5 | N | Replaced air box |
| GW-06 | 06/16/13 | 0.1 | 75.7 | 0.2 | 24 | 168 | -4.6 | Y | |
| GW-06 | 06/17/13 | 1.2 | 76.7 | 0 | 22.1 | 167 | -4.4 | N | Air box stalled, repaired, operational |
| GW-06 | 06/18/13 | 0.6 | 77 | 0.1 | 22.3 | 168 | -4.2 | N | Pump stalled, repaired, operational |
| GW-06 | 06/19/13 | 0.5 | 77.1 | 0.5 | 21.9 | 170 | -4 | N | Air box replaced, pump operational |
| GW-06 | 06/20/13 | 0.3 | 80.5 | 0.7 | 18.5 | 172 | -4.4 | Y | |
| GW-06 | 06/21/13 | 0.5 | 76.3 | 0.3 | 22.9 | 173 | -4.2 | Y | |
| GW-06 | 06/22/13 | 0.9 | 75.8 | 0.3 | 23 | 170 | -4.2 | Y | |
| GW-06 | 06/23/13 | 2.5 | 73.8 | 0.1 | 23.6 | 164 | -4.7 | Y | |
| GW-06 | 06/24/13 | 0 | 76.1 | 0 | 23.9 | 165 | -4.5 | Y | |
| GW-06 | 06/25/13 | 0.1 | 75.9 | 0.6 | 23.4 | 161 | -4.5 | N | Foot valve silted, cleaned, operational |
| GW-06 | 06/26/13 | 0 | 75.5 | 0.7 | 23.8 | 170 | -4.1 | Y | |
| GW-06 | 06/27/13 | 2.1 | 68.3 | 1.4 | 30.2 | 173 | -4.1 | Y | Replaced 2-inch wellhead fitting |
| GW-06 | 06/28/13 | 2.2 | 75.9 | 0.4 | 21.5 | 160 | -4.1 | Y | |
| GW-06 | 06/29/13 | 0.2 | 72.8 | 0.3 | 26.7 | 163 | -4.2 | Y | |
| GW-06 | 06/30/13 | 0 | 74.8 | 0.7 | 24.5 | 165 | -4.8 | Y | |
| GW-06 | 07/01/13 | 0.2 | 74.1 | 0.6 | 25.1 | 168 | -4 | Y | |
| GW-06 | 07/02/13 | 0.2 | 76.7 | 0.1 | 23 | 165 | -4.8 | Y | |
| GW-06 | 07/03/13 | 0.2 | 75.7 | 0.3 | 23.8 | 167 | -4.2 | Y | |
| GW-06 | 07/04/13 | 1.2 | 71 | 0.1 | 27.7 | 167 | -4.3 | Y | |
| GW-06 | 07/05/13 | 0.5 | 76.3 | 0.4 | 22.8 | 169 | -4.1 | Y | |
| GW-06 | 07/06/13 | 0.4 | 75.7 | 0.2 | 23.7 | 171 | -4.5 | Y | |
| GW-06 | 07/07/13 | 1.1 | 76.4 | 0 | 22.5 | 171 | -4.3 | Y | |
| GW-06 | 07/08/13 | 0.1 | 74.2 | 0.8 | 24.9 | 168 | -4 | Y | |
| GW-06 | 07/09/13 | 0.4 | 78.4 | 0.6 | 20.6 | 169 | -4.8 | Y | |
| GW-06 | 07/10/13 | 1.3 | 76.9 | 0.8 | 21 | 168 | -4.6 | Y | |
| GW-06 | 07/11/13 | 3.9 | 73.4 | 0.9 | 21.8 | 172 | -4.6 | Y | |
| GW-06 | 07/12/13 | 0.1 | 76 | 0 | 23.9 | 172 | -4.1 | Y | |
| GW-06 | 07/13/13 | 0.9 | 78.1 | 0 | 21 | 172 | -4.4 | Y | |
| GW-06 | 07/14/13 | 0.3 | 76.6 | 0 | 23.1 | 175 | -4.6 | Y | |
| GW-06 | 07/15/13 | 0.4 | 75.2 | 0 | 24.4 | 171 | -4.4 | Y | |
| GW-06 | 07/16/13 | 0.5 | 81.8 | 0 | 17.7 | 176 | -4.9 | Y | |
| GW-06 | 07/17/13 | 0.1 | 79.6 | 0.4 | 19.9 | 174 | -3.9 | Y | |
| GW-06 | 07/18/13 | 0.3 | 77.2 | 0.1 | 22.4 | 176 | -4.5 | Y | |
| GW-06 | 07/19/13 | 0.2 | 76.6 | 0.4 | 22.8 | 172 | -4.7 | Y | |
| GW-06 | 07/20/13 | 2.1 | 76.3 | 0.2 | 21.4 | 173 | -4.2 | Y | |
| GW-06 | 07/21/13 | 0.2 | 78.3 | 0.1 | 21.4 | 171 | -4.7 | Y | |
| GW-06 | 07/22/13 | 1.1 | 76.6 | 0.3 | 22 | 176 | -5.8 | Y | |
| GW-06 | 07/23/13 | 0.4 | 77.1 | 0.2 | 22.3 | 174 | -4.8 | Y | |
| GW-06 | 07/24/13 | 3.2 | 74.7 | 0.4 | 21.7 | 177 | -4.3 | Y | |
| GW-06 | 07/25/13 | 0.1 | 78.3 | 0.4 | 21.2 | 178 | -3.5 | Y | |
| GW-06 | 07/26/13 | 2.2 | 74.7 | 0.9 | 22.2 | 173 | -4 | Y | |
| GW-06 | 07/27/13 | 0.1 | 74.6 | 0.2 | 25.1 | 176 | -4.5 | Y | |
| GW-06 | 07/28/13 | 3.9 | 74.8 | 0.1 | 21.2 | 177 | -4.4 | Y | |
| GW-06 | 07/29/13 | 0.1 | 73.9 | 0.2 | 25.8 | 178 | -4.2 | Y | |
| GW-06 | 07/30/13 | 3.1 | 75 | 0.2 | 21.7 | 176 | -5 | Y | |
| GW-06 | 07/31/13 | 0.1 | 74.5 | 0.5 | 24.9 | 176 | -3.8 | N | Cleaned manifold filter/pump operational |
| GW-06 | 08/01/13 | 0.1 | 76.7 | 0.1 | 23.1 | 178 | -3.5 | Y | |
| GW-06 | 08/02/13 | 0.1 | 77 | 0.1 | 22.8 | 175 | -5.5 | Y | |
| GW-06 | 08/03/13 | 1.3 | 75.1 | 0.4 | 23.2 | 171 | -4.1 | Y | |
| GW-06 | 08/04/13 | 1.9 | 77.4 | 0.1 | 20.6 | 178 | -4 | Y | |
| GW-06 | 08/05/13 | 1.2 | 77 | 0.1 | 21.7 | 168 | -5 | Y | |
| GW-06 | 08/06/13 | 1.4 | 76.8 | 0.2 | 21.6 | 175 | -3.7 | N | Replaced 1" rod seal - pump operational |
| GW-06 | 08/07/13 | 0 | 73.8 | 0 | 26.2 | 168 | -4.7 | Y | |
| GW-06 | 08/08/13 | 0.2 | 76.7 | 0 | 23.1 | 171 | -4.4 | Y | |
| GW-06 | 08/09/13 | 0.2 | 75.6 | 0.5 | 23.7 | 175 | -4.2 | Y | |
| GW-06 | 08/10/13 | 0.1 | 76.7 | 0.3 | 22.9 | 171 | -4.9 | N | Replaced 1" rod seal - pump operational |
| GW-06 | 08/11/13 | 0.9 | 79.1 | 0.6 | 19.4 | 172 | -4 | Y | |
| GW-06 | 08/12/13 | 4 | 76.4 | 0.5 | 19.1 | 177 | -4 | Y | |
| GW-06 | 08/13/13 | 0.2 | 75.4 | 0.6 | 23.8 | 175 | -4 | Y | |
| GW-06 | 08/14/13 | 0.4 | 74.1 | 0.2 | 25.3 | 176 | -4.7 | Y | |
| GW-06 | 08/15/13 | 0.9 | 77.6 | 0 | 21.5 | 179 | -4.5 | Y | |
| GW-06 | 08/16/13 | 0.6 | 77.8 | 0 | 21.6 | 180 | -4.2 | Y | |
| GW-06 | 08/17/13 | 0.3 | 72.9 | 0 | 26.8 | 171 | -4.3 | Y | |
| GW-06 | 08/18/13 | 0.5 | 77.8 | 0 | 21.7 | 170 | -4.6 | Y | |
| GW-06 | 08/19/13 | 0.4 | 75.4 | 0.1 | 24.1 | 178 | -4.5 | Y | |
| GW-06 | 08/20/13 | 0.4 | 71.6 | 0 | 28 | 179 | -4.6 | Y | |
| GW-06 | 08/21/13 | 1.6 | 75.4 | 0 | 23 | 172 | -5.5 | Y | |
| GW-06 | 08/22/13 | 1 | 76.6 | 0 | 22.4 | 173 | -4 | Y | |
| GW-06 | 08/23/13 | 0.2 | 73.5 | 0 | 26.3 | 179 | -4.3 | N | Replaced 4 way valve - pump operational |
| GW-06 | 08/24/13 | 10.9 | 76.9 | 0.7 | 11.5 | 173 | -3.4 | Y | |
| GW-06 | 08/25/13 | 0.2 | 80.3 | 0.1 | 19.4 | 177 | -4.3 | Y | |
| GW-06 | 08/26/13 | 0.2 | 75 | 0 | 24.8 | 170 | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-07 | 04/08/13 | 13.1 | 75.1 | 0 | 11.8 | 80 | -0.1 | N | |
| GW-07 | 04/09/13 | 12.6 | 66.1 | 2.9 | 18.4 | 120 | -0.6 | Y | |
| GW-07 | 04/10/13 | 12.6 | 71.6 | 0.3 | 15.5 | 120 | -0.3 | Y | |
| GW-07 | 04/11/13 | 17.2 | 69.4 | 0.1 | 13.3 | 120 | -0.3 | Y | |
| GW-07 | 04/12/13 | 17.1 | 68.5 | 0.2 | 14.2 | 110 | -0.3 | Y | |
| GW-07 | 04/13/13 | 17.8 | 67.6 | 0.2 | 14.4 | 120 | -1.4 | Y | |
| GW-07 | 04/14/13 | 10.6 | 71.8 | 0.2 | 17.4 | 110 | 1.6 | Y | |
| GW-07 | 04/15/13 | 20.3 | 66.3 | 0.3 | 13.1 | 120 | -0.7 | Y | |
| GW-07 | 04/16/13 | 19.8 | 67.3 | 0.1 | 12.8 | 110 | -0.7 | N | Pump not operational - Being repaired |
| GW-07 | 04/17/13 | 21.8 | 65.8 | 0.3 | 12.1 | 115 | -1.1 | N | |
| GW-07 | 04/18/13 | 10.1 | 72 | 0.2 | 17.7 | 70 | -2 | Y | |
| GW-07 | 04/19/13 | 24.7 | 63 | 0.9 | 11.4 | 125 | -2.4 | Y | |
| GW-07 | 04/20/13 | 12.3 | 69.5 | 0.3 | 17.9 | 110 | -2.1 | Y | Replaced 1-inch rod seal |
| GW-07 | 04/21/13 | 12.9 | 68.1 | 0.7 | 18.3 | 110 | -1.9 | Y | |
| GW-07 | 04/22/13 | 18.3 | 73.2 | 0.3 | 8.2 | 125 | -1.7 | Y | |
| GW-07 | 04/23/13 | 20.5 | 65.2 | 0.3 | 14 | 125 | -3.2 | Y | |
| GW-07 | 04/24/13 | 22.8 | 61.9 | 0.3 | 15 | 135 | -4.8 | Y | |
| GW-07 | 04/25/13 | 20.3 | 63.3 | 0 | 16.4 | 125 | -3.7 | Y | |
| GW-07 | 04/26/13 | 21.7 | 65.3 | 0.5 | 12.7 | 140 | -4.9 | Y | |
| GW-07 | 04/27/13 | 19.7 | 68 | 0.6 | 11.7 | 135 | -5 | Y | |
| GW-07 | 04/28/13 | 10.3 | 73.9 | 0.6 | 15.2 | 126 | -4.3 | Y | |
| GW-07 | 04/29/13 | 13.1 | 71.7 | 0 | 15.2 | 135 | -4.2 | Y | |
| GW-07 | 04/30/13 | 15.5 | 68.9 | 0.6 | 15 | 130 | -4.4 | Y | |
| GW-07 | 05/01/13 | 16 | 70.1 | 0 | 13.9 | 145 | -4.2 | Y | |
| GW-07 | 05/02/13 | 16.3 | 67.1 | 0.3 | 16.3 | 138 | -4.3 | Y | |
| GW-07 | 05/03/13 | 9 | 71.9 | 0 | 19.1 | 135 | -4.6 | Y | |
| GW-07 | 05/04/13 | 9.4 | 70.8 | 0.5 | 19.3 | 140 | -4.5 | Y | |
| GW-07 | 05/05/13 | 8.3 | 72.1 | 0.1 | 19.5 | 135 | -4.2 | Y | Begin using fluke temp meter |
| GW-07 | 05/06/13 | 8.7 | 72.6 | 0.1 | 18.6 | 140 | -4.1 | Y | |
| GW-07 | 05/07/13 | 8.1 | 70.8 | 0.4 | 20.7 | 133 | -4.6 | Y | |
| GW-07 | 05/08/13 | 14.5 | 65.9 | 0.4 | 19.2 | 144 | -4.8 | Y | |
| GW-07 | 05/09/13 | 7.7 | 73.1 | 0 | 19.2 | 125 | -4.4 | Y | |
| GW-07 | 05/10/13 | 7.7 | 73.6 | 0.1 | 18.6 | 139 | -4.6 | Y | |
| GW-07 | 05/11/13 | 8.4 | 70.8 | 0 | 20.8 | 134 | -4.2 | Y | |
| GW-07 | 05/12/13 | 7.9 | 74.5 | 0 | 17.6 | 129 | -4.1 | Y | |
| GW-07 | 05/13/13 | 6.7 | 73 | 0 | 20.3 | 134 | -4.2 | Y | |
| GW-07 | 05/14/13 | 7.8 | 73.1 | 0 | 19.1 | 148 | -4.3 | Y | |
| GW-07 | 05/15/13 | 8.8 | 73.1 | 0 | 18.1 | 144 | -4.9 | Y | Installed check valve |
| GW-07 | 05/16/13 | 7.6 | 71.3 | 0 | 21.1 | 142 | -4 | Y | |
| GW-07 | 05/17/13 | 12 | 69.5 | 0 | 18.5 | 140 | -4.7 | Y | |
| GW-07 | 05/18/13 | 10.8 | 69.1 | 0.3 | 19.8 | 142 | -4.4 | Y | |
| GW-07 | 05/19/13 | 10.4 | 69.4 | 0.4 | 19.8 | 140 | -4.5 | Y | |
| GW-07 | 05/20/13 | 13.2 | 70.5 | 0 | 16.3 | 140 | -4.6 | Y | |
| GW-07 | 05/21/13 | 7.1 | 71.3 | 0.5 | 21.1 | 146 | -4.3 | Y | |
| GW-07 | 05/22/13 | 7.3 | 70.6 | 0.3 | 21.8 | 140 | -4.3 | Y | |
| GW-07 | 05/23/13 | 18 | 68 | 0 | 14 | 141 | -4.3 | Y | |
| GW-07 | 05/24/13 | 6.7 | 71.8 | 0 | 21.5 | 136 | -4.6 | Y | |
| GW-07 | 05/25/13 | 21.1 | 63.2 | 0.5 | 15.2 | 134 | -4.7 | Y | |
| GW-07 | 05/26/13 | 16.4 | 71.1 | 0.5 | 12 | 139 | -4.6 | Y | |
| GW-07 | 05/27/13 | 21.2 | 69.3 | 0.3 | 9.2 | 147 | -4.2 | Y | |
| GW-07 | 05/28/13 | 15.5 | 68.7 | 0.3 | 15.5 | 144 | -4.6 | Y | |
| GW-07 | 05/29/13 | 12.1 | 69.4 | 0.3 | 18.2 | 142 | -4.1 | Y | |
| GW-07 | 05/30/13 | 21.5 | 69.1 | 0.5 | 8.9 | 142 | -4.3 | Y | |
| GW-07 | 05/31/13 | 8.2 | 71.7 | 0.1 | 20 | 145 | -4.8 | Y | |
| GW-07 | 06/01/13 | 3.6 | 74.3 | 0 | 22.1 | 138 | -4.1 | Y | |
| GW-07 | 06/02/13 | 4.1 | 76.4 | 0 | 19.5 | 128 | -4.2 | Y | |
| GW-07 | 06/03/13 | 5.9 | 74.3 | 0 | 19.8 | 134 | -4.3 | Y | |
| GW-07 | 06/04/13 | 13.5 | 69.6 | 0.4 | 17.5 | 138 | -4.7 | Y | |
| GW-07 | 06/05/13 | 13.6 | 71 | 0.5 | 14.9 | 139 | -4.5 | Y | |
| GW-07 | 06/06/13 | 14 | 69.7 | 0.5 | 15.8 | 138 | -4.8 | Y | |
| GW-07 | 06/07/13 | 7.1 | 69.7 | 0.5 | 22.7 | 140 | -4 | Y | |
| GW-07 | 06/08/13 | 19.8 | 68.7 | 0.2 | 11.3 | 143 | -4 | Y | |
| GW-07 | 06/09/13 | 13.9 | 68.3 | 0.3 | 17.5 | 142 | -3.9 | Y | |
| GW-07 | 06/10/13 | 20.3 | 64.7 | 0.9 | 14.1 | 141 | -4.1 | Y | Replaced foot valve |
| GW-07 | 06/11/13 | 9.8 | 69 | 0.3 | 20.9 | 133 | -4.2 | N | Remove pump - jetting silt from well |
| GW-07 | 06/12/13 | 5.4 | 77.5 | 0.9 | 16.2 | 133 | -3.1 | N | Jetting complete - pump operating |
| GW-07 | 06/13/13 | 21.6 | 66.5 | 0.2 | 11.7 | 138 | -4.8 | Y | |
| GW-07 | 06/14/13 | 21.3 | 65.7 | 0.2 | 12.8 | 139 | -4.5 | Y | Changed leaking pump seal |
| GW-07 | 06/15/13 | 14.9 | 72 | 1.3 | 11.8 | 135 | -4.7 | Y | |
| GW-07 | 06/16/13 | 5.6 | 75.6 | 0.1 | 18.7 | 132 | -4 | Y | |
| GW-07 | 06/17/13 | 13 | 69.7 | 0.1 | 17.2 | 135 | -4.8 | Y | |
| GW-07 | 06/18/13 | 11.7 | 71.9 | 0.3 | 16.1 | 139 | -4.1 | Y | |
| GW-07 | 06/19/13 | 10.6 | 68.5 | 0.6 | 20.3 | 139 | -4.2 | Y | |
| GW-07 | 06/20/13 | 21.4 | 71.8 | 0.4 | 6.4 | 141 | -4.2 | Y | |
| GW-07 | 06/21/13 | 23.9 | 68.1 | 0.3 | 7.7 | 139 | -4.7 | Y | |
| GW-07 | 06/22/13 | 11.6 | 69.4 | 0.7 | 18.3 | 140 | -3.9 | Y | |
| GW-07 | 06/23/13 | 14.1 | 62.8 | 1.2 | 21.9 | 142 | -4.5 | Y | |
| GW-07 | 06/24/13 | 8.4 | 68.2 | 0.4 | 23 | 140 | -4.7 | Y | |
| GW-07 | 06/25/13 | 8.9 | 65.5 | 1.4 | 24.2 | 142 | -4.4 | N | Replaced 1-inch rod seal, pump operating |
| GW-07 | 06/26/13 | 21.8 | 60.5 | 0.5 | 17.2 | 142 | -4.1 | Y | |
| GW-07 | 06/27/13 | 13.5 | 60.9 | 1.1 | 24.5 | 147 | -4.1 | Y | |
| GW-07 | 06/28/13 | 11.6 | 70.2 | 0.1 | 18.1 | 142 | -4.1 | Y | |
| GW-07 | 06/29/13 | 7.9 | 65.4 | 0.5 | 26.2 | 145 | -4.2 | Y | |
| GW-07 | 06/30/13 | 9.6 | 68.4 | 0.4 | 21.6 | 139 | -4.2 | Y | |
| GW-07 | 07/01/13 | 10.6 | 67.2 | 0.4 | 21.8 | 144 | -4.6 | Y | |
| GW-07 | 07/02/13 | 8 | 62.2 | 0.6 | 29.2 | 140 | -4.1 | Y | |
| GW-07 | 07/03/13 | 6 | 65.2 | 1.1 | 27.7 | 142 | -4.8 | Y | |
| GW-07 | 07/04/13 | 7.8 | 61.4 | 1 | 29.8 | 140 | -4 | Y | |
| GW-07 | 07/05/13 | 7.9 | 68.5 | 0.6 | 23 | 142 | -4.8 | Y | |
| GW-07 | 07/06/13 | 7.3 | 69.3 | 0.1 | 23.3 | 140 | -4.7 | Y | |
| GW-07 | 07/07/13 | 10.7 | 67.1 | 0.3 | 21.9 | 142 | -4.3 | Y | |
| GW-07 | 07/08/13 | 5.8 | 67.1 | 1 | 26.1 | 140 | -4.7 | Y | |
| GW-07 | 07/09/13 | 7.5 | 66.3 | 1 | 25.2 | 141 | -4.1 | Y | |
| GW-07 | 07/10/13 | 18.5 | 67.6 | 1.5 | 12.4 | 138 | -4.6 | Y | |
| GW-07 | 07/11/13 | 2.8 | 70.4 | 0.7 | 26.1 | 144 | -4.6 | Y | |
| GW-07 | 07/12/13 | 5.3 | 67.3 | 0.2 | 27.2 | 140 | -4.3 | Y | |
| GW-07 | 07/13/13 | 7.8 | 70 | 0 | 22.2 | 162 | -4.5 | Y | Possible Temp reading error |
| GW-07 | 07/14/13 | 6.3 | 69.5 | 0 | 24.2 | 145 | -4.3 | Y | |
| GW-07 | 07/15/13 | 6.3 | 64.3 | 0 | 29.4 | 139 | -4.4 | Y | |
| GW-07 | 07/16/13 | 2.9 | 76.3 | 0 | 20.8 | 167 | -4.8 | Y | Possible Temp reading error |
| GW-07 | 07/17/13 | 2.7 | 71.3 | 0.1 | 25.9 | 159 | -4.9 | Y | |
| GW-07 | 07/18/13 | 2.5 | 70.5 | 0 | 27 | 160 | -4.4 | Y | |
| GW-07 | 07/19/13 | 2.7 | 70.6 | 0.4 | 26.3 | 159 | -4.3 | Y | |
| GW-07 | 07/20/13 | 5.7 | 70.7 | 0 | 23.6 | 152 | -4.4 | Y | |
| GW-07 | 07/21/13 | 1.6 | 73.5 | 0 | 24.9 | 146 | -4.5 | Y | Changed leaking air box |
| GW-07 | 07/22/13 | 2 | 72.5 | 0.2 | 25.3 | 157 | -5.8 | Y | |
| GW-07 | 07/23/13 | 1.8 | 72.8 | 0.1 | 25.3 | 154 | -4 | Y | Replaced 1-inch rod seal |
| GW-07 | 07/24/13 | 10.5 | 75.2 | 0.7 | 13.6 | 150 | -4.6 | Y | |
| GW-07 | 07/25/13 | 1.5 | 72.3 | 0.4 | 25.8 | 156 | -7 | Y | |
| GW-07 | 07/26/13 | 1.5 | 69.3 | 0.8 | 28.4 | 145 | -4 | Y | |
| GW-07 | 07/27/13 | 1.4 | 69.3 | 0 | 29.3 | 146 | -4.2 | Y | |
| GW-07 | 07/28/13 | 4.5 | 68.6 | 0.4 | 26.5 | 146 | -4.4 | Y | |
| GW-07 | 07/29/13 | 1.4 | 69.3 | 0 | 29.3 | 160 | -4 | Y | |
| GW-07 | 07/30/13 | 1.4 | 68.5 | 0.5 | 29.6 | 147 | -4.7 | Y | |
| GW-07 | 07/31/13 | 1.7 | 69 | 0.4 | 28.9 | 151 | -3.7 | Y | |
| GW-07 | 08/01/13 | 1.7 | 70.8 | 0 | 27.5 | 159 | -4 | Y | |
| GW-07 | 08/02/13 | 1.6 | 71.7 | 0.1 | 26.6 | 145 | -5.4 | Y | |
| GW-07 | 08/03/13 | 4.4 | 70.2 | 0.4 | 25 | 145 | -4.5 | Y | |
| GW-07 | 08/04/13 | 3.2 | 72 | 0.3 | 24.5 | 148 | -4.5 | Y | |
| GW-07 | 08/05/13 | 5.2 | 72.5 | 0.3 | 22 | 145 | -5.6 | Y | |
| GW-07 | 08/06/13 | 3.5 | 70.8 | 0.4 | 25.3 | 141 | -4.2 | N | Replaced 1" rod seal - pump operational |
| GW-07 | 08/07/13 | 4.6 | 72 | 0 | 23.4 | 143 | -4.5 | Y | |
| GW-07 | 08/08/13 | 3.7 | 70.8 | 0.4 | 25.1 | 142 | -3.9 | Y | |
| GW-07 | 08/09/13 | 5.1 | 70.2 | 0.6 | 24.1 | 143 | -4.7 | Y | |
| GW-07 | 08/10/13 | 6.6 | 69.5 | 0.5 | 23.4 | 142 | -4.8 | Y | |
| GW-07 | 08/11/13 | 8 | 72.6 | 0.6 | 18.8 | 139 | -4.4 | N | Replaced 1" rod seal - pump operational |
| GW-07 | 08/12/13 | 5.1 | 70.5 | 0.5 | 23.9 | 157 | -4 | Y | |
| GW-07 | 08/13/13 | 6.2 | 70.1 | 0.7 | 23 | 151 | -4 | Y | |
| GW-07 | 08/14/13 | 8.5 | 66.9 | 0.3 | 24.3 | 156 | -4.1 | Y | |
| GW-07 | 08/15/13 | 10.5 | 70.5 | 0 | 19 | 153 | -3.5 | Y | |
| GW-07 | 08/16/13 | 7.8 | 71.4 | 0 | 20.8 | 153 | -3.4 | Y | |
| GW-07 | 08/17/13 | 5.3 | 68.9 | 0 | 25.8 | 148 | -5.9 | Y | |
| GW-07 | 08/18/13 | 10.6 | 72 | 0 | 17.4 | 146 | -4.8 | N | Replaced bottom seal - pump operational |
| GW-07 | 08/19/13 | 8.6 | 71.5 | 0.1 | 19.8 | 158 | -3.8 | Y | |
| GW-07 | 08/20/13 | 9.6 | 72.5 | 0 | 17.9 | 150 | -4.7 | Y | |
| GW-07 | 08/21/13 | 13 | 73 | 0 | 14 | 148 | -4.6 | Y | |
| GW-07 | 08/22/13 | 12.8 | 71.7 | 0 | 15.5 | 144 | -4.6 | Y | |
| GW-07 | 08/23/13 | 8.5 | 72.2 | 0 | 19.3 | 157 | -4.3 | Y | |
| GW-07 | 08/24/13 | 23 | 71 | 0.4 | 5.6 | 144 | -3.7 | N | Replaced 1" rod seal - pump operational |
| GW-07 | 08/25/13 | 9.3 | 73.4 | 0.2 | 17.1 | 144 | -4.7 | Y | |
| GW-07 | 08/26/13 | 8.4 | 75.1 | 0 | 16.5 | 155 | -5</ | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-08 | 04/08/13 | 37.4 | 62.4 | 0 | 0.2 | 78 | -0.2 | N | |
| GW-08 | 04/09/13 | 37.4 | 57.1 | 0.3 | 5.2 | 80 | 0.1 | Y | |
| GW-08 | 04/10/13 | 42.2 | 54 | 0.2 | 3.6 | 80 | -0.2 | Y | |
| GW-08 | 04/11/13 | 34.7 | 62.8 | 0.2 | 2.3 | 52 | -0.4 | Y | |
| GW-08 | 04/12/13 | 32.9 | 64.2 | 0.2 | 2.7 | 42 | -0.6 | N | Pump not operational prior to monitoring |
| GW-08 | 04/13/13 | 38.5 | 57.9 | 0.2 | 3.4 | 62 | -0.9 | N | |
| GW-08 | 04/14/13 | 28.1 | 68 | 0.2 | 3.7 | 80 | 0.6 | N | |
| GW-08 | 04/15/13 | 37.7 | 58.5 | 0.3 | 3.5 | 74 | -0.4 | Y | Pump Repaired |
| GW-08 | 04/16/13 | 27.8 | 67 | 0.3 | 4.9 | 50 | -0.4 | Y | |
| GW-08 | 04/17/13 | 33.6 | 52.2 | 0.3 | 13.9 | 80 | -2.2 | Y | |
| GW-08 | 04/18/13 | 24.1 | 72.6 | 0.2 | 3.1 | 66 | -1 | Y | |
| GW-08 | 04/19/13 | 26.7 | 54.3 | 0.9 | 18.1 | 80 | -2.6 | Y | Pump working, but well silted, no flow |
| GW-08 | 04/20/13 | 27.1 | 55.1 | 0.3 | 17.5 | 80 | -2.6 | Y | Pump working, but well silted, no flow |
| GW-08 | 04/21/13 | 26.1 | 49.2 | 0.8 | 23.9 | 80 | -2.7 | Y | |
| GW-08 | 04/22/13 | 27.2 | 57.6 | 0.3 | 14.9 | 86 | -2.1 | Y | Well to be jetted and pumped 4-25 |
| GW-08 | 04/23/13 | 25.9 | 49.5 | 0.2 | 24.4 | 80 | -3 | Y | |
| GW-08 | 04/24/13 | 17.3 | 41.1 | 0.2 | 41.4 | 90 | -4.7 | N | Pump being repaired. |
| GW-08 | 04/25/13 | 21.1 | 49.1 | 0.1 | 29.7 | 80 | -4.1 | N | |
| GW-08 | 04/26/13 | 19.9 | 51.2 | 0.4 | 28.5 | 92 | -4.2 | Y | Pump repaired. Rod Seal |
| GW-08 | 04/27/13 | 21.6 | 50.3 | 0.6 | 27.5 | 95 | -4.7 | Y | Operating but not moving liquid, will repair |
| GW-08 | 04/28/13 | 21.6 | 70.9 | 0.2 | 7.3 | 82 | -4.2 | Y | Operating but not moving liquid, will repair |
| GW-08 | 04/29/13 | 24.6 | 51 | 0.3 | 24.1 | 98 | -3.9 | Y | |
| GW-08 | 04/30/13 | 22.7 | 51.8 | 0.5 | 25 | 105 | -4 | N | Operating but not moving liquid, will repair |
| GW-08 | 05/01/13 | 23.7 | 55.3 | 0.2 | 20.8 | 101 | -4.8 | N | Operating but not moving liquid, will repair |
| GW-08 | 05/02/13 | 24.7 | 51.5 | 0.1 | 23.7 | 102 | -4.8 | N | Operating but not moving liquid, will repair |
| GW-08 | 05/03/13 | 24.3 | 54.9 | 0.1 | 20.7 | 95 | -4.9 | N | Operating but not moving liquid, will repair |
| GW-08 | 05/04/13 | 25.3 | 49.9 | 0.4 | 24.4 | 94 | -4.8 | N | Operating but not moving liquid, will repair |
| GW-08 | 05/05/13 | 23.4 | 57 | 0 | 19.6 | 90 | -4 | N | Begin using fluke temp meter |
| GW-08 | 05/06/13 | 24.5 | 53 | 0 | 22.5 | 91 | -4.3 | Y | Pump repaired, moving liquid |
| GW-08 | 05/07/13 | 20.1 | 58.4 | 1.3 | 20.2 | 101 | -4.2 | Y | |
| GW-08 | 05/08/13 | 18.9 | 50.8 | 0.8 | 29.5 | 113 | -4.6 | Y | |
| GW-08 | 05/09/13 | 18.6 | 62 | 0.4 | 19 | 109 | -2.7 | Y | |
| GW-08 | 05/10/13 | 20.1 | 54.1 | 0.4 | 25.4 | 104 | -4 | Y | |
| GW-08 | 05/11/13 | 21.1 | 55.5 | 0.4 | 23 | 108 | -4.2 | Y | |
| GW-08 | 05/12/13 | 20.3 | 55.9 | 0.2 | 23.6 | 109 | -4 | Y | |
| GW-08 | 05/13/13 | 20.2 | 58 | 0.1 | 21.7 | 115 | -4.2 | Y | |
| GW-08 | 05/14/13 | 23.2 | 56.2 | 0 | 20.6 | 115 | -4.2 | Y | |
| GW-08 | 05/15/13 | 22.6 | 53.6 | 0.1 | 23.7 | 110 | -4.9 | Y | Installed check valve |
| GW-08 | 05/16/13 | 22.5 | 54.8 | 0.2 | 22.5 | 116 | -4.4 | Y | |
| GW-08 | 05/17/13 | 24.1 | 57.3 | 0.3 | 18.3 | 111 | -4.1 | Y | |
| GW-08 | 05/18/13 | 24.5 | 56.4 | 0.3 | 18.8 | 117 | -4.2 | Y | |
| GW-08 | 05/19/13 | 25.5 | 57.8 | 0.5 | 16.2 | 116 | -4.1 | Y | |
| GW-08 | 05/20/13 | 25.4 | 57.9 | 0.1 | 16.6 | 114 | -4.5 | Y | |
| GW-08 | 05/21/13 | 23.2 | 53.9 | 0.6 | 22.3 | 112 | -4.8 | Y | |
| GW-08 | 05/22/13 | 24.1 | 57.7 | 0.5 | 17.7 | 115 | -4.1 | Y | |
| GW-08 | 05/23/13 | 22.3 | 55.4 | 0.3 | 22 | 105 | -4.9 | Y | |
| GW-08 | 05/24/13 | 27 | 55.7 | 0.2 | 17.1 | 111 | -4 | Y | |
| GW-08 | 05/25/13 | 26.8 | 55.9 | 0.7 | 16.6 | 114 | -4.4 | Y | |
| GW-08 | 05/26/13 | 27.5 | 61.5 | 0.3 | 10.7 | 113 | -4 | Y | |
| GW-08 | 05/27/13 | 27.8 | 64.8 | 0.5 | 6.9 | 116 | -4 | Y | |
| GW-08 | 05/28/13 | 27.6 | 65.5 | 0.3 | 6.6 | 115 | -4.8 | Y | |
| GW-08 | 05/29/13 | 28.9 | 64.9 | 0.3 | 5.9 | 118 | -4.3 | Y | |
| GW-08 | 05/30/13 | 27.2 | 66.9 | 0.3 | 5.6 | 117 | -4 | N | Replaced 1-inch rod seal - operational |
| GW-08 | 05/31/13 | 24.3 | 60.6 | 0 | 15.1 | 108 | -4.8 | Y | |
| GW-08 | 06/01/13 | 27.3 | 58.8 | 0 | 13.9 | 0 | -4.2 | Y | 6-1 Temp error - data removed |
| GW-08 | 06/02/13 | 25.2 | 61.1 | 0 | 13.7 | 108 | -4.1 | N | Replaced 4-way valve - pump operational |
| GW-08 | 06/03/13 | 24.1 | 56.4 | 0 | 19.5 | 109 | -4.1 | Y | |
| GW-08 | 06/04/13 | 24.2 | 56.4 | 0.5 | 18.9 | 116 | -4 | Y | |
| GW-08 | 06/05/13 | 30.3 | 60.8 | 0.5 | 8.4 | 114 | -4.1 | Y | |
| GW-08 | 06/06/13 | 25.8 | 55.5 | 0.6 | 18.1 | 116 | -4.4 | Y | |
| GW-08 | 06/07/13 | 33.7 | 52.8 | 0.6 | 12.9 | 113 | -4.2 | Y | |
| GW-08 | 06/08/13 | 31.3 | 62.4 | 0.1 | 6.2 | 115 | -4 | Y | |
| GW-08 | 06/09/13 | 27.7 | 57.4 | 0 | 14.9 | 116 | -4.2 | Y | |
| GW-08 | 06/10/13 | 34.7 | 64.7 | 0.4 | 0.2 | 114 | -4.1 | Y | |
| GW-08 | 06/11/13 | 28.6 | 64.6 | 0.3 | 6.5 | 116 | -4.2 | Y | |
| GW-08 | 06/12/13 | 27.8 | 65 | 0.1 | 7.1 | 117 | -4 | Y | |
| GW-08 | 06/13/13 | 27.5 | 64.3 | 0.3 | 7.9 | 114 | -4.7 | Y | |
| GW-08 | 06/14/13 | 27.2 | 63.1 | 0.2 | 9.5 | 117 | -4.1 | Y | |
| GW-08 | 06/15/13 | 33.2 | 55 | 0.8 | 11 | 117 | -4.2 | Y | |
| GW-08 | 06/16/13 | 28 | 65.4 | 0 | 6.6 | 115 | -2.8 | Y | |
| GW-08 | 06/17/13 | 26.7 | 59.3 | 0.2 | 13.8 | 112 | -4.8 | Y | |
| GW-08 | 06/18/13 | 25.7 | 60.7 | 0.5 | 13.1 | 116 | -4 | Y | |
| GW-08 | 06/19/13 | 28.4 | 64.8 | 0.8 | 6 | 118 | -4.2 | Y | |
| GW-08 | 06/20/13 | 28.1 | 69.5 | 0.5 | 1.9 | 118 | -4.1 | Y | |
| GW-08 | 06/21/13 | 26.4 | 62.9 | 0 | 10.7 | 115 | -4.3 | Y | |
| GW-08 | 06/22/13 | 33.6 | 60 | 0.7 | 5.7 | 116 | -4.2 | Y | |
| GW-08 | 06/23/13 | 23.3 | 62.7 | 0.9 | 13.1 | 117 | -4.5 | Y | |
| GW-08 | 06/24/13 | 22.4 | 58.5 | 0.7 | 18.4 | 117 | -4.8 | Y | |
| GW-08 | 06/25/13 | 23.5 | 64.6 | 0.4 | 11.5 | 118 | -4.4 | N | Replaced 1-inch rod seal, pump operating |
| GW-08 | 06/26/13 | 24.1 | 61.9 | 0.4 | 13.6 | 118 | -4 | Y | |
| GW-08 | 06/27/13 | 30.4 | 54.3 | 1.3 | 14 | 118 | -4.7 | Y | |
| GW-08 | 06/28/13 | 26.1 | 64 | 0.6 | 9.3 | 116 | -4 | Y | |
| GW-08 | 06/29/13 | 22.5 | 58.8 | 0.3 | 18.4 | 118 | -4.6 | Y | |
| GW-08 | 06/30/13 | 22.5 | 64.1 | 0.5 | 12.9 | 115 | -4 | Y | |
| GW-08 | 07/01/13 | 24.5 | 64.7 | 0.6 | 10.2 | 118 | -4.4 | Y | |
| GW-08 | 07/02/13 | 24.8 | 65.7 | 0.7 | 8.8 | 118 | -4.2 | Y | |
| GW-08 | 07/03/13 | 27.7 | 63.8 | 0 | 8.5 | 118 | -4.8 | N | Installed down tube due to silt, operational |
| GW-08 | 07/04/13 | 26.7 | 56.4 | 0.4 | 16.5 | 116 | -4 | Y | |
| GW-08 | 07/05/13 | 28 | 62.7 | 0.5 | 8.8 | 117 | -4.5 | Y | |
| GW-08 | 07/06/13 | 25.6 | 65.1 | 0.3 | 9 | 118 | -4.1 | Y | |
| GW-08 | 07/07/13 | 30.2 | 61.5 | 0.3 | 8 | 119 | -4.6 | Y | |
| GW-08 | 07/08/13 | 23.2 | 58.7 | 0.8 | 17.3 | 117 | -4.7 | Y | |
| GW-08 | 07/09/13 | 28.2 | 70.8 | 0.7 | 0.3 | 116 | -4.5 | Y | |
| GW-08 | 07/10/13 | 23.8 | 61.7 | 1.4 | 13.1 | 114 | -4 | Y | |
| GW-08 | 07/11/13 | 20.2 | 57.7 | 1.3 | 20.8 | 115 | -4.1 | Y | |
| GW-08 | 07/12/13 | 23.5 | 60.9 | 0 | 15.6 | 115 | -4.1 | Y | |
| GW-08 | 07/13/13 | 31.4 | 65.3 | 0 | 3.3 | 118 | -4.1 | Y | |
| GW-08 | 07/14/13 | 24.7 | 65.4 | 0 | 9.9 | 116 | -4.1 | Y | |
| GW-08 | 07/15/13 | 25.4 | 64.6 | 0 | 10 | 118 | -4.3 | Y | |
| GW-08 | 07/16/13 | 27.1 | 69.2 | 0 | 3.7 | 131 | -4.1 | Y | |
| GW-08 | 07/17/13 | 23.7 | 67.6 | 0 | 8.7 | 128 | -4.7 | Y | |
| GW-08 | 07/18/13 | 24.6 | 64.5 | 0 | 10.9 | 128 | -4.8 | Y | |
| GW-08 | 07/19/13 | 25.6 | 64 | 0.4 | 10 | 126 | -4.5 | Y | |
| GW-08 | 07/20/13 | 21.1 | 65.8 | 0 | 13.1 | 128 | -4 | Y | |
| GW-08 | 07/21/13 | 23.2 | 67.4 | 0 | 9.4 | 131 | -4.6 | Y | |
| GW-08 | 07/22/13 | 27.6 | 64.8 | 0.5 | 7.1 | 127 | -4.6 | Y | |
| GW-08 | 07/23/13 | 25.3 | 66 | 0.1 | 8.6 | 129 | -4.2 | Y | |
| GW-08 | 07/24/13 | 26.7 | 63.1 | 0.5 | 9.7 | 128 | -4.5 | Y | |
| GW-08 | 07/25/13 | 23.9 | 65.4 | 0.5 | 10.2 | 130 | -4.1 | Y | |
| GW-08 | 07/26/13 | 23.5 | 63.5 | 0.8 | 12.2 | 128 | -3.6 | Y | |
| GW-08 | 07/27/13 | 23.8 | 62.9 | 0 | 13.3 | 129 | -4.3 | Y | |
| GW-08 | 07/28/13 | 24.2 | 62.5 | 0.2 | 13.1 | 131 | -4.8 | Y | |
| GW-08 | 07/29/13 | 23.5 | 62.5 | 0 | 14 | 132 | -4.1 | Y | |
| GW-08 | 07/30/13 | 22.4 | 62 | 0.5 | 15.1 | 132 | -4 | Y | |
| GW-08 | 07/31/13 | 23.7 | 62.8 | 0.6 | 12.9 | 138 | -3.7 | Y | |
| GW-08 | 08/01/13 | 23.9 | 64.2 | 0.1 | 11.8 | 130 | -3.8 | Y | |
| GW-08 | 08/02/13 | 23.9 | 63.7 | 0.2 | 12.2 | 128 | -4.3 | Y | |
| GW-08 | 08/03/13 | 23.8 | 61.6 | 0.6 | 14 | 128 | -4.1 | Y | |
| GW-08 | 08/04/13 | 23.7 | 62.4 | 0.2 | 13.7 | 131 | -4 | Y | |
| GW-08 | 08/05/13 | 23.7 | 63.2 | 0.4 | 12.4 | 130 | -4.2 | Y | |
| GW-08 | 08/06/13 | 25.3 | 63.2 | 0.4 | 11.1 | 129 | -4.4 | Y | |
| GW-08 | 08/07/13 | 25.6 | 64.9 | 0 | 9.5 | 126 | -4.8 | Y | |
| GW-08 | 08/08/13 | 26.5 | 63.5 | 0 | 10 | 128 | -4.7 | Y | |
| GW-08 | 08/09/13 | 27.4 | 61.5 | 0.7 | 10.4 | 128 | -4.7 | Y | |
| GW-08 | 08/10/13 | 26.3 | 61.1 | 0.5 | 12.1 | 131 | -4.7 | Y | |
| GW-08 | 08/11/13 | 26.2 | 63.6 | 0.4 | 9.8 | 132 | -4.6 | Y | |
| GW-08 | 08/12/13 | 27.3 | 62.6 | 0.3 | 9.8 | 128 | -4.8 | Y | |
| GW-08 | 08/13/13 | 27.4 | 61.9 | 0.5 | 10.2 | 126 | -4.1 | Y | |
| GW-08 | 08/14/13 | 28.9 | 60.3 | 0.3 | 10.5 | 127 | -4.6 | Y | |
| GW-08 | 08/15/13 | 26.2 | 63 | 0 | 10.8 | 130 | -4.5 | Y | |
| GW-08 | 08/16/13 | 25.2 | 74.6 | 0 | 0.2 | 130 | -4.2 | Y | |
| GW-08 | 08/17/13 | 26.5 | 63.6 | 0 | 9.9 | 129 | -4.7 | Y | |
| GW-08 | 08/18/13 | 26.7 | 62.4 | 0.2 | 10.7 | 130 | -4.8 | Y | |
| GW-08 | 08/19/13 | 28.1 | 63.2 | 0.1 | 8.6 | 131 | -4.4 | Y | |
| GW-08 | 08/20/13 | 27.2 | 60.8 | 0 | 12 | 132 | -4.5 | Y | |
| GW-08 | 08/21/13 | 26.8 | 62 | 0 | 11.2 | 131 | -4.7 | Y | |
| GW-08 | 08/22/13 | 26.4 | 61.2 | 0 | 12.4 | 130 | -4.4 | N | Replaced 4 way valve - pump operational |
| GW-08 | 08/23/13 | 26.2 | 64.8 | 0 | 9 | 132 | -4.3 | N | Replaced 4 way valve - pump operational |
| GW-08 | 08/24/13 | 36.2 | 63.3 | 0.4 | 0.1 | 133 | -3.7 | N | Replaced 4 way valve - pump operational |
| GW-08 | 08/25/13 | 27.9 | 65.2 | 0.2 | 6.7 | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-09 | 04/08/13 | 20.7 | 69.3 | 0.1 | 9.9 | 140 | -0.1 | N | |
| GW-09 | 04/09/13 | 7.1 | 57.8 | 3.8 | 31.3 | 140 | -0.1 | Y | |
| GW-09 | 04/10/13 | 10.7 | 65 | 0.9 | 23.4 | 140 | -0.5 | Y | |
| GW-09 | 04/11/13 | 12.5 | 66.7 | 0.1 | 20.7 | 140 | -0.4 | Y | |
| GW-09 | 04/12/13 | 3.2 | 66.8 | 0.3 | 29.7 | 130 | -0.1 | Y | |
| GW-09 | 04/13/13 | 10.7 | 63.4 | 0.3 | 25.6 | 140 | -0.8 | Y | |
| GW-09 | 04/14/13 | 1.3 | 65.2 | 0.2 | 33.3 | 140 | 0.7 | Y | |
| GW-09 | 04/15/13 | 12.4 | 65.3 | 0.4 | 21.9 | 140 | -0.4 | Y | |
| GW-09 | 04/16/13 | 11 | 66 | 0.2 | 22.8 | 145 | -0.4 | Y | |
| GW-09 | 04/17/13 | 16.2 | 59.9 | 0.7 | 23.2 | 135 | -2.6 | Y | |
| GW-09 | 04/18/13 | 10.3 | 68 | 0.2 | 21.5 | 145 | -0.2 | Y | |
| GW-09 | 04/19/13 | 10.3 | 59.6 | 1.1 | 29 | 130 | -3 | Y | |
| GW-09 | 04/20/13 | 12.2 | 56.6 | 0.8 | 30.4 | 140 | -3.1 | Y | |
| GW-09 | 04/21/13 | 9.8 | 54.3 | 1.2 | 34.7 | 140 | -2.5 | Y | |
| GW-09 | 04/22/13 | 9.5 | 62.3 | 0.5 | 27.7 | 142 | -2 | Y | |
| GW-09 | 04/23/13 | 8.7 | 56.1 | 0.8 | 34.4 | 140 | -2.8 | Y | |
| GW-09 | 04/24/13 | 6.7 | 44.2 | 1.8 | 47.3 | 128 | -4.7 | Y | |
| GW-09 | 04/25/13 | 8.1 | 59 | 0.8 | 41.1 | 140 | -4.3 | Y | |
| GW-09 | 04/26/13 | 7 | 53.7 | 0.9 | 38.4 | 140 | -3.3 | Y | Pump Repair Made at 5:30 PM |
| GW-09 | 04/27/13 | 10.1 | 54.1 | 1.4 | 34.4 | 136 | -5.6 | Y | |
| GW-09 | 04/28/13 | 11.9 | 58.2 | 0.9 | 29 | 136 | -4.1 | Y | |
| GW-09 | 04/29/13 | 10 | 52.9 | 0.8 | 36.3 | 145 | -4 | Y | |
| GW-09 | 04/30/13 | 9.3 | 58.1 | 0.9 | 31.7 | 144 | -4.1 | Y | |
| GW-09 | 05/01/13 | 10.7 | 60.6 | 0 | 28.7 | 140 | -4.2 | Y | |
| GW-09 | 05/02/13 | 11.6 | 56.8 | 0.6 | 31 | 140 | -4.8 | Y | |
| GW-09 | 05/03/13 | 13.2 | 56.5 | 0.7 | 29.6 | 138 | -4.9 | Y | |
| GW-09 | 05/04/13 | 12 | 57.1 | 0.8 | 30.1 | 135 | -5 | Y | |
| GW-09 | 05/05/13 | 13.8 | 58.5 | 0.1 | 27.6 | 140 | -4.1 | Y | Begin using fluke temp meter |
| GW-09 | 05/06/13 | 12.9 | 59.5 | 0.1 | 27.5 | 138 | -4.1 | Y | |
| GW-09 | 05/07/13 | 13.9 | 59.7 | 0.5 | 25.9 | 138 | -4 | Y | |
| GW-09 | 05/08/13 | 15.5 | 52.7 | 0.6 | 31.2 | 136 | -4.9 | Y | |
| GW-09 | 05/09/13 | 16.4 | 60.1 | 0.3 | 23.2 | 140 | -3.2 | Y | |
| GW-09 | 05/10/13 | 18.5 | 57.6 | 0.2 | 23.7 | 136 | -5.4 | Y | |
| GW-09 | 05/11/13 | 19 | 56.2 | 0.3 | 24.5 | 142 | -4.2 | Y | |
| GW-09 | 05/12/13 | 17.3 | 57.6 | 0.1 | 25 | 138 | -4.1 | Y | |
| GW-09 | 05/13/13 | 18.5 | 56.9 | 0.1 | 24.5 | 140 | -4.2 | Y | |
| GW-09 | 05/14/13 | 4.6 | 65.5 | 0 | 29.9 | 143 | -4.2 | Y | |
| GW-09 | 05/15/13 | 6.1 | 65.8 | 0.5 | 27.6 | 128 | -4.1 | Y | Installed check valve |
| GW-09 | 05/16/13 | 2.7 | 61.9 | 1.2 | 34.2 | 133 | -4.8 | Y | |
| GW-09 | 05/17/13 | 1.8 | 63.7 | 1.5 | 33 | 128 | -4 | Y | |
| GW-09 | 05/18/13 | 1.4 | 65.1 | 0.7 | 32.8 | 120 | -4.1 | Y | |
| GW-09 | 05/19/13 | 5.9 | 63.6 | 1 | 29.5 | 118 | -4.2 | Y | |
| GW-09 | 05/20/13 | 4 | 65.2 | 1.1 | 29.7 | 124 | -4 | Y | |
| GW-09 | 05/21/13 | 15.7 | 58.6 | 1.4 | 24.3 | 126 | -3.9 | Y | |
| GW-09 | 05/22/13 | 18.5 | 58.6 | 1.7 | 21.2 | 136 | -3.9 | Y | |
| GW-09 | 05/23/13 | 3.1 | 64.1 | 1.2 | 31.6 | 138 | -4 | Y | |
| GW-09 | 05/24/13 | 5.1 | 62.3 | 0.9 | 31.7 | 144 | -3.9 | Y | |
| GW-09 | 05/25/13 | 10 | 61.3 | 1.6 | 27.1 | 126 | -4 | Y | |
| GW-09 | 05/26/13 | 1.6 | 65 | 1 | 32.4 | 139 | -4.1 | Y | |
| GW-09 | 05/27/13 | 0.9 | 69.4 | 0.2 | 29.5 | 132 | -4 | Y | |
| GW-09 | 05/28/13 | 1.1 | 67.6 | 0.1 | 31.2 | 118 | -3.7 | Y | |
| GW-09 | 05/29/13 | 1.8 | 67 | 0.2 | 31 | 119 | -4 | Y | |
| GW-09 | 05/30/13 | 2.1 | 67.6 | 0.4 | 29.9 | 125 | -4.2 | Y | |
| GW-09 | 05/31/13 | 5.8 | 62.6 | 1.3 | 30.3 | 131 | -4 | Y | |
| GW-09 | 06/01/13 | 18.4 | 60.2 | 1.4 | 20 | 146 | -4.1 | Y | |
| GW-09 | 06/02/13 | 9.6 | 64.9 | 0.7 | 24.8 | 147 | -4.5 | Y | |
| GW-09 | 06/03/13 | 1 | 62.9 | 0 | 36.1 | 148 | -4.2 | Y | |
| GW-09 | 06/04/13 | 3 | 64 | 1.5 | 31.5 | 140 | -4.7 | Y | |
| GW-09 | 06/05/13 | 6.7 | 65.7 | 0.7 | 26.9 | 135 | -4 | Y | |
| GW-09 | 06/06/13 | 3.9 | 64.2 | 1.3 | 30.6 | 138 | -3.9 | Y | |
| GW-09 | 06/07/13 | 1.7 | 61.1 | 0.8 | 36.4 | 141 | -4 | Y | |
| GW-09 | 06/08/13 | 12.9 | 63.4 | 1.2 | 22.5 | 143 | -4.2 | Y | |
| GW-09 | 06/09/13 | 7.8 | 61.4 | 1.1 | 29.7 | 140 | -3.8 | Y | |
| GW-09 | 06/10/13 | 2.7 | 66.9 | 0.2 | 30.2 | 138 | -4 | Y | |
| GW-09 | 06/11/13 | 1.4 | 67.9 | 0 | 30.7 | 131 | -4 | Y | |
| GW-09 | 06/12/13 | 2 | 64.9 | 1.6 | 31.5 | 138 | -4 | Y | |
| GW-09 | 06/13/13 | 8.8 | 62.2 | 1.5 | 27.5 | 135 | -4.2 | N | Replaced 1-inch rod seal - pump operating |
| GW-09 | 06/14/13 | 0.8 | 64 | 0.1 | 35.1 | 138 | -4.3 | Y | |
| GW-09 | 06/15/13 | 5.2 | 61.7 | 1.2 | 31.9 | 139 | -4.1 | Y | |
| GW-09 | 06/16/13 | 14.8 | 62.5 | 1.9 | 20.8 | 135 | -3.9 | Y | |
| GW-09 | 06/17/13 | 3.4 | 64.5 | 0.7 | 31.4 | 138 | -4 | Y | |
| GW-09 | 06/18/13 | 1.4 | 65.6 | 0.5 | 32.5 | 136 | -4 | Y | |
| GW-09 | 06/19/13 | 1.3 | 69.2 | 0.4 | 29.1 | 138 | -4 | Y | |
| GW-09 | 06/20/13 | 1.4 | 70.1 | 0.3 | 28.2 | 133 | -3.9 | Y | |
| GW-09 | 06/21/13 | 6.4 | 63.5 | 0.4 | 29.7 | 137 | -4 | Y | |
| GW-09 | 06/22/13 | 1.4 | 62.6 | 0.8 | 35.2 | 134 | -4 | Y | |
| GW-09 | 06/23/13 | 0.7 | 65.8 | 0 | 33.5 | 140 | -4.1 | Y | |
| GW-09 | 06/24/13 | 2.2 | 63.5 | 0.6 | 33.7 | 138 | -3.9 | Y | |
| GW-09 | 06/25/13 | 1.2 | 66 | 0.7 | 32.7 | 140 | -4 | Y | Changed air box |
| GW-09 | 06/26/13 | 1.5 | 67.8 | 0.3 | 30.4 | 139 | -4 | Y | Replaced 1-inch rod seal - pump operating |
| GW-09 | 06/27/13 | 11.6 | 57.6 | 1.5 | 29.3 | 139 | -4.1 | Y | |
| GW-09 | 06/28/13 | 2.5 | 68.1 | 0.2 | 29.2 | 138 | -4 | Y | |
| GW-09 | 06/29/13 | 2.4 | 65.3 | 0.4 | 31.9 | 135 | -4 | Y | |
| GW-09 | 06/30/13 | 8.5 | 69.3 | 0.3 | 21.9 | 138 | -4 | Y | |
| GW-09 | 07/01/13 | 2.1 | 69.3 | 0.3 | 28.3 | 135 | -4.1 | Y | |
| GW-09 | 07/02/13 | 12.2 | 69.6 | 0.3 | 17.9 | 141 | -4 | Y | |
| GW-09 | 07/03/13 | 13.3 | 68.9 | 0 | 17.8 | 140 | -4.1 | Y | |
| GW-09 | 07/04/13 | 15.1 | 56.1 | 2.1 | 26.7 | 138 | -4 | Y | |
| GW-09 | 07/05/13 | 8.9 | 63 | 1.5 | 26.6 | 138 | -4 | Y | |
| GW-09 | 07/06/13 | 1.3 | 68.3 | 0 | 30.4 | 136 | -3.9 | Y | |
| GW-09 | 07/07/13 | 7.3 | 63.1 | 1.4 | 28.2 | 136 | -4 | Y | |
| GW-09 | 07/08/13 | 6.4 | 67.4 | 1.4 | 24.8 | 138 | -4.4 | Y | |
| GW-09 | 07/09/13 | 9.8 | 63.5 | 1.3 | 25.4 | 136 | -3.6 | Y | |
| GW-09 | 07/10/13 | 0.9 | 68.2 | 0.5 | 30.4 | 135 | -4.1 | Y | |
| GW-09 | 07/11/13 | 2.6 | 63.7 | 0.9 | 32.8 | 136 | -4 | Y | |
| GW-09 | 07/12/13 | 1.9 | 64.8 | 0.3 | 33 | 134 | -4.4 | Y | |
| GW-09 | 07/13/13 | 3.8 | 64.4 | 0.1 | 31.7 | 140 | -4.1 | Y | |
| GW-09 | 07/14/13 | 0.8 | 65.2 | 0 | 34 | 137 | -4.3 | Y | |
| GW-09 | 07/15/13 | 2.2 | 62.4 | 0.8 | 34.6 | 149 | -4.3 | Y | |
| GW-09 | 07/16/13 | 12.9 | 52.7 | 5.7 | 28.7 | 148 | -4.4 | Y | Possible O2 sensor error |
| GW-09 | 07/17/13 | 12.8 | 70.9 | 0.1 | 16.2 | 156 | -0.2 | Y | |
| GW-09 | 07/18/13 | 16.7 | 67.8 | 0 | 15.5 | 155 | -1.3 | Y | |
| GW-09 | 07/19/13 | 11.8 | 61.3 | 2.1 | 24.8 | 151 | -0.5 | Y | |
| GW-09 | 07/20/13 | 10.5 | 67.8 | 0.2 | 21.5 | 148 | -0.5 | Y | |
| GW-09 | 07/21/13 | 14.5 | 63.5 | 1.6 | 20.4 | 152 | -1.5 | Y | |
| GW-09 | 07/22/13 | 16.9 | 60.8 | 2.2 | 20.1 | 157 | -1.6 | Y | |
| GW-09 | 07/23/13 | 19.6 | 63.6 | 1.1 | 15.7 | 150 | -1.1 | Y | |
| GW-09 | 07/24/13 | 12.6 | 60.3 | 1.9 | 25.2 | 152 | -1 | N | Replaced 4 way valve - pump operational |
| GW-09 | 07/25/13 | 11 | 68.4 | 0.2 | 20.4 | 163 | -0.8 | N | Replaced 4 way valve - pump operational |
| GW-09 | 07/26/13 | 10.3 | 67 | 0.5 | 22.2 | 164 | -0.8 | Y | |
| GW-09 | 07/27/13 | 11.3 | 60.1 | 1.8 | 26.8 | 166 | -1.8 | Y | |
| GW-09 | 07/28/13 | 12.2 | 61.8 | 1.5 | 24.5 | 160 | -1.3 | Y | |
| GW-09 | 07/29/13 | 15.1 | 65.4 | 0 | 19.5 | 160 | -1.8 | N | Repaired bottom seal - pump operational |
| GW-09 | 07/30/13 | 13.8 | 60.1 | 1.9 | 24.2 | 151 | -2.3 | Y | |
| GW-09 | 07/31/13 | 15.4 | 62.5 | 1 | 21.1 | 151 | -1.8 | Y | |
| GW-09 | 08/01/13 | 15.8 | 63.8 | 0.8 | 19.6 | 159 | -2 | N | Replaced air drive, 1 rod - pump operational |
| GW-09 | 08/02/13 | 16.5 | 62.5 | 1.4 | 19.6 | 151 | -2 | Y | |
| GW-09 | 08/03/13 | 13.3 | 61 | 1.6 | 24.1 | 151 | -1.7 | Y | |
| GW-09 | 08/04/13 | 14.3 | 65.6 | 0.5 | 19.6 | 149 | -1.6 | Y | |
| GW-09 | 08/05/13 | 15.8 | 66.4 | 0.3 | 17.5 | 150 | -2.2 | Y | |
| GW-09 | 08/06/13 | 13.8 | 64 | 0.8 | 21.4 | 150 | -2 | Y | |
| GW-09 | 08/07/13 | 11.9 | 59.5 | 1.8 | 26.8 | 146 | -3 | Y | |
| GW-09 | 08/08/13 | 13.7 | 61.3 | 1.1 | 23.9 | 142 | -2.6 | Y | |
| GW-09 | 08/09/13 | 12.1 | 60.4 | 1.8 | 25.7 | 146 | -1.6 | Y | |
| GW-09 | 08/10/13 | 9.2 | 60.3 | 1.8 | 28.7 | 143 | -1.6 | Y | |
| GW-09 | 08/11/13 | 10.8 | 69.8 | 0.3 | 19.1 | 144 | -1.3 | Y | |
| GW-09 | 08/12/13 | 14.1 | 62 | 1.1 | 22.8 | 151 | -2.9 | Y | |
| GW-09 | 08/13/13 | 14.8 | 59.7 | 1.8 | 23.7 | 148 | -2.2 | Y | |
| GW-09 | 08/14/13 | 12.1 | 57.1 | 1.9 | 28.9 | 150 | -2 | Y | |
| GW-09 | 08/15/13 | 14.6 | 64.4 | 0.5 | 20.5 | 154 | -1.2 | Y | |
| GW-09 | 08/16/13 | 14.8 | 68 | 1.1 | 16.1 | 150 | -1.4 | Y | |
| GW-09 | 08/17/13 | 15.1 | 60.5 | 1.3 | 23.1 | 151 | -2.7 | Y | |
| GW-09 | 08/18/13 | 13.9 | 60.9 | 1.6 | 23.6 | 150 | -2.4 | Y | |
| GW-09 | 08/19/13 | 16.4 | 62 | 1.3 | 20.3 | 152 | -1.8 | Y | |
| GW-09 | 08/20/13 | 13.1 | 60.4 | 1.5 | 25 | 153 | -1.8 | N | Replaced 4 way valve - pump operational |
| GW-09 | 08/21/13 | 13.8 | 61.7 | 1.3 | 23.2 | 153 | -1.7 | Y | |
| GW-09 | 08/22/13 | 15.1 | 63.6 | 0.4 | 20.9 | 154 | -1.4 | Y | |
| GW-09 | 08/23/13 | 14.7 | 59.9 | 1.6 | 23.8 | 152 | -1.7 | Y | |
| GW-09 | 08/24/13 | 33.3 | 60.8 | 1.9 | 4 | 154 | -1 | Y | |
| GW-09 | 08/25/13 | 15.7 | 61.8 | 1.8 | 20.7 | 147 | -2.2 | Y | |
| GW-09 | 08/26/13 | 14.8 | 67.1 | 0 | 18.1 | 1 | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-10 | 04/08/13 | 11 | 70 | 0 | 19 | 160 | -0.9 | N | |
| GW-10 | 04/09/13 | 0.6 | 68.6 | 0 | 30.8 | 160 | -0.5 | Y | |
| GW-10 | 04/10/13 | 0.5 | 68.2 | 0.2 | 31.1 | 170 | 1.4 | Y | |
| GW-10 | 04/11/13 | 0.6 | 70 | 0.1 | 29.3 | 160 | -1.5 | Y | |
| GW-10 | 04/12/13 | 0.7 | 69 | 0.2 | 30.1 | 165 | 0 | Y | |
| GW-10 | 04/13/13 | 0.6 | 68.5 | 0.3 | 30.6 | 165 | -0.7 | Y | |
| GW-10 | 04/14/13 | 0.6 | 67.9 | 0.2 | 31.3 | 170 | -0.2 | Y | |
| GW-10 | 04/15/13 | 0.8 | 67.2 | 0.3 | 31.7 | 170 | -0.1 | Y | |
| GW-10 | 04/16/13 | 0.7 | 69.2 | 0.2 | 29.9 | 170 | -0.9 | Y | |
| GW-10 | 04/17/13 | 1 | 67.8 | 0.3 | 30.9 | 170 | -2.6 | Y | |
| GW-10 | 04/18/13 | 0.8 | 69.8 | 0.2 | 29.2 | 160 | -0.7 | Y | |
| GW-10 | 04/19/13 | 0.7 | 67.8 | 0.5 | 31 | 165 | -2.6 | Y | |
| GW-10 | 04/20/13 | 1.6 | 66.5 | 0.2 | 31.7 | 170 | -2.7 | Y | |
| GW-10 | 04/21/13 | 0.9 | 64.6 | 0.7 | 33.8 | 172 | -2.3 | Y | |
| GW-10 | 04/22/13 | 1.2 | 70.4 | 0.3 | 28.1 | 172 | -1.4 | Y | |
| GW-10 | 04/23/13 | 0.8 | 67.4 | 0.4 | 31.4 | 172 | -2.7 | Y | |
| GW-10 | 04/24/13 | 0.6 | 66 | 0.3 | 33.1 | 168 | -4.7 | Y | |
| GW-10 | 04/25/13 | 0.8 | 65.9 | 0 | 33.3 | 175 | -4.7 | Y | |
| GW-10 | 04/26/13 | 1.5 | 69.6 | 0.1 | 32 | 170 | -4.1 | Y | |
| GW-10 | 04/27/13 | 0.8 | 70.4 | 0.7 | 28.1 | 178 | -4.8 | Y | |
| GW-10 | 04/28/13 | 0.5 | 72 | 0.4 | 27.1 | 176 | -4.2 | Y | |
| GW-10 | 04/29/13 | 0.4 | 71.1 | 0.3 | 28.2 | 178 | -4.2 | Y | |
| GW-10 | 04/30/13 | 0.4 | 70.3 | 0.5 | 28.8 | 175 | -3 | Y | |
| GW-10 | 05/01/13 | 0.3 | 71.9 | 0 | 27.8 | 174 | -3.4 | Y | |
| GW-10 | 05/02/13 | 0.5 | 68.9 | 0 | 30.6 | 180 | -4.3 | Y | |
| GW-10 | 05/03/13 | 0.6 | 68.2 | 0.5 | 30.7 | 170 | -4.7 | Y | |
| GW-10 | 05/04/13 | 0.5 | 69.2 | 0.1 | 30.2 | 174 | -4.2 | Y | |
| GW-10 | 05/05/13 | 0.4 | 69.9 | 0 | 29.7 | 171 | -4.5 | Y | Begin using fluke temp meter |
| GW-10 | 05/06/13 | 0.5 | 70.2 | 0.1 | 29.2 | 178 | -4.2 | Y | |
| GW-10 | 05/07/13 | 0.5 | 67.7 | 0.3 | 31.5 | 178 | -4.4 | Y | |
| GW-10 | 05/08/13 | 1.3 | 65.6 | 0.2 | 32.9 | 179 | -4.9 | Y | |
| GW-10 | 05/09/13 | 0.6 | 67.5 | 0 | 31.9 | 180 | -3.1 | Y | |
| GW-10 | 05/10/13 | 0.7 | 69.4 | 0 | 29.9 | 180 | -4.8 | Y | |
| GW-10 | 05/11/13 | 3.1 | 67.8 | 0 | 29.1 | 180 | -6.2 | Y | |
| GW-10 | 05/12/13 | 2.3 | 70.5 | 0 | 27.2 | 179 | -4.1 | Y | |
| GW-10 | 05/13/13 | 1.6 | 66.4 | 0 | 32 | 180 | -4.2 | Y | Pulled pump and replaced seals |
| GW-10 | 05/14/13 | 1.5 | 63.1 | 0 | 35.4 | 179 | -2.2 | Y | |
| GW-10 | 05/15/13 | 1.2 | 66.8 | 0.3 | 31.7 | 180 | -2.3 | Y | Installed check valve |
| GW-10 | 05/16/13 | 1.9 | 66.1 | 0 | 32 | 180 | -2.4 | Y | |
| GW-10 | 05/17/13 | 0.7 | 68.9 | 0 | 30.4 | 180 | -2.5 | Y | |
| GW-10 | 05/18/13 | 0.4 | 66.2 | 0.3 | 33.1 | 178 | -1.7 | Y | |
| GW-10 | 05/19/13 | 0.4 | 70.8 | 0 | 28.8 | 172 | -1.3 | Y | |
| GW-10 | 05/20/13 | 2.3 | 68.9 | 0 | 28.8 | 180 | -2.5 | Y | |
| GW-10 | 05/21/13 | 0.3 | 66.9 | 0.4 | 32.4 | 180 | -3.3 | Y | |
| GW-10 | 05/22/13 | 0.4 | 67.8 | 0 | 31.8 | 176 | -2.5 | Y | |
| GW-10 | 05/23/13 | 0.2 | 68.6 | 0.2 | 31 | 180 | -3.5 | Y | |
| GW-10 | 05/24/13 | 0.9 | 65.9 | 0 | 33.2 | 180 | -2.8 | Y | |
| GW-10 | 05/25/13 | 4.1 | 65.7 | 0.5 | 29.7 | 180 | -2.7 | Y | |
| GW-10 | 05/26/13 | 0.2 | 68.2 | 0.1 | 31.5 | 180 | -2 | Y | |
| GW-10 | 05/27/13 | 0.4 | 67.9 | 0.4 | 31.3 | 181 | -1.5 | Y | |
| GW-10 | 05/28/13 | 0.6 | 67.1 | 0.4 | 31.9 | 180 | -0.5 | Y | |
| GW-10 | 05/29/13 | 0.6 | 66.8 | 0.2 | 32.4 | 181 | -0.8 | Y | Vacuum low, working on header |
| GW-10 | 05/30/13 | 1.4 | 67.1 | 0.2 | 31.3 | 176 | -3.7 | Y | |
| GW-10 | 05/31/13 | 0.4 | 67.7 | 0 | 31.9 | 178 | -2.3 | Y | |
| GW-10 | 06/01/13 | 0.3 | 67.6 | 0 | 32.1 | 177 | -3.2 | Y | |
| GW-10 | 06/02/13 | 0.7 | 70.3 | 0 | 29 | 177 | -4 | Y | |
| GW-10 | 06/03/13 | 0.3 | 66.4 | 0 | 33.3 | 180 | -2.1 | Y | Working on available vac issue |
| GW-10 | 06/04/13 | 0.3 | 67.2 | 0.3 | 32.2 | 181 | -0.9 | Y | Working on available vac issue |
| GW-10 | 06/05/13 | 0.3 | 66.5 | 0.6 | 32.6 | 179 | -1.8 | Y | Working on available vac issue |
| GW-10 | 06/06/13 | 0.2 | 66.5 | 0.7 | 32.6 | 179 | -2.5 | Y | 1-inch rod seal replaced |
| GW-10 | 06/07/13 | 0.2 | 61.8 | 0.2 | 37.8 | 180 | -1.2 | Y | Working on available vac issue |
| GW-10 | 06/08/13 | 0.5 | 64.6 | 0.1 | 34.8 | 181 | -0.6 | Y | Sag main header, jumper installed late 6-8 |
| GW-10 | 06/09/13 | 1.8 | 64.4 | 0.3 | 33.5 | 180 | -3.4 | Y | Vacuum restored |
| GW-10 | 06/10/13 | 2.3 | 63.6 | 0.6 | 33.5 | 181 | -4.7 | Y | |
| GW-10 | 06/11/13 | 0.1 | 64.9 | 0.3 | 34.7 | 179 | -4.6 | Y | |
| GW-10 | 06/12/13 | 0.2 | 63.4 | 0.1 | 36.3 | 180 | -4 | N | Replaced 1-inch rod seal - pump operating |
| GW-10 | 06/13/13 | 0.2 | 65.6 | 0.3 | 33.9 | 180 | -4.6 | Y | |
| GW-10 | 06/14/13 | 0.3 | 64 | 0.5 | 35.2 | 180 | -3.9 | Y | Pulled pump and cleaned |
| GW-10 | 06/15/13 | 0.2 | 65.5 | 0.8 | 33.5 | 180 | -3.9 | Y | |
| GW-10 | 06/16/13 | 0.3 | 66.9 | 0 | 32.8 | 182 | -2.2 | Y | |
| GW-10 | 06/17/13 | 0.3 | 65.1 | 0.6 | 34 | 180 | -4.5 | Y | |
| GW-10 | 06/18/13 | 0.1 | 67 | 0.3 | 32.6 | 182 | -4.2 | Y | |
| GW-10 | 06/19/13 | 2.4 | 66.7 | 0.4 | 30.5 | 182 | -3.9 | Y | |
| GW-10 | 06/20/13 | 0.7 | 68.5 | 0.6 | 30.2 | 181 | -4 | Y | |
| GW-10 | 06/21/13 | 0.2 | 67.4 | 0.3 | 32.1 | 182 | -3.8 | Y | |
| GW-10 | 06/22/13 | 0.2 | 65 | 0.8 | 34 | 180 | -4.3 | Y | |
| GW-10 | 06/23/13 | 0.4 | 63.4 | 0.5 | 35.7 | 181 | -4 | Y | |
| GW-10 | 06/24/13 | 1.8 | 66.1 | 0.4 | 31.7 | 180 | -4 | Y | |
| GW-10 | 06/25/13 | 0.8 | 67.1 | 0.5 | 31.6 | 182 | -4.4 | Y | |
| GW-10 | 06/26/13 | 0.8 | 63.9 | 1.3 | 34 | 181 | -4 | Y | |
| GW-10 | 06/27/13 | 0.1 | 60.8 | 1.3 | 37.8 | 182 | -4.5 | N | Replaced 1-inch rod seal - pump operating |
| GW-10 | 06/28/13 | 0.3 | 65.4 | 0.5 | 33.8 | 182 | -3.9 | Y | |
| GW-10 | 06/29/13 | 0.1 | 64.2 | 0.4 | 35.3 | 183 | -4.5 | Y | |
| GW-10 | 06/30/13 | 0 | 65.4 | 0.7 | 33.9 | 182 | -4.8 | Y | |
| GW-10 | 07/01/13 | 0.1 | 63.5 | 0.7 | 35.7 | 180 | -4.4 | Y | |
| GW-10 | 07/02/13 | 0.1 | 62.5 | 0.5 | 36.9 | 180 | -4.3 | Y | |
| GW-10 | 07/03/13 | 0.2 | 65.7 | 0.3 | 33.8 | 181 | -3.9 | Y | |
| GW-10 | 07/04/13 | 0.1 | 64 | 0.7 | 35.2 | 182 | -4.1 | Y | |
| GW-10 | 07/05/13 | 0.2 | 66.1 | 0.4 | 33.3 | 182 | -4 | Y | |
| GW-10 | 07/06/13 | 0 | 64 | 0.1 | 35.9 | 183 | -4.6 | Y | |
| GW-10 | 07/07/13 | 0.6 | 65.1 | 0.1 | 34.2 | 183 | -4 | Y | |
| GW-10 | 07/08/13 | 0.2 | 66.5 | 0.4 | 32.9 | 182 | -4 | Y | |
| GW-10 | 07/09/13 | 0.7 | 63.5 | 0.5 | 35.3 | 182 | -4.2 | Y | |
| GW-10 | 07/10/13 | 1 | 66.5 | 0.4 | 32.1 | 182 | -4.6 | Y | |
| GW-10 | 07/11/13 | 0.9 | 63.6 | 1 | 34.5 | 182 | -4 | Y | |
| GW-10 | 07/12/13 | 1 | 61.4 | 1.9 | 35.7 | 182 | -3.9 | Y | |
| GW-10 | 07/13/13 | 1 | 73 | 0.3 | 25.7 | 185 | -4.1 | Y | |
| GW-10 | 07/14/13 | 0.5 | 71.9 | 0 | 27.6 | 179 | -4 | Y | |
| GW-10 | 07/15/13 | 1.3 | 69.9 | 0.1 | 20.7 | 178 | -4.4 | Y | collected 10 mins after midnight |
| GW-10 | 07/17/13 | 1.3 | 69.5 | 0 | 29.2 | 185 | -3.8 | Y | |
| GW-10 | 07/17/13 | 1.2 | 67.5 | 0.4 | 30.9 | 185 | -2.5 | Y | |
| GW-10 | 07/18/13 | 1.2 | 67.8 | 0.2 | 30.8 | 186 | -2.1 | Y | |
| GW-10 | 07/19/13 | 0.9 | 68 | 0.2 | 30.9 | 185 | -2.2 | Y | |
| GW-10 | 07/20/13 | 0.8 | 66.7 | 0.3 | 32.2 | 185 | -2.1 | Y | |
| GW-10 | 07/21/13 | 0.8 | 66.7 | 0.2 | 32.3 | 184 | -2.4 | Y | |
| GW-10 | 07/22/13 | 0.9 | 66.5 | 0.4 | 32.2 | 185 | -2.3 | Y | |
| GW-10 | 07/23/13 | 1.1 | 67.7 | 0.4 | 30.8 | 185 | -2.1 | Y | Pulled and Cleaned Pump |
| GW-10 | 07/24/13 | 1.1 | 66 | 0.5 | 32.4 | 184 | -3.8 | Y | |
| GW-10 | 07/25/13 | 0.6 | 67.6 | 0.4 | 31.4 | 185 | -2.2 | Y | |
| GW-10 | 07/26/13 | 0.7 | 66.6 | 0.8 | 31.9 | 185 | -1.5 | Y | |
| GW-10 | 07/27/13 | 0.4 | 63.4 | 0.4 | 35.8 | 183 | -2 | Y | |
| GW-10 | 07/28/13 | 0.5 | 63.2 | 0.2 | 36.1 | 186 | -3.2 | Y | |
| GW-10 | 07/29/13 | 0.7 | 62.7 | 0 | 36.6 | 187 | -1.4 | Y | |
| GW-10 | 07/30/13 | 0.4 | 63.9 | 0 | 35.7 | 187 | -1.5 | Y | |
| GW-10 | 07/31/13 | 0.4 | 62.8 | 0.4 | 36.4 | 186 | -1.6 | Y | |
| GW-10 | 08/01/13 | 0.6 | 65.6 | 0 | 33.8 | 187 | -1.3 | Y | |
| GW-10 | 08/02/13 | 0.4 | 66.1 | 0 | 33.5 | 187 | -0.8 | Y | |
| GW-10 | 08/03/13 | 0.6 | 64 | 0.4 | 35 | 186 | -1.5 | Y | |
| GW-10 | 08/04/13 | 0.5 | 66.9 | 0.3 | 32.9 | 186 | -0.9 | Y | |
| GW-10 | 08/05/13 | 0.5 | 65.1 | 0.3 | 33.1 | 184 | -0.7 | Y | |
| GW-10 | 08/06/13 | 0.3 | 65.8 | 0.3 | 33.6 | 186 | -1.1 | Y | |
| GW-10 | 08/07/13 | 1.7 | 67.2 | 0 | 31.1 | 183 | -2.1 | Y | |
| GW-10 | 08/08/13 | 0.9 | 67.1 | 0.2 | 31.8 | 186 | -2.4 | Y | |
| GW-10 | 08/09/13 | 1 | 67.2 | 0.3 | 31.5 | 185 | -2.3 | Y | |
| GW-10 | 08/10/13 | 1 | 66.2 | 0.2 | 32.6 | 185 | -3.1 | N | Replaced cylinder head, pump operational |
| GW-10 | 08/11/13 | 1 | 65.6 | 0.5 | 32.9 | 185 | -2.5 | Y | |
| GW-10 | 08/12/13 | 0.9 | 65.5 | 0.7 | 32.9 | 184 | -2.5 | Y | |
| GW-10 | 08/13/13 | 0.8 | 71.6 | 0.3 | 27.3 | 183 | -3.2 | Y | |
| GW-10 | 08/14/13 | 1.2 | 63.6 | 0.2 | 35 | 186 | -3.2 | Y | |
| GW-10 | 08/15/13 | 1.1 | 66.4 | 0.1 | 32.4 | 182 | -3.1 | Y | |
| GW-10 | 08/16/13 | 1 | 65.5 | 0 | 33.5 | 183 | -3 | Y | |
| GW-10 | 08/17/13 | 1.1 | 64 | 0 | 34.9 | 182 | -2.7 | Y | |
| GW-10 | 08/18/13 | 1 | 66.4 | 0.1 | 32.5 | 183 | -2 | Y | |
| GW-10 | 08/19/13 | 1.7 | 65 | 0.4 | 32.9 | 185 | -2.1 | Y | |
| GW-10 | 08/20/13 | 1.4 | 67 | 0 | 31.6 | 183 | -2.9 | Y | |
| GW-10 | 08/21/13 | 0.9 | 67.4 | 0 | 31.7 | 184 | -1.8 | Y | |
| GW-10 | 08/22/13 | 1.6 | 67.2 | 0 | 31.2 | 185 | -2.6 | Y | |
| GW-10 | 08/23/13 | 1.8 | 66.7 | 0 | 31.5 | 183 | -1.8 | Y | |
| GW-10 | 08/24/13 | 0.7 | 69.8 | 0.2 | 29.3 | 182 | -1.2 | Y | |
| GW-10 | 08/25/13 | 1 | 71.5 | 0.3 | 27.2 | 183 | -2.6 | Y | |
| GW-10 | 08/26/13 | 1.1 | 66 | 0 | 32.9 | 185 | -2.3 | Y | |
| GW-10 | 08/27/13 | 1.8 | 67.5 | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-11 | 04/08/13 | 15.1 | 73.4 | 0 | 11.5 | 120 | -0.2 | N | |
| GW-11 | 04/09/13 | 21.6 | 69 | 1.3 | 8.1 | 130 | -0.3 | Y | |
| GW-11 | 04/10/13 | 14 | 71.8 | 0.2 | 14 | 120 | 0.7 | Y | |
| GW-11 | 04/11/13 | 18.7 | 73.8 | 0.1 | 7.4 | 130 | -1.5 | Y | |
| GW-11 | 04/12/13 | 14.9 | 71.4 | 0.2 | 13.5 | 40 | -0.1 | Y | |
| GW-11 | 04/13/13 | 14.7 | 72.6 | 0.3 | 12.4 | 120 | -0.2 | Y | |
| GW-11 | 04/14/13 | 15 | 71.1 | 0.2 | 13.7 | 120 | 0.1 | Y | |
| GW-11 | 04/15/13 | 16.2 | 72 | 0.2 | 11.6 | 130 | -0.2 | Y | |
| GW-11 | 04/16/13 | 16.8 | 72.3 | 0.3 | 10.6 | 120 | -0.8 | Y | |
| GW-11 | 04/17/13 | 18.4 | 69.9 | 0.3 | 11.4 | 130 | -2.4 | Y | |
| GW-11 | 04/18/13 | 17.4 | 72.5 | 0.3 | 9.8 | 130 | -0.6 | Y | |
| GW-11 | 04/19/13 | 15.8 | 69.7 | 0.4 | 14.1 | 120 | -2.1 | Y | |
| GW-11 | 04/20/13 | 16.6 | 66.5 | 0.3 | 16.6 | 130 | -2.7 | Y | |
| GW-11 | 04/21/13 | 16.2 | 63.6 | 0.6 | 19.6 | 130 | -2.6 | Y | |
| GW-11 | 04/22/13 | 16.8 | 69.3 | 0.2 | 13.7 | 130 | -1.9 | Y | |
| GW-11 | 04/23/13 | 16.7 | 67.3 | 0.4 | 15.6 | 130 | -3.2 | Y | |
| GW-11 | 04/24/13 | 14.4 | 62.4 | 0 | 23.2 | 130 | -4.8 | Y | |
| GW-11 | 04/25/13 | 14.7 | 61.4 | 0 | 23.9 | 130 | -4.2 | Y | |
| GW-11 | 04/26/13 | 14.9 | 65.2 | 0.3 | 19.6 | 135 | -3.5 | Y | |
| GW-11 | 04/27/13 | 16.8 | 65.2 | 0.6 | 17.4 | 128 | -5.8 | Y | |
| GW-11 | 04/28/13 | 16.3 | 70.2 | 0.4 | 13.1 | 138 | -4.1 | Y | |
| GW-11 | 04/29/13 | 16 | 68.2 | 0.2 | 15.6 | 135 | -3.9 | Y | |
| GW-11 | 04/30/13 | 14.6 | 66.2 | 0.7 | 18.5 | 135 | -4 | Y | |
| GW-11 | 05/01/13 | 15.7 | 69.3 | 0.1 | 14.9 | 130 | -4 | Y | |
| GW-11 | 05/02/13 | 15.9 | 65.5 | 0.7 | 17.9 | 125 | -4.9 | Y | |
| GW-11 | 05/03/13 | 14.1 | 65.7 | 0.7 | 19.5 | 138 | -4.9 | Y | |
| GW-11 | 05/04/13 | 13 | 68.6 | 0.2 | 18.2 | 122 | -4 | Y | |
| GW-11 | 05/05/13 | 13.3 | 67.8 | 0 | 18.9 | 125 | -4 | Y | Begin using fluke temp meter |
| GW-11 | 05/06/13 | 12.9 | 63.6 | 0 | 23.5 | 130 | -4 | Y | |
| GW-11 | 05/07/13 | 12.8 | 61.9 | 0.8 | 24.5 | 133 | -4.2 | Y | |
| GW-11 | 05/08/13 | 10.5 | 53.7 | 1.6 | 34.2 | 136 | -4.8 | Y | |
| GW-11 | 05/09/13 | 12 | 60.5 | 0.9 | 26.6 | 133 | -3.4 | Y | |
| GW-11 | 05/10/13 | 14.4 | 57.3 | 1.5 | 26.8 | 132 | -4.8 | Y | |
| GW-11 | 05/11/13 | 11.2 | 55.6 | 1.7 | 31.5 | 133 | -5.5 | Y | |
| GW-11 | 05/12/13 | 12.1 | 58.1 | 1.4 | 28.4 | 131 | -4 | Y | |
| GW-11 | 05/13/13 | 11.7 | 57.2 | 1.2 | 29.9 | 136 | -4 | Y | |
| GW-11 | 05/14/13 | 13.4 | 63.1 | 0.1 | 23.4 | 133 | -3.4 | Y | |
| GW-11 | 05/15/13 | 15 | 59.8 | 1.6 | 27.6 | 133 | -4.1 | Y | Installed check valve |
| GW-11 | 05/16/13 | 11.9 | 56.4 | 1.3 | 30.4 | 135 | -4.1 | Y | |
| GW-11 | 05/17/13 | 17.1 | 57.5 | 1.3 | 24.1 | 134 | -3.9 | Y | |
| GW-11 | 05/18/13 | 13.1 | 59.7 | 0.9 | 26.3 | 132 | -3.3 | Y | |
| GW-11 | 05/19/13 | 15.2 | 67.1 | 0.1 | 17.6 | 130 | -2.6 | Y | |
| GW-11 | 05/20/13 | 20.4 | 62.2 | 0.7 | 16.7 | 134 | -3.8 | Y | |
| GW-11 | 05/21/13 | 14.6 | 61.2 | 0.9 | 23.3 | 135 | -4.3 | Y | |
| GW-11 | 05/22/13 | 16.3 | 60.6 | 0.8 | 22.3 | 135 | -3.9 | Y | |
| GW-11 | 05/23/13 | 11.9 | 56.6 | 1.5 | 30 | 130 | -4.6 | Y | |
| GW-11 | 05/24/13 | 12.9 | 58.4 | 1 | 27.7 | 135 | -4 | Y | |
| GW-11 | 05/25/13 | 13.6 | 61.1 | 0.9 | 24.4 | 135 | -3.5 | Y | |
| GW-11 | 05/26/13 | 13.4 | 62.7 | 0.6 | 23.3 | 136 | -3.3 | Y | |
| GW-11 | 05/27/13 | 15.1 | 67 | 0.4 | 17.5 | 137 | -3 | Y | |
| GW-11 | 05/28/13 | 17.6 | 68 | 0.5 | 13.9 | 136 | -2.1 | Y | |
| GW-11 | 05/29/13 | 14.7 | 66.3 | 0.3 | 18.7 | 137 | -3.1 | Y | Vacuum low, working on header |
| GW-11 | 05/30/13 | 13.4 | 69.4 | 0.5 | 16.7 | 135 | -3.2 | Y | |
| GW-11 | 05/31/13 | 12.5 | 66.3 | 0.2 | 21 | 136 | -3 | Y | |
| GW-11 | 06/01/13 | 14 | 63.7 | 0.5 | 21.8 | 134 | -3.2 | Y | |
| GW-11 | 06/02/13 | 15.3 | 64.6 | 0.6 | 19.5 | 135 | -3 | Y | |
| GW-11 | 06/03/13 | 14.3 | 65 | 0.4 | 20.3 | 135 | -3.1 | Y | |
| GW-11 | 06/04/13 | 14.2 | 69.6 | 0.3 | 15.9 | 136 | -0.9 | N | Replaced 1-inch rod seal - pump operating |
| GW-11 | 06/05/13 | 15.3 | 70.1 | 0.4 | 14.2 | 135 | -2 | Y | Working on available vac issue |
| GW-11 | 06/06/13 | 16 | 66.5 | 0.9 | 16.6 | 135 | -2 | Y | Working on available vac issue |
| GW-11 | 06/07/13 | 14.9 | 61.4 | 0.7 | 23 | 134 | -1.9 | Y | Working on available vac issue |
| GW-11 | 06/08/13 | 13.1 | 66.6 | 0.1 | 20.2 | 137 | -1 | Y | Sag main header, jumper installed late 6-8 |
| GW-11 | 06/09/13 | 13.9 | 62.6 | 0.7 | 22.8 | 142 | -2.5 | Y | Vacuum restored |
| GW-11 | 06/10/13 | 14.4 | 62.3 | 1.7 | 21.6 | 140 | -3.6 | Y | |
| GW-11 | 06/11/13 | 16 | 63.5 | 0.5 | 20 | 141 | -4.5 | Y | |
| GW-11 | 06/12/13 | 18.7 | 63 | 0.1 | 18.2 | 140 | -4.8 | Y | |
| GW-11 | 06/13/13 | 15.5 | 62.5 | 0.5 | 21.5 | 140 | -5.2 | Y | |
| GW-11 | 06/14/13 | 15.2 | 62.1 | 0.6 | 22.1 | 137 | -4 | Y | |
| GW-11 | 06/15/13 | 14.1 | 59.8 | 1.3 | 24.8 | 139 | -4.1 | Y | |
| GW-11 | 06/16/13 | 15.8 | 68.8 | 0.1 | 15.3 | 137 | -2.1 | Y | |
| GW-11 | 06/17/13 | 17.7 | 63.6 | 0.5 | 18.2 | 139 | -4.7 | Y | |
| GW-11 | 06/18/13 | 15.5 | 64 | 0.6 | 19.9 | 139 | -4.2 | Y | |
| GW-11 | 06/19/13 | 16.9 | 63.1 | 1.6 | 18.4 | 140 | -4 | Y | |
| GW-11 | 06/20/13 | 14.1 | 69.6 | 1.1 | 15.2 | 138 | -4.1 | Y | |
| GW-11 | 06/21/13 | 16.5 | 63.5 | 0.9 | 19.1 | 140 | -4 | Y | |
| GW-11 | 06/22/13 | 18.1 | 61.2 | 1 | 19.7 | 141 | -4.7 | Y | |
| GW-11 | 06/23/13 | 17.3 | 55.1 | 2.3 | 25.3 | 139 | -4.5 | Y | |
| GW-11 | 06/24/13 | 19.2 | 60.3 | 1.7 | 18.8 | 139 | -3.9 | Y | |
| GW-11 | 06/25/13 | 17.9 | 61.1 | 1.3 | 19.7 | 138 | -4.1 | Y | |
| GW-11 | 06/26/13 | 19.4 | 61.3 | 1.3 | 18 | 138 | -3.8 | Y | |
| GW-11 | 06/27/13 | 19.4 | 55 | 1.6 | 24 | 139 | -5.4 | Y | |
| GW-11 | 06/28/13 | 21.1 | 62.9 | 0.7 | 15.3 | 140 | -4 | Y | |
| GW-11 | 06/29/13 | 19.3 | 57.8 | 1 | 21.9 | 139 | -4.6 | Y | |
| GW-11 | 06/30/13 | 17.9 | 64 | 0.3 | 17.8 | 139 | -3.9 | Y | |
| GW-11 | 07/01/13 | 17.6 | 60.4 | 0.9 | 21.1 | 141 | -3.9 | Y | |
| GW-11 | 07/02/13 | 19.2 | 58.5 | 0.8 | 21.5 | 140 | -4.5 | Y | |
| GW-11 | 07/03/13 | 22.4 | 61.8 | 0.3 | 15.5 | 139 | -4.1 | Y | |
| GW-11 | 07/04/13 | 25.6 | 56.7 | 0.9 | 16.8 | 141 | -4.2 | Y | |
| GW-11 | 07/05/13 | 25.6 | 59.9 | 0.4 | 14.1 | 141 | -4 | Y | |
| GW-11 | 07/06/13 | 26.7 | 60 | 0 | 13.3 | 140 | -4.1 | Y | |
| GW-11 | 07/07/13 | 29.7 | 56.7 | 0 | 13.6 | 139 | -4 | Y | |
| GW-11 | 07/08/13 | 28.1 | 58 | 0.6 | 13.3 | 140 | -4.1 | Y | |
| GW-11 | 07/09/13 | 29 | 54.5 | 0.8 | 15.7 | 138 | -3.9 | Y | |
| GW-11 | 07/10/13 | 27.6 | 54 | 1.3 | 17.1 | 138 | -4.1 | Y | |
| GW-11 | 07/11/13 | 27.9 | 54 | 1.1 | 17 | 140 | -4 | Y | |
| GW-11 | 07/12/13 | 24.2 | 54.5 | 1.6 | 19.7 | 139 | -4 | Y | |
| GW-11 | 07/13/13 | 31.9 | 54.9 | 0 | 13.2 | 140 | -4.1 | Y | |
| GW-11 | 07/14/13 | 28 | 57.1 | 0 | 14.9 | 137 | -4.1 | Y | |
| GW-11 | 07/15/13 | 26.7 | 60 | 0.2 | 13.1 | 143 | -4.2 | Y | Collected 13 minutes after midnight |
| GW-11 | 07/17/13 | 28 | 60.2 | 0 | 11.8 | 145 | -4 | Y | |
| GW-11 | 07/17/13 | 29 | 59.1 | 0.3 | 11.6 | 143 | -2.8 | Y | |
| GW-11 | 07/18/13 | 22.2 | 56.9 | 1.6 | 19.3 | 144 | -2.9 | Y | |
| GW-11 | 07/19/13 | 22.9 | 58.1 | 1.2 | 17.8 | 143 | -3.2 | Y | |
| GW-11 | 07/20/13 | 24.1 | 59.4 | 0.7 | 15.8 | 144 | -2.8 | Y | |
| GW-11 | 07/21/13 | 26.7 | 57.9 | 0.5 | 14.9 | 140 | -3.3 | Y | |
| GW-11 | 07/22/13 | 26.9 | 57.9 | 0.6 | 14.6 | 146 | -3 | Y | |
| GW-11 | 07/23/13 | 25.8 | 57.4 | 0.3 | 16.5 | 145 | -3 | Y | |
| GW-11 | 07/24/13 | 26.3 | 58 | 0.7 | 15 | 143 | -4.4 | Y | |
| GW-11 | 07/25/13 | 26.8 | 58.9 | 0.7 | 13.6 | 148 | -3.4 | Y | |
| GW-11 | 07/26/13 | 28.1 | 58.2 | 0.8 | 12.9 | 145 | -2.8 | Y | |
| GW-11 | 07/27/13 | 27 | 57.6 | 0.2 | 15.2 | 146 | -2.4 | Y | |
| GW-11 | 07/28/13 | 27.4 | 58.7 | 0.3 | 13.6 | 146 | -2.2 | Y | |
| GW-11 | 07/29/13 | 28.2 | 56.7 | 0 | 15.1 | 147 | -2.3 | Y | |
| GW-11 | 07/30/13 | 26.9 | 57.6 | 0 | 15.5 | 145 | -2.9 | Y | |
| GW-11 | 07/31/13 | 28.3 | 56.6 | 0.3 | 14.8 | 145 | -2.2 | Y | |
| GW-11 | 08/01/13 | 29.3 | 57.2 | 0 | 13.5 | 145 | -2.1 | Y | |
| GW-11 | 08/02/13 | 26.8 | 58.5 | 0.1 | 14.6 | 145 | -2.5 | N | Air regulator cleaned - pump operational |
| GW-11 | 08/03/13 | 28.1 | 57.5 | 0.3 | 14.1 | 146 | -2.5 | Y | |
| GW-11 | 08/04/13 | 27.6 | 59.2 | 0.1 | 13.1 | 143 | -2.3 | Y | |
| GW-11 | 08/05/13 | 26.6 | 59.3 | 0.3 | 13.8 | 147 | -1.8 | Y | |
| GW-11 | 08/06/13 | 24.7 | 60.2 | 0.1 | 15 | 149 | -1.9 | Y | |
| GW-11 | 08/07/13 | 25 | 58.2 | 0 | 16.8 | 148 | -3 | Y | |
| GW-11 | 08/08/13 | 26.1 | 56.6 | 0.4 | 16.9 | 150 | -3.4 | Y | |
| GW-11 | 08/09/13 | 25.9 | 59.3 | 0.4 | 14.4 | 150 | -3.3 | Y | |
| GW-11 | 08/10/13 | 27.1 | 56.6 | 0.6 | 15.7 | 148 | -3.6 | Y | |
| GW-11 | 08/11/13 | 25.5 | 56.9 | 0.6 | 17 | 149 | -3.7 | Y | |
| GW-11 | 08/12/13 | 26.1 | 57.6 | 0.6 | 15.7 | 151 | -3.2 | Y | |
| GW-11 | 08/13/13 | 26.6 | 56.6 | 0.5 | 16.3 | 149 | -3 | Y | |
| GW-11 | 08/14/13 | 25.7 | 54.4 | 0.3 | 19.6 | 152 | -3.7 | Y | |
| GW-11 | 08/15/13 | 26.4 | 57.1 | 0.1 | 16.4 | 151 | -3.7 | Y | |
| GW-11 | 08/16/13 | 26.4 | 57.8 | 0 | 15.8 | 149 | -3.6 | Y | |
| GW-11 | 08/17/13 | 26.7 | 57.6 | 0 | 15.7 | 151 | -3.6 | Y | |
| GW-11 | 08/18/13 | 27.7 | 58.5 | 0.1 | 13.7 | 151 | -3.7 | Y | |
| GW-11 | 08/19/13 | 26 | 56.3 | 0.5 | 17.2 | 151 | -3.6 | Y | |
| GW-11 | 08/20/13 | 26.8 | 59.3 | 0 | 13.9 | 151 | -3.6 | Y | |
| GW-11 | 08/21/13 | 27.5 | 58.5 | 0 | 14 | 153 | -3 | Y | |
| GW-11 | 08/22/13 | 29.3 | 60.4 | 0 | 10.3 | 154 | -3 | Y | |
| GW-11 | 08/23/13 | 27.1 | 58.8 | 0 | 14.1 | 153 | -3 | Y | |
| GW-11 | 08/24/13 | 26 | 61.3 | 0.2 | 12.5 | 153 | -2.4 | Y | |
| GW-11 | 08/25/13 | 25.8 | 60.1 | 0.1 | 14 | 156 | -3.1 | Y | |
| GW-11 | 08/26/13 | 25.4 | 62.8 | 0 | 11.8 | 153 | -3.2 | Y | |
| GW-11 | 08/27/13 | 29.2 | 61.6 | 0 | 9.2 | 152 | -3.5 | N | Replaced manifold - pump operational |
| GW-11 | 08/28 | | | | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-12 | 04/08/13 | 7.4 | 68.4 | 0.9 | 23.3 | 80 | -0.5 | N | |
| GW-12 | 04/09/13 | 6.5 | 66.2 | 0 | 27.3 | 80 | -0.4 | Y | |
| GW-12 | 04/10/13 | 6.6 | 65 | 0.8 | 27.6 | 85 | -0.1 | Y | |
| GW-12 | 04/11/13 | 3.4 | 40.1 | 8.9 | 47.6 | 50 | -0.6 | Y | |
| GW-12 | 04/12/13 | 5.3 | 59.5 | 2.4 | 32.8 | 40 | -0.6 | Y | |
| GW-12 | 04/13/13 | 4.8 | 59.1 | 2.3 | 33.8 | 52 | -0.5 | Y | |
| GW-12 | 04/14/13 | 5.2 | 59.5 | 1.9 | 33.4 | 72 | -0.5 | Y | |
| GW-12 | 04/15/13 | 3.7 | 39.5 | 8.4 | 48.4 | 68 | -0.3 | Y | |
| GW-12 | 04/16/13 | 6.1 | 62.4 | 0.9 | 30.6 | 44 | -1.1 | Y | |
| GW-12 | 04/17/13 | 7.3 | 62.4 | 0.9 | 29.4 | 60 | -0.9 | Y | |
| GW-12 | 04/18/13 | 6.3 | 69.6 | 0.5 | 23.6 | 60 | -0.7 | Y | |
| GW-12 | 04/19/13 | 5.9 | 62.9 | 1.7 | 29.5 | 40 | -1.3 | Y | |
| GW-12 | 04/20/13 | 7 | 61.7 | 0.3 | 31 | 52 | -1.6 | Y | |
| GW-12 | 04/21/13 | 7.9 | 59.7 | 0.6 | 31.8 | 52 | -1.4 | Y | |
| GW-12 | 04/22/13 | 8 | 63.6 | 0.3 | 28.1 | 68 | -1.1 | Y | |
| GW-12 | 04/23/13 | 7.6 | 61.7 | 0.9 | 29.8 | 58 | -1.5 | Y | |
| GW-12 | 04/24/13 | 8.4 | 62.4 | 0.1 | 29.1 | 100 | -3.1 | Y | |
| GW-12 | 04/25/13 | 14.9 | 46.4 | 0.6 | 38.1 | 120 | -4.3 | Y | |
| GW-12 | 04/26/13 | 13.9 | 50.7 | 0.6 | 34.8 | 136 | -4 | Y | |
| GW-12 | 04/27/13 | 14.4 | 44.1 | 3 | 38.5 | 130 | -5 | Y | |
| GW-12 | 04/28/13 | 10.8 | 46.7 | 4.9 | 37.6 | 110 | -5 | Y | |
| GW-12 | 04/29/13 | 11.7 | 42.7 | 4.8 | 40.8 | 125 | -5.1 | Y | |
| GW-12 | 04/30/13 | 7.3 | 34.6 | 6.6 | 51.5 | 120 | -3.1 | Y | |
| GW-12 | 05/01/13 | 7.4 | 34 | 6.2 | 52.4 | 128 | -3.7 | Y | |
| GW-12 | 05/02/13 | 9 | 32.1 | 8.6 | 50.3 | 120 | -4.8 | Y | |
| GW-12 | 05/03/13 | 7.9 | 33.5 | 8.6 | 50 | 95 | -5 | Y | |
| GW-12 | 05/04/13 | 4.3 | 26.2 | 11.8 | 57.7 | 115 | -3.3 | Y | |
| GW-12 | 05/05/13 | 5 | 68 | 0.2 | 26.8 | 95 | -1.5 | Y | Begin using fluke temp meter |
| GW-12 | 05/06/13 | 5 | 61.3 | 1.9 | 31.8 | 60 | -2 | Y | |
| GW-12 | 05/07/13 | 5.5 | 66.4 | 0.2 | 27.9 | 68 | -1.4 | Y | |
| GW-12 | 05/08/13 | 4.9 | 63.7 | 0.6 | 30.8 | 72 | -1.5 | Y | |
| GW-12 | 05/09/13 | 5.4 | 66.9 | 0.7 | 27 | 73 | -0.5 | Y | |
| GW-12 | 05/10/13 | 5.7 | 67.5 | 0.3 | 26.5 | 69 | -0.8 | Y | |
| GW-12 | 05/11/13 | 6.4 | 68.1 | 0.5 | 25 | 73 | -0.8 | Y | |
| GW-12 | 05/12/13 | 6.4 | 68.1 | 0.5 | 25 | 61 | -0.5 | Y | |
| GW-12 | 05/13/13 | 10.2 | 60.1 | 2.4 | 27.3 | 77 | -0.7 | Y | Pulled pump and replaced seals |
| GW-12 | 05/14/13 | 5.8 | 68.8 | 0 | 25.4 | 95 | -0.5 | Y | |
| GW-12 | 05/15/13 | 5.9 | 68.8 | 0 | 25.3 | 115 | -0.5 | Y | Installed check valve |
| GW-12 | 05/16/13 | 6 | 67.9 | 0.2 | 25.9 | 99 | -1.1 | Y | |
| GW-12 | 05/17/13 | 4.9 | 65.3 | 0.9 | 28.9 | 118 | -1.1 | Y | |
| GW-12 | 05/18/13 | 5.9 | 67 | 0.4 | 26.7 | 117 | -1.3 | Y | |
| GW-12 | 05/19/13 | 6.9 | 61.3 | 2 | 29.8 | 121 | -1.5 | Y | |
| GW-12 | 05/20/13 | 11.5 | 67.5 | 0.6 | 20.4 | 122 | -1.5 | Y | |
| GW-12 | 05/21/13 | 6.9 | 59.5 | 1.7 | 31.9 | 128 | -1.8 | Y | |
| GW-12 | 05/22/13 | 5.4 | 61.8 | 1.6 | 31.2 | 110 | -1.9 | Y | |
| GW-12 | 05/23/13 | 5.4 | 64.3 | 0.3 | 30 | 115 | -1.9 | Y | |
| GW-12 | 05/24/13 | 5.6 | 66 | 0.7 | 27.7 | 117 | -2 | Y | |
| GW-12 | 05/25/13 | 5.1 | 66.9 | 0.3 | 27.7 | 124 | -1.6 | Y | |
| GW-12 | 05/26/13 | 6.3 | 68.1 | 0.8 | 24.8 | 129 | -2.2 | Y | |
| GW-12 | 05/27/13 | 5 | 64.8 | 0.2 | 30 | 128 | -1.8 | Y | |
| GW-12 | 05/28/13 | 6.6 | 66.6 | 0.3 | 26.5 | 122 | -1.4 | Y | |
| GW-12 | 05/29/13 | 5 | 65.9 | 1.4 | 27.7 | 128 | -1.9 | Y | |
| GW-12 | 05/30/13 | 5.6 | 64.1 | 0.6 | 29.7 | 130 | -1.9 | Y | |
| GW-12 | 05/31/13 | 4.5 | 64.1 | 1.4 | 30 | 118 | -1.8 | Y | |
| GW-12 | 06/01/13 | 4.7 | 66.5 | 0.3 | 28.5 | 0 | -1.6 | Y | 6-1 Temp error - data removed |
| GW-12 | 06/02/13 | 8.1 | 70.5 | 0.2 | 21.2 | 72 | -1.2 | Y | |
| GW-12 | 06/03/13 | 6.8 | 68.3 | 0 | 24.9 | 86 | -1.4 | Y | Working on available vac issue |
| GW-12 | 06/04/13 | 6.3 | 69.8 | 0.3 | 23.6 | 96 | -0.8 | N | Replaced 1-inch rod seal - pump operating |
| GW-12 | 06/05/13 | 7.2 | 69 | 0.6 | 23.2 | 99 | -1.1 | Y | Working on available vac issue |
| GW-12 | 06/06/13 | 5.4 | 68.7 | 0.7 | 25.2 | 101 | -1.9 | Y | Working on available vac issue |
| GW-12 | 06/07/13 | 4.8 | 53.4 | 0.7 | 41.1 | 100 | -1.3 | Y | Working on available vac issue |
| GW-12 | 06/08/13 | 5.8 | 66.3 | 0 | 27.9 | 103 | -0.7 | Y | Sag main header, jumper installed late 6-8 |
| GW-12 | 06/09/13 | 5.5 | 63.9 | 0.9 | 29.7 | 105 | -1.3 | Y | Vacuum restored |
| GW-12 | 06/10/13 | 5.3 | 61.5 | 1.9 | 31.3 | 104 | -2.3 | Y | |
| GW-12 | 06/11/13 | 4.7 | 64.8 | 1.6 | 28.9 | 105 | -2 | Y | |
| GW-12 | 06/12/13 | 5.4 | 64.5 | 0.8 | 29.3 | 107 | -2.1 | N | Replaced 1-inch rod seal - pump operating |
| GW-12 | 06/13/13 | 7.4 | 69.6 | 0.1 | 22.9 | 106 | -2 | Y | |
| GW-12 | 06/14/13 | 6.5 | 68.6 | 0.3 | 24.6 | 105 | -2.5 | Y | Replaced air box |
| GW-12 | 06/15/13 | 5.8 | 66 | 0.7 | 27.5 | 107 | -2.3 | Y | |
| GW-12 | 06/16/13 | 5.9 | 67 | 0 | 27.1 | 108 | -1.5 | Y | |
| GW-12 | 06/17/13 | 4.6 | 66.3 | 0.3 | 28.8 | 107 | -2.6 | Y | |
| GW-12 | 06/18/13 | 4.4 | 67 | 0.3 | 28.3 | 110 | -2.6 | Y | |
| GW-12 | 06/19/13 | 5.7 | 66.2 | 0.6 | 27.5 | 110 | -2.5 | Y | |
| GW-12 | 06/20/13 | 3.6 | 74.2 | 0.5 | 21.7 | 112 | -2.6 | Y | Damaged pump seal, replaced pump |
| GW-12 | 06/21/13 | 4.4 | 67.7 | 0.2 | 27.7 | 110 | -2.7 | Y | |
| GW-12 | 06/22/13 | 3.8 | 67 | 0.5 | 28.7 | 108 | -2.9 | Y | |
| GW-12 | 06/23/13 | 4.6 | 66.3 | 0.1 | 29 | 112 | -3 | Y | |
| GW-12 | 06/24/13 | 5.4 | 70.9 | 0.1 | 23.6 | 113 | -2.8 | Y | |
| GW-12 | 06/25/13 | 4.7 | 70.2 | 0 | 25.1 | 112 | -3 | Y | |
| GW-12 | 06/26/13 | 4.8 | 68.3 | 0.7 | 26.2 | 110 | -3.2 | Y | |
| GW-12 | 06/27/13 | 7.7 | 59.5 | 1.6 | 31.2 | 114 | -3.1 | Y | |
| GW-12 | 06/28/13 | 5.2 | 68.1 | 0.5 | 26.2 | 114 | -3 | Y | |
| GW-12 | 06/29/13 | 4.7 | 65.5 | 0.4 | 29.4 | 114 | -2.9 | Y | |
| GW-12 | 06/30/13 | 4.3 | 68.3 | 0.4 | 27 | 113 | -2.9 | Y | |
| GW-12 | 07/01/13 | 4.4 | 67.4 | 0.5 | 27.7 | 115 | -2.8 | Y | |
| GW-12 | 07/02/13 | 5.1 | 67 | 0.7 | 27.2 | 114 | -3 | Y | |
| GW-12 | 07/03/13 | 5.5 | 69 | 0.2 | 25.3 | 116 | -2.9 | Y | |
| GW-12 | 07/04/13 | 7.9 | 61.1 | 1.9 | 29.1 | 118 | -3.1 | Y | |
| GW-12 | 07/05/13 | 5.3 | 67.7 | 0.5 | 26.5 | 118 | -2.6 | Y | |
| GW-12 | 07/06/13 | 4.7 | 69.1 | 0 | 26.2 | 119 | -2.7 | Y | |
| GW-12 | 07/07/13 | 3.3 | 60 | 1.2 | 35.5 | 114 | -2.7 | Y | |
| GW-12 | 07/08/13 | 5.1 | 69.8 | 0.5 | 24.6 | 112 | -2.5 | Y | |
| GW-12 | 07/09/13 | 4.4 | 66.9 | 0.5 | 28.2 | 115 | -2.7 | Y | |
| GW-12 | 07/10/13 | 4.2 | 68.3 | 0.7 | 26.8 | 112 | -2.4 | Y | |
| GW-12 | 07/11/13 | 4.5 | 65.6 | 0.4 | 29.5 | 110 | -2.6 | Y | |
| GW-12 | 07/12/13 | 4 | 68.5 | 0.4 | 27.1 | 110 | -2.9 | Y | |
| GW-12 | 07/13/13 | 9 | 60.9 | 0.8 | 29.3 | 120 | -4 | Y | |
| GW-12 | 07/14/13 | 14 | 63.1 | 0.8 | 22.1 | 116 | -4.1 | Y | |
| GW-12 | 07/15/13 | 4.5 | 69.3 | 0 | 26.2 | 112 | -4.2 | Y | |
| GW-12 | 07/17/13 | 14 | 44.3 | 6.3 | 35.4 | 149 | -1.5 | Y | Coll. 20 mins after midnight |
| GW-12 | 07/17/13 | 6.3 | 72 | 0.2 | 21.5 | 146 | -0.1 | Y | |
| GW-12 | 07/18/13 | 11.9 | 60.4 | 1.9 | 25.8 | 146 | -0.5 | Y | |
| GW-12 | 07/19/13 | 5.5 | 68.3 | 0.4 | 25.8 | 140 | -0.4 | Y | |
| GW-12 | 07/20/13 | 11.5 | 61.2 | 1.5 | 25.8 | 142 | -0.6 | Y | |
| GW-12 | 07/21/13 | 5.5 | 68.2 | 0 | 26.3 | 145 | -0.7 | Y | |
| GW-12 | 07/22/13 | 14.2 | 45.4 | 6.5 | 33.9 | 147 | -2.1 | Y | |
| GW-12 | 07/23/13 | 8.1 | 61.3 | 1.5 | 29.1 | 146 | -0.7 | Y | |
| GW-12 | 07/24/13 | 7.2 | 62.1 | 1.6 | 29.1 | 143 | -0.9 | N | Replaced 1" rod seal - pump operational |
| GW-12 | 07/25/13 | 5.5 | 68.2 | 0.4 | 25.9 | 146 | -0.1 | Y | |
| GW-12 | 07/26/13 | 5.7 | 62.3 | 2.2 | 29.8 | 144 | -0.1 | Y | |
| GW-12 | 07/27/13 | 9.1 | 60.6 | 1.8 | 28.5 | 142 | -0.8 | Y | |
| GW-12 | 07/28/13 | 6.7 | 65.5 | 0.2 | 27.6 | 143 | -0.7 | Y | |
| GW-12 | 07/29/13 | 9.5 | 67.7 | 0.9 | 21.9 | 141 | -0.6 | Y | |
| GW-12 | 07/30/13 | 14.9 | 50.6 | 4 | 30.5 | 142 | -1.9 | Y | adjustment made reduced O2 to 0.5% |
| GW-12 | 07/31/13 | 14.7 | 48.9 | 4.7 | 31.7 | 140 | -1.2 | Y | adjustment made reduced O2 to 1.8% |
| GW-12 | 08/01/13 | 10.4 | 69.1 | 0 | 20.5 | 145 | -0.1 | Y | |
| GW-12 | 08/02/13 | 8 | 65.2 | 1.2 | 25.6 | 140 | -0.2 | Y | |
| GW-12 | 08/03/13 | 7.9 | 63.8 | 1.5 | 26.8 | 140 | -0.6 | Y | |
| GW-12 | 08/04/13 | 6.7 | 63 | 0 | 20.3 | 141 | -0.5 | Y | |
| GW-12 | 08/05/13 | 8.4 | 64.1 | 1.7 | 25.8 | 146 | -1.1 | Y | |
| GW-12 | 08/06/13 | 8.6 | 63.2 | 1.6 | 26.6 | 149 | -0.8 | Y | |
| GW-12 | 08/07/13 | 6.9 | 69.7 | 0 | 23.4 | 147 | -1.3 | Y | |
| GW-12 | 08/08/13 | 8.2 | 62.9 | 1.3 | 27.6 | 142 | -0.7 | Y | |
| GW-12 | 08/09/13 | 8.3 | 67.9 | 0.3 | 23.5 | 151 | -0.5 | Y | |
| GW-12 | 08/10/13 | 7.4 | 64.5 | 1.2 | 26.9 | 150 | -1 | Y | |
| GW-12 | 08/11/13 | 6.3 | 66.9 | 0.5 | 26.3 | 147 | -0.9 | Y | |
| GW-12 | 08/12/13 | 9 | 68.3 | 0.6 | 22.1 | 147 | -0.4 | Y | |
| GW-12 | 08/13/13 | 13.4 | 48.2 | 6 | 32.4 | 144 | -1 | Y | adjustment made reduced O2 to 1.8% |
| GW-12 | 08/14/13 | 10.6 | 65.9 | 0.1 | 23.4 | 142 | -0.5 | Y | |
| GW-12 | 08/15/13 | 11.9 | 55.3 | 3.9 | 28.9 | 148 | -1.5 | Y | adjustment made reduced O2 to 1.8% |
| GW-12 | 08/16/13 | 7.6 | 68.9 | 0.5 | 23 | 150 | -2.1 | Y | |
| GW-12 | 08/17/13 | 14.1 | 46.6 | 4.3 | 33 | 144 | -2.7 | Y | adjustment made reduced O2 to 1.7% |
| GW-12 | 08/18/13 | 13.2 | 66.9 | 1 | 18.9 | 143 | -0.5 | Y | |
| GW-12 | 08/19/13 | 8.1 | 64.6 | 1.8 | 25.4 | 146 | -1.1 | Y | |
| GW-12 | 08/20/13 | 8.5 | 68 | 0 | 23.5 | 145 | -0.2 | Y | |
| GW-12 | 08/21/13 | 11.4 | 65.2 | 1.5 | 21.9 | 143 | -0.4 | Y | |
| GW-12 | 08/22/13 | 10.2 | 69.1 | 0 | 20.7 | 149 | -0.2 | Y | |
| GW-12 | 08/23/13 | 7.1 | 64.5 | 1.8 | 26.6 | 143 | -1 | Y | |
| GW-12 | 08/24/13 | 4.4 | 71 | 0 | 24.6 | 141 | -0.3 | Y | |
| GW-12 | 08/25/13 | 7.8 | 71.7 | 0.2 | 20.3 | 147 | -0.5 | Y | |
| GW-12 | 08/26/13 | 9.1 | 65.1 | 1.8 | | | | | |

| GW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|--------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|--|
| GW-13 | 04/08/13 | 0.4 | 1.2 | 17.9 | 80.5 | 82 | -0.7 | N | |
| GW-13 | 04/09/13 | 0.1 | 0.6 | 19.5 | 79.8 | 80 | -1 | Y | |
| GW-13 | 04/10/13 | 0.1 | 0.9 | 16.6 | 82.4 | 88 | -0.3 | Y | |
| GW-13 | 04/11/13 | 2.4 | 10 | 17.1 | 70.5 | 50 | -1.4 | Y | |
| GW-13 | 04/12/13 | 0.2 | 3 | 20.4 | 76.4 | 45 | -1.6 | Y | |
| GW-13 | 04/13/13 | 3 | 12 | 17.6 | 67.4 | 60 | -1.5 | Y | |
| GW-13 | 04/14/13 | 1.2 | 4.2 | 18.4 | 76.2 | 80 | -1.4 | Y | |
| GW-13 | 04/15/13 | 2.5 | 7.3 | 17.6 | 72.6 | 68 | -1 | Y | |
| GW-13 | 04/16/13 | 18.9 | 65.2 | 0.4 | 15.5 | 50 | -1.8 | Y | |
| GW-13 | 04/17/13 | 4.9 | 13.4 | 15 | 66.7 | 70 | -1.9 | Y | |
| GW-13 | 04/18/13 | 16.3 | 63.5 | 0.3 | 19.9 | 68 | -1.8 | Y | |
| GW-13 | 04/19/13 | 13.1 | 50.8 | 2.1 | 34 | 42 | -2.5 | Y | Pump working, no liquid, dry |
| GW-13 | 04/20/13 | 11.7 | 50.6 | 2.1 | 35.6 | 70 | -2.9 | Y | Pump working, no liquid, dry |
| GW-13 | 04/21/13 | 13.8 | 53.2 | 1.9 | 31.1 | 60 | -2.5 | Y | |
| GW-13 | 04/22/13 | 11.9 | 61 | 0.9 | 26.2 | 72 | -1.9 | Y | Pump working, no liquid, dry |
| GW-13 | 04/23/13 | 11.4 | 56 | 2 | 30.6 | 62 | -2.8 | Y | |
| GW-13 | 04/24/13 | 16.6 | 42.5 | 2.3 | 38.8 | 110 | -5.2 | Y | Pump working, no liquid, dry |
| GW-13 | 04/25/13 | 11.6 | 54.3 | 1.9 | 32.2 | 80 | -1.3 | Y | |
| GW-13 | 04/26/13 | 9.1 | 55.1 | 2.7 | 31.2 | 75 | -5 | Y | Pump working, no liquid, dry |
| GW-13 | 04/27/13 | 17.8 | 42.3 | 4.9 | 35 | 110 | -5.5 | Y | Pump working, no liquid, dry |
| GW-13 | 04/28/13 | 12.8 | 54.3 | 3 | 29.9 | 105 | -5 | Y | Pump working, no liquid, dry |
| GW-13 | 04/29/13 | 12 | 63.6 | 0.5 | 23.9 | 80 | -3.9 | Y | Pump working, no liquid, dry |
| GW-13 | 04/30/13 | 9.6 | 60 | 1.7 | 28.7 | 95 | -4.1 | Y | Pump working, no liquid, dry |
| GW-13 | 05/01/13 | 13.7 | 47.2 | 3.4 | 35.7 | 122 | -5.1 | Y | Pump working, no liquid, dry |
| GW-13 | 05/02/13 | 15.9 | 44.5 | 3.8 | 35.8 | 130 | -4.8 | Y | Pump working, no liquid, dry |
| GW-13 | 05/03/13 | 9.7 | 65.5 | 0.6 | 24.2 | 70 | -4.1 | Y | Pump working, no liquid, dry |
| GW-13 | 05/04/13 | 9.6 | 58.4 | 1.8 | 30.2 | 70 | -4.1 | Y | Pump working, no liquid, dry |
| GW-13 | 05/05/13 | 14.6 | 52.5 | 1.4 | 31.5 | 110 | -4.1 | Y | Begin using fluke temp meter |
| GW-13 | 05/06/13 | 11.2 | 51.3 | 1.9 | 35.6 | 111 | -4 | Y | Pump working, no liquid, dry |
| GW-13 | 05/07/13 | 10.6 | 51.6 | 2.2 | 35.6 | 120 | -4.1 | Y | Pump working, no liquid, dry |
| GW-13 | 05/08/13 | 9.4 | 50.9 | 2 | 37.7 | 129 | -4.7 | Y | Pump working, no liquid, dry |
| GW-13 | 05/09/13 | 11.1 | 54.5 | 2 | 32.4 | 111 | -2.9 | Y | Pump working, no liquid, dry |
| GW-13 | 05/10/13 | 12.6 | 48.9 | 2.9 | 35.6 | 115 | -4.1 | Y | |
| GW-13 | 05/11/13 | 11.8 | 57.8 | 2.4 | 28 | 77 | -1.4 | Y | |
| GW-13 | 05/12/13 | 13.1 | 66 | 1 | 19.9 | 68 | -1.4 | N | Pump not working, repairs being made |
| GW-13 | 05/13/13 | 19.2 | 63.7 | 0.8 | 16.3 | 73 | -1.4 | Y | Pulled pump and replaced HDPE tube |
| GW-13 | 05/14/13 | 11.2 | 62.2 | 1.7 | 24.9 | 96 | -1.2 | Y | Replaced fiberglass rod and rod seal. |
| GW-13 | 05/15/13 | 9.2 | 68.4 | 0 | 22.4 | 100 | -1.3 | Y | Installed check valve |
| GW-13 | 05/16/13 | 9.3 | 62.5 | 1.3 | 26.9 | 133 | -1.8 | Y | |
| GW-13 | 05/17/13 | 9.2 | 64.9 | 1.3 | 24.6 | 137 | -1.9 | Y | |
| GW-13 | 05/18/13 | 9.8 | 61.1 | 1.3 | 27.8 | 138 | -2.3 | Y | |
| GW-13 | 05/19/13 | 14.2 | 63.6 | 1.3 | 20.9 | 134 | -2 | Y | |
| GW-13 | 05/20/13 | 14.5 | 58.9 | 1.4 | 25.2 | 131 | -3.8 | Y | |
| GW-13 | 05/21/13 | 19.5 | 59.7 | 0.8 | 20 | 138 | -3.9 | Y | |
| GW-13 | 05/22/13 | 16.6 | 60.7 | 0.8 | 21.9 | 140 | -3.3 | Y | Replaced 1-inch rod seal |
| GW-13 | 05/23/13 | 13.8 | 57.9 | 1.2 | 27.1 | 138 | -4.4 | Y | |
| GW-13 | 05/24/13 | 13 | 61.8 | 1.4 | 23.8 | 140 | -3.5 | Y | |
| GW-13 | 05/25/13 | 14.5 | 63.5 | 0.6 | 21.4 | 143 | -3.6 | Y | |
| GW-13 | 05/26/13 | 9.6 | 53.6 | 2 | 34.8 | 141 | -3.7 | Y | |
| GW-13 | 05/27/13 | 11.5 | 53.8 | 1 | 33.7 | 138 | -3 | N | Removed and cleaned air box - operating |
| GW-13 | 05/28/13 | 14.7 | 60.4 | 0.6 | 24.3 | 132 | -2.7 | Y | |
| GW-13 | 05/29/13 | 10.8 | 52.7 | 1.3 | 35.2 | 136 | -3 | N | Removed and cleaned air box - operating |
| GW-13 | 05/30/13 | 11.4 | 57.9 | 1.3 | 29.4 | 132 | -3.8 | Y | |
| GW-13 | 05/31/13 | 10 | 53.4 | 1.5 | 35.1 | 136 | -3.5 | Y | |
| GW-13 | 06/01/13 | 7.3 | 51.5 | 1.6 | 39.6 | 130 | -3.2 | Y | |
| GW-13 | 06/02/13 | 6.4 | 58.5 | 1.1 | 34 | 136 | -3.1 | N | Replaced 4-way valve - pump operational |
| GW-13 | 06/03/13 | 7.9 | 54.2 | 1.4 | 36.5 | 138 | -2.6 | Y | Working on available vac issue |
| GW-13 | 06/04/13 | 10.3 | 63.4 | 0.2 | 26.1 | 138 | -1 | Y | Working on available vac issue |
| GW-13 | 06/05/13 | 14.4 | 63.6 | 0.5 | 21.5 | 138 | -2 | Y | Working on available vac issue |
| GW-13 | 06/06/13 | 9.6 | 59.8 | 1.2 | 29.4 | 140 | -1.6 | Y | Working on available vac issue |
| GW-13 | 06/07/13 | 9.6 | 54.3 | 1.4 | 34.7 | 135 | -2.1 | Y | Working on available vac issue |
| GW-13 | 06/08/13 | 8.9 | 61.1 | 0.4 | 29.6 | 138 | -0.9 | Y | Sag main header, jumper installed late 6-8 |
| GW-13 | 06/09/13 | 8.8 | 51.9 | 1.5 | 37.8 | 143 | -2.2 | Y | Vacuum restored |
| GW-13 | 06/10/13 | 10.3 | 44 | 2.4 | 43.3 | 138 | -5.2 | Y | |
| GW-13 | 06/11/13 | 11 | 52.7 | 1.1 | 35.2 | 138 | -4 | Y | |
| GW-13 | 06/12/13 | 12.9 | 48 | 1 | 38.1 | 139 | -4.3 | N | Replaced 1-inch rod seal - pump operating |
| GW-13 | 06/13/13 | 9.4 | 49.8 | 2.1 | 38.7 | 138 | -4 | Y | |
| GW-13 | 06/14/13 | 9 | 50.1 | 1.1 | 39.8 | 140 | -4.1 | Y | Replaced air box |
| GW-13 | 06/15/13 | 8.2 | 52.2 | 1.9 | 37.7 | 137 | -4.4 | Y | |
| GW-13 | 06/16/13 | 13.9 | 65.1 | 0.6 | 20.4 | 140 | -2.1 | Y | |
| GW-13 | 06/17/13 | 14.8 | 50.4 | 1.7 | 33.1 | 140 | -4.6 | Y | |
| GW-13 | 06/18/13 | 14.4 | 51.2 | 1.6 | 32.8 | 142 | -4.1 | N | Clogged air line, cleaned, operational |
| GW-13 | 06/19/13 | 17.9 | 51.4 | 1.7 | 29 | 140 | -4.1 | Y | |
| GW-13 | 06/20/13 | 14.1 | 55.2 | 1.9 | 28.8 | 142 | -4 | Y | |
| GW-13 | 06/21/13 | 18 | 52.9 | 1 | 28.1 | 142 | -4 | Y | |
| GW-13 | 06/22/13 | 17.9 | 51.2 | 1.8 | 29.1 | 139 | -4.6 | Y | |
| GW-13 | 06/23/13 | 18.6 | 46.8 | 1.9 | 32.7 | 140 | -4.1 | Y | |
| GW-13 | 06/24/13 | 10.4 | 56.7 | 1.8 | 31.1 | 142 | -4.2 | Y | |
| GW-13 | 06/25/13 | 15.6 | 56.8 | 1.7 | 21.9 | 140 | -4.2 | Y | |
| GW-13 | 06/26/13 | 11.8 | 58.6 | 2 | 27.6 | 135 | -4.3 | Y | |
| GW-13 | 06/27/13 | 8.5 | 53.6 | 1.4 | 36.5 | 136 | -4 | Y | |
| GW-13 | 06/28/13 | 12.3 | 57.3 | 2.1 | 28.3 | 138 | -4.2 | Y | |
| GW-13 | 06/29/13 | 6.4 | 63.2 | 0.1 | 30.3 | 138 | -4.4 | Y | |
| GW-13 | 06/30/13 | 7.4 | 59.2 | 1.8 | 31.6 | 138 | -4.3 | Y | |
| GW-13 | 07/01/13 | 7 | 59.7 | 1.6 | 31.7 | 138 | -4.1 | Y | |
| GW-13 | 07/02/13 | 5.3 | 65.1 | 0.3 | 29.3 | 139 | -4.6 | Y | |
| GW-13 | 07/03/13 | 6.2 | 65.5 | 0.5 | 27.8 | 142 | -4 | Y | |
| GW-13 | 07/04/13 | 7 | 62.9 | 0.4 | 29.7 | 139 | -4.1 | Y | |
| GW-13 | 07/05/13 | 6.3 | 65.5 | 0.6 | 27.6 | 137 | -3.9 | Y | |
| GW-13 | 07/06/13 | 5.1 | 67.4 | 0 | 27.5 | 138 | -4.1 | Y | |
| GW-13 | 07/07/13 | 6.5 | 64 | 0.7 | 28.8 | 138 | -4.1 | Y | |
| GW-13 | 07/08/13 | 5.4 | 68.8 | 0.5 | 25.3 | 133 | -4.2 | Y | |
| GW-13 | 07/09/13 | 4.9 | 64.5 | 0.8 | 29.8 | 136 | -4 | Y | |
| GW-13 | 07/10/13 | 8.6 | 63.9 | 1.5 | 26 | 132 | -4.1 | Y | |
| GW-13 | 07/11/13 | 6.9 | 62.7 | 0.9 | 29.5 | 137 | -4 | N | Replaced 1-inch rod seal, pump operating |
| GW-13 | 07/12/13 | 4.8 | 65.1 | 0.2 | 29.9 | 139 | -3.9 | Y | |
| GW-13 | 07/13/13 | 19.6 | 65.5 | 0.8 | 14.1 | 141 | -4.1 | Y | |
| GW-13 | 07/14/13 | 7.2 | 66.1 | 0 | 26.7 | 135 | -4.4 | Y | |
| GW-13 | 07/15/13 | 9.3 | 64.9 | 0 | 25.8 | 142 | -4.1 | Y | |
| GW-13 | 07/17/13 | 12.1 | 39.8 | 6.9 | 41.2 | 145 | -5.4 | Y | Coll. 39 mins after midnight |
| GW-13 | 07/17/13 | 8.6 | 68.2 | 0.2 | 23 | 139 | -0.3 | Y | |
| GW-13 | 07/18/13 | 13.8 | 66.5 | 0 | 19.7 | 140 | -0.2 | Y | |
| GW-13 | 07/19/13 | 15.4 | 65.4 | 0.3 | 18.9 | 142 | -1 | Y | |
| GW-13 | 07/20/13 | 17 | 64.8 | 0.7 | 17.5 | 144 | -0.9 | Y | |
| GW-13 | 07/21/13 | 12.7 | 59.7 | 2.2 | 25.4 | 140 | -1 | Y | |
| GW-13 | 07/22/13 | 13.5 | 57.7 | 2.9 | 25.9 | 143 | -1.1 | Y | |
| GW-13 | 07/23/13 | 11.1 | 65.5 | 0.6 | 22.8 | 141 | -0.6 | Y | Pulled and Cleaned Pump |
| GW-13 | 07/24/13 | 11.9 | 61.4 | 1.5 | 25.2 | 140 | -1.1 | Y | |
| GW-13 | 07/25/13 | 14.1 | 67.2 | 0.3 | 18.4 | 140 | -0.3 | N | Replaced 4 way valve - pump operational |
| GW-13 | 07/26/13 | 11.6 | 59 | 2.2 | 27.2 | 144 | -0.4 | Y | |
| GW-13 | 07/27/13 | 16.8 | 55.7 | 2.3 | 25.2 | 146 | -0.9 | Y | |
| GW-13 | 07/28/13 | 10.7 | 62.7 | 0.1 | 26.5 | 145 | -0.8 | Y | |
| GW-13 | 07/29/13 | 13.2 | 65.3 | 1 | 20.5 | 147 | -1 | Y | |
| GW-13 | 07/30/13 | 10.8 | 62.1 | 1.2 | 25.9 | 146 | -0.8 | Y | |
| GW-13 | 07/31/13 | 16.8 | 61.2 | 1.1 | 20.9 | 146 | -0.7 | Y | |
| GW-13 | 08/01/13 | 13.2 | 64.4 | 0.4 | 22 | 148 | -0.3 | N | aced cylinder cap/4 way valve - pump operational |
| GW-13 | 08/02/13 | 11.8 | 66.1 | 0 | 22.1 | 141 | -0.1 | Y | |
| GW-13 | 08/03/13 | 12.1 | 62 | 1.2 | 24.7 | 137 | -0.4 | Y | |
| GW-13 | 08/04/13 | 12.2 | 69.6 | 0.6 | 20.6 | 147 | -0.7 | Y | |
| GW-13 | 08/05/13 | 12 | 67.2 | 0.2 | 20.6 | 136 | -0.3 | Y | |
| GW-13 | 08/06/13 | 11.3 | 66.4 | 0.2 | 22.1 | 139 | -0.4 | Y | |
| GW-13 | 08/07/13 | 12.2 | 69 | 0 | 18.8 | 136 | -0.8 | Y | |
| GW-13 | 08/08/13 | 12.4 | 63.6 | 1 | 23 | 140 | -0.9 | Y | |
| GW-13 | 08/09/13 | 4.3 | 67.1 | 0.6 | 28 | 138 | -1.7 | Y | |
| GW-13 | 08/10/13 | 9.6 | 61.9 | 1.6 | 26.9 | 134 | -1.9 | Y | |
| GW-13 | 08/11/13 | 7 | 65.9 | 0.4 | 26.7 | 141 | -1.2 | Y | |
| GW-13 | 08/12/13 | 12.7 | 66.3 | 0.6 | 20.4 | 149 | -0.7 | Y | |
| GW-13 | 08/13/13 | 9 | 58.2 | 3 | 29.8 | 140 | -1.4 | Y | adjustment made, reduced O2 to 1.8% |
| GW-13 | 08/14/13 | 10.1 | 65.6 | 0.2 | 24.1 | 143 | -0.3 | Y | |
| GW-13 | 08/15/13 | 8.5 | 67.8 | 0 | 23.7 | 147 | -0.3 | Y | |
| GW-13 | 08/16/13 | 12.4 | 68.4 | 0 | 19.2 | 140 | -0.8 | Y | |
| GW-13 | 08/17/13 | 9.2 | 62 | 1.6 | 27.2 | 144 | -1.1 | Y | |
| GW-13 | 08/18/13 | 13.7 | 66.7 | 0.5 | 19.1 | 145 | -0.8 | Y | |
| GW-13 | 08/19/13 | 10 | 64.2 | 1.1 | 24.7 | 147 | -1 | Y | |
| GW-13 | 08/20/13 | 11.6 | 65.9 | 0 | 22.5 | 145 | -0.8 | Y | |
| GW-13 | 08/21/13 | 13.2 | 64 | 0.8 | 22 | 144 | -1 | Y | |
| GW-13 | 08/22/13 | 14.7 | 65.3 | 0.3 | 19.7 | 146 | -1.1 | Y | |
| GW-13 | 08/23/13 | 10.3 | 60.9 | 1.9 | 26.9 | 148 | -1.5 | Y | |
| GW-13 | 0 | | | | | | | | |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|--|
| LCS- 1D | 3/27/13 | 25.9 | 12.0 | 252.22 | 37.9 | 290.12 | 30.00 | Y | Herst - J. Wilkinson | Dedicated Transducer | |
| LCS- 1D | 4/8/13 | 86.1 | 12.0 | 252.22 | 98.1 | 350.32 | 30.00 | N | B. Sehie | Dedicated Transducer | Storage Restriction - Pump Off |
| LCS- 1D | 4/15/13 | NA | 12.0 | 252.22 | | | 30.00 | N | Herst - M. Stewart | Dedicated Transducer | LCS Offline for Electrical Service |
| LCS- 1D | 4/22/13 | NA | 12.0 | 252.22 | | | 30.00 | N | B. Sehie | Dedicated Transducer | LCS Offline for Electrical Service |
| LCS- 1D | 4/29/13 | 15.6 | 12.0 | 252.22 | 27.6 | 279.82 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 5/6/13 | 15.2 | 12.0 | 252.22 | 27.2 | 279.42 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 1D | 5/13/13 | 15.0 | 12.0 | 252.22 | 27.0 | 279.22 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 5/20/13 | 14.9 | 12.0 | 252.22 | 26.9 | 279.12 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 5/27/13 | 15.4 | 12.0 | 252.22 | 27.4 | 279.62 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 6/3/13 | 14.8 | 12.0 | 252.22 | 26.8 | 279.02 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 6/10/13 | 14.9 | 12.0 | 252.22 | 26.9 | 279.12 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 1D | 6/17/13 | 14.9 | 12.0 | 252.22 | 26.9 | 279.12 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 1D | 6/24/13 | 74.8 | 12.0 | 252.22 | 86.8 | 339.02 | 30.00 | N | B. Sehie | Dedicated Transducer | Motor Failure - replacement schd. 7/1/13 |
| LCS- 1D | 7/1/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 7/8/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 7/15/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 7/22/13 | | | | | 0.00 | 30.00 | N | Herst - M. Stewart | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 7/29/13 | | | | | 0.00 | 30.00 | N | Herst - M. Stewart | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 8/6/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 8/13/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 8/19/13 | | | | | 0.00 | 30.00 | N | Herst - J. Regan | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 8/26/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |
| LCS- 1D | 9/6/13 | | | | | 0.00 | 30.00 | N | B. Sehie | Dedicated Transducer | Sump collapsed, no power |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|--------------------------------|
| LCS- 2D | 3/27/13 | 13.4 | 14.4 | 235.92 | 27.8 | 263.72 | 30.00 | Y | Herst - J. Wilkinson | Dedicated Transducer | |
| LCS- 2D | 4/8/13 | 144.5 | 14.4 | 235.92 | 158.9 | 394.82 | 30.00 | N | B. Sehie | Dedicated Transducer | Storage Restriction - Pump Off |
| LCS- 2D | 4/15/13 | 13.6 | 14.4 | 235.92 | 28.0 | 263.92 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 2D | 4/22/13 | 13.5 | 14.4 | 235.92 | 27.9 | 263.82 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 4/29/13 | 13.6 | 14.4 | 235.92 | 28.0 | 263.92 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 5/6/13 | 13.5 | 14.4 | 235.92 | 27.9 | 263.82 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 2D | 5/13/13 | 13.3 | 14.4 | 235.92 | 27.7 | 263.62 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 5/20/13 | 13.7 | 14.4 | 235.92 | 28.1 | 264.02 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 5/27/13 | 13.9 | 14.4 | 235.92 | 28.3 | 264.22 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 6/3/13 | 13.8 | 14.4 | 235.92 | 28.2 | 264.12 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 6/10/13 | 13.6 | 14.4 | 235.92 | 28.0 | 263.92 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 6/17/13 | 13.4 | 14.4 | 235.92 | 27.8 | 263.72 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 2D | 6/24/13 | 13.8 | 14.4 | 235.92 | 28.2 | 264.12 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 7/1/13 | 13.7 | 14.4 | 235.92 | 28.1 | 264.02 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 7/8/13 | 13.6 | 14.4 | 235.92 | 28.0 | 263.92 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 7/15/13 | 14.3 | 14.4 | 235.92 | 28.7 | 264.62 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 7/22/13 | 13.4 | 14.4 | 235.92 | 27.8 | 263.72 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 2D | 7/29/13 | 13.4 | 14.4 | 235.92 | 27.8 | 263.72 | 30.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 2D | 8/6/13 | 13.3 | 14.4 | 235.92 | 27.7 | 263.62 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 8/13/13 | 13.8 | 14.4 | 235.92 | 28.2 | 264.12 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 8/19/13 | 13.7 | 14.4 | 235.92 | 28.1 | 264.02 | 30.00 | Y | Herst - J. Regan | Dedicated Transducer | |
| LCS- 2D | 8/26/13 | 13.5 | 14.4 | 235.92 | 27.9 | 263.82 | 30.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 2D | 9/6/13 | 13.4 | 14.4 | 235.92 | 27.8 | 263.72 | 30.00 | Y | B. Sehie | Dedicated Transducer | |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|-----------------|
| LCS- 3C | 3/27/13 | | | | | N/A | 30.00 | N/A | Herst - J. Wilkinson | N/A | Non-Operational |
| LCS- 3C | 4/8/13 | | | | | N/A | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 4/15/13 | | | | | N/A | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 3C | 4/22/13 | | | | | N/A | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 4/29/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 5/6/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 3C | 5/13/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 5/20/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 5/27/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 6/3/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 6/10/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 6/17/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 3C | 6/24/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 7/1/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 7/8/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 7/15/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 7/22/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 3C | 7/29/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 3C | 8/6/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 8/13/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 8/19/13 | | | | | 0.00 | 30.00 | N/A | Herst - J. Regan | N/A | Non-Operational |
| LCS- 3C | 8/26/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 3C | 9/6/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|--|
| LCS- 4B | 3/27/13 | | | | | N/A | 30.00 | N/A | Herst - J. Wilkinson | N/A | Non-Operational |
| LCS- 4B | 4/8/13 | | | | | N/A | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 4/15/13 | | | | | N/A | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 4B | 4/22/13 | | | | | N/A | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 4/29/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 5/6/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 4B | 5/13/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 5/20/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 5/27/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 6/3/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 6/10/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 6/17/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Installation of replacement sump in current location impossible, installation aborted. |
| LCS- 4B | 6/24/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 7/1/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 7/8/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 7/15/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 7/22/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 4B | 7/29/13 | | | | | 0.00 | 30.00 | N/A | Herst - M. Stewart | N/A | Non-Operational |
| LCS- 4B | 8/6/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 8/13/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 8/19/13 | | | | | 0.00 | 30.00 | N/A | Herst - J. Regan | N/A | Non-Operational |
| LCS- 4B | 8/26/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |
| LCS- 4B | 9/6/13 | | | | | 0.00 | 30.00 | N/A | B. Sehie | N/A | Non-Operational |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|--------------------------------|
| LCS- 5A | 3/27/13 | 25.9 | 15.0 | 235.4 | 40.9 | 276.30 | 50.00 | Y | Herst - J. Wilkinson | Dedicated Transducer | |
| LCS- 5A | 4/8/13 | 41.8 | 15.0 | 235.4 | 56.8 | 292.20 | 50.00 | N | B. Sehie | Dedicated Transducer | Storage Restriction - Pump Off |
| LCS- 5A | 4/15/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 5A | 4/22/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 4/29/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 5/6/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 5A | 5/13/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 5/20/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 5/27/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 6/3/13 | 14.1 | 15.0 | 235.4 | 29.1 | 264.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 6/10/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 6/17/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 5A | 6/24/13 | 11.9 | 15.0 | 235.4 | 26.9 | 262.30 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 7/1/13 | 12.7 | 15.0 | 235.4 | 27.7 | 263.10 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 7/8/13 | 11.1 | 15.0 | 235.4 | 26.1 | 261.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 7/15/13 | 10.2 | 15.0 | 235.4 | 25.2 | 260.60 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 7/22/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 5A | 7/29/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 5A | 8/6/13 | 10.0 | 15.0 | 235.4 | 25.0 | 260.40 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 8/13/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 8/19/13 | 10.2 | 15.0 | 235.4 | 25.2 | 260.60 | 50.00 | Y | Herst - J. Regan | Dedicated Transducer | |
| LCS- 5A | 8/26/13 | 10.4 | 15.0 | 235.4 | 25.4 | 260.80 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 5A | 9/6/13 | 10.1 | 15.0 | 235.4 | 25.1 | 260.50 | 50.00 | Y | B. Sehie | Dedicated Transducer | |

| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Compliance Level (Ft. Above Quarry Floor) | Pump on during measurement? (Y/N) | Technician initials | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|---|-----------------------------------|----------------------|-------------------------|---------------------------------------|
| LCS- 6B | 3/27/13 | 7.2 | 9.4 | 428.52 | 16.6 | 445.12 | 50.00 | Y | Herst - J. Wilkinson | Dedicated Transducer | |
| LCS- 6B | 4/8/13 | 7.3 | 9.4 | 428.52 | 16.7 | 445.22 | 50.00 | Y | B. Sehie | Dedicated Transducer | Pump in Dry Run Protection Mode (off) |
| LCS- 6B | 4/15/13 | 9.3 | 9.4 | 428.52 | 18.7 | 447.22 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 6B | 4/22/13 | 10.6 | 9.4 | 428.52 | 20.0 | 448.52 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 4/29/13 | 10.5 | 9.4 | 428.52 | 19.9 | 448.42 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 5/6/13 | 10.6 | 9.4 | 428.52 | 20.0 | 448.52 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 6B | 5/13/13 | 8.4 | 9.4 | 428.52 | 17.8 | 446.32 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 5/20/13 | 10.6 | 9.4 | 428.52 | 20.0 | 448.52 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 5/27/13 | 9.6 | 9.4 | 428.52 | 19.0 | 447.52 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 6/3/13 | 9.1 | 9.4 | 428.52 | 18.5 | 447.02 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 6/10/13 | 11.1 | 9.4 | 428.52 | 20.5 | 449.02 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 6/17/13 | 11.0 | 9.4 | 428.52 | 20.4 | 448.92 | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 6B | 6/24/13 | 11.1 | 9.4 | 428.52 | 20.5 | 449.02 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 7/1/13 | 10.0 | 9.4 | 428.52 | 19.4 | 447.92 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 7/8/13 | 7.8 | 9.4 | 428.52 | 17.2 | 445.72 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 7/15/13 | 9.8 | 9.4 | 428.52 | 19.2 | 447.72 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 7/22/13 | REM Fault | 9.4 | 428.52 | #VALUE! | #VALUE! | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 6B | 7/29/13 | REM Fault | | | #VALUE! | #VALUE! | 50.00 | Y | Herst - M. Stewart | Dedicated Transducer | |
| LCS- 6B | 8/6/13 | 9.4 | 9.4 | 428.52 | 18.8 | 447.32 | 50.00 | Y | B. Sehie | Dedicated Transducer | Pump Replaced 8/6/13 |
| LCS- 6B | 8/13/13 | 9.8 | 9.4 | 428.52 | 19.2 | 447.72 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 8/19/13 | 8.4 | 9.4 | 428.52 | 17.8 | 446.32 | 50.00 | Y | Herst - J. Regan | Dedicated Transducer | |
| LCS- 6B | 8/26/13 | 8.4 | 9.4 | 428.52 | 17.8 | 446.32 | 50.00 | Y | B. Sehie | Dedicated Transducer | |
| LCS- 6B | 9/6/13 | 7.5 | 9.4 | 428.52 | 16.9 | 445.42 | 50.00 | Y | B. Sehie | Dedicated Transducer | |