

Bridgeton Landfill, LLC

Weekly Data Submittals

**Required by Section 52.F of Agreed Order, Case No. 13SL-CC01088
Effective May 13, 2013**

Contents:

Attachment A – Leachate Levels in Leachate Collection Sumps

Attachment B – Temperature Monitoring Probe Analytical Charts

Attachment C – Gas Interceptor Wellhead Temperature Graphs

Provided Separately:

- Leachate Level in Leachate Collection Sump Raw Data Excel Spreadsheet**
- Temperature Monitoring Probe Raw Data Excel Spreadsheet**
- Gas Interceptor Well Reading Raw Data Excel Spreadsheet**

July 16, 2013

Commentary on Data

Attachment A – Leachate Levels in Leachate Collection Sumps

Bridgeton Landfill has installed replacement sump LCS-3C but is unable to install a pump due to excessive pressures and surging conditions. A replacement for LCS-4B has been drilled but attempts to place well casing and pump in it have been temporarily abandoned until some excess pressure in the LCS is relieved.

The LCS-1 pump failed and it appears that the well is damaged or collapsed at some point; evaluation of restorative or mitigative measures is ongoing. The other leachate collection sumps appear to be operating properly with measured leachate levels below the required pumping levels.

Attachment B – Temperature Monitoring Probe Analytical Charts

TMP-8 has been compromised and no longer reliably monitorable. The following TMPs indicated virtually identical or lower temperature profiles than previous week(s): TMP-1, -2, -3, -4, -5, -6, -10, -11, -12, -13, and -14.

TMP-7 and -9 indicated slight to moderate increase from previous weeks.

Attachment C – Gas Interceptor Wellhead Temperature Graphs


The following GIWs indicated virtually identical or slightly trending lower wellhead temperatures as recent previous week(s): GIW-1, -2, -5, -6, -7, -8, -9, -10, -11, and -13. The following GIWs indicated observable increases in wellhead temperatures as recent previous week(s): GIW-3, -4 and -12.

Overall, GIW wellhead temperatures have been very steady over the past several weeks suggesting that a current steady-state of heat exchange is occurring as may be expected once the reaction front is significantly slowed.


ATTACHMENT A

LEACHATE LEVELS IN LEACHATE COLLECTION SUMPS


LCS-1D Liquid Level Above Quarry Floor




LCS-2D Liquid Level Above Quarry Floor



LCS-5A Liquid Level Above Quarry Floor




LCS-6B Liquid Level Above Quarry Floor



ATTACHMENT B


TEMPERATURE MONITORING PROBE ANALYTICAL CHARTS

TMP-1




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-2




TMP-3




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-4




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-5




TMP-6




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-7R




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-8




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-9




TMP-10




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-11




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-12




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-13




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

TMP-14




TEMPERATURE VS DEPTH
BRIDGETON LANDFILL

7/10/2013 - ELEVATION



TEMPERATURE VS ELEVATION
BRIDGETON LANDFILL

7/10/2013 -DEPTH




TEMPERATURE VS ELEVATION
BRIDGETON LANDFILL


ATTACHMENT C

GAS INTERCEPTOR WELLHEAD TEMPERATURE GRAPHS


GIW-1 Wellhead Temperatures




GIW-2 Wellhead Temperatures




GIW-3 Wellhead Temperatures




GIW-4 Wellhead Temperatures




GIW-5 Wellhead Temperatures




GIW-6 Wellhead Temperatures




GIW-7 Wellhead Temperatures




GIW-8 Wellhead Temperatures




GIW-9 Wellhead Temperatures




GIW-10 Wellhead Temperatures




GIW-11 Wellhead Temperatures



GIW-12 Wellhead Temperatures



GIW-13 Wellhead Temperatures



TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	1	11/8/2012	18	108.481	451.2174		
TMP-1	1	11/8/2012	38	121.5071	431.2174		
TMP-1	1	11/8/2012	58	129.7388	411.2174		
TMP-1	1	11/8/2012	78	122.5392	391.2174		
TMP-1	1	11/8/2012	98	122.8205	371.2174		
TMP-1	1	11/8/2012	118	117.8404	351.2174		
TMP-1	1	11/8/2012	138	106.8663	331.2174		
TMP-1	2	11/12/2012	18	108.5759	451.2174		
TMP-1	2	11/12/2012	38	131.4155	431.2174		
TMP-1	2	11/12/2012	58	134.7617	411.2174		
TMP-1	2	11/12/2012	78	136.3385	391.2174		
TMP-1	2	11/12/2012	98	134.0189	371.2174		
TMP-1	2	11/12/2012	118	121.1315	351.2174		
TMP-1	2	11/12/2012	138	112.1769	331.2174		
TMP-1	3	11/19/2012	18	113.0282	451.2174		
TMP-1	3	11/19/2012	38	134.7617	431.2174		
TMP-1	3	11/19/2012	58	136.2458	411.2174		
TMP-1	3	11/19/2012	78	137.1725	391.2174		
TMP-1	3	11/19/2012	98	130.3911	371.2174		
TMP-1	3	11/19/2012	118	119.5341	351.2174		
TMP-1	3	11/19/2012	138	113.3118	331.2174		
TMP-1	4	11/26/2012	18	106.0106	451.2174		
TMP-1	4	11/26/2012	38	130.1116	431.2174		
TMP-1	4	11/26/2012	58	131.0431	411.2174		
TMP-1	4	11/26/2012	78	130.1116	391.2174		
TMP-1	4	11/26/2012	98	131.5086	371.2174		
TMP-1	4	11/26/2012	118	114.8233	351.2174		
TMP-1	4	11/26/2012	138	104.4877	331.2174		
TMP-1	5	12/11/2012	18	110.0934	451.2174		
TMP-1	5	12/11/2012	38	136.0604	431.2174		
TMP-1	5	12/11/2012	58	141.3333	411.2174		
TMP-1	5	12/11/2012	78	140.5023	391.2174		
TMP-1	5	12/11/2012	98	134.0189	371.2174		
TMP-1	5	12/11/2012	118	124.5071	351.2174		
TMP-1	5	12/11/2012	138	117.181	331.2174		
TMP-1	6	12/17/2012	18	110.0934	451.2174		
TMP-1	6	12/17/2012	38	136.0604	431.2174		
TMP-1	6	12/17/2012	58	141.3333	411.2174		
TMP-1	6	12/17/2012	78	140.5023	391.2174		
TMP-1	6	12/17/2012	98	134.0189	371.2174		
TMP-1	6	12/17/2012	118	124.5071	351.2174		
TMP-1	6	12/17/2012	138	117.181	331.2174		
TMP-1	7	12/24/2012	18	115.2008	451.2174		
TMP-1	7	12/24/2012	38	136.7092	431.2174		
TMP-1	7	12/24/2012	58	142.256	411.2174		
TMP-1	7	12/24/2012	78	140.4099	391.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	7	12/24/2012	98	133.926	371.2174		
TMP-1	7	12/24/2012	118	124.6007	351.2174		
TMP-1	7	12/24/2012	138	117.0868	331.2174		
TMP-1	8	12/31/2012	18	115.2008	451.2174		
TMP-1	8	12/31/2012	38	136.7092	431.2174		
TMP-1	8	12/31/2012	58	141.3333	411.2174		
TMP-1	8	12/31/2012	78	140.4099	391.2174		
TMP-1	8	12/31/2012	98	132.9968	371.2174		
TMP-1	8	12/31/2012	118	123.6641	351.2174		
TMP-1	8	12/31/2012	138	115.2008	331.2174		
TMP-1	9	1/7/2013	18	117.0868	451.2174		
TMP-1	9	1/7/2013	38	137.6355	431.2174		
TMP-1	9	1/7/2013	58	143.1779	411.2174		
TMP-1	9	1/7/2013	78	141.3333	391.2174		
TMP-1	9	1/7/2013	98	134.8545	371.2174		
TMP-1	9	1/7/2013	118	124.6007	351.2174		
TMP-1	9	1/7/2013	138	116.1442	331.2174		
TMP-1	10	1/9/2013	18	118.5	451.2174		
TMP-1	10	1/9/2013	38	139.5	431.2174		
TMP-1	10	1/9/2013	58	145	411.2174		
TMP-1	10	1/9/2013	78	143.7	391.2174		
TMP-1	10	1/9/2013	98	136.9	371.2174		
TMP-1	10	1/9/2013	118	126.7	351.2174		
TMP-1	10	1/9/2013	138	118.7	331.2174		
TMP-1	11	1/15/2013	18	120.1	451.2174		
TMP-1	11	1/15/2013	38	140.5	431.2174		
TMP-1	11	1/15/2013	58	146.8	411.2174		
TMP-1	11	1/15/2013	78	144.9	391.2174		
TMP-1	11	1/15/2013	98	137.9	371.2174		
TMP-1	11	1/15/2013	118	127.7	351.2174		
TMP-1	11	1/15/2013	138	119.6	331.2174		
TMP-1	12	1/22/2013	18	121.4	451.2174		
TMP-1	12	1/22/2013	38	141.1	431.2174		
TMP-1	12	1/22/2013	58	146.1	411.2174		
TMP-1	12	1/22/2013	78	144.7	391.2174		
TMP-1	12	1/22/2013	98	137.4	371.2174		
TMP-1	12	1/22/2013	118	127.1	351.2174		
TMP-1	12	1/22/2013	138	118.7	331.2174		
TMP-1	13	1/28/2013	18	120.1	451.2174		
TMP-1	13	1/28/2013	38	140.2	431.2174		
TMP-1	13	1/28/2013	58	145.6	411.2174		
TMP-1	13	1/28/2013	78	144.3	391.2174		
TMP-1	13	1/28/2013	98	137.2	371.2174		
TMP-1	13	1/28/2013	118	126.9	351.2174		
TMP-1	13	1/28/2013	138	118.8	331.2174		
TMP-1	14	2/6/2013	18	119.8	451.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	14	2/6/2013	38	139.7	431.2174		
TMP-1	14	2/6/2013	58	145.1	411.2174		
TMP-1	14	2/6/2013	78	143.8	391.2174		
TMP-1	14	2/6/2013	98	136.8	371.2174		
TMP-1	14	2/6/2013	118	126.6	351.2174		
TMP-1	14	2/6/2013	138	118.5	331.2174		
TMP-1	15	2/7/2013	18	120.6	451.2174		
TMP-1	15	2/7/2013	38	140.4	431.2174		
TMP-1	15	2/7/2013	58	145.7	411.2174		
TMP-1	15	2/7/2013	78	144.3	391.2174		
TMP-1	15	2/7/2013	98	137.2	371.2174		
TMP-1	15	2/7/2013	118	126.9	351.2174		
TMP-1	15	2/7/2013	138	118.7	331.2174		
TMP-1	16	2/13/2013	18	121.4	451.2174		
TMP-1	16	2/13/2013	38	141.2	431.2174		
TMP-1	16	2/13/2013	58	146.7	411.2174		
TMP-1	16	2/13/2013	78	145.3	391.2174		
TMP-1	16	2/13/2013	98	138.2	371.2174		
TMP-1	16	2/13/2013	118	127.9	351.2174		
TMP-1	16	2/13/2013	138	119.8	331.2174		
TMP-1	17	2/18/2013	18	120.3	451.2174		
TMP-1	17	2/18/2013	38	139.9	431.2174		
TMP-1	17	2/18/2013	58	145.3	411.2174		
TMP-1	17	2/18/2013	78	143.9	391.2174		
TMP-1	17	2/18/2013	98	136.9	371.2174		
TMP-1	17	2/18/2013	118	126.3	351.2174		
TMP-1	17	2/18/2013	138	118.2	331.2174		
TMP-1	18	2/25/2013	18	122.3	451.2174		
TMP-1	18	2/25/2013	38	141.7	431.2174		
TMP-1	18	2/25/2013	58	146.9	411.2174		
TMP-1	18	2/25/2013	78	145.4	391.2174		
TMP-1	18	2/25/2013	98	138.5	371.2174		
TMP-1	18	2/25/2013	118	128	351.2174		
TMP-1	18	2/25/2013	138	119.9	331.2174		
TMP-1	19	3/4/2013	18	123.4	451.2174		
TMP-1	19	3/4/2013	38	142.7	431.2174		
TMP-1	19	3/4/2013	58	146.2	411.2174		
TMP-1	19	3/4/2013	78	144.6	391.2174		
TMP-1	19	3/4/2013	98	137.6	371.2174		
TMP-1	19	3/4/2013	118	127.1	351.2174		
TMP-1	19	3/4/2013	138	119	331.2174		
TMP-1	20	3/12/2013	18	121.4	451.2174		
TMP-1	20	3/12/2013	38	141.6	431.2174		
TMP-1	20	3/12/2013	58	146.1	411.2174		
TMP-1	20	3/12/2013	78	144.5	391.2174		
TMP-1	20	3/12/2013	98	137.4	371.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	20	3/12/2013	118	127	351.2174		
TMP-1	20	3/12/2013	138	118.8	331.2174		
TMP-1	21	3/19/2013	18	122.6	451.2174		
TMP-1	21	3/19/2013	38	142.1	431.2174		
TMP-1	21	3/19/2013	58	147.2	411.2174		
TMP-1	21	3/19/2013	78	145.6	391.2174		
TMP-1	21	3/19/2013	98	138.5	371.2174		
TMP-1	21	3/19/2013	118	128.1	351.2174		
TMP-1	21	3/19/2013	138	119.9	331.2174		
TMP-1	22	3/26/2013	18	122.8	451.2174		
TMP-1	22	3/26/2013	38	141.6	431.2174		
TMP-1	22	3/26/2013	58	147.1	411.2174		
TMP-1	22	3/26/2013	78	145.6	391.2174		
TMP-1	22	3/26/2013	98	138.4	371.2174		
TMP-1	22	3/26/2013	118	128.1	351.2174		
TMP-1	22	3/26/2013	138	119.7	331.2174		
TMP-1	23	4/3/2013	18	123.2	451.2174		
TMP-1	23	4/3/2013	38	142.2	431.2174		
TMP-1	23	4/3/2013	58	147.6	411.2174		
TMP-1	23	4/3/2013	78	146.1	391.2174		
TMP-1	23	4/3/2013	98	139	371.2174		
TMP-1	23	4/3/2013	118	128.7	351.2174		
TMP-1	23	4/3/2013	138	120.6	331.2174		
TMP-1	26	4/10/2013	18	122.9	451.2174		
TMP-1	26	4/10/2013	38	141.4	431.2174		
TMP-1	26	4/10/2013	58	146.4	411.2174		
TMP-1	26	4/10/2013	78	144.7	391.2174		
TMP-1	26	4/10/2013	98	137.3	371.2174		
TMP-1	26	4/10/2013	118	126.8	351.2174		
TMP-1	26	4/10/2013	138	118.5	331.2174		
TMP-1	27	4/17/2013	18	122	451.2174		
TMP-1	27	4/17/2013	38	141.1	431.2174		
TMP-1	27	4/17/2013	58	146.4	411.2174		
TMP-1	27	4/17/2013	78	144.9	391.2174		
TMP-1	27	4/17/2013	98	137.6	371.2174		
TMP-1	27	4/17/2013	118	127.3	351.2174		
TMP-1	27	4/17/2013	138	119.2	331.2174		
TMP-1	28	4/30/2013	18	122.5	451.2174		
TMP-1	28	4/30/2013	38	140	431.2174		
TMP-1	28	4/30/2013	58	145.3	411.2174		
TMP-1	28	4/30/2013	78	143.6	391.2174		
TMP-1	28	4/30/2013	98	136.4	371.2174		
TMP-1	28	4/30/2013	118	126	351.2174		
TMP-1	28	4/30/2013	138	117.8	331.2174		
TMP-1	29	5/9/2013	18	122.8	451.2174		
TMP-1	29	5/9/2013	38	142.9	431.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	29	5/9/2013	58	148.1	411.2174		
TMP-1	29	5/9/2013	78	146.5	391.2174		
TMP-1	29	5/9/2013	98	139.2	371.2174		
TMP-1	29	5/9/2013	118	128.8	351.2174		
TMP-1	29	5/9/2013	138	120.7	331.2174		
TMP-1	30	5/15/2013	18	120.2	451.2174		
TMP-1	30	5/15/2013	38	140.1	431.2174		
TMP-1	30	5/15/2013	58	145.2	411.2174		
TMP-1	30	5/15/2013	78	143.6	391.2174		
TMP-1	30	5/15/2013	98	136.1	371.2174		
TMP-1	30	5/15/2013	118	125.5	351.2174		
TMP-1	30	5/15/2013	138	117.2	331.2174		
TMP-1	31	5/22/2013	18	122.5	451.2174		
TMP-1	31	5/22/2013	38	141.9	431.2174		
TMP-1	31	5/22/2013	58	147.1	411.2174		
TMP-1	31	5/22/2013	78	145.5	391.2174		
TMP-1	31	5/22/2013	98	138	371.2174		
TMP-1	31	5/22/2013	118	127.5	351.2174		
TMP-1	31	5/22/2013	138	119.3	331.2174		
TMP-1	32	5/29/2013	18	120.7	451.2174		
TMP-1	32	5/29/2013	38	140.1	431.2174		
TMP-1	32	5/29/2013	58	145.3	411.2174		
TMP-1	32	5/29/2013	78	143.6	391.2174		
TMP-1	32	5/29/2013	98	136.3	371.2174		
TMP-1	32	5/29/2013	118	126	351.2174		
TMP-1	32	5/29/2013	138	117.8	331.2174		
TMP-1	34	6/5/2013	18	121.2	451.2174		
TMP-1	34	6/5/2013	38	140.5	431.2174		
TMP-1	34	6/5/2013	58	145.7	411.2174		
TMP-1	34	6/5/2013	78	144.1	391.2174		
TMP-1	34	6/5/2013	98	136.8	371.2174		
TMP-1	34	6/5/2013	118	126.5	351.2174		
TMP-1	34	6/5/2013	138	118.3	331.2174		
TMP-1	35	6/12/2013	18	123.3	451.2174		
TMP-1	35	6/12/2013	38	142.2	431.2174		
TMP-1	35	6/12/2013	58	147.3	411.2174		
TMP-1	35	6/12/2013	78	145.6	391.2174		
TMP-1	35	6/12/2013	98	138.4	371.2174		
TMP-1	35	6/12/2013	118	128.1	351.2174		
TMP-1	35	6/12/2013	138	119.9	331.2174		
TMP-1	36	6/19/2013	18	126.4	451.2174		
TMP-1	36	6/19/2013	38	144.7	431.2174		
TMP-1	36	6/19/2013	58	150	411.2174		
TMP-1	36	6/19/2013	78	147.9	391.2174		
TMP-1	36	6/19/2013	98	140.2	371.2174		
TMP-1	36	6/19/2013	118	129.8	351.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-1	36	6/19/2013	138	121.3	331.2174		
TMP-1	37	6/27/2013	18	121.4	451.2174		
TMP-1	37	6/27/2013	38	140	431.2174		
TMP-1	37	6/27/2013	58	145.4	411.2174		
TMP-1	37	6/27/2013	78	143.6	391.2174		
TMP-1	37	6/27/2013	98	136.1	371.2174		
TMP-1	37	6/27/2013	118	125.8	351.2174		
TMP-1	37	6/27/2013	138	117.6	331.2174		
TMP-1	38	7/3/2013	18	127.2	451.2174		
TMP-1	38	7/3/2013	38	145	431.2174		
TMP-1	38	7/3/2013	58	150.1	411.2174		
TMP-1	38	7/3/2013	78	148	391.2174		
TMP-1	38	7/3/2013	98	140.2	371.2174		
TMP-1	38	7/3/2013	118	129.7	351.2174		
TMP-1	38	7/3/2013	138	121.2	331.2174		
TMP-1	40	7/10/2013	18	122.3	451.2174		
TMP-1	40	7/10/2013	38	140.4	431.2174		
TMP-1	40	7/10/2013	58	145.6	411.2174		
TMP-1	40	7/10/2013	78	143.7	391.2174		
TMP-1	40	7/10/2013	98	136.2	371.2174		
TMP-1	40	7/10/2013	118	125.9	351.2174		
TMP-1	40	7/10/2013	138	117.7	331.2174		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	2	11/12/2012	0	82.4755022	488.3816		
TMP-2	2	11/12/2012	20	108.386042	468.3816		
TMP-2	2	11/12/2012	40	136.523881	448.3816		
TMP-2	2	11/12/2012	60	152.9061834	428.3816		
TMP-2	2	11/12/2012	80	153.3630939	408.3816		
TMP-2	2	11/12/2012	100	153.9111539	388.3816		
TMP-2	2	11/12/2012	120	150.344219	368.3816		
TMP-2	2	11/12/2012	140	145.6634629	348.3816		
TMP-2	2	11/12/2012	160	132.7179077	328.3816		
TMP-2	2	11/12/2012	180	127.032442	308.3816		
TMP-2	2	11/12/2012	200	97.61063349	288.3816		
TMP-2	3	11/19/2012	0	85.67269378	488.3816		
TMP-2	3	11/19/2012	20	116.709867	468.3816		
TMP-2	3	11/19/2012	40	142.9935503	448.3816		
TMP-2	3	11/19/2012	60	159.8322924	428.3816		
TMP-2	3	11/19/2012	80	160.014014	408.3816		
TMP-2	3	11/19/2012	100	159.286961	388.3816		
TMP-2	3	11/19/2012	120	154.367677	368.3816		
TMP-2	3	11/19/2012	140	159.4687659	348.3816		
TMP-2	3	11/19/2012	160	141.8869868	328.3816		
TMP-2	3	11/19/2012	180	128.9	308.3816		
TMP-2	3	11/19/2012	200	97.03573716	288.3816		
TMP-2	4	11/26/2012	0	81.40788302	488.3816		
TMP-2	4	11/26/2012	20	117.5578568	468.3816		
TMP-2	4	11/26/2012	40	140.4099492	448.3816		
TMP-2	4	11/26/2012	60	157.376328	428.3816		
TMP-2	4	11/26/2012	80	161.2852884	408.3816		
TMP-2	4	11/26/2012	100	155.9185413	388.3816		
TMP-2	4	11/26/2012	120	154.4589605	368.3816		
TMP-2	4	11/26/2012	140	147.5930811	348.3816		
TMP-2	4	11/26/2012	160	132.9968119	328.3816		
TMP-2	4	11/26/2012	180	121.694798	308.3816		
TMP-2	4	11/26/2012	200	91.65659224	288.3816		
TMP-2	5	12/11/2012	0	77.80986369	488.3816		
TMP-2	5	12/11/2012	20	118.1228436	468.3816		
TMP-2	5	12/11/2012	40	145.3875453	448.3816		
TMP-2	5	12/11/2012	60	160.5590122	428.3816		
TMP-2	5	12/11/2012	80	163.7332065	408.3816		
TMP-2	5	12/11/2012	100	160.7406228	388.3816		
TMP-2	5	12/11/2012	120	155.6450067	368.3816		
TMP-2	5	12/11/2012	140	149.7945037	348.3816		
TMP-2	5	12/11/2012	160	140.8717226	328.3816		
TMP-2	5	12/11/2012	180		308.3816		
TMP-2	5	12/11/2012	200	97.2274002	288.3816		
TMP-2	6	12/17/2012	0	77.80986369	488.3816		
TMP-2	6	12/17/2012	20	118.1228436	468.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	6	12/17/2012	40	145.3875453	448.3816		
TMP-2	6	12/17/2012	60	160.5590122	428.3816		
TMP-2	6	12/17/2012	80	163.7332065	408.3816		
TMP-2	6	12/17/2012	100	160.7406228	388.3816		
TMP-2	6	12/17/2012	120	155.6450067	368.3816		
TMP-2	6	12/17/2012	140	149.7945037	348.3816		
TMP-2	6	12/17/2012	160	140.8717226	328.3816		
TMP-2	6	12/17/2012	180		308.3816		
TMP-2	6	12/17/2012	200	97.2274002	288.3816		
TMP-2	7	12/24/2012	0	81.69914558	488.3816		
TMP-2	7	12/24/2012	20	119.9101785	468.3816		
TMP-2	7	12/24/2012	40	147.7766898	448.3816		
TMP-2	7	12/24/2012	60	161.4667883	428.3816		
TMP-2	7	12/24/2012	80	165.0909929	408.3816		
TMP-2	7	12/24/2012	100	161.4667883	388.3816		
TMP-2	7	12/24/2012	120	156.0097054	368.3816		
TMP-2	7	12/24/2012	140	150.5274006	348.3816		
TMP-2	7	12/24/2012	160	140.4099492	328.3816		
TMP-2	7	12/24/2012	180		308.3816		
TMP-2	7	12/24/2012	200	97.13157255	288.3816		
TMP-2	8	12/31/2012	0	79.75606731	488.3816		
TMP-2	8	12/31/2012	20	122.7267608	468.3816		
TMP-2	8	12/31/2012	40	148.6943053	448.3816		
TMP-2	8	12/31/2012	60	162.3738728	428.3816		
TMP-2	8	12/31/2012	80	165.0909929	408.3816		
TMP-2	8	12/31/2012	100	162.3738728	388.3816		
TMP-2	8	12/31/2012	120	156.920962	368.3816		
TMP-2	8	12/31/2012	140	150.5274006	348.3816		
TMP-2	8	12/31/2012	160	140.4099492	328.3816		
TMP-2	8	12/31/2012	180		308.3816		
TMP-2	8	12/31/2012	200	97.13157255	288.3816		
TMP-2	9	1/7/2013	0	81.69914558	488.3816		
TMP-2	9	1/7/2013	20	124.6007364	468.3816		
TMP-2	9	1/7/2013	40	149.6112084	448.3816		
TMP-2	9	1/7/2013	60	163.2802674	428.3816		
TMP-2	9	1/7/2013	80	165.9953268	408.3816		
TMP-2	9	1/7/2013	100	163.2802674	388.3816		
TMP-2	9	1/7/2013	120	157.8315195	368.3816		
TMP-2	9	1/7/2013	140	151.4428833	348.3816		
TMP-2	9	1/7/2013	160	142.2559568	328.3816		
TMP-2	9	1/7/2013	180		308.3816		
TMP-2	9	1/7/2013	200	98.08950115	288.3816		
TMP-2	10	1/9/2013	0	77.5	488.3816		
TMP-2	10	1/9/2013	20	122.7	468.3816		
TMP-2	10	1/9/2013	40	152.3	448.3816		
TMP-2	10	1/9/2013	60	165	428.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	10	1/9/2013	80	168.3	408.3816		
TMP-2	10	1/9/2013	100	165.2	388.3816		
TMP-2	10	1/9/2013	120	159.5	368.3816		
TMP-2	10	1/9/2013	140	153.3	348.3816		
TMP-2	10	1/9/2013	160	144	328.3816		
TMP-2	10	1/9/2013	180		308.3816		
TMP-2	10	1/9/2013	200	99.1	288.3816		
TMP-2	11	1/15/2013	0	78	488.3816		
TMP-2	11	1/15/2013	20	120.3	468.3816		
TMP-2	11	1/15/2013	40	152.2	448.3816		
TMP-2	11	1/15/2013	60	163.7	428.3816		
TMP-2	11	1/15/2013	80	167.7	408.3816		
TMP-2	11	1/15/2013	100	164.5	388.3816		
TMP-2	11	1/15/2013	120	158.7	368.3816		
TMP-2	11	1/15/2013	140	146.8	348.3816		
TMP-2	11	1/15/2013	160	142.9	328.3816		
TMP-2	11	1/15/2013	180		308.3816		
TMP-2	11	1/15/2013	200	99	288.3816		
TMP-2	12	1/22/2013	0	76.7	488.3816		
TMP-2	12	1/22/2013	20	121.8	468.3816		
TMP-2	12	1/22/2013	40	153.4	448.3816		
TMP-2	12	1/22/2013	60	165.3	428.3816		
TMP-2	12	1/22/2013	80	169.7	408.3816		
TMP-2	12	1/22/2013	100	166.2	388.3816		
TMP-2	12	1/22/2013	120	160.3	368.3816		
TMP-2	12	1/22/2013	140	153.9	348.3816		
TMP-2	12	1/22/2013	160	144	328.3816		
TMP-2	12	1/22/2013	180		308.3816		
TMP-2	12	1/22/2013	200	99.5	288.3816		
TMP-2	13	1/28/2013	0	71.5	488.3816		
TMP-2	13	1/28/2013	20	124.6	468.3816		
TMP-2	13	1/28/2013	40	152.3	448.3816		
TMP-2	13	1/28/2013	60	164.8	428.3816		
TMP-2	13	1/28/2013	80	165.1	408.3816		
TMP-2	13	1/28/2013	100	166	388.3816		
TMP-2	13	1/28/2013	120	157.7	368.3816		
TMP-2	13	1/28/2013	140	151.7	348.3816		
TMP-2	13	1/28/2013	160	141.2	328.3816		
TMP-2	13	1/28/2013	180		308.3816		
TMP-2	13	1/28/2013	200	100	288.3816		
TMP-2	14	2/6/2013	0	71	488.3816		
TMP-2	14	2/6/2013	20	124.7	468.3816		
TMP-2	14	2/6/2013	40	145.8	448.3816		
TMP-2	14	2/6/2013	60	162.9	428.3816		
TMP-2	14	2/6/2013	80	166.9	408.3816		
TMP-2	14	2/6/2013	100	163.3	388.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	14	2/6/2013	120	157.2	368.3816		
TMP-2	14	2/6/2013	140	150.6	348.3816		
TMP-2	14	2/6/2013	160	141	328.3816		
TMP-2	14	2/6/2013	180		308.3816		
TMP-2	14	2/6/2013	200	86.6	288.3816		
TMP-2	15	2/7/2013	0	74.5	488.3816		
TMP-2	15	2/7/2013	20	125.3	468.3816		
TMP-2	15	2/7/2013	40	151.6	448.3816		
TMP-2	15	2/7/2013	60	165.3	428.3816		
TMP-2	15	2/7/2013	80	168.8	408.3816		
TMP-2	15	2/7/2013	100	166.2	388.3816		
TMP-2	15	2/7/2013	120	159.9	368.3816		
TMP-2	15	2/7/2013	140	153.8	348.3816		
TMP-2	15	2/7/2013	160	144.1	328.3816		
TMP-2	15	2/7/2013	180		308.3816		
TMP-2	15	2/7/2013	200	98.1	288.3816		
TMP-2	16	2/13/2013	0	73.8	488.3816		
TMP-2	16	2/13/2013	20	127.2	468.3816		
TMP-2	16	2/13/2013	40	150	448.3816		
TMP-2	16	2/13/2013	60	164.3	428.3816		
TMP-2	16	2/13/2013	80	168.5	408.3816		
TMP-2	16	2/13/2013	100	165.3	388.3816		
TMP-2	16	2/13/2013	120	159.2	368.3816		
TMP-2	16	2/13/2013	140	153.1	348.3816		
TMP-2	16	2/13/2013	160	143.7	328.3816		
TMP-2	16	2/13/2013	180		308.3816		
TMP-2	16	2/13/2013	200	99.2	288.3816		
TMP-2	17	2/18/2013	0	73.1	488.3816		
TMP-2	17	2/18/2013	20	128.2	468.3816		
TMP-2	17	2/18/2013	40	150.4	448.3816		
TMP-2	17	2/18/2013	60	165	428.3816		
TMP-2	17	2/18/2013	80	169.3	408.3816		
TMP-2	17	2/18/2013	100	166.1	388.3816		
TMP-2	17	2/18/2013	120	159.7	368.3816		
TMP-2	17	2/18/2013	140	153.4	348.3816		
TMP-2	17	2/18/2013	160	144.1	328.3816		
TMP-2	17	2/18/2013	180		308.3816		
TMP-2	17	2/18/2013	200	99.5	288.3816		
TMP-2	18	2/25/2013	0	72.2	488.3816		
TMP-2	18	2/25/2013	20	136	468.3816		
TMP-2	18	2/25/2013	40	150.4	448.3816		
TMP-2	18	2/25/2013	60	165.6	428.3816		
TMP-2	18	2/25/2013	80	169.8	408.3816		
TMP-2	18	2/25/2013	100	166.6	388.3816		
TMP-2	18	2/25/2013	120	160.2	368.3816		
TMP-2	18	2/25/2013	140	154	348.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	18	2/25/2013	160	144.5	328.3816		
TMP-2	18	2/25/2013	180		308.3816		
TMP-2	18	2/25/2013	200	100	288.3816		
TMP-2	19	3/4/2013	0	70.2	488.3816		
TMP-2	19	3/4/2013	20	138	468.3816		
TMP-2	19	3/4/2013	40	151.6	448.3816		
TMP-2	19	3/4/2013	60	167.2	428.3816		
TMP-2	19	3/4/2013	80	171.7	408.3816		
TMP-2	19	3/4/2013	100	168.3	388.3816		
TMP-2	19	3/4/2013	120	161.6	368.3816		
TMP-2	19	3/4/2013	140	155.3	348.3816		
TMP-2	19	3/4/2013	160	145.7	328.3816		
TMP-2	19	3/4/2013	180		308.3816		
TMP-2	19	3/4/2013	200	100.3	288.3816		
TMP-2	20	3/12/2013	0	70	488.3816		
TMP-2	20	3/12/2013	20	136.6	468.3816		
TMP-2	20	3/12/2013	40	150.1	448.3816		
TMP-2	20	3/12/2013	60	165.5	428.3816		
TMP-2	20	3/12/2013	80	170	408.3816		
TMP-2	20	3/12/2013	100	166.5	388.3816		
TMP-2	20	3/12/2013	120	159.8	368.3816		
TMP-2	20	3/12/2013	140	153.1	348.3816		
TMP-2	20	3/12/2013	160	145.6	328.3816		
TMP-2	20	3/12/2013	180		308.3816		
TMP-2	20	3/12/2013	200	99.1	288.3816		
TMP-2	21	3/19/2013	0	69.3	488.3816		
TMP-2	21	3/19/2013	20	137.5	468.3816		
TMP-2	21	3/19/2013	40	149.2	448.3816		
TMP-2	21	3/19/2013	60	165.5	428.3816		
TMP-2	21	3/19/2013	80	169.9	408.3816		
TMP-2	21	3/19/2013	100	166.5	388.3816		
TMP-2	21	3/19/2013	120	159.9	368.3816		
TMP-2	21	3/19/2013	140	153.5	348.3816		
TMP-2	21	3/19/2013	160	145.8	328.3816		
TMP-2	21	3/19/2013	180		308.3816		
TMP-2	21	3/19/2013	200	99.4	288.3816		
TMP-2	22	3/26/2013	0	69.3	488.3816		
TMP-2	22	3/26/2013	20	136.6	468.3816		
TMP-2	22	3/26/2013	40	149.7	448.3816		
TMP-2	22	3/26/2013	60	165.9	428.3816		
TMP-2	22	3/26/2013	80	159.6	408.3816		
TMP-2	22	3/26/2013	100	157.2	388.3816		
TMP-2	22	3/26/2013	120	159.5	368.3816		
TMP-2	22	3/26/2013	140	152.9	348.3816		
TMP-2	22	3/26/2013	160	143.1	328.3816		
TMP-2	22	3/26/2013	180		308.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	22	3/26/2013	200	98.4	288.3816		
TMP-2	23	4/3/2013	0	73.5	488.3816		
TMP-2	23	4/3/2013	20	135.9	468.3816		
TMP-2	23	4/3/2013	40	150.6	448.3816		
TMP-2	23	4/3/2013	60	165.8	428.3816		
TMP-2	23	4/3/2013	80	170	408.3816		
TMP-2	23	4/3/2013	100	166.3	388.3816		
TMP-2	23	4/3/2013	120	159.7	368.3816		
TMP-2	23	4/3/2013	140	153.1	348.3816		
TMP-2	23	4/3/2013	160	145.5	328.3816		
TMP-2	23	4/3/2013	180		308.3816		
TMP-2	23	4/3/2013	200	99	288.3816		
TMP-2	26	4/10/2013	0	78.9	488.3816		
TMP-2	26	4/10/2013	20	134.2	468.3816		
TMP-2	26	4/10/2013	40	152.5	448.3816		
TMP-2	26	4/10/2013	60	166.2	428.3816		
TMP-2	26	4/10/2013	80	169.8	408.3816		
TMP-2	26	4/10/2013	100	166	388.3816		
TMP-2	26	4/10/2013	120	159.3	368.3816		
TMP-2	26	4/10/2013	140	152.7	348.3816		
TMP-2	26	4/10/2013	160	143.6	328.3816		
TMP-2	26	4/10/2013	180		308.3816		
TMP-2	26	4/10/2013	200	98.6	288.3816		
TMP-2	27	4/17/2013	0	86.1	488.3816		
TMP-2	27	4/17/2013	20	131.9	468.3816		
TMP-2	27	4/17/2013	40	152.7	448.3816		
TMP-2	27	4/17/2013	60	167.2	428.3816		
TMP-2	27	4/17/2013	80	171.5	408.3816		
TMP-2	27	4/17/2013	100	168.3	388.3816		
TMP-2	27	4/17/2013	120	161.6	368.3816		
TMP-2	27	4/17/2013	140	154.6	348.3816		
TMP-2	27	4/17/2013	160	147.4	328.3816		
TMP-2	27	4/17/2013	180		308.3816		
TMP-2	27	4/17/2013	200	100.7	288.3816		
TMP-2	28	4/30/2013	0	78.5	488.3816		
TMP-2	28	4/30/2013	20	136.2	468.3816		
TMP-2	28	4/30/2013	40	152.1	448.3816		
TMP-2	28	4/30/2013	60	166.8	428.3816		
TMP-2	28	4/30/2013	80	170.7	408.3816		
TMP-2	28	4/30/2013	100	167	388.3816		
TMP-2	28	4/30/2013	120	160.3	368.3816		
TMP-2	28	4/30/2013	140	153	348.3816		
TMP-2	28	4/30/2013	160	145.1	328.3816		
TMP-2	28	4/30/2013	180		308.3816		
TMP-2	28	4/30/2013	200	99.2	288.3816		
TMP-2	29	5/9/2013	0	86.4	488.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	29	5/9/2013	20	136.8	468.3816		
TMP-2	29	5/9/2013	40	151.2	448.3816		
TMP-2	29	5/9/2013	60	166.5	428.3816		
TMP-2	29	5/9/2013	80	170.8	408.3816		
TMP-2	29	5/9/2013	100	167.3	388.3816		
TMP-2	29	5/9/2013	120	160.5	368.3816		
TMP-2	29	5/9/2013	140	153.5	348.3816		
TMP-2	29	5/9/2013	160	146.3	328.3816		
TMP-2	29	5/9/2013	180		308.3816		
TMP-2	29	5/9/2013	200	99.9	288.3816		
TMP-2	30	5/15/2013	0	88.8	488.3816		
TMP-2	30	5/15/2013	20	136.2	468.3816		
TMP-2	30	5/15/2013	40	149.7	448.3816		
TMP-2	30	5/15/2013	60	165.2	428.3816		
TMP-2	30	5/15/2013	80	169.3	408.3816		
TMP-2	30	5/15/2013	100	165.8	388.3816		
TMP-2	30	5/15/2013	120	159.2	368.3816		
TMP-2	30	5/15/2013	140	151.3	348.3816		
TMP-2	30	5/15/2013	160	143.6	328.3816		
TMP-2	30	5/15/2013	180		308.3816		
TMP-2	30	5/15/2013	200	98.3	288.3816		
TMP-2	31	5/22/2013	0	96.6	488.3816		
TMP-2	31	5/22/2013	20	137.3	468.3816		
TMP-2	31	5/22/2013	40	149.8	448.3816		
TMP-2	31	5/22/2013	60	165.2	428.3816		
TMP-2	31	5/22/2013	80	169.6	408.3816		
TMP-2	31	5/22/2013	100	166.1	388.3816		
TMP-2	31	5/22/2013	120	159.4	368.3816		
TMP-2	31	5/22/2013	140	151.2	348.3816		
TMP-2	31	5/22/2013	160	144.3	328.3816		
TMP-2	31	5/22/2013	180		308.3816		reading didn't equalize
TMP-2	31	5/22/2013	200	98.9	288.3816		
TMP-2	32	5/29/2013	0	101	488.3816		
TMP-2	32	5/29/2013	20	137.4	468.3816		
TMP-2	32	5/29/2013	40	149.5	448.3816		
TMP-2	32	5/29/2013	60	164	428.3816		
TMP-2	32	5/29/2013	80	169.3	408.3816		
TMP-2	32	5/29/2013	100	165.8	388.3816		
TMP-2	32	5/29/2013	120	159.1	368.3816		
TMP-2	32	5/29/2013	140	148.6	348.3816		
TMP-2	32	5/29/2013	160	145	328.3816		
TMP-2	32	5/29/2013	180		308.3816		Reading bounced could not obtain valid reading
TMP-2	32	5/29/2013	200	98.5	288.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	34	6/5/2013	0	102.3	488.3816		
TMP-2	34	6/5/2013	20	135.3	468.3816		
TMP-2	34	6/5/2013	40	149.5	448.3816		
TMP-2	34	6/5/2013	60	163.8	428.3816		
TMP-2	34	6/5/2013	80	169	408.3816		
TMP-2	34	6/5/2013	100	165.6	388.3816		
TMP-2	34	6/5/2013	120	158.9	368.3816		
TMP-2	34	6/5/2013	140	150.7	348.3816		
TMP-2	34	6/5/2013	160	145.6	328.3816		
TMP-2	34	6/5/2013	180		308.3816		NLW, Large fluctuation during Reading
TMP-2	34	6/5/2013	200	98.9	288.3816		
TMP-2	35	6/12/2013	0	108.6	488.3816		
TMP-2	35	6/12/2013	20	135.9	468.3816		
TMP-2	35	6/12/2013	40	149.9	448.3816		
TMP-2	35	6/12/2013	60	165	428.3816		
TMP-2	35	6/12/2013	80	170.4	408.3816		
TMP-2	35	6/12/2013	100	166.8	388.3816		
TMP-2	35	6/12/2013	120	160.1	368.3816		
TMP-2	35	6/12/2013	140	150.4	348.3816		
TMP-2	35	6/12/2013	160	146.9	328.3816		
TMP-2	35	6/12/2013	180		308.3816		Large fluctuation during Reading
TMP-2	35	6/12/2013	200	99.8	288.3816		
TMP-2	36	6/19/2013	0	93.8	488.3816		
TMP-2	36	6/19/2013	20	120.6	468.3816		
TMP-2	36	6/19/2013	40	135.4	448.3816		
TMP-2	36	6/19/2013	60	150.7	428.3816		
TMP-2	36	6/19/2013	80	156.2	408.3816		
TMP-2	36	6/19/2013	100	152.3	388.3816		
TMP-2	36	6/19/2013	120	145.7	368.3816		
TMP-2	36	6/19/2013	140	138.5	348.3816		
TMP-2	36	6/19/2013	160	131.9	328.3816		
TMP-2	36	6/19/2013	180		308.3816		
TMP-2	36	6/19/2013	200	83	288.3816		
TMP-2	37	6/27/2013	0	109.5	488.3816		
TMP-2	37	6/27/2013	20	133.2	468.3816		
TMP-2	37	6/27/2013	40	148.6	448.3816		
TMP-2	37	6/27/2013	60	164.7	428.3816		
TMP-2	37	6/27/2013	80	169.5	408.3816		
TMP-2	37	6/27/2013	100	165.9	388.3816		
TMP-2	37	6/27/2013	120	159.2	368.3816		
TMP-2	37	6/27/2013	140	152.9	348.3816		
TMP-2	37	6/27/2013	160	146	328.3816		
TMP-2	37	6/27/2013	180		308.3816		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-2	37	6/27/2013	200	99.1	288.3816		
TMP-2	38	7/3/2013	0	107.5	488.3816		
TMP-2	38	7/3/2013	20	132.7	468.3816		
TMP-2	38	7/3/2013	40	148.7	448.3816		
TMP-2	38	7/3/2013	60	157.4	428.3816		
TMP-2	38	7/3/2013	80	168.7	408.3816		
TMP-2	38	7/3/2013	100		388.3816	158.7	
TMP-2	38	7/3/2013	120	161.4	368.3816		
TMP-2	38	7/3/2013	140	155	348.3816		
TMP-2	38	7/3/2013	160	147.8	328.3816		
TMP-2	38	7/3/2013	180		308.3816		Unable to read
TMP-2	38	7/3/2013	200	100.5	288.3816		
TMP-2	39	7/8/2013	0	107.6	488.3816		
TMP-2	39	7/8/2013	20	131.6	468.3816		
TMP-2	39	7/8/2013	40	148	448.3816		
TMP-2	39	7/8/2013	60	163.7	428.3816		
TMP-2	39	7/8/2013	80	168.8	408.3816		
TMP-2	39	7/8/2013	100	164.6	388.3816		
TMP-2	39	7/8/2013	120	157.9	368.3816		
TMP-2	39	7/8/2013	140	152	348.3816		
TMP-2	39	7/8/2013	160	143.9	328.3816		
TMP-2	39	7/8/2013	180		308.3816		
TMP-2	39	7/8/2013	200	98.1	288.3816		
TMP-2	40	7/10/2013	0	102.6	488.3816		
TMP-2	40	7/10/2013	20	125.9	468.3816		
TMP-2	40	7/10/2013	40	142.4	448.3816		
TMP-2	40	7/10/2013	60	158.3	428.3816		
TMP-2	40	7/10/2013	80	163.6	408.3816		
TMP-2	40	7/10/2013	100		388.3816	159.3	
TMP-2	40	7/10/2013	120	152.6	368.3816		
TMP-2	40	7/10/2013	140	146.5	348.3816		
TMP-2	40	7/10/2013	160	138.6	328.3816		
TMP-2	40	7/10/2013	180		308.3816		Unable to read
TMP-2	40	7/10/2013	200	99.2	288.3816		

Note: The reading from this TMP on July 3rd appeared to be affected by resistance, so it was read again on July 8th to ensure an accurate reading.

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	3	11/19/2012	10	95.40535159	490		
TMP-3	3	11/19/2012	30	121.3193139	470		
TMP-3	3	11/19/2012	50	137.8206642	450		
TMP-3	3	11/19/2012	70	139.8555819	430		
TMP-3	3	11/19/2012	90	144.0990753	410		
TMP-3	3	11/19/2012	110	139.4858586	390		
TMP-3	3	11/19/2012	130	135.1328812	370		
TMP-3	3	11/19/2012	150	131.8807974	350		
TMP-3	3	11/19/2012	170	129.2726321	330		
TMP-3	3	11/19/2012	190	120.3800781	310		
TMP-3	3	11/19/2012	210	106.3909514	290		
TMP-3	3	11/19/2012	230	93.58050679	270		
TMP-3	3	11/19/2012	250	82.66951328	250		
TMP-3	4	11/26/2012	10	103.6302705	490		
TMP-3	4	11/26/2012	30	124.2261805	470		
TMP-3	4	11/26/2012	50	142.6248113	450		
TMP-3	4	11/26/2012	70	146.2151045	430		
TMP-3	4	11/26/2012	90	143.5464425	410		
TMP-3	4	11/26/2012	110	141.7947262	390		
TMP-3	4	11/26/2012	130	137.635497	370		
TMP-3	4	11/26/2012	150	141.8869868	350		
TMP-3	4	11/26/2012	170	135.0400893	330		
TMP-3	4	11/26/2012	190	118.9698149	310		
TMP-3	4	11/26/2012	210	105.4397213	290		
TMP-3	4	11/26/2012	230	93.77272751	270		
TMP-3	4	11/26/2012	250	82.66951328	250		
TMP-3	5	12/11/2012	10	126.2847611	490		
TMP-3	5	12/11/2012	30	132.7179077	470		
TMP-3	5	12/11/2012	50	148.6943053	450		
TMP-3	5	12/11/2012	70	148.7860277	430		
TMP-3	5	12/11/2012	90	150.2526175	410		
TMP-3	5	12/11/2012	110	147.4094438	390		
TMP-3	5	12/11/2012	130	142.8091952	370		
TMP-3	5	12/11/2012	150	138.7460632	350		
TMP-3	5	12/11/2012	170	134.0188948	330		
TMP-3	5	12/11/2012	190	125.2559219	310		
TMP-3	5	12/11/2012	210	110.8514855	290		
TMP-3	5	12/11/2012	230	97.51483677	270		
TMP-3	5	12/11/2012	250	85.18881683	250		
TMP-3	6	12/17/2012	10	126.2847611	490		
TMP-3	6	12/17/2012	30	132.7179077	470		
TMP-3	6	12/17/2012	50	148.6943053	450		
TMP-3	6	12/17/2012	70	148.7860277	430		
TMP-3	6	12/17/2012	90	150.2526175	410		
TMP-3	6	12/17/2012	110	147.4094438	390		
TMP-3	6	12/17/2012	130	142.8091952	370		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	6	12/17/2012	150	138.7460632	350		
TMP-3	6	12/17/2012	170	134.0188948	330		
TMP-3	6	12/17/2012	190	125.2559219	310		
TMP-3	6	12/17/2012	210	110.8514855	290		
TMP-3	6	12/17/2012	230	97.51483677	270		
TMP-3	6	12/17/2012	250	85.18881683	250		
TMP-3	7	12/24/2012	10	123.6641224	490		
TMP-3	7	12/24/2012	30	132.0668735	470		
TMP-3	7	12/24/2012	50	146.8583605	450		
TMP-3	7	12/24/2012	70	149.6112084	430		
TMP-3	7	12/24/2012	90	150.5274006	410		
TMP-3	7	12/24/2012	110	147.7766898	390		
TMP-3	7	12/24/2012	130	143.1778765	370		
TMP-3	7	12/24/2012	150	138.5610417	350		
TMP-3	7	12/24/2012	170	133.9260149	330		
TMP-3	7	12/24/2012	190	125.5366039	310		
TMP-3	7	12/24/2012	210	110.4725221	290		
TMP-3	7	12/24/2012	230	97.13157255	270		
TMP-3	7	12/24/2012	250	85.57593398	250		
TMP-3	8	12/31/2012	10	139.4858586	490		
TMP-3	8	12/31/2012	30	135.7822193	470		
TMP-3	8	12/31/2012	50	148.6943053	450		
TMP-3	8	12/31/2012	70	150.5274006	430		
TMP-3	8	12/31/2012	90	151.4428833	410		
TMP-3	8	12/31/2012	110	149.6112084	390		
TMP-3	8	12/31/2012	130	144.0990753	370		
TMP-3	8	12/31/2012	150	139.4858586	350		
TMP-3	8	12/31/2012	170	134.8544836	330		
TMP-3	8	12/31/2012	190	125.5366039	310		
TMP-3	8	12/31/2012	210	111.4197019	290		
TMP-3	8	12/31/2012	230	98.08950115	270		
TMP-3	8	12/31/2012	250	85.57593398	250		
TMP-3	9	1/7/2013	10	144.0990753	490		
TMP-3	9	1/7/2013	30	138.5610417	470		
TMP-3	9	1/7/2013	50	150.5274006	450		
TMP-3	9	1/7/2013	70	152.3576579	430		
TMP-3	9	1/7/2013	90	154.1850889	410		
TMP-3	9	1/7/2013	110	151.4428833	390		
TMP-3	9	1/7/2013	130	145.0195547	370		
TMP-3	9	1/7/2013	150	141.3333148	350		
TMP-3	9	1/7/2013	170	136.7092233	330		
TMP-3	9	1/7/2013	190	127.4061039	310		
TMP-3	9	1/7/2013	210	112.3661204	290		
TMP-3	9	1/7/2013	230	99.04665699	270		
TMP-3	9	1/7/2013	250	87.50964915	250		
TMP-3	10	1/9/2013	10	144.1	490		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	10	1/9/2013	30	136.1	470		
TMP-3	10	1/9/2013	50	148.3	450		
TMP-3	10	1/9/2013	70	151.4	430		
TMP-3	10	1/9/2013	90	152.5	410		
TMP-3	10	1/9/2013	110	150.1	390		
TMP-3	10	1/9/2013	130	144.7	370		
TMP-3	10	1/9/2013	150	140.6	350		
TMP-3	10	1/9/2013	170	135.6	330		
TMP-3	10	1/9/2013	190	126.8	310		
TMP-3	10	1/9/2013	210	112.1	290		
TMP-3	10	1/9/2013	230	98.1	270		
TMP-3	10	1/9/2013	250	86	250		
TMP-3	11	1/15/2013	10	132.5	490		
TMP-3	11	1/15/2013	30	135.7	470		
TMP-3	11	1/15/2013	50	148.9	450		
TMP-3	11	1/15/2013	70	152.3	430		
TMP-3	11	1/15/2013	90	153.4	410		
TMP-3	11	1/15/2013	110	150.9	390		
TMP-3	11	1/15/2013	130	145.5	370		
TMP-3	11	1/15/2013	150	141.2	350		
TMP-3	11	1/15/2013	170	136	330		
TMP-3	11	1/15/2013	190	127.3	310		
TMP-3	11	1/15/2013	210	112	290		
TMP-3	11	1/15/2013	230	98.6	270		
TMP-3	11	1/15/2013	250	86.3	250		
TMP-3	12	1/22/2013	10	136.3	490		
TMP-3	12	1/22/2013	30	138.7	470		
TMP-3	12	1/22/2013	50	150.3	450		
TMP-3	12	1/22/2013	70	153.5	430		
TMP-3	12	1/22/2013	90	154.6	410		
TMP-3	12	1/22/2013	110	152.2	390		
TMP-3	12	1/22/2013	130	146.7	370		
TMP-3	12	1/22/2013	150	142.2	350		
TMP-3	12	1/22/2013	170	137	330		
TMP-3	12	1/22/2013	190	128.3	310		
TMP-3	12	1/22/2013	210	113.2	290		
TMP-3	12	1/22/2013	230	99.6	270		
TMP-3	12	1/22/2013	250	87.3	250		
TMP-3	13	1/28/2013	10	140.2	490		
TMP-3	13	1/28/2013	30	136.3	470		
TMP-3	13	1/28/2013	50	149.2	450		
TMP-3	13	1/28/2013	70	152.6	430		
TMP-3	13	1/28/2013	90	153.6	410		
TMP-3	13	1/28/2013	110	151.3	390		
TMP-3	13	1/28/2013	130	145.8	370		
TMP-3	13	1/28/2013	150	141.6	350		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	13	1/28/2013	170	136.4	330		
TMP-3	13	1/28/2013	190	127.7	310		
TMP-3	13	1/28/2013	210	112.8	290		
TMP-3	13	1/28/2013	230	99.1	270		
TMP-3	13	1/28/2013	250	87	250		
TMP-3	14	2/6/2013	10	134.9	490		
TMP-3	14	2/6/2013	30	137	470		
TMP-3	14	2/6/2013	50	150.4	450		
TMP-3	14	2/6/2013	70	153.7	430		
TMP-3	14	2/6/2013	90	154.6	410		
TMP-3	14	2/6/2013	110	152.3	390		
TMP-3	14	2/6/2013	130	146.6	370		
TMP-3	14	2/6/2013	150	142.2	350		
TMP-3	14	2/6/2013	170	137.1	330		
TMP-3	14	2/6/2013	190	127.3	310		
TMP-3	14	2/6/2013	210	114.1	290		
TMP-3	14	2/6/2013	230	99.6	270		
TMP-3	14	2/6/2013	250	87.7	250		
TMP-3	15	2/7/2013	10	133.6	490		
TMP-3	15	2/7/2013	30	135.6	470		
TMP-3	15	2/7/2013	50	149.5	450		
TMP-3	15	2/7/2013	70	152.8	430		
TMP-3	15	2/7/2013	90	153.9	410		
TMP-3	15	2/7/2013	110	151.6	390		
TMP-3	15	2/7/2013	130	145.8	370		
TMP-3	15	2/7/2013	150	141.7	350		
TMP-3	15	2/7/2013	170	136.5	330		
TMP-3	15	2/7/2013	190	127.3	310		
TMP-3	15	2/7/2013	210	113.5	290		
TMP-3	15	2/7/2013	230	99.2	270		
TMP-3	15	2/7/2013	250	87.2	250		
TMP-3	16	2/13/2013	10	129.6	490		
TMP-3	16	2/13/2013	30	134.6	470		
TMP-3	16	2/13/2013	50	148.9	450		
TMP-3	16	2/13/2013	70	152.3	430		
TMP-3	16	2/13/2013	90	153.4	410		
TMP-3	16	2/13/2013	110	151.2	390		
TMP-3	16	2/13/2013	130	145.5	370		
TMP-3	16	2/13/2013	150	141.4	350		
TMP-3	16	2/13/2013	170	136.2	330		
TMP-3	16	2/13/2013	190	125.5	310		
TMP-3	16	2/13/2013	210	114.7	290		
TMP-3	16	2/13/2013	230	98.9	270		
TMP-3	16	2/13/2013	250	86.9	250		
TMP-3	17	2/18/2013	10	132.7	490		
TMP-3	17	2/18/2013	30	135.7	470		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	17	2/18/2013	50	144.7	450		
TMP-3	17	2/18/2013	70	153.1	430		
TMP-3	17	2/18/2013	90	154.1	410		
TMP-3	17	2/18/2013	110	151.8	390		
TMP-3	17	2/18/2013	130	146	370		
TMP-3	17	2/18/2013	150	142	350		
TMP-3	17	2/18/2013	170	136.7	330		
TMP-3	17	2/18/2013	190	126.8	310		
TMP-3	17	2/18/2013	210	115.6	290		
TMP-3	17	2/18/2013	230	99.3	270		
TMP-3	17	2/18/2013	250	87.6	250		
TMP-3	18	2/25/2013	10	85.6	490		
TMP-3	18	2/25/2013	30	103.2	470		
TMP-3	18	2/25/2013	50	144.8	450		
TMP-3	18	2/25/2013	70	153.1	430		
TMP-3	18	2/25/2013	90	154.2	410		
TMP-3	18	2/25/2013	110	152	390		
TMP-3	18	2/25/2013	130	146.4	370		
TMP-3	18	2/25/2013	150	142.1	350		
TMP-3	18	2/25/2013	170	136.6	330		
TMP-3	18	2/25/2013	190	126.8	310		
TMP-3	18	2/25/2013	210	113.1	290		
TMP-3	18	2/25/2013	230	99.1	270		
TMP-3	18	2/25/2013	250	87.3	250		
TMP-3	19	3/4/2013	10	135.4	490		
TMP-3	19	3/4/2013	30	135.8	470		
TMP-3	19	3/4/2013	50	150.4	450		
TMP-3	19	3/4/2013	70	154.2	430		
TMP-3	19	3/4/2013	90	155.1	410		
TMP-3	19	3/4/2013	110	152.7	390		
TMP-3	19	3/4/2013	130	146.7	370		
TMP-3	19	3/4/2013	150	142.7	350		
TMP-3	19	3/4/2013	170	137.2	330		
TMP-3	19	3/4/2013	190	127.2	310		
TMP-3	19	3/4/2013	210	112.6	290		
TMP-3	19	3/4/2013	230	99.8	270		
TMP-3	19	3/4/2013	250	88.4	250		
TMP-3	20	3/12/2013	10	119	490		
TMP-3	20	3/12/2013	30	130.3	470		
TMP-3	20	3/12/2013	50	146.5	450		
TMP-3	20	3/12/2013	70	152.3	430		
TMP-3	20	3/12/2013	90	154.1	410		
TMP-3	20	3/12/2013	110	152.1	390		
TMP-3	20	3/12/2013	130	146.2	370		
TMP-3	20	3/12/2013	150	141.9	350		
TMP-3	20	3/12/2013	170	136.6	330		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	20	3/12/2013	190	130.8	310		
TMP-3	20	3/12/2013	210	112.2	290		
TMP-3	20	3/12/2013	230	99.9	270		
TMP-3	20	3/12/2013	250	88.5	250		
TMP-3	21	3/19/2013	10	116	490		
TMP-3	21	3/19/2013	30	130.5	470		
TMP-3	21	3/19/2013	50	143.9	450		
TMP-3	21	3/19/2013	70	153.1	430		
TMP-3	21	3/19/2013	90	154.4	410		
TMP-3	21	3/19/2013	110	152.1	390		
TMP-3	21	3/19/2013	130	146.1	370		
TMP-3	21	3/19/2013	150	142.1	350		
TMP-3	21	3/19/2013	170	136.8	330		
TMP-3	21	3/19/2013	190	127.2	310		
TMP-3	21	3/19/2013	210	112.6	290		
TMP-3	21	3/19/2013	230	99.9	270		
TMP-3	21	3/19/2013	250	88.2	250		
TMP-3	22	3/26/2013	10	116.1	490		
TMP-3	22	3/26/2013	30	128	470		
TMP-3	22	3/26/2013	50	146.8	450		
TMP-3	22	3/26/2013	70	153.2	430		
TMP-3	22	3/26/2013	90	154.3	410		
TMP-3	22	3/26/2013	110	151.9	390		
TMP-3	22	3/26/2013	130	146	370		
TMP-3	22	3/26/2013	150	141.8	350		
TMP-3	22	3/26/2013	170	136.2	330		
TMP-3	22	3/26/2013	190	126.7	310		
TMP-3	22	3/26/2013	210	112.4	290		
TMP-3	22	3/26/2013	230	99.4	270		
TMP-3	22	3/26/2013	250	87.9	250		
TMP-3	23	4/3/2013	10	128.7	490		
TMP-3	23	4/3/2013	30	134.6	470		
TMP-3	23	4/3/2013	50	148.1	450		
TMP-3	23	4/3/2013	70	153.4	430		
TMP-3	23	4/3/2013	90	154.5	410		
TMP-3	23	4/3/2013	110	152.2	390		
TMP-3	23	4/3/2013	130	145.9	370		
TMP-3	23	4/3/2013	150	142	350		
TMP-3	23	4/3/2013	170	136.5	330		
TMP-3	23	4/3/2013	190	126.7	310		
TMP-3	23	4/3/2013	210	112.7	290		
TMP-3	23	4/3/2013	230	99.5	270		
TMP-3	23	4/3/2013	250	88	250		
TMP-3	26	4/10/2013	10	132.8	490		
TMP-3	26	4/10/2013	30	133.9	470		
TMP-3	26	4/10/2013	50	147.5	450		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	26	4/10/2013	70	153.7	430		
TMP-3	26	4/10/2013	90	154.9	410		
TMP-3	26	4/10/2013	110	152.6	390		
TMP-3	26	4/10/2013	130	146.4	370		
TMP-3	26	4/10/2013	150	142.6	350		
TMP-3	26	4/10/2013	170	137.2	330		
TMP-3	26	4/10/2013	190	127.8	310		
TMP-3	26	4/10/2013	210	114.4	290		
TMP-3	26	4/10/2013	230	100.5	270		
TMP-3	26	4/10/2013	250	88.9	250		
TMP-3	27	4/17/2013	10	83.6	490		
TMP-3	27	4/17/2013	30	111.2	470		
TMP-3	27	4/17/2013	50	139.7	450		
TMP-3	27	4/17/2013	70	152.4	430		
TMP-3	27	4/17/2013	90	154	410		
TMP-3	27	4/17/2013	110	151.6	390		
TMP-3	27	4/17/2013	130	145.7	370		
TMP-3	27	4/17/2013	150	141.8	350		
TMP-3	27	4/17/2013	170	136.4	330		
TMP-3	27	4/17/2013	190	126.5	310		
TMP-3	27	4/17/2013	210	113.4	290		
TMP-3	27	4/17/2013	230	99.4	270		
TMP-3	27	4/17/2013	250	87.8	250		
TMP-3	28	4/30/2013	10	130.4	490		
TMP-3	28	4/30/2013	30	132.6	470		
TMP-3	28	4/30/2013	50	148	450		
TMP-3	28	4/30/2013	70	153.5	430		
TMP-3	28	4/30/2013	90	154.6	410		
TMP-3	28	4/30/2013	110	152.1	390		
TMP-3	28	4/30/2013	130	145.8	370		
TMP-3	28	4/30/2013	150	142	350		
TMP-3	28	4/30/2013	170	136.4	330		
TMP-3	28	4/30/2013	190	126.1	310		
TMP-3	28	4/30/2013	210	113.8	290		
TMP-3	28	4/30/2013	230	99.5	270		
TMP-3	28	4/30/2013	250	87.8	250		
TMP-3	29	5/9/2013	10	129.4	490		
TMP-3	29	5/9/2013	30	132.3	470		
TMP-3	29	5/9/2013	50	148	450		
TMP-3	29	5/9/2013	70	153.7	430		
TMP-3	29	5/9/2013	90	154.8	410		
TMP-3	29	5/9/2013	110	152.4	390		
TMP-3	29	5/9/2013	130	146	370		
TMP-3	29	5/9/2013	150	142.3	350		
TMP-3	29	5/9/2013	170	136.8	330		
TMP-3	29	5/9/2013	190	128.1	310		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	29	5/9/2013	210	114.2	290		
TMP-3	29	5/9/2013	230	100	270		
TMP-3	29	5/9/2013	250	88	250		
TMP-3	30	5/15/2013	10	133.1	490		
TMP-3	30	5/15/2013	30	133	470		
TMP-3	30	5/15/2013	50	146.5	450		
TMP-3	30	5/15/2013	70	152.3	430		
TMP-3	30	5/15/2013	90	153.3	410		
TMP-3	30	5/15/2013	110	151.2	390		
TMP-3	30	5/15/2013	130	144.8	370		
TMP-3	30	5/15/2013	150	141.3	350		
TMP-3	30	5/15/2013	170	135.8	330		
TMP-3	30	5/15/2013	190	127.4	310		
TMP-3	30	5/15/2013	210	113.8	290		
TMP-3	30	5/15/2013	230	99.2	270		
TMP-3	30	5/15/2013	250	87.2	250		
TMP-3	31	5/22/2013	10	130.2	490		
TMP-3	31	5/22/2013	30	132.3	470		
TMP-3	31	5/22/2013	50	146.5	450		
TMP-3	31	5/22/2013	70	152.4	430		
TMP-3	31	5/22/2013	90	153.4	410		
TMP-3	31	5/22/2013	110	151.2	390		
TMP-3	31	5/22/2013	130	144.8	370		
TMP-3	31	5/22/2013	150	141.2	350		
TMP-3	31	5/22/2013	170	135.6	330		
TMP-3	31	5/22/2013	190	127.2	310		
TMP-3	31	5/22/2013	210	114.3	290		
TMP-3	31	5/22/2013	230	98.7	270		
TMP-3	31	5/22/2013	250	86.8	250		
TMP-3	32	5/29/2013	10	126.8	490		
TMP-3	32	5/29/2013	30	132.6	470		
TMP-3	32	5/29/2013	50	146.8	450		
TMP-3	32	5/29/2013	70	152.7	430		
TMP-3	32	5/29/2013	90	153.8	410		
TMP-3	32	5/29/2013	110	151.5	390		
TMP-3	32	5/29/2013	130	145.3	370		
TMP-3	32	5/29/2013	150	141.6	350		
TMP-3	32	5/29/2013	170	136.8	330		
TMP-3	32	5/29/2013	190	127.4	310		
TMP-3	32	5/29/2013	210	114.5	290		
TMP-3	32	5/29/2013	230	99.1	270		
TMP-3	32	5/29/2013	250	87.1	250		
TMP-3	34	6/5/2013	10	125.9	490		
TMP-3	34	6/5/2013	30	133.2	470		
TMP-3	34	6/5/2013	50	147	450		
TMP-3	34	6/5/2013	70	152.3	430		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	34	6/5/2013	90	153.3	410		
TMP-3	34	6/5/2013	110	151.2	390		
TMP-3	34	6/5/2013	130	144.9	370		
TMP-3	34	6/5/2013	150	141.2	350		
TMP-3	34	6/5/2013	170	135.6	330		
TMP-3	34	6/5/2013	190	126.1	310		
TMP-3	34	6/5/2013	210	113.7	290		
TMP-3	34	6/5/2013	230	98.4	270		
TMP-3	34	6/5/2013	250	86.3	250		
TMP-3	35	6/12/2013	10	130.5	490		
TMP-3	35	6/12/2013	30	134.8	470		
TMP-3	35	6/12/2013	50	148.3	450		
TMP-3	35	6/12/2013	70	153.6	430		
TMP-3	35	6/12/2013	90	154.5	410		
TMP-3	35	6/12/2013	110	152.4	390		
TMP-3	35	6/12/2013	130	146.3	370		
TMP-3	35	6/12/2013	150	142.3	350		
TMP-3	35	6/12/2013	170	142.8	330		
TMP-3	35	6/12/2013	190	137.1	310		
TMP-3	35	6/12/2013	210	128	290		
TMP-3	35	6/12/2013	230	114.7	270		
TMP-3	35	6/12/2013	250	100.2	250		
TMP-3	36	6/19/2013	10	124.1	490		
TMP-3	36	6/19/2013	30		470	128.4	Resistivity is out of range
TMP-3	36	6/19/2013	50	147.9	450		
TMP-3	36	6/19/2013	70	153.6	430		
TMP-3	36	6/19/2013	90	154.5	410		
TMP-3	36	6/19/2013	110	152.3	390		
TMP-3	36	6/19/2013	130	146.3	370		
TMP-3	36	6/19/2013	150	142.7	350		
TMP-3	36	6/19/2013	170	136.9	330		
TMP-3	36	6/19/2013	190	127.8	310		
TMP-3	36	6/19/2013	210	114.6	290		
TMP-3	36	6/19/2013	230	99.8	270		
TMP-3	36	6/19/2013	250	87.9	250		
TMP-3	37	6/27/2013	10	122.5	490		
TMP-3	37	6/27/2013	30	131.9	470		
TMP-3	37	6/27/2013	50	147.5	450		
TMP-3	37	6/27/2013	70	152.5	430		
TMP-3	37	6/27/2013	90	153.3	410		
TMP-3	37	6/27/2013	110	151.1	390		
TMP-3	37	6/27/2013	130	145.3	370		
TMP-3	37	6/27/2013	150	141.7	350		
TMP-3	37	6/27/2013	170	135.7	330		
TMP-3	37	6/27/2013	190	126.7	310		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-3	37	6/27/2013	210	113.6	290		
TMP-3	37	6/27/2013	230	99	270		
TMP-3	37	6/27/2013	250	86.9	250		
TMP-3	38	7/3/2013	10	118.1	490		
TMP-3	38	7/3/2013	30	133.9	470		Unable to get a steady reading
TMP-3	38	7/3/2013	50	148.9	450		
TMP-3	38	7/3/2013	70	153.9	430		
TMP-3	38	7/3/2013	90	154.7	410		
TMP-3	38	7/3/2013	110	152.4	390		
TMP-3	38	7/3/2013	130	146.7	370		
TMP-3	38	7/3/2013	150	143	350		
TMP-3	38	7/3/2013	170	136.9	330		
TMP-3	38	7/3/2013	190	126.5	310		
TMP-3	38	7/3/2013	210	115.5	290		
TMP-3	38	7/3/2013	230	99.9	270		
TMP-3	38	7/3/2013	250	88.2	250		
TMP-3	40	7/10/2013	10	123	490		
TMP-3	40	7/10/2013	30		470		Unable to get a steady reading
TMP-3	40	7/10/2013	50	148.5	450		
TMP-3	40	7/10/2013	70	153.4	430		
TMP-3	40	7/10/2013	90	154.2	410		
TMP-3	40	7/10/2013	110	151.8	390		
TMP-3	40	7/10/2013	130	146.3	370		
TMP-3	40	7/10/2013	150	142.6	350		
TMP-3	40	7/10/2013	170	136.3	330		
TMP-3	40	7/10/2013	190	126.3	310		
TMP-3	40	7/10/2013	210	116.2	290		
TMP-3	40	7/10/2013	230	99.5	270		
TMP-3	40	7/10/2013	250	87.6	250		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-4	1	11/8/2012	28	102.7721942	472		
TMP-4	1	11/8/2012	48	97.99374308	452		
TMP-4	2	11/12/2012	28	106.2958629	472		
TMP-4	2	11/12/2012	48	101.054172	452		
TMP-4	3	11/19/2012	28	106.2958629	472		
TMP-4	3	11/19/2012	48	76.93305203	452		
TMP-4	4	11/26/2012	28	105.4397213	472		
TMP-4	4	11/26/2012	48	98.37672901	452		
TMP-4	5	12/11/2012	28	109.52458	472		
TMP-4	5	12/11/2012	48	103.3443142	452		
TMP-4	6	12/17/2012	28	109.52458	472		
TMP-4	6	12/17/2012	48	103.3443142	452		
TMP-4	7	12/24/2012	28	106.676171	472		
TMP-4	7	12/24/2012	48	100.9586531	452		
TMP-4	8	12/31/2012	28	106.676171	472		
TMP-4	8	12/31/2012	48	101.9134949	452		
TMP-4	9	1/7/2013	28	106.676171	472		
TMP-4	9	1/7/2013	48	101.9134949	452		
TMP-4	10	1/9/2013	28	108.4	472		
TMP-4	10	1/9/2013	48	103.7	452		
TMP-4	11	1/15/2013	28	111	472		
TMP-4	11	1/15/2013	48	105.7	452		
TMP-4	12	1/22/2013	28	110.8	472		
TMP-4	12	1/22/2013	48	106	452		
TMP-4	13	1/28/2013	28	108.2	472		
TMP-4	13	1/28/2013	48	103.9	452		
TMP-4	14	2/6/2013	28	110.9	472		
TMP-4	14	2/6/2013	48	106.1	452		
TMP-4	15	2/7/2013	28	107	472		
TMP-4	15	2/7/2013	48	103.5	452		
TMP-4	16	2/13/2013	28	109	472		
TMP-4	16	2/13/2013	48	104.3	452		
TMP-4	17	2/18/2013	28	107.8	472		
TMP-4	17	2/18/2013	48	103.4	452		
TMP-4	18	2/25/2013	28	110.4	472		
TMP-4	18	2/25/2013	48	103.4	452		
TMP-4	19	3/4/2013	28	111.6	472		
TMP-4	19	3/4/2013	48	104.5	452		
TMP-4	20	3/12/2013	28	113.4	472		
TMP-4	20	3/12/2013	48	104.8	452		
TMP-4	21	3/19/2013	28	112.6	472		
TMP-4	21	3/19/2013	48	103.2	452		
TMP-4	22	3/26/2013	28	118	472		
TMP-4	22	3/26/2013	48	107.3	452		
TMP-4	23	4/3/2013	28	118.9	472		
TMP-4	23	4/3/2013	48	107.5	452		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-4	26	4/10/2013	28	118.6	472		
TMP-4	26	4/10/2013	48	107.4	452		
TMP-4	27	4/17/2013	28	116.1	472		
TMP-4	27	4/17/2013	48	104.8	452		
TMP-4	28	4/30/2013	28	117.9	472		
TMP-4	28	4/30/2013	48	106.5	452		
TMP-4	29	5/9/2013	28	117	472		
TMP-4	29	5/9/2013	48	106.1	452		
TMP-4	30	5/15/2013	28	117.7	472		
TMP-4	30	5/15/2013	48	107	452		
TMP-4	31	5/22/2013	28	117.2	472		
TMP-4	31	5/22/2013	48	106.5	452		
TMP-4	32	5/29/2013	28	139.5	472		
TMP-4	32	5/29/2013	48	123	452		
TMP-4	34	6/5/2013	28	117.3	472		
TMP-4	34	6/5/2013	48	106.1	452		
TMP-4	35	6/12/2013	28	120.2	472		
TMP-4	35	6/12/2013	48	107.6	452		
TMP-4	36	6/19/2013	28	122.2	472		
TMP-4	36	6/19/2013	48	109.3	452		
TMP-4	37	6/27/2013	28	120.9	472		
TMP-4	37	6/27/2013	48	106.9	452		
TMP-4	38	7/3/2013	28	122.6	472		
TMP-4	38	7/3/2013	48	108.7	452		
TMP-4	40	7/10/2013	28	123.2	472		
TMP-4	40	7/10/2013	48	108.9	452		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	5	12/11/2012	20	67.04983902	482.6242		
TMP-5	5	12/11/2012	40	115.7669381	462.6242		
TMP-5	5	12/11/2012	60	142.1637251	442.6242		
TMP-5	5	12/11/2012	80	146.9502256	422.6242		
TMP-5	5	12/11/2012	100	146.7664883	402.6242		
TMP-5	5	12/11/2012	120	156.0097054	382.6242		
TMP-5	5	12/11/2012	140	152.9061834	362.6242		
TMP-5	5	12/11/2012	160	134.8544836	342.6242		
TMP-5	5	12/11/2012	180		322.6242		
TMP-5	5	12/11/2012	200		302.6242		
TMP-5	5	12/11/2012	220	117.6520402	282.6242		
TMP-5	5	12/11/2012	240		262.6242		
TMP-5	6	12/17/2012	20	67.04983902	482.6242		
TMP-5	6	12/17/2012	40	115.7669381	462.6242		
TMP-5	6	12/17/2012	60	142.1637251	442.6242		
TMP-5	6	12/17/2012	80	146.9502256	422.6242		
TMP-5	6	12/17/2012	100	146.7664883	402.6242		
TMP-5	6	12/17/2012	120	156.0097054	382.6242		
TMP-5	6	12/17/2012	140	152.9061834	362.6242		
TMP-5	6	12/17/2012	160	134.8544836	342.6242		
TMP-5	6	12/17/2012	180		322.6242		
TMP-5	6	12/17/2012	200		302.6242		
TMP-5	6	12/17/2012	220	117.6520402	282.6242		
TMP-5	6	12/17/2012	240		262.6242		
TMP-5	7	12/24/2012	20	67.04983902	482.6242		
TMP-5	7	12/24/2012	40	115.2008175	462.6242		
TMP-5	7	12/24/2012	60	145.0195547	442.6242		
TMP-5	7	12/24/2012	80	147.7766898	422.6242		
TMP-5	7	12/24/2012	100	147.7766898	402.6242		
TMP-5	7	12/24/2012	120	156.920962	382.6242		
TMP-5	7	12/24/2012	140	153.2717259	362.6242		
TMP-5	7	12/24/2012	160	134.8544836	342.6242		
TMP-5	7	12/24/2012	180		322.6242		
TMP-5	7	12/24/2012	200		302.6242		
TMP-5	7	12/24/2012	220	116.1442004	282.6242		
TMP-5	7	12/24/2012	240		262.6242		
TMP-5	8	12/31/2012	20	67.04983902	482.6242		
TMP-5	8	12/31/2012	40	117.0868269	462.6242		
TMP-5	8	12/31/2012	60	146.8583605	442.6242		
TMP-5	8	12/31/2012	80	149.6112084	422.6242		
TMP-5	8	12/31/2012	100	148.6943053	402.6242		
TMP-5	8	12/31/2012	120	157.8315195	382.6242		
TMP-5	8	12/31/2012	140	153.2717259	362.6242		
TMP-5	8	12/31/2012	160	134.8544836	342.6242		
TMP-5	8	12/31/2012	180		322.6242		
TMP-5	8	12/31/2012	200		302.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	8	12/31/2012	220	116.1442004	282.6242		
TMP-5	8	12/31/2012	240		262.6242		
TMP-5	9	1/7/2013	20	66.066964	482.6242		
TMP-5	9	1/7/2013	40	119.9101785	462.6242		
TMP-5	9	1/7/2013	60	146.8583605	442.6242		
TMP-5	9	1/7/2013	80	148.6943053	422.6242		
TMP-5	9	1/7/2013	100	149.6112084	402.6242		
TMP-5	9	1/7/2013	120	157.8315195	382.6242		
TMP-5	9	1/7/2013	140	154.1850889	362.6242		
TMP-5	9	1/7/2013	160	134.8544836	342.6242		
TMP-5	9	1/7/2013	180		322.6242		
TMP-5	9	1/7/2013	200		302.6242		
TMP-5	9	1/7/2013	220	116.1442004	282.6242		
TMP-5	9	1/7/2013	240		262.6242		
TMP-5	10	1/9/2013	20	67	482.6242		
TMP-5	10	1/9/2013	40	125.2	462.6242		
TMP-5	10	1/9/2013	60	150.5	442.6242		
TMP-5	10	1/9/2013	80	152.9	422.6242		
TMP-5	10	1/9/2013	100	153.3	402.6242		
TMP-5	10	1/9/2013	120	162.2	382.6242		
TMP-5	10	1/9/2013	140	157	362.6242		
TMP-5	10	1/9/2013	160	138	342.6242		
TMP-5	10	1/9/2013	180		322.6242		
TMP-5	10	1/9/2013	200		302.6242		
TMP-5	10	1/9/2013	220	118.1	282.6242		
TMP-5	10	1/9/2013	240		262.6242		
TMP-5	11	1/15/2013	20	66.6	482.6242		
TMP-5	11	1/15/2013	40	126.1	462.6242		
TMP-5	11	1/15/2013	60	151.3	442.6242		
TMP-5	11	1/15/2013	80	154.6	422.6242		
TMP-5	11	1/15/2013	100	154.5	402.6242		
TMP-5	11	1/15/2013	120	163.1	382.6242		
TMP-5	11	1/15/2013	140	158.7	362.6242		
TMP-5	11	1/15/2013	160	139.1	342.6242		
TMP-5	11	1/15/2013	180		322.6242		
TMP-5	11	1/15/2013	200		302.6242		
TMP-5	11	1/15/2013	220	119	282.6242		
TMP-5	11	1/15/2013	240		262.6242		
TMP-5	12	1/22/2013	20	69.7	482.6242		
TMP-5	12	1/22/2013	40	129.1	462.6242		
TMP-5	12	1/22/2013	60	154.2	442.6242		
TMP-5	12	1/22/2013	80	157.8	422.6242		
TMP-5	12	1/22/2013	100	157.6	402.6242		
TMP-5	12	1/22/2013	120	166	382.6242		
TMP-5	12	1/22/2013	140	163.6	362.6242		
TMP-5	12	1/22/2013	160	141.7	342.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	12	1/22/2013	180		322.6242		
TMP-5	12	1/22/2013	200		302.6242		
TMP-5	12	1/22/2013	220	120.8	282.6242		
TMP-5	12	1/22/2013	240		262.6242		
TMP-5	13	1/28/2013	20	64.5	482.6242		
TMP-5	13	1/28/2013	40	126.1	462.6242		
TMP-5	13	1/28/2013	60	150.7	442.6242		
TMP-5	13	1/28/2013	80	155.1	422.6242		
TMP-5	13	1/28/2013	100	155.2	402.6242		
TMP-5	13	1/28/2013	120	163.8	382.6242		
TMP-5	13	1/28/2013	140	161.6	362.6242		
TMP-5	13	1/28/2013	160	139.7	342.6242		
TMP-5	13	1/28/2013	180		322.6242		
TMP-5	13	1/28/2013	200		302.6242		
TMP-5	13	1/28/2013	220	119.5	282.6242		
TMP-5	13	1/28/2013	240		262.6242		
TMP-5	14	2/6/2013	20	65.2	482.6242		
TMP-5	14	2/6/2013	40	127.5	462.6242		
TMP-5	14	2/6/2013	60	150	442.6242		
TMP-5	14	2/6/2013	80	157.2	422.6242		
TMP-5	14	2/6/2013	100	156	402.6242		
TMP-5	14	2/6/2013	120	165.1	382.6242		
TMP-5	14	2/6/2013	140	163.2	362.6242		
TMP-5	14	2/6/2013	160	140.2	342.6242		
TMP-5	14	2/6/2013	180		322.6242		
TMP-5	14	2/6/2013	200		302.6242		
TMP-5	14	2/6/2013	220	118.9	282.6242		
TMP-5	14	2/6/2013	240		262.6242		
TMP-5	15	2/7/2013	20	64	482.6242		
TMP-5	15	2/7/2013	40	127.2	462.6242		
TMP-5	15	2/7/2013	60	149.5	442.6242		
TMP-5	15	2/7/2013	80	155.1	422.6242		
TMP-5	15	2/7/2013	100	155.2	402.6242		
TMP-5	15	2/7/2013	120	164.5	382.6242		
TMP-5	15	2/7/2013	140	163.1	362.6242		
TMP-5	15	2/7/2013	160	139.6	342.6242		
TMP-5	15	2/7/2013	180		322.6242		
TMP-5	15	2/7/2013	200		302.6242		
TMP-5	15	2/7/2013	220	118.9	282.6242		
TMP-5	15	2/7/2013	240		262.6242		
TMP-5	16	2/13/2013	20	65.3	482.6242		
TMP-5	16	2/13/2013	40	128.4	462.6242		
TMP-5	16	2/13/2013	60	149.7	442.6242		
TMP-5	16	2/13/2013	80	157.3	422.6242		
TMP-5	16	2/13/2013	100	154.7	402.6242		
TMP-5	16	2/13/2013	120	163.8	382.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	16	2/13/2013	140	164.9	362.6242		
TMP-5	16	2/13/2013	160	139.9	342.6242		
TMP-5	16	2/13/2013	180		322.6242		
TMP-5	16	2/13/2013	200		302.6242		
TMP-5	16	2/13/2013	220	118.6	282.6242		
TMP-5	16	2/13/2013	240		262.6242		
TMP-5	17	2/18/2013	20	63.8	482.6242		
TMP-5	17	2/18/2013	40	128.3	462.6242		
TMP-5	17	2/18/2013	60	149.4	442.6242		
TMP-5	17	2/18/2013	80	157.1	422.6242		
TMP-5	17	2/18/2013	100	154.2	402.6242		
TMP-5	17	2/18/2013	120	163.5	382.6242		
TMP-5	17	2/18/2013	140	165.5	362.6242		
TMP-5	17	2/18/2013	160	139.8	342.6242		
TMP-5	17	2/18/2013	180		322.6242		
TMP-5	17	2/18/2013	200		302.6242		
TMP-5	17	2/18/2013	220	117.9	282.6242		
TMP-5	17	2/18/2013	240		262.6242		
TMP-5	18	2/25/2013	20	63.1	482.6242		
TMP-5	18	2/25/2013	40	129.5	462.6242		
TMP-5	18	2/25/2013	60	151.1	442.6242		
TMP-5	18	2/25/2013	80	155.4	422.6242		
TMP-5	18	2/25/2013	100	154.3	402.6242		
TMP-5	18	2/25/2013	120	164.1	382.6242		
TMP-5	18	2/25/2013	140	164.3	362.6242		
TMP-5	18	2/25/2013	160	141.9	342.6242		
TMP-5	18	2/25/2013	180		322.6242		A reading of 52.800 was removed because it seemed eronious.
TMP-5	18	2/25/2013	200		302.6242		
TMP-5	18	2/25/2013	220	118.3	282.6242		
TMP-5	18	2/25/2013	240		262.6242		
TMP-5	19	3/4/2013	20	62.8	482.6242		
TMP-5	19	3/4/2013	40	129.1	462.6242		
TMP-5	19	3/4/2013	60	151.1	442.6242		
TMP-5	19	3/4/2013	80	156.9	422.6242		
TMP-5	19	3/4/2013	100	155.2	402.6242		
TMP-5	19	3/4/2013	120	165.7	382.6242		
TMP-5	19	3/4/2013	140	165.6	362.6242		
TMP-5	19	3/4/2013	160	141.8	342.6242		
TMP-5	19	3/4/2013	180		322.6242		
TMP-5	19	3/4/2013	200		302.6242		
TMP-5	19	3/4/2013	220	119.8	282.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	19	3/4/2013	240		262.6242		
TMP-5	20	3/12/2013	20	61.9	482.6242		
TMP-5	20	3/12/2013	40	129	462.6242		
TMP-5	20	3/12/2013	60	151.1	442.6242		
TMP-5	20	3/12/2013	80	155.4	422.6242		
TMP-5	20	3/12/2013	100	154.3	402.6242		
TMP-5	20	3/12/2013	120	164	382.6242		
TMP-5	20	3/12/2013	140	164.2	362.6242		
TMP-5	20	3/12/2013	160	140.3	342.6242		
TMP-5	20	3/12/2013	180		322.6242		
TMP-5	20	3/12/2013	200		302.6242		
TMP-5	20	3/12/2013	220	118.6	282.6242		
TMP-5	20	3/12/2013	240		262.6242		
TMP-5	21	3/19/2013	20	60.7	482.6242		
TMP-5	21	3/19/2013	40	129.5	462.6242		
TMP-5	21	3/19/2013	60	150.9	442.6242		
TMP-5	21	3/19/2013	80	156.3	422.6242		
TMP-5	21	3/19/2013	100	155.8	402.6242		
TMP-5	21	3/19/2013	120	164	382.6242		
TMP-5	21	3/19/2013	140	165.9	362.6242		
TMP-5	21	3/19/2013	160	141	342.6242		
TMP-5	21	3/19/2013	180		322.6242		
TMP-5	21	3/19/2013	200		302.6242		
TMP-5	21	3/19/2013	220	123.7	282.6242		
TMP-5	21	3/19/2013	240		262.6242		
TMP-5	22	3/26/2013	20	65.6	482.6242		
TMP-5	22	3/26/2013	40	132	462.6242		
TMP-5	22	3/26/2013	60	152.3	442.6242		
TMP-5	22	3/26/2013	80	161.6	422.6242		
TMP-5	22	3/26/2013	100	161.2	402.6242		
TMP-5	22	3/26/2013	120	164.3	382.6242		
TMP-5	22	3/26/2013	140	169.3	362.6242		
TMP-5	22	3/26/2013	160	141.4	342.6242		
TMP-5	22	3/26/2013	180		322.6242	56.3	
TMP-5	22	3/26/2013	200		302.6242	43.8	
TMP-5	22	3/26/2013	220	129.1	282.6242		
TMP-5	22	3/26/2013	240		262.6242		
TMP-5	23	4/3/2013	20	64.3	482.6242		
TMP-5	23	4/3/2013	40	133.1	462.6242		
TMP-5	23	4/3/2013	60	151.8	442.6242		
TMP-5	23	4/3/2013	80	157.5	422.6242		
TMP-5	23	4/3/2013	100	156.8	402.6242		
TMP-5	23	4/3/2013	120	172.5	382.6242		
TMP-5	23	4/3/2013	140	178	362.6242		
TMP-5	23	4/3/2013	160	142.7	342.6242		
TMP-5	23	4/3/2013	180		322.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	23	4/3/2013	200		302.6242		
TMP-5	23	4/3/2013	220	126.2	282.6242		
TMP-5	23	4/3/2013	240		262.6242		
TMP-5	26	4/10/2013	20	68.7	482.6242		
TMP-5	26	4/10/2013	40	124.4	462.6242		
TMP-5	26	4/10/2013	60	150.7	442.6242		
TMP-5	26	4/10/2013	80	158	422.6242		
TMP-5	26	4/10/2013	100	158.9	402.6242		
TMP-5	26	4/10/2013	120	177.8	382.6242		
TMP-5	26	4/10/2013	140	174.3	362.6242		
TMP-5	26	4/10/2013	160	164	342.6242		
TMP-5	26	4/10/2013	180		322.6242		
TMP-5	26	4/10/2013	200		302.6242		
TMP-5	26	4/10/2013	220	138.5	282.6242		
TMP-5	26	4/10/2013	240		262.6242		
TMP-5	27	4/17/2013	20	62.4	482.6242		
TMP-5	27	4/17/2013	40	121.6	462.6242		
TMP-5	27	4/17/2013	60		442.6242	163.9	Resistivity
TMP-5	27	4/17/2013	80	157.8	422.6242		
TMP-5	27	4/17/2013	100		402.6242	215.9	Resistivity
TMP-5	27	4/17/2013	120	163.2	382.6242		
TMP-5	27	4/17/2013	140	164	362.6242		
TMP-5	27	4/17/2013	160	143.1	342.6242		
TMP-5	27	4/17/2013	180		322.6242		Resistivity
TMP-5	27	4/17/2013	200		302.6242		
TMP-5	27	4/17/2013	220	119.3	282.6242		
TMP-5	27	4/17/2013	240		262.6242		
TMP-5	28	4/30/2013	20	63.4	482.6242		
TMP-5	28	4/30/2013	40	123	462.6242		
TMP-5	28	4/30/2013	60		442.6242	232	Resistivity
TMP-5	28	4/30/2013	80	157.3	422.6242		
TMP-5	28	4/30/2013	100		402.6242	234.1	Resistivity
TMP-5	28	4/30/2013	120	162.3	382.6242		
TMP-5	28	4/30/2013	140	160.1	362.6242		
TMP-5	28	4/30/2013	160	147.5	342.6242		
TMP-5	28	4/30/2013	180		322.6242	232.8	Resistivity
TMP-5	28	4/30/2013	200		302.6242		
TMP-5	28	4/30/2013	220	117.5	282.6242		
TMP-5	28	4/30/2013	240		262.6242		
TMP-5	29	5/9/2013	20	64.5	482.6242		
TMP-5	29	5/9/2013	40	123.5	462.6242		
TMP-5	29	5/9/2013	60		442.6242		
TMP-5	29	5/9/2013	80	158.2	422.6242		
TMP-5	29	5/9/2013	100		402.6242		
TMP-5	29	5/9/2013	120	163	382.6242		
TMP-5	29	5/9/2013	140	177.4	362.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	29	5/9/2013	160	147.7	342.6242		
TMP-5	29	5/9/2013	180		322.6242		
TMP-5	29	5/9/2013	200	91.8	302.6242		
TMP-5	29	5/9/2013	220	119.4	282.6242		
TMP-5	29	5/9/2013	240		262.6242		
TMP-5	30	5/15/2013	20	65.3	482.6242		
TMP-5	30	5/15/2013	40	123.1	462.6242		
TMP-5	30	5/15/2013	60		442.6242		Resistivity
TMP-5	30	5/15/2013	80	157.7	422.6242		
TMP-5	30	5/15/2013	100		402.6242		Resistivity
TMP-5	30	5/15/2013	120	162.4	382.6242		
TMP-5	30	5/15/2013	140	172.9	362.6242		
TMP-5	30	5/15/2013	160	143.4	342.6242		
TMP-5	30	5/15/2013	180		322.6242		Resistivity
TMP-5	30	5/15/2013	200	82.7	302.6242		
TMP-5	30	5/15/2013	220	118.5	282.6242		
TMP-5	30	5/15/2013	240		262.6242		
TMP-5	31	5/22/2013	20	66.3	482.6242		
TMP-5	31	5/22/2013	40	122.5	462.6242		
TMP-5	31	5/22/2013	60		442.6242		NLW-resistivity & reading did not equalize
TMP-5	31	5/22/2013	80	157	422.6242		
TMP-5	31	5/22/2013	100		402.6242		NLW-resistivity & reading did not equalize
TMP-5	31	5/22/2013	120		382.6242	162.4	NLW- Resistance was OL
TMP-5	31	5/22/2013	140	162.9	362.6242		
TMP-5	31	5/22/2013	160	143.3	342.6242		
TMP-5	31	5/22/2013	180		322.6242		NLW-resistivity & reading did not equalize
TMP-5	31	5/22/2013	200	82	302.6242		
TMP-5	31	5/22/2013	220	117.9	282.6242		
TMP-5	31	5/22/2013	240		262.6242		
TMP-5	32	5/29/2013	20	66	482.6242		
TMP-5	32	5/29/2013	40	120.4	462.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	32	5/29/2013	60		442.6242		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-5	32	5/29/2013	80	155	422.6242		
TMP-5	32	5/29/2013	100		402.6242		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-5	32	5/29/2013	120		382.6242	247.3	Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-5	32	5/29/2013	140	172	362.6242		
TMP-5	32	5/29/2013	160	152.1	342.6242		
TMP-5	32	5/29/2013	180		322.6242		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-5	32	5/29/2013	200	86.7	302.6242		
TMP-5	32	5/29/2013	220		282.6242	76.2	Reading bounced could not obtain valid reading
TMP-5	32	5/29/2013	240		262.6242		Reading bounced could not obtain valid reading
TMP-5	34	6/5/2013	20	68.7	482.6242		
TMP-5	34	6/5/2013	40	121.6	462.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	34	6/5/2013	60		442.6242		NLW - resistivity
TMP-5	34	6/5/2013	80	156.1	422.6242		
TMP-5	34	6/5/2013	100		402.6242		NLW - resistivity
TMP-5	34	6/5/2013	120	161.4	382.6242		NLW - resistivity
TMP-5	34	6/5/2013	140	163.4	362.6242		
TMP-5	34	6/5/2013	160	147.3	342.6242		
TMP-5	34	6/5/2013	180		322.6242		NLW - resistivity
TMP-5	34	6/5/2013	200	90	302.6242		
TMP-5	34	6/5/2013	220		282.6242		NLW, Large fluctuation during Reading
TMP-5	34	6/5/2013	240		262.6242		
TMP-5	35	6/12/2013	20	71.5	482.6242		
TMP-5	35	6/12/2013	40	122.9	462.6242		
TMP-5	35	6/12/2013	60		442.6242		NLW - resistivity
TMP-5	35	6/12/2013	80	157.1	422.6242		
TMP-5	35	6/12/2013	100		402.6242		NLW - resistivity
TMP-5	35	6/12/2013	120		382.6242	163.5	NLW - resistivity
TMP-5	35	6/12/2013	140	164.1	362.6242		
TMP-5	35	6/12/2013	160	150.4	342.6242		
TMP-5	35	6/12/2013	180		322.6242	249.3	NLW - resistivity
TMP-5	35	6/12/2013	200	106.6	302.6242		
TMP-5	35	6/12/2013	220	119	282.6242		was able to get a stable reading today
TMP-5	35	6/12/2013	240	105.9	262.6242		
TMP-5	36	6/19/2013	20	74.6	482.6242		
TMP-5	36	6/19/2013	40	123.7	462.6242		
TMP-5	36	6/19/2013	60		442.6242		
TMP-5	36	6/19/2013	80	157.6	422.6242		
TMP-5	36	6/19/2013	100		402.6242		
TMP-5	36	6/19/2013	120		382.6242		
TMP-5	36	6/19/2013	140	163.5	362.6242		
TMP-5	36	6/19/2013	160	148.5	342.6242		
TMP-5	36	6/19/2013	180		322.6242		
TMP-5	36	6/19/2013	200	100.1	302.6242		
TMP-5	36	6/19/2013	220	120.1	282.6242		
TMP-5	36	6/19/2013	240	130	262.6242		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	37	6/27/2013	20	74.2	482.6242		
TMP-5	37	6/27/2013	40	122.2	462.6242		
TMP-5	37	6/27/2013	60	151.9	442.6242		
TMP-5	37	6/27/2013	80	155.8	422.6242		
TMP-5	37	6/27/2013	100	161.5	402.6242		
TMP-5	37	6/27/2013	120	161.4	382.6242		
TMP-5	37	6/27/2013	140	161.7	362.6242		
TMP-5	37	6/27/2013	160	89.3	342.6242		
TMP-5	37	6/27/2013	180		322.6242		
TMP-5	37	6/27/2013	200	107.4	302.6242		
TMP-5	37	6/27/2013	220	118.9	282.6242		
TMP-5	37	6/27/2013	240		262.6242		
TMP-5	38	7/3/2013	20	76.1	482.6242		
TMP-5	38	7/3/2013	40	123	462.6242		
TMP-5	38	7/3/2013	60		442.6242	257.9	
TMP-5	38	7/3/2013	80	156.6	422.6242		
TMP-5	38	7/3/2013	100		402.6242	236.5	
TMP-5	38	7/3/2013	120		382.6242	162.2	
TMP-5	38	7/3/2013	140	161.6	362.6242		
TMP-5	38	7/3/2013	160	142.7	342.6242		
TMP-5	38	7/3/2013	180		322.6242	104.1	
TMP-5	38	7/3/2013	200		302.6242	108.2	
TMP-5	38	7/3/2013	220	120.7	282.6242		
TMP-5	38	7/3/2013	240		262.6242		unable to read
TMP-5	39	7/8/2013	20	69.2	482.6242		
TMP-5	39	7/8/2013	40	116.2	462.6242		
TMP-5	39	7/8/2013	60	144.9	442.6242		
TMP-5	39	7/8/2013	80	151.7	422.6242		
TMP-5	39	7/8/2013	100	151.8	402.6242		
TMP-5	39	7/8/2013	120	158	382.6242		
TMP-5	39	7/8/2013	140	157.4	362.6242		
TMP-5	39	7/8/2013	160	138.8	342.6242		
TMP-5	39	7/8/2013	180	119.9	322.6242		
TMP-5	39	7/8/2013	200	120.6	302.6242		
TMP-5	39	7/8/2013	220	115.3	282.6242		
TMP-5	39	7/8/2013	240		262.6242		
TMP-5	40	7/10/2013	20	75.8	482.6242		
TMP-5	40	7/10/2013	40	121.7	462.6242		
TMP-5	40	7/10/2013	60		442.6242	149.4	
TMP-5	40	7/10/2013	80	155.1	422.6242		
TMP-5	40	7/10/2013	100		402.6242	155	
TMP-5	40	7/10/2013	120		382.6242	160.8	
TMP-5	40	7/10/2013	140	160	362.6242		
TMP-5	40	7/10/2013	160	141.6	342.6242		
TMP-5	40	7/10/2013	180		322.6242	123.2	
TMP-5	40	7/10/2013	200		302.6242	123.5	

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-5	40	7/10/2013	220	117.6	282.6242		
TMP-5	40	7/10/2013	240	99.5	262.6242		

Note: The reading from this TMP on July 3rd appeared to be affected by resistance, so it was read again on July 8th to ensure an accurate reading.

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	1	11/8/2012	15	108.386042	472.2198		
TMP-6	1	11/8/2012	35	138.0983604	452.2198		
TMP-6	1	11/8/2012	55	153.7284954	432.2198		
TMP-6	1	11/8/2012	75	151.3513669	412.2198		
TMP-6	1	11/8/2012	95	149.2445326	392.2198		
TMP-6	1	11/8/2012	115	142.9935503	372.2198		
TMP-6	1	11/8/2012	135	133.7402331	352.2198		
TMP-6	1	11/8/2012	155	123.4767099	332.2198		
TMP-6	1	11/8/2012	175	115.2951899	312.2198		
TMP-6	1	11/8/2012	195	104.678185	292.2198		
TMP-6	1	11/8/2012	215	76.4456608	272.2198		
TMP-6	2	11/12/2012	15	97.41903231	472.2198		
TMP-6	2	11/12/2012	35	140.4099492	452.2198		
TMP-6	2	11/12/2012	55	156.1008626	432.2198		
TMP-6	2	11/12/2012	75	153.3630939	412.2198		
TMP-6	2	11/12/2012	95	150.8936787	392.2198		
TMP-6	2	11/12/2012	115	145.5714975	372.2198		
TMP-6	2	11/12/2012	135	136.2458127	352.2198		
TMP-6	2	11/12/2012	155	126.1912675	332.2198		
TMP-6	2	11/12/2012	175	116.709867	312.2198		
TMP-6	2	11/12/2012	195	106.1056629	292.2198		
TMP-6	2	11/12/2012	215	79.75606731	272.2198		
TMP-6	3	11/19/2012	15	97.70642248	472.2198		
TMP-6	3	11/19/2012	35	143.4543118	452.2198		
TMP-6	3	11/19/2012	55	160.014014	432.2198		
TMP-6	3	11/19/2012	75	156.4654212	412.2198		
TMP-6	3	11/19/2012	95	153.9111539	392.2198		
TMP-6	3	11/19/2012	115	148.2355867	372.2198		
TMP-6	3	11/19/2012	135	138.7460632	352.2198		
TMP-6	3	11/19/2012	155	128.4330616	332.2198		
TMP-6	3	11/19/2012	175	118.8757371	312.2198		
TMP-6	3	11/19/2012	195	108.1961787	292.2198		
TMP-6	3	11/19/2012	215	78.68604218	272.2198		
TMP-6	4	11/26/2012	15	90.88615665	472.2198		
TMP-6	4	11/26/2012	35	138.5610417	452.2198		
TMP-6	4	11/26/2012	55	155.7361919	432.2198		
TMP-6	4	11/26/2012	75	152.3576579	412.2198		
TMP-6	4	11/26/2012	95	148.3273447	392.2198		
TMP-6	4	11/26/2012	115	141.9792401	372.2198		
TMP-6	4	11/26/2012	135	133.27565	352.2198		
TMP-6	4	11/26/2012	155	122.2577992	332.2198		
TMP-6	4	11/26/2012	175	113.4063026	312.2198		
TMP-6	4	11/26/2012	195	101.6271232	292.2198		
TMP-6	4	11/26/2012	215	69.40555033	272.2198		
TMP-6	5	12/11/2012	15	92.04162359	472.2198		
TMP-6	5	12/11/2012	35	146.2151045	452.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	5	12/11/2012	55	160.3773738	432.2198		
TMP-6	5	12/11/2012	75	156.3742921	412.2198		
TMP-6	5	12/11/2012	95	153.0889688	392.2198		
TMP-6	5	12/11/2012	115	147.5930811	372.2198		
TMP-6	5	12/11/2012	135	137.7280843	352.2198		
TMP-6	5	12/11/2012	155	127.3126996	332.2198		
TMP-6	5	12/11/2012	175	118.4052352	312.2198		
TMP-6	5	12/11/2012	195	106.8662791	292.2198		
TMP-6	5	12/11/2012	215	72.83288991	272.2198		
TMP-6	6	12/17/2012	15	92.04162359	472.2198		
TMP-6	6	12/17/2012	35	146.2151045	452.2198		
TMP-6	6	12/17/2012	55	160.3773738	432.2198		
TMP-6	6	12/17/2012	75	156.3742921	412.2198		
TMP-6	6	12/17/2012	95	153.0889688	392.2198		
TMP-6	6	12/17/2012	115	147.5930811	372.2198		
TMP-6	6	12/17/2012	135	137.7280843	352.2198		
TMP-6	6	12/17/2012	155	127.3126996	332.2198		
TMP-6	6	12/17/2012	175	118.4052352	312.2198		
TMP-6	6	12/17/2012	195	106.8662791	292.2198		
TMP-6	6	12/17/2012	215	72.83288991	272.2198		
TMP-6	7	12/24/2012	15	96.17287052	472.2198		
TMP-6	7	12/24/2012	35	146.8583605	452.2198		
TMP-6	7	12/24/2012	55	160.5590122	432.2198		
TMP-6	7	12/24/2012	75	156.920962	412.2198		
TMP-6	7	12/24/2012	95	153.2717259	392.2198		
TMP-6	7	12/24/2012	115	147.7766898	372.2198		
TMP-6	7	12/24/2012	135	137.635497	352.2198		
TMP-6	7	12/24/2012	155	127.4061039	332.2198		
TMP-6	7	12/24/2012	175	118.028698	312.2198		
TMP-6	7	12/24/2012	195	105.7251708	292.2198		
TMP-6	7	12/24/2012	215	70.97352277	272.2198		
TMP-6	8	12/31/2012	15	100.0030408	472.2198		
TMP-6	8	12/31/2012	35	148.6943053	452.2198		
TMP-6	8	12/31/2012	55	162.3738728	432.2198		
TMP-6	8	12/31/2012	75	157.8315195	412.2198		
TMP-6	8	12/31/2012	95	154.1850889	392.2198		
TMP-6	8	12/31/2012	115	148.6943053	372.2198		
TMP-6	8	12/31/2012	135	138.5610417	352.2198		
TMP-6	8	12/31/2012	155	127.4061039	332.2198		
TMP-6	8	12/31/2012	175	118.028698	312.2198		
TMP-6	8	12/31/2012	195	105.7251708	292.2198		
TMP-6	8	12/31/2012	215	71.95248898	272.2198		
TMP-6	9	1/7/2013	15	103.8208695	472.2198		
TMP-6	9	1/7/2013	35	148.6943053	452.2198		
TMP-6	9	1/7/2013	55	163.2802674	432.2198		
TMP-6	9	1/7/2013	75	158.7413793	412.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	9	1/7/2013	95	155.0977482	392.2198		
TMP-6	9	1/7/2013	115	148.6943053	372.2198		
TMP-6	9	1/7/2013	135	138.5610417	352.2198		
TMP-6	9	1/7/2013	155	128.3397389	332.2198		
TMP-6	9	1/7/2013	175	118.9698149	312.2198		
TMP-6	9	1/7/2013	195	105.7251708	292.2198		
TMP-6	9	1/7/2013	215	71.95248898	272.2198		
TMP-6	10	1/9/2013	15	110	472.2198		
TMP-6	10	1/9/2013	35	150.6	452.2198		
TMP-6	10	1/9/2013	55	165.8	432.2198		
TMP-6	10	1/9/2013	75	161.2	412.2198		
TMP-6	10	1/9/2013	95	157.5	392.2198		
TMP-6	10	1/9/2013	115	151.6	372.2198		
TMP-6	10	1/9/2013	135	141.2	352.2198		
TMP-6	10	1/9/2013	155	130.5	332.2198		
TMP-6	10	1/9/2013	175	121.1	312.2198		
TMP-6	10	1/9/2013	195	107.9	292.2198		
TMP-6	10	1/9/2013	215	73.3	272.2198		
TMP-6	11	1/15/2013	15	109.6	472.2198		
TMP-6	11	1/15/2013	35	149.8	452.2198		
TMP-6	11	1/15/2013	55	165	432.2198		
TMP-6	11	1/15/2013	75	160.3	412.2198		
TMP-6	11	1/15/2013	95	156.4	392.2198		
TMP-6	11	1/15/2013	115	150.3	372.2198		
TMP-6	11	1/15/2013	135	139.7	352.2198		
TMP-6	11	1/15/2013	155	128.9	332.2198		
TMP-6	11	1/15/2013	175	119.6	312.2198		
TMP-6	11	1/15/2013	195	107.6	292.2198		
TMP-6	11	1/15/2013	215	71.9	272.2198		
TMP-6	12	1/22/2013	15	113.1	472.2198		
TMP-6	12	1/22/2013	35	152.1	452.2198		
TMP-6	12	1/22/2013	55	167.2	432.2198		
TMP-6	12	1/22/2013	75	162.4	412.2198		
TMP-6	12	1/22/2013	95	158.4	392.2198		
TMP-6	12	1/22/2013	115	152.2	372.2198		
TMP-6	12	1/22/2013	135	141.5	352.2198		
TMP-6	12	1/22/2013	155	130.5	332.2198		
TMP-6	12	1/22/2013	175	121.1	312.2198		
TMP-6	12	1/22/2013	195	108.3	292.2198		
TMP-6	12	1/22/2013	215	73.1	272.2198		
TMP-6	13	1/28/2013	15	111.1	472.2198		
TMP-6	13	1/28/2013	35	150.5	452.2198		
TMP-6	13	1/28/2013	55	166.2	432.2198		
TMP-6	13	1/28/2013	75	161.5	412.2198		
TMP-6	13	1/28/2013	95	157.7	392.2198		
TMP-6	13	1/28/2013	115	151.7	372.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	13	1/28/2013	135	141.2	352.2198		
TMP-6	13	1/28/2013	155	130.5	332.2198		
TMP-6	13	1/28/2013	175	121.2	312.2198		
TMP-6	13	1/28/2013	195	107.3	292.2198		
TMP-6	13	1/28/2013	215	73.8	272.2198		
TMP-6	14	2/6/2013	15	108.3	472.2198		
TMP-6	14	2/6/2013	35	151.9	452.2198		
TMP-6	14	2/6/2013	55	167.7	432.2198		
TMP-6	14	2/6/2013	75	162.9	412.2198		
TMP-6	14	2/6/2013	95	158.9	392.2198		
TMP-6	14	2/6/2013	115	152.8	372.2198		
TMP-6	14	2/6/2013	135	142.3	352.2198		
TMP-6	14	2/6/2013	155	131.6	332.2198		
TMP-6	14	2/6/2013	175	122.1	312.2198		
TMP-6	14	2/6/2013	195	106	292.2198		
TMP-6	14	2/6/2013	215	76.4	272.2198		
TMP-6	15	2/7/2013	15	108.7	472.2198		
TMP-6	15	2/7/2013	35	151	452.2198		
TMP-6	15	2/7/2013	55	166.9	432.2198		
TMP-6	15	2/7/2013	75	162.2	412.2198		
TMP-6	15	2/7/2013	95	158.1	392.2198		
TMP-6	15	2/7/2013	115	151.9	372.2198		
TMP-6	15	2/7/2013	135	141.2	352.2198		
TMP-6	15	2/7/2013	155	130.3	332.2198		
TMP-6	15	2/7/2013	175	121	312.2198		
TMP-6	15	2/7/2013	195	106	292.2198		
TMP-6	15	2/7/2013	215	74.5	272.2198		
TMP-6	16	2/13/2013	15	105.9	472.2198		
TMP-6	16	2/13/2013	35	150.6	452.2198		
TMP-6	16	2/13/2013	55	166.4	432.2198		
TMP-6	16	2/13/2013	75	161.7	412.2198		
TMP-6	16	2/13/2013	95	157.7	392.2198		
TMP-6	16	2/13/2013	115	151.7	372.2198		
TMP-6	16	2/13/2013	135	141	352.2198		
TMP-6	16	2/13/2013	155	130.2	332.2198		
TMP-6	16	2/13/2013	175	121.1	312.2198		
TMP-6	16	2/13/2013	195	103.6	292.2198		
TMP-6	16	2/13/2013	215	76.3	272.2198		
TMP-6	17	2/18/2013	15	109	472.2198		
TMP-6	17	2/18/2013	35	150	452.2198		
TMP-6	17	2/18/2013	55	166.2	432.2198		
TMP-6	17	2/18/2013	75	161.6	412.2198		
TMP-6	17	2/18/2013	95	157.5	392.2198		
TMP-6	17	2/18/2013	115	151.4	372.2198		
TMP-6	17	2/18/2013	135	140.8	352.2198		
TMP-6	17	2/18/2013	155	129.8	332.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	17	2/18/2013	175	121.1	312.2198		
TMP-6	17	2/18/2013	195	104.3	292.2198		
TMP-6	17	2/18/2013	215	76.9	272.2198		
TMP-6	18	2/25/2013	15	110.6	472.2198		
TMP-6	18	2/25/2013	35	150.4	452.2198		
TMP-6	18	2/25/2013	55	166.6	432.2198		
TMP-6	18	2/25/2013	75	161.7	412.2198		
TMP-6	18	2/25/2013	95	157.6	392.2198		
TMP-6	18	2/25/2013	115	151.5	372.2198		
TMP-6	18	2/25/2013	135	140.8	352.2198		
TMP-6	18	2/25/2013	155	129.7	332.2198		
TMP-6	18	2/25/2013	175	120.6	312.2198		
TMP-6	18	2/25/2013	195	98.5	292.2198		
TMP-6	18	2/25/2013	215	77	272.2198		
TMP-6	19	3/4/2013	15	113.4	472.2198		
TMP-6	19	3/4/2013	35	152	452.2198		
TMP-6	19	3/4/2013	55	169.1	432.2198		
TMP-6	19	3/4/2013	75	164.3	412.2198		
TMP-6	19	3/4/2013	95	160.3	392.2198		
TMP-6	19	3/4/2013	115	153.7	372.2198		
TMP-6	19	3/4/2013	135	142.8	352.2198		
TMP-6	19	3/4/2013	155	131.6	332.2198		
TMP-6	19	3/4/2013	175	122.9	312.2198		
TMP-6	19	3/4/2013	195	101.9	292.2198		
TMP-6	19	3/4/2013	215	78.3	272.2198		
TMP-6	20	3/12/2013	15	111.3	472.2198		
TMP-6	20	3/12/2013	35	150.1	452.2198		
TMP-6	20	3/12/2013	55	167.6	432.2198		
TMP-6	20	3/12/2013	75	162.8	412.2198		
TMP-6	20	3/12/2013	95	158.4	392.2198		
TMP-6	20	3/12/2013	115	152	372.2198		
TMP-6	20	3/12/2013	135	141.4	352.2198		
TMP-6	20	3/12/2013	155	130.4	332.2198		
TMP-6	20	3/12/2013	175	121.2	312.2198		
TMP-6	20	3/12/2013	195	106.3	292.2198		
TMP-6	20	3/12/2013	215	77.5	272.2198		
TMP-6	21	3/19/2013	15	106.8	472.2198		
TMP-6	21	3/19/2013	35	147.4	452.2198		
TMP-6	21	3/19/2013	55	166.9	432.2198		
TMP-6	21	3/19/2013	75	162.2	412.2198		
TMP-6	21	3/19/2013	95	157.9	392.2198		
TMP-6	21	3/19/2013	115	151.8	372.2198		
TMP-6	21	3/19/2013	135	141.2	352.2198		
TMP-6	21	3/19/2013	155	130.4	332.2198		
TMP-6	21	3/19/2013	175	120.8	312.2198		
TMP-6	21	3/19/2013	195	106.7	292.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	21	3/19/2013	215	78	272.2198		
TMP-6	22	3/26/2013	15	105.1	472.2198		
TMP-6	22	3/26/2013	35	145.6	452.2198		
TMP-6	22	3/26/2013	55	166.7	432.2198		
TMP-6	22	3/26/2013	75	162.5	412.2198		
TMP-6	22	3/26/2013	95	158.1	392.2198		
TMP-6	22	3/26/2013	115	152.1	372.2198		
TMP-6	22	3/26/2013	135	141.5	352.2198		
TMP-6	22	3/26/2013	155	130.5	332.2198		
TMP-6	22	3/26/2013	175	121.2	312.2198		
TMP-6	22	3/26/2013	195	104.9	292.2198		
TMP-6	22	3/26/2013	215	76.5	272.2198		
TMP-6	23	4/3/2013	15	105.6	472.2198		
TMP-6	23	4/3/2013	35	145.6	452.2198		
TMP-6	23	4/3/2013	55	167.5	432.2198		
TMP-6	23	4/3/2013	75	163.3	412.2198		
TMP-6	23	4/3/2013	95	159	392.2198		
TMP-6	23	4/3/2013	115	152.8	372.2198		
TMP-6	23	4/3/2013	135	142.3	352.2198		
TMP-6	23	4/3/2013	155	131.6	332.2198		
TMP-6	23	4/3/2013	175	121.2	312.2198		
TMP-6	23	4/3/2013	195	98.6	292.2198		
TMP-6	23	4/3/2013	215	80.2	272.2198		
TMP-6	26	4/10/2013	15	104.2	472.2198		
TMP-6	26	4/10/2013	35	144.9	452.2198		
TMP-6	26	4/10/2013	55	166.7	432.2198		
TMP-6	26	4/10/2013	75	162.6	412.2198		
TMP-6	26	4/10/2013	95	158.1	392.2198		
TMP-6	26	4/10/2013	115	151.8	372.2198		
TMP-6	26	4/10/2013	135	141.1	352.2198		
TMP-6	26	4/10/2013	155	130.2	332.2198		
TMP-6	26	4/10/2013	175	119.2	312.2198		
TMP-6	26	4/10/2013	195	107.6	292.2198		
TMP-6	26	4/10/2013	215	79.2	272.2198		
TMP-6	27	4/17/2013	15	105.4	472.2198		
TMP-6	27	4/17/2013	35	145.5	452.2198		
TMP-6	27	4/17/2013	55	167.1	432.2198		
TMP-6	27	4/17/2013	75	163.2	412.2198		
TMP-6	27	4/17/2013	95	158.8	392.2198		
TMP-6	27	4/17/2013	115	152.7	372.2198		
TMP-6	27	4/17/2013	135	142	352.2198		
TMP-6	27	4/17/2013	155	131.3	332.2198		
TMP-6	27	4/17/2013	175	121.3	312.2198		
TMP-6	27	4/17/2013	195	108.2	292.2198		
TMP-6	27	4/17/2013	215	79.9	272.2198		
TMP-6	28	4/30/2013	15	101.8	472.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	28	4/30/2013	35	146.9	452.2198		
TMP-6	28	4/30/2013	55	166.4	432.2198		
TMP-6	28	4/30/2013	75	162.4	412.2198		
TMP-6	28	4/30/2013	95	157.7	392.2198		
TMP-6	28	4/30/2013	115	151.5	372.2198		
TMP-6	28	4/30/2013	135	140.8	352.2198		
TMP-6	28	4/30/2013	155	129.9	332.2198		
TMP-6	28	4/30/2013	175	120.6	312.2198		
TMP-6	28	4/30/2013	195	107.7	292.2198		
TMP-6	28	4/30/2013	215	75.9	272.2198		
TMP-6	29	5/9/2013	15	102.4	472.2198		
TMP-6	29	5/9/2013	35	146.6	452.2198		
TMP-6	29	5/9/2013	55	165.6	432.2198		
TMP-6	29	5/9/2013	75	161.8	412.2198		
TMP-6	29	5/9/2013	95	157.1	392.2198		
TMP-6	29	5/9/2013	115	151	372.2198		
TMP-6	29	5/9/2013	135	140.3	352.2198		
TMP-6	29	5/9/2013	155	129.6	332.2198		
TMP-6	29	5/9/2013	175	120.1	312.2198		
TMP-6	29	5/9/2013	195	108.6	292.2198		
TMP-6	29	5/9/2013	215	73.1	272.2198		
TMP-6	30	5/15/2013	15	101.6	472.2198		
TMP-6	30	5/15/2013	35	146.7	452.2198		
TMP-6	30	5/15/2013	55	165.3	432.2198		
TMP-6	30	5/15/2013	75	161.4	412.2198		
TMP-6	30	5/15/2013	95	156.7	392.2198		
TMP-6	30	5/15/2013	115	150.4	372.2198		
TMP-6	30	5/15/2013	135	139.6	352.2198		
TMP-6	30	5/15/2013	155	128.9	332.2198		
TMP-6	30	5/15/2013	175	119.5	312.2198		
TMP-6	30	5/15/2013	195	107.5	292.2198		
TMP-6	30	5/15/2013	215	71.7	272.2198		
TMP-6	31	5/22/2013	15	103.2	472.2198		
TMP-6	31	5/22/2013	35	149.7	452.2198		
TMP-6	31	5/22/2013	55	167.1	432.2198		
TMP-6	31	5/22/2013	75	163.3	412.2198		
TMP-6	31	5/22/2013	95	158.5	392.2198		
TMP-6	31	5/22/2013	115	152.3	372.2198		
TMP-6	31	5/22/2013	135	141.2	352.2198		
TMP-6	31	5/22/2013	155	130.3	332.2198		
TMP-6	31	5/22/2013	175	121	312.2198		
TMP-6	31	5/22/2013	195	108.7	292.2198		
TMP-6	31	5/22/2013	215	73.4	272.2198		
TMP-6	32	5/29/2013	15	104.9	472.2198		
TMP-6	32	5/29/2013	35	149	452.2198		
TMP-6	32	5/29/2013	55	165.8	432.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	32	5/29/2013	75	161.9	412.2198		
TMP-6	32	5/29/2013	95	157	392.2198		
TMP-6	32	5/29/2013	115	151	372.2198		
TMP-6	32	5/29/2013	135	140.2	352.2198		
TMP-6	32	5/29/2013	155	129.5	332.2198		
TMP-6	32	5/29/2013	175	120.2	312.2198		
TMP-6	32	5/29/2013	195	107.2	292.2198		
TMP-6	32	5/29/2013	215	72.3	272.2198		
TMP-6	34	6/5/2013	15	106.7	472.2198		
TMP-6	34	6/5/2013	35	150.1	452.2198		
TMP-6	34	6/5/2013	55	166.9	432.2198		
TMP-6	34	6/5/2013	75	162.9	412.2198		
TMP-6	34	6/5/2013	95	157.8	392.2198		
TMP-6	34	6/5/2013	115	151.7	372.2198		
TMP-6	34	6/5/2013	135	140.9	352.2198		
TMP-6	34	6/5/2013	155	130.1	332.2198		
TMP-6	34	6/5/2013	175	120.9	312.2198		
TMP-6	34	6/5/2013	195	105.5	292.2198		
TMP-6	34	6/5/2013	215	73.8	272.2198		
TMP-6	35	6/12/2013	15	106.3	472.2198		
TMP-6	35	6/12/2013	35	151.4	452.2198		
TMP-6	35	6/12/2013	55	167.9	432.2198		
TMP-6	35	6/12/2013	75	164.1	412.2198		
TMP-6	35	6/12/2013	95	159.3	392.2198		
TMP-6	35	6/12/2013	115	153.1	372.2198		
TMP-6	35	6/12/2013	135	142.5	352.2198		
TMP-6	35	6/12/2013	155	131.8	332.2198		
TMP-6	35	6/12/2013	175	122.5	312.2198		
TMP-6	35	6/12/2013	195	108.2	292.2198		
TMP-6	35	6/12/2013	215	74.3	272.2198		
TMP-6	36	6/19/2013	15	109	472.2198		
TMP-6	36	6/19/2013	35	150.8	452.2198		
TMP-6	36	6/19/2013	55	167.1	432.2198		
TMP-6	36	6/19/2013	75	163	412.2198		
TMP-6	36	6/19/2013	95	158	392.2198		
TMP-6	36	6/19/2013	115	151.6	372.2198		
TMP-6	36	6/19/2013	135	140.8	352.2198		
TMP-6	36	6/19/2013	155	130	332.2198		
TMP-6	36	6/19/2013	175	120.6	312.2198		
TMP-6	36	6/19/2013	195	106.5	292.2198		
TMP-6	36	6/19/2013	215	72.2	272.2198		
TMP-6	37	6/27/2013	15	111.2	472.2198		
TMP-6	37	6/27/2013	35	149.8	452.2198		
TMP-6	37	6/27/2013	55	165.8	432.2198		
TMP-6	37	6/27/2013	75	161.9	412.2198		
TMP-6	37	6/27/2013	95	157	392.2198		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-6	37	6/27/2013	115	150.8	372.2198		
TMP-6	37	6/27/2013	135	140	352.2198		
TMP-6	37	6/27/2013	155	129.3	332.2198		
TMP-6	37	6/27/2013	175	120.1	312.2198		
TMP-6	37	6/27/2013	195	105.7	292.2198		
TMP-6	37	6/27/2013	215	74.6	272.2198		
TMP-6	38	7/3/2013	15	120.1	472.2198		
TMP-6	38	7/3/2013	35	153.2	452.2198		
TMP-6	38	7/3/2013	55	168.8	432.2198		
TMP-6	38	7/3/2013	75	165	412.2198		
TMP-6	38	7/3/2013	95	159.9	392.2198		
TMP-6	38	7/3/2013	115	153.6	372.2198		
TMP-6	38	7/3/2013	135	142.8	352.2198		
TMP-6	38	7/3/2013	155	132.1	332.2198		
TMP-6	38	7/3/2013	175	122.7	312.2198		
TMP-6	38	7/3/2013	195	105.8	292.2198		
TMP-6	38	7/3/2013	215	77.6	272.2198		
TMP-6	39	7/8/2013	15	119.6	472.2198		
TMP-6	39	7/8/2013	35	150.7	452.2198		
TMP-6	39	7/8/2013	55	166.4	432.2198		
TMP-6	39	7/8/2013	75	162.5	412.2198		
TMP-6	39	7/8/2013	95	157.5	392.2198		
TMP-6	39	7/8/2013	115	151.2	372.2198		
TMP-6	39	7/8/2013	135	140.4	352.2198		
TMP-6	39	7/8/2013	155	129.6	332.2198		
TMP-6	39	7/8/2013	175	119.1	312.2198		
TMP-6	39	7/8/2013	195	104.6	292.2198		
TMP-6	39	7/8/2013	215	76	272.2198		
TMP-6	40	7/10/2013	15	118	472.2198		
TMP-6	40	7/10/2013	35	150.8	452.2198		
TMP-6	40	7/10/2013	55	166.5	432.2198		
TMP-6	40	7/10/2013	75	162.6	412.2198		
TMP-6	40	7/10/2013	95	157.5	392.2198		
TMP-6	40	7/10/2013	115	151.2	372.2198		
TMP-6	40	7/10/2013	135	140.3	352.2198		
TMP-6	40	7/10/2013	155	129.6	332.2198		
TMP-6	40	7/10/2013	175	119.5	312.2198		
TMP-6	40	7/10/2013	195	104.4	292.2198		
TMP-6	40	7/10/2013	215	76.2	272.2198		

Note: The reading from this TMP on July 3rd appeared to be affected by resistance, so it was read again on July 8th to ensure an accurate reading.

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	3	11/19/2012	20	77.03051	483.738		
TMP-7R	3	11/19/2012	40	144.2832	463.738		
TMP-7R	3	11/19/2012	60	156.7388	443.738		
TMP-7R	3	11/19/2012	80	158.9233	423.738		
TMP-7R	3	11/19/2012	100	160.7406	403.738		
TMP-7R	3	11/19/2012	120	159.287	383.738		
TMP-7R	3	11/19/2012	140	152.1748	363.738		
TMP-7R	3	11/19/2012	160	137.9132	343.738		
TMP-7R	3	11/19/2012	180	131.6016	323.738		
TMP-7R	3	11/19/2012	200	128.3397	303.738		
TMP-7R	3	11/19/2012	220	120.474	283.738		
TMP-7R	3	11/19/2012	240	113.5953	263.738		
TMP-7R	4	11/26/2012	20	59.26385	483.738		
TMP-7R	4	11/26/2012	40	139.6707	463.738		
TMP-7R	4	11/26/2012	60	155.9185	443.738		
TMP-7R	4	11/26/2012	80	159.3779	423.738		
TMP-7R	4	11/26/2012	100	164.0049	403.738		
TMP-7R	4	11/26/2012	120	161.376	383.738		
TMP-7R	4	11/26/2012	140	151.8089	363.738		
TMP-7R	4	11/26/2012	160	137.4503	343.738		
TMP-7R	4	11/26/2012	180	129.4591	323.738		
TMP-7R	4	11/26/2012	200	127.9664	303.738		
TMP-7R	4	11/26/2012	220	120.2861	283.738		
TMP-7R	4	11/26/2012	240	107.7214	263.738		
TMP-7R	5	12/11/2012	20	68.03193	483.738		
TMP-7R	5	12/11/2012	40	142.9014	463.738		
TMP-7R	5	12/11/2012	60	160.014	443.738		
TMP-7R	5	12/11/2012	80	164.186	423.738		
TMP-7R	5	12/11/2012	100	168.4336	403.738		
TMP-7R	5	12/11/2012	120	167.1699	383.738		
TMP-7R	5	12/11/2012	140	157.4674	363.738		
TMP-7R	5	12/11/2012	160	139.116	343.738		
TMP-7R	5	12/11/2012	180	134.9473	323.738		
TMP-7R	5	12/11/2012	200	128.713	303.738		
TMP-7R	5	12/11/2012	220	120.3801	283.738		
TMP-7R	5	12/11/2012	240	105.3446	263.738		
TMP-7R	6	12/17/2012	20	68.03193	483.738		
TMP-7R	6	12/17/2012	40	142.9014	463.738		
TMP-7R	6	12/17/2012	60	160.014	443.738		
TMP-7R	6	12/17/2012	80	164.186	423.738		
TMP-7R	6	12/17/2012	100	168.4336	403.738		
TMP-7R	6	12/17/2012	120	167.1699	383.738		
TMP-7R	6	12/17/2012	140	157.4674	363.738		
TMP-7R	6	12/17/2012	160	139.116	343.738		
TMP-7R	6	12/17/2012	180	134.9473	323.738		
TMP-7R	6	12/17/2012	200	128.713	303.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	6	12/17/2012	220	120.3801	283.738		
TMP-7R	6	12/17/2012	240	105.3446	263.738		
TMP-7R	7	12/24/2012	20	68.03193	483.738		
TMP-7R	7	12/24/2012	40	141.3333	463.738		
TMP-7R	7	12/24/2012	60	160.559	443.738		
TMP-7R	7	12/24/2012	80	164.186	423.738		
TMP-7R	7	12/24/2012	100	169.6058	403.738		
TMP-7R	7	12/24/2012	120	168.7042	383.738		
TMP-7R	7	12/24/2012	140	158.7414	363.738		
TMP-7R	7	12/24/2012	160	139.4859	343.738		
TMP-7R	7	12/24/2012	180	134.8545	323.738		
TMP-7R	7	12/24/2012	200	127.4061	303.738		
TMP-7R	7	12/24/2012	220	118.9698	283.738		
TMP-7R	7	12/24/2012	240	102.8676	263.738		
TMP-7R	8	12/31/2012	20	67.04984	483.738		
TMP-7R	8	12/31/2012	40	139.4859	463.738		
TMP-7R	8	12/31/2012	60	160.559	443.738		
TMP-7R	8	12/31/2012	80	165.091	423.738		
TMP-7R	8	12/31/2012	100	170.5068	403.738		
TMP-7R	8	12/31/2012	120	169.6058	383.738		
TMP-7R	8	12/31/2012	140	159.6505	363.738		
TMP-7R	8	12/31/2012	160	140.4099	343.738		
TMP-7R	8	12/31/2012	180	134.8545	323.738		
TMP-7R	8	12/31/2012	200	127.4061	303.738		
TMP-7R	8	12/31/2012	220	117.0868	283.738		
TMP-7R	8	12/31/2012	240	100.9587	263.738		
TMP-7R	9	1/7/2013	20	66.06696	483.738		
TMP-7R	9	1/7/2013	40	135.7822	463.738		
TMP-7R	9	1/7/2013	60	161.4668	443.738		
TMP-7R	9	1/7/2013	80	165.091	423.738		
TMP-7R	9	1/7/2013	100	170.5068	403.738		
TMP-7R	9	1/7/2013	120	170.5068	383.738		
TMP-7R	9	1/7/2013	140	159.6505	363.738		
TMP-7R	9	1/7/2013	160	141.3333	343.738		
TMP-7R	9	1/7/2013	180	132.9968	323.738		
TMP-7R	9	1/7/2013	200	125.5366	303.738		
TMP-7R	9	1/7/2013	220	115.2008	283.738		
TMP-7R	9	1/7/2013	240	99.04666	263.738		
TMP-7R	10	1/9/2013	20	66.2	483.738		
TMP-7R	10	1/9/2013	40	139.5	463.738		
TMP-7R	10	1/9/2013	60	164.8	443.738		
TMP-7R	10	1/9/2013	80	168.9	423.738		
TMP-7R	10	1/9/2013	100	174.6	403.738		
TMP-7R	10	1/9/2013	120	174.3	383.738		
TMP-7R	10	1/9/2013	140	163.5	363.738		
TMP-7R	10	1/9/2013	160	144.9	343.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	10	1/9/2013	180	133.5	323.738		
TMP-7R	10	1/9/2013	200	125.1	303.738		
TMP-7R	10	1/9/2013	220	115.3	283.738		
TMP-7R	10	1/9/2013	240	99.8	263.738		
TMP-7R	11	1/15/2013	20	70.2	483.738		
TMP-7R	11	1/15/2013	40	144.1	463.738		
TMP-7R	11	1/15/2013	60	168.1	443.738		
TMP-7R	11	1/15/2013	80	172.2	423.738		
TMP-7R	11	1/15/2013	100	177.2	403.738		
TMP-7R	11	1/15/2013	120	177.1	383.738		
TMP-7R	11	1/15/2013	140	165.7	363.738		
TMP-7R	11	1/15/2013	160	146.9	343.738		
TMP-7R	11	1/15/2013	180	134.4	323.738		
TMP-7R	11	1/15/2013	200	126.2	303.738		
TMP-7R	11	1/15/2013	220	115.2	283.738		
TMP-7R	11	1/15/2013	240	101.2	263.738		
TMP-7R	12	1/22/2013	20	69.3	483.738		
TMP-7R	12	1/22/2013	40	146	463.738		
TMP-7R	12	1/22/2013	60	168.6	443.738		
TMP-7R	12	1/22/2013	80	172.5	423.738		
TMP-7R	12	1/22/2013	100	177.8	403.738		
TMP-7R	12	1/22/2013	120	177.5	383.738		
TMP-7R	12	1/22/2013	140	166.1	363.738		
TMP-7R	12	1/22/2013	160	146.9	343.738		
TMP-7R	12	1/22/2013	180	133.9	323.738		
TMP-7R	12	1/22/2013	200	126.8	303.738		
TMP-7R	12	1/22/2013	220	113.7	283.738		
TMP-7R	12	1/22/2013	240	99.3	263.738		
TMP-7R	13	1/28/2013	20	68.1	483.738		
TMP-7R	13	1/28/2013	40	145.8	463.738		
TMP-7R	13	1/28/2013	60	166.6	443.738		
TMP-7R	13	1/28/2013	80	171.2	423.738		
TMP-7R	13	1/28/2013	100	176.3	403.738		
TMP-7R	13	1/28/2013	120	175.8	383.738		
TMP-7R	13	1/28/2013	140	165	363.738		
TMP-7R	13	1/28/2013	160	145.7	343.738		
TMP-7R	13	1/28/2013	180	132.7	323.738		
TMP-7R	13	1/28/2013	200	124.7	303.738		
TMP-7R	13	1/28/2013	220	113	283.738		
TMP-7R	13	1/28/2013	240	99.6	263.738		
TMP-7R	14	2/6/2013	20	66.5	483.738		
TMP-7R	14	2/6/2013	40	151.2	463.738		
TMP-7R	14	2/6/2013	60	168.9	443.738		
TMP-7R	14	2/6/2013	80	173.4	423.738		
TMP-7R	14	2/6/2013	100	178.1	403.738		
TMP-7R	14	2/6/2013	120	177.8	383.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	14	2/6/2013	140	166.8	363.738		
TMP-7R	14	2/6/2013	160	145.7	343.738		
TMP-7R	14	2/6/2013	180	133.3	323.738		
TMP-7R	14	2/6/2013	200	125.2	303.738		
TMP-7R	14	2/6/2013	220	111.5	283.738		
TMP-7R	14	2/6/2013	240	99.2	263.738		
TMP-7R	15	2/7/2013	20	63.9	483.738		
TMP-7R	15	2/7/2013	40	148.4	463.738		
TMP-7R	15	2/7/2013	60	166.7	443.738		
TMP-7R	15	2/7/2013	80	171.5	423.738		
TMP-7R	15	2/7/2013	100	176.3	403.738		
TMP-7R	15	2/7/2013	120	176	383.738		
TMP-7R	15	2/7/2013	140	164.7	363.738		
TMP-7R	15	2/7/2013	160	145.1	343.738		
TMP-7R	15	2/7/2013	180	131.8	323.738		
TMP-7R	15	2/7/2013	200	123.9	303.738		
TMP-7R	15	2/7/2013	220	112.1	283.738		
TMP-7R	15	2/7/2013	240	98.9	263.738		
TMP-7R	16	2/13/2013	20	64.2	483.738		
TMP-7R	16	2/13/2013	40	150.9	463.738		
TMP-7R	16	2/13/2013	60	166.9	443.738		
TMP-7R	16	2/13/2013	80	171.9	423.738		
TMP-7R	16	2/13/2013	100	176.7	403.738		
TMP-7R	16	2/13/2013	120	176.6	383.738		
TMP-7R	16	2/13/2013	140	165.2	363.738		
TMP-7R	16	2/13/2013	160	144	343.738		
TMP-7R	16	2/13/2013	180	131.9	323.738		
TMP-7R	16	2/13/2013	200	124.1	303.738		
TMP-7R	16	2/13/2013	220	111.7	283.738		
TMP-7R	16	2/13/2013	240	98.8	263.738		
TMP-7R	17	2/18/2013	20	64.1	483.738		
TMP-7R	17	2/18/2013	40	152	463.738		
TMP-7R	17	2/18/2013	60	167.2	443.738		
TMP-7R	17	2/18/2013	80	171.8	423.738		
TMP-7R	17	2/18/2013	100	176.9	403.738		
TMP-7R	17	2/18/2013	120	176.8	383.738		
TMP-7R	17	2/18/2013	140	165.7	363.738		
TMP-7R	17	2/18/2013	160	144.3	343.738		
TMP-7R	17	2/18/2013	180	132	323.738		
TMP-7R	17	2/18/2013	200	123.7	303.738		
TMP-7R	17	2/18/2013	220	111.6	283.738		
TMP-7R	17	2/18/2013	240	98.7	263.738		
TMP-7R	18	2/25/2013	20	65.3	483.738		
TMP-7R	18	2/25/2013	40	155.4	463.738		
TMP-7R	18	2/25/2013	60	167.4	443.738		
TMP-7R	18	2/25/2013	80	172.3	423.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	18	2/25/2013	100	176.5	403.738		
TMP-7R	18	2/25/2013	120	176.4	383.738		
TMP-7R	18	2/25/2013	140	165.7	363.738		
TMP-7R	18	2/25/2013	160	144.1	343.738		
TMP-7R	18	2/25/2013	180	131.9	323.738		
TMP-7R	18	2/25/2013	200	123.8	303.738		
TMP-7R	18	2/25/2013	220	111.1	283.738		
TMP-7R	18	2/25/2013	240	98.3	263.738		
TMP-7R	19	3/4/2013	20	73.4	483.738		
TMP-7R	19	3/4/2013	40	159.9	463.738		
TMP-7R	19	3/4/2013	60	174	443.738		
TMP-7R	19	3/4/2013	80	178.8	423.738		
TMP-7R	19	3/4/2013	100	182.4	403.738		
TMP-7R	19	3/4/2013	120	180.1	383.738		
TMP-7R	19	3/4/2013	140	169	363.738		
TMP-7R	19	3/4/2013	160	146.7	343.738		
TMP-7R	19	3/4/2013	180	134.1	323.738		
TMP-7R	19	3/4/2013	200	127.1	303.738		
TMP-7R	19	3/4/2013	220	112.5	283.738		
TMP-7R	19	3/4/2013	240	99.8	263.738		
TMP-7R	20	3/12/2013	20	68.3	483.738		
TMP-7R	20	3/12/2013	40	160.4	463.738		
TMP-7R	20	3/12/2013	60	169.7	443.738		
TMP-7R	20	3/12/2013	80	174.6	423.738		
TMP-7R	20	3/12/2013	100	177.3	403.738		
TMP-7R	20	3/12/2013	120	177.6	383.738		
TMP-7R	20	3/12/2013	140	167.2	363.738		
TMP-7R	20	3/12/2013	160	144.6	343.738		
TMP-7R	20	3/12/2013	180	132.1	323.738		
TMP-7R	20	3/12/2013	200	123	303.738		
TMP-7R	20	3/12/2013	220	110.3	283.738		
TMP-7R	20	3/12/2013	240	96.8	263.738		
TMP-7R	21	3/19/2013	20	70	483.738		
TMP-7R	21	3/19/2013	40	160.4	463.738		
TMP-7R	21	3/19/2013	60	168.9	443.738		
TMP-7R	21	3/19/2013	80	173.7	423.738		
TMP-7R	21	3/19/2013	100	177	403.738		
TMP-7R	21	3/19/2013	120	176.9	383.738		
TMP-7R	21	3/19/2013	140	166.7	363.738		
TMP-7R	21	3/19/2013	160	144	343.738		
TMP-7R	21	3/19/2013	180	131.5	323.738		
TMP-7R	21	3/19/2013	200	123.4	303.738		
TMP-7R	21	3/19/2013	220	109.9	283.738		
TMP-7R	21	3/19/2013	240	96.4	263.738		
TMP-7R	22	3/26/2013	20	76.1	483.738		
TMP-7R	22	3/26/2013	40	164.1	463.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	22	3/26/2013	60	171.6	443.738		
TMP-7R	22	3/26/2013	80	176	423.738		
TMP-7R	22	3/26/2013	100	178.3	403.738		
TMP-7R	22	3/26/2013	120	177.7	383.738		
TMP-7R	22	3/26/2013	140	167	363.738		
TMP-7R	22	3/26/2013	160	146.1	343.738		
TMP-7R	22	3/26/2013	180	130.5	323.738		
TMP-7R	22	3/26/2013	200	122.8	303.738		
TMP-7R	22	3/26/2013	220	109.8	283.738		
TMP-7R	22	3/26/2013	240	95.3	263.738		
TMP-7R	23	4/3/2013	20	74.8	483.738		
TMP-7R	23	4/3/2013	40	165.5	463.738		
TMP-7R	23	4/3/2013	60	172.7	443.738		
TMP-7R	23	4/3/2013	80	177.3	423.738		
TMP-7R	23	4/3/2013	100	179.8	403.738		
TMP-7R	23	4/3/2013	120	179.6	383.738		
TMP-7R	23	4/3/2013	140	169.2	363.738		
TMP-7R	23	4/3/2013	160	146.5	343.738		
TMP-7R	23	4/3/2013	180	133.1	323.738		
TMP-7R	23	4/3/2013	200	124.7	303.738		
TMP-7R	23	4/3/2013	220	111.2	283.738		
TMP-7R	23	4/3/2013	240	98.2	263.738		
TMP-7R	26	4/10/2013	20	71.8	483.738		
TMP-7R	26	4/10/2013	40	161.2	463.738		
TMP-7R	26	4/10/2013	60	170.8	443.738		
TMP-7R	26	4/10/2013	80	174.7	423.738		
TMP-7R	26	4/10/2013	100	176.9	403.738		
TMP-7R	26	4/10/2013	120	178.4	383.738		
TMP-7R	26	4/10/2013	140	167.8	363.738		
TMP-7R	26	4/10/2013	160	146.5	343.738		
TMP-7R	26	4/10/2013	180	132.6	323.738		
TMP-7R	26	4/10/2013	200	124.7	303.738		
TMP-7R	26	4/10/2013	220	112.1	283.738		
TMP-7R	26	4/10/2013	240	97.4	263.738		
TMP-7R	27	4/17/2013	20	65.2	483.738		
TMP-7R	27	4/17/2013	40	160.4	463.738		
TMP-7R	27	4/17/2013	60	169.7	443.738		
TMP-7R	27	4/17/2013	80	174.2	423.738		
TMP-7R	27	4/17/2013	100		403.738	176.5	Resistivity
TMP-7R	27	4/17/2013	120	174.7	383.738		
TMP-7R	27	4/17/2013	140	168	363.738		
TMP-7R	27	4/17/2013	160	145.6	343.738		
TMP-7R	27	4/17/2013	180		323.738	132.6	Resistivity
TMP-7R	27	4/17/2013	200	124.7	303.738		
TMP-7R	27	4/17/2013	220		283.738	112	Resistivity
TMP-7R	27	4/17/2013	240	98.3	263.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	28	4/30/2013	20	71.9	483.738		
TMP-7R	28	4/30/2013	40	161.5	463.738		
TMP-7R	28	4/30/2013	60	171	443.738		
TMP-7R	28	4/30/2013	80	174.9	423.738		
TMP-7R	28	4/30/2013	100		403.738	177.2	Resistivity
TMP-7R	28	4/30/2013	120	178.6	383.738		
TMP-7R	28	4/30/2013	140	168.1	363.738		
TMP-7R	28	4/30/2013	160	146.8	343.738		
TMP-7R	28	4/30/2013	180		323.738	132.7	Resistivity
TMP-7R	28	4/30/2013	200	124.6	303.738		
TMP-7R	28	4/30/2013	220		283.738	112.3	Resistivity
TMP-7R	28	4/30/2013	240	97.6	263.738		
TMP-7R	29	5/9/2013	20	69.1	483.738		
TMP-7R	29	5/9/2013	40	163.6	463.738		
TMP-7R	29	5/9/2013	60	172.1	443.738		
TMP-7R	29	5/9/2013	80	176.8	423.738		
TMP-7R	29	5/9/2013	100		403.738	178.4	Resistivity
TMP-7R	29	5/9/2013	120	153.2	383.738		
TMP-7R	29	5/9/2013	140	169.7	363.738		
TMP-7R	29	5/9/2013	160	145.5	343.738		
TMP-7R	29	5/9/2013	180		323.738	132.6	Resistivity
TMP-7R	29	5/9/2013	200	124.9	303.738		
TMP-7R	29	5/9/2013	220		283.738	110.9	Resistivity
TMP-7R	29	5/9/2013	240	96.7	263.738		
TMP-7R	30	5/15/2013	20	78.6	483.738		
TMP-7R	30	5/15/2013	40	171.1	463.738		
TMP-7R	30	5/15/2013	60	178	443.738		
TMP-7R	30	5/15/2013	80	179.7	423.738		
TMP-7R	30	5/15/2013	100		403.738	179.9	Resistivity
TMP-7R	30	5/15/2013	120	175.3	383.738		
TMP-7R	30	5/15/2013	140	173.7	363.738		
TMP-7R	30	5/15/2013	160	147.6	343.738		
TMP-7R	30	5/15/2013	180		323.738	133	Resistivity
TMP-7R	30	5/15/2013	200	126.3	303.738		
TMP-7R	30	5/15/2013	220		283.738	114.1	Resistivity
TMP-7R	30	5/15/2013	240	104.1	263.738		
TMP-7R	31	5/22/2013	20	74.7	483.738		
TMP-7R	31	5/22/2013	40		463.738	167	Resistivity Outside Acceptable Limit
TMP-7R	31	5/22/2013	60		443.738	176.3	Resistivity Outside Acceptable Limit

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	31	5/22/2013	80		423.738	179.5	Resitivity Outside Acceptable Limit
TMP-7R	31	5/22/2013	100	178	403.738		
TMP-7R	31	5/22/2013	120		383.738	177.7	Resistivity Outside Acceptable Limit
TMP-7R	31	5/22/2013	140	170.9	363.738		
TMP-7R	31	5/22/2013	160		343.738	149.7	Resitivity Outside Acceptable Limit
TMP-7R	31	5/22/2013	180	134	323.738		
TMP-7R	31	5/22/2013	200		303.738	127	Resistivity Outside Acceptable Limit
TMP-7R	31	5/22/2013	220	102.1	283.738		
TMP-7R	31	5/22/2013	240		263.738		Large Flucuations - Unit No Longer Functioning
TMP-7R	32	5/29/2013	20		483.738	68.4	Reading bounced could not obtain valid reading
TMP-7R	32	5/29/2013	40		463.738	122.1	Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	60		443.738	204.9	Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	80		423.738	191.2	Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	100	180.7	403.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	32	5/29/2013	120		383.738	162	Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	140	170.2	363.738		
TMP-7R	32	5/29/2013	160		343.738	147.7	Reading bounced could not obtain valid reading Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	180	140.2	323.738		
TMP-7R	32	5/29/2013	200		303.738	129.3	Resistivity Outside Acceptable Limit (5/22)
TMP-7R	32	5/29/2013	220	109.4	283.738		
TMP-7R	32	5/29/2013	240		263.738		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-7R	34	6/5/2013	20		483.738		NLW, Large fluctuation during Reading
TMP-7R	34	6/5/2013	40		463.738		NLW - resistivity
TMP-7R	34	6/5/2013	60		443.738	188.7	NLW - resistivity
TMP-7R	34	6/5/2013	80	182.1	423.738		
TMP-7R	34	6/5/2013	100		403.738		OL
TMP-7R	34	6/5/2013	120		383.738	185.4	NLW - resistivity
TMP-7R	34	6/5/2013	140	167.8	363.738		
TMP-7R	34	6/5/2013	160		343.738	160.6	NLW - resistivity

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	34	6/5/2013	180		323.738	184	NLW - resistivity
TMP-7R	34	6/5/2013	200		303.738	146.2	NLW - resistivity
TMP-7R	34	6/5/2013	220		283.738	106.5	NLW - resistivity
TMP-7R	34	6/5/2013	240		263.738		NLW - resistivity
TMP-7R	35	6/12/2013	20	83.1	483.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	40	192.1	463.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	60	189.8	443.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	80	194.2	423.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	100	217.3	403.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	120	207.6	383.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	140	174.5	363.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	160	150.4	343.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	180	136.7	323.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	200	128.4	303.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	220	115.1	283.738		Installed new OMEGA dial on TMP 7,
TMP-7R	35	6/12/2013	240	99.4	263.738		Installed new OMEGA dial on TMP 7,
TMP-7R	36	6/19/2013	20	83.7	483.738		
TMP-7R	36	6/19/2013	40	198.9	463.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-7R	36	6/19/2013	60	203	443.738		
TMP-7R	36	6/19/2013	80	208.9	423.738		
TMP-7R	36	6/19/2013	100	235.1	403.738		
TMP-7R	36	6/19/2013	120	206.7	383.738		
TMP-7R	36	6/19/2013	140	175.3	363.738		
TMP-7R	36	6/19/2013	160	153.8	343.738		
TMP-7R	36	6/19/2013	180	141	323.738		
TMP-7R	36	6/19/2013	200	128.6	303.738		
TMP-7R	36	6/19/2013	220	115	283.738		
TMP-7R	36	6/19/2013	240	99	263.738		
TMP-7R	37	6/27/2013	20	87.2	483.738		
TMP-7R	37	6/27/2013	40	207.1	463.738		
TMP-7R	37	6/27/2013	60	212.4	443.738		
TMP-7R	37	6/27/2013	80	218.2	423.738		
TMP-7R	37	6/27/2013	100	241.2	403.738		
TMP-7R	37	6/27/2013	120	204.8	383.738		
TMP-7R	37	6/27/2013	140	173.1	363.738		
TMP-7R	37	6/27/2013	160	149.5	343.738		
TMP-7R	37	6/27/2013	180	139.9	323.738		
TMP-7R	37	6/27/2013	200	119.5	303.738		
TMP-7R	37	6/27/2013	220	111.6	283.738		
TMP-7R	37	6/27/2013	240	98	263.738		
TMP-7R	38	7/3/2013	20	89	483.738		
TMP-7R	38	7/3/2013	40	212.4	463.738		
TMP-7R	38	7/3/2013	60	218.1	443.738		
TMP-7R	38	7/3/2013	80	221.2	423.738		
TMP-7R	38	7/3/2013	100	240.7	403.738		
TMP-7R	38	7/3/2013	120	214.6	383.738		
TMP-7R	38	7/3/2013	140	174	363.738		
TMP-7R	38	7/3/2013	160	148.1	343.738		
TMP-7R	38	7/3/2013	180	139.9	323.738		
TMP-7R	38	7/3/2013	200	121.3	303.738		
TMP-7R	38	7/3/2013	220	111.6	283.738		
TMP-7R	38	7/3/2013	240	98.5	263.738		
TMP-7R	40	7/10/2013	20	112.1	483.738		
TMP-7R	40	7/10/2013	40	216.9	463.738		
TMP-7R	40	7/10/2013	60	223.8	443.738		
TMP-7R	40	7/10/2013	80	227.2	423.738		
TMP-7R	40	7/10/2013	100	255.4	403.738		
TMP-7R	40	7/10/2013	120	219.5	383.738		
TMP-7R	40	7/10/2013	140	185.1	363.738		
TMP-7R	40	7/10/2013	160	148	343.738		
TMP-7R	40	7/10/2013	180	157.3	323.738		
TMP-7R	40	7/10/2013	200	127.1	303.738		
TMP-7R	40	7/10/2013	220	117	283.738		
TMP-7R	40	7/10/2013	240	100.4	263.738		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	5	12/11/2012	20	147.5013	501.9709		
TMP-8	5	12/11/2012	40	154.0025	481.9709		
TMP-8	5	12/11/2012	60	165.4528	461.9709		
TMP-8	5	12/11/2012	80	168.7944	441.9709		
TMP-8	5	12/11/2012	100	175.0013	421.9709		
TMP-8	5	12/11/2012	120	183.406	401.9709		
TMP-8	5	12/11/2012	140	182.6038	381.9709		
TMP-8	5	12/11/2012	160	172.0368	361.9709		
TMP-8	5	12/11/2012	180	170.867	341.9709		
TMP-8	5	12/11/2012	200	165.7241	321.9709		
TMP-8	5	12/11/2012	220	158.9233	301.9709		
TMP-8	5	12/11/2012	240	144.2832	281.9709		
TMP-8	5	12/11/2012	260	104.2972	261.9709		
TMP-8	6	12/17/2012	20	147.5013	501.9709		
TMP-8	6	12/17/2012	40	154.0025	481.9709		
TMP-8	6	12/17/2012	60	165.4528	461.9709		
TMP-8	6	12/17/2012	80	168.7944	441.9709		
TMP-8	6	12/17/2012	100	175.0013	421.9709		
TMP-8	6	12/17/2012	120	183.406	401.9709		
TMP-8	6	12/17/2012	140	182.6038	381.9709		
TMP-8	6	12/17/2012	160	172.0368	361.9709		
TMP-8	6	12/17/2012	180	170.867	341.9709		
TMP-8	6	12/17/2012	200	165.7241	321.9709		
TMP-8	6	12/17/2012	220	158.9233	301.9709		
TMP-8	6	12/17/2012	240	144.2832	281.9709		
TMP-8	6	12/17/2012	260	104.2972	261.9709		
TMP-8	7	12/24/2012	20	142.7182	501.9709		
TMP-8	7	12/24/2012	40	148.6966	481.9709		
TMP-8	7	12/24/2012	60	159.1531	461.9709		
TMP-8	7	12/24/2012	80	162.1875	441.9709		
TMP-8	7	12/24/2012	100	167.8031	421.9709		
TMP-8	7	12/24/2012	120	175.3656	401.9709		
TMP-8	7	12/24/2012	140	174.6458	381.9709		
TMP-8	7	12/24/2012	160	165.1243	361.9709		
TMP-8	7	12/24/2012	180	164.0655	341.9709		
TMP-8	7	12/24/2012	200	159.3998	321.9709		
TMP-8	7	12/24/2012	220	153.2016	301.9709		
TMP-8	7	12/24/2012	240	139.7477	281.9709		
TMP-8	7	12/24/2012	260	102.1972	261.9709		
TMP-8	8	12/31/2012	20	154.1851	501.9709		
TMP-8	8	12/31/2012	40	161.4668	481.9709		
TMP-8	8	12/31/2012	60	172.3066	461.9709		
TMP-8	8	12/31/2012	80	176.7945	441.9709		
TMP-8	8	12/31/2012	100	183.0496	421.9709		
TMP-8	8	12/31/2012	120	190.1591	401.9709		
TMP-8	8	12/31/2012	140	190.1591	381.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	8	12/31/2012	160	175.8982	361.9709		
TMP-8	8	12/31/2012	180	169.6058	341.9709		
TMP-8	8	12/31/2012	200	163.2803	321.9709		
TMP-8	8	12/31/2012	220	165.091	301.9709		
TMP-8	8	12/31/2012	240	148.6943	281.9709		
TMP-8	8	12/31/2012	260	107.6264	261.9709		
TMP-8	9	1/7/2013	20	159.6505	501.9709		
TMP-8	9	1/7/2013	40	170.5068	481.9709		
TMP-8	9	1/7/2013	60	177.69	461.9709		
TMP-8	9	1/7/2013	80	182.1579	441.9709		
TMP-8	9	1/7/2013	100	193.6984	421.9709		
TMP-8	9	1/7/2013	120	196.3463	401.9709		
TMP-8	9	1/7/2013	140	192.8146	381.9709		
TMP-8	9	1/7/2013	160	180.3728	361.9709		
TMP-8	9	1/7/2013	180	179.4792	341.9709		
TMP-8	9	1/7/2013	200	165.091	321.9709		
TMP-8	9	1/7/2013	220	166.899	301.9709		
TMP-8	9	1/7/2013	240	153.2717	281.9709		
TMP-8	9	1/7/2013	260	115.2008	261.9709		
TMP-8	10	1/9/2013	20	181.9	501.9709		
TMP-8	10	1/9/2013	40	197.6	481.9709		
TMP-8	10	1/9/2013	60	206.1	461.9709		
TMP-8	10	1/9/2013	80	212	441.9709		
TMP-8	10	1/9/2013	100	217.4	421.9709		
TMP-8	10	1/9/2013	120	214.5	401.9709		
TMP-8	10	1/9/2013	140	202.7	381.9709		
TMP-8	10	1/9/2013	160	183.4	361.9709		
TMP-8	10	1/9/2013	180	181	341.9709		
TMP-8	10	1/9/2013	200	174.9	321.9709		
TMP-8	10	1/9/2013	220	167.5	301.9709		
TMP-8	10	1/9/2013	240	153.5	281.9709		
TMP-8	10	1/9/2013	260	108.6	261.9709		
TMP-8	11	1/15/2013	20	181.3	501.9709		
TMP-8	11	1/15/2013	40	197.1	481.9709		
TMP-8	11	1/15/2013	60	205.9	461.9709		
TMP-8	11	1/15/2013	80	212	441.9709		
TMP-8	11	1/15/2013	100	218.4	421.9709		
TMP-8	11	1/15/2013	120	212.6	401.9709		
TMP-8	11	1/15/2013	140	202.4	381.9709		
TMP-8	11	1/15/2013	160	180.6	361.9709		
TMP-8	11	1/15/2013	180		341.9709		
TMP-8	11	1/15/2013	200	172.6	321.9709		
TMP-8	11	1/15/2013	220	165.5	301.9709		
TMP-8	11	1/15/2013	240	151	281.9709		
TMP-8	11	1/15/2013	260	107.2	261.9709		
TMP-8	12	1/22/2013	20	195.8	501.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	12	1/22/2013	40	211.4	481.9709		
TMP-8	12	1/22/2013	60	220.3	461.9709		
TMP-8	12	1/22/2013	80	227.8	441.9709		
TMP-8	12	1/22/2013	100	233.7	421.9709		
TMP-8	12	1/22/2013	120	223.1	401.9709		
TMP-8	12	1/22/2013	140	212.8	381.9709		
TMP-8	12	1/22/2013	160	198.2	361.9709		
TMP-8	12	1/22/2013	180	196.2	341.9709		
TMP-8	12	1/22/2013	200	188.2	321.9709		
TMP-8	12	1/22/2013	220	181.6	301.9709		
TMP-8	12	1/22/2013	240	168.1	281.9709		
TMP-8	12	1/22/2013	260	125	261.9709		
TMP-8	13	1/28/2013	20	196	501.9709		
TMP-8	13	1/28/2013	40	211.3	481.9709		
TMP-8	13	1/28/2013	60	222.8	461.9709		
TMP-8	13	1/28/2013	80	229.2	441.9709		
TMP-8	13	1/28/2013	100	234.3	421.9709		
TMP-8	13	1/28/2013	120	229.5	401.9709		
TMP-8	13	1/28/2013	140	213.7	381.9709		
TMP-8	13	1/28/2013	160	190	361.9709		
TMP-8	13	1/28/2013	180	187.5	341.9709		
TMP-8	13	1/28/2013	200	181.3	321.9709		
TMP-8	13	1/28/2013	220	174.2	301.9709		
TMP-8	13	1/28/2013	240	161.1	281.9709		
TMP-8	13	1/28/2013	260	116.9	261.9709		
TMP-8	14	2/6/2013	20	198	501.9709		
TMP-8	14	2/6/2013	40	215.2	481.9709		
TMP-8	14	2/6/2013	60	225.7	461.9709		
TMP-8	14	2/6/2013	80	231.1	441.9709		
TMP-8	14	2/6/2013	100	236	421.9709		
TMP-8	14	2/6/2013	120	239.2	401.9709		
TMP-8	14	2/6/2013	140	269.3	381.9709		
TMP-8	14	2/6/2013	160	189.3	361.9709		
TMP-8	14	2/6/2013	180	187.4	341.9709		
TMP-8	14	2/6/2013	200	180.8	321.9709		
TMP-8	14	2/6/2013	220	173.8	301.9709		
TMP-8	14	2/6/2013	240	159.7	281.9709		
TMP-8	14	2/6/2013	260	115.9	261.9709		
TMP-8	15	2/7/2013	20	200.8	501.9709		
TMP-8	15	2/7/2013	40	218.3	481.9709		
TMP-8	15	2/7/2013	60	228.4	461.9709		
TMP-8	15	2/7/2013	80	233.7	441.9709		
TMP-8	15	2/7/2013	100	239.2	421.9709		
TMP-8	15	2/7/2013	120	242.5	401.9709		
TMP-8	15	2/7/2013	140	278.1	381.9709		
TMP-8	15	2/7/2013	160	191.9	361.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	15	2/7/2013	180	189.8	341.9709		
TMP-8	15	2/7/2013	200	183.3	321.9709		
TMP-8	15	2/7/2013	220	176.2	301.9709		
TMP-8	15	2/7/2013	240	162.2	281.9709		
TMP-8	15	2/7/2013	260	118.7	261.9709		
TMP-8	16	2/13/2013	20	189.8	501.9709		
TMP-8	16	2/13/2013	40	204.9	481.9709		
TMP-8	16	2/13/2013	60	213.8	461.9709		
TMP-8	16	2/13/2013	80	219.3	441.9709		
TMP-8	16	2/13/2013	100	224.5	421.9709		
TMP-8	16	2/13/2013	120	228.6	401.9709		
TMP-8	16	2/13/2013	140	251.7	381.9709		
TMP-8	16	2/13/2013	160	175.5	361.9709		
TMP-8	16	2/13/2013	180	172.8	341.9709		
TMP-8	16	2/13/2013	200	166.5	321.9709		
TMP-8	16	2/13/2013	220	158.8	301.9709		
TMP-8	16	2/13/2013	240	144.3	281.9709		
TMP-8	16	2/13/2013	260	110.8	261.9709		
TMP-8	17	2/18/2013	20	199	501.9709		
TMP-8	17	2/18/2013	40	218.3	481.9709		
TMP-8	17	2/18/2013	60	228	461.9709		
TMP-8	17	2/18/2013	80	232.5	441.9709		
TMP-8	17	2/18/2013	100	237.6	421.9709		
TMP-8	17	2/18/2013	120	242.4	401.9709		
TMP-8	17	2/18/2013	140	259.2	381.9709		
TMP-8	17	2/18/2013	160	188.1	361.9709		
TMP-8	17	2/18/2013	180	186	341.9709		
TMP-8	17	2/18/2013	200	179.3	321.9709		
TMP-8	17	2/18/2013	220	172.8	301.9709		
TMP-8	17	2/18/2013	240	158.7	281.9709		
TMP-8	17	2/18/2013	260	115.8	261.9709		
TMP-8	18	2/25/2013	20	192.2	501.9709		
TMP-8	18	2/25/2013	40	210.6	481.9709		
TMP-8	18	2/25/2013	60	219.8	461.9709		
TMP-8	18	2/25/2013	80	224.7	441.9709		
TMP-8	18	2/25/2013	100	229.9	421.9709		
TMP-8	18	2/25/2013	120	235.5	401.9709		
TMP-8	18	2/25/2013	140	260.5	381.9709		
TMP-8	18	2/25/2013	160	183.8	361.9709		
TMP-8	18	2/25/2013	180	176.8	341.9709		
TMP-8	18	2/25/2013	200		321.9709		
TMP-8	18	2/25/2013	220	163	301.9709		
TMP-8	18	2/25/2013	240	149.5	281.9709		
TMP-8	18	2/25/2013	260	105.9	261.9709		
TMP-8	19	3/4/2013	20	198.7	501.9709		
TMP-8	19	3/4/2013	40	219.8	481.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	19	3/4/2013	60		461.9709		
TMP-8	19	3/4/2013	80	232.9	441.9709		
TMP-8	19	3/4/2013	100	239.5	421.9709		
TMP-8	19	3/4/2013	120	244.3	401.9709		
TMP-8	19	3/4/2013	140	284.9	381.9709		
TMP-8	19	3/4/2013	160	194.4	361.9709		
TMP-8	19	3/4/2013	180		341.9709		
TMP-8	19	3/4/2013	200		321.9709		
TMP-8	19	3/4/2013	220	171.3	301.9709		
TMP-8	19	3/4/2013	240		281.9709		
TMP-8	19	3/4/2013	260	114.7	261.9709		
TMP-8	20	3/12/2013	20	199.5	501.9709		
TMP-8	20	3/12/2013	40	216.5	481.9709		
TMP-8	20	3/12/2013	60		461.9709		
TMP-8	20	3/12/2013	80	236.5	441.9709		
TMP-8	20	3/12/2013	100	243.3	421.9709		
TMP-8	20	3/12/2013	120	249.8	401.9709		
TMP-8	20	3/12/2013	140	285.7	381.9709		
TMP-8	20	3/12/2013	160	196.8	361.9709		
TMP-8	20	3/12/2013	180		341.9709		
TMP-8	20	3/12/2013	200		321.9709		
TMP-8	20	3/12/2013	220	174.3	301.9709		
TMP-8	20	3/12/2013	240		281.9709		
TMP-8	20	3/12/2013	260		261.9709		
TMP-8	21	3/19/2013	20	190.5	501.9709		
TMP-8	21	3/19/2013	40	210	481.9709		
TMP-8	21	3/19/2013	60		461.9709		
TMP-8	21	3/19/2013	80	212.7	441.9709		
TMP-8	21	3/19/2013	100	237.7	421.9709		
TMP-8	21	3/19/2013	120		401.9709		
TMP-8	21	3/19/2013	140	279.9	381.9709		
TMP-8	21	3/19/2013	160	189.9	361.9709		
TMP-8	21	3/19/2013	180		341.9709		
TMP-8	21	3/19/2013	200		321.9709		
TMP-8	21	3/19/2013	220	160.1	301.9709		
TMP-8	21	3/19/2013	240		281.9709		
TMP-8	21	3/19/2013	260		261.9709		
TMP-8	22	3/26/2013	20	206.1	501.9709		
TMP-8	22	3/26/2013	40	231.2	481.9709		
TMP-8	22	3/26/2013	60	245.8	461.9709		
TMP-8	22	3/26/2013	80	201.3	441.9709		
TMP-8	22	3/26/2013	100	267.5	421.9709		
TMP-8	22	3/26/2013	120		401.9709		
TMP-8	22	3/26/2013	140	309.4	381.9709		
TMP-8	22	3/26/2013	160		361.9709		
TMP-8	22	3/26/2013	180		341.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	22	3/26/2013	200		321.9709		
TMP-8	22	3/26/2013	220	205.5	301.9709		
TMP-8	22	3/26/2013	240		281.9709		
TMP-8	22	3/26/2013	260		261.9709		
TMP-8	23	4/3/2013	20	188.7	501.9709		
TMP-8	23	4/3/2013	40	214.1	481.9709		
TMP-8	23	4/3/2013	60		461.9709		
TMP-8	23	4/3/2013	80	236.4	441.9709		
TMP-8	23	4/3/2013	100	242.5	421.9709		
TMP-8	23	4/3/2013	120		401.9709		
TMP-8	23	4/3/2013	140	283.5	381.9709		
TMP-8	23	4/3/2013	160		361.9709		
TMP-8	23	4/3/2013	180		341.9709		
TMP-8	23	4/3/2013	200		321.9709		
TMP-8	23	4/3/2013	220	166.9	301.9709		
TMP-8	23	4/3/2013	240		281.9709		
TMP-8	23	4/3/2013	260		261.9709		
TMP-8	26	4/10/2013	20	191.5	501.9709		
TMP-8	26	4/10/2013	40	218.7	481.9709		
TMP-8	26	4/10/2013	60		461.9709		
TMP-8	26	4/10/2013	80	239.4	441.9709		
TMP-8	26	4/10/2013	100	247.5	421.9709		
TMP-8	26	4/10/2013	120		401.9709		
TMP-8	26	4/10/2013	140	284.2	381.9709		
TMP-8	26	4/10/2013	160		361.9709		
TMP-8	26	4/10/2013	180		341.9709		
TMP-8	26	4/10/2013	200		321.9709		
TMP-8	26	4/10/2013	220	167.8	301.9709		
TMP-8	26	4/10/2013	240		281.9709		
TMP-8	26	4/10/2013	260		261.9709		
TMP-8	27	4/17/2013	20	191.1	501.9709		
TMP-8	27	4/17/2013	40		481.9709	218.9	Resistivity
TMP-8	27	4/17/2013	60		461.9709	226.3	Resistivity
TMP-8	27	4/17/2013	80	238.8	441.9709		
TMP-8	27	4/17/2013	100	240.1	421.9709		
TMP-8	27	4/17/2013	120		401.9709		Resistivity
TMP-8	27	4/17/2013	140	297.1	381.9709		
TMP-8	27	4/17/2013	160		361.9709		Resistivity
TMP-8	27	4/17/2013	180		341.9709		
TMP-8	27	4/17/2013	200		321.9709		Resistivity
TMP-8	27	4/17/2013	220	170.5	301.9709		
TMP-8	27	4/17/2013	240		281.9709		
TMP-8	27	4/17/2013	260		261.9709		
TMP-8	28	4/30/2013	20	176	501.9709		
TMP-8	28	4/30/2013	40		481.9709	245.2	Resistivity
TMP-8	28	4/30/2013	60		461.9709	226.8	Resistivity

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	28	4/30/2013	80	244.1	441.9709		
TMP-8	28	4/30/2013	100	258.6	421.9709		
TMP-8	28	4/30/2013	120		401.9709		Resistivity
TMP-8	28	4/30/2013	140	284.1	381.9709		
TMP-8	28	4/30/2013	160		361.9709		Resistivity
TMP-8	28	4/30/2013	180		341.9709		
TMP-8	28	4/30/2013	200		321.9709		Resistivity
TMP-8	28	4/30/2013	220	168.5	301.9709		
TMP-8	28	4/30/2013	240		281.9709		
TMP-8	28	4/30/2013	260		261.9709		
TMP-8	29	5/9/2013	20	180.4	501.9709		
TMP-8	29	5/9/2013	40		481.9709		
TMP-8	29	5/9/2013	60		461.9709		
TMP-8	29	5/9/2013	80	243.9	441.9709		
TMP-8	29	5/9/2013	100	234.6	421.9709		
TMP-8	29	5/9/2013	120		401.9709		
TMP-8	29	5/9/2013	140		381.9709		Unable to read
TMP-8	29	5/9/2013	160		361.9709		
TMP-8	29	5/9/2013	180		341.9709		
TMP-8	29	5/9/2013	200		321.9709		
TMP-8	29	5/9/2013	220	165.2	301.9709		
TMP-8	29	5/9/2013	240		281.9709		
TMP-8	29	5/9/2013	260		261.9709		
TMP-8	30	5/15/2013	20	163.5	501.9709		
TMP-8	30	5/15/2013	40		481.9709		Resistivity - reading didn't equalize L:222.3 H:240.8
TMP-8	30	5/15/2013	60		461.9709		Resistivity
TMP-8	30	5/15/2013	80	255.4	441.9709		
TMP-8	30	5/15/2013	100		421.9709		reading didn't equalize L:232.00 H: 286.8
TMP-8	30	5/15/2013	120		401.9709		Resistivity
TMP-8	30	5/15/2013	140		381.9709		reading didn't equalize L:318.00 H:325.8
TMP-8	30	5/15/2013	160		361.9709		Resistivity
TMP-8	30	5/15/2013	180		341.9709		
TMP-8	30	5/15/2013	200		321.9709		Resistivity
TMP-8	30	5/15/2013	220		301.9709		
TMP-8	30	5/15/2013	240		281.9709		
TMP-8	30	5/15/2013	260		261.9709		
TMP-8	31	5/22/2013	20	163	501.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	31	5/22/2013	40		481.9709		reading didn't equalize
TMP-8	31	5/22/2013	60		461.9709		reading didn't equalize
TMP-8	31	5/22/2013	80		441.9709		Temp reading was OL & reading did not equalize
TMP-8	31	5/22/2013	100		421.9709		reading didn't equalize
TMP-8	31	5/22/2013	120		401.9709		NLW-Resistance was OL & reading did not equalize
TMP-8	31	5/22/2013	140		381.9709		Temp reading was OL & reading did not equalize
TMP-8	31	5/22/2013	160		361.9709		NLW-resistivity & reading did not equalize
TMP-8	31	5/22/2013	180		341.9709		NLW-resistivity & Temp reading was OL
TMP-8	31	5/22/2013	200		321.9709		NLW-resistivity & Temp reading was OL
TMP-8	31	5/22/2013	220		301.9709		NLW-resistivity & reading did not equalize
TMP-8	31	5/22/2013	240		281.9709		NLW-Resistance was OL & Temp reading was OL
TMP-8	31	5/22/2013	260		261.9709		NLW
TMP-8	32	5/29/2013	20	157.5	501.9709		
TMP-8	32	5/29/2013	40		481.9709		Reading bounced could not obtain valid reading
TMP-8	32	5/29/2013	60		461.9709		Reading bounced could not obtain valid reading

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	32	5/29/2013	80		441.9709		Reading bounced could not obtain valid reading
TMP-8	32	5/29/2013	100		421.9709		Reading bounced could not obtain valid reading
TMP-8	32	5/29/2013	120		401.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-8	32	5/29/2013	140		381.9709		Reading bounced could not obtain valid reading
TMP-8	32	5/29/2013	160		361.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-8	32	5/29/2013	180		341.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-8	32	5/29/2013	200		321.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	32	5/29/2013	220		301.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-8	32	5/29/2013	240		281.9709		Reading bounced could not obtain valid reading & Resistivity Outside Acceptable Limit (5/22)
TMP-8	32	5/29/2013	260		261.9709		
TMP-8	34	6/5/2013	20	147.8	501.9709		
TMP-8	34	6/5/2013	40		481.9709		NLW, Large fluctuation during Reading
TMP-8	34	6/5/2013	60		461.9709		NLW, Large fluctuation during Reading
TMP-8	34	6/5/2013	80		441.9709		NLW, Large fluctuation during Reading
TMP-8	34	6/5/2013	100		421.9709		NLW, Large fluctuation during Reading
TMP-8	34	6/5/2013	120		401.9709		NLW - resistivity
TMP-8	34	6/5/2013	140		381.9709		NLW, Large fluctuation during Reading
TMP-8	34	6/5/2013	160		361.9709		NLW - resistivity
TMP-8	34	6/5/2013	180		341.9709		NLW - resistivity
TMP-8	34	6/5/2013	200		321.9709		NLW - resistivity
TMP-8	34	6/5/2013	220		301.9709		NLW - resistivity
TMP-8	34	6/5/2013	240		281.9709		NLW - resistivity
TMP-8	34	6/5/2013	260		261.9709		
TMP-8	35	6/12/2013	20	158.2	501.9709		
TMP-8	35	6/12/2013	40		481.9709		Large fluctuation during Reading

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	35	6/12/2013	60		461.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	80		441.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	100		421.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	120		401.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	140		381.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	160		361.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	180		341.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	200		321.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	220		301.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	240		281.9709		Large fluctuation during Reading
TMP-8	35	6/12/2013	260		261.9709		
TMP-8	36	6/19/2013	20	159.5	501.9709		
TMP-8	36	6/19/2013	40		481.9709		
TMP-8	36	6/19/2013	60		461.9709		
TMP-8	36	6/19/2013	80	238.5	441.9709		able to get a reading
TMP-8	36	6/19/2013	100		421.9709		
TMP-8	36	6/19/2013	120		401.9709		
TMP-8	36	6/19/2013	140		381.9709		
TMP-8	36	6/19/2013	160		361.9709		
TMP-8	36	6/19/2013	180		341.9709		
TMP-8	36	6/19/2013	200		321.9709		
TMP-8	36	6/19/2013	220		301.9709		
TMP-8	36	6/19/2013	240		281.9709		
TMP-8	36	6/19/2013	260		261.9709		
TMP-8	37	6/27/2013	20	154.6	501.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	37	6/27/2013	40		481.9709		
TMP-8	37	6/27/2013	60		461.9709		
TMP-8	37	6/27/2013	80	243.5	441.9709	243.5	
TMP-8	37	6/27/2013	100		421.9709		
TMP-8	37	6/27/2013	120		401.9709		
TMP-8	37	6/27/2013	140		381.9709		
TMP-8	37	6/27/2013	160		361.9709		
TMP-8	37	6/27/2013	180	249.3	341.9709	249.3	
TMP-8	37	6/27/2013	200		321.9709		
TMP-8	37	6/27/2013	220		301.9709		
TMP-8	37	6/27/2013	240		281.9709		
TMP-8	37	6/27/2013	260		261.9709		
TMP-8	38	7/3/2013	20		501.9709		unable to read
TMP-8	38	7/3/2013	40		481.9709	215.6	
TMP-8	38	7/3/2013	60		461.9709		readings failed to stabilize
TMP-8	38	7/3/2013	80	256.1	441.9709		
TMP-8	38	7/3/2013	100	268.4	421.9709		
TMP-8	38	7/3/2013	120		401.9709		readings failed to stabilize
TMP-8	38	7/3/2013	140		381.9709		readings failed to stabilize
TMP-8	38	7/3/2013	160		361.9709		readings failed to stabilize
TMP-8	38	7/3/2013	180	247.5	341.9709		
TMP-8	38	7/3/2013	200		321.9709		readings failed to stabilize
TMP-8	38	7/3/2013	220		301.9709		readings failed to stabilize
TMP-8	38	7/3/2013	240		281.9709		readings failed to stabilize
TMP-8	38	7/3/2013	260		261.9709		
TMP-8	40	7/10/2013	20		501.9709		unable to read
TMP-8	40	7/10/2013	40		481.9709	213	
TMP-8	40	7/10/2013	60		461.9709		readings failed to stabilize
TMP-8	40	7/10/2013	80	246.7	441.9709		
TMP-8	40	7/10/2013	100		421.9709		
TMP-8	40	7/10/2013	120		401.9709		readings failed to stabilize
TMP-8	40	7/10/2013	140		381.9709		readings failed to stabilize
TMP-8	40	7/10/2013	160		361.9709		readings failed to stabilize
TMP-8	40	7/10/2013	180		341.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-8	40	7/10/2013	200		321.9709		readings failed to stabilize
TMP-8	40	7/10/2013	220		301.9709		readings failed to stabilize
TMP-8	40	7/10/2013	240		281.9709		readings failed to stabilize
TMP-8	40	7/10/2013	260		261.9709		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-9	1	11/8/2012	20	146.8584	465.6642		
TMP-9	1	11/8/2012	40	164.2765	445.6642		
TMP-9	1	11/8/2012	60	165.3624	425.6642		
TMP-9	1	11/8/2012	80	196.3463	405.6642		
TMP-9	1	11/8/2012	100	179.4792	385.6642		
TMP-9	2	11/12/2012	20	151.6259	465.6642		
TMP-9	2	11/12/2012	40	167.4408	445.6642		
TMP-9	2	11/12/2012	60	168.7944	425.6642		
TMP-9	2	11/12/2012	80	198.1084	405.6642		
TMP-9	2	11/12/2012	100	181.8903	385.6642		
TMP-9	3	11/19/2012	20	152.3577	465.6642		
TMP-9	3	11/19/2012	40	169.5157	445.6642		
TMP-9	3	11/19/2012	60	171.227	425.6642		
TMP-9	3	11/19/2012	80	198.1084	405.6642		
TMP-9	3	11/19/2012	100	184.1186	385.6642		
TMP-9	4	11/26/2012	20	147.7767	465.6642		
TMP-9	4	11/26/2012	40	169.8762	445.6642		
TMP-9	4	11/26/2012	60	172.2167	425.6642		
TMP-9	4	11/26/2012	80	195.1996	405.6642		
TMP-9	4	11/26/2012	100	183.406	385.6642		
TMP-9	5	12/11/2012	20	157.6495	465.6642		
TMP-9	5	12/11/2012	40	187.0538	445.6642		
TMP-9	5	12/11/2012	60	190.6906	425.6642		
TMP-9	5	12/11/2012	80	197.1396	405.6642		
TMP-9	5	12/11/2012	100	184.7418	385.6642		
TMP-9	6	12/17/2012	20	157.6495	465.6642		
TMP-9	6	12/17/2012	40	187.0538	445.6642		
TMP-9	6	12/17/2012	60	190.6906	425.6642		
TMP-9	6	12/17/2012	80	197.1396	405.6642		
TMP-9	6	12/17/2012	100	184.7418	385.6642		
TMP-9	7	12/24/2012	20	156.921	465.6642		
TMP-9	7	12/24/2012	40	191.93	445.6642		
TMP-9	7	12/24/2012	60	196.3463	425.6642		
TMP-9	7	12/24/2012	80	197.2277	405.6642		
TMP-9	7	12/24/2012	100	184.8308	385.6642		
TMP-9	8	12/31/2012	20	150.5274	465.6642		
TMP-9	8	12/31/2012	40	198.1084	445.6642		
TMP-9	8	12/31/2012	60	203.3797	425.6642		
TMP-9	8	12/31/2012	80	199.868	405.6642		
TMP-9	8	12/31/2012	100	186.6095	385.6642		
TMP-9	9	1/7/2013	20	163.2803	465.6642		
TMP-9	9	1/7/2013	40	203.3797	445.6642		
TMP-9	9	1/7/2013	60	208.6289	425.6642		
TMP-9	9	1/7/2013	80	200.7468	405.6642		
TMP-9	9	1/7/2013	100	186.6095	385.6642		
TMP-9	10	1/9/2013	20	167.9	465.6642		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-9	10	1/9/2013	40	204.4	445.6642		
TMP-9	10	1/9/2013	60	219.6	425.6642		
TMP-9	10	1/9/2013	80	208.1	405.6642		
TMP-9	10	1/9/2013	100	192.3	385.6642		
TMP-9	11	1/15/2013	20	166.6	465.6642		
TMP-9	11	1/15/2013	40	203.3	445.6642		
TMP-9	11	1/15/2013	60	219.1	425.6642		
TMP-9	11	1/15/2013	80	207.6	405.6642		
TMP-9	11	1/15/2013	100	190.5	385.6642		
TMP-9	12	1/22/2013	20	167	465.6642		
TMP-9	12	1/22/2013	40	207.2	445.6642		
TMP-9	12	1/22/2013	60	221.8	425.6642		
TMP-9	12	1/22/2013	80	210.9	405.6642		
TMP-9	12	1/22/2013	100	192	385.6642		
TMP-9	13	1/28/2013	20	168.7	465.6642		
TMP-9	13	1/28/2013	40	206.4	445.6642		
TMP-9	13	1/28/2013	60	221.6	425.6642		
TMP-9	13	1/28/2013	80	211.8	405.6642		
TMP-9	13	1/28/2013	100	191.1	385.6642		
TMP-9	14	2/6/2013	20	169.9	465.6642		
TMP-9	14	2/6/2013	40	208.7	445.6642		
TMP-9	14	2/6/2013	60	222.4	425.6642		
TMP-9	14	2/6/2013	80	214.6	405.6642		
TMP-9	14	2/6/2013	100	189.5	385.6642		
TMP-9	15	2/7/2013	20	169.6	465.6642		
TMP-9	15	2/7/2013	40	208.8	445.6642		
TMP-9	15	2/7/2013	60	222.5	425.6642		
TMP-9	15	2/7/2013	80	214.6	405.6642		
TMP-9	15	2/7/2013	100	187.1	385.6642		
TMP-9	16	2/13/2013	20	171.1	465.6642		
TMP-9	16	2/13/2013	40	207.7	445.6642		
TMP-9	16	2/13/2013	60	221.8	425.6642		
TMP-9	16	2/13/2013	80	215.4	405.6642		
TMP-9	16	2/13/2013	100	190.7	385.6642		
TMP-9	17	2/18/2013	20	173.2	465.6642		
TMP-9	17	2/18/2013	40	206.9	445.6642		
TMP-9	17	2/18/2013	60	222.4	425.6642		
TMP-9	17	2/18/2013	80	216.7	405.6642		
TMP-9	17	2/18/2013	100	218.3	385.6642		
TMP-9	18	2/25/2013	20	176.5	465.6642		
TMP-9	18	2/25/2013	40	206.1	445.6642		
TMP-9	18	2/25/2013	60	223.5	425.6642		
TMP-9	18	2/25/2013	80	218.1	405.6642		
TMP-9	18	2/25/2013	100	193.8	385.6642		
TMP-9	19	3/4/2013	20	184.6	465.6642		
TMP-9	19	3/4/2013	40	208.7	445.6642		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-9	19	3/4/2013	60	226.1	425.6642		
TMP-9	19	3/4/2013	80	221	405.6642		
TMP-9	19	3/4/2013	100	195	385.6642		
TMP-9	20	3/12/2013	20	183.2	465.6642		
TMP-9	20	3/12/2013	40	207.6	445.6642		
TMP-9	20	3/12/2013	60	225.3	425.6642		
TMP-9	20	3/12/2013	80	220.3	405.6642		
TMP-9	20	3/12/2013	100	193.3	385.6642		
TMP-9	21	3/19/2013	20	183.3	465.6642		
TMP-9	21	3/19/2013	40	209	445.6642		
TMP-9	21	3/19/2013	60	226.1	425.6642		
TMP-9	21	3/19/2013	80	220.7	405.6642		
TMP-9	21	3/19/2013	100	192.7	385.6642		
TMP-9	22	3/26/2013	20	184.7	465.6642		
TMP-9	22	3/26/2013	40	211.2	445.6642		
TMP-9	22	3/26/2013	60	227.5	425.6642		
TMP-9	22	3/26/2013	80	221.1	405.6642		
TMP-9	22	3/26/2013	100	193	385.6642		
TMP-9	23	4/3/2013	20	182.7	465.6642		
TMP-9	23	4/3/2013	40	211.1	445.6642		
TMP-9	23	4/3/2013	60	226.7	425.6642		
TMP-9	23	4/3/2013	80	218.9	405.6642		
TMP-9	23	4/3/2013	100	190.2	385.6642		
TMP-9	26	4/10/2013	20	186.5	465.6642		
TMP-9	26	4/10/2013	40	212.8	445.6642		
TMP-9	26	4/10/2013	60	228.1	425.6642		
TMP-9	26	4/10/2013	80	220	405.6642		
TMP-9	26	4/10/2013	100	193	385.6642		
TMP-9	27	4/17/2013	20	185.8	465.6642		
TMP-9	27	4/17/2013	40	211.7	445.6642		
TMP-9	27	4/17/2013	60	227.2	425.6642		
TMP-9	27	4/17/2013	80	219.5	405.6642		
TMP-9	27	4/17/2013	100	193	385.6642		
TMP-9	28	4/30/2013	20	188.4	465.6642		
TMP-9	28	4/30/2013	40	212.6	445.6642		
TMP-9	28	4/30/2013	60	228.3	425.6642		
TMP-9	28	4/30/2013	80	222.6	405.6642		
TMP-9	28	4/30/2013	100	194.5	385.6642		
TMP-9	29	5/9/2013	20	190.8	465.6642		
TMP-9	29	5/9/2013	40	215	445.6642		
TMP-9	29	5/9/2013	60	231.5	425.6642		
TMP-9	29	5/9/2013	80	224.5	405.6642		
TMP-9	29	5/9/2013	100	196.3	385.6642		
TMP-9	30	5/15/2013	20	189.2	465.6642		
TMP-9	30	5/15/2013	40	214.2	445.6642		
TMP-9	30	5/15/2013	60	231	425.6642		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-9	30	5/15/2013	80	223.1	405.6642		
TMP-9	30	5/15/2013	100	194.3	385.6642		
TMP-9	31	5/22/2013	20	190.9	465.6642		
TMP-9	31	5/22/2013	40	214.2	445.6642		
TMP-9	31	5/22/2013	60	232.3	425.6642		
TMP-9	31	5/22/2013	80	224.1	405.6642		
TMP-9	31	5/22/2013	100	195.7	385.6642		
TMP-9	32	5/29/2013	20	189.9	465.6642		fixed wiring issue
TMP-9	32	5/29/2013	40	213.9	445.6642		fixed wiring issue
TMP-9	32	5/29/2013	60	232.9	425.6642		fixed wiring issue
TMP-9	32	5/29/2013	80	223.9	405.6642		fixed wiring issue
TMP-9	32	5/29/2013	100	196.4	385.6642		fixed wiring issue
TMP-9	34	6/5/2013	20	189.2	465.6642		125.7 - 1st round of readings incorrect, reread
TMP-9	34	6/5/2013	40	213.6	445.6642		153.1 - 1st round of readings incorrect, reread
TMP-9	34	6/5/2013	60	230.8	425.6642		175.2 - 1st round of readings incorrect, reread
TMP-9	34	6/5/2013	80	225	405.6642		161.4 - 1st round of readings incorrect, reread
TMP-9	34	6/5/2013	100	196	385.6642		132.8 - 1st round of readings incorrect, reread
TMP-9	35	6/12/2013	20	176.3	465.6642		
TMP-9	35	6/12/2013	40	204.3	445.6642		
TMP-9	35	6/12/2013	60	221	425.6642		
TMP-9	35	6/12/2013	80	217.8	405.6642		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-9	35	6/12/2013	100	186.9	385.6642		
TMP-9	36	6/19/2013	20	117.3	465.6642		
TMP-9	36	6/19/2013	40	199.5	445.6642		
TMP-9	36	6/19/2013	60	220.2	425.6642		
TMP-9	36	6/19/2013	80	215.6	405.6642		
TMP-9	36	6/19/2013	100	187.8	385.6642		
TMP-9	37	6/27/2013	20	187.9	465.6642		
TMP-9	37	6/27/2013	40	203.8	445.6642		
TMP-9	37	6/27/2013	60	222.9	425.6642		
TMP-9	37	6/27/2013	80	217.7	405.6642		
TMP-9	37	6/27/2013	100	194.3	385.6642		
TMP-9	38	7/3/2013	20	185.4	465.6642		
TMP-9	38	7/3/2013	40	211.9	445.6642		
TMP-9	38	7/3/2013	60	231.9	425.6642		
TMP-9	38	7/3/2013	80	221.6	405.6642		
TMP-9	38	7/3/2013	100	196.7	385.6642		
TMP-9	40	7/10/2013	20	189.5	465.6642		
TMP-9	40	7/10/2013	40	208.1	445.6642		
TMP-9	40	7/10/2013	60	234.7	425.6642		
TMP-9	40	7/10/2013	80	218.4	405.6642		
TMP-9	40	7/10/2013	100	221.5	385.6642		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10	25	4/6/2013	13	98	476.289		
TMP-10	25	4/6/2013	33	129.1	456.289		
TMP-10	25	4/6/2013	53	148.8	436.289		
TMP-10	25	4/6/2013	73	147	416.289		
TMP-10	25	4/6/2013	93	155.7	396.289		
TMP-10	25	4/6/2013	113	152.6	376.289		
TMP-10	25	4/6/2013	133	137.3	356.289		
TMP-10	26	4/10/2013	13	99.3	476.289		
TMP-10	26	4/10/2013	33	135	456.289		
TMP-10	26	4/10/2013	53	155.6	436.289		
TMP-10	26	4/10/2013	73	158.5	416.289		
TMP-10	26	4/10/2013	93	161.7	396.289		
TMP-10	26	4/10/2013	113	157.6	376.289		
TMP-10	26	4/10/2013	133	147.2	356.289		
TMP-10	27	4/17/2013	13	97.9	476.289		
TMP-10	27	4/17/2013	33	135.3	456.289		
TMP-10	27	4/17/2013	53	156.6	436.289		
TMP-10	27	4/17/2013	73	160.7	416.289		
TMP-10	27	4/17/2013	93	162.5	396.289		
TMP-10	27	4/17/2013	113	158.2	376.289		
TMP-10	27	4/17/2013	133	149.1	356.289		
TMP-10	28	4/30/2013	13	95.5	476.289		
TMP-10	28	4/30/2013	33	136.8	456.289		
TMP-10	28	4/30/2013	53	158.6	436.289		
TMP-10	28	4/30/2013	73	164	416.289		
TMP-10	28	4/30/2013	93	164.2	396.289		
TMP-10	28	4/30/2013	113	159.5	376.289		
TMP-10	28	4/30/2013	133	151.1	356.289		
TMP-10	29	5/9/2013	13	97.1	476.289		
TMP-10	29	5/9/2013	33	138.2	456.289		
TMP-10	29	5/9/2013	53	160.2	436.289		
TMP-10	29	5/9/2013	73	166	416.289		
TMP-10	29	5/9/2013	93	166	396.289		
TMP-10	29	5/9/2013	113	161.2	376.289		
TMP-10	29	5/9/2013	133	153	356.289		
TMP-10	30	5/15/2013	13	95.3	476.289		
TMP-10	30	5/15/2013	33	137	456.289		
TMP-10	30	5/15/2013	53	158.6	436.289		
TMP-10	30	5/15/2013	73	164.5	416.289		
TMP-10	30	5/15/2013	93	164.3	396.289		
TMP-10	30	5/15/2013	113	159.3	376.289		
TMP-10	30	5/15/2013	133	151.1	356.289		
TMP-10	31	5/22/2013	13	96.5	476.289		
TMP-10	31	5/22/2013	33	139.5	456.289		
TMP-10	31	5/22/2013	53	159.9	436.289		
TMP-10	31	5/22/2013	73	166	416.289		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10	31	5/22/2013	93	165.7	396.289		
TMP-10	31	5/22/2013	113	160.6	376.289		
TMP-10	31	5/22/2013	133	152.4	356.289		
TMP-10	32	5/29/2013	13	95.6	476.289		
TMP-10	32	5/29/2013	33	138.5	456.289		
TMP-10	32	5/29/2013	53	159.3	436.289		
TMP-10	32	5/29/2013	73	165.4	416.289		
TMP-10	32	5/29/2013	93	165	396.289		
TMP-10	32	5/29/2013	113	160.1	376.289		
TMP-10	32	5/29/2013	133	151.9	356.289		
TMP-10	34	6/5/2013	13	95.8	476.289		
TMP-10	34	6/5/2013	33	139.4	456.289		
TMP-10	34	6/5/2013	53	160.1	436.289		
TMP-10	34	6/5/2013	73	166.2	416.289		
TMP-10	34	6/5/2013	93	165.7	396.289		
TMP-10	34	6/5/2013	113	160.5	376.289		
TMP-10	34	6/5/2013	133	152.4	356.289		
TMP-10	35	6/12/2013	13	96.5	476.289		
TMP-10	35	6/12/2013	33	139.9	456.289		
TMP-10	35	6/12/2013	53	161	436.289		
TMP-10	35	6/12/2013	73	167	416.289		
TMP-10	35	6/12/2013	93	166.5	396.289		
TMP-10	35	6/12/2013	113	161.4	376.289		
TMP-10	35	6/12/2013	133	155.2	356.289		
TMP-10	36	6/19/2013	13	96.6	476.289		
TMP-10	36	6/19/2013	33	140.1	456.289		
TMP-10	36	6/19/2013	53	160.9	436.289		
TMP-10	36	6/19/2013	73	166.9	416.289		
TMP-10	36	6/19/2013	93	166.3	396.289		
TMP-10	36	6/19/2013	113	161.2	376.289		
TMP-10	36	6/19/2013	133	152.8	356.289		
TMP-10	37	6/27/2013	13	94.5	476.289		
TMP-10	37	6/27/2013	33	138.5	456.289		
TMP-10	37	6/27/2013	53	159.5	436.289		
TMP-10	37	6/27/2013	73	165.2	416.289		
TMP-10	37	6/27/2013	93	164.5	396.289		
TMP-10	37	6/27/2013	113	159.3	376.289		
TMP-10	37	6/27/2013	133	150.9	356.289		
TMP-10	38	7/3/2013	13	97.1	476.289		
TMP-10	38	7/3/2013	33	140.7	456.289		
TMP-10	38	7/3/2013	53	162	436.289		
TMP-10	38	7/3/2013	73	167.9	416.289		
TMP-10	38	7/3/2013	93	167.3	396.289		
TMP-10	38	7/3/2013	113	162	376.289		
TMP-10	38	7/3/2013	133	153.6	356.289		
TMP-10	40	7/10/2013	13	96	476.289		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-10	40	7/10/2013	33	139.2	456.289		
TMP-10	40	7/10/2013	53	161.1	436.289		
TMP-10	40	7/10/2013	73	167	416.289		
TMP-10	40	7/10/2013	93	166.4	396.289		
TMP-10	40	7/10/2013	113	161.3	376.289		
TMP-10	40	7/10/2013	133	152.9	356.289		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-11	25	4/6/2013	16	114.2	482.307		
TMP-11	25	4/6/2013	36	143.5	462.307		
TMP-11	25	4/6/2013	56	156.1	442.307		
TMP-11	25	4/6/2013	76	165.6	422.307		
TMP-11	25	4/6/2013	96	164.3	402.307		
TMP-11	25	4/6/2013	116	159.7	382.307		
TMP-11	25	4/6/2013	136	156.6	362.307		
TMP-11	25	4/6/2013	156	150.7	342.307		
TMP-11	25	4/6/2013	176	141.2	322.307		
TMP-11	25	4/6/2013	196	125.2	302.307		
TMP-11	25	4/6/2013	216	101.4	282.307		
TMP-11	26	4/10/2013	16	111.6	482.307		
TMP-11	26	4/10/2013	36	143.6	462.307		
TMP-11	26	4/10/2013	56	159.2	442.307		
TMP-11	26	4/10/2013	76	168.7	422.307		
TMP-11	26	4/10/2013	96	169.1	402.307		
TMP-11	26	4/10/2013	116	164.2	382.307		
TMP-11	26	4/10/2013	136	160	362.307		
TMP-11	26	4/10/2013	156	154.3	342.307		
TMP-11	26	4/10/2013	176	144.8	322.307		
TMP-11	26	4/10/2013	196	126.8	302.307		
TMP-11	26	4/10/2013	216	104.9	282.307		
TMP-11	27	4/17/2013	16	107.7	482.307		
TMP-11	27	4/17/2013	36	141.1	462.307		
TMP-11	27	4/17/2013	56	156.3	442.307		
TMP-11	27	4/17/2013	76	165.4	422.307		
TMP-11	27	4/17/2013	96	165.3	402.307		
TMP-11	27	4/17/2013	116	160.4	382.307		
TMP-11	27	4/17/2013	136	156.4	362.307		
TMP-11	27	4/17/2013	156	151	342.307		
TMP-11	27	4/17/2013	176	141.7	322.307		
TMP-11	27	4/17/2013	196	123.2	302.307		
TMP-11	27	4/17/2013	216	101.6	282.307		
TMP-11	28	4/30/2013	16	109.2	482.307		
TMP-11	28	4/30/2013	36	141.7	462.307		
TMP-11	28	4/30/2013	56	157.8	442.307		
TMP-11	28	4/30/2013	76	166	422.307		
TMP-11	28	4/30/2013	96	165.9	402.307		
TMP-11	28	4/30/2013	116	161.2	382.307		
TMP-11	28	4/30/2013	136	156.1	362.307		
TMP-11	28	4/30/2013	156	150.2	342.307		
TMP-11	28	4/30/2013	176	141.1	322.307		
TMP-11	28	4/30/2013	196	123.5	302.307		
TMP-11	28	4/30/2013	216	101.4	282.307		
TMP-11	29	5/9/2013	16	110.2	482.307		
TMP-11	29	5/9/2013	36	143.1	462.307		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-11	29	5/9/2013	56	159.7	442.307		
TMP-11	29	5/9/2013	76	167.6	422.307		
TMP-11	29	5/9/2013	96	165.5	402.307		
TMP-11	29	5/9/2013	116	162.7	382.307		
TMP-11	29	5/9/2013	136	157.3	362.307		
TMP-11	29	5/9/2013	156	151.6	342.307		
TMP-11	29	5/9/2013	176	143.6	322.307		
TMP-11	29	5/9/2013	196	124.6	302.307		
TMP-11	29	5/9/2013	216	102.4	282.307		
TMP-11	30	5/15/2013	16	109	482.307		
TMP-11	30	5/15/2013	36	142.1	462.307		
TMP-11	30	5/15/2013	56	159	442.307		
TMP-11	30	5/15/2013	76	166.7	422.307		
TMP-11	30	5/15/2013	96	166.6	402.307		
TMP-11	30	5/15/2013	116	161.9	382.307		
TMP-11	30	5/15/2013	136	153.2	362.307		
TMP-11	30	5/15/2013	156	150.7	342.307		
TMP-11	30	5/15/2013	176	143	322.307		
TMP-11	30	5/15/2013	196	125.7	302.307		
TMP-11	30	5/15/2013	216	102.1	282.307		
TMP-11	31	5/22/2013	16	109.5	482.307		
TMP-11	31	5/22/2013	36	142.6	462.307		
TMP-11	31	5/22/2013	56	159.4	442.307		
TMP-11	31	5/22/2013	76	167	422.307		
TMP-11	31	5/22/2013	96	166.5	402.307		
TMP-11	31	5/22/2013	116	162.1	382.307		
TMP-11	31	5/22/2013	136	156.9	362.307		
TMP-11	31	5/22/2013	156	151	342.307		
TMP-11	31	5/22/2013	176	143.2	322.307		
TMP-11	31	5/22/2013	196	125.3	302.307		
TMP-11	31	5/22/2013	216	102.4	282.307		
TMP-11	32	5/29/2013	16	108.4	482.307		
TMP-11	32	5/29/2013	36	141.7	462.307		
TMP-11	32	5/29/2013	56	158.7	442.307		
TMP-11	32	5/29/2013	76	166.2	422.307		
TMP-11	32	5/29/2013	96	166	402.307		
TMP-11	32	5/29/2013	116	161.3	382.307		
TMP-11	32	5/29/2013	136	155	362.307		
TMP-11	32	5/29/2013	156	149.7	342.307		
TMP-11	32	5/29/2013	176	141.7	322.307		
TMP-11	32	5/29/2013	196	123.7	302.307		
TMP-11	32	5/29/2013	216	101	282.307		
TMP-11	34	6/5/2013	16	108.4	482.307		
TMP-11	34	6/5/2013	36	142	462.307		
TMP-11	34	6/5/2013	56	158.9	442.307		
TMP-11	34	6/5/2013	76	166.4	422.307		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-11	34	6/5/2013	96	165.8	402.307		
TMP-11	34	6/5/2013	116	161.1	382.307		
TMP-11	34	6/5/2013	136	156	362.307		
TMP-11	34	6/5/2013	156	149.8	342.307		
TMP-11	34	6/5/2013	176	140.5	322.307		
TMP-11	34	6/5/2013	196	123.7	302.307		
TMP-11	34	6/5/2013	216	101.3	282.307		
TMP-11	35	6/12/2013	16	110.1	482.307		
TMP-11	35	6/12/2013	36	143.3	462.307		
TMP-11	35	6/12/2013	56	160	442.307		
TMP-11	35	6/12/2013	76	167.5	422.307		
TMP-11	35	6/12/2013	96	167.1	402.307		
TMP-11	35	6/12/2013	116	162.5	382.307		
TMP-11	35	6/12/2013	136	157.3	362.307		
TMP-11	35	6/12/2013	156	151.2	342.307		
TMP-11	35	6/12/2013	176	141.7	322.307		
TMP-11	35	6/12/2013	196	124.9	302.307		
TMP-11	35	6/12/2013	216	102.3	282.307		
TMP-11	36	6/19/2013	16	110.3	482.307		
TMP-11	36	6/19/2013	36	143.5	462.307		
TMP-11	36	6/19/2013	56	160.4	442.307		
TMP-11	36	6/19/2013	76	167.9	422.307		
TMP-11	36	6/19/2013	96	167.7	402.307		
TMP-11	36	6/19/2013	116	163	382.307		
TMP-11	36	6/19/2013	136	157.8	362.307		
TMP-11	36	6/19/2013	156	151.7	342.307		
TMP-11	36	6/19/2013	176	142.6	322.307		
TMP-11	36	6/19/2013	196	125.4	302.307		
TMP-11	36	6/19/2013	216	102.7	282.307		
TMP-11	37	6/27/2013	16	109	482.307		
TMP-11	37	6/27/2013	36	142.1	462.307		
TMP-11	37	6/27/2013	56	158.5	442.307		
TMP-11	37	6/27/2013	76	165.9	422.307		
TMP-11	37	6/27/2013	96	165.4	402.307		
TMP-11	37	6/27/2013	116	160.7	382.307		
TMP-11	37	6/27/2013	136	154.9	362.307		
TMP-11	37	6/27/2013	156	148.7	342.307		
TMP-11	37	6/27/2013	176	139.8	322.307		
TMP-11	37	6/27/2013	196	122.9	302.307		
TMP-11	37	6/27/2013	216	100.4	282.307		
TMP-11	38	7/3/2013	16	111.3	482.307		
TMP-11	38	7/3/2013	36	144.4	462.307		
TMP-11	38	7/3/2013	56	160.7	442.307		
TMP-11	38	7/3/2013	76	168.1	422.307		
TMP-11	38	7/3/2013	96	167.5	402.307		
TMP-11	38	7/3/2013	116	162.9	382.307		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-11	38	7/3/2013	136	157.5	362.307		
TMP-11	38	7/3/2013	156	150.2	342.307		
TMP-11	38	7/3/2013	176	139.9	322.307		
TMP-11	38	7/3/2013	196	123.8	302.307		
TMP-11	38	7/3/2013	216	102.5	282.307		
TMP-11	39	7/8/2013	16	109.7	482.307		
TMP-11	39	7/8/2013	36	142.3	462.307		
TMP-11	39	7/8/2013	56	158.9	442.307		
TMP-11	39	7/8/2013	76	166.4	422.307		
TMP-11	39	7/8/2013	96	164.7	402.307		
TMP-11	39	7/8/2013	116	161	382.307		
TMP-11	39	7/8/2013	136	155.7	362.307		
TMP-11	39	7/8/2013	156	148.3	342.307		
TMP-11	39	7/8/2013	176	137.6	322.307		
TMP-11	39	7/8/2013	196	121.6	302.307		
TMP-11	39	7/8/2013	216	100.4	282.307		
TMP-11	40	7/10/2013	16	110.4	482.307		
TMP-11	40	7/10/2013	36	143.1	462.307		
TMP-11	40	7/10/2013	56	159.7	442.307		
TMP-11	40	7/10/2013	76	167.2	422.307		
TMP-11	40	7/10/2013	96	166.5	402.307		
TMP-11	40	7/10/2013	116	161.8	382.307		
TMP-11	40	7/10/2013	136	155.8	362.307		
TMP-11	40	7/10/2013	156	149.1	342.307		
TMP-11	40	7/10/2013	176	138.5	322.307		
TMP-11	40	7/10/2013	196	123.1	302.307		
TMP-11	40	7/10/2013	216	101.5	282.307		

Note: The reading from this TMP on July 3rd appeared to be affected by resistance, so it was read again on July 8th to ensure an accurate reading.

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-12	25	4/6/2013	15	124	485.713		
TMP-12	25	4/6/2013	35	139.8	465.713		
TMP-12	25	4/6/2013	55	145.3	445.713		
TMP-12	25	4/6/2013	75	140.3	425.713		
TMP-12	25	4/6/2013	95	138.7	405.713		
TMP-12	25	4/6/2013	115	136.8	385.713		
TMP-12	25	4/6/2013	135	130.7	365.713		
TMP-12	25	4/6/2013	155	129.4	345.713		
TMP-12	25	4/6/2013	175	123.9	325.713		
TMP-12	25	4/6/2013	195	115.2	305.713		
TMP-12	26	4/10/2013	15	125.2	485.713		
TMP-12	26	4/10/2013	35	141.7	465.713		
TMP-12	26	4/10/2013	55	146.5	445.713		
TMP-12	26	4/10/2013	75	141.2	425.713		
TMP-12	26	4/10/2013	95	139	405.713		
TMP-12	26	4/10/2013	115	137.6	385.713		
TMP-12	26	4/10/2013	135	131.6	365.713		
TMP-12	26	4/10/2013	155	130.2	345.713		
TMP-12	26	4/10/2013	175	125.1	325.713		
TMP-12	26	4/10/2013	195	115.7	305.713		
TMP-12	27	4/17/2013	15	124.6	485.713		
TMP-12	27	4/17/2013	35	141.1	465.713		
TMP-12	27	4/17/2013	55	145.9	445.713		
TMP-12	27	4/17/2013	75	140.2	425.713		
TMP-12	27	4/17/2013	95	137.6	405.713		
TMP-12	27	4/17/2013	115	136.4	385.713		
TMP-12	27	4/17/2013	135	130.9	365.713		
TMP-12	27	4/17/2013	155	129.4	345.713		
TMP-12	27	4/17/2013	175	123.6	325.713		
TMP-12	27	4/17/2013	195	113.9	305.713		
TMP-12	28	4/30/2013	15	126.7	485.713		
TMP-12	28	4/30/2013	35	142.7	465.713		
TMP-12	28	4/30/2013	55	146.5	445.713		
TMP-12	28	4/30/2013	75	140.9	425.713		
TMP-12	28	4/30/2013	95	137.5	405.713		
TMP-12	28	4/30/2013	115	137	385.713		
TMP-12	28	4/30/2013	135	131.5	365.713		
TMP-12	28	4/30/2013	155	131	345.713		
TMP-12	28	4/30/2013	175	123.9	325.713		
TMP-12	28	4/30/2013	195	112.7	305.713		
TMP-12	29	5/9/2013	15	127.5	485.713		
TMP-12	29	5/9/2013	35	143.3	465.713		
TMP-12	29	5/9/2013	55	147.3	445.713		
TMP-12	29	5/9/2013	75	141.6	425.713		
TMP-12	29	5/9/2013	95	138.3	405.713		
TMP-12	29	5/9/2013	115	138.1	385.713		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-12	29	5/9/2013	135	132.1	365.713		
TMP-12	29	5/9/2013	155	132.9	345.713		
TMP-12	29	5/9/2013	175	125.8	325.713		
TMP-12	29	5/9/2013	195	113.4	305.713		
TMP-12	30	5/15/2013	15	126.8	485.713		
TMP-12	30	5/15/2013	35	141.2	465.713		
TMP-12	30	5/15/2013	55	144.8	445.713		
TMP-12	30	5/15/2013	75	138.1	425.713		
TMP-12	30	5/15/2013	95	134.3	405.713		
TMP-12	30	5/15/2013	115	133.3	385.713		
TMP-12	30	5/15/2013	135	128	365.713		
TMP-12	30	5/15/2013	155	128.9	345.713		
TMP-12	30	5/15/2013	175	120.9	325.713		
TMP-12	30	5/15/2013	195	105.5	305.713		
TMP-12	31	5/22/2013	15	126.5	485.713		
TMP-12	31	5/22/2013	35	140.4	465.713		
TMP-12	31	5/22/2013	55	145	445.713		
TMP-12	31	5/22/2013	75	136.8	425.713		
TMP-12	31	5/22/2013	95	132.4	405.713		
TMP-12	31	5/22/2013	115	131.1	385.713		
TMP-12	31	5/22/2013	135	125.3	365.713		
TMP-12	31	5/22/2013	155	125	345.713		
TMP-12	31	5/22/2013	175	116.9	325.713		
TMP-12	31	5/22/2013	195	104.6	305.713		
TMP-12	32	5/29/2013	15	126.8	485.713		
TMP-12	32	5/29/2013	35	141	465.713		
TMP-12	32	5/29/2013	55	146.8	445.713		
TMP-12	32	5/29/2013	75	139.1	425.713		
TMP-12	32	5/29/2013	95	135.3	405.713		
TMP-12	32	5/29/2013	115	134.6	385.713		
TMP-12	32	5/29/2013	135	121.8	365.713		
TMP-12	32	5/29/2013	155	131.7	345.713		
TMP-12	32	5/29/2013	175	129.1	325.713		
TMP-12	32	5/29/2013	195	108.7	305.713		
TMP-12	34	6/5/2013	15	124.9	485.713		
TMP-12	34	6/5/2013	35	138.2	465.713		
TMP-12	34	6/5/2013	55	142	445.713		
TMP-12	34	6/5/2013	75	133.9	425.713		
TMP-12	34	6/5/2013	95	129.3	405.713		
TMP-12	34	6/5/2013	115	126.5	385.713		
TMP-12	34	6/5/2013	135	122.5	365.713		
TMP-12	34	6/5/2013	155	119.3	345.713		
TMP-12	34	6/5/2013	175	115.1	325.713		
TMP-12	34	6/5/2013	195	95.7	305.713		
TMP-12	35	6/12/2013	15	126.1	485.713		
TMP-12	35	6/12/2013	35	137.3	465.713		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-12	35	6/12/2013	55	141.8	445.713		
TMP-12	35	6/12/2013	75	132.2	425.713		
TMP-12	35	6/12/2013	95	126.4	405.713		
TMP-12	35	6/12/2013	115	123.1	385.713		
TMP-12	35	6/12/2013	135	128.2	365.713		
TMP-12	35	6/12/2013	155	91.2	345.713		
TMP-12	35	6/12/2013	175	131.9	325.713		
TMP-12	35	6/12/2013	195	94.5	305.713		
TMP-12	36	6/19/2013	15	132.4	485.713		
TMP-12	36	6/19/2013	35	146.9	465.713		
TMP-12	36	6/19/2013	55	153.3	445.713		
TMP-12	36	6/19/2013	75	146.2	425.713		
TMP-12	36	6/19/2013	95	142.9	405.713		
TMP-12	36	6/19/2013	115	142.4	385.713		
TMP-12	36	6/19/2013	135	140.6	365.713		
TMP-12	36	6/19/2013	155	120	345.713		
TMP-12	36	6/19/2013	175	148.8	325.713		
TMP-12	36	6/19/2013	195	128.7	305.713		
TMP-12	37	6/27/2013	15	135.9	485.713		
TMP-12	37	6/27/2013	35	141.8	465.713		
TMP-12	37	6/27/2013	55	143	445.713		
TMP-12	37	6/27/2013	75	141.7	425.713		
TMP-12	37	6/27/2013	95	137.9	405.713		
TMP-12	37	6/27/2013	115	136.8	385.713		
TMP-12	37	6/27/2013	135	140.5	365.713		
TMP-12	37	6/27/2013	155	132	345.713		
TMP-12	37	6/27/2013	175	135.7	325.713		
TMP-12	37	6/27/2013	195	115.7	305.713		
TMP-12	38	7/3/2013	15	128.3	485.713		
TMP-12	38	7/3/2013	35	143.2	465.713		
TMP-12	38	7/3/2013	55	149.2	445.713		
TMP-12	38	7/3/2013	75	141.4	425.713		
TMP-12	38	7/3/2013	95	137.2	405.713		
TMP-12	38	7/3/2013	115	137.1	385.713		
TMP-12	38	7/3/2013	135	132.3	365.713		
TMP-12	38	7/3/2013	155	131.7	345.713		
TMP-12	38	7/3/2013	175	127.2	325.713		
TMP-12	38	7/3/2013	195	114.7	305.713		
TMP-12	40	7/10/2013	15	126.9	485.713		
TMP-12	40	7/10/2013	35	143.5	465.713		
TMP-12	40	7/10/2013	55	149.4	445.713		
TMP-12	40	7/10/2013	75	141.5	425.713		
TMP-12	40	7/10/2013	95	137.4	405.713		
TMP-12	40	7/10/2013	115	136.9	385.713		
TMP-12	40	7/10/2013	135	132.1	365.713		
TMP-12	40	7/10/2013	155	134.5	345.713		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-12	40	7/10/2013	175	125.6	325.713		
TMP-12	40	7/10/2013	195	115.1	305.713		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-13	25	4/6/2013	9	134.5	490.664		
TMP-13	25	4/6/2013	29	139.9	470.664		
TMP-13	25	4/6/2013	49	164.3	450.664		
TMP-13	25	4/6/2013	69	168.2	430.664		
TMP-13	25	4/6/2013	89	170.6	410.664		
TMP-13	25	4/6/2013	109	171.3	390.664		
TMP-13	25	4/6/2013	129	163.1	370.664		
TMP-13	25	4/6/2013	149	160	350.664		
TMP-13	25	4/6/2013	169	147	330.664		
TMP-13	25	4/6/2013	189	131.2	310.664		
TMP-13	25	4/6/2013	209		290.664		
TMP-13	26	4/10/2013	9	138.2	490.664		
TMP-13	26	4/10/2013	29	145	470.664		
TMP-13	26	4/10/2013	49	166.6	450.664		
TMP-13	26	4/10/2013	69	169	430.664		
TMP-13	26	4/10/2013	89	171.4	410.664		
TMP-13	26	4/10/2013	109	171	390.664		
TMP-13	26	4/10/2013	129	162.6	370.664		
TMP-13	26	4/10/2013	149	159.5	350.664		
TMP-13	26	4/10/2013	169	146.5	330.664		
TMP-13	26	4/10/2013	189	132	310.664		
TMP-13	27	4/17/2013	9	138.8	490.664		
TMP-13	27	4/17/2013	29	146.9	470.664		
TMP-13	27	4/17/2013	49	167.3	450.664		
TMP-13	27	4/17/2013	69	168.5	430.664		
TMP-13	27	4/17/2013	89	172	410.664		
TMP-13	27	4/17/2013	109	170.6	390.664		
TMP-13	27	4/17/2013	129	164.4	370.664		
TMP-13	27	4/17/2013	149	159.3	350.664		
TMP-13	27	4/17/2013	169	151.1	330.664		
TMP-13	27	4/17/2013	189	135.1	310.664		
TMP-13	28	4/30/2013	9	139.9	490.664		
TMP-13	28	4/30/2013	29	150.7	470.664		
TMP-13	28	4/30/2013	49	168.7	450.664		
TMP-13	28	4/30/2013	69	168.9	430.664		
TMP-13	28	4/30/2013	89	172.2	410.664		
TMP-13	28	4/30/2013	109	171.1	390.664		
TMP-13	28	4/30/2013	129	163.2	370.664		
TMP-13	28	4/30/2013	149	159.4	350.664		
TMP-13	28	4/30/2013	169	148.7	330.664		
TMP-13	28	4/30/2013	189	130.1	310.664		
TMP-13	29	5/9/2013	9	140.6	490.664		
TMP-13	29	5/9/2013	29	152.4	470.664		
TMP-13	29	5/9/2013	49	168.7	450.664		
TMP-13	29	5/9/2013	69	169.5	430.664		
TMP-13	29	5/9/2013	89	173.1	410.664		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-13	29	5/9/2013	109	171.9	390.664		
TMP-13	29	5/9/2013	129	164.9	370.664		
TMP-13	29	5/9/2013	149	157.4	350.664		
TMP-13	29	5/9/2013	169	147.4	330.664		
TMP-13	29	5/9/2013	189	131.8	310.664		
TMP-13	30	5/15/2013	9	143.9	490.664		
TMP-13	30	5/15/2013	29	152.1	470.664		
TMP-13	30	5/15/2013	49	168.7	450.664		
TMP-13	30	5/15/2013	69	168.5	430.664		
TMP-13	30	5/15/2013	89	172.4	410.664		
TMP-13	30	5/15/2013	109	170.8	390.664		
TMP-13	30	5/15/2013	129	164.1	370.664		
TMP-13	30	5/15/2013	149	157.9	350.664		
TMP-13	30	5/15/2013	169	146.6	330.664		
TMP-13	30	5/15/2013	189	130.8	310.664		
TMP-13	31	5/22/2013	9	139.2	490.664		
TMP-13	31	5/22/2013	29	150.7	470.664		
TMP-13	31	5/22/2013	49	166.7	450.664		
TMP-13	31	5/22/2013	69	165.9	430.664		
TMP-13	31	5/22/2013	89	169.9	410.664		
TMP-13	31	5/22/2013	109	168.2	390.664		
TMP-13	31	5/22/2013	129	161.7	370.664		
TMP-13	31	5/22/2013	149	155.3	350.664		
TMP-13	31	5/22/2013	169	144	330.664		
TMP-13	31	5/22/2013	189	128.1	310.664		
TMP-13	32	5/29/2013	9	150.1	490.664		
TMP-13	32	5/29/2013	29	159.2	470.664		
TMP-13	32	5/29/2013	49	173	450.664		
TMP-13	32	5/29/2013	69	171.6	430.664		
TMP-13	32	5/29/2013	89	175.7	410.664		
TMP-13	32	5/29/2013	109	173.3	390.664		
TMP-13	32	5/29/2013	129	167.3	370.664		
TMP-13	32	5/29/2013	149	159.7	350.664		
TMP-13	32	5/29/2013	169	147.4	330.664		
TMP-13	32	5/29/2013	189	131.2	310.664		
TMP-13	34	6/5/2013	9	144.3	490.664		
TMP-13	34	6/5/2013	29	154.4	470.664		
TMP-13	34	6/5/2013	49	167.2	450.664		
TMP-13	34	6/5/2013	69	167.9	430.664		
TMP-13	34	6/5/2013	89	172.5	410.664		
TMP-13	34	6/5/2013	109	171.1	390.664		
TMP-13	34	6/5/2013	129	164.1	370.664		
TMP-13	34	6/5/2013	149	155.1	350.664		
TMP-13	34	6/5/2013	169	143.3	330.664		
TMP-13	34	6/5/2013	189	126.3	310.664		
TMP-13	35	6/12/2013	9	145.6	490.664		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-13	35	6/12/2013	29	156.8	470.664		
TMP-13	35	6/12/2013	49	171.2	450.664		
TMP-13	35	6/12/2013	69	171.5	430.664		
TMP-13	35	6/12/2013	89	177.2	410.664		
TMP-13	35	6/12/2013	109	176.2	390.664		
TMP-13	35	6/12/2013	129	169.8	370.664		
TMP-13	35	6/12/2013	149	163.9	350.664		
TMP-13	35	6/12/2013	169	148.1	330.664		
TMP-13	35	6/12/2013	189	130.2	310.664		
TMP-13	36	6/19/2013	9	144.1	490.664		
TMP-13	36	6/19/2013	29	153.7	470.664		
TMP-13	36	6/19/2013	49	167	450.664		
TMP-13	36	6/19/2013	69	169.2	430.664		
TMP-13	36	6/19/2013	89	172.5	410.664		
TMP-13	36	6/19/2013	109	172.2	390.664		
TMP-13	36	6/19/2013	129	165.8	370.664		
TMP-13	36	6/19/2013	149	159.9	350.664		
TMP-13	36	6/19/2013	169	144.8	330.664		
TMP-13	36	6/19/2013	189	128.7	310.664		
TMP-13	37	6/27/2013	9	148.3	490.664		
TMP-13	37	6/27/2013	29	154.7	470.664		
TMP-13	37	6/27/2013	49	166.7	450.664		
TMP-13	37	6/27/2013	69	169.5	430.664		
TMP-13	37	6/27/2013	89	171.2	410.664		
TMP-13	37	6/27/2013	109	169.8	390.664		
TMP-13	37	6/27/2013	129	163.8	370.664		
TMP-13	37	6/27/2013	149	153.9	350.664		
TMP-13	37	6/27/2013	169	141.7	330.664		
TMP-13	37	6/27/2013	189	127.3	310.664		
TMP-13	38	7/3/2013	9	147.5	490.664		
TMP-13	38	7/3/2013	29	151	470.664		
TMP-13	38	7/3/2013	49	166.7	450.664		
TMP-13	38	7/3/2013	69	170.7	430.664		
TMP-13	38	7/3/2013	89	173.1	410.664		
TMP-13	38	7/3/2013	109	172.3	390.664		
TMP-13	38	7/3/2013	129	165.9	370.664		
TMP-13	38	7/3/2013	149	154.1	350.664		
TMP-13	38	7/3/2013	169	143.9	330.664		
TMP-13	38	7/3/2013	189	128.4	310.664		
TMP-13	40	7/10/2013	9	148.9	490.664		
TMP-13	40	7/10/2013	29	154.8	470.664		
TMP-13	40	7/10/2013	49	166.4	450.664		
TMP-13	40	7/10/2013	69	169.9	430.664		
TMP-13	40	7/10/2013	89	172.6	410.664		
TMP-13	40	7/10/2013	109	171.9	390.664		
TMP-13	40	7/10/2013	129	166.7	370.664		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-13	40	7/10/2013	149	156.2	350.664		
TMP-13	40	7/10/2013	169	144.8	330.664		
TMP-13	40	7/10/2013	189	128.5	310.664		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14	25	4/6/2013	21	143.6	476.747		
TMP-14	25	4/6/2013	41	153.8	456.747		
TMP-14	25	4/6/2013	61	163.9	436.747		
TMP-14	25	4/6/2013	81	170.4	416.747		
TMP-14	25	4/6/2013	101	171.3	396.747		
TMP-14	25	4/6/2013	121	166.7	376.747		
TMP-14	25	4/6/2013	141	160	356.747		
TMP-14	25	4/6/2013	161	149.6	336.747		
TMP-14	25	4/6/2013	181	137	316.747		
TMP-14	25	4/6/2013	201	120.3	296.747		
TMP-14	26	4/10/2013	21	147.9	476.747		
TMP-14	26	4/10/2013	41	158.5	456.747		
TMP-14	26	4/10/2013	61	167.5	436.747		
TMP-14	26	4/10/2013	81	174	416.747		
TMP-14	26	4/10/2013	101	175.3	396.747		
TMP-14	26	4/10/2013	121	170.1	376.747		
TMP-14	26	4/10/2013	141	163.3	356.747		
TMP-14	26	4/10/2013	161	152.8	336.747		
TMP-14	26	4/10/2013	181	139.9	316.747		
TMP-14	26	4/10/2013	201	122.7	296.747		
TMP-14	27	4/17/2013	21	144.6	476.747		
TMP-14	27	4/17/2013	41	155.6	456.747		
TMP-14	27	4/17/2013	61	164.3	436.747		
TMP-14	27	4/17/2013	81	170.9	416.747		
TMP-14	27	4/17/2013	101	172.3	396.747		
TMP-14	27	4/17/2013	121	166.9	376.747		
TMP-14	27	4/17/2013	141	160.1	356.747		
TMP-14	27	4/17/2013	161	149.7	336.747		
TMP-14	27	4/17/2013	181	136.6	316.747		
TMP-14	27	4/17/2013	201	120	296.747		
TMP-14	28	4/30/2013	21	144.6	476.747		
TMP-14	28	4/30/2013	41	156.2	456.747		
TMP-14	28	4/30/2013	61	164.3	436.747		
TMP-14	28	4/30/2013	81	170.9	416.747		
TMP-14	28	4/30/2013	101	172.9	396.747		
TMP-14	28	4/30/2013	121	167.1	376.747		
TMP-14	28	4/30/2013	141	160	356.747		
TMP-14	28	4/30/2013	161	149.5	336.747		
TMP-14	28	4/30/2013	181	136.3	316.747		
TMP-14	28	4/30/2013	201	119.3	296.747		
TMP-14	29	5/9/2013	21	145.9	476.747		
TMP-14	29	5/9/2013	41	157.7	456.747		
TMP-14	29	5/9/2013	61	165.5	436.747		
TMP-14	29	5/9/2013	81	172.2	416.747		
TMP-14	29	5/9/2013	101	174.4	396.747		
TMP-14	29	5/9/2013	121	168.6	376.747		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14	29	5/9/2013	141	161.5	356.747		
TMP-14	29	5/9/2013	161	150.9	336.747		
TMP-14	29	5/9/2013	181	137.5	316.747		
TMP-14	29	5/9/2013	201	120.5	296.747		
TMP-14	30	5/15/2013	21	144.2	476.747		
TMP-14	30	5/15/2013	41	156.3	456.747		
TMP-14	30	5/15/2013	61	163.9	436.747		
TMP-14	30	5/15/2013	81	170.8	416.747		
TMP-14	30	5/15/2013	101	173	396.747		
TMP-14	30	5/15/2013	121	167.2	376.747		
TMP-14	30	5/15/2013	141	160.1	356.747		
TMP-14	30	5/15/2013	161	149.5	336.747		
TMP-14	30	5/15/2013	181	136.1	316.747		
TMP-14	30	5/15/2013	201	118.9	296.747		
TMP-14	31	5/22/2013	21	145	476.747		
TMP-14	31	5/22/2013	41	157.1	456.747		
TMP-14	31	5/22/2013	61	164.7	436.747		
TMP-14	31	5/22/2013	81	171.5	416.747		
TMP-14	31	5/22/2013	101	173.8	396.747		
TMP-14	31	5/22/2013	121	167.9	376.747		
TMP-14	31	5/22/2013	141	160.7	356.747		
TMP-14	31	5/22/2013	161	150.1	336.747		
TMP-14	31	5/22/2013	181	136.7	316.747		
TMP-14	31	5/22/2013	201	119.4	296.747		
TMP-14	32	5/29/2013	21	143.2	476.747		
TMP-14	32	5/29/2013	41	156.4	456.747		
TMP-14	32	5/29/2013	61	163.9	436.747		
TMP-14	32	5/29/2013	81	170.6	416.747		
TMP-14	32	5/29/2013	101	173	396.747		
TMP-14	32	5/29/2013	121	167.2	376.747		
TMP-14	32	5/29/2013	141	160	356.747		
TMP-14	32	5/29/2013	161	149.3	336.747		
TMP-14	32	5/29/2013	181	135.8	316.747		
TMP-14	32	5/29/2013	201	118.4	296.747		
TMP-14	34	6/5/2013	21	143.4	476.747		
TMP-14	34	6/5/2013	41	156.8	456.747		
TMP-14	34	6/5/2013	61	164.4	436.747		
TMP-14	34	6/5/2013	81	171	416.747		
TMP-14	34	6/5/2013	101	173.4	396.747		
TMP-14	34	6/5/2013	121	167.6	376.747		
TMP-14	34	6/5/2013	141	160.3	356.747		
TMP-14	34	6/5/2013	161	149.7	336.747		
TMP-14	34	6/5/2013	181	136.1	316.747		
TMP-14	34	6/5/2013	201	118.8	296.747		
TMP-14	35	6/12/2013	21	144.4	476.747		
TMP-14	35	6/12/2013	41	158.3	456.747		




TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14	35	6/12/2013	61	166	436.747		
TMP-14	35	6/12/2013	81	172.5	416.747		
TMP-14	35	6/12/2013	101	175	396.747		
TMP-14	35	6/12/2013	121	169.3	376.747		
TMP-14	35	6/12/2013	141	161.9	356.747		
TMP-14	35	6/12/2013	161	151.3	336.747		
TMP-14	35	6/12/2013	181	137.8	316.747		
TMP-14	35	6/12/2013	201	120.4	296.747		
TMP-14	36	6/19/2013	21	143.7	476.747		
TMP-14	36	6/19/2013	41	157.9	456.747		
TMP-14	36	6/19/2013	61	165.6	436.747		
TMP-14	36	6/19/2013	81	172.1	416.747		
TMP-14	36	6/19/2013	101	174.8	396.747		
TMP-14	36	6/19/2013	121	169	376.747		
TMP-14	36	6/19/2013	141	161.6	356.747		
TMP-14	36	6/19/2013	161	151	336.747		
TMP-14	36	6/19/2013	181	137.5	316.747		
TMP-14	36	6/19/2013	201	120	296.747		
TMP-14	37	6/27/2013	21	143	476.747		
TMP-14	37	6/27/2013	41	157.8	456.747		
TMP-14	37	6/27/2013	61	165.8	436.747		
TMP-14	37	6/27/2013	81	172.1	416.747		
TMP-14	37	6/27/2013	101	174.9	396.747		
TMP-14	37	6/27/2013	121	169.2	376.747		
TMP-14	37	6/27/2013	141	161.6	356.747		
TMP-14	37	6/27/2013	161	151.1	336.747		
TMP-14	37	6/27/2013	181	137.5	316.747		
TMP-14	37	6/27/2013	201	119.8	296.747		
TMP-14	38	7/3/2013	21	143.9	476.747		
TMP-14	38	7/3/2013	41	158.1	456.747		
TMP-14	38	7/3/2013	61	166.1	436.747		
TMP-14	38	7/3/2013	81	172.4	416.747		
TMP-14	38	7/3/2013	101	175.1	396.747		
TMP-14	38	7/3/2013	121	169.3	376.747		
TMP-14	38	7/3/2013	141	161.7	356.747		
TMP-14	38	7/3/2013	161	151.2	336.747		
TMP-14	38	7/3/2013	181	137.6	316.747		
TMP-14	38	7/3/2013	201	119.9	296.747		
TMP-14	40	7/10/2013	21	143.8	476.747		
TMP-14	40	7/10/2013	41	157.5	456.747		
TMP-14	40	7/10/2013	61	165.5	436.747		
TMP-14	40	7/10/2013	81	171.4	416.747		
TMP-14	40	7/10/2013	101	174.2	396.747		
TMP-14	40	7/10/2013	121	168.4	376.747		
TMP-14	40	7/10/2013	141	160.7	356.747		
TMP-14	40	7/10/2013	161	150.3	336.747		

TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
TMP-14	40	7/10/2013	181	136.7	316.747		
TMP-14	40	7/10/2013	201	119	296.747		




TMP_ID	READ_ID	READ_DATE	DEPTH	READING	ELEVATION	READING_NA	Comments
--------	---------	-----------	-------	---------	-----------	------------	----------

Republic Services due to issues with installation of this TMP has decided to abandon it.




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-01	04/08/13	1.2	73.9	0	24.9	140	-0.2	N	
GIW-01	04/09/13	1.7	75.2	0	23.1	160	0	Y	
GIW-01	04/10/13	1.6	74.4	0.2	23.8	165	-1.1	Y	
GIW-01	04/11/13	1.7	73.7	0.1	24.5	155	0.9	Y	
GIW-01	04/12/13	1.9	73.3	0.2	24.6	160	-1.3	Y	
GIW-01	04/13/13	1.9	74.3	0.4	23.4	160	1.6	Y	
GIW-01	04/14/13	1.9	75.8	0.2	22	160	-2.3	Y	
GIW-01	04/15/13	2	74.5	0.2	23.3	165	1.6	Y	
GIW-01	04/16/13	2.1	73.2	0.3	24.4	165	-1.8	Y	
GIW-01	04/17/13	2.1	74.4	0.3	23.2	160	-1	Y	
GIW-01	04/18/13	2.1	76.3	0.2	21.4	165	-2	Y	
GIW-01	04/19/13	2.1	71.9	0.6	25.4	165	-2.9	Y	
GIW-01	04/20/13	2.1	74.2	0.3	23.4	170	-1	Y	
GIW-01	04/21/13	2.1	73.1	0.8	24	170	-2.8	Y	
GIW-01	04/22/13	2.1	75.2	0.2	22.5	172	-3	Y	
GIW-01	04/23/13	2.1	72.5	0.6	24.8	170	-2.1	Y	
GIW-01	04/24/13	1.9	72.2	0	25.9	160	-4.6	Y	
GIW-01	04/25/13	2.1	70.7	0	27.2	170	-3.1	Y	
GIW-01	04/26/13	1.9	73.2	0.5	24.4	168	-4.3	Y	
GIW-01	04/27/13	2	73.4	1	23.6	170	-4.4	Y	
GIW-01	04/28/13	1.9	74.3	0.4	23.4	165	-4.7	Y	
GIW-01	04/29/13	1.8	76.8	0.1	21.3	170	-4.3	Y	
GIW-01	04/30/13	1.6	77.1	0.6	20.7	170	-4.2	Y	
GIW-01	05/01/13	1.6	77.3	0	21.1	170	-4	Y	
GIW-01	05/02/13	1.8	75.3	0.2	22.7	170	-4.4	Y	
GIW-01	05/03/13	2	71.1	0.3	26.6	165	-4.3	Y	
GIW-01	05/04/13	1.8	71.5	0.4	26.3	168	-4	Y	
GIW-01	05/05/13	1.7	74.6	0.3	23.4	155	-4.6	Y	Begin using fluke temp meter
GIW-01	05/06/13	1.8	74.8	0	23.4	172	-4.5	Y	
GIW-01	05/07/13	1.6	74.2	0.3	23.9	173	-4.4	Y	
GIW-01	05/08/13	1.7	73.8	0.3	24.2	173	-4.4	Y	
GIW-01	05/09/13	1.8	76	0	22.2	172	-3	Y	
GIW-01	05/10/13	1.7	76	0	22.3	171	-4.1	Y	
GIW-01	05/11/13	2.1	75.2	0	22.7	171	-4.4	Y	
GIW-01	05/12/13	1.8	75.2	0.1	22.9	172	-4.2	Y	
GIW-01	05/13/13	1.7	76.1	0	22.2	173	-4.1	Y	
GIW-01	05/14/13	1.7	75.6	0	22.7	173	-4.3	Y	Replaced 1-inch rod seal
GIW-01	05/15/13	1.6	75.3	0	23.1	172	-4.2	Y	Installed check valve
GIW-01	05/16/13	1.8	74	0	24.2	174	-4.9	Y	
GIW-01	05/17/13	1.7	75.4	0	22.9	172	-4.4	Y	
GIW-01	05/18/13	1.8	74.2	0.2	23.8	178	-4	Y	
GIW-01	05/19/13	1.7	77	0	21.3	175	-3	Y	
GIW-01	05/20/13	1.8	74.5	0.1	23.6	172	-4	Y	
GIW-01	05/21/13	1.8	73.8	0.2	24.2	172	-4.8	Y	
GIW-01	05/22/13	2.1	73.5	0.2	24.2	176	-3.7	Y	
GIW-01	05/23/13	1.9	74.4	0	23.7	176	-5.2	Y	
GIW-01	05/24/13	2	73.6	0.6	23.8	178	-4.2	Y	
GIW-01	05/25/13	1.9	75.3	0.2	22.6	177	-3.9	Y	
GIW-01	05/26/13	1.9	75.1	0.4	22.6	172	-4.2	Y	
GIW-01	05/27/13	2.3	75.1	0.2	22.4	171	-3.1	Y	
GIW-01	05/28/13	3.8	74	0.5	21.7	174	-3.3	Y	
GIW-01	05/29/13	1.9	73.5	0.1	24.5	174	-2.8	Y	Vacuum low, working on header
GIW-01	05/30/13	2	74.1	0.2	23.7	178	-3.8	Y	
GIW-01	05/31/13	2.1	75.2	0	22.7	176	-3.7	Y	
GIW-01	06/01/13	1.9	74.7	0	23.4	171	-3.2	Y	
GIW-01	06/02/13	2.1	75.5	0	22.4	179	-4	Y	
GIW-01	06/03/13	2	75.6	0	22.4	179	-2.5	Y	Working on available vac issue
GIW-01	06/04/13	2.2	75.3	0.1	22.4	176	-1	Y	Working on available vac issue
GIW-01	06/05/13	3.5	73.5	0.6	22.4	177	-1.2	Y	Working on available vac issue
GIW-01	06/06/13	5.1	73.2	0.6	21.1	173	-2.6	Y	Working on available vac issue
GIW-01	06/07/13	2.2	69.9	0.3	27.6	176	-2.4	Y	Working on available vac issue
GIW-01	06/08/13	2.2	70.7	0.1	27	178	-0.8	Y	Sag main header, jumper installed late 6-8
GIW-01	06/09/13	3.5	71.5	0.4	24.6	179	-3.7	Y	Vacuum restored
GIW-01	06/10/13	2.1	72.8	0.3	24.8	178	-5.3	Y	
GIW-01	06/11/13	2	72.1	0.3	25.6	178	-4	Y	
GIW-01	06/12/13	2.5	70.5	0	27	181	-3.9	Y	
GIW-01	06/13/13	4.2	73.4	0	22.4	180	-4.6	Y	
GIW-01	06/14/13	2.7	70.7	0.4	26.2	179	-4.8	Y	
GIW-01	06/15/13	2.3	71.1	0.2	26.4	180	-4.8	Y	
GIW-01	06/16/13	1.7	72	0.1	26.2	174	-2.9	Y	Blown seal, replaced pump head
GIW-01	06/17/13	2	71.7	0.5	25.8	174	-4.3	Y	
GIW-01	06/18/13	1.8	73.1	0.1	25	178	-4.1	Y	
GIW-01	06/19/13	1.7	73.7	0.5	24.1	181	-4	Y	
GIW-01	06/20/13	1.4	78.5	0.7	19.4	179	-4.4	Y	
GIW-01	06/21/13	2	79	0.2	24.8	180	-4	Y	
GIW-01	06/22/13	1.8	72.2	0.3	25.7	178	-4.1	Y	
GIW-01	06/23/13	2.6	70.1	0.2	27.1	178	-4	Y	
GIW-01	06/24/13	1.7	69.9	0.9	27.5	179	-4.2	Y	
GIW-01	06/25/13	4.7	70.8	0.8	23.7	179	-4.1	Y	
GIW-01	06/26/13	5.2	71.8	0.6	22.4	180	-4	Y	
GIW-01	06/27/13	2	64.8	1.4	31.8	178	-5.4	Y	
GIW-01	06/28/13	2.9	72	0.4	24.7	179	-4	Y	
GIW-01	06/29/13	2.2	69.2	0.4	28.2	180	-4.7	Y	
GIW-01	06/30/13	2.2	71.8	0.4	25.6	181	-4.7	Y	
GIW-01	07/01/13	2.1	69.7	0.8	27.4	179	-3.9	Y	
GIW-01	07/02/13	2.1	71.9	0.2	25.8	180	-4.7	Y	
GIW-01	07/03/13	2.3	70.9	0	26.8	180	-4	Y	Replaced 1-inch rod seal
GIW-01	07/04/13	3.4	66.7	0.7	29.2	182	-4	Y	
GIW-01	07/05/13	2.6	67	0.2	30.2	181	-4	Y	
GIW-01	07/06/13	3	72.1	0	24.9	181	-4.1	Y	
GIW-01	07/07/13	3.1	72	0.1	24.8	182	-4	Y	
GIW-01	07/08/13	2.6	73.4	0.6	23.4	182	-4	Y	
GIW-01	07/09/13	2.1	71.6	0.4	25.9	183	-3.9	Y	
GIW-01	07/10/13	2.6	72.8	0.4	24.2	179	-4.6	Y	
GIW-01	07/11/13	3.3	67.9	0.9	27.9	181	-3.9	N	Replaced 1-inch rod seal, pump operating
GIW-01	07/12/13	2.1	71.9	0	26	184	-4	Y	
GIW-01	07/13/13	4.5	76.3	0	19.2	183	-4.2	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	04/08/13	2.2	68.6	0	29.2	72	-0.3	N	
GIW-02	04/09/13	2.8	92.5	0.3	4.4	144	-0.3	Y	
GIW-02	04/10/13	1.6	72.3	0.2	25.9	140	-1.1	Y	
GIW-02	04/11/13	1.4	70.8	0.2	27.6	126	-0.1	Y	
GIW-02	04/12/13	1.1	69.6	0.3	29	150	-0.3	Y	
GIW-02	04/13/13	1.1	70	0.3	28.6	150	-0.1	Y	
GIW-02	04/14/13	1.1	75.1	0.2	23.6	154	-0.1	Y	
GIW-02	04/15/13	1.2	70.5	0.3	28	158	-0.1	Y	
GIW-02	04/16/13	1.4	69	0.2	29.4	160	-0.5	Y	
GIW-02	04/17/13	9.1	67.7	0.2	23	158	-2.1	Y	
GIW-02	04/18/13	10.5	71.8	0.3	17.4	155	-1.1	Y	
GIW-02	04/19/13	9.7	61.1	0.6	28.6	152	-2.8	Y	
GIW-02	04/20/13	9	63.2	0.3	27.5	152	-2.6	Y	
GIW-02	04/21/13	8.9	63.2	0.8	27.1	152	-2.7	Y	
GIW-02	04/22/13	9.1	72.4	0.3	18.2	155	-2	Y	
GIW-02	04/23/13	9.1	61.5	0.8	28.6	152	-3.1	Y	
GIW-02	04/24/13	6.8	53.2	0.6	39.4	148	-4.9	Y	
GIW-02	04/25/13	7.1	53	0.4	39.5	140	-4.6	Y	
GIW-02	04/26/13	7	56.9	0.6	35.5	148	-3.4	Y	
GIW-02	04/27/13	7.9	52.5	1.4	38.2	142	-5	Y	
GIW-02	04/28/13	6.8	59.8	0.8	32.6	148	-4	Y	
GIW-02	04/29/13	7.4	62	0.3	30.3	155	-4.1	Y	
GIW-02	04/30/13	6.7	62	0.6	30.7	150	-4.1	Y	
GIW-02	05/01/13	7.7	63.2	0	29.1	154	-4	Y	
GIW-02	05/02/13	8.7	63.1	0	28.2	148	-5.2	Y	
GIW-02	05/03/13	6.5	55.2	0.6	37.7	145	-4.8	Y	
GIW-02	05/04/13	7.2	57.5	0.4	34.9	148	-4	Y	
GIW-02	05/05/13	9	54.6	0	36.4	140	-5.4	Y	Begin using fluke temp meter
GIW-02	05/06/13	10.4	57.7	0	31.9	143	-4.3	Y	
GIW-02	05/07/13	10.6	58.4	0.3	30.7	146	-4.7	Y	
GIW-02	05/08/13	9.9	53.3	0.4	36.4	144	-4.9	Y	
GIW-02	05/09/13	10.8	63	0	26.2	148	-3.8	Y	
GIW-02	05/10/13	10.1	58.9	0	31	143	-4.5	Y	
GIW-02	05/11/13	10.1	55.8	0	34.1	143	-5.2	Y	
GIW-02	05/12/13	9.5	57.3	0.1	33.1	135	-4.2	Y	
GIW-02	05/13/13	9.7	60	0	30.3	143	-4.2	Y	
GIW-02	05/14/13	10.1	61.2	0	28.7	143	-4.1	Y	
GIW-02	05/15/13	9.9	58.4	0	31.7	142	-4.3	Y	Installed check valve
GIW-02	05/16/13	10.3	56.4	0	33.3	142	-4.4	Y	
GIW-02	05/17/13	9.7	56.6	0.2	33.5	142	-4.1	Y	
GIW-02	05/18/13	10.6	57.9	0.3	23.2	144	-3.5	Y	
GIW-02	05/19/13	11.2	65.3	0	23.5	142	-2.7	Y	
GIW-02	05/20/13	13.8	63.1	0.1	23	142	-3.8	Y	
GIW-02	05/21/13	13.5	63.5	0.3	22.7	144	-4.5	Y	
GIW-02	05/22/13	13.4	63.6	0.3	22.7	144	-3.7	Y	
GIW-02	05/23/13	10.1	60.5	0	29.4	140	-5.2	Y	Replaced 1-inch rod seal
GIW-02	05/24/13	11.9	59	0.7	28.4	140	-4.4	N	Replaced 4-way valve
GIW-02	05/25/13	11.6	62	0.3	26.1	144	-3.9	Y	
GIW-02	05/26/13	9	54.2	0.5	36.3	143	-4.2	Y	
GIW-02	05/27/13	11	58.7	0.5	29.8	144	-3	Y	
GIW-02	05/28/13	17.7	58.8	0.6	22.9	144	-3.1	Y	
GIW-02	05/29/13	12.4	58.2	0.6	28.8	141	-2.3	Y	Vacuum low, working on header
GIW-02	05/30/13	13.9	63	0.6	22.5	144	-3.2	Y	
GIW-02	05/31/13	10.8	58	0.5	30.7	142	-3.1	Y	
GIW-02	06/01/13	9.8	55.6	0.5	34.1	141	-4.3	Y	
GIW-02	06/02/13	10.1	54.5	0.8	34.6	141	-3.1	Y	
GIW-02	06/03/13	10.2	54.6	0.4	34.8	139	-2.2	Y	Working on available vac issue
GIW-02	06/04/13	12.3	59.7	0.2	27.8	143	-1.1	Y	Working on available vac issue
GIW-02	06/05/13	13.4	62.6	0.4	23.6	144	-1	Y	Working on available vac issue
GIW-02	06/06/13	16.7	56.7	0.7	25.9	148	-2.5	Y	Working on available vac issue
GIW-02	06/07/13	12.9	53.4	0.6	33.1	143	-1.8	Y	Working on available vac issue
GIW-02	06/08/13	13.1	56.1	0.2	30.6	141	-0.9	Y	Sag main header, jumper installed late 6-8
GIW-02	06/09/13	17.9	54	0.7	27.4	142	-3.2	Y	Vacuum restored
GIW-02	06/10/13	10.8	45.8	1.1	42.3	144	-5.1	N	Replaced 4-way valve - pump operating
GIW-02	06/11/13	10.3	48.5	0.6	40.6	141	-4.5	Y	
GIW-02	06/12/13	14.7	48.9	0.3	36.1	147	-4.7	Y	
GIW-02	06/13/13	13.6	49.8	0.6	36	137	-4.6	Y	
GIW-02	06/14/13	14.4	68.3	0.3	17	139	-4	Y	
GIW-02	06/15/13	13.7	50.5	0.7	35.1	141	-3.9	Y	
GIW-02	06/16/13	15.1	72	0.4	12.5	157	-2.4	Y	
GIW-02	06/17/13	12.3	57.3	0.4	30	151	-5.4	Y	
GIW-02	06/18/13	11	56.9	0.4	31.7	144	-4	Y	
GIW-02	06/19/13	10.6	55.8	0.9	32.7	146	-4	Y	
GIW-02	06/20/13	10.7	59.2	0.9	29.2	143	-4.8	Y	
GIW-02	06/21/13	13.7	60	0.3	26	146	-4.3	Y	
GIW-02	06/22/13	11.8	55.4	0.8	32	141	-4.9	Y	
GIW-02	06/23/13	11.2	51.1	1	36.7	146	-4.2	Y	
GIW-02	06/24/13	10.6	48.6	1.6	39.2	139	-4.4	Y	
GIW-02	06/25/13	15.9	52.4	1.2	30.5	145	-3.9	N	Replaced 1-inch rod seal, pump operating
GIW-02	06/26/13	15.6	51.7	1.3	31.4	143	-4	Y	
GIW-02	06/27/13	11.9	45.3	1.6	41.2	143	-4.8	Y	
GIW-02	06/28/13	14.9	56.1	0.5	28.5	146	-4	Y	
GIW-02	06/29/13	12.1	50.9	0.6	36.4	144	-4.7	Y	
GIW-02	06/30/13	12.7	53.5	0.5	33.3	148	-4.8	Y	
GIW-02	07/01/13	12.5	49.7	0.8	37	144	-4	Y	
GIW-02	07/02/13	13.3	51.5	0.5	34.7	140	-4.3	Y	
GIW-02	07/03/13	14	53.3	0.3	32.4	142	-4	Y	
GIW-02	07/04/13	13.6	46.5	0.9	39	144	-4.5	Y	
GIW-02	07/05/13	16.4	54.6	1.2	27.8	147	-4	Y	
GIW-02	07/06/13	19.1	55.6	1.5	23.8	141	-4.3	Y	
GIW-02	07/07/13	13.8	51.1	1.9	33.2	145	-4.3	Y	
GIW-02	07/08/13	14.6	55.1	2.2	28.1	144	-4.2	Y	
GIW-02	07/09/13	11.1	56.7	2	30.3	144	-3.9	Y	
GIW-02	07/10/13	7.4	61.7	1.8	29.1	136	-4	Y	
GIW-02	07/11/13	6.8	65.6	0.5	27.1	142	-4	Y	
GIW-02	07/12/13	1.9	65.7	0.6	31.8	142	-4	Y	
GIW-02	07/13/13	4.5	72.8	0.4	22.3	144	-4.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-03	04/08/13	3.3	70.1	0	26.6	120	-0.1	N	
GIW-03	04/09/13	3.4	71.9	0	24.7	130	-0.2	Y	
GIW-03	04/10/13	2.2	70.4	0.2	27.2	130	-0.2	Y	
GIW-03	04/11/13	3.2	70.2	0.3	26.3	120	-0.7	Y	
GIW-03	04/12/13	3.4	70.5	0.2	25.9	120	-0.1	Y	
GIW-03	04/13/13	0.6	72.1	0.1	27.2	110	-7.6	Y	
GIW-03	04/14/13	1.7	72.1	0.1	26.2	130	-1.7	Y	
GIW-03	04/15/13	0.7	72.5	0.2	26.6	130	-0.3	Y	
GIW-03	04/16/13	3.2	68.9	0.2	27.7	130	-1.2	Y	
GIW-03	04/17/13	3.1	70.6	0.2	26.1	128	-2.7	Y	
GIW-03	04/18/13	2.7	72.2	0.2	24.9	125	-0.1	Y	
GIW-03	04/19/13	3.2	68.4	0.6	27.8	125	-2.9	Y	
GIW-03	04/20/13	3.2	69	0.3	27.5	132	-2.5	Y	
GIW-03	04/21/13	2.5	71.1	0.7	25.7	130	-1.2	Y	
GIW-03	04/22/13	3.3	76.3	0.4	20	132	-2.8	Y	
GIW-03	04/23/13	2.1	71.3	0.6	26	132	-1.8	Y	
GIW-03	04/24/13	2.4	66.2	0.8	30.6	138	-5.8	Y	
GIW-03	04/25/13	1.9	68.5	0.3	29.3	128	-4.2	Y	
GIW-03	04/26/13	2.7	68.3	0.9	28.1	130	-4.1	Y	
GIW-03	04/27/13	2.7	67	2	28.3	130	-4.5	Y	operating but not moving liquid, will repair
GIW-03	04/28/13	3	71.9	0.3	24.8	130	-4	Y	
GIW-03	04/29/13	2.8	69.9	0.2	27.1	150	-3.3	Y	
GIW-03	04/30/13	2.4	72.1	0.4	25.1	150	-4.3	Y	
GIW-03	05/01/13	2.2	73.6	0.8	23.4	158	-4	Y	
GIW-03	05/02/13	2.5	68.4	1	28.1	135	-5.7	Y	
GIW-03	05/03/13	2.6	65.4	1.4	30.6	138	-4.9	Y	
GIW-03	05/04/13	2.4	69.3	0.4	27.9	138	-4.2	Y	
GIW-03	05/05/13	2.7	70.7	0	26.6	132	-4.7	Y	Begin using fluke temp meter
GIW-03	05/06/13	2.6	70.3	0	27.1	154	-4.4	Y	
GIW-03	05/07/13	2.6	69.7	0.4	27.3	156	-4.7	Y	
GIW-03	05/08/13	2.9	68	0.5	28.6	156	-4.7	Y	
GIW-03	05/09/13	2.9	70.9	0	26.2	134	-3.5	Y	
GIW-03	05/10/13	2.5	72.5	0	25	156	-4.4	Y	
GIW-03	05/11/13	3.4	71.1	0	25.5	153	-6	Y	
GIW-03	05/12/13	3.6	70.3	0	26.1	157	-4	Y	
GIW-03	05/13/13	3	70.5	0	26.5	156	-4.3	Y	
GIW-03	05/14/13	2.5	73	0	24.5	155	-4.1	Y	
GIW-03	05/15/13	2.9	71.1	0	26	147	-4.4	Y	Installed check valve
GIW-03	05/16/13	2.5	69.5	0	28	159	-4.5	Y	
GIW-03	05/17/13	2.5	70.3	0.1	27.1	155	-4.5	Y	
GIW-03	05/18/13	2.6	68.8	0.2	28.4	160	-4	Y	
GIW-03	05/19/13	2.6	71	0.1	26.3	158	-2.6	Y	
GIW-03	05/20/13	2.4	70.3	0	27.3	152	-4.2	Y	
GIW-03	05/21/13	2.4	68.9	0.2	28.5	160	-4.6	Y	
GIW-03	05/22/13	2.9	69.2	0.2	27.7	159	-3.8	Y	
GIW-03	05/23/13	2.7	68.9	0.2	28.2	156	-5.3	Y	
GIW-03	05/24/13	2.6	69.8	0.6	27	160	-4.1	Y	
GIW-03	05/25/13	2.3	70.1	0.2	27.4	161	-4	Y	
GIW-03	05/26/13	2.3	69.7	0.4	27.6	160	-3.9	Y	
GIW-03	05/27/13	3.1	69.4	0.3	27.2	158	-3.4	Y	
GIW-03	05/28/13	5.8	67.5	0.4	26.3	153	-3.7	Y	
GIW-03	05/29/13	2.2	69.6	0.1	28.1	155	-2.8	Y	Vacuum low, working on header
GIW-03	05/30/13	2.8	69	0.4	27.8	159	-3.5	Y	
GIW-03	05/31/13	2.6	70.2	0	27.2	162	-3.5	Y	
GIW-03	06/01/13	2.3	67.5	0	30.2	158	-3.5	Y	
GIW-03	06/02/13	2.5	70.3	0.1	27.1	160	-4	Y	
GIW-03	06/03/13	2.3	68.4	0	29.3	162	-2.1	Y	Working on available vac issue
GIW-03	06/04/13	2.4	70.4	0.1	27.1	158	-1	Y	Working on available vac issue
GIW-03	06/05/13	1.9	67.4	0.6	30.1	154	-0.7	Y	Working on available vac issue
GIW-03	06/06/13	2.5	68.1	0.3	29.1	152	-2.2	Y	Working on available vac issue
GIW-03	06/07/13	2.6	64.7	0.2	32.5	153	-1.7	Y	Working on available vac issue
GIW-03	06/08/13	3.5	65.3	0	31.2	151	-0.7	Y	Sag main header, jumper installed late 6-8
GIW-03	06/09/13	3.9	65.2	0.5	30.4	162	-2.9	Y	Vacuum restored
GIW-03	06/10/13	2.7	65.7	0.4	31.2	164	-5.5	Y	
GIW-03	06/11/13	2.2	66.9	0	30.9	162	-3.9	Y	
GIW-03	06/12/13	3.2	66.4	0	30.4	166	-4	Y	
GIW-03	06/13/13	2	69.4	0	28.6	163	-4.4	Y	
GIW-03	06/14/13	3.9	64	0.1	32	163	-4.5	Y	
GIW-03	06/15/13	6.1	65.6	0.4	27.9	160	-4	Y	
GIW-03	06/16/13	3.1	67.9	0.1	28.9	162	-2.2	Y	
GIW-03	06/17/13	2.7	67.9	0.3	29.1	163	-4.8	Y	
GIW-03	06/18/13	4	68.7	0	27.3	166	-4	Y	
GIW-03	06/19/13	2.7	69.2	0.4	27.7	165	-4	Y	
GIW-03	06/20/13	1.6	73.3	0.4	24.7	166	-4.9	Y	
GIW-03	06/21/13	2.9	67.7	0.2	29.2	165	-4.1	Y	
GIW-03	06/22/13	2.2	64.9	0.9	32	160	-4.5	Y	
GIW-03	06/23/13	4.8	65	0.9	29.3	164	-4	Y	
GIW-03	06/24/13	1.5	63.9	1.5	33.1	161	-4.1	Y	
GIW-03	06/25/13	5	64.2	1.5	29.3	163	-4	Y	
GIW-03	06/26/13	2.7	73.3	0.8	23.2	160	-4	Y	
GIW-03	06/27/13	1.9	62.7	0.5	34.9	163	-4.7	Y	
GIW-03	06/28/13	2.7	69	0.5	27.8	166	-4.2	Y	
GIW-03	06/29/13	2.1	64.9	0.3	32.7	160	-4.5	Y	
GIW-03	06/30/13	1.7	70.9	0.3	27.1	160	-4.1	Y	
GIW-03	07/01/13	1.9	65	0.6	32.5	164	-4.3	Y	
GIW-03	07/02/13	2.1	66.7	0.2	31	162	-4.8	Y	
GIW-03	07/03/13	2.3	66.1	0.2	31.4	169	-4	Y	
GIW-03	07/04/13	2.7	67.2	0.5	29.6	165	-4.1	Y	
GIW-03	07/05/13	2.5	66.9	0.5	30.1	168	-4.1	Y	
GIW-03	07/06/13	1.3	72.5	0	26.2	168	-3.6	Y	
GIW-03	07/07/13	2.6	67.1	0	30.3	164	-4.4	Y	
GIW-03	07/08/13	1.9	67.5	0.4	30.2	164	-4.1	Y	
GIW-03	07/09/13	1.5	69.8	0.4	28.3	168	-3.9	Y	
GIW-03	07/10/13	2.2	71.5	0.4	25.9	161	-4.5	Y	
GIW-03	07/11/13	3.8	68.7	0.3	27.2	169	-3.9	Y	
GIW-03	07/12/13	0.5	72.1	0	27.4	168	-4	Y	
GIW-03	07/13/13	2.2	75.1	0	22.7	170	-4.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	04/08/13	0.4	73.7	0	25.9	150	-0.7	N	
GIW-04	04/09/13	0.4	73.6	0.6	25.4	150	-0.4	Y	
GIW-04	04/10/13	0.4	75.1	0.2	24.3	150	-0.8	Y	
GIW-04	04/11/13	0.5	75.3	0.1	24.1	145	-0.5	Y	
GIW-04	04/12/13	0.5	75	0.1	24.4	140	-1.6	Y	
GIW-04	04/13/13	0.5	74.1	0.1	25.3	140	-2.7	Y	
GIW-04	04/14/13	0.5	78.5	0.1	20.9	160	0.6	Y	
GIW-04	04/15/13	0.6	75.2	0.2	24	160	-0.1	Y	
GIW-04	04/16/13	0.6	73.8	0.3	25.3	142	-0.6	Y	
GIW-04	04/17/13	0.6	74.4	0.2	24.8	145	-1.4	Y	
GIW-04	04/18/13	0.7	76.7	0.2	22.4	140	-2.7	Y	
GIW-04	04/19/13	0.7	73.2	0.5	25.6	145	-3	Y	
GIW-04	04/20/13	0.7	74.1	0.2	25	150	-2.3	Y	
GIW-04	04/21/13	0.7	73.6	0.8	24.9	150	-3.3	Y	
GIW-04	04/22/13	0.7	82.5	0.2	16.6	152	-2.4	Y	
GIW-04	04/23/13	0.8	73.2	0.6	25.4	150	-3.1	Y	
GIW-04	04/24/13	0.5	73.5	0	26	140	-4.8	Y	
GIW-04	04/25/13	0.5	73.2	0	26.3	148	-4.5	Y	
GIW-04	04/26/13	0.5	75.9	0.7	22.9	146	-4.4	Y	
GIW-04	04/27/13	0.6	75	1.1	23.3	160	-4.3	Y	
GIW-04	04/28/13	0.5	77.7	0.5	21.3	142	-4.4	Y	
GIW-04	04/29/13	0.5	77.8	0	21.7	160	-4.5	Y	
GIW-04	04/30/13	0.4	77.2	0.4	22	148	-4.3	Y	
GIW-04	05/01/13	0.4	78.6	0.1	20.9	158	-4.1	Y	
GIW-04	05/02/13	0.5	76.2	0.1	23.2	150	-4.3	Y	
GIW-04	05/03/13	0.5	73.7	0.4	25.4	145	-4.2	Y	
GIW-04	05/04/13	0.5	75.3	0.3	23.9	148	-4.2	Y	
GIW-04	05/05/13	0.4	76.2	0	23.4	143	-4.9	Y	Begin using fluke temp meter
GIW-04	05/06/13	0.5	76.4	0	23.1	152	-4.2	Y	
GIW-04	05/07/13	0.4	74.7	0.4	24.5	155	-4.2	Y	
GIW-04	05/08/13	0.4	74.8	0.2	24.6	151	-4.9	Y	
GIW-04	05/09/13	0.5	76.6	0	22.9	150	-1.1	Y	
GIW-04	05/10/13	0.5	78.1	0	21.4	153	-4.1	Y	
GIW-04	05/11/13	0.6	76.9	0.1	22.4	154	-6.2	Y	
GIW-04	05/12/13	1.8	77.4	0	20.8	144	-4.2	Y	
GIW-04	05/13/13	0.6	76.9	0	22.5	152	-4.1	Y	
GIW-04	05/14/13	0.9	76	0	23.1	153	-4.2	Y	
GIW-04	05/15/13	1.2	77.9	0	20.9	153	-4.4	Y	Installed check valve, replaced 1" rod seal
GIW-04	05/16/13	0.5	73.8	0.5	25.2	155	-4.5	Y	
GIW-04	05/17/13	0.4	75.1	0.6	23.9	155	-4.3	Y	
GIW-04	05/18/13	0.5	75.3	0.8	25	158	-4	Y	
GIW-04	05/19/13	0.4	78	0	21.6	158	-2.9	Y	
GIW-04	05/20/13	0.6	75.5	0.5	23.4	152	-4.2	Y	
GIW-04	05/21/13	0.4	73.8	0.6	25.2	150	-4.6	Y	
GIW-04	05/22/13	1.1	73.5	0.8	24.6	152	-4	Y	
GIW-04	05/23/13	0.5	74.5	0.6	24.4	144	-5.5	Y	
GIW-04	05/24/13	0.4	72.2	0.5	26.9	151	-4.6	Y	
GIW-04	05/25/13	0.8	74.6	0.7	23.9	153	-4.4	Y	
GIW-04	05/26/13	0.9	75	0.7	23.4	148	-4.2	Y	
GIW-04	05/27/13	4.7	74.7	0.5	20.1	152	-3	Y	
GIW-04	05/28/13	2.6	73.9	0.8	22.7	151	-3.5	Y	
GIW-04	05/29/13	0.6	74.4	0.3	24.7	152	-2.3	Y	Vacuum low, working on header
GIW-04	05/30/13	0.9	75	0.4	23.7	154	-3.3	Y	
GIW-04	05/31/13	1.4	75.4	0.3	22.9	153	-3.7	Y	
GIW-04	06/01/13	0.4	75.7	0.2	23.7	150	-3.9	Y	
GIW-04	06/02/13	0.5	77.3	0	22.2	154	-4	N	Replaced 4-way valve - pump operational
GIW-04	06/03/13	0.5	75	0	24.5	152	-2.5	Y	Working on available vac issue
GIW-04	06/04/13	0.5	77	0.3	22.2	153	-1.1	Y	Working on available vac issue
GIW-04	06/05/13	0.2	75.1	0.6	24.1	153	-0.5	Y	Working on available vac issue
GIW-04	06/06/13	0.5	75.2	0.7	23.6	155	-1.7	Y	Working on available vac issue
GIW-04	06/07/13	1.2	70.6	0.5	27.7	152	-1.9	Y	Working on available vac issue
GIW-04	06/08/13	0.6	72.5	0.3	26.6	150	-0.6	Y	Sag main header, jumper installed late 6-8
GIW-04	06/09/13	2.7	72.7	0.6	24	152	-3.1	Y	Vacuum restored
GIW-04	06/10/13	0.3	71	0.7	28	156	-5.1	Y	
GIW-04	06/11/13	0.3	75	0.2	24.5	154	-4.5	Y	
GIW-04	06/12/13	0.3	73.5	0	26.2	155	-4.1	N	Replaced 1-inch rod seal - pump operating
GIW-04	06/13/13	0.2	75.9	0	23.9	149	-4.4	Y	
GIW-04	06/14/13	2.4	71.5	0.3	25.8	155	-4.6	Y	
GIW-04	06/15/13	2.9	73.2	0.4	23.5	156	-4.1	Y	
GIW-04	06/16/13	0.4	75.1	0.1	24.4	158	-3	Y	
GIW-04	06/17/13	0.9	74.6	0.2	24.3	152	-5.9	Y	
GIW-04	06/18/13	1.7	74.4	0.2	23.7	154	-4.2	Y	
GIW-04	06/19/13	0.3	75.3	0.5	23.9	156	-4	Y	
GIW-04	06/20/13	0.5	79.2	0.5	19.8	156	-4.7	Y	
GIW-04	06/21/13	1.8	75.2	0	23	155	-4.7	Y	
GIW-04	06/22/13	1.8	73.8	0.3	24.1	158	-4.5	Y	
GIW-04	06/23/13	2.6	71.8	0.4	25.2	156	-4	Y	
GIW-04	06/24/13	0.2	73.4	0.3	26.1	151	-4.8	Y	
GIW-04	06/25/13	5.3	74.3	0.3	20.1	154	-4.6	Y	
GIW-04	06/26/13	0	72.5	1	26.5	155	-4.3	Y	
GIW-04	06/27/13	0.8	66.5	1.1	31.6	155	-4.2	Y	
GIW-04	06/28/13	1.8	75.2	0.2	22.8	156	-4.3	Y	
GIW-04	06/29/13	0.3	72.1	0.4	27.2	152	-4.2	Y	
GIW-04	06/30/13	0.4	73.9	0.5	25.2	155	-4.7	Y	
GIW-04	07/01/13	0.3	72.5	0.5	26.7	151	-4	Y	
GIW-04	07/02/13	0.3	74.8	0.2	24.7	153	-4.5	Y	
GIW-04	07/03/13	0.3	74.6	0.1	25	157	-4.1	Y	
GIW-04	07/04/13	1.2	69.8	0.3	28.7	157	-4.1	Y	
GIW-04	07/05/13	0.9	73.5	0.5	25.1	156	-4.2	Y	
GIW-04	07/06/13	0.3	74.8	0	24.9	155	-3.3	Y	
GIW-04	07/07/13	0.9	74.3	0.2	24.6	154	-4.3	Y	
GIW-04	07/08/13	0.3	72.7	1.5	25.5	155	-4.2	Y	
GIW-04	07/09/13	0.3	73	0.7	26	157	-4	Y	
GIW-04	07/10/13	2.6	74.8	0.6	22	151	-4.9	Y	
GIW-04	07/11/13	2.2	68.8	0.5	28.5	151	-4.1	Y	
GIW-04	07/12/13	0.2	73.5	0.1	26.2	157	-4	Y	
GIW-04	07/13/13	1.1	78.7	0.1	20.1	158	-4.2	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	04/08/13	0.2	72.4	0	27.4	160	-0.1	N	
GIW-05	04/09/13	0.6	66.7	2.5	30.2	170	-0.3	Y	
GIW-05	04/10/13	0.3	72.5	0.3	26.9	170	-0.2	Y	
GIW-05	04/11/13	0.3	73.2	0.2	26.3	165	-0.5	Y	
GIW-05	04/12/13	0.3	72.5	0.2	27	160	-0.7	Y	
GIW-05	04/13/13	0.3	72.2	0.2	27.3	160	-0.9	Y	
GIW-05	04/14/13	0.2	75.1	0.2	24.5	160	-1	Y	
GIW-05	04/15/13	0.7	72.3	0.3	26.7	170	-0.5	Y	
GIW-05	04/16/13	0.9	71.6	0.2	27.3	170	-1.8	Y	
GIW-05	04/17/13	1.8	71.3	0.3	26.6	160	-2.2	Y	
GIW-05	04/18/13	0.3	74.2	0.2	25.3	165	-1	Y	
GIW-05	04/19/13	1.8	69.4	1.2	27.6	165	-2.9	Y	
GIW-05	04/20/13	0.3	71.3	0.2	28.2	165	-2.6	Y	
GIW-05	04/21/13	1.1	70	0.8	28.1	172	-3	Y	
GIW-05	04/22/13	0.2	79.6	0.3	19.9	170	-2	Y	
GIW-05	04/23/13	0.4	71	0.5	28.1	170	-4.2	Y	
GIW-05	04/24/13	0.2	71.1	0	28.7	160	-4.3	Y	
GIW-05	04/25/13	0.3	69.9	0	29.8	165	-4.4	Y	
GIW-05	04/26/13	0.1	73.6	0.2	26.1	166	-4.6	Y	Removed B-Hawk, installed AP4 Pump
GIW-05	04/27/13	0.2	74.3	0.6	24.9	155	-4.7	N	New AP4 not operating, will repair
GIW-05	04/28/13	0.1	75.7	0.3	23.9	150	-4.4	N	New AP4 not operating, will repair
GIW-05	04/29/13	0	75.6	0	24.4	160	-4.4	N	Replacing AP4 with Blackhawk
GIW-05	04/30/13	0	74.8	0.5	24.7	165	-4.3	N	Pump replaced will be operational today
GIW-05	05/01/13	0	77.4	0	22.6	160	-4.5	N	Operating but not moving liquid, will repair
GIW-05	05/02/13	0.1	74.1	0.1	25.7	165	-4.8	N	Operating but not moving liquid, will repair
GIW-05	05/03/13	0.2	71.6	0.4	27.8	160	-4.4	N	Operating but not moving liquid, will repair
GIW-05	05/04/13	0.1	72.1	0.5	27.3	160	-4.6	N	Operating but not moving liquid, will repair
GIW-05	05/05/13	0	74.6	0	25.4	161	-4.4	N	Begin using fluke temp meter
GIW-05	05/06/13	0.1	74.4	0	25.5	167	-4.9	Y	Pump repaired, moving liquid
GIW-05	05/07/13	0.1	70.9	0.6	28.4	170	-4.9	Y	
GIW-05	05/08/13	0.7	69.5	0.2	29.6	183	-4.4	Y	
GIW-05	05/09/13	0.2	73	0	26.8	179	-1.7	Y	
GIW-05	05/10/13	0.2	72.6	0	27.2	184	-3.7	Y	
GIW-05	05/11/13	0.5	71.3	0	28.2	186	-5.8	Y	
GIW-05	05/12/13	1	70	0	29	178	-4	Y	
GIW-05	05/13/13	0.2	70.1	0	29.7	187	-4.2	Y	
GIW-05	05/14/13	0.3	67.6	0	32.1	188	-4.1	Y	
GIW-05	05/15/13	1.4	71.3	0	27.3	184	-4.7	Y	Installed check valve
GIW-05	05/16/13	0.1	71.8	0.1	28	178	-4.7	Y	Replaced 4-way valve
GIW-05	05/17/13	0.1	71.9	0	28	180	-4	Y	
GIW-05	05/18/13	0.3	72.1	0.4	28.2	175	-4.6	Y	Replaced pump head
GIW-05	05/19/13	3.7	69	0.5	27.8	182	-4.1	Y	
GIW-05	05/20/13	0.9	70	0.2	28.9	182	-4.7	Y	
GIW-05	05/21/13	0.4	69.3	0.3	30	183	-4.7	Y	
GIW-05	05/22/13	0.7	68.5	0.5	30.3	184	-4.4	Y	
GIW-05	05/23/13	0.7	69.1	0.4	29.8	186	-4.9	Y	
GIW-05	05/24/13	0.1	67.2	0.7	32	180	-4.1	N	Replaced 4-way valve.
GIW-05	05/25/13	0.6	71.3	0.2	27.9	180	-4.6	Y	
GIW-05	05/26/13	1	69.6	0.9	28.5	182	-4.8	N	Replaced 4-way valve - pump operating
GIW-05	05/27/13	5.7	71	0.5	22.8	181	-4.1	Y	
GIW-05	05/28/13	0.7	69.6	0.8	28.9	182	-4.9	N	Replaced 4-way valve - pump operating
GIW-05	05/29/13	0.4	69.2	0.5	29.9	186	-5.3	Y	
GIW-05	05/30/13	1.5	68.7	0.5	29.3	187	-4	Y	
GIW-05	05/31/13	2.2	69.5	0.2	28.1	188	-4	Y	
GIW-05	06/01/13	0.4	67.3	0	32.3	190	-4.6	Y	
GIW-05	06/02/13	0.4	70.8	0	28.8	189	-4.2	Y	
GIW-05	06/03/13	0.2	69.8	0.3	29.7	185	-4.5	Y	
GIW-05	06/04/13	0.1	68	1.3	30.6	181	-4.3	Y	
GIW-05	06/05/13	2.2	68.5	1.3	28	181	-4.6	Y	
GIW-05	06/06/13	0	68.3	1.6	30.1	181	-8	Y	
GIW-05	06/07/13	1.6	65.3	0.9	32.2	176	-4.4	Y	
GIW-05	06/08/13	1.7	69.1	0.7	28.5	177	-4.3	Y	
GIW-05	06/09/13	0.2	70.4	0.2	29.2	178	-4.7	Y	Changed air box
GIW-05	06/10/13	0.2	70.8	0.3	28.7	177	-5.4	N	Replaced 4-way valve - pump operating
GIW-05	06/11/13	0.1	71.8	0	28.1	180	-4.3	Y	
GIW-05	06/12/13	0.1	72	0	27.9	178	-5	Y	
GIW-05	06/13/13	0.1	73.5	0	26.4	175	-4.3	Y	
GIW-05	06/14/13	1.3	69	0.3	29.4	179	-4.6	Y	Replaced air box
GIW-05	06/15/13	1.4	69.6	0.5	28.5	179	-4.1	N	Replaced air box
GIW-05	06/16/13	0.2	71.9	0.1	27.8	178	-4.4	Y	
GIW-05	06/17/13	0.3	72.2	0.1	27.4	174	-4.2	N	Rod separated from pump head
GIW-05	06/18/13	0	70.8	0.4	28.8	171	-4.1	N	Pump head repair complete, operational
GIW-05	06/19/13	0.3	72	0.6	27.1	168	-4.8	Y	Bottom seal bad, replaced
GIW-05	06/20/13	0	75.5	0.7	23.8	174	-4.7	Y	
GIW-05	06/21/13	0.4	72.2	0	27.4	174	-4.5	Y	
GIW-05	06/22/13	0.3	70.7	0.4	28.6	174	-4.4	Y	
GIW-05	06/23/13	0.7	69.3	0.2	29.8	176	-4.3	Y	
GIW-05	06/24/13	0	70.6	0.1	29.3	178	-4.9	Y	
GIW-05	06/25/13	2.3	71.5	0.4	25.8	180	-4.6	N	FG rod damaged, replaced, operational
GIW-05	06/26/13	0	70.6	0.4	29	177	-4.3	Y	
GIW-05	06/27/13	1	59.1	0.2	39.7	174	-4.3	N	Replaced 1-inch rod seal, pump operating
GIW-05	06/28/13	0.7	70.5	0.6	28.2	181	-4.4	N	Replaced cylinder cap, pump operating
GIW-05	06/29/13	0.2	66.2	0.4	33.2	178	-4.5	Y	
GIW-05	06/30/13	2	67.5	0.2	30.3	178	-4.2	Y	
GIW-05	07/01/13	4.5	65.1	0.9	29.5	182	-4	Y	
GIW-05	07/02/13	2.4	66.8	0.3	30.5	183	-4.5	Y	
GIW-05	07/03/13	2.7	64.8	0.3	32.2	181	-4.1	Y	
GIW-05	07/04/13	3	62.6	0.4	34	182	-4.1	Y	
GIW-05	07/05/13	2.5	65	0.5	32	180	-3.9	Y	
GIW-05	07/06/13	2.4	67.2	0	30.4	178	-4.3	Y	
GIW-05	07/07/13	3.9	66.9	0	29.2	164	-4	Y	
GIW-05	07/08/13	2.5	65	0.7	31.8	183	-4.6	Y	
GIW-05	07/09/13	3.4	66	0.9	29.7	180	-4.7	Y	
GIW-05	07/10/13	5.5	67.2	0.8	26.5	182	-4.7	Y	
GIW-05	07/11/13	8	63.8	0.5	27.7	183	-4.1	Y	
GIW-05	07/12/13	2.3	66.3	0	31.4	182	-4.1	Y	
GIW-05	07/13/13	3.3	69.8	0	26.9	0	-4.3	N	Temp error - Repl 4-way valve, operating






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-06	04/08/13	0.5	75.3	0	24.2	150	-0.7	N	
GIW-06	04/09/13	0.3	76.2	0	23.5	152	-3.1	Y	
GIW-06	04/10/13	0.2	76.1	0.3	23.4	155	-2.3	Y	
GIW-06	04/11/13	0.3	77.2	0.1	22.4	140	-1.5	Y	
GIW-06	04/12/13	0.4	76.2	0.2	23.2	140	-1.1	Y	
GIW-06	04/13/13	0.3	76.1	0.2	23.4	145	1.6	Y	
GIW-06	04/14/13	0.3	77.6	0.2	21.9	150	-0.6	Y	
GIW-06	04/15/13	0.4	76.5	0.3	22.8	140	-2	Y	
GIW-06	04/16/13	0.3	75.9	0.2	23.6	150	-1.4	Y	
GIW-06	04/17/13	0.3	75.5	0.3	23.9	155	-2.1	Y	
GIW-06	04/18/13	0.3	78.2	0.2	21.3	140	-1.8	Y	
GIW-06	04/19/13	0.4	74.1	1	24.5	140	-2.4	Y	
GIW-06	04/20/13	0.5	75.1	0.2	24.2	156	-2.2	Y	
GIW-06	04/21/13	0.6	74.2	0.8	24.4	155	-2	Y	
GIW-06	04/22/13	0.4	83.6	0.2	15.8	158	-2.2	Y	
GIW-06	04/23/13	0.4	75.1	0.4	24.1	155	-4.2	Y	
GIW-06	04/24/13	0.2	74.3	0.3	25.2	150	-4.1	Y	
GIW-06	04/25/13	0.2	74.1	0	25.7	150	-3.4	Y	
GIW-06	04/26/13	0.1	77.2	0.3	22.4	148	-4.7	Y	
GIW-06	04/27/13	0.2	77.1	0.8	21.9	150	-4.5	Y	
GIW-06	04/28/13	0.2	79.8	0.4	19.6	148	-4.3	Y	
GIW-06	04/29/13	0.1	78.3	0	21.6	155	-3.9	Y	
GIW-06	04/30/13	0.1	78.6	0.5	20.8	166	-4.5	Y	
GIW-06	05/01/13	0	81.1	0	18.9	165	-4.5	Y	
GIW-06	05/02/13	0.1	77.2	0.2	22.5	155	-4.4	Y	
GIW-06	05/03/13	0.2	76.2	0	23.6	160	-4.8	Y	
GIW-06	05/04/13	0.1	77	0.2	22.7	158	-4.2	Y	
GIW-06	05/05/13	0.1	78.3	0.3	21.3	152	-4.6	Y	Begin using fluke temp meter
GIW-06	05/06/13	0.2	77.5	0	22.3	160	-4.3	Y	
GIW-06	05/07/13	0.1	76.1	0.4	23.4	159	-5	Y	
GIW-06	05/08/13	0.2	75	0.3	24.5	158	-4.3	Y	
GIW-06	05/09/13	0.3	78.5	0	21.2	160	-6.2	Y	
GIW-06	05/10/13	0.2	79.1	0	20.7	159	-4.1	Y	Replaced piston
GIW-06	05/11/13	0.3	79.2	0	20.5	154	-4.4	Y	
GIW-06	05/12/13	0.9	78.1	0	21	161	-4.8	Y	
GIW-06	05/13/13	0.5	75.7	0	23.8	133	-4.4	Y	Pulled pump and replaced seals
GIW-06	05/14/13	0.3	77.9	0	21.8	162	-4.3	Y	Replaced fiberglass rod
GIW-06	05/15/13	0.4	79.3	0	20.3	162	-4.7	Y	Installed check valve, replaced 1" rod seal
GIW-06	05/16/13	0.1	77.1	0	22.8	166	-4.4	Y	
GIW-06	05/17/13	0.1	78	0	21.9	162	-4.6	Y	
GIW-06	05/18/13	0.2	75.9	0.3	23.6	162	-4.1	Y	
GIW-06	05/19/13	2.4	76.8	0.3	20.5	166	-4.9	Y	Replaced rod and piston
GIW-06	05/20/13	0.3	77.8	0	21.9	162	-4.9	Y	
GIW-06	05/21/13	0.1	76.1	0.3	23.5	160	-4.6	Y	
GIW-06	05/22/13	0.3	76	0.5	23.2	166	-4.8	Y	
GIW-06	05/23/13	0.3	77.2	0.1	22.4	160	-5.2	Y	Shortened down tube and rod 2-ft.
GIW-06	05/24/13	0.2	75	0.1	24.7	164	-4.2	Y	
GIW-06	05/25/13	0.7	77.1	0.1	22.1	161	-4.8	Y	
GIW-06	05/26/13	1	77.4	0.3	21.3	161	-4.9	Y	
GIW-06	05/27/13	0.8	78.3	0.4	20.5	166	-4.8	Y	
GIW-06	05/28/13	0.3	76.9	0.4	22.4	160	-4.7	Y	
GIW-06	05/29/13	0.4	76.1	0.3	23.2	162	-4.5	Y	
GIW-06	05/30/13	0.7	77.2	0.2	21.9	168	-4.7	Y	
GIW-06	05/31/13	1.4	77.6	0	21	162	-4.3	Y	
GIW-06	06/01/13	0.2	77.6	0	22.2	167	-4.5	Y	
GIW-06	06/02/13	0.3	79.4	0	20.3	161	-4.1	Y	
GIW-06	06/03/13	0.2	77.7	0	22.1	168	-4.3	Y	Installed new blackhawk 103
GIW-06	06/04/13	0.1	75.6	0.4	23.9	170	-4.7	Y	
GIW-06	06/05/13	0.2	76.9	0.4	22.5	168	-4.7	Y	
GIW-06	06/06/13	1.3	75.8	0.7	22.2	169	-4.8	Y	
GIW-06	06/07/13	3	71.7	0.5	24.8	173	-4.7	N	Repl. air driver and 4-way valve -operating
GIW-06	06/08/13	1.6	76.6	0.1	21.7	175	-4.9	Y	
GIW-06	06/09/13	0.6	74.7	0.1	24.6	174	-4.3	Y	
GIW-06	06/10/13	1.6	74.6	0.4	23.4	173	-4.2	N	Pump silted, cleaned, pump operating
GIW-06	06/11/13	0.2	76.6	0	23.2	176	-4.7	N	Replaced 4-way valve - pump operating
GIW-06	06/12/13	0.8	74.4	0	24.8	176	-4	Y	
GIW-06	06/13/13	0.2	76.4	0.2	23.2	172	-4.8	Y	
GIW-06	06/14/13	2	73.2	0.3	24.5	173	-4.1	Y	
GIW-06	06/15/13	7.4	72.7	0.5	19.4	170	-4.5	N	Replaced air box
GIW-06	06/16/13	0.1	75.7	0.2	24	168	-4.6	Y	
GIW-06	06/17/13	1.2	76.7	0	22.1	167	-4.4	N	Air box stalled, repaired, operational
GIW-06	06/18/13	0.6	77	0.1	22.3	168	-4.2	N	Pump stalled, repaired, operational
GIW-06	06/19/13	0.5	77.1	0.5	21.9	170	-4	N	Air box replaced, pump operational
GIW-06	06/20/13	0.3	80.5	0.7	18.5	172	-4.4	Y	
GIW-06	06/21/13	0.5	76.3	0.3	22.9	173	-4.2	Y	
GIW-06	06/22/13	0.9	75.8	0.3	23	170	-4.2	Y	
GIW-06	06/23/13	2.5	73.8	0.1	23.6	164	-4.7	Y	
GIW-06	06/24/13	0	76.1	0	23.9	165	-4.5	Y	
GIW-06	06/25/13	0.1	75.9	0.6	23.4	161	-4.5	N	Foot valve silted, cleaned, operational
GIW-06	06/26/13	0	75.5	0.7	23.8	170	-4.1	Y	
GIW-06	06/27/13	2.1	66.3	1.4	30.2	173	-4.1	Y	Replaced 2-inch wellhead fitting
GIW-06	06/28/13	2.2	75.9	0.4	21.5	160	-4.1	Y	
GIW-06	06/29/13	0.2	72.8	0.3	26.7	163	-4.2	Y	
GIW-06	06/30/13	0	74.8	0.7	24.5	165	-4.8	Y	
GIW-06	07/01/13	0.2	74.1	0.6	25.1	168	-4	Y	
GIW-06	07/02/13	0.2	76.7	0.1	23	165	-4.8	Y	
GIW-06	07/03/13	0.2	75.7	0.3	23.8	167	-4.2	Y	
GIW-06	07/04/13	1.2	71	0.1	27.7	167	-4.3	Y	
GIW-06	07/05/13	0.5	76.3	0.4	22.8	169	-4.1	Y	
GIW-06	07/06/13	0.4	75.7	0.2	23.7	171	-4.5	Y	
GIW-06	07/07/13	1.1	76.4	0	22.5	171	-4.3	Y	
GIW-06	07/08/13	0.1	74.2	0.8	24.9	168	-4	Y	
GIW-06	07/09/13	0.4	78.4	0.6	20.6	169	-4.8	Y	
GIW-06	07/10/13	1.3	76.9	0.8	21	168	-4.6	Y	
GIW-06	07/11/13	3.9	73.4	0.9	21.8	172	-4.6	Y	
GIW-06	07/12/13	0.1	76	0	23.9	172	-4.1	Y	
GIW-06	07/13/13	0.9	78.1	0	21	172	-4.4	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-07	04/08/13	13.1	75.1	0	11.8	80	-0.1	N	
GIW-07	04/09/13	12.6	66.1	2.9	18.4	120	-0.6	Y	
GIW-07	04/10/13	12.6	71.6	0.3	15.5	120	-0.3	Y	
GIW-07	04/11/13	17.2	69.4	0.1	13.3	120	-0.3	Y	
GIW-07	04/12/13	17.1	68.5	0.2	14.2	110	-0.3	Y	
GIW-07	04/13/13	17.8	67.6	0.2	14.4	120	-1.4	Y	
GIW-07	04/14/13	10.6	71.8	0.2	17.4	110	1.6	Y	
GIW-07	04/15/13	20.3	66.3	0.3	13.1	120	-0.7	Y	
GIW-07	04/16/13	19.8	67.3	0.1	12.8	110	-0.7	N	Pump not operational - Being repaired
GIW-07	04/17/13	21.8	65.8	0.3	12.1	115	-1.1	N	
GIW-07	04/18/13	10.1	72	0.2	17.7	70	-2	Y	
GIW-07	04/19/13	24.7	63	0.9	11.4	125	-2.4	Y	
GIW-07	04/20/13	12.3	69.5	0.3	17.9	110	-2.1	Y	Replaced 1-inch rod seal
GIW-07	04/21/13	12.9	68.1	0.7	18.3	110	-1.9	Y	
GIW-07	04/22/13	18.3	73.2	0.3	8.2	125	-1.7	Y	
GIW-07	04/23/13	20.5	65.2	0.3	14	125	-3.2	Y	
GIW-07	04/24/13	22.8	61.9	0.3	15	135	-4.8	Y	
GIW-07	04/25/13	20.3	63.3	0	16.4	125	-3.7	Y	
GIW-07	04/26/13	21.7	65.1	0.5	12.7	140	-4.9	Y	
GIW-07	04/27/13	19.7	68	0.6	11.7	135	-5	Y	
GIW-07	04/28/13	10.3	73.9	0.6	15.2	126	-4.3	Y	
GIW-07	04/29/13	13.1	71.7	0	15.2	135	-4.2	Y	
GIW-07	04/30/13	15.5	68.9	0.6	15	130	-4.4	Y	
GIW-07	05/01/13	16	70.1	0	13.9	145	-4.2	Y	
GIW-07	05/02/13	16.3	67.1	0.3	16.3	138	-4.3	Y	
GIW-07	05/03/13	9	71.9	0	19.1	135	-4.6	Y	
GIW-07	05/04/13	9.4	70.8	0.5	19.3	140	-4.5	Y	
GIW-07	05/05/13	8.3	72.1	0.1	19.5	135	-4.2	Y	Begin using fluke temp meter
GIW-07	05/06/13	8.7	72.6	0.1	18.6	140	-4.1	Y	
GIW-07	05/07/13	8.1	70.8	0.4	20.7	133	-4.6	Y	
GIW-07	05/08/13	14.5	65.9	0.4	19.2	144	-4.8	Y	
GIW-07	05/09/13	7.7	73.1	0	19.2	125	-4.4	Y	
GIW-07	05/10/13	7.7	73.6	0.1	18.6	139	-4.6	Y	
GIW-07	05/11/13	8.4	70.8	0	20.8	134	-4.2	Y	
GIW-07	05/12/13	7.9	74.5	0	17.6	129	-4.1	Y	
GIW-07	05/13/13	6.7	73	0	20.3	134	-4.2	Y	
GIW-07	05/14/13	7.8	73.1	0	19.1	148	-4.3	Y	
GIW-07	05/15/13	8.8	73.1	0	18.1	144	-4.9	Y	Installed check valve
GIW-07	05/16/13	7.6	71.3	0	21.1	142	-4	Y	
GIW-07	05/17/13	12	69.5	0	18.5	140	-4.7	Y	
GIW-07	05/18/13	10.8	69.1	0.3	19.8	142	-4.4	Y	
GIW-07	05/19/13	10.4	69.4	0.4	19.8	140	-4.5	Y	
GIW-07	05/20/13	13.2	70.5	0	16.3	140	-4.6	Y	
GIW-07	05/21/13	7.1	71.3	0.5	21.1	146	-4.3	Y	
GIW-07	05/22/13	7.3	70.6	0.3	21.8	140	-4.3	Y	
GIW-07	05/23/13	18	68	0	14	141	-4.3	Y	
GIW-07	05/24/13	6.7	71.8	0	21.5	136	-4.6	Y	
GIW-07	05/25/13	21.1	63.2	0.5	15.2	134	-4.7	Y	
GIW-07	05/26/13	16.4	71.1	0.5	12	139	-4.6	Y	
GIW-07	05/27/13	21.2	69.3	0.3	9.2	147	-4.2	Y	
GIW-07	05/28/13	15.5	68.7	0.3	15.5	144	-4.6	Y	
GIW-07	05/29/13	12.1	69.4	0.3	18.2	142	-4.1	Y	
GIW-07	05/30/13	21.5	69.1	0.5	8.9	142	-4.3	Y	
GIW-07	05/31/13	8.2	71.7	0.1	20	145	-4.8	Y	
GIW-07	06/01/13	3.6	74.3	0	22.1	138	-4.1	Y	
GIW-07	06/02/13	4.1	76.4	0	19.5	128	-4.2	Y	
GIW-07	06/03/13	5.9	74.3	0	19.8	134	-4.3	Y	
GIW-07	06/04/13	13.5	68.6	0.4	17.5	138	-4.7	Y	
GIW-07	06/05/13	13.6	71	0.5	14.9	139	-4.5	Y	
GIW-07	06/06/13	14	69.7	0.5	15.8	138	-4.8	Y	
GIW-07	06/07/13	7.1	69.7	0.5	22.7	140	-4	Y	
GIW-07	06/08/13	19.8	68.7	0.2	11.3	143	-4	Y	
GIW-07	06/09/13	13.9	68.3	0.3	17.5	142	-3.9	Y	
GIW-07	06/10/13	20.3	64.7	0.9	14.1	141	-4.1	Y	Replaced foot valve
GIW-07	06/11/13	9.8	69	0.3	20.9	133	-4.2	N	Remove pump - jetting silt from well
GIW-07	06/12/13	5.4	77.5	0.9	16.2	133	-3.1	N	Jetting complete - pump operating
GIW-07	06/13/13	21.6	66.5	0.2	11.7	138	-4.8	Y	
GIW-07	06/14/13	21.3	65.7	0.2	12.8	139	-4.5	Y	Changed leaking pump seal
GIW-07	06/15/13	14.9	72	1.3	11.8	135	-4.7	Y	
GIW-07	06/16/13	5.6	75.6	0.1	18.7	132	-4	Y	
GIW-07	06/17/13	13	69.7	0.1	17.2	135	-4.8	Y	
GIW-07	06/18/13	11.7	71.9	0.3	16.1	139	-4.1	Y	
GIW-07	06/19/13	10.6	68.5	0.6	20.3	139	-4.2	Y	
GIW-07	06/20/13	21.4	71.8	0.4	6.4	141	-4.2	Y	
GIW-07	06/21/13	23.9	68.1	0.3	7.7	139	-4.7	Y	
GIW-07	06/22/13	11.6	69.4	0.7	18.3	140	-3.9	Y	
GIW-07	06/23/13	14.1	62.8	1.2	21.9	142	-4.5	Y	
GIW-07	06/24/13	8.4	68.2	0.4	23	140	-4.7	Y	
GIW-07	06/25/13	8.9	65.5	1.4	24.2	142	-4.4	N	Replaced 1-inch rod seal, pump operating
GIW-07	06/26/13	21.8	60.5	0.5	17.2	142	-4.1	Y	
GIW-07	06/27/13	13.5	60.9	1.1	24.5	147	-4.1	Y	
GIW-07	06/28/13	11.6	70.2	0.1	18.1	142	-4.1	Y	
GIW-07	06/29/13	7.9	65.4	0.5	26.2	145	-4.2	Y	
GIW-07	06/30/13	9.6	68.4	0.4	21.6	139	-4.2	Y	
GIW-07	07/01/13	10.6	67.2	0.4	21.8	144	-4.6	Y	
GIW-07	07/02/13	8	62.2	0.6	29.2	140	-4.1	Y	
GIW-07	07/03/13	6	65.2	1.1	27.7	142	-4.8	Y	
GIW-07	07/04/13	7.8	61.4	1	29.8	140	-4	Y	
GIW-07	07/05/13	7.9	68.5	0.6	23	142	-4.8	Y	
GIW-07	07/06/13	7.3	69.3	0.1	23.3	140	-4.7	Y	
GIW-07	07/07/13	10.7	67.1	0.3	21.9	142	-4.3	Y	
GIW-07	07/08/13	5.8	67.1	1	26.1	140	-4.7	Y	
GIW-07	07/09/13	7.5	66.3	1	25.2	141	-4.1	Y	
GIW-07	07/10/13	18.5	67.6	1.5	12.4	138	-4.6	Y	
GIW-07	07/11/13	2.8	70.4	0.7	26.1	144	-4.6	Y	
GIW-07	07/12/13	5.3	67.3	0.2	27.2	140	-4.3	Y	
GIW-07	07/13/13	7.8	70	0	22.2	0	-4.5	Y	Temp reading error






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-08	04/08/13	37.4	62.4	0	0.2	78	-0.2	N	
GIW-08	04/09/13	37.4	57.1	0.3	5.2	80	0.1	Y	
GIW-08	04/10/13	42.2	54	0.2	3.6	80	-0.2	Y	
GIW-08	04/11/13	34.7	62.8	0.2	2.3	52	-0.4	Y	
GIW-08	04/12/13	32.9	64.2	0.2	2.7	42	-0.6	N	Pump not operational prior to monitoring
GIW-08	04/13/13	38.5	57.9	0.2	3.4	62	-0.9	N	
GIW-08	04/14/13	28.1	68	0.2	3.7	90	0.6	N	
GIW-08	04/15/13	37.7	56.5	0.3	3.5	74	-0.4	Y	Pump Repaired
GIW-08	04/16/13	27.8	67	0.3	4.9	50	-0.4	Y	
GIW-08	04/17/13	33.6	52.2	0.3	13.9	80	-2.2	Y	
GIW-08	04/18/13	24.1	72.6	0.2	3.1	66	-1	Y	
GIW-08	04/19/13	26.7	54.3	0.9	18.1	80	-2.6	Y	Pump working, but well silted, no flow
GIW-08	04/20/13	27.1	55.1	0.3	17.5	80	-2.6	Y	Pump working, but well silted, no flow
GIW-08	04/21/13	26.1	49.2	0.8	23.9	80	-2.7	Y	
GIW-08	04/22/13	27.2	57.6	0.3	14.9	86	-2.1	Y	Well to be jetted and pumped 4-25
GIW-08	04/23/13	25.9	49.5	0.2	24.4	80	-3	Y	
GIW-08	04/24/13	17.3	41.1	0.2	41.4	90	-4.7	N	Pump being repaired.
GIW-08	04/25/13	21.1	49.1	0.1	29.7	80	-4.1	N	
GIW-08	04/26/13	19.9	51.2	0.4	28.5	92	-4.2	Y	Pump repaired. Rod Seal
GIW-08	04/27/13	21.6	50.3	0.6	27.5	95	-4.7	Y	Operating but not moving liquid, will repair
GIW-08	04/28/13	21.6	70.9	0.2	7.3	82	-4.2	Y	Operating but not moving liquid, will repair
GIW-08	04/29/13	24.6	51	0.3	24.1	98	-3.9	Y	
GIW-08	04/30/13	22.7	51.8	0.5	25	105	-4	N	Operating but not moving liquid, will repair
GIW-08	05/01/13	23.7	55.3	0.2	20.8	101	-4.8	N	Operating but not moving liquid, will repair
GIW-08	05/02/13	24.7	51.5	0.1	23.7	102	-4.8	N	Operating but not moving liquid, will repair
GIW-08	05/03/13	24.3	54.9	0.1	20.7	95	-4.9	N	Operating but not moving liquid, will repair
GIW-08	05/04/13	25.3	49.9	0.4	24.4	94	-4.8	N	Operating but not moving liquid, will repair
GIW-08	05/05/13	23.4	57	0	19.6	90	-4	N	Begin using fluke temp meter
GIW-08	05/06/13	24.5	53	0	22.5	91	-4.3	Y	Pump repaired, moving liquid
GIW-08	05/07/13	20.1	58.4	1.3	20.2	101	-4.2	Y	
GIW-08	05/08/13	18.9	50.8	0.8	29.5	113	-4.6	Y	
GIW-08	05/09/13	18.6	62	0.4	19	109	-2.7	Y	
GIW-08	05/10/13	20.1	54.1	0.4	25.4	104	-4	Y	
GIW-08	05/11/13	21.1	55.5	0.4	23	108	-4.2	Y	
GIW-08	05/12/13	20.3	55.9	0.2	23.6	109	-4	Y	
GIW-08	05/13/13	20.2	58	0.1	21.7	115	-4.2	Y	
GIW-08	05/14/13	23.2	56.2	0	20.6	115	-4.2	Y	
GIW-08	05/15/13	22.6	53.6	0.1	23.7	110	-4.9	Y	Installed check valve
GIW-08	05/16/13	22.5	54.8	0.2	22.5	116	-4	Y	
GIW-08	05/17/13	24.1	57.3	0.3	18.3	111	-4.1	Y	
GIW-08	05/18/13	24.5	56.4	0.3	18.8	117	-4.2	Y	
GIW-08	05/19/13	25.5	57.8	0.5	16.2	116	-4.1	Y	
GIW-08	05/20/13	25.4	57.9	0.1	16.6	114	-4.5	Y	
GIW-08	05/21/13	23.2	53.9	0.6	22.3	112	-4.8	Y	
GIW-08	05/22/13	24.1	57.7	0.5	17.7	115	-4.1	Y	
GIW-08	05/23/13	22.3	55.4	0.3	22	105	-4.9	Y	
GIW-08	05/24/13	27	55.7	0.2	17.1	111	-4	Y	
GIW-08	05/25/13	26.8	55.9	0.7	16.6	114	-4.4	Y	
GIW-08	05/26/13	27.5	61.5	0.3	10.7	113	-4	Y	
GIW-08	05/27/13	27.8	64.8	0.5	6.9	116	-4	Y	
GIW-08	05/28/13	27.6	65.5	0.3	6.6	115	-4.8	Y	
GIW-08	05/29/13	28.9	64.9	0.3	5.9	118	-4.3	Y	
GIW-08	05/30/13	27.2	66.9	0.3	5.6	117	-4	N	Replaced 1-inch rod seal - operational
GIW-08	05/31/13	24.3	60.6	0	15.1	108	-4.8	Y	
GIW-08	06/01/13	27.3	58.8	0	13.9	0	-4.2	Y	6-1 Temp error - data removed
GIW-08	06/02/13	25.2	61.1	0	13.7	108	-4.1	N	Replaced 4-way valve - pump operational
GIW-08	06/03/13	24.1	56.4	0	19.5	109	-4.1	Y	
GIW-08	06/04/13	24.2	58.4	0.5	18.9	116	-4	Y	
GIW-08	06/05/13	30.3	60.8	0.5	8.4	114	-4.1	Y	
GIW-08	06/06/13	25.8	55.5	0.6	18.1	116	-4	Y	
GIW-08	06/07/13	33.7	52.8	0.6	12.9	113	-4.2	Y	
GIW-08	06/08/13	31.3	62.4	0.1	6.2	115	-4	Y	
GIW-08	06/09/13	27.7	57.4	0	14.9	116	-4.2	Y	
GIW-08	06/10/13	34.7	64.7	0.4	0.2	114	-4.1	Y	
GIW-08	06/11/13	28.6	64.6	0.3	6.5	116	-4.2	Y	
GIW-08	06/12/13	27.8	65	0.1	7.1	117	-4	Y	
GIW-08	06/13/13	27.5	64.3	0.3	7.9	114	-4.7	Y	
GIW-08	06/14/13	27.2	63.1	0.2	9.5	117	-4.1	Y	
GIW-08	06/15/13	33.2	55	0.8	11	117	-4.2	Y	
GIW-08	06/16/13	28	65.4	0	6.6	115	-2.8	Y	
GIW-08	06/17/13	26.7	59.3	0.2	13.8	112	-4.8	Y	
GIW-08	06/18/13	25.7	60.7	0.5	13.1	116	-4	Y	
GIW-08	06/19/13	28.4	64.8	0.8	6	118	-4.2	Y	
GIW-08	06/20/13	28.1	69.5	0.5	1.9	118	-4.1	Y	
GIW-08	06/21/13	26.4	62.9	0	10.7	115	-4.3	Y	
GIW-08	06/22/13	33.6	60	0.7	5.7	116	-4.2	Y	
GIW-08	06/23/13	23.3	62.7	0.9	13.1	117	-4.5	Y	
GIW-08	06/24/13	22.4	58.5	0.7	18.4	117	-4.8	Y	
GIW-08	06/25/13	23.5	64.6	0.4	11.5	118	-4.4	N	Replaced 1-inch rod seal, pump operating
GIW-08	06/26/13	24.1	61.9	0.4	13.6	118	-4	Y	
GIW-08	06/27/13	30.4	54.3	1.3	14	118	-4.7	Y	
GIW-08	06/28/13	26.1	64	0.6	9.3	116	-4	Y	
GIW-08	06/29/13	22.5	58.8	0.3	18.4	118	-4.6	Y	
GIW-08	06/30/13	22.5	64.1	0.5	12.9	115	-4	Y	
GIW-08	07/01/13	24.5	64.7	0.6	10.2	118	-4.4	Y	
GIW-08	07/02/13	24.8	65.7	0.7	8.8	118	-4.2	Y	
GIW-08	07/03/13	27.7	63.8	0	8.5	118	-4.8	N	Installed down tube due to silt, operational
GIW-08	07/04/13	26.7	56.4	0.4	16.5	116	-4	Y	
GIW-08	07/05/13	28	62.7	0.5	8.8	117	-4.5	Y	
GIW-08	07/06/13	25.6	65.1	0.3	9	118	-4.1	Y	
GIW-08	07/07/13	30.2	61.5	0.3	8	119	-4.6	Y	
GIW-08	07/08/13	23.2	58.7	0.8	17.3	117	-4.7	Y	
GIW-08	07/09/13	28.2	70.8	0.7	0.3	116	-4.5	Y	
GIW-08	07/10/13	23.8	61.7	1.4	13.1	114	-4	Y	
GIW-08	07/11/13	20.2	57.7	1.3	20.8	115	-4.1	Y	
GIW-08	07/12/13	23.5	60.9	0	15.6	115	-4.1	Y	
GIW-08	07/13/13	31.4	65.3	0	3.3	118	-4.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	04/08/13	20.7	69.3	0.1	9.9	140	-0.1	N	
GIW-09	04/09/13	7.1	57.8	3.8	31.3	140	-0.1	Y	
GIW-09	04/10/13	10.7	65	0.9	23.4	140	-0.5	Y	
GIW-09	04/11/13	12.5	66.7	0.1	20.7	140	-0.4	Y	
GIW-09	04/12/13	3.2	66.8	0.3	29.7	130	-0.1	Y	
GIW-09	04/13/13	10.7	63.4	0.3	25.6	140	-0.8	Y	
GIW-09	04/14/13	1.3	65.2	0.2	33.3	140	0.7	Y	
GIW-09	04/15/13	12.4	65.3	0.4	21.9	140	-0.4	Y	
GIW-09	04/16/13	11	66	0.2	22.8	145	-0.4	Y	
GIW-09	04/17/13	16.2	59.9	0.7	23.2	135	-2.6	Y	
GIW-09	04/18/13	10.3	68	0.2	21.5	145	-0.2	Y	
GIW-09	04/19/13	10.3	59.6	1.1	29	130	-3	Y	
GIW-09	04/20/13	12.2	56.6	0.8	30.4	140	-3.1	Y	
GIW-09	04/21/13	9.8	54.3	1.2	34.7	140	-2.5	Y	
GIW-09	04/22/13	9.5	62.3	0.5	27.7	142	-2	Y	
GIW-09	04/23/13	8.7	56.1	0.8	34.4	140	-2.8	Y	
GIW-09	04/24/13	6.7	44.2	1.8	47.3	128	-4.7	Y	
GIW-09	04/25/13	8.1	50	0.8	41.1	140	-4.3	Y	
GIW-09	04/26/13	7	53.7	0.9	38.4	140	-3.3	Y	Pump Repair Made at 5:30 PM
GIW-09	04/27/13	10.1	54.1	1.4	34.4	136	-5.6	Y	
GIW-09	04/28/13	11.9	58.2	0.9	29	136	-4.1	Y	
GIW-09	04/29/13	10	52.9	0.8	36.3	145	-4	Y	
GIW-09	04/30/13	9.3	58.1	0.9	31.7	144	-4.1	Y	
GIW-09	05/01/13	10.7	60.6	0	28.7	140	-4.2	Y	
GIW-09	05/02/13	11.6	56.8	0.6	31	140	-4.8	Y	
GIW-09	05/03/13	13.2	56.5	0.7	29.6	138	-4.9	Y	
GIW-09	05/04/13	12	57.1	0.8	30.1	135	-5	Y	
GIW-09	05/05/13	13.8	58.5	0.1	27.6	140	-4.1	Y	Begin using fluke temp meter
GIW-09	05/06/13	12.9	59.5	0.1	27.5	138	-4.1	Y	
GIW-09	05/07/13	13.9	59.7	0.5	25.9	138	-4	Y	
GIW-09	05/08/13	15.5	52.7	0.6	31.2	136	-4.9	Y	
GIW-09	05/09/13	16.4	60.1	0.3	23.2	140	-3.2	Y	
GIW-09	05/10/13	18.5	57.6	0.2	23.7	136	-5.4	Y	
GIW-09	05/11/13	19	56.2	0.3	24.5	142	-4.2	Y	
GIW-09	05/12/13	17.3	57.6	0.1	25	138	-4.1	Y	
GIW-09	05/13/13	18.5	56.9	0.1	24.5	140	-4.2	Y	
GIW-09	05/14/13	4.6	65.5	0	29.9	143	-4.2	Y	Installed check valve
GIW-09	05/15/13	6.1	65.8	0.5	27.6	128	-4.1	Y	
GIW-09	05/16/13	2.7	61.9	1.2	34.2	133	-4.8	Y	
GIW-09	05/17/13	1.8	63.7	1.5	33	128	-4	Y	
GIW-09	05/18/13	1.4	65.1	0.7	32.8	120	-4.1	Y	
GIW-09	05/19/13	5.9	63.6	1	29.5	118	-4.2	Y	
GIW-09	05/20/13	4	65.2	1.1	29.7	124	-4	Y	
GIW-09	05/21/13	15.7	58.6	1.4	24.3	126	-3.9	Y	
GIW-09	05/22/13	18.5	58.6	1.7	21.2	136	-3.9	Y	
GIW-09	05/23/13	3.1	64.1	1.2	31.6	138	-4	Y	
GIW-09	05/24/13	5.1	62.3	0.9	31.7	144	-3.9	Y	
GIW-09	05/25/13	10	61.3	1.6	27.1	126	-4	Y	
GIW-09	05/26/13	1.6	65	1	32.4	139	-4.1	Y	
GIW-09	05/27/13	0.9	69.4	0.2	29.5	132	-4	Y	
GIW-09	05/28/13	1.1	67.6	0.1	31.2	118	-3.7	Y	
GIW-09	05/29/13	1.8	67	0.2	31	119	-4	Y	
GIW-09	05/30/13	2.1	67.6	0.4	29.9	125	-4.2	Y	
GIW-09	05/31/13	5.8	62.6	1.3	30.3	131	-4	Y	
GIW-09	06/01/13	18.4	60.2	1.4	20	146	-4.1	Y	
GIW-09	06/02/13	9.6	64.9	0.7	24.8	147	-4.5	Y	
GIW-09	06/03/13	1	62.9	0	36.1	148	-4.2	Y	
GIW-09	06/04/13	3	64	1.5	31.5	140	-4.7	Y	
GIW-09	06/05/13	6.7	65.7	0.7	26.9	135	-4	Y	
GIW-09	06/06/13	3.9	64.2	1.3	30.6	138	-3.9	Y	
GIW-09	06/07/13	1.7	61.1	0.8	36.4	141	-4	Y	
GIW-09	06/08/13	12.9	63.4	1.2	22.5	143	-4.2	Y	
GIW-09	06/09/13	7.8	61.4	1.1	29.7	140	-3.8	Y	
GIW-09	06/10/13	2.7	66.9	0.2	30.2	138	-4	Y	
GIW-09	06/11/13	1.4	67.9	0	30.7	131	-4	Y	
GIW-09	06/12/13	2	64.9	1.6	31.5	138	-4	Y	
GIW-09	06/13/13	8.8	62.2	1.5	27.5	135	-4.2	N	Replaced 1-inch rod seal - pump operating
GIW-09	06/14/13	0.8	64	0.1	35.1	138	-4.3	Y	
GIW-09	06/15/13	5.2	61.7	1.2	31.9	139	-4.1	Y	
GIW-09	06/16/13	14.8	62.5	1.9	20.8	135	-3.9	Y	
GIW-09	06/17/13	3.4	64.5	0.7	31.4	138	-4	Y	
GIW-09	06/18/13	1.4	65.6	0.5	32.5	136	-4	Y	
GIW-09	06/19/13	1.3	69.2	0.4	29.1	138	-4	Y	
GIW-09	06/20/13	1.4	70.1	0.3	28.2	133	-3.9	Y	
GIW-09	06/21/13	6.4	63.5	0.4	29.7	137	-4	Y	
GIW-09	06/22/13	1.4	62.6	0.8	35.2	134	-4	Y	
GIW-09	06/23/13	0.7	65.8	0	33.5	140	-4.1	Y	
GIW-09	06/24/13	2.2	63.5	0.6	33.7	138	-3.9	Y	Changed air box
GIW-09	06/25/13	1.2	66	0.1	32.7	140	-4.3	N	Replaced 1-inch rod seal - pump operating
GIW-09	06/26/13	1.5	67.8	0.3	30.4	139	-4	Y	
GIW-09	06/27/13	11.6	57.6	1.5	29.3	139	-4.1	Y	
GIW-09	06/28/13	2.5	68.1	0.2	29.2	138	-4	Y	
GIW-09	06/29/13	2.4	65.3	0.4	31.9	135	-4	Y	
GIW-09	06/30/13	8.5	69.3	0.3	21.9	138	-4	Y	
GIW-09	07/01/13	2.1	69.3	0.3	28.3	135	-4.1	Y	
GIW-09	07/02/13	12.2	69.6	0.3	17.9	141	-4	Y	
GIW-09	07/03/13	13.3	68.9	0	17.8	140	-4.1	Y	
GIW-09	07/04/13	15.1	56.1	2.1	26.7	138	-4	Y	
GIW-09	07/05/13	8.9	63	1.5	26.6	138	-4	Y	
GIW-09	07/06/13	1.3	68.3	0	30.4	136	-3.9	Y	
GIW-09	07/07/13	7.3	63.1	1.4	28.2	136	-4	Y	
GIW-09	07/08/13	6.4	67.4	1.4	24.8	138	-4.4	Y	
GIW-09	07/09/13	9.8	63.5	1.3	25.4	136	-3.6	Y	
GIW-09	07/10/13	0.9	68.2	0.5	30.4	135	-4.1	Y	
GIW-09	07/11/13	2.6	63.7	0.9	32.8	136	-4	Y	
GIW-09	07/12/13	1.9	64.8	0.3	33	134	-4.4	Y	
GIW-09	07/13/13	3.8	64.4	0.1	31.7	140	-4.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-10	04/08/13	11	70	0	19	160	-0.9	N	
GIW-10	04/09/13	0.6	68.6	0	30.8	160	-0.5	Y	
GIW-10	04/10/13	0.5	68.2	0.2	31.1	170	1.4	Y	
GIW-10	04/11/13	0.6	70	0.1	29.3	160	-1.5	Y	
GIW-10	04/12/13	0.7	69	0.2	30.1	165	0	Y	
GIW-10	04/13/13	0.6	68.5	0.3	30.6	165	-0.7	Y	
GIW-10	04/14/13	0.6	67.8	0.2	31.3	170	-0.2	Y	
GIW-10	04/15/13	0.8	67.2	0.3	31.7	170	-0.7	Y	
GIW-10	04/16/13	0.7	69.2	0.2	29.9	170	-0.9	Y	
GIW-10	04/17/13	1	67.8	0.3	30.9	170	-2.6	Y	
GIW-10	04/18/13	0.8	69.8	0.2	29.2	160	-0.7	Y	
GIW-10	04/19/13	0.7	67.8	0.5	31	165	-2.6	Y	
GIW-10	04/20/13	1.6	66.5	0.2	31.7	170	-2.7	Y	
GIW-10	04/21/13	0.9	64.6	0.7	33.8	172	-2.3	Y	
GIW-10	04/22/13	1.2	70.4	0.3	28.1	172	-1.4	Y	
GIW-10	04/23/13	0.8	67.4	0.4	31.4	172	-2.7	Y	
GIW-10	04/24/13	0.6	66	0.3	33.1	168	-4.7	Y	
GIW-10	04/25/13	0.8	65.9	0	33.3	175	-4.7	Y	
GIW-10	04/26/13	0.5	69.6	0.1	29.8	170	-4.1	Y	
GIW-10	04/27/13	0.8	70.4	0.7	28.1	178	-4.8	Y	
GIW-10	04/28/13	0.5	72	0.4	27.1	176	-4.2	Y	
GIW-10	04/29/13	0.4	71.1	0.3	28.2	178	-4.2	Y	
GIW-10	04/30/13	0.4	70.3	0.5	28.8	175	-3	Y	
GIW-10	05/01/13	0.3	71.9	0	27.8	174	-4.3	Y	
GIW-10	05/02/13	0.5	68.9	0	30.6	180	-4.3	Y	
GIW-10	05/03/13	0.6	68.2	0.5	30.7	170	-4.7	Y	
GIW-10	05/04/13	0.5	69.2	0.1	30.2	174	-4.2	Y	
GIW-10	05/05/13	0.4	69.9	0	29.7	171	-4.5	Y	Begin using fluke temp meter
GIW-10	05/06/13	0.5	70.2	0.1	29.2	178	-4.2	Y	
GIW-10	05/07/13	0.5	67.7	0.3	31.5	178	-4.4	Y	
GIW-10	05/08/13	1.3	65.6	0.2	32.9	179	-4.9	Y	
GIW-10	05/09/13	0.6	67.5	0	31.9	180	-3.1	Y	
GIW-10	05/10/13	0.7	69.4	0	29.9	180	-4.8	Y	
GIW-10	05/11/13	3.1	67.8	0	29.1	180	-6.2	Y	
GIW-10	05/12/13	2.3	70.5	0	27.2	179	-4.1	Y	
GIW-10	05/13/13	1.6	66.4	0	32	180	-4.2	Y	Pulled pump and replaced seals
GIW-10	05/14/13	1.5	63.1	0	35.4	179	-2.2	Y	
GIW-10	05/15/13	1.2	66.8	0.3	31.7	180	-2.3	Y	Installed check valve
GIW-10	05/16/13	1.9	66.1	0	32	180	-2.4	Y	
GIW-10	05/17/13	0.7	68.9	0	30.4	180	-2.5	Y	
GIW-10	05/18/13	0.4	66.2	0.3	33.1	178	-1.7	Y	
GIW-10	05/19/13	0.4	70.8	0	28.8	172	-1.3	Y	
GIW-10	05/20/13	2.3	68.9	0	28.8	180	-2.5	Y	
GIW-10	05/21/13	0.3	66.9	0.4	32.4	180	-3.3	Y	
GIW-10	05/22/13	0.4	67.8	0	31.8	176	-2.5	Y	
GIW-10	05/23/13	0.2	68.6	0.2	31	180	-3.5	Y	
GIW-10	05/24/13	0.9	65.9	0	33.2	180	-2.8	Y	
GIW-10	05/25/13	4.1	65.7	0.5	29.7	180	-2.7	Y	
GIW-10	05/26/13	0.2	68.2	0.1	31.5	180	-2	Y	
GIW-10	05/27/13	0.4	67.9	0.4	31.3	181	-1.5	Y	
GIW-10	05/28/13	0.6	67.1	0.4	31.9	180	-0.5	Y	
GIW-10	05/29/13	0.6	66.8	0.2	32.4	181	-0.8	Y	Vacuum low, working on header
GIW-10	05/30/13	1.4	67.1	0.2	31.3	176	-3.7	Y	
GIW-10	05/31/13	0.4	67.7	0	31.9	178	-2.3	Y	
GIW-10	06/01/13	0.3	67.6	0	32.1	177	-3.2	Y	
GIW-10	06/02/13	0.7	70.3	0	29	177	-4	Y	
GIW-10	06/03/13	0.3	66.4	0	33.3	180	-2.1	Y	Working on available vac issue
GIW-10	06/04/13	0.3	67.2	0.3	32.2	181	-0.9	Y	Working on available vac issue
GIW-10	06/05/13	0.3	66.5	0.6	32.6	179	-1.9	Y	Working on available vac issue
GIW-10	06/06/13	0.2	66.5	0.7	32.6	179	-2.5	Y	1-inch rod seal replaced
GIW-10	06/07/13	0.2	61.8	0.2	37.8	180	-1.2	Y	Working on available vac issue
GIW-10	06/08/13	0.5	64.6	0.1	34.8	181	-0.6	Y	Sag main header, jumper installed late 6-8
GIW-10	06/09/13	1.8	64.4	0.3	33.5	180	-3.4	Y	Vacuum restored
GIW-10	06/10/13	2.3	63.6	0.6	33.5	181	-4.7	Y	
GIW-10	06/11/13	0.1	64.9	0.3	34.7	179	-4.6	Y	
GIW-10	06/12/13	0.2	63.4	0.1	36.3	180	-4	N	Replaced 1-inch rod seal - pump operating
GIW-10	06/13/13	0.2	65.6	0.3	33.9	180	-4.6	Y	
GIW-10	06/14/13	0.3	64	0.5	35.2	180	-3.9	Y	Pulled pump and cleaned
GIW-10	06/15/13	0.2	65.5	0.8	33.5	180	-3.9	Y	
GIW-10	06/16/13	0.3	66.9	0	32.8	182	-2.2	Y	
GIW-10	06/17/13	0.3	65.1	0.6	34	180	-4.5	Y	
GIW-10	06/18/13	0.1	67	0.3	32.6	182	-4.2	Y	
GIW-10	06/19/13	2.4	66.7	0.4	30.5	182	-3.9	Y	
GIW-10	06/20/13	0.7	68.5	0.6	30.2	181	-4	Y	
GIW-10	06/21/13	0.2	67.4	0.3	32.1	182	-3.8	Y	
GIW-10	06/22/13	0.2	65	0.8	34	180	-4.3	Y	
GIW-10	06/23/13	0.4	63.4	0.5	35.7	181	-4	Y	
GIW-10	06/24/13	1.8	66.1	0.4	31.7	180	-4	Y	
GIW-10	06/25/13	0.8	67.1	0.5	31.6	182	-4.4	Y	
GIW-10	06/26/13	0.8	63.9	1.3	34	181	-4	Y	
GIW-10	06/27/13	0.1	60.8	1.3	37.8	182	-4.5	N	Replaced 1-inch rod seal - pump operating
GIW-10	06/28/13	0.3	65.4	0.5	33.8	182	-3.9	Y	
GIW-10	06/29/13	0.1	64.2	0.4	35.3	183	-4.5	Y	
GIW-10	06/30/13	0	65.4	0.7	33.9	182	-4.8	Y	
GIW-10	07/01/13	0.1	63.5	0.7	35.7	180	-4.4	Y	
GIW-10	07/02/13	0.1	62.5	0.5	36.9	180	-4.3	Y	
GIW-10	07/03/13	0.2	65.7	0.3	33.8	181	-3.9	Y	
GIW-10	07/04/13	0.1	64	0.7	35.2	182	-4.1	Y	
GIW-10	07/05/13	0.2	66.1	0.4	33.3	182	-4	Y	
GIW-10	07/06/13	0	64	0.1	35.9	183	-4.6	Y	
GIW-10	07/07/13	0.6	65.1	0.1	34.2	183	-4	Y	
GIW-10	07/08/13	0.2	66.5	0.4	32.9	182	-4	Y	
GIW-10	07/09/13	0.7	63.5	0.5	35.3	182	-4.2	Y	
GIW-10	07/10/13	1	66.5	0.4	32.1	182	-4.6	Y	
GIW-10	07/11/13	0.9	63.6	1	34.5	182	-4	Y	
GIW-10	07/12/13	1	61.4	1.9	35.7	182	-3.9	Y	
GIW-10	07/13/13	1	73	0.3	25.7	185	-4.1	Y	






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-11	04/08/13	15.1	73.4	0	11.5	120	-0.2	N	
GIW-11	04/09/13	21.6	69	1.3	8.1	130	-0.3	Y	
GIW-11	04/10/13	14	71.8	0.2	14	120	0.7	Y	
GIW-11	04/11/13	18.7	73.8	0.1	7.4	130	-1.5	Y	
GIW-11	04/12/13	14.9	71.4	0.2	13.5	40	-0.1	Y	
GIW-11	04/13/13	14.7	72.6	0.3	12.4	120	-0.2	Y	
GIW-11	04/14/13	15	71.1	0.2	13.7	120	0.1	Y	
GIW-11	04/15/13	16.2	72	0.2	11.6	130	-0.2	Y	
GIW-11	04/16/13	16.8	72.3	0.3	10.6	120	-0.8	Y	
GIW-11	04/17/13	18.4	69.9	0.3	11.4	130	-2.4	Y	
GIW-11	04/18/13	17.4	72.5	0.3	9.8	130	-0.6	Y	
GIW-11	04/19/13	15.8	69.7	0.4	14.1	120	-2.1	Y	
GIW-11	04/20/13	16.6	66.5	0.3	16.6	130	-2.7	Y	
GIW-11	04/21/13	16.2	63.6	0.6	19.6	130	-2.6	Y	
GIW-11	04/22/13	16.8	69.3	0.2	13.7	130	-1.9	Y	
GIW-11	04/23/13	16.7	67.3	0.4	15.6	130	-3.2	Y	
GIW-11	04/24/13	14.4	62.4	0	23.2	130	-4.8	Y	
GIW-11	04/25/13	14.7	61.4	0	23.9	130	-4.2	Y	
GIW-11	04/26/13	14.9	65.2	0.3	19.6	135	-3.5	Y	
GIW-11	04/27/13	16.8	65.2	0.6	17.4	128	-5.8	Y	
GIW-11	04/28/13	16.3	70.2	0.4	13.1	138	-4.1	Y	
GIW-11	04/29/13	16	68.2	0.2	15.6	135	-3.9	Y	
GIW-11	04/30/13	14.6	66.2	0.7	18.5	135	-4	Y	
GIW-11	05/01/13	15.7	69.3	0.1	14.9	130	-4	Y	
GIW-11	05/02/13	15.9	65.5	0.7	17.9	125	-4.9	Y	
GIW-11	05/03/13	14.1	65.7	0.7	19.5	138	-4.9	Y	
GIW-11	05/04/13	13	68.6	0.2	18.2	122	-4	Y	
GIW-11	05/05/13	13.3	67.8	0	18.9	125	-4	Y	Begin using fluke temp meter
GIW-11	05/06/13	12.9	63.6	0	23.5	130	-4	Y	
GIW-11	05/07/13	12.8	61.9	0.8	24.5	133	-4.2	Y	
GIW-11	05/08/13	10.5	53.7	1.6	34.2	136	-4.8	Y	
GIW-11	05/09/13	12	60.5	0.9	26.6	133	-3.4	Y	
GIW-11	05/10/13	14.4	57.3	1.5	26.8	132	-4.8	Y	
GIW-11	05/11/13	11.2	55.6	1.7	31.5	133	-5.5	Y	
GIW-11	05/12/13	12.1	58.1	1.4	28.4	131	-4	Y	
GIW-11	05/13/13	11.7	57.2	1.2	29.9	136	-4	Y	
GIW-11	05/14/13	13.4	63.1	0.1	23.4	133	-3.4	Y	
GIW-11	05/15/13	15	55.8	1.6	27.6	133	-4	Y	Installed check valve
GIW-11	05/16/13	11.9	56.4	1.3	30.4	135	-4.1	Y	
GIW-11	05/17/13	13.1	57.5	1.3	24.1	134	-3.9	Y	
GIW-11	05/18/13	13.1	59.7	0.9	26.3	132	-3.3	Y	
GIW-11	05/19/13	15.2	67.1	0.1	17.6	120	-2.6	Y	
GIW-11	05/20/13	20.4	62.2	0.7	16.7	134	-3.8	Y	
GIW-11	05/21/13	14.6	61.2	0.9	23.3	135	-4.3	Y	
GIW-11	05/22/13	16.3	60.6	0.8	22.3	135	-3.9	Y	
GIW-11	05/23/13	11.9	56.6	1.5	30	130	-4.6	Y	
GIW-11	05/24/13	12.9	58.4	1	27.7	135	-4	Y	
GIW-11	05/25/13	13.6	61.1	0.9	24.4	135	-3.5	Y	
GIW-11	05/26/13	13.4	62.7	0.6	23.3	136	-3.3	Y	
GIW-11	05/27/13	15.1	67	0.4	17.5	137	-3	Y	
GIW-11	05/28/13	17.6	68	0.5	13.9	136	-2.1	Y	
GIW-11	05/29/13	14.7	66.3	0.3	18.7	137	-3.1	Y	Vacuum low, working on header
GIW-11	05/30/13	13.4	69.4	0.5	16.7	135	-3.2	Y	
GIW-11	05/31/13	12.5	66.3	0.2	21	136	-3	Y	
GIW-11	06/01/13	14	63.7	0.5	21.8	134	-3.2	Y	
GIW-11	06/02/13	15.3	64.6	0.6	19.5	135	-3	Y	
GIW-11	06/03/13	14.3	65	0.4	20.3	135	-3.1	Y	
GIW-11	06/04/13	14.2	69.6	0.3	15.9	136	-0.9	N	Replaced 1-inch rod seal - pump operating
GIW-11	06/05/13	15.3	70.1	0.4	14.2	135	-2	Y	Working on available vac issue
GIW-11	06/06/13	16	66.5	0.9	16.6	135	-2	Y	Working on available vac issue
GIW-11	06/07/13	14.9	61.4	0.7	23	134	-1.9	Y	Working on available vac issue
GIW-11	06/08/13	13.1	66.6	0.1	20.2	137	-1	Y	Sag main header, jumper installed late 6-8
GIW-11	06/09/13	13.9	62.6	0.7	22.8	142	-2.5	Y	Vacuum restored
GIW-11	06/10/13	14.4	62.3	1.7	21.6	140	-3.6	Y	
GIW-11	06/11/13	16	63.5	0.5	20	141	-4.5	Y	
GIW-11	06/12/13	18.7	63	0.1	18.2	140	-4.8	Y	
GIW-11	06/13/13	15.5	62.5	0.5	21.5	140	-5.2	Y	
GIW-11	06/14/13	15.2	62.1	0.6	22.1	137	-4	Y	
GIW-11	06/15/13	14.1	59.8	1.3	24.8	139	-4.1	Y	
GIW-11	06/16/13	15.8	68.8	0.1	15.3	137	-2.1	Y	
GIW-11	06/17/13	17.7	63.6	0.5	18.2	139	-4.7	Y	
GIW-11	06/18/13	15.5	64	0.6	19.9	139	-4.2	Y	
GIW-11	06/19/13	16.9	63.1	1.6	18.4	140	-4	Y	
GIW-11	06/20/13	14.1	69.6	1.1	15.2	138	-4.1	Y	
GIW-11	06/21/13	16.5	63.5	0.9	19.1	140	-4	Y	
GIW-11	06/22/13	18.1	61.2	1	19.7	141	-4.7	Y	
GIW-11	06/23/13	17.3	55.1	2.3	25.3	139	-4.5	Y	
GIW-11	06/24/13	19.2	60.3	1.7	18.8	139	-3.9	Y	
GIW-11	06/25/13	17.9	61.1	1.3	19.7	138	-4.1	Y	
GIW-11	06/26/13	19.4	61.3	1.3	18	138	-3.8	Y	
GIW-11	06/27/13	19.4	55	1.6	24	139	-5.4	Y	
GIW-11	06/28/13	21.1	62.9	0.7	15.3	140	-4	Y	
GIW-11	06/29/13	19.3	57.8	1	21.9	139	-4.6	Y	
GIW-11	06/30/13	17.9	64	0.3	17.8	139	-3.9	Y	
GIW-11	07/01/13	17.6	60.4	0.9	21.1	141	-3.9	Y	
GIW-11	07/02/13	19.2	58.5	0.8	21.5	140	-4.5	Y	
GIW-11	07/03/13	22.4	61.8	0.3	15.5	139	-4.1	Y	
GIW-11	07/04/13	25.6	56.7	0.9	16.8	141	-4.2	Y	
GIW-11	07/05/13	25.6	59.9	0.4	14.1	141	-4	Y	
GIW-11	07/06/13	26.7	60	0	13.3	140	-4.1	Y	
GIW-11	07/07/13	29.7	56.7	0	13.6	139	-4	Y	
GIW-11	07/08/13	28.1	59	0.6	13.3	140	-4.1	Y	
GIW-11	07/09/13	29	54.5	0.8	15.7	138	-3.9	Y	
GIW-11	07/10/13	27.6	54	1.3	17.1	138	-4.1	Y	
GIW-11	07/11/13	27.9	54	1.1	17	140	-4	Y	
GIW-11	07/12/13	24.2	54.5	1.6	19.7	139	-4	Y	
GIW-11	07/13/13	31.9	54.9	0	13.2	140	-4.1	Y	



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-12	04/08/13	7.4	68.4	0.9	23.3	80	-0.5	N	
GIW-12	04/09/13	6.5	66.2	0	27.3	80	-0.4	Y	
GIW-12	04/10/13	6.6	65	0.8	27.6	85	-0.1	Y	
GIW-12	04/11/13	3.4	40.1	8.9	47.6	50	-0.6	Y	
GIW-12	04/12/13	5.3	59.5	2.4	32.8	40	-0.6	Y	
GIW-12	04/13/13	4.8	59.1	2.3	33.8	52	-0.5	Y	
GIW-12	04/14/13	5.2	59.5	1.9	33.4	72	-0.5	Y	
GIW-12	04/15/13	3.7	39.5	8.4	48.4	68	-0.3	Y	
GIW-12	04/16/13	6.1	62.4	0.9	30.6	44	-1.1	Y	
GIW-12	04/17/13	7.3	62.4	0.9	29.4	60	-0.9	Y	
GIW-12	04/18/13	6.3	69.6	0.5	23.6	60	-0.7	Y	
GIW-12	04/19/13	5.9	62.9	1.7	29.5	40	-1.3	Y	
GIW-12	04/20/13	7	61.7	0.3	31	52	-1.6	Y	
GIW-12	04/21/13	7.9	59.7	0.6	31.8	52	-1.4	Y	
GIW-12	04/22/13	8	63.6	0.3	28.1	68	-1.1	Y	
GIW-12	04/23/13	7.6	61.7	0.9	29.8	58	-1.5	Y	
GIW-12	04/24/13	8.4	62.4	0.1	29.1	100	-3.1	Y	
GIW-12	04/25/13	14.9	46.4	0.6	38.1	120	-4.3	Y	
GIW-12	04/26/13	13.9	50.7	0.6	34.8	136	-4	Y	
GIW-12	04/27/13	14.4	44.1	3	38.5	130	-5	Y	
GIW-12	04/28/13	10.8	46.7	4.9	37.6	110	-5	Y	
GIW-12	04/29/13	11.7	42.7	4.8	40.8	125	-5.1	Y	
GIW-12	04/30/13	7.3	34.6	8.6	51.5	120	-3.1	Y	
GIW-12	05/01/13	7.4	34	8.2	52.4	128	-3.7	Y	
GIW-12	05/02/13	9	32.1	8.6	50.3	120	-4.8	Y	
GIW-12	05/03/13	7.9	33.5	8.6	50	95	-5	Y	
GIW-12	05/04/13	4.3	26.2	11.8	57.7	115	-3.3	Y	
GIW-12	05/05/13	5	68	0.2	26.8	95	-1.5	Y	Begin using fluke temp meter
GIW-12	05/06/13	5	61.3	1.9	31.8	60	-2	Y	
GIW-12	05/07/13	5.5	66.4	0.2	27.9	68	-1.4	Y	
GIW-12	05/08/13	4.9	63.7	0.6	30.8	72	-1.5	Y	
GIW-12	05/09/13	5.4	66.9	0.7	27	73	-0.5	Y	
GIW-12	05/10/13	5.7	67.5	0.3	26.5	69	-0.8	Y	
GIW-12	05/11/13	6.4	68.1	0.5	25	73	-0.8	Y	
GIW-12	05/12/13	6.4	68.1	0.5	25	61	-0.5	Y	
GIW-12	05/13/13	10.2	60.1	2.4	27.3	77	-0.7	Y	Pulled pump and replaced seals
GIW-12	05/14/13	5.8	68.8	0	25.4	95	-0.5	Y	
GIW-12	05/15/13	5.9	68.8	0	25.3	115	-0.5	Y	Installed check valve
GIW-12	05/16/13	6	67.9	0.2	25.9	115	-0.5	Y	
GIW-12	05/17/13	4.9	65.3	0.9	28.9	118	-1.1	Y	
GIW-12	05/18/13	5.9	67	0.4	26.7	117	-1.3	Y	
GIW-12	05/19/13	6.9	61.3	2	29.8	121	-1.5	Y	
GIW-12	05/20/13	11.5	67.5	0.6	20.4	122	-1.5	Y	
GIW-12	05/21/13	6.9	59.5	1.7	31.9	128	-1.8	Y	
GIW-12	05/22/13	5.4	61.8	1.6	31.2	110	-1.9	Y	
GIW-12	05/23/13	5.4	64.3	0.3	30	115	-1.9	Y	
GIW-12	05/24/13	5.6	66	0.7	27.7	117	-2	Y	
GIW-12	05/25/13	5.1	66.9	0.3	27.7	124	-1.6	Y	
GIW-12	05/26/13	6.3	68.1	0.8	24.8	129	-2.2	Y	
GIW-12	05/27/13	5	64.8	0.2	30	128	-1.8	Y	
GIW-12	05/28/13	6.6	66.6	0.3	26.5	122	-1.4	Y	
GIW-12	05/29/13	5	65.9	1.4	27.7	128	-1.9	Y	
GIW-12	05/30/13	5.6	64.1	0.6	29.7	130	-1.9	Y	
GIW-12	05/31/13	4.5	64.1	1.4	30	118	-1.8	Y	
GIW-12	06/01/13	4.7	66.5	0.3	28.5	0	-1.6	Y	6-1 Temp error - data removed
GIW-12	06/02/13	8.1	70.5	0.2	21.2	72	-1.2	Y	
GIW-12	06/03/13	6.8	68.8	0	24.9	96	-1.4	Y	Working on available vac issue
GIW-12	06/04/13	6.3	69.8	0.3	23.6	96	-0.8	N	Replaced 1-inch rod seal - pump operating
GIW-12	06/05/13	7.2	69	0.6	23.2	99	-1.1	Y	Working on available vac issue
GIW-12	06/06/13	5.4	68.7	0.7	25.2	101	-1.9	Y	Working on available vac issue
GIW-12	06/07/13	4.8	53.4	0.7	41.1	100	-1.3	Y	Working on available vac issue
GIW-12	06/08/13	5.8	66.3	0	27.9	103	-0.7	Y	Sag main header, jumper installed late 6-8
GIW-12	06/09/13	5.5	63.9	0.9	29.7	105	-1.3	Y	Vacuum restored
GIW-12	06/10/13	5.3	61.5	1.9	31.3	104	-2.3	Y	
GIW-12	06/11/13	4.7	64.8	1.6	28.9	105	-2	Y	
GIW-12	06/12/13	5.4	64.5	0.8	29.3	107	-2.1	N	Replaced 1-inch rod seal - pump operating
GIW-12	06/13/13	7.4	69.6	0.1	22.9	106	-2	Y	
GIW-12	06/14/13	6.5	68.6	0.3	24.6	105	-2.5	Y	Replaced air box
GIW-12	06/15/13	5.8	66	0.7	27.5	107	-2.3	Y	
GIW-12	06/16/13	5.9	67	0	27.1	108	-1.5	Y	
GIW-12	06/17/13	4.6	66.3	0.3	28.8	107	-2.6	Y	
GIW-12	06/18/13	4.4	67	0.3	28.3	110	-2.6	Y	
GIW-12	06/19/13	5.7	66.2	0.6	27.5	110	-2.5	Y	
GIW-12	06/20/13	3.6	74.2	0.5	21.7	112	-2.6	Y	Damaged pump seal, replaced pump
GIW-12	06/21/13	4.4	67.7	0.2	27.7	110	-2.7	Y	
GIW-12	06/22/13	3.8	67	0.5	28.7	108	-2.9	Y	
GIW-12	06/23/13	4.6	66.3	0.1	29	112	-3	Y	
GIW-12	06/24/13	5.4	70.9	0.1	23.6	113	-2.8	Y	
GIW-12	06/25/13	4.7	70.2	0	25.1	112	-3	Y	
GIW-12	06/26/13	4.8	68.3	0.7	26.2	110	-3.2	Y	
GIW-12	06/27/13	7.7	59.5	1.6	31.2	114	-3.1	Y	
GIW-12	06/28/13	5.2	68.1	0.5	26.2	114	-3	Y	
GIW-12	06/29/13	4.7	65.5	0.4	29.4	114	-2.9	Y	
GIW-12	06/30/13	4.3	68.3	0.4	27	113	-2.9	Y	
GIW-12	07/01/13	4.4	67.4	0.5	27.7	115	-2.8	Y	
GIW-12	07/02/13	5.1	67	0.7	27.2	114	-3	Y	
GIW-12	07/03/13	5.5	69	0.2	25.3	116	-2.9	Y	
GIW-12	07/04/13	7.9	61.1	1.9	29.1	118	-3.1	Y	
GIW-12	07/05/13	5.3	67.7	0.5	26.5	118	-2.6	Y	
GIW-12	07/06/13	4.7	69.1	0	26.2	119	-2.7	Y	
GIW-12	07/07/13	3.3	60	1.2	35.5	114	-2.7	Y	
GIW-12	07/08/13	5.1	69.8	0.5	24.6	112	-2.5	Y	
GIW-12	07/09/13	4.4	66.9	0.5	28.2	115	-2.7	Y	
GIW-12	07/10/13	4.2	68.3	0.7	26.8	112	-2.4	Y	
GIW-12	07/11/13	4.5	65.6	0.4	29.5	110	-2.6	Y	
GIW-12	07/12/13	4	68.5	0.4	27.1	110	-2.9	Y	
GIW-12	07/13/13	9	60.9	0.8	29.3	120	-4	Y	



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (in W.C.)	Pump Operational (Y/N)	Comments
GIW-13	04/08/13	0.4	1.2	17.9	80.5	82	-0.7	N	
GIW-13	04/09/13	0.1	0.6	19.5	79.8	80	-1	Y	
GIW-13	04/10/13	0.1	0.9	16.6	82.4	88	-0.3	Y	
GIW-13	04/11/13	2.4	10	17.1	70.5	50	-1.4	Y	
GIW-13	04/12/13	0.2	3	20.4	76.4	45	-1.6	Y	
GIW-13	04/13/13	3	12	17.6	67.4	60	-1.5	Y	
GIW-13	04/14/13	1.2	4.2	18.4	76.2	80	-1.4	Y	
GIW-13	04/15/13	2.5	7.3	17.6	72.6	68	-1	Y	
GIW-13	04/16/13	18.9	65.2	0.4	15.5	50	-1.8	Y	
GIW-13	04/17/13	4.9	13.4	15	66.7	70	-1.9	Y	
GIW-13	04/18/13	16.3	63.5	0.3	19.9	68	-1.8	Y	
GIW-13	04/19/13	13.1	50.8	2.1	34	42	-2.5	Y	Pump working, no liquid, dry
GIW-13	04/20/13	11.7	50.6	2.1	35.6	70	-2.9	Y	Pump working, no liquid, dry
GIW-13	04/21/13	13.8	53.2	1.9	31.1	60	-2.5	Y	
GIW-13	04/22/13	11.9	61	0.9	26.2	72	-1.9	Y	Pump working, no liquid, dry
GIW-13	04/23/13	11.4	56	2	30.6	62	-2.8	Y	
GIW-13	04/24/13	16.6	42.5	2.3	38.6	110	-5.2	Y	Pump working, no liquid, dry
GIW-13	04/25/13	11.6	54.3	1.9	32.2	80	-4	Y	
GIW-13	04/26/13	11	55.1	2.7	31.2	75	-5	Y	Pump working, no liquid, dry
GIW-13	04/27/13	17.8	42.3	4.9	35	110	-5.5	Y	Pump working, no liquid, dry
GIW-13	04/28/13	12.8	54.3	3	29.9	105	-5	Y	Pump working, no liquid, dry
GIW-13	04/29/13	12	63.6	0.5	23.9	80	-3.9	Y	Pump working, no liquid, dry
GIW-13	04/30/13	9.6	60	1.7	28.7	95	-4.1	Y	Pump working, no liquid, dry
GIW-13	05/01/13	13.7	47.2	3.4	35.7	122	-5.1	Y	Pump working, no liquid, dry
GIW-13	05/02/13	15.9	44.5	3.8	35.8	130	-4.8	Y	Pump working, no liquid, dry
GIW-13	05/03/13	9.7	65.5	0.6	24.2	70	-4.1	Y	Pump working, no liquid, dry
GIW-13	05/04/13	9.6	58.4	1.8	30.2	70	-4.1	Y	Pump working, no liquid, dry
GIW-13	05/05/13	14.6	52.5	1.4	31.5	110	-4.1	Y	Begin using fluke temp meter
GIW-13	05/06/13	11.2	51.3	1.9	35.6	111	-4	Y	Pump working, no liquid, dry
GIW-13	05/07/13	10.6	51.6	2.2	35.6	120	-4.1	Y	Pump working, no liquid, dry
GIW-13	05/08/13	9.4	50.9	2	37.7	129	-4.7	Y	Pump working, no liquid, dry
GIW-13	05/09/13	11.1	54.5	2	32.4	111	-2.9	Y	Pump working, no liquid, dry
GIW-13	05/10/13	12.6	48.9	2.9	35.6	115	-4.1	Y	
GIW-13	05/11/13	11.8	57.8	2.4	28	77	-1.4	Y	
GIW-13	05/12/13	13.1	66	1	19.9	68	-1.4	N	Pump not working, repairs being made
GIW-13	05/13/13	19.2	63.7	0.8	16.3	73	-1.4	Y	Pulled pump and replaced HDPE tube
GIW-13	05/14/13	11.2	62.2	1.7	24.9	96	-1.2	Y	Replaced fiberglass rod and rod seal
GIW-13	05/15/13	9.2	68.4	0	22.4	100	-1.3	Y	Installed check valve
GIW-13	05/16/13	9.3	62.5	1.3	26.9	133	-1.8	Y	
GIW-13	05/17/13	9.2	64.9	1.3	24.6	137	-1.9	Y	
GIW-13	05/18/13	9.8	61.3	1.3	27.8	138	-2.3	Y	
GIW-13	05/19/13	14.2	63.6	1.3	20.9	124	-2	Y	
GIW-13	05/20/13	14.5	58.9	1.4	25.2	131	-3.8	Y	
GIW-13	05/21/13	19.5	59.7	0.8	20	138	-3.9	Y	
GIW-13	05/22/13	16.6	60.7	0.8	21.9	140	-3.3	Y	Replaced 1-inch rod seal
GIW-13	05/23/13	13.8	57.9	1.2	27.1	138	-4.4	Y	
GIW-13	05/24/13	13	61.8	1.4	23.8	140	-3.5	Y	
GIW-13	05/25/13	14.5	63.5	0.6	21.4	143	-3.6	Y	
GIW-13	05/26/13	9.6	53.6	2	34.8	141	-3.7	Y	
GIW-13	05/27/13	11.5	53.8	1	33.7	138	-3	N	Removed and cleaned air box - operating
GIW-13	05/28/13	14.7	60.4	0.6	24.3	132	-2.7	Y	
GIW-13	05/29/13	10.8	52.7	1.3	35.2	136	-3	N	Removed and cleaned air box - operating
GIW-13	05/30/13	11.4	57.9	1.3	29.4	132	-3.8	Y	
GIW-13	05/31/13	10	53.4	1.5	35.1	136	-3.5	Y	
GIW-13	06/01/13	7.3	51.5	1.6	39.6	130	-3.2	Y	
GIW-13	06/02/13	6.4	58.5	1.1	34	136	-3.1	N	Replaced 4-way valve - pump operational
GIW-13	06/03/13	7.9	54.2	1.4	36.5	138	-2.6	Y	Working on available vac issue
GIW-13	06/04/13	10.3	63.4	0.7	26.1	138	-1	Y	Working on available vac issue
GIW-13	06/05/13	14.4	63.6	0.5	21.5	138	-2	Y	Working on available vac issue
GIW-13	06/06/13	9.6	59.8	1.2	29.4	140	-1.6	Y	Working on available vac issue
GIW-13	06/07/13	9.6	54.3	1.4	34.7	135	-2.1	Y	Working on available vac issue
GIW-13	06/08/13	8.9	61.1	0.4	29.6	138	-0.9	Y	Sag main header, jumper installed late 6-8
GIW-13	06/09/13	8.8	51.9	1.5	37.8	143	-2.2	Y	Vacuum restored
GIW-13	06/10/13	10.3	44	2.4	43.3	138	-5.2	Y	
GIW-13	06/11/13	11	52.7	1.1	35.2	138	-4	Y	
GIW-13	06/12/13	12.9	48	1	38.1	139	-4.3	N	Replaced 1-inch rod seal - pump operating
GIW-13	06/13/13	9.4	49.8	2.1	38.7	138	-4	Y	
GIW-13	06/14/13	9	50.1	1.1	39.8	140	-4.1	Y	Replaced air box
GIW-13	06/15/13	8.2	52.2	1.9	37.7	137	-4.4	Y	
GIW-13	06/16/13	13.9	65.1	0.6	20.4	140	-2.1	Y	
GIW-13	06/17/13	14.8	50.4	1.7	33.1	140	-4.6	Y	
GIW-13	06/18/13	14.4	51.2	1.6	32.8	142	-4.1	N	Clogged air line, cleaned, operational
GIW-13	06/19/13	17.9	51.4	1.7	29	140	-4.1	Y	
GIW-13	06/20/13	14.1	55.2	1.9	28.8	142	-4	Y	
GIW-13	06/21/13	18	52.9	1	28.1	142	-4	Y	
GIW-13	06/22/13	17.9	51.2	1.8	29.1	139	-4.6	Y	
GIW-13	06/23/13	18.6	46.8	1.9	32.7	140	-4.1	Y	
GIW-13	06/24/13	10.4	56.7	1.8	31.1	142	-4.2	Y	
GIW-13	06/25/13	15.6	56.8	1.7	25.9	140	-4.2	Y	
GIW-13	06/26/13	11.8	58.6	2	27.6	135	-4.3	Y	
GIW-13	06/27/13	8.5	53.6	1.4	36.5	136	-4	Y	
GIW-13	06/28/13	12.3	57.3	2.1	28.3	138	-4.2	Y	
GIW-13	06/29/13	6.4	63.2	0.1	30.3	138	-4.4	Y	
GIW-13	06/30/13	7.4	59.2	1.8	31.6	138	-4.3	Y	
GIW-13	07/01/13	7	59.7	1.6	31.7	138	-4.1	Y	
GIW-13	07/02/13	5.3	65.1	0.3	29.3	139	-4.6	Y	
GIW-13	07/03/13	6.2	65.5	0.5	27.8	142	-4	Y	
GIW-13	07/04/13	7	62.9	0.4	29.7	139	-4.1	Y	
GIW-13	07/05/13	6.3	65.5	0.6	27.6	137	-3.9	Y	
GIW-13	07/06/13	5.1	67.4	0	27.5	138	-4.1	Y	
GIW-13	07/07/13	6.5	64	0.7	28.8	138	-4.2	Y	
GIW-13	07/08/13	5.4	68.8	0.5	25.3	123	-4.2	Y	
GIW-13	07/09/13	4.9	64.5	0.8	29.8	136	-4	Y	
GIW-13	07/10/13	8.6	63.9	1.5	26	132	-4.1	Y	
GIW-13	07/11/13	6.9	62.7	0.9	29.5	137	-4	N	Replaced 1-inch rod seal, pump operating
GIW-13	07/12/13	4.8	65.1	0.2	29.9	139	-3.9	Y	
GIW-13	07/13/13	19.6	65.5	0.8	14.1	141	-4.1	Y	



LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 1D	3/27/13	25.9	12.0	252.22	37.9	290.12	30.00	Y	Herst - J. Wilkinson	Dedicated Transducer	
LCS- 1D	4/8/13	86.1	12.0	252.22	98.1	350.32	30.00	N	B. Sehie	Dedicated Transducer	Storage Restriction - Pump Off
LCS- 1D	4/15/13	NA	12.0	252.22			30.00	N	Herst - M. Stewart	Dedicated Transducer	LCS Offline for Electrical Service
LCS- 1D	4/22/13	NA	12.0	252.22			30.00	N	B. Sehie	Dedicated Transducer	LCS Offline for Electrical Service
LCS- 1D	4/29/13	15.6	12.0	252.22	27.6	279.82	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	5/6/13	15.2	12.0	252.22	27.2	279.42	30.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 1D	5/13/13	15.0	12.0	252.22	27.0	279.22	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	5/20/13	14.9	12.0	252.22	26.9	279.12	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	5/27/13	15.4	12.0	252.22	27.4	279.62	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	6/3/13	14.8	12.0	252.22	26.8	279.02	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	6/10/13	14.9	12.0	252.22	26.9	279.12	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 1D	6/17/13	14.9	12.0	252.22	26.9	279.12	30.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 1D	6/24/13	74.8	12.0	252.22	86.8	339.02	30.00	N	B. Sehie	Dedicated Transducer	Motor Failure - replacement schd. 7/1/13
LCS- 1D	7/1/13					0.00	30.00	N	B. Sehie	Dedicated Transducer	Sump collapsed, no power
LCS- 1D	7/8/13					0.00	30.00	N	B. Sehie	Dedicated Transducer	Sump collapsed, no power

LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 2D	3/27/13	13.4	14.4	235.92	27.8	263.72	30.00	Y	Herst - J. Wilkinson	Dedicated Transducer	
LCS- 2D	4/8/13	144.5	14.4	235.92	158.9	394.82	30.00	N	B. Sehie	Dedicated Transducer	Storage Restriction - Pump Off
LCS- 2D	4/15/13	13.6	14.4	235.92	28.0	263.92	30.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 2D	4/22/13	13.5	14.4	235.92	27.9	263.82	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	4/29/13	13.6	14.4	235.92	28.0	263.92	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	5/6/13	13.5	14.4	235.92	27.9	263.82	30.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 2D	5/13/13	13.3	14.4	235.92	27.7	263.62	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	5/20/13	13.7	14.4	235.92	28.1	264.02	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	5/27/13	13.9	14.4	235.92	28.3	264.22	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	6/3/13	13.8	14.4	235.92	28.2	264.12	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	6/10/13	13.6	14.4	235.92	28.0	263.92	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	6/17/13	13.4	14.4	235.92	27.8	263.72	30.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 2D	6/24/13	13.8	14.4	235.92	28.2	264.12	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	7/1/13	13.7	14.4	235.92	28.1	264.02	30.00	Y	B. Sehie	Dedicated Transducer	
LCS- 2D	7/8/13	13.6	14.4	235.92	28.0	263.92	30.00	Y	B. Sehie	Dedicated Transducer	

LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 3C	3/27/13					N/A	30.00	N/A	Herst - J. Wilkinson	N/A	Non-Operational
LCS- 3C	4/8/13					N/A	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	4/15/13					N/A	30.00	N/A	Herst - M. Stewart	N/A	Non-Operational
LCS- 3C	4/22/13					N/A	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	4/29/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	5/6/13					0.00	30.00	N/A	Herst - M. Stewart	N/A	Non-Operational
LCS- 3C	5/13/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	5/20/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	5/27/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	6/3/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	6/10/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	6/17/13					0.00	30.00	N/A	Herst - M. Stewart	N/A	Non-Operational
LCS- 3C	6/24/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	7/1/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 3C	7/8/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational

LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 4B	3/27/13					N/A	30.00	N/A	Herst - J. Wilkinson	N/A	Non-Operational
LCS- 4B	4/8/13					N/A	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	4/15/13					N/A	30.00	N/A	Herst - M. Stewart	N/A	Non-Operational
LCS- 4B	4/22/13					N/A	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	4/29/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	5/6/13					0.00	30.00	N/A	Herst - M. Stewart	N/A	Non-Operational
LCS- 4B	5/13/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	5/20/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	5/27/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	6/3/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	6/10/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	6/17/13					0.00	30.00	N/A	Herst - M. Stewart	N/A	Installation of replacement sump in current location impossible, installation aborted.
LCS- 4B	6/24/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	7/1/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational
LCS- 4B	7/8/13					0.00	30.00	N/A	B. Sehie	N/A	Non-Operational

LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 5A	3/27/13	25.9	15.0	235.4	40.9	276.30	50.00	Y	Herst - J. Wilkinson	Dedicated Transducer	
LCS- 5A	4/8/13	41.8	15.0	235.4	56.8	292.20	50.00	N	B. Sehie	Dedicated Transducer	Storage Restriction - Pump Off
LCS- 5A	4/15/13	10.0	15.0	235.4	25.0	260.40	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 5A	4/22/13	10.1	15.0	235.4	25.1	260.50	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	4/29/13	10.1	15.0	235.4	25.1	260.50	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	5/6/13	10.0	15.0	235.4	25.0	260.40	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 5A	5/13/13	10.0	15.0	235.4	25.0	260.40	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	5/20/13	10.1	15.0	235.4	25.1	260.50	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	5/27/13	10.1	15.0	235.4	25.1	260.50	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	6/3/13	14.1	15.0	235.4	29.1	264.50	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	6/10/13	10.0	15.0	235.4	25.0	260.40	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	6/17/13	10.1	15.0	235.4	25.1	260.50	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 5A	6/24/13	11.9	15.0	235.4	26.9	262.30	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	7/1/13	12.7	15.0	235.4	27.7	263.10	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 5A	7/8/13	11.1	15.0	235.4	26.1	261.50	50.00	Y	B. Sehie	Dedicated Transducer	

LCS Number	Date Reading Collected	Measured Liquid Level Above Transducer (Ft.)	Transducer Height above Floor of Quarry (Ft.)	Base of Sump Elevation (Ft. MSL)	Height of Liquid (Ft.)	Elevation of Leachate (Ft. MSL)	Compliance Level (Ft. Above Quarry Floor)	Pump on during measurement? (Y/N)	Technician initials	Liquid level meter used	Comments
LCS- 6B	3/27/13	7.2	9.4	428.52	16.6	445.12	50.00	Y	Herst - J. Wilkinson	Dedicated Transducer	
LCS- 6B	4/8/13	7.3	9.4	428.52	16.7	445.22	50.00	Y	B. Sehie	Dedicated Transducer	Pump in Dry Run Protection Mode (off)
LCS- 6B	4/15/13	9.3	9.4	428.52	18.7	447.22	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 6B	4/22/13	10.6	9.4	428.52	20.0	448.52	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	4/29/13	10.5	9.4	428.52	19.9	448.42	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	5/6/13	10.6	9.4	428.52	20.0	448.52	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 6B	5/13/13	8.4	9.4	428.52	17.8	446.32	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	5/20/13	10.6	9.4	428.52	20.0	448.52	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	5/27/13	9.6	9.4	428.52	19.0	447.52	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	6/3/13	9.1	9.4	428.52	18.5	447.02	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	6/10/13	11.1	9.4	428.52	20.5	449.02	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	6/17/13	11.0	9.4	428.52	20.4	448.92	50.00	Y	Herst - M. Stewart	Dedicated Transducer	
LCS- 6B	6/24/13	11.1	9.4	428.52	20.5	449.02	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	7/1/13	10.0	9.4	428.52	19.4	447.92	50.00	Y	B. Sehie	Dedicated Transducer	
LCS- 6B	7/8/13	7.8	9.4	428.52	17.2	445.72	50.00	Y	B. Sehie	Dedicated Transducer	