



Air Toxics

Sample Transportation Notice

Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B  
FOLSOM, CA 95630-4719  
(916) 985-1000 FAX (916) 985-1020

Page 1 of 1

Project Manager Michael Parris

Collected by: (Print and Sign) Cedric Cunigan cedric.cunigan@eurofins.com

Company MO DNR Email michael.parris@dnr.mo.gov

Address PO Box 176 City Jefferson City State MO Zip 65102

Phone (573) 526-3918 Fax \_\_\_\_\_

Project Info:  
P.O. # 2559140724  
Project # \_\_\_\_\_  
Project Name Production LE

Turn Around Time:  
 Normal  
 Rush  
Lab Use Only  
Pressurized by: \_\_\_\_\_  
Date: \_\_\_\_\_  
Pressurization Gas: \_\_\_\_\_  
specify N<sub>2</sub> He

Lab I.D.	Field Sample I.D. (Location)	Can #	Date of Collection	Time of Collection	Analyses Requested	Canister Pressure/Vacuum			
						Initial	Final	Receipt	Final (psi)
O1A	D1 (1410141)	14876	3/25/14	1205-1800	TO-15	-30	-9		
O2A	O2 (1410142)	34254	3/25/14	1219-1807	TO-15	-30	-9		
O3A	V1 (1410143)	12020	3/25/14	1230-1820	TO-15	-30	-9		
O4A	V2 (1410144)	34323	3/25/14	1245-1830	TO-15	-30	-10		
Relinquished by: (signature) _____ Date/Time <u>3/26/14 930</u> Received by: (signature) _____ Date/Time <u>3/26/14 0936</u> Relinquished by: (signature) _____ Date/Time <u>3/26/14 1235</u> Received by: (signature) _____ Date/Time <u>3/31/14 1230</u> Notes: <u>Shipped via UPS</u> <u>Tracking #s: 1Z61727880345877341</u>									

Lab Use Only

Shipper Name UPS Air Bill # \_\_\_\_\_ Temp (°C) NA Condition Good Custody Seals Intact?  Yes  No  None Work Order # 1403577

4/12/2014

Mr. Dennis Schroeder  
Missouri Dept. of Natural Resources  
2710 West Main

Jefferson City MO 65109

Project Name: Bridgeton LF

Project #:

Workorder #: 1403577

Dear Mr. Dennis Schroeder

The following report includes the data for the above referenced project for sample(s) received on 3/31/2014 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Brian Whittaker  
Project Manager

**WORK ORDER #: 1403577**

Work Order Summary

<b>CLIENT:</b>	Mr. Dennis Schroeder Missouri Dept. of Natural Resources 2710 West Main Jefferson City, MO 65109	<b>BILL TO:</b>	Accounts Payable Missouri Dept. of Natural Resources P.O Box 176 Jefferson City, MO 65102
<b>PHONE:</b>	573-526-4428	<b>P.O. #</b>	3ESP140724
<b>FAX:</b>	573-526-3350	<b>PROJECT #</b>	Bridgeton LF
<b>DATE RECEIVED:</b>	03/31/2014	<b>CONTACT:</b>	Brian Whittaker
<b>DATE COMPLETED:</b>	04/12/2014		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	D1 (1410141)	Modified TO-15	8.0 "Hg	5 psi
02A	D2 (1410142)	Modified TO-15	9.0 "Hg	5 psi
03A	U1 (1410143)	Modified TO-15	8.0 "Hg	5 psi
04A	U2 (1410144)	Modified TO-15	8.5 "Hg	5 psi
05A	Lab Blank	Modified TO-15	NA	NA
06A	CCV	Modified TO-15	NA	NA
07A	LCS	Modified TO-15	NA	NA
07AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY:   
 Technical Director

DATE: 04/12/14

Certification numbers: AZ Licensure AZ0775, CA NELAP - 12282CA, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-13-6, UT NELAP CA009332013-4, VA NELAP - 460197, WA NELAP - C935  
 Name of Accrediting Agency: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)  
 Accreditation number: CA300005, Effective date: 10/18/2013, Expiration date: 10/17/2014.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563  
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020



**LABORATORY NARRATIVE  
Modified TO-15  
Missouri Dept. of Natural Resources  
Workorder# 1403577**

Four 6 Liter Summa Canister (100% Certified) samples were received on March 31, 2014. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

## Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

**Client Sample ID: D1 (1410141)**

**Lab ID#: 1403577-01A**

<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Freon 12	0.18	0.38	0.90	1.8
Ethanol	0.92	1.6	1.7	3.0
Acetone	0.92	1.4	2.2	3.4

**Client Sample ID: D2 (1410142)**

**Lab ID#: 1403577-02A**

<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Freon 12	0.19	0.38	0.94	1.9
Ethanol	0.96	1.8	1.8	3.4
Acetone	0.96	4.5	2.3	11
Toluene	0.19	0.26	0.72	0.96

**Client Sample ID: U1 (1410143)**

**Lab ID#: 1403577-03A**

<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Freon 12	0.18	0.37	0.90	1.8
Ethanol	0.92	1.5	1.7	2.9
Acetone	0.92	1.4	2.2	3.4

**Client Sample ID: U2 (1410144)**

**Lab ID#: 1403577-04A**

<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Freon 12	0.19	0.34	0.92	1.7
Ethanol	0.94	1.7	1.8	3.1
Acetone	0.94	3.5	2.2	8.4



Air Toxics

Client Sample ID: D1 (1410141)

Lab ID#: 1403577-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041017	Date of Collection:	3/25/14 6:00:00 PM
Dil. Factor:	1.83	Date of Analysis:	4/10/14 08:49 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.18	0.38	0.90	1.8
Freon 114	0.18	Not Detected	1.3	Not Detected
Chloromethane	0.92	Not Detected	1.9	Not Detected
Vinyl Chloride	0.18	Not Detected	0.47	Not Detected
1,3-Butadiene	0.18	Not Detected	0.40	Not Detected
Bromomethane	0.92	Not Detected	3.6	Not Detected
Chloroethane	0.92	Not Detected	2.4	Not Detected
Freon 11	0.18	Not Detected	1.0	Not Detected
Ethanol	0.92	1.6	1.7	3.0
Freon 113	0.18	Not Detected	1.4	Not Detected
1,1-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Acetone	0.92	1.4	2.2	3.4
2-Propanol	0.92	Not Detected	2.2	Not Detected
Carbon Disulfide	0.92	Not Detected	2.8	Not Detected
3-Chloropropene	0.92	Not Detected	2.9	Not Detected
Methylene Chloride	0.37	Not Detected	1.3	Not Detected
Methyl tert-butyl ether	0.18	Not Detected	0.66	Not Detected
trans-1,2-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Hexane	0.18	Not Detected	0.64	Not Detected
1,1-Dichloroethane	0.18	Not Detected	0.74	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.92	Not Detected	2.7	Not Detected
cis-1,2-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Tetrahydrofuran	0.92	Not Detected	2.7	Not Detected
Chloroform	0.18	Not Detected	0.89	Not Detected
1,1,1-Trichloroethane	0.18	Not Detected	1.0	Not Detected
Cyclohexane	0.18	Not Detected	0.63	Not Detected
Carbon Tetrachloride	0.18	Not Detected	1.2	Not Detected
2,2,4-Trimethylpentane	0.92	Not Detected	4.3	Not Detected
Benzene	0.18	Not Detected	0.58	Not Detected
1,2-Dichloroethane	0.18	Not Detected	0.74	Not Detected
Heptane	0.18	Not Detected	0.75	Not Detected
Trichloroethene	0.18	Not Detected	0.98	Not Detected
1,2-Dichloropropane	0.18	Not Detected	0.84	Not Detected
1,4-Dioxane	0.18	Not Detected	0.66	Not Detected
Bromodichloromethane	0.18	Not Detected	1.2	Not Detected
cis-1,3-Dichloropropene	0.18	Not Detected	0.83	Not Detected
4-Methyl-2-pentanone	0.18	Not Detected	0.75	Not Detected
Toluene	0.18	Not Detected	0.69	Not Detected
trans-1,3-Dichloropropene	0.18	Not Detected	0.83	Not Detected
1,1,2-Trichloroethane	0.18	Not Detected	1.0	Not Detected
Tetrachloroethene	0.18	Not Detected	1.2	Not Detected
2-Hexanone	0.92	Not Detected	3.7	Not Detected



Client Sample ID: D1 (1410141)

Lab ID#: 1403577-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041017	Date of Collection:	3/25/14 6:00:00 PM
Dil. Factor:	1.83	Date of Analysis:	4/10/14 08:49 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.18	Not Detected	1.6	Not Detected
1,2-Dibromoethane (EDB)	0.18	Not Detected	1.4	Not Detected
Chlorobenzene	0.18	Not Detected	0.84	Not Detected
Ethyl Benzene	0.18	Not Detected	0.79	Not Detected
m,p-Xylene	0.18	Not Detected	0.79	Not Detected
o-Xylene	0.18	Not Detected	0.79	Not Detected
Styrene	0.18	Not Detected	0.78	Not Detected
Bromoform	0.18	Not Detected	1.9	Not Detected
Cumene	0.18	Not Detected	0.90	Not Detected
1,1,2,2-Tetrachloroethane	0.18	Not Detected	1.2	Not Detected
Propylbenzene	0.18	Not Detected	0.90	Not Detected
4-Ethyltoluene	0.18	Not Detected	0.90	Not Detected
1,3,5-Trimethylbenzene	0.18	Not Detected	0.90	Not Detected
1,2,4-Trimethylbenzene	0.18	Not Detected	0.90	Not Detected
1,3-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
1,4-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
alpha-Chlorotoluene	0.18	Not Detected	0.95	Not Detected
1,2-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
1,2,4-Trichlorobenzene	0.92	Not Detected	6.8	Not Detected
Hexachlorobutadiene	0.92	Not Detected	9.8	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	108	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	90	70-130



Air Toxics

Client Sample ID: D2 (1410142)

Lab ID#: 1403577-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041018	Date of Collection:	3/25/14 6:07:00 PM
Dil. Factor:	1.91	Date of Analysis:	4/10/14 09:34 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.19	0.38	0.94	1.9
Freon 114	0.19	Not Detected	1.3	Not Detected
Chloromethane	0.96	Not Detected	2.0	Not Detected
Vinyl Chloride	0.19	Not Detected	0.49	Not Detected
1,3-Butadiene	0.19	Not Detected	0.42	Not Detected
Bromomethane	0.96	Not Detected	3.7	Not Detected
Chloroethane	0.96	Not Detected	2.5	Not Detected
Freon 11	0.19	Not Detected	1.1	Not Detected
Ethanol	0.96	1.8	1.8	3.4
Freon 113	0.19	Not Detected	1.5	Not Detected
1,1-Dichloroethene	0.19	Not Detected	0.76	Not Detected
Acetone	0.96	4.5	2.3	11
2-Propanol	0.96	Not Detected	2.3	Not Detected
Carbon Disulfide	0.96	Not Detected	3.0	Not Detected
3-Chloropropene	0.96	Not Detected	3.0	Not Detected
Methylene Chloride	0.38	Not Detected	1.3	Not Detected
Methyl tert-butyl ether	0.19	Not Detected	0.69	Not Detected
trans-1,2-Dichloroethene	0.19	Not Detected	0.76	Not Detected
Hexane	0.19	Not Detected	0.67	Not Detected
1,1-Dichloroethane	0.19	Not Detected	0.77	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.96	Not Detected	2.8	Not Detected
cis-1,2-Dichloroethene	0.19	Not Detected	0.76	Not Detected
Tetrahydrofuran	0.96	Not Detected	2.8	Not Detected
Chloroform	0.19	Not Detected	0.93	Not Detected
1,1,1-Trichloroethane	0.19	Not Detected	1.0	Not Detected
Cyclohexane	0.19	Not Detected	0.66	Not Detected
Carbon Tetrachloride	0.19	Not Detected	1.2	Not Detected
2,2,4-Trimethylpentane	0.96	Not Detected	4.5	Not Detected
Benzene	0.19	Not Detected	0.61	Not Detected
1,2-Dichloroethane	0.19	Not Detected	0.77	Not Detected
Heptane	0.19	Not Detected	0.78	Not Detected
Trichloroethene	0.19	Not Detected	1.0	Not Detected
1,2-Dichloropropane	0.19	Not Detected	0.88	Not Detected
1,4-Dioxane	0.19	Not Detected	0.69	Not Detected
Bromodichloromethane	0.19	Not Detected	1.3	Not Detected
cis-1,3-Dichloropropene	0.19	Not Detected	0.87	Not Detected
4-Methyl-2-pentanone	0.19	Not Detected	0.78	Not Detected
Toluene	0.19	0.26	0.72	0.96
trans-1,3-Dichloropropene	0.19	Not Detected	0.87	Not Detected
1,1,2-Trichloroethane	0.19	Not Detected	1.0	Not Detected
Tetrachloroethene	0.19	Not Detected	1.3	Not Detected
2-Hexanone	0.96	Not Detected	3.9	Not Detected



Client Sample ID: D2 (1410142)

Lab ID#: 1403577-02A

**MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

<b>File Name:</b>	<b>e041018</b>	<b>Date of Collection:</b> 3/25/14 6:07:00 PM
<b>Dil. Factor:</b>	<b>1.91</b>	<b>Date of Analysis:</b> 4/10/14 09:34 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.19	Not Detected	1.6	Not Detected
1,2-Dibromoethane (EDB)	0.19	Not Detected	1.5	Not Detected
Chlorobenzene	0.19	Not Detected	0.88	Not Detected
Ethyl Benzene	0.19	Not Detected	0.83	Not Detected
m,p-Xylene	0.19	Not Detected	0.83	Not Detected
o-Xylene	0.19	Not Detected	0.83	Not Detected
Styrene	0.19	Not Detected	0.81	Not Detected
Bromoform	0.19	Not Detected	2.0	Not Detected
Cumene	0.19	Not Detected	0.94	Not Detected
1,1,2,2-Tetrachloroethane	0.19	Not Detected	1.3	Not Detected
Propylbenzene	0.19	Not Detected	0.94	Not Detected
4-Ethyltoluene	0.19	Not Detected	0.94	Not Detected
1,3,5-Trimethylbenzene	0.19	Not Detected	0.94	Not Detected
1,2,4-Trimethylbenzene	0.19	Not Detected	0.94	Not Detected
1,3-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
1,4-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
alpha-Chlorotoluene	0.19	Not Detected	0.99	Not Detected
1,2-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
1,2,4-Trichlorobenzene	0.96	Not Detected	7.1	Not Detected
Hexachlorobutadiene	0.96	Not Detected	10	Not Detected

**Container Type: 6 Liter Summa Canister (100% Certified)**

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	99	70-130
Toluene-d8	95	70-130
4-Bromofluorobenzene	93	70-130



Air Toxics

Client Sample ID: U1 (1410143)

Lab ID#: 1403577-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041019	Date of Collection:	3/25/14 6:20:00 PM
Dil. Factor:	1.83	Date of Analysis:	4/10/14 10:18 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.18	0.37	0.90	1.8
Freon 114	0.18	Not Detected	1.3	Not Detected
Chloromethane	0.92	Not Detected	1.9	Not Detected
Vinyl Chloride	0.18	Not Detected	0.47	Not Detected
1,3-Butadiene	0.18	Not Detected	0.40	Not Detected
Bromomethane	0.92	Not Detected	3.6	Not Detected
Chloroethane	0.92	Not Detected	2.4	Not Detected
Freon 11	0.18	Not Detected	1.0	Not Detected
Ethanol	0.92	1.5	1.7	2.9
Freon 113	0.18	Not Detected	1.4	Not Detected
1,1-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Acetone	0.92	1.4	2.2	3.4
2-Propanol	0.92	Not Detected	2.2	Not Detected
Carbon Disulfide	0.92	Not Detected	2.8	Not Detected
3-Chloropropene	0.92	Not Detected	2.9	Not Detected
Methylene Chloride	0.37	Not Detected	1.3	Not Detected
Methyl tert-butyl ether	0.18	Not Detected	0.66	Not Detected
trans-1,2-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Hexane	0.18	Not Detected	0.64	Not Detected
1,1-Dichloroethane	0.18	Not Detected	0.74	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.92	Not Detected	2.7	Not Detected
cis-1,2-Dichloroethene	0.18	Not Detected	0.72	Not Detected
Tetrahydrofuran	0.92	Not Detected	2.7	Not Detected
Chloroform	0.18	Not Detected	0.89	Not Detected
1,1,1-Trichloroethane	0.18	Not Detected	1.0	Not Detected
Cyclohexane	0.18	Not Detected	0.63	Not Detected
Carbon Tetrachloride	0.18	Not Detected	1.2	Not Detected
2,2,4-Trimethylpentane	0.92	Not Detected	4.3	Not Detected
Benzene	0.18	Not Detected	0.58	Not Detected
1,2-Dichloroethane	0.18	Not Detected	0.74	Not Detected
Heptane	0.18	Not Detected	0.75	Not Detected
Trichloroethene	0.18	Not Detected	0.98	Not Detected
1,2-Dichloropropane	0.18	Not Detected	0.84	Not Detected
1,4-Dioxane	0.18	Not Detected	0.66	Not Detected
Bromodichloromethane	0.18	Not Detected	1.2	Not Detected
cis-1,3-Dichloropropene	0.18	Not Detected	0.83	Not Detected
4-Methyl-2-pentanone	0.18	Not Detected	0.75	Not Detected
Toluene	0.18	Not Detected	0.69	Not Detected
trans-1,3-Dichloropropene	0.18	Not Detected	0.83	Not Detected
1,1,2-Trichloroethane	0.18	Not Detected	1.0	Not Detected
Tetrachloroethene	0.18	Not Detected	1.2	Not Detected
2-Hexanone	0.92	Not Detected	3.7	Not Detected



Air Toxics

Client Sample ID: U1 (1410143)

Lab ID#: 1403577-03A

**MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

<b>File Name:</b>	<b>e041019</b>	<b>Date of Collection:</b> 3/25/14 6:20:00 PM
<b>Dil. Factor:</b>	<b>1.83</b>	<b>Date of Analysis:</b> 4/10/14 10:18 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.18	Not Detected	1.6	Not Detected
1,2-Dibromoethane (EDB)	0.18	Not Detected	1.4	Not Detected
Chlorobenzene	0.18	Not Detected	0.84	Not Detected
Ethyl Benzene	0.18	Not Detected	0.79	Not Detected
m,p-Xylene	0.18	Not Detected	0.79	Not Detected
o-Xylene	0.18	Not Detected	0.79	Not Detected
Styrene	0.18	Not Detected	0.78	Not Detected
Bromoform	0.18	Not Detected	1.9	Not Detected
Cumene	0.18	Not Detected	0.90	Not Detected
1,1,2,2-Tetrachloroethane	0.18	Not Detected	1.2	Not Detected
Propylbenzene	0.18	Not Detected	0.90	Not Detected
4-Ethyltoluene	0.18	Not Detected	0.90	Not Detected
1,3,5-Trimethylbenzene	0.18	Not Detected	0.90	Not Detected
1,2,4-Trimethylbenzene	0.18	Not Detected	0.90	Not Detected
1,3-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
1,4-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
alpha-Chlorotoluene	0.18	Not Detected	0.95	Not Detected
1,2-Dichlorobenzene	0.18	Not Detected	1.1	Not Detected
1,2,4-Trichlorobenzene	0.92	Not Detected	6.8	Not Detected
Hexachlorobutadiene	0.92	Not Detected	9.8	Not Detected

**Container Type: 6 Liter Summa Canister (100% Certified)**

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	103	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	94	70-130



Air Toxics

Client Sample ID: U2 (1410144)

Lab ID#: 1403577-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041020	Date of Collection:	3/25/14 6:30:00 PM
Dil. Factor:	1.87	Date of Analysis:	4/10/14 11:02 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.19	0.34	0.92	1.7
Freon 114	0.19	Not Detected	1.3	Not Detected
Chloromethane	0.94	Not Detected	1.9	Not Detected
Vinyl Chloride	0.19	Not Detected	0.48	Not Detected
1,3-Butadiene	0.19	Not Detected	0.41	Not Detected
Bromomethane	0.94	Not Detected	3.6	Not Detected
Chloroethane	0.94	Not Detected	2.5	Not Detected
Freon 11	0.19	Not Detected	1.0	Not Detected
Ethanol	0.94	1.7	1.8	3.1
Freon 113	0.19	Not Detected	1.4	Not Detected
1,1-Dichloroethene	0.19	Not Detected	0.74	Not Detected
Acetone	0.94	3.5	2.2	8.4
2-Propanol	0.94	Not Detected	2.3	Not Detected
Carbon Disulfide	0.94	Not Detected	2.9	Not Detected
3-Chloropropene	0.94	Not Detected	2.9	Not Detected
Methylene Chloride	0.37	Not Detected	1.3	Not Detected
Methyl tert-butyl ether	0.19	Not Detected	0.67	Not Detected
trans-1,2-Dichloroethene	0.19	Not Detected	0.74	Not Detected
Hexane	0.19	Not Detected	0.66	Not Detected
1,1-Dichloroethane	0.19	Not Detected	0.76	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.94	Not Detected	2.8	Not Detected
cis-1,2-Dichloroethene	0.19	Not Detected	0.74	Not Detected
Tetrahydrofuran	0.94	Not Detected	2.8	Not Detected
Chloroform	0.19	Not Detected	0.91	Not Detected
1,1,1-Trichloroethane	0.19	Not Detected	1.0	Not Detected
Cyclohexane	0.19	Not Detected	0.64	Not Detected
Carbon Tetrachloride	0.19	Not Detected	1.2	Not Detected
2,2,4-Trimethylpentane	0.94	Not Detected	4.4	Not Detected
Benzene	0.19	Not Detected	0.60	Not Detected
1,2-Dichloroethane	0.19	Not Detected	0.76	Not Detected
Heptane	0.19	Not Detected	0.77	Not Detected
Trichloroethene	0.19	Not Detected	1.0	Not Detected
1,2-Dichloropropane	0.19	Not Detected	0.86	Not Detected
1,4-Dioxane	0.19	Not Detected	0.67	Not Detected
Bromodichloromethane	0.19	Not Detected	1.2	Not Detected
cis-1,3-Dichloropropene	0.19	Not Detected	0.85	Not Detected
4-Methyl-2-pentanone	0.19	Not Detected	0.77	Not Detected
Toluene	0.19	Not Detected	0.70	Not Detected
trans-1,3-Dichloropropene	0.19	Not Detected	0.85	Not Detected
1,1,2-Trichloroethane	0.19	Not Detected	1.0	Not Detected
Tetrachloroethene	0.19	Not Detected	1.3	Not Detected
2-Hexanone	0.94	Not Detected	3.8	Not Detected



Client Sample ID: U2 (1410144)

Lab ID#: 1403577-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041020	Date of Collection:	3/25/14 6:30:00 PM
Dil. Factor:	1.87	Date of Analysis:	4/10/14 11:02 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.19	Not Detected	1.6	Not Detected
1,2-Dibromoethane (EDB)	0.19	Not Detected	1.4	Not Detected
Chlorobenzene	0.19	Not Detected	0.86	Not Detected
Ethyl Benzene	0.19	Not Detected	0.81	Not Detected
m,p-Xylene	0.19	Not Detected	0.81	Not Detected
o-Xylene	0.19	Not Detected	0.81	Not Detected
Styrene	0.19	Not Detected	0.80	Not Detected
Bromoform	0.19	Not Detected	1.9	Not Detected
Cumene	0.19	Not Detected	0.92	Not Detected
1,1,2,2-Tetrachloroethane	0.19	Not Detected	1.3	Not Detected
Propylbenzene	0.19	Not Detected	0.92	Not Detected
4-Ethyltoluene	0.19	Not Detected	0.92	Not Detected
1,3,5-Trimethylbenzene	0.19	Not Detected	0.92	Not Detected
1,2,4-Trimethylbenzene	0.19	Not Detected	0.92	Not Detected
1,3-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
1,4-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
alpha-Chlorotoluene	0.19	Not Detected	0.97	Not Detected
1,2-Dichlorobenzene	0.19	Not Detected	1.1	Not Detected
1,2,4-Trichlorobenzene	0.94	Not Detected	6.9	Not Detected
Hexachlorobutadiene	0.94	Not Detected	10	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	92	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1403577-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041006	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	4/10/14 11:21 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.10	Not Detected	0.49	Not Detected
Freon 114	0.10	Not Detected	0.70	Not Detected
Chloromethane	0.50	Not Detected	1.0	Not Detected
Vinyl Chloride	0.10	Not Detected	0.26	Not Detected
1,3-Butadiene	0.10	Not Detected	0.22	Not Detected
Bromomethane	0.50	Not Detected	1.9	Not Detected
Chloroethane	0.50	Not Detected	1.3	Not Detected
Freon 11	0.10	Not Detected	0.56	Not Detected
Ethanol	0.50	Not Detected	0.94	Not Detected
Freon 113	0.10	Not Detected	0.77	Not Detected
1,1-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Acetone	0.50	Not Detected	1.2	Not Detected
2-Propanol	0.50	Not Detected	1.2	Not Detected
Carbon Disulfide	0.50	Not Detected	1.6	Not Detected
3-Chloropropene	0.50	Not Detected	1.6	Not Detected
Methylene Chloride	0.20	Not Detected	0.69	Not Detected
Methyl tert-butyl ether	0.10	Not Detected	0.36	Not Detected
trans-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Hexane	0.10	Not Detected	0.35	Not Detected
1,1-Dichloroethane	0.10	Not Detected	0.40	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.50	Not Detected	1.5	Not Detected
cis-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Tetrahydrofuran	0.50	Not Detected	1.5	Not Detected
Chloroform	0.10	Not Detected	0.49	Not Detected
1,1,1-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Cyclohexane	0.10	Not Detected	0.34	Not Detected
Carbon Tetrachloride	0.10	Not Detected	0.63	Not Detected
2,2,4-Trimethylpentane	0.50	Not Detected	2.3	Not Detected
Benzene	0.10	Not Detected	0.32	Not Detected
1,2-Dichloroethane	0.10	Not Detected	0.40	Not Detected
Heptane	0.10	Not Detected	0.41	Not Detected
Trichloroethene	0.10	Not Detected	0.54	Not Detected
1,2-Dichloropropane	0.10	Not Detected	0.46	Not Detected
1,4-Dioxane	0.10	Not Detected	0.36	Not Detected
Bromodichloromethane	0.10	Not Detected	0.67	Not Detected
cis-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
4-Methyl-2-pentanone	0.10	Not Detected	0.41	Not Detected
Toluene	0.10	Not Detected	0.38	Not Detected
trans-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
1,1,2-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Tetrachloroethene	0.10	Not Detected	0.68	Not Detected
2-Hexanone	0.50	Not Detected	2.0	Not Detected

Client Sample ID: Lab Blank

Lab ID#: 1403577-05A

**MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

<b>File Name:</b>	<b>e041006</b>	<b>Date of Collection:</b> NA
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 4/10/14 11:21 AM

<b>Compound</b>	<b>Rpt. Limit (ppbv)</b>	<b>Amount (ppbv)</b>	<b>Rpt. Limit (ug/m3)</b>	<b>Amount (ug/m3)</b>
Dibromochloromethane	0.10	Not Detected	0.85	Not Detected
1,2-Dibromoethane (EDB)	0.10	Not Detected	0.77	Not Detected
Chlorobenzene	0.10	Not Detected	0.46	Not Detected
Ethyl Benzene	0.10	Not Detected	0.43	Not Detected
m,p-Xylene	0.10	Not Detected	0.43	Not Detected
o-Xylene	0.10	Not Detected	0.43	Not Detected
Styrene	0.10	Not Detected	0.42	Not Detected
Bromoform	0.10	Not Detected	1.0	Not Detected
Cumene	0.10	Not Detected	0.49	Not Detected
1,1,2,2-Tetrachloroethane	0.10	Not Detected	0.69	Not Detected
Propylbenzene	0.10	Not Detected	0.49	Not Detected
4-Ethyltoluene	0.10	Not Detected	0.49	Not Detected
1,3,5-Trimethylbenzene	0.10	Not Detected	0.49	Not Detected
1,2,4-Trimethylbenzene	0.10	Not Detected	0.49	Not Detected
1,3-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,4-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
alpha-Chlorotoluene	0.10	Not Detected	0.52	Not Detected
1,2-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,2,4-Trichlorobenzene	0.50	Not Detected	3.7	Not Detected
Hexachlorobutadiene	0.50	Not Detected	5.3	Not Detected

Container Type: NA - Not Applicable

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
1,2-Dichloroethane-d4	97	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	89	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 1403577-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041002	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/14 08:35 AM

Compound	%Recovery
Freon 12	98
Freon 114	102
Chloromethane	102
Vinyl Chloride	102
1,3-Butadiene	105
Bromomethane	98
Chloroethane	105
Freon 11	97
Ethanol	92
Freon 113	102
1,1-Dichloroethene	101
Acetone	100
2-Propanol	106
Carbon Disulfide	104
3-Chloropropene	114
Methylene Chloride	98
Methyl tert-butyl ether	111
trans-1,2-Dichloroethene	105
Hexane	113
1,1-Dichloroethane	101
2-Butanone (Methyl Ethyl Ketone)	101
cis-1,2-Dichloroethene	104
Tetrahydrofuran	109
Chloroform	99
1,1,1-Trichloroethane	101
Cyclohexane	107
Carbon Tetrachloride	101
2,2,4-Trimethylpentane	108
Benzene	97
1,2-Dichloroethane	96
Heptane	105
Trichloroethene	102
1,2-Dichloropropane	95
1,4-Dioxane	96
Bromodichloromethane	94
cis-1,3-Dichloropropene	102
4-Methyl-2-pentanone	108
Toluene	100
trans-1,3-Dichloropropene	108
1,1,2-Trichloroethane	97
Tetrachloroethene	105
2-Hexanone	111





Air Toxics

Client Sample ID: CCV

Lab ID#: 1403577-06A

**MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

File Name:	e041002	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/14 08:35 AM

Compound	%Recovery
Dibromochloromethane	104
1,2-Dibromoethane (EDB)	106
Chlorobenzene	101
Ethyl Benzene	106
m,p-Xylene	108
o-Xylene	113
Styrene	108
Bromoform	106
Cumene	111
1,1,2,2-Tetrachloroethane	93
Propylbenzene	105
4-Ethyltoluene	110
1,3,5-Trimethylbenzene	105
1,2,4-Trimethylbenzene	110
1,3-Dichlorobenzene	99
1,4-Dichlorobenzene	101
alpha-Chlorotoluene	100
1,2-Dichlorobenzene	100
1,2,4-Trichlorobenzene	85
Hexachlorobutadiene	87

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	103	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	106	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 1403577-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041003	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/14 09:19 AM

Compound	%Recovery	Method Limits
Freon 12	106	70-130
Freon 114	110	70-130
Chloromethane	107	70-130
Vinyl Chloride	111	70-130
1,3-Butadiene	112	70-130
Bromomethane	102	70-130
Chloroethane	107	70-130
Freon 11	100	70-130
Ethanol	98	70-130
Freon 113	121	70-130
1,1-Dichloroethene	122	70-130
Acetone	105	70-130
2-Propanol	116	70-130
Carbon Disulfide	91	70-130
3-Chloropropene	112	70-130
Methylene Chloride	118	70-130
Methyl tert-butyl ether	112	70-130
trans-1,2-Dichloroethene	92	70-130
Hexane	119	70-130
1,1-Dichloroethane	111	70-130
2-Butanone (Methyl Ethyl Ketone)	104	70-130
cis-1,2-Dichloroethene	120	70-130
Tetrahydrofuran	118	70-130
Chloroform	106	70-130
1,1,1-Trichloroethane	106	70-130
Cyclohexane	119	70-130
Carbon Tetrachloride	110	70-130
2,2,4-Trimethylpentane	113	70-130
Benzene	99	70-130
1,2-Dichloroethane	99	70-130
Heptane	110	70-130
Trichloroethene	111	70-130
1,2-Dichloropropane	100	70-130
1,4-Dioxane	104	70-130
Bromodichloromethane	100	70-130
cis-1,3-Dichloropropene	109	70-130
4-Methyl-2-pentanone	116	70-130
Toluene	102	70-130
trans-1,3-Dichloropropene	102	70-130
1,1,2-Trichloroethane	97	70-130
Tetrachloroethene	108	70-130
2-Hexanone	122	70-130

Client Sample ID: LCS

Lab ID#: 1403577-07A

**MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN**

<b>File Name:</b>	<b>e041003</b>	<b>Date of Collection:</b> NA
<b>Dil. Factor:</b>	<b>1.00</b>	<b>Date of Analysis:</b> 4/10/14 09:19 AM

<b>Compound</b>	<b>%Recovery</b>	<b>Method Limits</b>
Dibromochloromethane	107	70-130
1,2-Dibromoethane (EDB)	106	70-130
Chlorobenzene	101	70-130
Ethyl Benzene	112	70-130
m,p-Xylene	111	70-130
o-Xylene	112	70-130
Styrene	112	70-130
Bromoform	114	70-130
Cumene	117	70-130
1,1,2,2-Tetrachloroethane	87	70-130
Propylbenzene	112	70-130
4-Ethyltoluene	114	70-130
1,3,5-Trimethylbenzene	108	70-130
1,2,4-Trimethylbenzene	112	70-130
1,3-Dichlorobenzene	102	70-130
1,4-Dichlorobenzene	104	70-130
alpha-Chlorotoluene	111	70-130
1,2-Dichlorobenzene	106	70-130
1,2,4-Trichlorobenzene	106	70-130
Hexachlorobutadiene	104	70-130

**Container Type: NA - Not Applicable**

<b>Surrogates</b>	<b>%Recovery</b>	<b>Method Limits</b>
1,2-Dichloroethane-d4	106	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	105	70-130



Air Toxics

Client Sample ID: LCS D

Lab ID#: 1403577-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041004	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	4/10/14 10:00 AM

Compound	%Recovery	Method Limits
Freon 12	96	70-130
Freon 114	100	70-130
Chloromethane	99	70-130
Vinyl Chloride	100	70-130
1,3-Butadiene	103	70-130
Bromomethane	96	70-130
Chloroethane	93	70-130
Freon 11	92	70-130
Ethanol	86	70-130
Freon 113	108	70-130
1,1-Dichloroethene	105	70-130
Acetone	94	70-130
2-Propanol	104	70-130
Carbon Disulfide	80	70-130
3-Chloropropene	107	70-130
Methylene Chloride	103	70-130
Methyl tert-butyl ether	101	70-130
trans-1,2-Dichloroethene	86	70-130
Hexane	111	70-130
1,1-Dichloroethane	100	70-130
2-Butanone (Methyl Ethyl Ketone)	99	70-130
cis-1,2-Dichloroethene	115	70-130
Tetrahydrofuran	108	70-130
Chloroform	98	70-130
1,1,1-Trichloroethane	99	70-130
Cyclohexane	109	70-130
Carbon Tetrachloride	101	70-130
2,2,4-Trimethylpentane	105	70-130
Benzene	94	70-130
1,2-Dichloroethane	96	70-130
Heptane	107	70-130
Trichloroethene	111	70-130
1,2-Dichloropropane	95	70-130
1,4-Dioxane	104	70-130
Bromodichloromethane	98	70-130
cis-1,3-Dichloropropene	105	70-130
4-Methyl-2-pentanone	108	70-130
Toluene	98	70-130
trans-1,3-Dichloropropene	102	70-130
1,1,2-Trichloroethane	98	70-130
Tetrachloroethene	106	70-130
2-Hexanone	120	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1403577-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	e041004	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/14 10:00 AM

Compound	%Recovery	Method Limits
Dibromochloromethane	106	70-130
1,2-Dibromoethane (EDB)	105	70-130
Chlorobenzene	100	70-130
Ethyl Benzene	108	70-130
m,p-Xylene	110	70-130
o-Xylene	109	70-130
Styrene	109	70-130
Bromoform	111	70-130
Cumene	116	70-130
1,1,2,2-Tetrachloroethane	86	70-130
Propylbenzene	109	70-130
4-Ethyltoluene	114	70-130
1,3,5-Trimethylbenzene	103	70-130
1,2,4-Trimethylbenzene	110	70-130
1,3-Dichlorobenzene	101	70-130
1,4-Dichlorobenzene	104	70-130
alpha-Chlorotoluene	111	70-130
1,2-Dichlorobenzene	105	70-130
1,2,4-Trichlorobenzene	109	70-130
Hexachlorobutadiene	100	70-130

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	102	70-130