

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	7/27/2020	18	104.0	451	
TMP-1	7/27/2020	38	135.7	431	
TMP-1	7/27/2020	58	142.7	411	
TMP-1	7/27/2020	78	141.0	391	
TMP-1	7/27/2020	98	133.0	371	
TMP-1	7/27/2020	118	122.5	351	
TMP-1	7/27/2020	138	114.6	331	
TMP-1	8/3/2020	18	104.7	451	
TMP-1	8/3/2020	38	136.4	431	
TMP-1	8/3/2020	58	143.3	411	
TMP-1	8/3/2020	78	141.5	391	
TMP-1	8/3/2020	98	133.6	371	
TMP-1	8/3/2020	118	123.1	351	
TMP-1	8/3/2020	138	115.0	331	
TMP-1	8/10/2020	18	102.7	451	
TMP-1	8/10/2020	38	134.4	431	
TMP-1	8/10/2020	58	141.4	411	
TMP-1	8/10/2020	78	139.7	391	
TMP-1	8/10/2020	98	131.8	371	
TMP-1	8/10/2020	118	121.8	351	
TMP-1	8/10/2020	138	113.3	331	
TMP-1	8/17/2020	18	103.1	451	
TMP-1	8/17/2020	38	134.6	431	
TMP-1	8/17/2020	58	141.8	411	
TMP-1	8/17/2020	78	140.3	391	
TMP-1	8/17/2020	98	132.6	371	
TMP-1	8/17/2020	118	121.1	351	
TMP-1	8/17/2020	138	114.1	331	
TMP-1	8/24/2020	18	104.6	451	
TMP-1	8/24/2020	38	136.0	431	
TMP-1	8/24/2020	58	143.0	411	
TMP-1	8/24/2020	78	141.2	391	
TMP-1	8/24/2020	98	133.4	371	
TMP-1	8/24/2020	118	122.8	351	
TMP-1	8/24/2020	138	114.8	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	7/27/2020	20	116.3	440	
TMP-2R	7/27/2020	40	152.0	420	
TMP-2R	7/27/2020	60	163.1	400	
TMP-2R	7/27/2020	80	169.4	380	
TMP-2R	7/27/2020	100	166.9	360	
TMP-2R	7/27/2020	120	158.3	340	
TMP-2R	7/27/2020	140	152.4	320	
TMP-2R	7/27/2020	160	145.1	300	
TMP-2R	7/27/2020	180	132.2	280	
TMP-2R	8/3/2020	20	116.0	440	
TMP-2R	8/3/2020	40	151.7	420	
TMP-2R	8/3/2020	60	162.9	400	
TMP-2R	8/3/2020	80	169.4	380	
TMP-2R	8/3/2020	100	167.1	360	
TMP-2R	8/3/2020	120	158.8	340	
TMP-2R	8/3/2020	140	152.9	320	
TMP-2R	8/3/2020	160	145.9	300	
TMP-2R	8/3/2020	180	133.1	280	
TMP-2R	8/10/2020	20	115.4	440	
TMP-2R	8/10/2020	40	151.0	420	
TMP-2R	8/10/2020	60	162.3	400	
TMP-2R	8/10/2020	80	168.7	380	
TMP-2R	8/10/2020	100	166.2	360	
TMP-2R	8/10/2020	120	157.8	340	
TMP-2R	8/10/2020	140	152.0	320	
TMP-2R	8/10/2020	160	144.9	300	
TMP-2R	8/10/2020	180	132.0	280	
TMP-2R	8/17/2020	20	115.3	440	
TMP-2R	8/17/2020	40	150.9	420	
TMP-2R	8/17/2020	60	162.2	400	
TMP-2R	8/17/2020	80	168.5	380	
TMP-2R	8/17/2020	100	166.3	360	
TMP-2R	8/17/2020	120	157.8	340	
TMP-2R	8/17/2020	140	152.0	320	
TMP-2R	8/17/2020	160	145.0	300	
TMP-2R	8/17/2020	180	132.2	280	
TMP-2R	8/24/2020	20	115.4	440	
TMP-2R	8/24/2020	40	151.2	420	
TMP-2R	8/24/2020	60	162.5	400	
TMP-2R	8/24/2020	80	168.9	380	
TMP-2R	8/24/2020	100	166.5	360	
TMP-2R	8/24/2020	120	158.2	340	
TMP-2R	8/24/2020	140	152.4	320	
TMP-2R	8/24/2020	160	145.3	300	
TMP-2R	8/24/2020	180	132.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	7/27/2020	30	139.4	470	
TMP-3	7/27/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	7/27/2020	150	138.5	350	
TMP-3	7/27/2020	190	119.8	310	
TMP-3	7/27/2020	230	99.0	270	
TMP-3	8/3/2020	30	138.9	470	
TMP-3	8/3/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/3/2020	150	137.8	350	
TMP-3	8/3/2020	190	119.6	310	
TMP-3	8/3/2020	230	98.5	270	
TMP-3	8/10/2020	30	138.8	470	
TMP-3	8/10/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/10/2020	150	138.3	350	
TMP-3	8/10/2020	190	119.9	310	
TMP-3	8/10/2020	230	98.8	270	
TMP-3	8/17/2020	30	138.4	470	
TMP-3	8/17/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/17/2020	150	137.3	350	
TMP-3	8/17/2020	190	119.0	310	
TMP-3	8/17/2020	230	98.3	270	
TMP-3	8/24/2020	30	138.3	470	
TMP-3	8/24/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/24/2020	150	137.1	350	
TMP-3	8/24/2020	190	119.0	310	
TMP-3	8/24/2020	230	98.2	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	7/27/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	7/27/2020	40	150.2	459	
TMP-3R	7/27/2020	60	152.4	439	
TMP-3R	7/27/2020	80	153.4	419	
TMP-3R	7/27/2020	100	151.7	399	
TMP-3R	7/27/2020	120	148.1	379	
TMP-3R	7/27/2020	140	141.8	359	
TMP-3R	7/27/2020	160	135.2	339	
TMP-3R	7/27/2020	180	125.9	319	
TMP-3R	7/27/2020	200	114.3	299	
TMP-3R	7/27/2020	218	103.5	281	
TMP-3R	8/3/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	8/3/2020	40	150.0	459	
TMP-3R	8/3/2020	60	152.0	439	
TMP-3R	8/3/2020	80	152.8	419	
TMP-3R	8/3/2020	100	151.1	399	
TMP-3R	8/3/2020	120	147.5	379	
TMP-3R	8/3/2020	140	141.2	359	
TMP-3R	8/3/2020	160	134.5	339	
TMP-3R	8/3/2020	180	125.2	319	
TMP-3R	8/3/2020	200	113.6	299	
TMP-3R	8/3/2020	218	102.6	281	
TMP-3R	8/10/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	8/10/2020	40	149.2	459	
TMP-3R	8/10/2020	60	151.4	439	
TMP-3R	8/10/2020	80	152.3	419	
TMP-3R	8/10/2020	100	150.5	399	
TMP-3R	8/10/2020	120	146.9	379	
TMP-3R	8/10/2020	140	140.6	359	
TMP-3R	8/10/2020	160	134.0	339	
TMP-3R	8/10/2020	180	124.8	319	
TMP-3R	8/10/2020	200	113.2	299	
TMP-3R	8/10/2020	218	102.4	281	
TMP-3R	8/17/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	8/17/2020	40	149.1	459	
TMP-3R	8/17/2020	60	151.5	439	
TMP-3R	8/17/2020	80	152.0	419	
TMP-3R	8/17/2020	100	150.1	399	
TMP-3R	8/17/2020	120	146.5	379	
TMP-3R	8/17/2020	140	140.2	359	
TMP-3R	8/17/2020	160	133.5	339	
TMP-3R	8/17/2020	180	124.4	319	
TMP-3R	8/17/2020	200	112.7	299	
TMP-3R	8/17/2020	218	101.7	281	
TMP-3R	8/24/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	8/24/2020	40	149.0	459	
TMP-3R	8/24/2020	60	151.2	439	
TMP-3R	8/24/2020	80	152.0	419	
TMP-3R	8/24/2020	100	150.2	399	
TMP-3R	8/24/2020	120	146.6	379	
TMP-3R	8/24/2020	140	140.1	359	
TMP-3R	8/24/2020	160	133.7	339	
TMP-3R	8/24/2020	180	124.5	319	
TMP-3R	8/24/2020	200	112.8	299	
TMP-3R	8/24/2020	218	102.0	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	7/27/2020	28	106.5	472	
TMP-4	8/3/2020	28	106.2	472	
TMP-4	8/10/2020	28	106.0	472	
TMP-4	8/17/2020	28	105.4	472	
TMP-4	8/24/2020	28	105.4	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	7/27/2020	10	91.5	489	
TMP-4R	7/27/2020	20	98.6	479	
TMP-4R	7/27/2020	29	106.7	470	
TMP-4R	8/3/2020	10	93.0	489	
TMP-4R	8/3/2020	20	99.7	479	
TMP-4R	8/3/2020	29	107.8	470	
TMP-4R	8/10/2020	10	93.1	489	
TMP-4R	8/10/2020	20	98.7	479	
TMP-4R	8/10/2020	29	106.6	470	
TMP-4R	8/17/2020	10	93.7	489	
TMP-4R	8/17/2020	20	98.7	479	
TMP-4R	8/17/2020	29	106.5	470	
TMP-4R	8/24/2020	10	92.9	489	
TMP-4R	8/24/2020	20	98.0	479	
TMP-4R	8/24/2020	29	105.7	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	7/27/2020	15	119.0	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	7/27/2020	95	152.9	392	
TMP-6	7/27/2020	115	148.3	372	
TMP-6	7/27/2020	135	139.8	352	
TMP-6	8/3/2020	15	118.9	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	8/3/2020	95	153.4	392	
TMP-6	8/3/2020	115	148.9	372	
TMP-6	8/3/2020	135	140.3	352	
TMP-6	8/10/2020	15	116.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	8/10/2020	95	153.0	392	
TMP-6	8/10/2020	115	148.7	372	
TMP-6	8/10/2020	135	139.9	352	
TMP-6	8/17/2020	15	117.3	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	8/17/2020	95	152.9	392	
TMP-6	8/17/2020	115	148.8	372	
TMP-6	8/17/2020	135	139.8	352	
TMP-6	8/24/2020	15	119.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	8/24/2020	95	152.6	392	
TMP-6	8/24/2020	115	148.7	372	
TMP-6	8/24/2020	135	139.7	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	7/27/2020	40	193.2	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/3/2020	40	192.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/10/2020	40	191.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/17/2020	40	192.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/24/2020	40	194.5	446	Previous report of moisture in line sheeting & end corrosion.



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	7/27/2020	20	103.1	448	
TMP-11R	7/27/2020	40	117.4	428	
TMP-11R	7/27/2020	60	118.3	408	
TMP-11R	7/27/2020	80	118.2	388	
TMP-11R	7/27/2020	100	111.4	368	
TMP-11R	7/27/2020	120	106.0	348	
TMP-11R	8/3/2020	20	103.0	448	
TMP-11R	8/3/2020	40	117.2	428	
TMP-11R	8/3/2020	60	118.2	408	
TMP-11R	8/3/2020	80	118.2	388	
TMP-11R	8/3/2020	100	111.1	368	
TMP-11R	8/3/2020	120	105.6	348	
TMP-11R	8/10/2020	20	102.3	448	
TMP-11R	8/10/2020	40	116.4	428	
TMP-11R	8/10/2020	60	117.4	408	
TMP-11R	8/10/2020	80	117.2	388	
TMP-11R	8/10/2020	100	110.3	368	
TMP-11R	8/10/2020	120	104.7	348	
TMP-11R	8/17/2020	20	102.4	448	
TMP-11R	8/17/2020	40	116.7	428	
TMP-11R	8/17/2020	60	117.5	408	
TMP-11R	8/17/2020	80	117.5	388	
TMP-11R	8/17/2020	100	110.7	368	
TMP-11R	8/17/2020	120	105.2	348	
TMP-11R	8/24/2020	20	102.0	448	
TMP-11R	8/24/2020	40	116.3	428	
TMP-11R	8/24/2020	60	117.3	408	
TMP-11R	8/24/2020	80	117.2	388	
TMP-11R	8/24/2020	100	110.5	368	
TMP-11R	8/24/2020	120	105.2	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	7/27/2020	20	108.3	470	
TMP-14R2	7/27/2020	40	167.1	450	
TMP-14R2	7/27/2020	60	189.6	430	
TMP-14R2	7/27/2020	80	196.8	410	
TMP-14R2	7/27/2020	100	215.1	390	
TMP-14R2	7/27/2020	120	214.8	370	
TMP-14R2	7/27/2020	140	204.4	350	
TMP-14R2	7/27/2020	160	169.8	330	
TMP-14R2	7/27/2020	180	146.8	310	
TMP-14R2	7/27/2020	200	124.1	290	
TMP-14R2	7/27/2020	220	100.0	270	
TMP-14R2	7/27/2020	228	95.0	262	
TMP-14R2	8/3/2020	20	109.6	470	
TMP-14R2	8/3/2020	40	167.8	450	
TMP-14R2	8/3/2020	60	190.6	430	
TMP-14R2	8/3/2020	80	198.0	410	
TMP-14R2	8/3/2020	100	216.4	390	
TMP-14R2	8/3/2020	120	216.3	370	
TMP-14R2	8/3/2020	140	206.0	350	
TMP-14R2	8/3/2020	160	172.2	330	
TMP-14R2	8/3/2020	180	149.1	310	
TMP-14R2	8/3/2020	200	126.3	290	
TMP-14R2	8/3/2020	220	102.3	270	
TMP-14R2	8/3/2020	228	97.2	262	
TMP-14R2	8/10/2020	20	108.1	470	
TMP-14R2	8/10/2020	40	166.2	450	
TMP-14R2	8/10/2020	60	188.7	430	
TMP-14R2	8/10/2020	80	195.7	410	
TMP-14R2	8/10/2020	100	214.3	390	
TMP-14R2	8/10/2020	120	214.3	370	
TMP-14R2	8/10/2020	140	204.0	350	
TMP-14R2	8/10/2020	160	170.1	330	
TMP-14R2	8/10/2020	180	146.7	310	
TMP-14R2	8/10/2020	200	123.8	290	
TMP-14R2	8/10/2020	220	99.9	270	
TMP-14R2	8/10/2020	228	94.8	262	
TMP-14R2	8/17/2020	20	108.7	470	
TMP-14R2	8/17/2020	40	166.4	450	
TMP-14R2	8/17/2020	60	188.9	430	
TMP-14R2	8/17/2020	80	195.9	410	
TMP-14R2	8/17/2020	100	214.7	390	
TMP-14R2	8/17/2020	120	214.6	370	
TMP-14R2	8/17/2020	140	204.4	350	
TMP-14R2	8/17/2020	160	170.5	330	
TMP-14R2	8/17/2020	180	147.3	310	
TMP-14R2	8/17/2020	200	124.5	290	
TMP-14R2	8/17/2020	220	100.5	270	
TMP-14R2	8/17/2020	228	95.4	262	
TMP-14R2	8/24/2020	20	108.1	470	
TMP-14R2	8/24/2020	40	165.6	450	
TMP-14R2	8/24/2020	60	188.2	430	
TMP-14R2	8/24/2020	80	194.9	410	
TMP-14R2	8/24/2020	100	213.9	390	
TMP-14R2	8/24/2020	120	213.9	370	
TMP-14R2	8/24/2020	140	203.8	350	
TMP-14R2	8/24/2020	160	170.0	330	
TMP-14R2	8/24/2020	180	146.8	310	
TMP-14R2	8/24/2020	200	123.9	290	
TMP-14R2	8/24/2020	220	99.9	270	
TMP-14R2	8/24/2020	228	94.7	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	7/27/2020	20	108.9	491	
TMP-16R	7/27/2020	40	148.1	471	
TMP-16R	7/27/2020	60	163.2	451	
TMP-16R	7/27/2020	80	165.9	431	
TMP-16R	7/27/2020	100	158.5	411	
TMP-16R	7/27/2020	120	149.5	391	
TMP-16R	7/27/2020	140	145.9	371	
TMP-16R	7/27/2020	160	120.2	351	
TMP-16R	7/27/2020	180	112.1	331	
TMP-16R	7/27/2020	200	99.2	311	
TMP-16R	7/27/2020	220	94.2	291	
TMP-16R	7/27/2020	230	92.8	281	
TMP-16R	8/3/2020	20	108.4	491	
TMP-16R	8/3/2020	40	147.6	471	
TMP-16R	8/3/2020	60	163.1	451	
TMP-16R	8/3/2020	80	166.1	431	
TMP-16R	8/3/2020	100	158.8	411	
TMP-16R	8/3/2020	120	149.7	391	
TMP-16R	8/3/2020	140	146.2	371	
TMP-16R	8/3/2020	160	120.8	351	
TMP-16R	8/3/2020	180	112.9	331	
TMP-16R	8/3/2020	200	99.9	311	
TMP-16R	8/3/2020	220	94.9	291	
TMP-16R	8/3/2020	230	93.3	281	
TMP-16R	8/10/2020	20	107.7	491	
TMP-16R	8/10/2020	40	147.1	471	
TMP-16R	8/10/2020	60	162.5	451	
TMP-16R	8/10/2020	80	165.4	431	
TMP-16R	8/10/2020	100	157.9	411	
TMP-16R	8/10/2020	120	148.9	391	
TMP-16R	8/10/2020	140	145.4	371	
TMP-16R	8/10/2020	160	118.9	351	
TMP-16R	8/10/2020	180	111.5	331	
TMP-16R	8/10/2020	200	98.8	311	
TMP-16R	8/10/2020	220	94.4	291	
TMP-16R	8/10/2020	230	93.3	281	
TMP-16R	8/17/2020	20	108.5	491	
TMP-16R	8/17/2020	40	148.0	471	
TMP-16R	8/17/2020	60	163.2	451	
TMP-16R	8/17/2020	80	166.3	431	
TMP-16R	8/17/2020	100	158.8	411	
TMP-16R	8/17/2020	120	149.7	391	
TMP-16R	8/17/2020	140	146.1	371	
TMP-16R	8/17/2020	160	119.1	351	
TMP-16R	8/17/2020	180	111.8	331	
TMP-16R	8/17/2020	200	99.4	311	
TMP-16R	8/17/2020	220	94.7	291	
TMP-16R	8/17/2020	230	93.6	281	
TMP-16R	8/24/2020	20	107.4	491	
TMP-16R	8/24/2020	40	146.8	471	
TMP-16R	8/24/2020	60	162.2	451	
TMP-16R	8/24/2020	80	165.2	431	
TMP-16R	8/24/2020	100	157.9	411	
TMP-16R	8/24/2020	120	148.8	391	
TMP-16R	8/24/2020	140	145.5	371	
TMP-16R	8/24/2020	160	118.5	351	
TMP-16R	8/24/2020	180	111.5	331	
TMP-16R	8/24/2020	200	98.8	311	
TMP-16R	8/24/2020	220	94.1	291	
TMP-16R	8/24/2020	230	92.6	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	7/27/2020	20	109.2	496	
TMP-17	7/27/2020	40	140.6	476	
TMP-17	7/27/2020	60	155.5	456	
TMP-17	7/27/2020	80	157.2	436	
TMP-17	7/27/2020	100	153.9	416	
TMP-17	7/27/2020	120	148.1	396	
TMP-17	7/27/2020	140	140.8	376	
TMP-17	7/27/2020	160	129.7	356	
TMP-17	7/27/2020	180	121.6	336	
TMP-17	7/27/2020	200	113.5	316	
TMP-17	7/27/2020	220	106.3	296	
TMP-17	7/27/2020	237	98.8	279	
TMP-17	8/3/2020	20	111.0	496	
TMP-17	8/3/2020	40	142.6	476	
TMP-17	8/3/2020	60	157.8	456	
TMP-17	8/3/2020	80	159.3	436	
TMP-17	8/3/2020	100	155.9	416	
TMP-17	8/3/2020	120	149.6	396	
TMP-17	8/3/2020	140	142.4	376	
TMP-17	8/3/2020	160	130.8	356	
TMP-17	8/3/2020	180	122.2	336	
TMP-17	8/3/2020	200	114.7	316	
TMP-17	8/3/2020	220	108.0	296	
TMP-17	8/3/2020	237	101.0	279	
TMP-17	8/10/2020	20	109.7	496	
TMP-17	8/10/2020	40	141.4	476	
TMP-17	8/10/2020	60	156.5	456	
TMP-17	8/10/2020	80	158.1	436	
TMP-17	8/10/2020	100	154.7	416	
TMP-17	8/10/2020	120	148.4	396	
TMP-17	8/10/2020	140	141.5	376	
TMP-17	8/10/2020	160	129.3	356	
TMP-17	8/10/2020	180	120.5	336	
TMP-17	8/10/2020	200	113.2	316	
TMP-17	8/10/2020	220	106.9	296	
TMP-17	8/10/2020	237	99.7	279	
TMP-17	8/17/2020	20	109.4	496	
TMP-17	8/17/2020	40	141.0	476	
TMP-17	8/17/2020	60	156.2	456	
TMP-17	8/17/2020	80	157.8	436	
TMP-17	8/17/2020	100	154.4	416	
TMP-17	8/17/2020	120	148.0	396	
TMP-17	8/17/2020	140	141.2	376	
TMP-17	8/17/2020	160	128.7	356	
TMP-17	8/17/2020	180	119.5	336	
TMP-17	8/17/2020	200	112.6	316	
TMP-17	8/17/2020	220	106.6	296	
TMP-17	8/17/2020	237	99.5	279	
TMP-17	8/24/2020	20	108.0	496	
TMP-17	8/24/2020	40	139.6	476	
TMP-17	8/24/2020	60	154.8	456	
TMP-17	8/24/2020	80	156.4	436	
TMP-17	8/24/2020	100	153.0	416	
TMP-17	8/24/2020	120	146.7	396	
TMP-17	8/24/2020	140	139.4	376	
TMP-17	8/24/2020	160	127.3	356	
TMP-17	8/24/2020	180	118.1	336	
TMP-17	8/24/2020	200	111.0	316	
TMP-17	8/24/2020	220	104.8	296	
TMP-17	8/24/2020	237	97.8	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	7/27/2020	20	94.9	489	
TMP-18	7/27/2020	39	131.2	470	
TMP-18	7/27/2020	58	145.3	451	
TMP-18	7/27/2020	77	145.4	432	
TMP-18	7/27/2020	96	140.0	413	
TMP-18	7/27/2020	115	134.3	394	
TMP-18	7/27/2020	134	127.6	375	
TMP-18	7/27/2020	153	121.7	356	
TMP-18	7/27/2020	172	116.2	337	
TMP-18	7/27/2020	191	111.4	318	
TMP-18	7/27/2020	210	106.3	299	
TMP-18	7/27/2020	227	103.2	282	
TMP-18	8/3/2020	20	94.9	489	
TMP-18	8/3/2020	39	130.6	470	
TMP-18	8/3/2020	58	145.1	451	
TMP-18	8/3/2020	77	145.2	432	
TMP-18	8/3/2020	96	140.2	413	
TMP-18	8/3/2020	115	134.2	394	
TMP-18	8/3/2020	134	127.7	375	
TMP-18	8/3/2020	153	121.9	356	
TMP-18	8/3/2020	172	116.5	337	
TMP-18	8/3/2020	191	111.8	318	
TMP-18	8/3/2020	210	106.6	299	
TMP-18	8/3/2020	227	103.4	282	
TMP-18	8/10/2020	20	95.2	489	
TMP-18	8/10/2020	39	131.7	470	
TMP-18	8/10/2020	58	146.0	451	
TMP-18	8/10/2020	77	146.1	432	
TMP-18	8/10/2020	96	141.3	413	
TMP-18	8/10/2020	115	135.3	394	
TMP-18	8/10/2020	134	128.8	375	
TMP-18	8/10/2020	153	123.0	356	
TMP-18	8/10/2020	172	117.5	337	
TMP-18	8/10/2020	191	112.9	318	
TMP-18	8/10/2020	210	107.9	299	
TMP-18	8/10/2020	227	104.9	282	
TMP-18	8/17/2020	20	94.8	489	
TMP-18	8/17/2020	39	131.3	470	
TMP-18	8/17/2020	58	145.7	451	
TMP-18	8/17/2020	77	145.9	432	
TMP-18	8/17/2020	96	141.3	413	
TMP-18	8/17/2020	115	135.2	394	
TMP-18	8/17/2020	134	128.6	375	
TMP-18	8/17/2020	153	123.3	356	
TMP-18	8/17/2020	172	117.8	337	
TMP-18	8/17/2020	191	113.4	318	
TMP-18	8/17/2020	210	108.4	299	
TMP-18	8/17/2020	227	105.6	282	
TMP-18	8/24/2020	20	95.5	489	
TMP-18	8/24/2020	39	131.6	470	
TMP-18	8/24/2020	58	146.0	451	
TMP-18	8/24/2020	77	146.4	432	
TMP-18	8/24/2020	96	141.7	413	
TMP-18	8/24/2020	115	135.4	394	
TMP-18	8/24/2020	134	128.8	375	
TMP-18	8/24/2020	153	123.6	356	
TMP-18	8/24/2020	172	118.0	337	
TMP-18	8/24/2020	191	113.5	318	
TMP-18	8/24/2020	210	108.5	299	
TMP-18	8/24/2020	227	105.7	282	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-21	7/27/2020	13	80.7	461	
TMP-21	7/27/2020	26	93.6	448	
TMP-21	7/27/2020	41	92.8	433	
TMP-21	8/3/2020	13	80.8	461	
TMP-21	8/3/2020	26	93.3	448	
TMP-21	8/3/2020	41	92.8	433	
TMP-21	8/10/2020	13	79.5	461	
TMP-21	8/10/2020	26	92.8	448	
TMP-21	8/10/2020	41	92.0	433	
TMP-21	8/17/2020	13	80.5	461	
TMP-21	8/17/2020	26	93.3	448	
TMP-21	8/17/2020	41	92.5	433	
TMP-21	8/24/2020	13	80.2	461	
TMP-21	8/24/2020	26	93.0	448	
TMP-21	8/24/2020	41	92.4	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	7/27/2020	15	94.4	474	
TMP-22	7/27/2020	31	118.9	458	
TMP-22	7/27/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	7/27/2020	70	116.0	419	
TMP-22	8/3/2020	15	95.4	474	
TMP-22	8/3/2020	31	120.0	458	
TMP-22	8/3/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	8/3/2020	70	119.0	419	
TMP-22	8/10/2020	15	94.0	474	
TMP-22	8/10/2020	31	118.9	458	
TMP-22	8/10/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	8/10/2020	70	116.2	419	
TMP-22	8/17/2020	15	93.7	474	
TMP-22	8/17/2020	31	119.0	458	
TMP-22	8/17/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	8/17/2020	70	116.7	419	
TMP-22	8/24/2020	15	94.2	474	
TMP-22	8/24/2020	31	119.2	458	
TMP-22	8/24/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	8/24/2020	70	116.3	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	7/27/2020	20	105.6	477	
TMP-23	7/27/2020	38	131.2	459	
TMP-23	7/27/2020	56	136.7	441	
TMP-23	7/27/2020	74	130.0	423	
TMP-23	7/27/2020	92	121.6	405	
TMP-23	7/27/2020	106	113.4	391	
TMP-23	8/3/2020	20	107.4	477	
TMP-23	8/3/2020	38	133.3	459	
TMP-23	8/3/2020	56	139.2	441	
TMP-23	8/3/2020	74	132.5	423	
TMP-23	8/3/2020	92	124.1	405	
TMP-23	8/3/2020	106	116.1	391	
TMP-23	8/10/2020	20	105.6	477	
TMP-23	8/10/2020	38	131.4	459	
TMP-23	8/10/2020	56	137.2	441	
TMP-23	8/10/2020	74	130.4	423	
TMP-23	8/10/2020	92	122.0	405	
TMP-23	8/10/2020	106	113.7	391	
TMP-23	8/17/2020	20	106.0	477	
TMP-23	8/17/2020	38	132.0	459	
TMP-23	8/17/2020	56	138.0	441	
TMP-23	8/17/2020	74	131.3	423	
TMP-23	8/17/2020	92	122.9	405	
TMP-23	8/17/2020	106	114.7	391	
TMP-23	8/24/2020	20	106.1	477	
TMP-23	8/24/2020	38	132.1	459	
TMP-23	8/24/2020	56	138.0	441	
TMP-23	8/24/2020	74	131.4	423	
TMP-23	8/24/2020	92	123.0	405	
TMP-23	8/24/2020	106	114.8	391	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	7/27/2020	20	96.3	492	
TMP-24	7/27/2020	40	124.6	472	
TMP-24	7/27/2020	60	139.6	452	
TMP-24	7/27/2020	67	141.3	445	
TMP-24	8/3/2020	20	96.0	492	
TMP-24	8/3/2020	40	124.8	472	
TMP-24	8/3/2020	60	139.6	452	
TMP-24	8/3/2020	67	141.5	445	
TMP-24	8/10/2020	20	95.2	492	
TMP-24	8/10/2020	40	123.4	472	
TMP-24	8/10/2020	60	137.9	452	
TMP-24	8/10/2020	67	139.1	445	
TMP-24	8/17/2020	20	95.6	492	
TMP-24	8/17/2020	40	124.4	472	
TMP-24	8/17/2020	60	139.2	452	
TMP-24	8/17/2020	67	140.8	445	
TMP-24	8/24/2020	20	95.1	492	
TMP-24	8/24/2020	40	124.2	472	
TMP-24	8/24/2020	60	139.2	452	
TMP-24	8/24/2020	67	141.0	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	7/27/2020	20	100.9	493	
TMP-25R	7/27/2020	40	132.1	473	
TMP-25R	7/27/2020	60	155.6	453	
TMP-25R	7/27/2020	80	159.7	433	
TMP-25R	7/27/2020	100	156.4	413	
TMP-25R	7/27/2020	120	147.2	393	
TMP-25R	7/27/2020	140	137.0	373	
TMP-25R	7/27/2020	160	127.6	353	
TMP-25R	7/27/2020	180	119.2	333	
TMP-25R	7/27/2020	200	111.5	313	
TMP-25R	7/27/2020	220	102.8	293	
TMP-25R	7/27/2020	235	95.9	278	
TMP-25R	8/3/2020	20	103.3	493	
TMP-25R	8/3/2020	40	134.0	473	
TMP-25R	8/3/2020	60	157.9	453	
TMP-25R	8/3/2020	80	161.9	433	
TMP-25R	8/3/2020	100	158.7	413	
TMP-25R	8/3/2020	120	149.1	393	
TMP-25R	8/3/2020	140	138.7	373	
TMP-25R	8/3/2020	160	128.9	353	
TMP-25R	8/3/2020	180	120.2	333	
TMP-25R	8/3/2020	200	112.0	313	
TMP-25R	8/3/2020	220	103.2	293	
TMP-25R	8/3/2020	235	96.2	278	
TMP-25R	8/10/2020	20	101.6	493	
TMP-25R	8/10/2020	40	133.1	473	
TMP-25R	8/10/2020	60	157.2	453	
TMP-25R	8/10/2020	80	161.4	433	
TMP-25R	8/10/2020	100	158.2	413	
TMP-25R	8/10/2020	120	148.9	393	
TMP-25R	8/10/2020	140	138.6	373	
TMP-25R	8/10/2020	160	128.6	353	
TMP-25R	8/10/2020	180	120.0	333	
TMP-25R	8/10/2020	200	111.6	313	
TMP-25R	8/10/2020	220	102.3	293	
TMP-25R	8/10/2020	235	94.8	278	
TMP-25R	8/17/2020	20	101.9	493	
TMP-25R	8/17/2020	40	133.0	473	
TMP-25R	8/17/2020	60	157.3	453	
TMP-25R	8/17/2020	80	161.5	433	
TMP-25R	8/17/2020	100	158.3	413	
TMP-25R	8/17/2020	120	149.0	393	
TMP-25R	8/17/2020	140	138.6	373	
TMP-25R	8/17/2020	160	128.6	353	
TMP-25R	8/17/2020	180	120.0	333	
TMP-25R	8/17/2020	200	111.6	313	
TMP-25R	8/17/2020	220	102.3	293	
TMP-25R	8/17/2020	235	95.0	278	
TMP-25R	8/24/2020	20	102.3	493	
TMP-25R	8/24/2020	40	132.8	473	
TMP-25R	8/24/2020	60	157.3	453	
TMP-25R	8/24/2020	80	161.4	433	
TMP-25R	8/24/2020	100	158.1	413	
TMP-25R	8/24/2020	120	148.7	393	
TMP-25R	8/24/2020	140	138.3	373	
TMP-25R	8/24/2020	160	128.0	353	
TMP-25R	8/24/2020	180	119.4	333	
TMP-25R	8/24/2020	200	111.1	313	
TMP-25R	8/24/2020	220	101.8	293	
TMP-25R	8/24/2020	235	94.6	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	7/27/2020	20	96.4	473	
TMP-26R	7/27/2020	40	109.8	453	
TMP-26R	7/27/2020	60	110.6	433	
TMP-26R	7/27/2020	80	104.5	413	
TMP-26R	7/27/2020	100	93.5	393	
TMP-26R	7/27/2020	120	106.9	373	
TMP-26R	7/27/2020	140	107.8	353	
TMP-26R	7/27/2020	142	107.7	351	
TMP-26R	8/3/2020	20	96.8	473	
TMP-26R	8/3/2020	40	110.5	453	
TMP-26R	8/3/2020	60	111.2	433	
TMP-26R	8/3/2020	80	105.1	413	
TMP-26R	8/3/2020	100	93.7	393	
TMP-26R	8/3/2020	120	106.9	373	
TMP-26R	8/3/2020	140	107.7	353	
TMP-26R	8/3/2020	142	107.5	351	
TMP-26R	8/10/2020	20	97.6	473	
TMP-26R	8/10/2020	40	111.2	453	
TMP-26R	8/10/2020	60	111.8	433	
TMP-26R	8/10/2020	80	105.8	413	
TMP-26R	8/10/2020	100	94.4	393	
TMP-26R	8/10/2020	120	107.7	373	
TMP-26R	8/10/2020	140	108.6	353	
TMP-26R	8/10/2020	142	108.4	351	
TMP-26R	8/17/2020	20	98.1	473	
TMP-26R	8/17/2020	40	111.8	453	
TMP-26R	8/17/2020	60	112.4	433	
TMP-26R	8/17/2020	80	106.4	413	
TMP-26R	8/17/2020	100	95.0	393	
TMP-26R	8/17/2020	120	108.3	373	
TMP-26R	8/17/2020	140	109.1	353	
TMP-26R	8/17/2020	142	108.7	351	
TMP-26R	8/24/2020	20	97.3	473	
TMP-26R	8/24/2020	40	111.2	453	
TMP-26R	8/24/2020	60	112.0	433	
TMP-26R	8/24/2020	80	105.9	413	
TMP-26R	8/24/2020	100	94.7	393	
TMP-26R	8/24/2020	120	108.0	373	
TMP-26R	8/24/2020	140	109.0	353	
TMP-26R	8/24/2020	142	108.6	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	7/27/2020	20	102.5	493	
TMP-27	7/27/2020	40	140.7	473	
TMP-27	7/27/2020	60	153.1	453	
TMP-27	7/27/2020	80	154.9	433	
TMP-27	7/27/2020	100	150.3	413	
TMP-27	7/27/2020	120	144.7	393	
TMP-27	7/27/2020	140	139.0	373	
TMP-27	7/27/2020	160	132.2	353	
TMP-27	7/27/2020	180	127.2	333	
TMP-27	7/27/2020	200	122.1	313	
TMP-27	7/27/2020	220	115.8	293	
TMP-27	7/27/2020	233	111.2	280	
TMP-27	8/3/2020	20	100.6	493	
TMP-27	8/3/2020	40	138.9	473	
TMP-27	8/3/2020	60	151.5	453	
TMP-27	8/3/2020	80	153.1	433	
TMP-27	8/3/2020	100	149.6	413	
TMP-27	8/3/2020	120	144.4	393	
TMP-27	8/3/2020	140	137.6	373	
TMP-27	8/3/2020	160	131.8	353	
TMP-27	8/3/2020	180	126.7	333	
TMP-27	8/3/2020	200	121.4	313	
TMP-27	8/3/2020	220	115.2	293	
TMP-27	8/3/2020	233	110.1	280	
TMP-27	8/10/2020	20	102.2	493	
TMP-27	8/10/2020	40	140.8	473	
TMP-27	8/10/2020	60	153.4	453	
TMP-27	8/10/2020	80	155.4	433	
TMP-27	8/10/2020	100	150.9	413	
TMP-27	8/10/2020	120	145.3	393	
TMP-27	8/10/2020	140	139.6	373	
TMP-27	8/10/2020	160	133.1	353	
TMP-27	8/10/2020	180	127.7	333	
TMP-27	8/10/2020	200	122.6	313	
TMP-27	8/10/2020	220	116.4	293	
TMP-27	8/10/2020	233	111.0	280	
TMP-27	8/17/2020	20	103.1	493	
TMP-27	8/17/2020	40	141.5	473	
TMP-27	8/17/2020	60	154.2	453	
TMP-27	8/17/2020	80	156.2	433	
TMP-27	8/17/2020	100	151.5	413	
TMP-27	8/17/2020	120	145.9	393	
TMP-27	8/17/2020	140	140.3	373	
TMP-27	8/17/2020	160	133.6	353	
TMP-27	8/17/2020	180	128.2	333	
TMP-27	8/17/2020	200	123.0	313	
TMP-27	8/17/2020	220	116.8	293	
TMP-27	8/17/2020	233	111.4	280	
TMP-27	8/24/2020	20	102.5	493	
TMP-27	8/24/2020	40	141.0	473	
TMP-27	8/24/2020	60	153.6	453	
TMP-27	8/24/2020	80	155.6	433	
TMP-27	8/24/2020	100	151.0	413	
TMP-27	8/24/2020	120	145.3	393	
TMP-27	8/24/2020	140	139.9	373	
TMP-27	8/24/2020	160	133.1	353	
TMP-27	8/24/2020	180	127.8	333	
TMP-27	8/24/2020	200	122.6	313	
TMP-27	8/24/2020	220	116.3	293	
TMP-27	8/24/2020	233	111.2	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	7/27/2020	20	79.8	478	
TMP-28R	7/27/2020	40	114.2	458	
TMP-28R	7/27/2020	60	118.6	438	
TMP-28R	7/27/2020	80	121.0	418	
TMP-28R	7/27/2020	100	120.5	398	
TMP-28R	7/27/2020	120	117.4	378	
TMP-28R	7/27/2020	140	114.3	358	
TMP-28R	7/27/2020	160	111.0	338	
TMP-28R	7/27/2020	180	107.3	318	
TMP-28R	7/27/2020	200	104.0	298	
TMP-28R	7/27/2020	220	99.9	278	
TMP-28R	8/3/2020	20	80.3	478	
TMP-28R	8/3/2020	40	114.5	458	
TMP-28R	8/3/2020	60	118.9	438	
TMP-28R	8/3/2020	80	121.2	418	
TMP-28R	8/3/2020	100	120.7	398	
TMP-28R	8/3/2020	120	117.6	378	
TMP-28R	8/3/2020	140	114.4	358	
TMP-28R	8/3/2020	160	111.1	338	
TMP-28R	8/3/2020	180	107.4	318	
TMP-28R	8/3/2020	200	104.0	298	
TMP-28R	8/3/2020	220	99.8	278	
TMP-28R	8/10/2020	20	80.6	478	
TMP-28R	8/10/2020	40	114.8	458	
TMP-28R	8/10/2020	60	119.4	438	
TMP-28R	8/10/2020	80	122.2	418	
TMP-28R	8/10/2020	100	122.1	398	
TMP-28R	8/10/2020	120	119.8	378	
TMP-28R	8/10/2020	140	117.1	358	
TMP-28R	8/10/2020	160	113.8	338	
TMP-28R	8/10/2020	180	109.6	318	
TMP-28R	8/10/2020	200	106.5	298	
TMP-28R	8/10/2020	220	101.9	278	
TMP-28R	8/17/2020	20	80.3	478	
TMP-28R	8/17/2020	40	114.0	458	
TMP-28R	8/17/2020	60	118.5	438	
TMP-28R	8/17/2020	80	121.2	418	
TMP-28R	8/17/2020	100	120.7	398	
TMP-28R	8/17/2020	120	117.8	378	
TMP-28R	8/17/2020	140	114.9	358	
TMP-28R	8/17/2020	160	111.8	338	
TMP-28R	8/17/2020	180	108.4	318	
TMP-28R	8/17/2020	200	105.3	298	
TMP-28R	8/17/2020	220	101.1	278	
TMP-28R	8/24/2020	20	81.0	478	
TMP-28R	8/24/2020	40	114.6	458	
TMP-28R	8/24/2020	60	119.7	438	
TMP-28R	8/24/2020	80	122.6	418	
TMP-28R	8/24/2020	100	122.6	398	
TMP-28R	8/24/2020	120	119.5	378	
TMP-28R	8/24/2020	140	115.8	358	
TMP-28R	8/24/2020	160	112.3	338	
TMP-28R	8/24/2020	180	108.5	318	
TMP-28R	8/24/2020	200	105.8	298	
TMP-28R	8/24/2020	220	101.0	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	7/27/2020	8	77.2	488	
TMP-29	7/27/2020	16	81.7	480	
TMP-29	7/27/2020	25	87.4	471	
TMP-29	8/3/2020	8	78.6	488	
TMP-29	8/3/2020	16	82.0	480	
TMP-29	8/3/2020	25	87.7	471	
TMP-29	8/10/2020	8	80.6	488	
TMP-29	8/10/2020	16	83.5	480	
TMP-29	8/10/2020	25	88.9	471	
TMP-29	8/17/2020	8	81.4	488	
TMP-29	8/17/2020	16	83.5	480	
TMP-29	8/17/2020	25	88.9	471	
TMP-29	8/24/2020	8	82.3	488	
TMP-29	8/24/2020	16	83.8	480	
TMP-29	8/24/2020	25	89.1	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	7/27/2020	20	86.3	484	
TMP-33	7/27/2020	40	95.4	464	
TMP-33	7/27/2020	53	95.5	451	
TMP-33	8/3/2020	20	86.8	484	
TMP-33	8/3/2020	40	95.5	464	
TMP-33	8/3/2020	53	95.5	451	
TMP-33	8/10/2020	20	86.6	484	
TMP-33	8/10/2020	40	95.5	464	
TMP-33	8/10/2020	53	95.7	451	
TMP-33	8/17/2020	20	85.5	484	
TMP-33	8/17/2020	40	94.4	464	
TMP-33	8/17/2020	53	94.5	451	
TMP-33	8/24/2020	20	87.2	484	
TMP-33	8/24/2020	40	96.1	464	
TMP-33	8/24/2020	53	96.2	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	7/27/2020	20	91.3	495	
TMP-34	7/27/2020	40	106.1	475	
TMP-34	7/27/2020	50	107.2	465	
TMP-34	7/27/2020	63	106.0	452	
TMP-34	8/3/2020	20	90.1	495	
TMP-34	8/3/2020	40	104.6	475	
TMP-34	8/3/2020	50	105.7	465	
TMP-34	8/3/2020	63	104.1	452	
TMP-34	8/10/2020	20	90.1	495	
TMP-34	8/10/2020	40	105.5	475	
TMP-34	8/10/2020	50	106.8	465	
TMP-34	8/10/2020	63	105.4	452	
TMP-34	8/17/2020	20	89.9	495	
TMP-34	8/17/2020	40	104.6	475	
TMP-34	8/17/2020	50	105.7	465	
TMP-34	8/17/2020	63	104.3	452	
TMP-34	8/24/2020	20	90.0	495	
TMP-34	8/24/2020	40	104.7	475	
TMP-34	8/24/2020	50	105.7	465	
TMP-34	8/24/2020	63	104.0	452	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	7/27/2020	20	89.3	500	
TMP-35	7/27/2020	40	102.2	480	
TMP-35	7/27/2020	60	102.9	460	
TMP-35	7/27/2020	70	101.0	450	
TMP-35	8/3/2020	20	89.7	500	
TMP-35	8/3/2020	40	102.4	480	
TMP-35	8/3/2020	60	102.9	460	
TMP-35	8/3/2020	70	100.8	450	
TMP-35	8/10/2020	20	89.6	500	
TMP-35	8/10/2020	40	102.8	480	
TMP-35	8/10/2020	60	103.4	460	
TMP-35	8/10/2020	70	101.1	450	
TMP-35	8/17/2020	20	90.4	500	
TMP-35	8/17/2020	40	103.0	480	
TMP-35	8/17/2020	60	103.6	460	
TMP-35	8/17/2020	70	101.3	450	
TMP-35	8/24/2020	20	90.3	500	
TMP-35	8/24/2020	40	102.9	480	
TMP-35	8/24/2020	60	103.5	460	
TMP-35	8/24/2020	70	101.1	450	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-36R	7/27/2020	15	71.8	472	
TMP-36R	7/27/2020	20	77.1	467	
TMP-36R	7/27/2020	30	79.9	457	
TMP-36R	8/3/2020	15	71.9	472	
TMP-36R	8/3/2020	20	77.2	467	
TMP-36R	8/3/2020	30	80.1	457	
TMP-36R	8/10/2020	15	72.2	472	
TMP-36R	8/10/2020	20	78.4	467	
TMP-36R	8/10/2020	30	81.2	457	
TMP-36R	8/17/2020	15	69.8	472	
TMP-36R	8/17/2020	20	74.9	467	
TMP-36R	8/17/2020	30	77.8	457	
TMP-36R	8/24/2020	15	71.7	472	
TMP-36R	8/24/2020	20	76.0	467	
TMP-36R	8/24/2020	30	79.0	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	7/27/2020	20	83.4	480	
TMP-37	7/27/2020	40	91.7	460	
TMP-37	7/27/2020	50	90.5	450	
TMP-37	8/3/2020	20	83.1	480	
TMP-37	8/3/2020	40	91.8	460	
TMP-37	8/3/2020	50	90.8	450	
TMP-37	8/10/2020	20	82.6	480	
TMP-37	8/10/2020	40	91.5	460	
TMP-37	8/10/2020	50	90.6	450	
TMP-37	8/17/2020	20	80.9	480	
TMP-37	8/17/2020	40	90.0	460	
TMP-37	8/17/2020	50	89.1	450	
TMP-37	8/24/2020	20	82.9	480	
TMP-37	8/24/2020	40	92.0	460	
TMP-37	8/24/2020	50	91.1	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	7/27/2020	20	95.6	495	
TMP-38	7/27/2020	40	107.6	475	
TMP-38	7/27/2020	60	104.8	455	
TMP-38	7/27/2020	70	102.4	445	
TMP-38	8/3/2020	20	96.3	495	
TMP-38	8/3/2020	40	108.4	475	
TMP-38	8/3/2020	60	106.0	455	
TMP-38	8/3/2020	70	103.6	445	
TMP-38	8/10/2020	20	95.7	495	
TMP-38	8/10/2020	40	108.2	475	
TMP-38	8/10/2020	60	105.7	455	
TMP-38	8/10/2020	70	103.4	445	
TMP-38	8/17/2020	20	94.8	495	
TMP-38	8/17/2020	40	107.1	475	
TMP-38	8/17/2020	60	104.7	455	
TMP-38	8/17/2020	70	102.5	445	
TMP-38	8/24/2020	20	93.3	495	
TMP-38	8/24/2020	40	105.7	475	
TMP-38	8/24/2020	60	103.3	455	
TMP-38	8/24/2020	70	101.0	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	7/27/2020	20	97.8	501	
TMP-39	7/27/2020	40	119.4	481	
TMP-39	7/27/2020	60	118.9	461	
TMP-39	7/27/2020	80	113.1	441	
TMP-39	8/3/2020	20	99.9	501	
TMP-39	8/3/2020	40	120.6	481	
TMP-39	8/3/2020	60	120.2	461	
TMP-39	8/3/2020	80	114.3	441	
TMP-39	8/10/2020	20	100.8	501	
TMP-39	8/10/2020	40	121.4	481	
TMP-39	8/10/2020	60	120.8	461	
TMP-39	8/10/2020	80	115.0	441	
TMP-39	8/17/2020	20	101.6	501	
TMP-39	8/17/2020	40	122.4	481	
TMP-39	8/17/2020	60	122.3	461	
TMP-39	8/17/2020	80	116.2	441	
TMP-39	8/24/2020	20	100.7	501	
TMP-39	8/24/2020	40	121.6	481	
TMP-39	8/24/2020	60	121.1	461	
TMP-39	8/24/2020	80	115.2	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	7/27/2020	20	91.6	505	
TMP-40	7/27/2020	40	119.8	485	
TMP-40	7/27/2020	60	124.4	465	
TMP-40	7/27/2020	80	120.6	445	
TMP-40	8/3/2020	20	93.4	505	
TMP-40	8/3/2020	40	121.9	485	
TMP-40	8/3/2020	60	126.7	465	
TMP-40	8/3/2020	80	123.1	445	
TMP-40	8/10/2020	20	93.2	505	
TMP-40	8/10/2020	40	121.5	485	
TMP-40	8/10/2020	60	126.2	465	
TMP-40	8/10/2020	80	122.7	445	
TMP-40	8/17/2020	20	93.3	505	
TMP-40	8/17/2020	40	121.7	485	
TMP-40	8/17/2020	60	126.5	465	
TMP-40	8/17/2020	80	122.9	445	
TMP-40	8/24/2020	20	92.8	505	
TMP-40	8/24/2020	40	121.2	485	
TMP-40	8/24/2020	60	125.9	465	
TMP-40	8/24/2020	80	122.3	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	7/27/2020	20	95.9	504	
TMP-41	7/27/2020	40	120.6	484	
TMP-41	7/27/2020	60	123.4	464	
TMP-41	7/27/2020	80	119.0	444	
TMP-41	7/27/2020	98	112.3	426	
TMP-41	8/3/2020	20	97.3	504	
TMP-41	8/3/2020	40	121.9	484	
TMP-41	8/3/2020	60	124.5	464	
TMP-41	8/3/2020	80	119.9	444	
TMP-41	8/3/2020	98	113.1	426	
TMP-41	8/10/2020	20	96.5	504	
TMP-41	8/10/2020	40	121.0	484	
TMP-41	8/10/2020	60	123.7	464	
TMP-41	8/10/2020	80	119.0	444	
TMP-41	8/10/2020	98	112.2	426	
TMP-41	8/17/2020	20	97.2	504	
TMP-41	8/17/2020	40	121.6	484	
TMP-41	8/17/2020	60	124.0	464	
TMP-41	8/17/2020	80	119.0	444	
TMP-41	8/17/2020	98	112.0	426	
TMP-41	8/24/2020	20	97.2	504	
TMP-41	8/24/2020	40	121.6	484	
TMP-41	8/24/2020	60	124.0	464	
TMP-41	8/24/2020	80	119.3	444	
TMP-41	8/24/2020	98	112.4	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	7/27/2020	20	102.1	498	
TMP-42	7/27/2020	40	118.5	478	
TMP-42	7/27/2020	60	118.4	458	
TMP-42	7/27/2020	78	113.8	440	
TMP-42	8/3/2020	20	101.9	498	
TMP-42	8/3/2020	40	118.3	478	
TMP-42	8/3/2020	60	118.2	458	
TMP-42	8/3/2020	78	113.3	440	
TMP-42	8/10/2020	20	101.9	498	
TMP-42	8/10/2020	40	118.0	478	
TMP-42	8/10/2020	60	117.5	458	
TMP-42	8/10/2020	78	112.9	440	
TMP-42	8/17/2020	20	102.9	498	
TMP-42	8/17/2020	40	119.5	478	
TMP-42	8/17/2020	60	119.5	458	
TMP-42	8/17/2020	78	114.9	440	
TMP-42	8/24/2020	20	100.8	498	
TMP-42	8/24/2020	40	117.7	478	
TMP-42	8/24/2020	60	117.7	458	
TMP-42	8/24/2020	78	113.2	440	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	7/27/2020	20	99.4	496	
TMP-43	7/27/2020	40	119.2	476	
TMP-43	7/27/2020	60	125.4	456	
TMP-43	7/27/2020	80	124.4	436	
TMP-43	7/27/2020	100	118.5	416	
TMP-43	8/3/2020	20	99.4	496	
TMP-43	8/3/2020	40	119.3	476	
TMP-43	8/3/2020	60	125.5	456	
TMP-43	8/3/2020	80	124.4	436	
TMP-43	8/3/2020	100	118.3	416	
TMP-43	8/10/2020	20	98.8	496	
TMP-43	8/10/2020	40	118.6	476	
TMP-43	8/10/2020	60	124.6	456	
TMP-43	8/10/2020	80	123.4	436	
TMP-43	8/10/2020	100	117.1	416	
TMP-43	8/17/2020	20	98.9	496	
TMP-43	8/17/2020	40	118.8	476	
TMP-43	8/17/2020	60	125.4	456	
TMP-43	8/17/2020	80	124.2	436	
TMP-43	8/17/2020	100	118.2	416	
TMP-43	8/24/2020	20	98.0	496	
TMP-43	8/24/2020	40	118.5	476	
TMP-43	8/24/2020	60	125.1	456	
TMP-43	8/24/2020	80	124.0	436	
TMP-43	8/24/2020	100	118.0	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	7/27/2020	20	101.6	491	
TMP-44	7/27/2020	40	130.0	471	
TMP-44	7/27/2020	60	143.5	451	
TMP-44	7/27/2020	80	148.8	431	
TMP-44	7/27/2020	100	151.1	411	
TMP-44	7/27/2020	120	150.3	391	
TMP-44	7/27/2020	140	150.3	371	
TMP-44	7/27/2020	160	139.4	351	
TMP-44	7/27/2020	180	122.4	331	
TMP-44	8/3/2020	20	101.3	491	
TMP-44	8/3/2020	40	129.4	471	
TMP-44	8/3/2020	60	142.9	451	
TMP-44	8/3/2020	80	148.1	431	
TMP-44	8/3/2020	100	150.2	411	
TMP-44	8/3/2020	120	149.2	391	
TMP-44	8/3/2020	140	149.2	371	
TMP-44	8/3/2020	160	138.0	351	
TMP-44	8/3/2020	180	121.0	331	
TMP-44	8/10/2020	20	100.9	491	
TMP-44	8/10/2020	40	129.4	471	
TMP-44	8/10/2020	60	142.8	451	
TMP-44	8/10/2020	80	148.1	431	
TMP-44	8/10/2020	100	150.4	411	
TMP-44	8/10/2020	120	149.6	391	
TMP-44	8/10/2020	140	149.7	371	
TMP-44	8/10/2020	160	139.0	351	
TMP-44	8/10/2020	180	122.3	331	
TMP-44	8/17/2020	20	101.4	491	
TMP-44	8/17/2020	40	129.8	471	
TMP-44	8/17/2020	60	143.3	451	
TMP-44	8/17/2020	80	148.4	431	
TMP-44	8/17/2020	100	150.8	411	
TMP-44	8/17/2020	120	150.0	391	
TMP-44	8/17/2020	140	150.1	371	
TMP-44	8/17/2020	160	139.4	351	
TMP-44	8/17/2020	180	122.8	331	
TMP-44	8/24/2020	20	100.5	491	
TMP-44	8/24/2020	40	128.8	471	
TMP-44	8/24/2020	60	142.3	451	
TMP-44	8/24/2020	80	147.4	431	
TMP-44	8/24/2020	100	149.9	411	
TMP-44	8/24/2020	120	149.1	391	
TMP-44	8/24/2020	140	149.2	371	
TMP-44	8/24/2020	160	138.5	351	
TMP-44	8/24/2020	180	121.9	331	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-45	7/27/2020	15	67.4	464	
TMP-45	7/27/2020	30	79.2	449	
TMP-45	7/27/2020	45	83.5	434	
TMP-45	8/3/2020	15	67.9	464	
TMP-45	8/3/2020	30	80.0	449	
TMP-45	8/3/2020	45	84.8	434	
TMP-45	8/10/2020	15	68.3	464	
TMP-45	8/10/2020	30	80.0	449	
TMP-45	8/10/2020	45	84.3	434	
TMP-45	8/17/2020	15	67.8	464	
TMP-45	8/17/2020	30	79.0	449	
TMP-45	8/17/2020	45	83.5	434	
TMP-45	8/24/2020	15	69.5	464	
TMP-45	8/24/2020	30	80.4	449	
TMP-45	8/24/2020	45	85.0	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	7/27/2020	20	68.5	457	
TMP-46	7/27/2020	40	80.5	437	
TMP-46	7/27/2020	60	87.8	417	
TMP-46	8/3/2020	20	69.9	457	
TMP-46	8/3/2020	40	82.3	437	
TMP-46	8/3/2020	60	89.9	417	
TMP-46	8/10/2020	20	69.4	457	
TMP-46	8/10/2020	40	81.7	437	
TMP-46	8/10/2020	60	89.4	417	
TMP-46	8/17/2020	20	67.9	457	
TMP-46	8/17/2020	40	80.6	437	
TMP-46	8/17/2020	60	88.4	417	
TMP-46	8/24/2020	20	70.3	457	
TMP-46	8/24/2020	40	82.4	437	
TMP-46	8/24/2020	60	90.2	417	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-47	7/27/2020	20	63.0	457	
TMP-47	7/27/2020	40	71.3	437	
TMP-47	7/27/2020	60	73.8	417	
TMP-47	8/3/2020	20	64.3	457	
TMP-47	8/3/2020	40	72.1	437	
TMP-47	8/3/2020	60	74.8	417	
TMP-47	8/10/2020	20	62.6	457	
TMP-47	8/10/2020	40	70.7	437	
TMP-47	8/10/2020	60	73.3	417	
TMP-47	8/17/2020	20	61.6	457	
TMP-47	8/17/2020	40	69.1	437	
TMP-47	8/17/2020	60	72.1	417	
TMP-47	8/24/2020	20	62.4	457	
TMP-47	8/24/2020	40	69.7	437	
TMP-47	8/24/2020	60	72.6	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	7/27/2020	20	62.4	455	
TMP-48	7/27/2020	40	68.4	435	
TMP-48	7/27/2020	60	72.7	415	
TMP-48	7/27/2020	72	71.6	403	
TMP-48	8/3/2020	20	62.4	455	
TMP-48	8/3/2020	40	68.3	435	
TMP-48	8/3/2020	60	72.5	415	
TMP-48	8/3/2020	72	71.3	403	
TMP-48	8/10/2020	20	62.1	455	
TMP-48	8/10/2020	40	68.5	435	
TMP-48	8/10/2020	60	73.0	415	
TMP-48	8/10/2020	72	71.7	403	
TMP-48	8/17/2020	20	60.8	455	
TMP-48	8/17/2020	40	67.1	435	
TMP-48	8/17/2020	60	71.5	415	
TMP-48	8/17/2020	72	70.3	403	
TMP-48	8/24/2020	20	60.6	455	
TMP-48	8/24/2020	40	66.9	435	
TMP-48	8/24/2020	60	71.9	415	
TMP-48	8/24/2020	72	70.8	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	7/27/2020	20	61.4	453	
TMP-49	7/27/2020	40	62.6	433	
TMP-49	7/27/2020	60	69.0	413	
TMP-49	8/3/2020	20	61.4	453	
TMP-49	8/3/2020	40	62.3	433	
TMP-49	8/3/2020	60	68.5	413	
TMP-49	8/10/2020	20	62.8	453	
TMP-49	8/10/2020	40	63.3	433	
TMP-49	8/10/2020	60	69.4	413	
TMP-49	8/17/2020	20	62.2	453	
TMP-49	8/17/2020	40	62.9	433	
TMP-49	8/17/2020	60	69.1	413	
TMP-49	8/24/2020	20	58.6	453	
TMP-49	8/24/2020	40	60.0	433	
TMP-49	8/24/2020	60	66.7	413	