

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	8/10/2020	20	142.3	473	
TMP-19	8/10/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/10/2020	60	196.0	433	
TMP-19	8/10/2020	80	201.0	413	
TMP-19	8/10/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/17/2020	20	141.3	473	
TMP-19	8/17/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/17/2020	60	194.7	433	
TMP-19	8/17/2020	80	200.1	413	
TMP-19	8/17/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/24/2020	20	141.4	473	
TMP-19	8/24/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/24/2020	60	194.3	433	
TMP-19	8/24/2020	80	199.9	413	
TMP-19	8/24/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/31/2020	20	143.8	473	
TMP-19	8/31/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/31/2020	60	196.3	433	
TMP-19	8/31/2020	80	201.6	413	
TMP-19	8/31/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/7/2020	20	144.0	473	
TMP-19	9/7/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/7/2020	60	197.0	433	
TMP-19	9/7/2020	80	202.4	413	
TMP-19	9/7/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	8/10/2020	20	102.5	478	
TMP-20	8/10/2020	40	154.7	458	
TMP-20	8/10/2020	60	182.0	438	
TMP-20	8/10/2020	80	196.8	418	
TMP-20	8/10/2020	100	212.9	398	
TMP-20	8/10/2020	120	229.0	378	
TMP-20	8/10/2020	140	229.0	358	
TMP-20	8/17/2020	20	100.1	478	
TMP-20	8/17/2020	40	151.9	458	
TMP-20	8/17/2020	60	178.8	438	
TMP-20	8/17/2020	80	193.7	418	
TMP-20	8/17/2020	100	209.6	398	
TMP-20	8/17/2020	120	225.5	378	
TMP-20	8/17/2020	140	225.4	358	
TMP-20	8/24/2020	20	101.0	478	
TMP-20	8/24/2020	40	152.4	458	
TMP-20	8/24/2020	60	179.1	438	
TMP-20	8/24/2020	80	193.9	418	
TMP-20	8/24/2020	100	209.8	398	
TMP-20	8/24/2020	120	225.5	378	
TMP-20	8/24/2020	140	225.6	358	
TMP-20	8/31/2020	20	103.3	478	
TMP-20	8/31/2020	40	154.3	458	
TMP-20	8/31/2020	60	181.0	438	
TMP-20	8/31/2020	80	195.5	418	
TMP-20	8/31/2020	100	211.3	398	
TMP-20	8/31/2020	120	227.2	378	
TMP-20	8/31/2020	140	227.4	358	
TMP-20	9/7/2020	20	104.5	478	
TMP-20	9/7/2020	40	155.3	458	
TMP-20	9/7/2020	60	181.7	438	
TMP-20	9/7/2020	80	196.4	418	
TMP-20	9/7/2020	100	212.3	398	
TMP-20	9/7/2020	120	228.1	378	
TMP-20	9/7/2020	140	228.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	8/10/2020	20	106.4	475	
TMP-10-9N	8/10/2020	40	133.4	455	
TMP-10-9N	8/10/2020	60	132.5	435	
TMP-10-9N	8/10/2020	80	134.5	415	
TMP-10-9N	8/10/2020	100	144.7	395	
TMP-10-9N	8/17/2020	20	105.1	475	
TMP-10-9N	8/17/2020	40	132.3	455	
TMP-10-9N	8/17/2020	60	131.5	435	
TMP-10-9N	8/17/2020	80	133.7	415	
TMP-10-9N	8/17/2020	100	144.0	395	
TMP-10-9N	8/24/2020	20	105.7	475	
TMP-10-9N	8/24/2020	40	132.7	455	
TMP-10-9N	8/24/2020	60	131.6	435	
TMP-10-9N	8/24/2020	80	133.8	415	
TMP-10-9N	8/24/2020	100	144.0	395	
TMP-10-9N	8/31/2020	20	107.6	475	
TMP-10-9N	8/31/2020	40	134.9	455	
TMP-10-9N	8/31/2020	60	133.7	435	
TMP-10-9N	8/31/2020	80	135.8	415	
TMP-10-9N	8/31/2020	100	146.0	395	
TMP-10-9N	9/7/2020	20	108.6	475	
TMP-10-9N	9/7/2020	40	136.0	455	
TMP-10-9N	9/7/2020	60	134.9	435	
TMP-10-9N	9/7/2020	80	137.0	415	
TMP-10-9N	9/7/2020	100	147.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	8/10/2020	20	104.4	476	
TMP-10-9S	8/10/2020	40	147.0	456	
TMP-10-9S	8/10/2020	60	163.8	436	
TMP-10-9S	8/10/2020	80	172.8	416	
TMP-10-9S	8/10/2020	100	190.8	396	
TMP-10-9S	8/17/2020	20	104.2	476	
TMP-10-9S	8/17/2020	40	146.8	456	
TMP-10-9S	8/17/2020	60	163.8	436	
TMP-10-9S	8/17/2020	80	172.7	416	
TMP-10-9S	8/17/2020	100	190.7	396	
TMP-10-9S	8/24/2020	20	104.2	476	
TMP-10-9S	8/24/2020	40	146.3	456	
TMP-10-9S	8/24/2020	60	163.1	436	
TMP-10-9S	8/24/2020	80	172.0	416	
TMP-10-9S	8/24/2020	100	189.9	396	
TMP-10-9S	8/31/2020	20	106.0	476	
TMP-10-9S	8/31/2020	40	147.8	456	
TMP-10-9S	8/31/2020	60	164.6	436	
TMP-10-9S	8/31/2020	80	173.3	416	
TMP-10-9S	8/31/2020	100	191.4	396	
TMP-10-9S	9/7/2020	20	107.3	476	
TMP-10-9S	9/7/2020	40	149.2	456	
TMP-10-9S	9/7/2020	60	165.9	436	
TMP-10-9S	9/7/2020	80	174.8	416	
TMP-10-9S	9/7/2020	100	193.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	8/10/2020	20	94.5	478	
TMP-10-5N	8/10/2020	40	118.9	458	
TMP-10-5N	8/10/2020	60	106.4	438	
TMP-10-5N	8/10/2020	80	102.3	418	
TMP-10-5N	8/10/2020	100	101.6	398	
TMP-10-5N	8/17/2020	20	94.0	478	
TMP-10-5N	8/17/2020	40	118.7	458	
TMP-10-5N	8/17/2020	60	106.5	438	
TMP-10-5N	8/17/2020	80	101.9	418	
TMP-10-5N	8/17/2020	100	99.3	398	
TMP-10-5N	8/24/2020	20	94.0	478	
TMP-10-5N	8/24/2020	40	117.9	458	
TMP-10-5N	8/24/2020	60	104.5	438	
TMP-10-5N	8/24/2020	80	99.4	418	
TMP-10-5N	8/24/2020	100	97.2	398	
TMP-10-5N	8/31/2020	20	96.3	478	
TMP-10-5N	8/31/2020	40	120.1	458	
TMP-10-5N	8/31/2020	60	107.3	438	
TMP-10-5N	8/31/2020	80	102.2	418	
TMP-10-5N	8/31/2020	100	99.4	398	
TMP-10-5N	9/7/2020	20	97.7	478	
TMP-10-5N	9/7/2020	40	121.2	458	
TMP-10-5N	9/7/2020	60	107.9	438	
TMP-10-5N	9/7/2020	80	102.9	418	
TMP-10-5N	9/7/2020	100	100.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	8/10/2020	20	98.5	477	
TMP-10-5S	8/10/2020	40	137.7	457	
TMP-10-5S	8/10/2020	60	147.8	437	
TMP-10-5S	8/10/2020	80	159.4	417	
TMP-10-5S	8/10/2020	100	175.5	397	
TMP-10-5S	8/17/2020	20	97.9	477	
TMP-10-5S	8/17/2020	40	137.3	457	
TMP-10-5S	8/17/2020	60	147.5	437	
TMP-10-5S	8/17/2020	80	159.1	417	
TMP-10-5S	8/17/2020	100	175.3	397	
TMP-10-5S	8/24/2020	20	98.9	477	
TMP-10-5S	8/24/2020	40	137.7	457	
TMP-10-5S	8/24/2020	60	147.6	437	
TMP-10-5S	8/24/2020	80	159.1	417	
TMP-10-5S	8/24/2020	100	175.1	397	
TMP-10-5S	8/31/2020	20	100.4	477	
TMP-10-5S	8/31/2020	40	139.3	457	
TMP-10-5S	8/31/2020	60	149.3	437	
TMP-10-5S	8/31/2020	80	160.6	417	
TMP-10-5S	8/31/2020	100	176.8	397	
TMP-10-5S	9/7/2020	20	101.3	477	
TMP-10-5S	9/7/2020	40	140.2	457	
TMP-10-5S	9/7/2020	60	150.2	437	
TMP-10-5S	9/7/2020	80	161.7	417	
TMP-10-5S	9/7/2020	100	177.8	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	8/10/2020	20	95.9	476	
TMP-5-9N	8/10/2020	40	139.9	456	
TMP-5-9N	8/10/2020	60	147.7	436	
TMP-5-9N	8/10/2020	80	229.0	416	
TMP-5-9N	8/10/2020	100	247.4	396	
TMP-5-9N	8/17/2020	20	95.3	476	
TMP-5-9N	8/17/2020	40	139.4	456	
TMP-5-9N	8/17/2020	60	147.3	436	
TMP-5-9N	8/17/2020	80	228.3	416	
TMP-5-9N	8/17/2020	100	246.9	396	
TMP-5-9N	8/24/2020	20	96.0	476	
TMP-5-9N	8/24/2020	40	139.6	456	
TMP-5-9N	8/24/2020	60	147.3	436	
TMP-5-9N	8/24/2020	80	228.3	416	
TMP-5-9N	8/24/2020	100	247.2	396	
TMP-5-9N	8/31/2020	20	97.4	476	
TMP-5-9N	8/31/2020	40	140.8	456	
TMP-5-9N	8/31/2020	60	148.6	436	
TMP-5-9N	8/31/2020	80	228.8	416	
TMP-5-9N	8/31/2020	100	248.0	396	
TMP-5-9N	9/7/2020	20	98.1	476	
TMP-5-9N	9/7/2020	40	141.3	456	
TMP-5-9N	9/7/2020	60	149.1	436	
TMP-5-9N	9/7/2020	80	228.8	416	
TMP-5-9N	9/7/2020	100	248.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	8/10/2020	20	109.3	476	
TMP-5-9S	8/10/2020	40	172.7	456	
TMP-5-9S	8/10/2020	60	210.4	436	
TMP-5-9S	8/10/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/10/2020	100			No readings could be obtained
TMP-5-9S	8/17/2020	20	110.0	476	
TMP-5-9S	8/17/2020	40	173.1	456	
TMP-5-9S	8/17/2020	60	210.7	436	
TMP-5-9S	8/17/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/17/2020	100			No readings could be obtained
TMP-5-9S	8/24/2020	20	109.4	476	
TMP-5-9S	8/24/2020	40	172.3	456	
TMP-5-9S	8/24/2020	60	210.0	436	
TMP-5-9S	8/24/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/24/2020	100			No readings could be obtained
TMP-5-9S	8/31/2020	20	111.3	476	
TMP-5-9S	8/31/2020	40	173.8	456	
TMP-5-9S	8/31/2020	60	211.3	436	
TMP-5-9S	8/31/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/31/2020	100			No readings could be obtained
TMP-5-9S	9/7/2020	20	112.4	476	
TMP-5-9S	9/7/2020	40	174.7	456	
TMP-5-9S	9/7/2020	60	212.3	436	
TMP-5-9S	9/7/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/7/2020	100			No readings could be obtained



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	8/10/2020	20	94.2	475	
TMP-5-5N	8/10/2020	40	109.5	455	
TMP-5-5N	8/10/2020	60	101.8	435	
TMP-5-5N	8/10/2020	80	225.8	415	
TMP-5-5N	8/10/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/17/2020	20	93.5	475	
TMP-5-5N	8/17/2020	40	107.4	455	
TMP-5-5N	8/17/2020	60	98.3	435	
TMP-5-5N	8/17/2020	80	224.0	415	
TMP-5-5N	8/17/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/24/2020	20	94.0	475	
TMP-5-5N	8/24/2020	40	107.7	455	
TMP-5-5N	8/24/2020	60	99.9	435	
TMP-5-5N	8/24/2020	80	223.9	415	
TMP-5-5N	8/24/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/31/2020	20	95.5	475	
TMP-5-5N	8/31/2020	40	108.6	455	
TMP-5-5N	8/31/2020	60	100.0	435	
TMP-5-5N	8/31/2020	80	223.9	415	
TMP-5-5N	8/31/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/7/2020	20	96.5	475	
TMP-5-5N	9/7/2020	40	110.3	455	
TMP-5-5N	9/7/2020	60	102.4	435	
TMP-5-5N	9/7/2020	80	224.8	415	
TMP-5-5N	9/7/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	8/10/2020	20	109.2	474	
TMP-5-5S	8/10/2020	40	164.0	454	
TMP-5-5S	8/10/2020	60	197.6	434	
TMP-5-5S	8/10/2020	80	233.4	414	
TMP-5-5S	8/10/2020	100	238.0	394	
TMP-5-5S	8/17/2020	20	109.2	474	
TMP-5-5S	8/17/2020	40	164.3	454	
TMP-5-5S	8/17/2020	60	197.7	434	
TMP-5-5S	8/17/2020	80	233.7	414	
TMP-5-5S	8/17/2020	100	238.3	394	
TMP-5-5S	8/24/2020	20	109.1	474	
TMP-5-5S	8/24/2020	40	163.5	454	
TMP-5-5S	8/24/2020	60	197.0	434	
TMP-5-5S	8/24/2020	80	232.8	414	
TMP-5-5S	8/24/2020	100	237.4	394	
TMP-5-5S	8/31/2020	20	110.7	474	
TMP-5-5S	8/31/2020	40	165.0	454	
TMP-5-5S	8/31/2020	60	198.8	434	
TMP-5-5S	8/31/2020	80	234.3	414	
TMP-5-5S	8/31/2020	100	238.9	394	
TMP-5-5S	9/7/2020	20	110.9	474	
TMP-5-5S	9/7/2020	40	165.3	454	
TMP-5-5S	9/7/2020	60	199.4	434	
TMP-5-5S	9/7/2020	80	234.9	414	
TMP-5-5S	9/7/2020	100	239.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	8/10/2020	20	152.8	474	
TMP-31	8/10/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/10/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/10/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/10/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/10/2020	120	267.9	374	
TMP-31	8/17/2020	20	151.0	474	
TMP-31	8/17/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/17/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/17/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/17/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/17/2020	120	266.8	374	
TMP-31	8/24/2020	20	153.2	474	
TMP-31	8/24/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/24/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/24/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/24/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/24/2020	120	267.8	374	
TMP-31	8/31/2020	20	154.1	474	
TMP-31	8/31/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/31/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/31/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/31/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/31/2020	120	267.9	374	
TMP-31	9/7/2020	20	154.4	474	
TMP-31	9/7/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	120	268.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	8/10/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	60	225.2	444	
TMP-32	8/10/2020	80	241.2	424	
TMP-32	8/10/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/10/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	60	225.7	444	
TMP-32	8/17/2020	80	241.7	424	
TMP-32	8/17/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/17/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	60	225.2	444	
TMP-32	8/24/2020	80	241.1	424	
TMP-32	8/24/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/24/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	60	225.4	444	
TMP-32	8/31/2020	80	241.2	424	
TMP-32	8/31/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/31/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	60	225.1	444	
TMP-32	9/7/2020	80	240.9	424	
TMP-32	9/7/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	8/10/2020	20	135.2	473	
TMP-SPM1	8/10/2020	40	158.1	453	
TMP-SPM1	8/10/2020	60	175.0	433	
TMP-SPM1	8/10/2020	80	165.2	413	
TMP-SPM1	8/10/2020	100	165.4	393	
TMP-SPM1	8/10/2020	120	161.1	373	
TMP-SPM1	8/10/2020	140	151.6	353	
TMP-SPM1	8/10/2020	160	133.7	333	
TMP-SPM1	8/10/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	8/10/2020	200	105.2	293	
TMP-SPM1	8/10/2020	220	92.2	273	
TMP-SPM1	8/10/2020	240	89.0	253	
TMP-SPM1	8/17/2020	20	136.0	473	
TMP-SPM1	8/17/2020	40	158.6	453	
TMP-SPM1	8/17/2020	60	175.4	433	
TMP-SPM1	8/17/2020	80	166.1	413	
TMP-SPM1	8/17/2020	100	166.2	393	
TMP-SPM1	8/17/2020	120	161.7	373	
TMP-SPM1	8/17/2020	140	151.8	353	
TMP-SPM1	8/17/2020	160	133.7	333	
TMP-SPM1	8/17/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	8/17/2020	200	104.5	293	
TMP-SPM1	8/17/2020	220	90.9	273	
TMP-SPM1	8/17/2020	240	87.5	253	
TMP-SPM1	8/24/2020	20	134.6	473	
TMP-SPM1	8/24/2020	40	158.0	453	
TMP-SPM1	8/24/2020	60	174.6	433	
TMP-SPM1	8/24/2020	80	165.2	413	
TMP-SPM1	8/24/2020	100	165.3	393	
TMP-SPM1	8/24/2020	120	160.9	373	
TMP-SPM1	8/24/2020	140	151.2	353	
TMP-SPM1	8/24/2020	160	133.0	333	
TMP-SPM1	8/24/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	8/24/2020	200	104.1	293	
TMP-SPM1	8/24/2020	220	90.9	273	
TMP-SPM1	8/24/2020	240	88.1	253	
TMP-SPM1	8/31/2020	20	136.7	473	
TMP-SPM1	8/31/2020	40	159.7	453	
TMP-SPM1	8/31/2020	60	175.8	433	
TMP-SPM1	8/31/2020	80	166.7	413	
TMP-SPM1	8/31/2020	100	166.7	393	
TMP-SPM1	8/31/2020	120	162.1	373	
TMP-SPM1	8/31/2020	140	152.3	353	
TMP-SPM1	8/31/2020	160	134.2	333	
TMP-SPM1	8/31/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	8/31/2020	200	105.2	293	
TMP-SPM1	8/31/2020	220	91.8	273	
TMP-SPM1	8/31/2020	240	88.6	253	
TMP-SPM1	9/7/2020	20	134.9	473	
TMP-SPM1	9/7/2020	40	158.4	453	
TMP-SPM1	9/7/2020	60	174.4	433	
TMP-SPM1	9/7/2020	80	165.4	413	
TMP-SPM1	9/7/2020	100	165.7	393	
TMP-SPM1	9/7/2020	120	161.3	373	
TMP-SPM1	9/7/2020	140	151.6	353	
TMP-SPM1	9/7/2020	160	133.5	333	
TMP-SPM1	9/7/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/7/2020	200	104.4	293	
TMP-SPM1	9/7/2020	220	91.1	273	
TMP-SPM1	9/7/2020	240	87.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	8/10/2020	20	124.6	475	
TMP-SPM2	8/10/2020	40	148.1	455	
TMP-SPM2	8/10/2020	60	143.0	435	
TMP-SPM2	8/10/2020	80	161.3	415	
TMP-SPM2	8/10/2020	100	181.9	395	
TMP-SPM2	8/10/2020	120	182.8	375	
TMP-SPM2	8/10/2020	140	185.1	355	
TMP-SPM2	8/10/2020	160	162.4	335	
TMP-SPM2	8/10/2020	172	146.3	323	
TMP-SPM2	8/17/2020	20	124.5	475	
TMP-SPM2	8/17/2020	40	148.0	455	
TMP-SPM2	8/17/2020	60	142.9	435	
TMP-SPM2	8/17/2020	80	161.2	415	
TMP-SPM2	8/17/2020	100	181.6	395	
TMP-SPM2	8/17/2020	120	182.5	375	
TMP-SPM2	8/17/2020	140	185.2	355	
TMP-SPM2	8/17/2020	160	162.6	335	
TMP-SPM2	8/17/2020	172	146.6	323	
TMP-SPM2	8/24/2020	20	124.2	475	
TMP-SPM2	8/24/2020	40	147.7	455	
TMP-SPM2	8/24/2020	60	142.5	435	
TMP-SPM2	8/24/2020	80	160.6	415	
TMP-SPM2	8/24/2020	100	181.1	395	
TMP-SPM2	8/24/2020	120	182.0	375	
TMP-SPM2	8/24/2020	140	184.8	355	
TMP-SPM2	8/24/2020	160	162.2	335	
TMP-SPM2	8/24/2020	172	146.3	323	
TMP-SPM2	8/31/2020	20	125.8	475	
TMP-SPM2	8/31/2020	40	149.2	455	
TMP-SPM2	8/31/2020	60	144.1	435	
TMP-SPM2	8/31/2020	80	162.2	415	
TMP-SPM2	8/31/2020	100	182.5	395	
TMP-SPM2	8/31/2020	120	183.4	375	
TMP-SPM2	8/31/2020	140	186.2	355	
TMP-SPM2	8/31/2020	160	163.8	335	
TMP-SPM2	8/31/2020	172	147.8	323	
TMP-SPM2	9/7/2020	20	124.0	475	
TMP-SPM2	9/7/2020	40	147.1	455	
TMP-SPM2	9/7/2020	60	142.0	435	
TMP-SPM2	9/7/2020	80	159.9	415	
TMP-SPM2	9/7/2020	100	180.3	395	
TMP-SPM2	9/7/2020	120	181.4	375	
TMP-SPM2	9/7/2020	140	184.5	355	
TMP-SPM2	9/7/2020	160	162.1	335	
TMP-SPM2	9/7/2020	172	146.2	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	8/10/2020	20	105.4	478	
TMP-SPM3	8/10/2020	40	107.3	458	
TMP-SPM3	8/10/2020	60	101.6	438	
TMP-SPM3	8/10/2020	80	106.5	418	
TMP-SPM3	8/10/2020	85	108.9	413	
TMP-SPM3	8/17/2020	20	106.0	478	
TMP-SPM3	8/17/2020	40	106.9	458	
TMP-SPM3	8/17/2020	60	101.0	438	
TMP-SPM3	8/17/2020	80	105.8	418	
TMP-SPM3	8/17/2020	85	108.1	413	
TMP-SPM3	8/24/2020	20	106.9	478	
TMP-SPM3	8/24/2020	40	107.4	458	
TMP-SPM3	8/24/2020	60	101.5	438	
TMP-SPM3	8/24/2020	80	106.4	418	
TMP-SPM3	8/24/2020	85	108.8	413	
TMP-SPM3	8/31/2020	20	109.0	478	
TMP-SPM3	8/31/2020	40	109.1	458	
TMP-SPM3	8/31/2020	60	103.4	438	
TMP-SPM3	8/31/2020	80	108.2	418	
TMP-SPM3	8/31/2020	85	110.3	413	
TMP-SPM3	9/7/2020	20	107.8	478	
TMP-SPM3	9/7/2020	40	107.4	458	
TMP-SPM3	9/7/2020	60	101.5	438	
TMP-SPM3	9/7/2020	80	106.3	418	
TMP-SPM3	9/7/2020	85	108.7	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	8/10/2020	20	113.2	475	
TMP-SPM4	8/10/2020	40	136.3	455	
TMP-SPM4	8/10/2020	60	138.5	435	
TMP-SPM4	8/10/2020	80	139.4	415	
TMP-SPM4	8/10/2020	100	135.4	395	
TMP-SPM4	8/10/2020	120	128.1	375	
TMP-SPM4	8/10/2020	140	123.4	355	
TMP-SPM4	8/10/2020	160	117.7	335	
TMP-SPM4	8/10/2020	180	113.6	315	
TMP-SPM4	8/10/2020	200	108.3	295	
TMP-SPM4	8/10/2020	220	96.1	275	
TMP-SPM4	8/10/2020	240	89.8	255	
TMP-SPM4	8/17/2020	20	114.2	475	
TMP-SPM4	8/17/2020	40	137.0	455	
TMP-SPM4	8/17/2020	60	139.3	435	
TMP-SPM4	8/17/2020	80	140.1	415	
TMP-SPM4	8/17/2020	100	136.0	395	
TMP-SPM4	8/17/2020	120	128.6	375	
TMP-SPM4	8/17/2020	140	124.0	355	
TMP-SPM4	8/17/2020	160	118.1	335	
TMP-SPM4	8/17/2020	180	114.0	315	
TMP-SPM4	8/17/2020	200	108.5	295	
TMP-SPM4	8/17/2020	220	96.3	275	
TMP-SPM4	8/17/2020	240	90.0	255	
TMP-SPM4	8/24/2020	20	113.5	475	
TMP-SPM4	8/24/2020	40	136.7	455	
TMP-SPM4	8/24/2020	60	138.9	435	
TMP-SPM4	8/24/2020	80	139.8	415	
TMP-SPM4	8/24/2020	100	135.8	395	
TMP-SPM4	8/24/2020	120	128.5	375	
TMP-SPM4	8/24/2020	140	123.8	355	
TMP-SPM4	8/24/2020	160	118.0	335	
TMP-SPM4	8/24/2020	180	114.0	315	
TMP-SPM4	8/24/2020	200	108.6	295	
TMP-SPM4	8/24/2020	220	96.5	275	
TMP-SPM4	8/24/2020	240	90.2	255	
TMP-SPM4	8/31/2020	20	113.5	475	
TMP-SPM4	8/31/2020	40	136.4	455	
TMP-SPM4	8/31/2020	60	138.5	435	
TMP-SPM4	8/31/2020	80	139.3	415	
TMP-SPM4	8/31/2020	100	135.2	395	
TMP-SPM4	8/31/2020	120	127.8	375	
TMP-SPM4	8/31/2020	140	123.1	355	
TMP-SPM4	8/31/2020	160	117.4	335	
TMP-SPM4	8/31/2020	180	113.4	315	
TMP-SPM4	8/31/2020	200	108.1	295	
TMP-SPM4	8/31/2020	220	96.0	275	
TMP-SPM4	8/31/2020	240	89.9	255	
TMP-SPM4	9/7/2020	20	112.9	475	
TMP-SPM4	9/7/2020	40	136.2	455	
TMP-SPM4	9/7/2020	60	138.4	435	
TMP-SPM4	9/7/2020	80	139.1	415	
TMP-SPM4	9/7/2020	100	135.2	395	
TMP-SPM4	9/7/2020	120	127.8	375	
TMP-SPM4	9/7/2020	140	123.2	355	
TMP-SPM4	9/7/2020	160	117.4	335	
TMP-SPM4	9/7/2020	180	113.3	315	
TMP-SPM4	9/7/2020	200	108.0	295	
TMP-SPM4	9/7/2020	220	95.9	275	
TMP-SPM4	9/7/2020	240	89.6	255	