

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/7/2020	20	144.0	473	
TMP-19	9/7/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/7/2020	60	197.0	433	
TMP-19	9/7/2020	80	202.4	413	
TMP-19	9/7/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/14/2020	20	143.4	473	
TMP-19	9/14/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/14/2020	60	196.8	433	
TMP-19	9/14/2020	80	201.9	413	
TMP-19	9/14/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/21/2020	20	142.6	473	
TMP-19	9/21/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/21/2020	60	196.1	433	
TMP-19	9/21/2020	80	200.9	413	
TMP-19	9/21/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/28/2020	20	143.9	473	
TMP-19	9/28/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/28/2020	60	196.9	433	
TMP-19	9/28/2020	80	201.5	413	
TMP-19	9/28/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/5/2020	20	143.7	473	
TMP-19	10/5/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/5/2020	60	197.2	433	
TMP-19	10/5/2020	80	201.8	413	
TMP-19	10/5/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/7/2020	20	104.5	478	
TMP-20	9/7/2020	40	155.3	458	
TMP-20	9/7/2020	60	181.7	438	
TMP-20	9/7/2020	80	196.4	418	
TMP-20	9/7/2020	100	212.3	398	
TMP-20	9/7/2020	120	228.1	378	
TMP-20	9/7/2020	140	228.5	358	
TMP-20	9/14/2020	20	103.9	478	
TMP-20	9/14/2020	40	154.6	458	
TMP-20	9/14/2020	60	180.8	438	
TMP-20	9/14/2020	80	195.4	418	
TMP-20	9/14/2020	100	211.2	398	
TMP-20	9/14/2020	120	227.0	378	
TMP-20	9/14/2020	140	227.2	358	
TMP-20	9/21/2020	20	101.9	478	
TMP-20	9/21/2020	40	152.6	458	
TMP-20	9/21/2020	60	178.7	438	
TMP-20	9/21/2020	80	193.2	418	
TMP-20	9/21/2020	100	209.0	398	
TMP-20	9/21/2020	120	224.7	378	
TMP-20	9/21/2020	140	224.8	358	
TMP-20	9/28/2020	20	104.6	478	
TMP-20	9/28/2020	40	154.6	458	
TMP-20	9/28/2020	60	180.4	438	
TMP-20	9/28/2020	80	194.7	418	
TMP-20	9/28/2020	100	210.7	398	
TMP-20	9/28/2020	120	226.4	378	
TMP-20	9/28/2020	140	226.5	358	
TMP-20	10/5/2020	20	104.1	478	
TMP-20	10/5/2020	40	154.2	458	
TMP-20	10/5/2020	60	179.9	438	
TMP-20	10/5/2020	80	194.2	418	
TMP-20	10/5/2020	100	210.4	398	
TMP-20	10/5/2020	120	226.3	378	
TMP-20	10/5/2020	140	226.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/7/2020	20	108.6	475	
TMP-10-9N	9/7/2020	40	136.0	455	
TMP-10-9N	9/7/2020	60	134.9	435	
TMP-10-9N	9/7/2020	80	137.0	415	
TMP-10-9N	9/7/2020	100	147.2	395	
TMP-10-9N	9/14/2020	20	107.1	475	
TMP-10-9N	9/14/2020	40	134.2	455	
TMP-10-9N	9/14/2020	60	132.9	435	
TMP-10-9N	9/14/2020	80	135.0	415	
TMP-10-9N	9/14/2020	100	145.3	395	
TMP-10-9N	9/21/2020	20	106.4	475	
TMP-10-9N	9/21/2020	40	133.3	455	
TMP-10-9N	9/21/2020	60	131.7	435	
TMP-10-9N	9/21/2020	80	133.8	415	
TMP-10-9N	9/21/2020	100	144.1	395	
TMP-10-9N	9/28/2020	20	108.1	475	
TMP-10-9N	9/28/2020	40	134.5	455	
TMP-10-9N	9/28/2020	60	132.7	435	
TMP-10-9N	9/28/2020	80	134.5	415	
TMP-10-9N	9/28/2020	100	144.8	395	
TMP-10-9N	10/5/2020	20	108.3	475	
TMP-10-9N	10/5/2020	40	134.8	455	
TMP-10-9N	10/5/2020	60	133.1	435	
TMP-10-9N	10/5/2020	80	134.9	415	
TMP-10-9N	10/5/2020	100	145.1	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/7/2020	20	107.3	476	
TMP-10-9S	9/7/2020	40	149.2	456	
TMP-10-9S	9/7/2020	60	165.9	436	
TMP-10-9S	9/7/2020	80	174.8	416	
TMP-10-9S	9/7/2020	100	193.0	396	
TMP-10-9S	9/14/2020	20	105.6	476	
TMP-10-9S	9/14/2020	40	147.5	456	
TMP-10-9S	9/14/2020	60	164.0	436	
TMP-10-9S	9/14/2020	80	172.9	416	
TMP-10-9S	9/14/2020	100	191.2	396	
TMP-10-9S	9/21/2020	20	104.3	476	
TMP-10-9S	9/21/2020	40	145.9	456	
TMP-10-9S	9/21/2020	60	162.6	436	
TMP-10-9S	9/21/2020	80	171.3	416	
TMP-10-9S	9/21/2020	100	189.6	396	
TMP-10-9S	9/28/2020	20	105.9	476	
TMP-10-9S	9/28/2020	40	147.3	456	
TMP-10-9S	9/28/2020	60	163.9	436	
TMP-10-9S	9/28/2020	80	172.6	416	
TMP-10-9S	9/28/2020	100	190.9	396	
TMP-10-9S	10/5/2020	20	106.8	476	
TMP-10-9S	10/5/2020	40	147.9	456	
TMP-10-9S	10/5/2020	60	164.4	436	
TMP-10-9S	10/5/2020	80	173.0	416	
TMP-10-9S	10/5/2020	100	191.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/7/2020	20	97.7	478	
TMP-10-5N	9/7/2020	40	121.2	458	
TMP-10-5N	9/7/2020	60	107.9	438	
TMP-10-5N	9/7/2020	80	102.9	418	
TMP-10-5N	9/7/2020	100	100.9	398	
TMP-10-5N	9/14/2020	20	95.9	478	
TMP-10-5N	9/14/2020	40	119.4	458	
TMP-10-5N	9/14/2020	60	106.2	438	
TMP-10-5N	9/14/2020	80	101.2	418	
TMP-10-5N	9/14/2020	100	98.2	398	
TMP-10-5N	9/21/2020	20	94.9	478	
TMP-10-5N	9/21/2020	40	117.4	458	
TMP-10-5N	9/21/2020	60	102.3	438	
TMP-10-5N	9/21/2020	80	95.9	418	
TMP-10-5N	9/21/2020	100	91.9	398	
TMP-10-5N	9/28/2020	20	96.0	478	
TMP-10-5N	9/28/2020	40	118.0	458	
TMP-10-5N	9/28/2020	60	102.9	438	
TMP-10-5N	9/28/2020	80	96.7	418	
TMP-10-5N	9/28/2020	100	92.8	398	
TMP-10-5N	10/5/2020	20	96.6	478	
TMP-10-5N	10/5/2020	40	117.8	458	
TMP-10-5N	10/5/2020	60	101.3	438	
TMP-10-5N	10/5/2020	80	94.3	418	
TMP-10-5N	10/5/2020	100	90.0	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/7/2020	20	101.3	477	
TMP-10-5S	9/7/2020	40	140.2	457	
TMP-10-5S	9/7/2020	60	150.2	437	
TMP-10-5S	9/7/2020	80	161.7	417	
TMP-10-5S	9/7/2020	100	177.8	397	
TMP-10-5S	9/14/2020	20	100.2	477	
TMP-10-5S	9/14/2020	40	138.7	457	
TMP-10-5S	9/14/2020	60	148.6	437	
TMP-10-5S	9/14/2020	80	160.0	417	
TMP-10-5S	9/14/2020	100	173.6	397	
TMP-10-5S	9/21/2020	20	99.4	477	
TMP-10-5S	9/21/2020	40	137.5	457	
TMP-10-5S	9/21/2020	60	147.3	437	
TMP-10-5S	9/21/2020	80	158.6	417	
TMP-10-5S	9/21/2020	100	174.8	397	
TMP-10-5S	9/28/2020	20	101.2	477	
TMP-10-5S	9/28/2020	40	139.1	457	
TMP-10-5S	9/28/2020	60	148.8	437	
TMP-10-5S	9/28/2020	80	159.9	417	
TMP-10-5S	9/28/2020	100	176.2	397	
TMP-10-5S	10/5/2020	20	102.0	477	
TMP-10-5S	10/5/2020	40	140.0	457	
TMP-10-5S	10/5/2020	60	149.6	437	
TMP-10-5S	10/5/2020	80	160.8	417	
TMP-10-5S	10/5/2020	100	177.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/7/2020	20	98.1	476	
TMP-5-9N	9/7/2020	40	141.3	456	
TMP-5-9N	9/7/2020	60	149.1	436	
TMP-5-9N	9/7/2020	80	228.8	416	
TMP-5-9N	9/7/2020	100	248.7	396	
TMP-5-9N	9/14/2020	20	97.7	476	
TMP-5-9N	9/14/2020	40	140.8	456	
TMP-5-9N	9/14/2020	60	148.6	436	
TMP-5-9N	9/14/2020	80	228.0	416	
TMP-5-9N	9/14/2020	100	248.1	396	
TMP-5-9N	9/21/2020	20	97.7	476	
TMP-5-9N	9/21/2020	40	140.1	456	
TMP-5-9N	9/21/2020	60	147.4	436	
TMP-5-9N	9/21/2020	80	227.3	416	
TMP-5-9N	9/21/2020	100	247.3	396	
TMP-5-9N	9/28/2020	20	99.2	476	
TMP-5-9N	9/28/2020	40	141.2	456	
TMP-5-9N	9/28/2020	60	148.3	436	
TMP-5-9N	9/28/2020	80	228.2	416	
TMP-5-9N	9/28/2020	100	248.4	396	
TMP-5-9N	10/5/2020	20	99.3	476	
TMP-5-9N	10/5/2020	40	140.7	456	
TMP-5-9N	10/5/2020	60	147.5	436	
TMP-5-9N	10/5/2020	80	227.9	416	
TMP-5-9N	10/5/2020	100	248.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/7/2020	20	112.4	476	
TMP-5-9S	9/7/2020	40	174.7	456	
TMP-5-9S	9/7/2020	60	212.3	436	
TMP-5-9S	9/7/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/7/2020	100			No readings could be obtained
TMP-5-9S	9/14/2020	20	111.8	476	
TMP-5-9S	9/14/2020	40	173.5	456	
TMP-5-9S	9/14/2020	60	211.1	436	
TMP-5-9S	9/14/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/14/2020	100			No readings could be obtained
TMP-5-9S	9/21/2020	20	111.3	476	
TMP-5-9S	9/21/2020	40	173.0	456	
TMP-5-9S	9/21/2020	60	210.2	436	
TMP-5-9S	9/21/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/21/2020	100			No readings could be obtained
TMP-5-9S	9/28/2020	20	112.6	476	
TMP-5-9S	9/28/2020	40	173.9	456	
TMP-5-9S	9/28/2020	60	211.4	436	
TMP-5-9S	9/28/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/28/2020	100			No readings could be obtained
TMP-5-9S	10/5/2020	20	112.5	476	
TMP-5-9S	10/5/2020	40	173.3	456	
TMP-5-9S	10/5/2020	60	210.5	436	
TMP-5-9S	10/5/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/5/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/7/2020	20	96.5	475	
TMP-5-5N	9/7/2020	40	110.3	455	
TMP-5-5N	9/7/2020	60	102.4	435	
TMP-5-5N	9/7/2020	80	224.8	415	
TMP-5-5N	9/7/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/14/2020	20	96.1	475	
TMP-5-5N	9/14/2020	40	109.4	455	
TMP-5-5N	9/14/2020	60	99.0	435	
TMP-5-5N	9/14/2020	80	224.3	415	
TMP-5-5N	9/14/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/21/2020	20	94.6	475	
TMP-5-5N	9/21/2020	40	104.7	455	
TMP-5-5N	9/21/2020	60	92.9	435	
TMP-5-5N	9/21/2020	80	223.2	415	
TMP-5-5N	9/21/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/28/2020	20	96.1	475	
TMP-5-5N	9/28/2020	40	107.2	455	
TMP-5-5N	9/28/2020	60	97.3	435	
TMP-5-5N	9/28/2020	80	224.2	415	
TMP-5-5N	9/28/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/5/2020	20	95.4	475	
TMP-5-5N	10/5/2020	40	103.7	455	
TMP-5-5N	10/5/2020	60	91.1	435	
TMP-5-5N	10/5/2020	80	223.9	415	
TMP-5-5N	10/5/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/7/2020	20	110.9	474	
TMP-5-5S	9/7/2020	40	165.3	454	
TMP-5-5S	9/7/2020	60	199.4	434	
TMP-5-5S	9/7/2020	80	234.9	414	
TMP-5-5S	9/7/2020	100	239.7	394	
TMP-5-5S	9/14/2020	20	111.2	474	
TMP-5-5S	9/14/2020	40	165.8	454	
TMP-5-5S	9/14/2020	60	198.3	434	
TMP-5-5S	9/14/2020	80	234.1	414	
TMP-5-5S	9/14/2020	100	238.9	394	
TMP-5-5S	9/21/2020	20	110.9	474	
TMP-5-5S	9/21/2020	40	165.4	454	
TMP-5-5S	9/21/2020	60	197.6	434	
TMP-5-5S	9/21/2020	80	233.5	414	
TMP-5-5S	9/21/2020	100	238.1	394	
TMP-5-5S	9/28/2020	20	111.5	474	
TMP-5-5S	9/28/2020	40	166.1	454	
TMP-5-5S	9/28/2020	60	198.5	434	
TMP-5-5S	9/28/2020	80	234.4	414	
TMP-5-5S	9/28/2020	100	238.9	394	
TMP-5-5S	10/5/2020	20	112.0	474	
TMP-5-5S	10/5/2020	40	166.0	454	
TMP-5-5S	10/5/2020	60	198.3	434	
TMP-5-5S	10/5/2020	80	234.0	414	
TMP-5-5S	10/5/2020	100	238.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/7/2020	20	154.4	474	
TMP-31	9/7/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/7/2020	120	268.5	374	
TMP-31	9/14/2020	20	154.9	474	
TMP-31	9/14/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/14/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/14/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/14/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/14/2020	120	268.7	374	
TMP-31	9/21/2020	20	155.1	474	
TMP-31	9/21/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	120	268.3	374	
TMP-31	9/28/2020	20	152.7	474	
TMP-31	9/28/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	120	268.2	374	
TMP-31	10/5/2020	20	154.7	474	
TMP-31	10/5/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	120	268.9	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/7/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	60	225.1	444	
TMP-32	9/7/2020	80	240.9	424	
TMP-32	9/7/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/7/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	60	225.2	444	
TMP-32	9/14/2020	80	241	424	
TMP-32	9/14/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/14/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	60	225.4	444	
TMP-32	9/21/2020	80	241.3	424	
TMP-32	9/21/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	60	225.6	444	
TMP-32	9/28/2020	80	241.3	424	
TMP-32	9/28/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	60	225.5	444	
TMP-32	10/5/2020	80	241.4	424	
TMP-32	10/5/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	9/7/2020	20	134.9	473	
TMP-SPM1	9/7/2020	40	158.4	453	
TMP-SPM1	9/7/2020	60	174.4	433	
TMP-SPM1	9/7/2020	80	165.4	413	
TMP-SPM1	9/7/2020	100	165.7	393	
TMP-SPM1	9/7/2020	120	161.3	373	
TMP-SPM1	9/7/2020	140	151.6	353	
TMP-SPM1	9/7/2020	160	133.5	333	
TMP-SPM1	9/7/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/7/2020	200	104.4	293	
TMP-SPM1	9/7/2020	220	91.1	273	
TMP-SPM1	9/7/2020	240	87.8	253	
TMP-SPM1	9/14/2020	20	133.8	473	
TMP-SPM1	9/14/2020	40	157.4	453	
TMP-SPM1	9/14/2020	60	173.6	433	
TMP-SPM1	9/14/2020	80	164.8	413	
TMP-SPM1	9/14/2020	100	165.1	393	
TMP-SPM1	9/14/2020	120	160.7	373	
TMP-SPM1	9/14/2020	140	151.0	353	
TMP-SPM1	9/14/2020	160	132.9	333	
TMP-SPM1	9/14/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/14/2020	200	103.9	293	
TMP-SPM1	9/14/2020	220	90.4	273	
TMP-SPM1	9/14/2020	240	87.2	253	
TMP-SPM1	9/21/2020	20	135.1	473	
TMP-SPM1	9/21/2020	40	158.4	453	
TMP-SPM1	9/21/2020	60	174.7	433	
TMP-SPM1	9/21/2020	80	165.9	413	
TMP-SPM1	9/21/2020	100	166.0	393	
TMP-SPM1	9/21/2020	120	161.8	373	
TMP-SPM1	9/21/2020	140	152.0	353	
TMP-SPM1	9/21/2020	160	133.9	333	
TMP-SPM1	9/21/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/21/2020	200	104.9	293	
TMP-SPM1	9/21/2020	220	91.5	273	
TMP-SPM1	9/21/2020	240	88.3	253	
TMP-SPM1	9/28/2020	20	136.0	473	
TMP-SPM1	9/28/2020	40	158.7	453	
TMP-SPM1	9/28/2020	60	175.3	433	
TMP-SPM1	9/28/2020	80	166.7	413	
TMP-SPM1	9/28/2020	100	166.7	393	
TMP-SPM1	9/28/2020	120	162.4	373	
TMP-SPM1	9/28/2020	140	152.6	353	
TMP-SPM1	9/28/2020	160	134.5	333	
TMP-SPM1	9/28/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/28/2020	200	105.7	293	
TMP-SPM1	9/28/2020	220	92.2	273	
TMP-SPM1	9/28/2020	240	89.0	253	
TMP-SPM1	10/5/2020	20	136.0	473	
TMP-SPM1	10/5/2020	40	158.9	453	
TMP-SPM1	10/5/2020	60	175.6	433	
TMP-SPM1	10/5/2020	80	167.1	413	
TMP-SPM1	10/5/2020	100	167.2	393	
TMP-SPM1	10/5/2020	120	163.0	373	
TMP-SPM1	10/5/2020	140	153.3	353	
TMP-SPM1	10/5/2020	160	135.2	333	
TMP-SPM1	10/5/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/5/2020	200	106.2	293	
TMP-SPM1	10/5/2020	220	92.7	273	
TMP-SPM1	10/5/2020	240	89.3	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	9/7/2020	20	124.0	475	
TMP-SPM2	9/7/2020	40	147.1	455	
TMP-SPM2	9/7/2020	60	142.0	435	
TMP-SPM2	9/7/2020	80	159.9	415	
TMP-SPM2	9/7/2020	100	180.3	395	
TMP-SPM2	9/7/2020	120	181.4	375	
TMP-SPM2	9/7/2020	140	184.5	355	
TMP-SPM2	9/7/2020	160	162.1	335	
TMP-SPM2	9/7/2020	172	146.2	323	
TMP-SPM2	9/14/2020	20	122.6	475	
TMP-SPM2	9/14/2020	40	145.9	455	
TMP-SPM2	9/14/2020	60	140.8	435	
TMP-SPM2	9/14/2020	80	159.0	415	
TMP-SPM2	9/14/2020	100	179.5	395	
TMP-SPM2	9/14/2020	120	180.8	375	
TMP-SPM2	9/14/2020	140	184.1	355	
TMP-SPM2	9/14/2020	160	161.9	335	
TMP-SPM2	9/14/2020	172	146.0	323	
TMP-SPM2	9/21/2020	20	123.9	475	
TMP-SPM2	9/21/2020	40	147.1	455	
TMP-SPM2	9/21/2020	60	141.9	435	
TMP-SPM2	9/21/2020	80	159.8	415	
TMP-SPM2	9/21/2020	100	180.1	395	
TMP-SPM2	9/21/2020	120	181.4	375	
TMP-SPM2	9/21/2020	140	184.7	355	
TMP-SPM2	9/21/2020	160	162.5	335	
TMP-SPM2	9/21/2020	172	146.7	323	
TMP-SPM2	9/28/2020	20	125.1	475	
TMP-SPM2	9/28/2020	40	148.1	455	
TMP-SPM2	9/28/2020	60	143.0	435	
TMP-SPM2	9/28/2020	80	160.9	415	
TMP-SPM2	9/28/2020	100	181.0	395	
TMP-SPM2	9/28/2020	120	182.5	375	
TMP-SPM2	9/28/2020	140	185.8	355	
TMP-SPM2	9/28/2020	160	163.8	335	
TMP-SPM2	9/28/2020	172	148.1	323	
TMP-SPM2	10/5/2020	20	124.3	475	
TMP-SPM2	10/5/2020	40	146.8	455	
TMP-SPM2	10/5/2020	60	141.6	435	
TMP-SPM2	10/5/2020	80	159.5	415	
TMP-SPM2	10/5/2020	100	179.7	395	
TMP-SPM2	10/5/2020	120	181.4	375	
TMP-SPM2	10/5/2020	140	184.8	355	
TMP-SPM2	10/5/2020	160	162.9	335	
TMP-SPM2	10/5/2020	172	147.3	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	9/7/2020	20	107.8	478	
TMP-SPM3	9/7/2020	40	107.4	458	
TMP-SPM3	9/7/2020	60	101.5	438	
TMP-SPM3	9/7/2020	80	106.3	418	
TMP-SPM3	9/7/2020	85	108.7	413	
TMP-SPM3	9/14/2020	20	107.6	478	
TMP-SPM3	9/14/2020	40	107.1	458	
TMP-SPM3	9/14/2020	60	101.3	438	
TMP-SPM3	9/14/2020	80	106.2	418	
TMP-SPM3	9/14/2020	85	108.6	413	
TMP-SPM3	9/21/2020	20	108.4	478	
TMP-SPM3	9/21/2020	40	107.7	458	
TMP-SPM3	9/21/2020	60	101.7	438	
TMP-SPM3	9/21/2020	80	106.3	418	
TMP-SPM3	9/21/2020	85	108.5	413	
TMP-SPM3	9/28/2020	20	109.9	478	
TMP-SPM3	9/28/2020	40	109.1	458	
TMP-SPM3	9/28/2020	60	103.2	438	
TMP-SPM3	9/28/2020	80	108.0	418	
TMP-SPM3	9/28/2020	85	110.2	413	
TMP-SPM3	10/5/2020	20	108.4	478	
TMP-SPM3	10/5/2020	40	107.3	458	
TMP-SPM3	10/5/2020	60	101.2	438	
TMP-SPM3	10/5/2020	80	106.0	418	
TMP-SPM3	10/5/2020	85	108.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	9/7/2020	20	112.9	475	
TMP-SPM4	9/7/2020	40	136.2	455	
TMP-SPM4	9/7/2020	60	138.4	435	
TMP-SPM4	9/7/2020	80	139.1	415	
TMP-SPM4	9/7/2020	100	135.2	395	
TMP-SPM4	9/7/2020	120	127.8	375	
TMP-SPM4	9/7/2020	140	123.2	355	
TMP-SPM4	9/7/2020	160	117.4	335	
TMP-SPM4	9/7/2020	180	113.3	315	
TMP-SPM4	9/7/2020	200	108.0	295	
TMP-SPM4	9/7/2020	220	95.9	275	
TMP-SPM4	9/7/2020	240	89.6	255	
TMP-SPM4	9/14/2020	20	112.6	475	
TMP-SPM4	9/14/2020	40	135.8	455	
TMP-SPM4	9/14/2020	60	138.0	435	
TMP-SPM4	9/14/2020	80	138.9	415	
TMP-SPM4	9/14/2020	100	134.9	395	
TMP-SPM4	9/14/2020	120	127.6	375	
TMP-SPM4	9/14/2020	140	122.8	355	
TMP-SPM4	9/14/2020	160	117.0	335	
TMP-SPM4	9/14/2020	180	112.8	315	
TMP-SPM4	9/14/2020	200	107.5	295	
TMP-SPM4	9/14/2020	220	95.4	275	
TMP-SPM4	9/14/2020	240	89.2	255	
TMP-SPM4	9/21/2020	20	113.4	475	
TMP-SPM4	9/21/2020	40	136.4	455	
TMP-SPM4	9/21/2020	60	138.5	435	
TMP-SPM4	9/21/2020	80	139.3	415	
TMP-SPM4	9/21/2020	100	135.2	395	
TMP-SPM4	9/21/2020	120	127.8	375	
TMP-SPM4	9/21/2020	140	123.0	355	
TMP-SPM4	9/21/2020	160	117.2	335	
TMP-SPM4	9/21/2020	180	113.1	315	
TMP-SPM4	9/21/2020	200	107.7	295	
TMP-SPM4	9/21/2020	220	95.7	275	
TMP-SPM4	9/21/2020	240	89.5	255	
TMP-SPM4	9/28/2020	20	113.7	475	
TMP-SPM4	9/28/2020	40	136.6	455	
TMP-SPM4	9/28/2020	60	138.6	435	
TMP-SPM4	9/28/2020	80	139.5	415	
TMP-SPM4	9/28/2020	100	135.4	395	
TMP-SPM4	9/28/2020	120	128.0	375	
TMP-SPM4	9/28/2020	140	123.4	355	
TMP-SPM4	9/28/2020	160	117.6	335	
TMP-SPM4	9/28/2020	180	113.6	315	
TMP-SPM4	9/28/2020	200	108.4	295	
TMP-SPM4	9/28/2020	220	96.6	275	
TMP-SPM4	9/28/2020	240	90.4	255	
TMP-SPM4	10/5/2020	20	113.0	475	
TMP-SPM4	10/5/2020	40	136.3	455	
TMP-SPM4	10/5/2020	60	138.6	435	
TMP-SPM4	10/5/2020	80	139.4	415	
TMP-SPM4	10/5/2020	100	135.4	395	
TMP-SPM4	10/5/2020	120	128.0	375	
TMP-SPM4	10/5/2020	140	123.3	355	
TMP-SPM4	10/5/2020	160	117.5	335	
TMP-SPM4	10/5/2020	180	113.3	315	
TMP-SPM4	10/5/2020	200	107.9	295	
TMP-SPM4	10/5/2020	220	95.9	275	
TMP-SPM4	10/5/2020	240	89.5	255	