

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	9/21/2020	20	113.4	475	
TMP-SPM4	9/21/2020	40	136.4	455	
TMP-SPM4	9/21/2020	60	138.5	435	
TMP-SPM4	9/21/2020	80	139.3	415	
TMP-SPM4	9/21/2020	100	135.2	395	
TMP-SPM4	9/21/2020	120	127.8	375	
TMP-SPM4	9/21/2020	140	123.0	355	
TMP-SPM4	9/21/2020	160	117.2	335	
TMP-SPM4	9/21/2020	180	113.1	315	
TMP-SPM4	9/21/2020	200	107.7	295	
TMP-SPM4	9/21/2020	220	95.7	275	
TMP-SPM4	9/21/2020	240	89.5	255	
TMP-SPM4	9/28/2020	20	113.7	475	
TMP-SPM4	9/28/2020	40	136.6	455	
TMP-SPM4	9/28/2020	60	138.6	435	
TMP-SPM4	9/28/2020	80	139.5	415	
TMP-SPM4	9/28/2020	100	135.4	395	
TMP-SPM4	9/28/2020	120	128.0	375	
TMP-SPM4	9/28/2020	140	123.4	355	
TMP-SPM4	9/28/2020	160	117.6	335	
TMP-SPM4	9/28/2020	180	113.6	315	
TMP-SPM4	9/28/2020	200	108.4	295	
TMP-SPM4	9/28/2020	220	96.6	275	
TMP-SPM4	9/28/2020	240	90.4	255	
TMP-SPM4	10/5/2020	20	113.0	475	
TMP-SPM4	10/5/2020	40	136.3	455	
TMP-SPM4	10/5/2020	60	138.6	435	
TMP-SPM4	10/5/2020	80	139.4	415	
TMP-SPM4	10/5/2020	100	135.4	395	
TMP-SPM4	10/5/2020	120	128.0	375	
TMP-SPM4	10/5/2020	140	123.3	355	
TMP-SPM4	10/5/2020	160	117.5	335	
TMP-SPM4	10/5/2020	180	113.3	315	
TMP-SPM4	10/5/2020	200	107.9	295	
TMP-SPM4	10/5/2020	220	95.9	275	
TMP-SPM4	10/5/2020	240	89.5	255	
TMP-SPM4	10/12/2020	20	113.3	475	
TMP-SPM4	10/12/2020	40	136.2	455	
TMP-SPM4	10/12/2020	60	138.3	435	
TMP-SPM4	10/12/2020	80	139.1	415	
TMP-SPM4	10/12/2020	100	135.1	395	
TMP-SPM4	10/12/2020	120	127.7	375	
TMP-SPM4	10/12/2020	140	123.0	355	
TMP-SPM4	10/12/2020	160	117.4	335	
TMP-SPM4	10/12/2020	180	113.3	315	
TMP-SPM4	10/12/2020	200	108.0	295	
TMP-SPM4	10/12/2020	220	96.0	275	
TMP-SPM4	10/12/2020	240	89.8	255	
TMP-SPM4	10/19/2020	20	113.9	475	
TMP-SPM4	10/19/2020	40	136.6	455	
TMP-SPM4	10/19/2020	60	138.6	435	
TMP-SPM4	10/19/2020	80	139.5	415	
TMP-SPM4	10/19/2020	100	135.3	395	
TMP-SPM4	10/19/2020	120	128.0	375	
TMP-SPM4	10/19/2020	140	123.3	355	
TMP-SPM4	10/19/2020	160	117.6	335	
TMP-SPM4	10/19/2020	180	113.7	315	
TMP-SPM4	10/19/2020	200	108.4	295	
TMP-SPM4	10/19/2020	220	96.7	275	
TMP-SPM4	10/19/2020	240	90.5	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/21/2020	20	142.6	473	
TMP-19	9/21/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/21/2020	60	196.1	433	
TMP-19	9/21/2020	80	200.9	413	
TMP-19	9/21/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/28/2020	20	143.9	473	
TMP-19	9/28/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/28/2020	60	196.9	433	
TMP-19	9/28/2020	80	201.5	413	
TMP-19	9/28/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/5/2020	20	143.7	473	
TMP-19	10/5/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/5/2020	60	197.2	433	
TMP-19	10/5/2020	80	201.8	413	
TMP-19	10/5/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/12/2020	20	144.0	473	
TMP-19	10/12/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/12/2020	60	197.2	433	
TMP-19	10/12/2020	80	201.6	413	
TMP-19	10/12/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/19/2020	20	143.3	473	
TMP-19	10/19/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/19/2020	60	196.1	433	
TMP-19	10/19/2020	80	200.6	413	
TMP-19	10/19/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/21/2020	20	101.9	478	
TMP-20	9/21/2020	40	152.6	458	
TMP-20	9/21/2020	60	178.7	438	
TMP-20	9/21/2020	80	193.2	418	
TMP-20	9/21/2020	100	209.0	398	
TMP-20	9/21/2020	120	224.7	378	
TMP-20	9/21/2020	140	224.8	358	
TMP-20	9/28/2020	20	104.6	478	
TMP-20	9/28/2020	40	154.6	458	
TMP-20	9/28/2020	60	180.4	438	
TMP-20	9/28/2020	80	194.7	418	
TMP-20	9/28/2020	100	210.7	398	
TMP-20	9/28/2020	120	226.4	378	
TMP-20	9/28/2020	140	226.5	358	
TMP-20	10/5/2020	20	104.1	478	
TMP-20	10/5/2020	40	154.2	458	
TMP-20	10/5/2020	60	179.9	438	
TMP-20	10/5/2020	80	194.2	418	
TMP-20	10/5/2020	100	210.4	398	
TMP-20	10/5/2020	120	226.3	378	
TMP-20	10/5/2020	140	226.4	358	
TMP-20	10/12/2020	20	101.8	478	
TMP-20	10/12/2020	40	151.6	458	
TMP-20	10/12/2020	60	177.5	438	
TMP-20	10/12/2020	80	191.8	418	
TMP-20	10/12/2020	100	207.9	398	
TMP-20	10/12/2020	120	223.9	378	
TMP-20	10/12/2020	140	224.5	358	
TMP-20	10/19/2020	20	103.8	478	
TMP-20	10/19/2020	40	153.4	458	
TMP-20	10/19/2020	60	179.1	438	
TMP-20	10/19/2020	80	193.4	418	
TMP-20	10/19/2020	100	209.7	398	
TMP-20	10/19/2020	120	225.7	378	
TMP-20	10/19/2020	140	226.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/21/2020	20	106.4	475	
TMP-10-9N	9/21/2020	40	133.3	455	
TMP-10-9N	9/21/2020	60	131.7	435	
TMP-10-9N	9/21/2020	80	133.8	415	
TMP-10-9N	9/21/2020	100	144.1	395	
TMP-10-9N	9/28/2020	20	108.1	475	
TMP-10-9N	9/28/2020	40	134.5	455	
TMP-10-9N	9/28/2020	60	132.7	435	
TMP-10-9N	9/28/2020	80	134.5	415	
TMP-10-9N	9/28/2020	100	144.8	395	
TMP-10-9N	10/5/2020	20	108.3	475	
TMP-10-9N	10/5/2020	40	134.8	455	
TMP-10-9N	10/5/2020	60	133.1	435	
TMP-10-9N	10/5/2020	80	134.9	415	
TMP-10-9N	10/5/2020	100	145.1	395	
TMP-10-9N	10/12/2020	20	105.9	475	
TMP-10-9N	10/12/2020	40	132.7	455	
TMP-10-9N	10/12/2020	60	130.7	435	
TMP-10-9N	10/12/2020	80	132.6	415	
TMP-10-9N	10/12/2020	100	142.9	395	
TMP-10-9N	10/19/2020	20	108.2	475	
TMP-10-9N	10/19/2020	40	134.4	455	
TMP-10-9N	10/19/2020	60	132.4	435	
TMP-10-9N	10/19/2020	80	134.1	415	
TMP-10-9N	10/19/2020	100	144.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/21/2020	20	104.3	476	
TMP-10-9S	9/21/2020	40	145.9	456	
TMP-10-9S	9/21/2020	60	162.6	436	
TMP-10-9S	9/21/2020	80	171.3	416	
TMP-10-9S	9/21/2020	100	189.6	396	
TMP-10-9S	9/28/2020	20	105.9	476	
TMP-10-9S	9/28/2020	40	147.3	456	
TMP-10-9S	9/28/2020	60	163.9	436	
TMP-10-9S	9/28/2020	80	172.6	416	
TMP-10-9S	9/28/2020	100	190.9	396	
TMP-10-9S	10/5/2020	20	106.8	476	
TMP-10-9S	10/5/2020	40	147.9	456	
TMP-10-9S	10/5/2020	60	164.4	436	
TMP-10-9S	10/5/2020	80	173.0	416	
TMP-10-9S	10/5/2020	100	191.3	396	
TMP-10-9S	10/12/2020	20	107.0	476	
TMP-10-9S	10/12/2020	40	148.1	456	
TMP-10-9S	10/12/2020	60	164.6	436	
TMP-10-9S	10/12/2020	80	173.2	416	
TMP-10-9S	10/12/2020	100	191.5	396	
TMP-10-9S	10/19/2020	20	107.2	476	
TMP-10-9S	10/19/2020	40	148.0	456	
TMP-10-9S	10/19/2020	60	164.4	436	
TMP-10-9S	10/19/2020	80	173.1	416	
TMP-10-9S	10/19/2020	100	191.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/21/2020	20	94.9	478	
TMP-10-5N	9/21/2020	40	117.4	458	
TMP-10-5N	9/21/2020	60	102.3	438	
TMP-10-5N	9/21/2020	80	95.9	418	
TMP-10-5N	9/21/2020	100	91.9	398	
TMP-10-5N	9/28/2020	20	96.0	478	
TMP-10-5N	9/28/2020	40	118.0	458	
TMP-10-5N	9/28/2020	60	102.9	438	
TMP-10-5N	9/28/2020	80	96.7	418	
TMP-10-5N	9/28/2020	100	92.8	398	
TMP-10-5N	10/5/2020	20	96.6	478	
TMP-10-5N	10/5/2020	40	117.8	458	
TMP-10-5N	10/5/2020	60	101.3	438	
TMP-10-5N	10/5/2020	80	94.3	418	
TMP-10-5N	10/5/2020	100	90.0	398	
TMP-10-5N	10/12/2020	20	95.1	478	
TMP-10-5N	10/12/2020	40	116.4	458	
TMP-10-5N	10/12/2020	60	100.8	438	
TMP-10-5N	10/12/2020	80	95.0	418	
TMP-10-5N	10/12/2020	100	91.2	398	
TMP-10-5N	10/19/2020	20	96.7	478	
TMP-10-5N	10/19/2020	40	117.2	458	
TMP-10-5N	10/19/2020	60	100.0	438	
TMP-10-5N	10/19/2020	80	93.1	418	
TMP-10-5N	10/19/2020	100	88.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/21/2020	20	99.4	477	
TMP-10-5S	9/21/2020	40	137.5	457	
TMP-10-5S	9/21/2020	60	147.3	437	
TMP-10-5S	9/21/2020	80	158.6	417	
TMP-10-5S	9/21/2020	100	174.8	397	
TMP-10-5S	9/28/2020	20	101.2	477	
TMP-10-5S	9/28/2020	40	139.1	457	
TMP-10-5S	9/28/2020	60	148.8	437	
TMP-10-5S	9/28/2020	80	159.9	417	
TMP-10-5S	9/28/2020	100	176.2	397	
TMP-10-5S	10/5/2020	20	102.0	477	
TMP-10-5S	10/5/2020	40	140.0	457	
TMP-10-5S	10/5/2020	60	149.6	437	
TMP-10-5S	10/5/2020	80	160.8	417	
TMP-10-5S	10/5/2020	100	177.2	397	
TMP-10-5S	10/12/2020	20	102.0	477	
TMP-10-5S	10/12/2020	40	139.9	457	
TMP-10-5S	10/12/2020	60	149.5	437	
TMP-10-5S	10/12/2020	80	160.6	417	
TMP-10-5S	10/12/2020	100	177.1	397	
TMP-10-5S	10/19/2020	20	102.0	477	
TMP-10-5S	10/19/2020	40	139.6	457	
TMP-10-5S	10/19/2020	60	149.1	437	
TMP-10-5S	10/19/2020	80	160.3	417	
TMP-10-5S	10/19/2020	100	177.0	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/21/2020	20	97.7	476	
TMP-5-9N	9/21/2020	40	140.1	456	
TMP-5-9N	9/21/2020	60	147.4	436	
TMP-5-9N	9/21/2020	80	227.3	416	
TMP-5-9N	9/21/2020	100	247.3	396	
TMP-5-9N	9/28/2020	20	99.2	476	
TMP-5-9N	9/28/2020	40	141.2	456	
TMP-5-9N	9/28/2020	60	148.3	436	
TMP-5-9N	9/28/2020	80	228.2	416	
TMP-5-9N	9/28/2020	100	248.4	396	
TMP-5-9N	10/5/2020	20	99.3	476	
TMP-5-9N	10/5/2020	40	140.7	456	
TMP-5-9N	10/5/2020	60	147.5	436	
TMP-5-9N	10/5/2020	80	227.9	416	
TMP-5-9N	10/5/2020	100	248.2	396	
TMP-5-9N	10/12/2020	20	99.1	476	
TMP-5-9N	10/12/2020	40	140.2	456	
TMP-5-9N	10/12/2020	60	147.0	436	
TMP-5-9N	10/12/2020	80	227.9	416	
TMP-5-9N	10/12/2020	100	248.1	396	
TMP-5-9N	10/19/2020	20	99.4	476	
TMP-5-9N	10/19/2020	40	140.1	456	
TMP-5-9N	10/19/2020	60	146.7	436	
TMP-5-9N	10/19/2020	80	227.7	416	
TMP-5-9N	10/19/2020	100	248.0	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/21/2020	20	111.3	476	
TMP-5-9S	9/21/2020	40	173.0	456	
TMP-5-9S	9/21/2020	60	210.2	436	
TMP-5-9S	9/21/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/21/2020	100			No readings could be obtained
TMP-5-9S	9/28/2020	20	112.6	476	
TMP-5-9S	9/28/2020	40	173.9	456	
TMP-5-9S	9/28/2020	60	211.4	436	
TMP-5-9S	9/28/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/28/2020	100			No readings could be obtained
TMP-5-9S	10/5/2020	20	112.5	476	
TMP-5-9S	10/5/2020	40	173.3	456	
TMP-5-9S	10/5/2020	60	210.5	436	
TMP-5-9S	10/5/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/5/2020	100			No readings could be obtained
TMP-5-9S	10/12/2020	20	113.0	476	
TMP-5-9S	10/12/2020	40	173.7	456	
TMP-5-9S	10/12/2020	60	211.3	436	
TMP-5-9S	10/12/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/12/2020	100			No readings could be obtained
TMP-5-9S	10/19/2020	20	113.1	476	
TMP-5-9S	10/19/2020	40	173.3	456	
TMP-5-9S	10/19/2020	60	210.9	436	
TMP-5-9S	10/19/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/19/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/21/2020	20	94.6	475	
TMP-5-5N	9/21/2020	40	104.7	455	
TMP-5-5N	9/21/2020	60	92.9	435	
TMP-5-5N	9/21/2020	80	223.2	415	
TMP-5-5N	9/21/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/28/2020	20	96.1	475	
TMP-5-5N	9/28/2020	40	107.2	455	
TMP-5-5N	9/28/2020	60	97.3	435	
TMP-5-5N	9/28/2020	80	224.2	415	
TMP-5-5N	9/28/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/5/2020	20	95.4	475	
TMP-5-5N	10/5/2020	40	103.7	455	
TMP-5-5N	10/5/2020	60	91.1	435	
TMP-5-5N	10/5/2020	80	223.9	415	
TMP-5-5N	10/5/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/12/2020	20	94.2	475	
TMP-5-5N	10/12/2020	40	103.5	455	
TMP-5-5N	10/12/2020	60	93.5	435	
TMP-5-5N	10/12/2020	80	222.2	415	
TMP-5-5N	10/12/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/19/2020	20	95.1	475	
TMP-5-5N	10/19/2020	40	102.2	455	
TMP-5-5N	10/19/2020	60	90.6	435	
TMP-5-5N	10/19/2020	80	222.0	415	
TMP-5-5N	10/19/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/21/2020	20	110.9	474	
TMP-5-5S	9/21/2020	40	165.4	454	
TMP-5-5S	9/21/2020	60	197.6	434	
TMP-5-5S	9/21/2020	80	233.5	414	
TMP-5-5S	9/21/2020	100	238.1	394	
TMP-5-5S	9/28/2020	20	111.5	474	
TMP-5-5S	9/28/2020	40	166.1	454	
TMP-5-5S	9/28/2020	60	198.5	434	
TMP-5-5S	9/28/2020	80	234.4	414	
TMP-5-5S	9/28/2020	100	238.9	394	
TMP-5-5S	10/5/2020	20	112.0	474	
TMP-5-5S	10/5/2020	40	166.0	454	
TMP-5-5S	10/5/2020	60	198.3	434	
TMP-5-5S	10/5/2020	80	234.0	414	
TMP-5-5S	10/5/2020	100	238.7	394	
TMP-5-5S	10/12/2020	20	112.2	474	
TMP-5-5S	10/12/2020	40	166.2	454	
TMP-5-5S	10/12/2020	60	198.8	434	
TMP-5-5S	10/12/2020	80	234.1	414	
TMP-5-5S	10/12/2020	100	239.0	394	
TMP-5-5S	10/19/2020	20	112.2	474	
TMP-5-5S	10/19/2020	40	165.8	454	
TMP-5-5S	10/19/2020	60	197.9	434	
TMP-5-5S	10/19/2020	80	233.9	414	
TMP-5-5S	10/19/2020	100	238.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/21/2020	20	155.1	474	
TMP-31	9/21/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/21/2020	120	268.3	374	
TMP-31	9/28/2020	20	152.7	474	
TMP-31	9/28/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/28/2020	120	268.2	374	
TMP-31	10/5/2020	20	154.7	474	
TMP-31	10/5/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/5/2020	120	268.9	374	
TMP-31	10/12/2020	20	152.5	474	
TMP-31	10/12/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/12/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/12/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/12/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/12/2020	120	267.9	374	
TMP-31	10/19/2020	20	152.7	474	
TMP-31	10/19/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/19/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/19/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/19/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/19/2020	120	268.0	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/21/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	60	225.4	444	
TMP-32	9/21/2020	80	241.3	424	
TMP-32	9/21/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/21/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	60	225.6	444	
TMP-32	9/28/2020	80	241.3	424	
TMP-32	9/28/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/28/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	60	225.5	444	
TMP-32	10/5/2020	80	241.4	424	
TMP-32	10/5/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/5/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	60	225.4	444	
TMP-32	10/12/2020	80	240.9	424	
TMP-32	10/12/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/12/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	60	225.4	444	
TMP-32	10/19/2020	80	240.9	424	
TMP-32	10/19/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/19/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	9/21/2020	20	135.1	473	
TMP-SPM1	9/21/2020	40	158.4	453	
TMP-SPM1	9/21/2020	60	174.7	433	
TMP-SPM1	9/21/2020	80	165.9	413	
TMP-SPM1	9/21/2020	100	166.0	393	
TMP-SPM1	9/21/2020	120	161.8	373	
TMP-SPM1	9/21/2020	140	152.0	353	
TMP-SPM1	9/21/2020	160	133.9	333	
TMP-SPM1	9/21/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/21/2020	200	104.9	293	
TMP-SPM1	9/21/2020	220	91.5	273	
TMP-SPM1	9/21/2020	240	88.3	253	
TMP-SPM1	9/28/2020	20	136.0	473	
TMP-SPM1	9/28/2020	40	158.7	453	
TMP-SPM1	9/28/2020	60	175.3	433	
TMP-SPM1	9/28/2020	80	166.7	413	
TMP-SPM1	9/28/2020	100	166.7	393	
TMP-SPM1	9/28/2020	120	162.4	373	
TMP-SPM1	9/28/2020	140	152.6	353	
TMP-SPM1	9/28/2020	160	134.5	333	
TMP-SPM1	9/28/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/28/2020	200	105.7	293	
TMP-SPM1	9/28/2020	220	92.2	273	
TMP-SPM1	9/28/2020	240	89.0	253	
TMP-SPM1	10/5/2020	20	136.0	473	
TMP-SPM1	10/5/2020	40	158.9	453	
TMP-SPM1	10/5/2020	60	175.6	433	
TMP-SPM1	10/5/2020	80	167.1	413	
TMP-SPM1	10/5/2020	100	167.2	393	
TMP-SPM1	10/5/2020	120	163.0	373	
TMP-SPM1	10/5/2020	140	153.3	353	
TMP-SPM1	10/5/2020	160	135.2	333	
TMP-SPM1	10/5/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/5/2020	200	106.2	293	
TMP-SPM1	10/5/2020	220	92.7	273	
TMP-SPM1	10/5/2020	240	89.3	253	
TMP-SPM1	10/12/2020	20	135.6	473	
TMP-SPM1	10/12/2020	40	158.0	453	
TMP-SPM1	10/12/2020	60	174.8	433	
TMP-SPM1	10/12/2020	80	166.2	413	
TMP-SPM1	10/12/2020	100	166.7	393	
TMP-SPM1	10/12/2020	120	162.3	373	
TMP-SPM1	10/12/2020	140	152.4	353	
TMP-SPM1	10/12/2020	160	134.4	333	
TMP-SPM1	10/12/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/12/2020	200	105.4	293	
TMP-SPM1	10/12/2020	220	92.0	273	
TMP-SPM1	10/12/2020	240	88.7	253	
TMP-SPM1	10/19/2020	20	135.9	473	
TMP-SPM1	10/19/2020	40	158.4	453	
TMP-SPM1	10/19/2020	60	175.1	433	
TMP-SPM1	10/19/2020	80	166.8	413	
TMP-SPM1	10/19/2020	100	166.9	393	
TMP-SPM1	10/19/2020	120	162.8	373	
TMP-SPM1	10/19/2020	140	153.1	353	
TMP-SPM1	10/19/2020	160	134.9	333	
TMP-SPM1	10/19/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/19/2020	200	106.1	293	
TMP-SPM1	10/19/2020	220	92.8	273	
TMP-SPM1	10/19/2020	240	89.5	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	9/21/2020	20	123.9	475	
TMP-SPM2	9/21/2020	40	147.1	455	
TMP-SPM2	9/21/2020	60	141.9	435	
TMP-SPM2	9/21/2020	80	159.8	415	
TMP-SPM2	9/21/2020	100	180.1	395	
TMP-SPM2	9/21/2020	120	181.4	375	
TMP-SPM2	9/21/2020	140	184.7	355	
TMP-SPM2	9/21/2020	160	162.5	335	
TMP-SPM2	9/21/2020	172	146.7	323	
TMP-SPM2	9/28/2020	20	125.1	475	
TMP-SPM2	9/28/2020	40	148.1	455	
TMP-SPM2	9/28/2020	60	143.0	435	
TMP-SPM2	9/28/2020	80	160.9	415	
TMP-SPM2	9/28/2020	100	181.0	395	
TMP-SPM2	9/28/2020	120	182.5	375	
TMP-SPM2	9/28/2020	140	185.8	355	
TMP-SPM2	9/28/2020	160	163.8	335	
TMP-SPM2	9/28/2020	172	148.1	323	
TMP-SPM2	10/5/2020	20	124.3	475	
TMP-SPM2	10/5/2020	40	146.8	455	
TMP-SPM2	10/5/2020	60	141.6	435	
TMP-SPM2	10/5/2020	80	159.5	415	
TMP-SPM2	10/5/2020	100	179.7	395	
TMP-SPM2	10/5/2020	120	181.4	375	
TMP-SPM2	10/5/2020	140	184.8	355	
TMP-SPM2	10/5/2020	160	162.9	335	
TMP-SPM2	10/5/2020	172	147.3	323	
TMP-SPM2	10/12/2020	20	124.5	475	
TMP-SPM2	10/12/2020	40	147.2	455	
TMP-SPM2	10/12/2020	60	142.0	435	
TMP-SPM2	10/12/2020	80	159.7	415	
TMP-SPM2	10/12/2020	100	179.9	395	
TMP-SPM2	10/12/2020	120	181.7	375	
TMP-SPM2	10/12/2020	140	185.2	355	
TMP-SPM2	10/12/2020	160	163.4	335	
TMP-SPM2	10/12/2020	172	147.7	323	
TMP-SPM2	10/19/2020	20	125.5	475	
TMP-SPM2	10/19/2020	40	148.2	455	
TMP-SPM2	10/19/2020	60	143.1	435	
TMP-SPM2	10/19/2020	80	160.8	415	
TMP-SPM2	10/19/2020	100	180.8	395	
TMP-SPM2	10/19/2020	120	182.7	375	
TMP-SPM2	10/19/2020	140	186.1	355	
TMP-SPM2	10/19/2020	160	164.4	335	
TMP-SPM2	10/19/2020	172	148.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	9/21/2020	20	108.4	478	
TMP-SPM3	9/21/2020	40	107.7	458	
TMP-SPM3	9/21/2020	60	101.7	438	
TMP-SPM3	9/21/2020	80	106.3	418	
TMP-SPM3	9/21/2020	85	108.5	413	
TMP-SPM3	9/28/2020	20	109.9	478	
TMP-SPM3	9/28/2020	40	109.1	458	
TMP-SPM3	9/28/2020	60	103.2	438	
TMP-SPM3	9/28/2020	80	108.0	418	
TMP-SPM3	9/28/2020	85	110.2	413	
TMP-SPM3	10/5/2020	20	108.4	478	
TMP-SPM3	10/5/2020	40	107.3	458	
TMP-SPM3	10/5/2020	60	101.2	438	
TMP-SPM3	10/5/2020	80	106.0	418	
TMP-SPM3	10/5/2020	85	108.0	413	
TMP-SPM3	10/12/2020	20	109.6	478	
TMP-SPM3	10/12/2020	40	108.5	458	
TMP-SPM3	10/12/2020	60	102.5	438	
TMP-SPM3	10/12/2020	80	107.2	418	
TMP-SPM3	10/12/2020	85	109.3	413	
TMP-SPM3	10/19/2020	20	110.7	478	
TMP-SPM3	10/19/2020	40	109.6	458	
TMP-SPM3	10/19/2020	60	103.7	438	
TMP-SPM3	10/19/2020	80	108.6	418	
TMP-SPM3	10/19/2020	85	110.6	413	