

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	10/5/2020	18	104.5	451	
TMP-1	10/5/2020	38	134.6	431	
TMP-1	10/5/2020	58	141.9	411	
TMP-1	10/5/2020	78	140.4	391	
TMP-1	10/5/2020	98	132.7	371	
TMP-1	10/5/2020	118	122.4	351	
TMP-1	10/5/2020	138	114.4	331	
TMP-1	10/12/2020	18	105.4	451	
TMP-1	10/12/2020	38	135.4	431	
TMP-1	10/12/2020	58	142.6	411	
TMP-1	10/12/2020	78	141.0	391	
TMP-1	10/12/2020	98	133.1	371	
TMP-1	10/12/2020	118	122.6	351	
TMP-1	10/12/2020	138	114.7	331	
TMP-1	10/19/2020	18	105.6	451	
TMP-1	10/19/2020	38	135.1	431	
TMP-1	10/19/2020	58	142.5	411	
TMP-1	10/19/2020	78	141.0	391	
TMP-1	10/19/2020	98	133.4	371	
TMP-1	10/19/2020	118	122.8	351	
TMP-1	10/19/2020	138	115.0	331	
TMP-1	10/26/2020	18	105.7	451	
TMP-1	10/26/2020	38	134.8	431	
TMP-1	10/26/2020	58	142.6	411	
TMP-1	10/26/2020	78	141.0	391	
TMP-1	10/26/2020	98	133.3	371	
TMP-1	10/26/2020	118	123.0	351	
TMP-1	10/26/2020	138	114.9	331	
TMP-1	11/2/2020	18	105.6	451	
TMP-1	11/2/2020	38	134.7	431	
TMP-1	11/2/2020	58	142.7	411	
TMP-1	11/2/2020	78	141.3	391	
TMP-1	11/2/2020	98	133.4	371	
TMP-1	11/2/2020	118	123.1	351	
TMP-1	11/2/2020	138	115.3	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	10/5/2020	20	115.6	440	
TMP-2R	10/5/2020	40	151.4	420	
TMP-2R	10/5/2020	60	162.6	400	
TMP-2R	10/5/2020	80	169.0	380	
TMP-2R	10/5/2020	100	166.8	360	
TMP-2R	10/5/2020	120	158.3	340	
TMP-2R	10/5/2020	140	152.7	320	
TMP-2R	10/5/2020	160	145.6	300	
TMP-2R	10/5/2020	180	132.9	280	
TMP-2R	10/12/2020	20	115.3	440	
TMP-2R	10/12/2020	40	151.0	420	
TMP-2R	10/12/2020	60	162.1	400	
TMP-2R	10/12/2020	80	168.3	380	
TMP-2R	10/12/2020	100	165.9	360	
TMP-2R	10/12/2020	120	157.3	340	
TMP-2R	10/12/2020	140	151.5	320	
TMP-2R	10/12/2020	160	144.5	300	
TMP-2R	10/12/2020	180	131.8	280	
TMP-2R	10/19/2020	20	116.3	440	
TMP-2R	10/19/2020	40	152.1	420	
TMP-2R	10/19/2020	60	163.1	400	
TMP-2R	10/19/2020	80	169.2	380	
TMP-2R	10/19/2020	100	166.7	360	
TMP-2R	10/19/2020	120	158.0	340	
TMP-2R	10/19/2020	140	152.3	320	
TMP-2R	10/19/2020	160	145.1	300	
TMP-2R	10/19/2020	180	132.3	280	
TMP-2R	10/26/2020	20	116.4	440	
TMP-2R	10/26/2020	40	152.2	420	
TMP-2R	10/26/2020	60	163.2	400	
TMP-2R	10/26/2020	80	169.3	380	
TMP-2R	10/26/2020	100	166.8	360	
TMP-2R	10/26/2020	120	158.1	340	
TMP-2R	10/26/2020	140	152.4	320	
TMP-2R	10/26/2020	160	145.2	300	
TMP-2R	10/26/2020	180	132.4	280	
TMP-2R	11/2/2020	20	115.8	440	
TMP-2R	11/2/2020	40	151.5	420	
TMP-2R	11/2/2020	60	162.6	400	
TMP-2R	11/2/2020	80	168.9	380	
TMP-2R	11/2/2020	100	166.5	360	
TMP-2R	11/2/2020	120	157.9	340	
TMP-2R	11/2/2020	140	152.3	320	
TMP-2R	11/2/2020	160	145.2	300	
TMP-2R	11/2/2020	180	132.4	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	10/5/2020	30	138.4	470	
TMP-3	10/5/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/5/2020	150	137.0	350	
TMP-3	10/5/2020	190	118.9	310	
TMP-3	10/5/2020	230	98.9	270	
TMP-3	10/12/2020	30	138.8	470	
TMP-3	10/12/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/12/2020	150	137.4	350	
TMP-3	10/12/2020	190	119.4	310	
TMP-3	10/12/2020	230	99.4	270	
TMP-3	10/19/2020	30	139.4	470	
TMP-3	10/19/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/19/2020	150	137.9	350	
TMP-3	10/19/2020	190	119.7	310	
TMP-3	10/19/2020	230	100.2	270	
TMP-3	10/26/2020	30	138.8	470	
TMP-3	10/26/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/26/2020	150	137.3	350	
TMP-3	10/26/2020	190	119.2	310	
TMP-3	10/26/2020	230	100.0	270	
TMP-3	11/2/2020	30	138.4	470	
TMP-3	11/2/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/2/2020	150	136.7	350	
TMP-3	11/2/2020	190	119.0	310	
TMP-3	11/2/2020	230	99.6	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	10/5/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	10/5/2020	40	149.5	459	
TMP-3R	10/5/2020	60	151.7	439	
TMP-3R	10/5/2020	80	152.6	419	
TMP-3R	10/5/2020	100	150.6	399	
TMP-3R	10/5/2020	120	147.1	379	
TMP-3R	10/5/2020	140	140.3	359	
TMP-3R	10/5/2020	160	134.3	339	
TMP-3R	10/5/2020	180	125.2	319	
TMP-3R	10/5/2020	200	113.7	299	
TMP-3R	10/5/2020	218	102.8	281	
TMP-3R	10/12/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	10/12/2020	40	149.1	459	
TMP-3R	10/12/2020	60	151.3	439	
TMP-3R	10/12/2020	80	152.1	419	
TMP-3R	10/12/2020	100	150.4	399	
TMP-3R	10/12/2020	120	146.7	379	
TMP-3R	10/12/2020	140	139.9	359	
TMP-3R	10/12/2020	160	134.0	339	
TMP-3R	10/12/2020	180	125.0	319	
TMP-3R	10/12/2020	200	113.5	299	
TMP-3R	10/12/2020	218	102.8	281	
TMP-3R	10/19/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	10/19/2020	40	149.9	459	
TMP-3R	10/19/2020	60	152.1	439	
TMP-3R	10/19/2020	80	153.1	419	
TMP-3R	10/19/2020	100	151.2	399	
TMP-3R	10/19/2020	120	147.6	379	
TMP-3R	10/19/2020	140	140.8	359	
TMP-3R	10/19/2020	160	134.8	339	
TMP-3R	10/19/2020	180	125.8	319	
TMP-3R	10/19/2020	200	114.4	299	
TMP-3R	10/19/2020	218	103.7	281	
TMP-3R	10/26/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	10/26/2020	40	150.0	459	
TMP-3R	10/26/2020	60	152.2	439	
TMP-3R	10/26/2020	80	153.2	419	
TMP-3R	10/26/2020	100	151.4	399	
TMP-3R	10/26/2020	120	147.7	379	
TMP-3R	10/26/2020	140	140.8	359	
TMP-3R	10/26/2020	160	134.9	339	
TMP-3R	10/26/2020	180	126.0	319	
TMP-3R	10/26/2020	200	114.5	299	
TMP-3R	10/26/2020	218	103.9	281	
TMP-3R	11/2/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	11/2/2020	40	149.7	459	
TMP-3R	11/2/2020	60	151.9	439	
TMP-3R	11/2/2020	80	152.7	419	
TMP-3R	11/2/2020	100	150.9	399	
TMP-3R	11/2/2020	120	147.2	379	
TMP-3R	11/2/2020	140	140.3	359	
TMP-3R	11/2/2020	160	134.4	339	
TMP-3R	11/2/2020	180	125.4	319	
TMP-3R	11/2/2020	200	113.9	299	
TMP-3R	11/2/2020	218	103.2	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	10/5/2020	28	105.7	472	
TMP-4	10/12/2020	28	105.8	472	
TMP-4	10/19/2020	28	104.5	472	
TMP-4	10/26/2020	28	105.7	472	
TMP-4	11/2/2020	28	106.1	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	10/5/2020	10	96.0	489	
TMP-4R	10/5/2020	20	99.4	479	
TMP-4R	10/5/2020	29	106.0	470	
TMP-4R	10/12/2020	10	95.9	489	
TMP-4R	10/12/2020	20	99.1	479	
TMP-4R	10/12/2020	29	105.6	470	
TMP-4R	10/19/2020	10	96.7	489	
TMP-4R	10/19/2020	20	99.9	479	
TMP-4R	10/19/2020	29	106.2	470	
TMP-4R	10/26/2020	10	95.9	489	
TMP-4R	10/26/2020	20	99.7	479	
TMP-4R	10/26/2020	29	105.8	470	
TMP-4R	11/2/2020	10	96.1	489	
TMP-4R	11/2/2020	20	100.1	479	
TMP-4R	11/2/2020	29	106.0	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	10/5/2020	15	116.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	10/5/2020	95	152.3	392	
TMP-6	10/5/2020	115	148.5	372	
TMP-6	10/5/2020	135	140.1	352	
TMP-6	10/12/2020	15	116.4	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	10/12/2020	95	152.4	392	
TMP-6	10/12/2020	115	148.6	372	
TMP-6	10/12/2020	135	140.1	352	
TMP-6	10/19/2020	15	115.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	10/19/2020	95	152.3	392	
TMP-6	10/19/2020	115	148.3	372	
TMP-6	10/19/2020	135	139.8	352	
TMP-6	10/26/2020	15	115.6	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	10/26/2020	95	152.6	392	
TMP-6	10/26/2020	115	149.1	372	
TMP-6	10/26/2020	135	140.6	352	
TMP-6	11/2/2020	15	118.3	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	11/2/2020	95	152.4	392	
TMP-6	11/2/2020	115	149.1	372	
TMP-6	11/2/2020	135	140.5	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	10/5/2020	40	189.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	10/12/2020	40	190.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	10/19/2020	40	190.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	10/26/2020	40	190.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	11/2/2020	40	189.8	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	10/5/2020	20	101.7	448	
TMP-11R	10/5/2020	40	116.1	428	
TMP-11R	10/5/2020	60	117.1	408	
TMP-11R	10/5/2020	80	117.2	388	
TMP-11R	10/5/2020	100	110.7	368	
TMP-11R	10/5/2020	120	105.2	348	
TMP-11R	10/12/2020	20	103.0	448	
TMP-11R	10/12/2020	40	117.0	428	
TMP-11R	10/12/2020	60	117.7	408	
TMP-11R	10/12/2020	80	117.5	388	
TMP-11R	10/12/2020	100	110.6	368	
TMP-11R	10/12/2020	120	104.8	348	
TMP-11R	10/19/2020	20	102.6	448	
TMP-11R	10/19/2020	40	116.7	428	
TMP-11R	10/19/2020	60	117.4	408	
TMP-11R	10/19/2020	80	117.3	388	
TMP-11R	10/19/2020	100	110.4	368	
TMP-11R	10/19/2020	120	104.7	348	
TMP-11R	10/26/2020	20	103.1	448	
TMP-11R	10/26/2020	40	117.1	428	
TMP-11R	10/26/2020	60	117.8	408	
TMP-11R	10/26/2020	80	117.6	388	
TMP-11R	10/26/2020	100	110.7	368	
TMP-11R	10/26/2020	120	104.9	348	
TMP-11R	11/2/2020	20	103.2	448	
TMP-11R	11/2/2020	40	117.4	428	
TMP-11R	11/2/2020	60	118.5	408	
TMP-11R	11/2/2020	80	118.6	388	
TMP-11R	11/2/2020	100	112.2	368	
TMP-11R	11/2/2020	120	106.8	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	10/5/2020	20	109.9	470	
TMP-14R2	10/5/2020	40	164.6	450	
TMP-14R2	10/5/2020	60	187.1	430	
TMP-14R2	10/5/2020	80	193.5	410	
TMP-14R2	10/5/2020	100	213.1	390	
TMP-14R2	10/5/2020	120	213.2	370	
TMP-14R2	10/5/2020	140	203.6	350	
TMP-14R2	10/5/2020	160	169.7	330	
TMP-14R2	10/5/2020	180	147.2	310	
TMP-14R2	10/5/2020	200	124.3	290	
TMP-14R2	10/5/2020	220	100.1	270	
TMP-14R2	10/5/2020	228	95.0	262	
TMP-14R2	10/12/2020	20	110.3	470	
TMP-14R2	10/12/2020	40	165.0	450	
TMP-14R2	10/12/2020	60	187.3	430	
TMP-14R2	10/12/2020	80	193.5	410	
TMP-14R2	10/12/2020	100	213.0	390	
TMP-14R2	10/12/2020	120	213.1	370	
TMP-14R2	10/12/2020	140	203.5	350	
TMP-14R2	10/12/2020	160	169.7	330	
TMP-14R2	10/12/2020	180	147.1	310	
TMP-14R2	10/12/2020	200	124.1	290	
TMP-14R2	10/12/2020	220	100.0	270	
TMP-14R2	10/12/2020	228	95.0	262	
TMP-14R2	10/19/2020	20	111.1	470	
TMP-14R2	10/19/2020	40	165.2	450	
TMP-14R2	10/19/2020	60	187.4	430	
TMP-14R2	10/19/2020	80	193.7	410	
TMP-14R2	10/19/2020	100	213.3	390	
TMP-14R2	10/19/2020	120	213.4	370	
TMP-14R2	10/19/2020	140	203.8	350	
TMP-14R2	10/19/2020	160	170.1	330	
TMP-14R2	10/19/2020	180	147.5	310	
TMP-14R2	10/19/2020	200	124.6	290	
TMP-14R2	10/19/2020	220	100.4	270	
TMP-14R2	10/19/2020	228	95.4	262	
TMP-14R2	10/26/2020	20	111.1	470	
TMP-14R2	10/26/2020	40	164.8	450	
TMP-14R2	10/26/2020	60	187.1	430	
TMP-14R2	10/26/2020	80	193.5	410	
TMP-14R2	10/26/2020	100	213.1	390	
TMP-14R2	10/26/2020	120	213.2	370	
TMP-14R2	10/26/2020	140	203.6	350	
TMP-14R2	10/26/2020	160	170.6	330	
TMP-14R2	10/26/2020	180	147.5	310	
TMP-14R2	10/26/2020	200	124.6	290	
TMP-14R2	10/26/2020	220	100.3	270	
TMP-14R2	10/26/2020	228	95.3	262	
TMP-14R2	11/2/2020	20	111.4	470	
TMP-14R2	11/2/2020	40	164.7	450	
TMP-14R2	11/2/2020	60	187.0	430	
TMP-14R2	11/2/2020	80	193.5	410	
TMP-14R2	11/2/2020	100	213.2	390	
TMP-14R2	11/2/2020	120	213.6	370	
TMP-14R2	11/2/2020	140	204.1	350	
TMP-14R2	11/2/2020	160	172.0	330	
TMP-14R2	11/2/2020	180	148.1	310	
TMP-14R2	11/2/2020	200	125.1	290	
TMP-14R2	11/2/2020	220	100.8	270	
TMP-14R2	11/2/2020	228	95.7	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	10/5/2020	20	109.4	491	
TMP-16R	10/5/2020	40	148.7	471	
TMP-16R	10/5/2020	60	163.7	451	
TMP-16R	10/5/2020	80	166.4	431	
TMP-16R	10/5/2020	100	158.9	411	
TMP-16R	10/5/2020	120	149.6	391	
TMP-16R	10/5/2020	140	146.0	371	
TMP-16R	10/5/2020	160	119.4	351	
TMP-16R	10/5/2020	180	112.1	331	
TMP-16R	10/5/2020	200	99.1	311	
TMP-16R	10/5/2020	220	94.9	291	
TMP-16R	10/5/2020	230	93.7	281	
TMP-16R	10/12/2020	20	109.9	491	
TMP-16R	10/12/2020	40	149.1	471	
TMP-16R	10/12/2020	60	164.2	451	
TMP-16R	10/12/2020	80	167.0	431	
TMP-16R	10/12/2020	100	159.6	411	
TMP-16R	10/12/2020	120	150.6	391	
TMP-16R	10/12/2020	140	146.8	371	
TMP-16R	10/12/2020	160	120.5	351	
TMP-16R	10/12/2020	180	113.0	331	
TMP-16R	10/12/2020	200	99.8	311	
TMP-16R	10/12/2020	220	95.5	291	
TMP-16R	10/12/2020	230	94.5	281	
TMP-16R	10/19/2020	20	112.1	491	
TMP-16R	10/19/2020	40	151.2	471	
TMP-16R	10/19/2020	60	166.2	451	
TMP-16R	10/19/2020	80	169.1	431	
TMP-16R	10/19/2020	100	161.4	411	
TMP-16R	10/19/2020	120	152.4	391	
TMP-16R	10/19/2020	140	148.6	371	
TMP-16R	10/19/2020	160	122.5	351	
TMP-16R	10/19/2020	180	115.0	331	
TMP-16R	10/19/2020	200	101.9	311	
TMP-16R	10/19/2020	220	97.6	291	
TMP-16R	10/19/2020	230	96.7	281	
TMP-16R	10/26/2020	20	111.0	491	
TMP-16R	10/26/2020	40	150.0	471	
TMP-16R	10/26/2020	60	165.0	451	
TMP-16R	10/26/2020	80	168.0	431	
TMP-16R	10/26/2020	100	160.4	411	
TMP-16R	10/26/2020	120	151.4	391	
TMP-16R	10/26/2020	140	147.5	371	
TMP-16R	10/26/2020	160	121.5	351	
TMP-16R	10/26/2020	180	113.9	331	
TMP-16R	10/26/2020	200	100.8	311	
TMP-16R	10/26/2020	220	96.5	291	
TMP-16R	10/26/2020	230	95.8	281	
TMP-16R	11/2/2020	20	110.2	491	
TMP-16R	11/2/2020	40	149.4	471	
TMP-16R	11/2/2020	60	164.5	451	
TMP-16R	11/2/2020	80	167.4	431	
TMP-16R	11/2/2020	100	159.9	411	
TMP-16R	11/2/2020	120	150.8	391	
TMP-16R	11/2/2020	140	147.0	371	
TMP-16R	11/2/2020	160	120.8	351	
TMP-16R	11/2/2020	180	113.0	331	
TMP-16R	11/2/2020	200	99.7	311	
TMP-16R	11/2/2020	220	95.2	291	
TMP-16R	11/2/2020	230	94.0	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	10/5/2020	20	110.7	496	
TMP-17	10/5/2020	40	143.0	476	
TMP-17	10/5/2020	60	157.4	456	
TMP-17	10/5/2020	80	158.7	436	
TMP-17	10/5/2020	100	155.0	416	
TMP-17	10/5/2020	120	149.1	396	
TMP-17	10/5/2020	140	141.8	376	
TMP-17	10/5/2020	160	130.1	356	
TMP-17	10/5/2020	180	121.8	336	
TMP-17	10/5/2020	200	114.3	316	
TMP-17	10/5/2020	220	107.5	296	
TMP-17	10/5/2020	237	100.8	279	
TMP-17	10/12/2020	20	110.4	496	
TMP-17	10/12/2020	40	143.3	476	
TMP-17	10/12/2020	60	157.4	456	
TMP-17	10/12/2020	80	158.6	436	
TMP-17	10/12/2020	100	154.8	416	
TMP-17	10/12/2020	120	148.8	396	
TMP-17	10/12/2020	140	141.7	376	
TMP-17	10/12/2020	160	129.9	356	
TMP-17	10/12/2020	180	121.8	336	
TMP-17	10/12/2020	200	114.2	316	
TMP-17	10/12/2020	220	107.5	296	
TMP-17	10/12/2020	237	100.6	279	
TMP-17	10/19/2020	20	110.8	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	10/19/2020	40	142.9	476	
TMP-17	10/19/2020	60	157.2	456	
TMP-17	10/19/2020	80	158.4	436	
TMP-17	10/19/2020	100	154.8	416	
TMP-17	10/19/2020	120	148.6	396	
TMP-17	10/19/2020	140	141.5	376	
TMP-17	10/19/2020	160	129.9	356	
TMP-17	10/19/2020	180	122.0	336	
TMP-17	10/19/2020	200	114.2	316	
TMP-17	10/19/2020	220	107.4	296	
TMP-17	10/19/2020	237	100.4	279	
TMP-17	10/26/2020	20	111.1	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	10/26/2020	40	143.4	476	
TMP-17	10/26/2020	60	157.5	456	
TMP-17	10/26/2020	80	158.8	436	
TMP-17	10/26/2020	100	155.1	416	
TMP-17	10/26/2020	120	148.5	396	
TMP-17	10/26/2020	140	141.8	376	
TMP-17	10/26/2020	160	130.2	356	
TMP-17	10/26/2020	180	122.5	336	
TMP-17	10/26/2020	200	114.6	316	
TMP-17	10/26/2020	220	107.8	296	
TMP-17	10/26/2020	237	100.7	279	
TMP-17	11/2/2020	20	111.4	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	11/2/2020	40	143.6	476	
TMP-17	11/2/2020	60	157.9	456	
TMP-17	11/2/2020	80	159.2	436	
TMP-17	11/2/2020	100	155.4	416	
TMP-17	11/2/2020	120	149.2	396	
TMP-17	11/2/2020	140	142.3	376	
TMP-17	11/2/2020	160	130.4	356	
TMP-17	11/2/2020	180	123.3	336	
TMP-17	11/2/2020	200	115.3	316	
TMP-17	11/2/2020	220	108.2	296	
TMP-17	11/2/2020	237	101.4	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	10/5/2020	20	96.9	489	
TMP-18	10/5/2020	39	132.5	470	
TMP-18	10/5/2020	58	146.7	451	
TMP-18	10/5/2020	77	147.2	432	
TMP-18	10/5/2020	96	142.6	413	
TMP-18	10/5/2020	115	136.2	394	
TMP-18	10/5/2020	134	129.8	375	
TMP-18	10/5/2020	153	124.4	356	
TMP-18	10/5/2020	172	118.9	337	
TMP-18	10/5/2020	191	114.3	318	
TMP-18	10/5/2020	210	109.4	299	
TMP-18	10/5/2020	227	106.5	282	
TMP-18	10/12/2020	20	97.2	489	
TMP-18	10/12/2020	39	132.5	470	
TMP-18	10/12/2020	58	146.5	451	
TMP-18	10/12/2020	77	146.9	432	
TMP-18	10/12/2020	96	141.6	413	
TMP-18	10/12/2020	115	135.7	394	
TMP-18	10/12/2020	134	129.1	375	
TMP-18	10/12/2020	153	123.2	356	
TMP-18	10/12/2020	172	117.7	337	
TMP-18	10/12/2020	191	113.0	318	
TMP-18	10/12/2020	210	108.1	299	
TMP-18	10/12/2020	227	105.0	282	
TMP-18	10/19/2020	20	97.8	489	
TMP-18	10/19/2020	39	133.0	470	
TMP-18	10/19/2020	58	147.0	451	
TMP-18	10/19/2020	77	147.3	432	
TMP-18	10/19/2020	96	142.0	413	
TMP-18	10/19/2020	115	136.1	394	
TMP-18	10/19/2020	134	129.6	375	
TMP-18	10/19/2020	153	123.7	356	
TMP-18	10/19/2020	172	118.2	337	
TMP-18	10/19/2020	191	113.4	318	
TMP-18	10/19/2020	210	108.7	299	
TMP-18	10/19/2020	227	105.6	282	
TMP-18	10/26/2020	20	98.2	489	
TMP-18	10/26/2020	39	133.2	470	
TMP-18	10/26/2020	58	147.1	451	
TMP-18	10/26/2020	77	147.5	432	
TMP-18	10/26/2020	96	142.2	413	
TMP-18	10/26/2020	115	136.3	394	
TMP-18	10/26/2020	134	129.7	375	
TMP-18	10/26/2020	153	123.8	356	
TMP-18	10/26/2020	172	118.4	337	
TMP-18	10/26/2020	191	113.5	318	
TMP-18	10/26/2020	210	109.0	299	
TMP-18	10/26/2020	227	105.8	282	
TMP-18	11/2/2020	20	96.0	489	
TMP-18	11/2/2020	39	131.1	470	
TMP-18	11/2/2020	58	145.3	451	
TMP-18	11/2/2020	77	145.7	432	
TMP-18	11/2/2020	96	141.2	413	
TMP-18	11/2/2020	115	135.0	394	
TMP-18	11/2/2020	134	128.6	375	
TMP-18	11/2/2020	153	123.2	356	
TMP-18	11/2/2020	172	118.0	337	
TMP-18	11/2/2020	191	113.4	318	
TMP-18	11/2/2020	210	108.7	299	
TMP-18	11/2/2020	227	105.8	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	10/5/2020	13	83.3	461	
TMP-21	10/5/2020	26	94.9	448	
TMP-21	10/5/2020	41	94.1	433	
TMP-21	10/12/2020	13	83.1	461	
TMP-21	10/12/2020	26	93.9	448	
TMP-21	10/12/2020	41	93.1	433	
TMP-21	10/19/2020	13	83.7	461	
TMP-21	10/19/2020	26	94.5	448	
TMP-21	10/19/2020	41	94.0	433	
TMP-21	10/26/2020	13	84.1	461	
TMP-21	10/26/2020	26	94.6	448	
TMP-21	10/26/2020	41	93.9	433	
TMP-21	11/2/2020	13	83.6	461	
TMP-21	11/2/2020	26	94.6	448	
TMP-21	11/2/2020	41	94.0	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	10/5/2020	15	94.8	474	
TMP-22	10/5/2020	31	119.3	458	
TMP-22	10/5/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	10/5/2020	70	116.7	419	
TMP-22	10/12/2020	15	95.3	474	
TMP-22	10/12/2020	31	119.7	458	
TMP-22	10/12/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	10/12/2020	70	116.9	419	
TMP-22	10/19/2020	15	97.3	474	
TMP-22	10/19/2020	31	121.7	458	
TMP-22	10/19/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	10/19/2020	70	119.0	419	
TMP-22	10/26/2020	15	95.9	474	
TMP-22	10/26/2020	31	120.3	458	
TMP-22	10/26/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	10/26/2020	70	117.7	419	
TMP-22	11/2/2020	15	96.3	474	
TMP-22	11/2/2020	31	120.5	458	
TMP-22	11/2/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	11/2/2020	70	117.6	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	10/5/2020	20	106.5	477	
TMP-23	10/5/2020	38	132.1	459	
TMP-23	10/5/2020	56	137.9	441	
TMP-23	10/5/2020	74	131.1	423	
TMP-23	10/5/2020	92	122.8	405	
TMP-23	10/5/2020	106	114.9	391	
TMP-23	10/12/2020	20	104.6	477	
TMP-23	10/12/2020	38	130.6	459	
TMP-23	10/12/2020	56	136.5	441	
TMP-23	10/12/2020	74	129.8	423	
TMP-23	10/12/2020	92	121.7	405	
TMP-23	10/12/2020	106	113.8	391	
TMP-23	10/19/2020	20	107.1	477	
TMP-23	10/19/2020	38	133.0	459	
TMP-23	10/19/2020	56	138.8	441	
TMP-23	10/19/2020	74	132.0	423	
TMP-23	10/19/2020	92	123.7	405	
TMP-23	10/19/2020	106	115.7	391	
TMP-23	10/26/2020	20	107.3	477	
TMP-23	10/26/2020	38	132.9	459	
TMP-23	10/26/2020	56	138.7	441	
TMP-23	10/26/2020	74	131.9	423	
TMP-23	10/26/2020	92	123.6	405	
TMP-23	10/26/2020	106	115.5	391	
TMP-23	11/2/2020	20	108.0	477	
TMP-23	11/2/2020	38	133.2	459	
TMP-23	11/2/2020	56	139.0	441	
TMP-23	11/2/2020	74	132.2	423	
TMP-23	11/2/2020	92	123.9	405	
TMP-23	11/2/2020	106	115.7	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	10/5/2020	20	94.8	492	
TMP-24	10/5/2020	40	123.2	472	
TMP-24	10/5/2020	60	137.7	452	
TMP-24	10/5/2020	67	139.0	445	
TMP-24	10/12/2020	20	95.9	492	
TMP-24	10/12/2020	40	124.4	472	
TMP-24	10/12/2020	60	138.9	452	
TMP-24	10/12/2020	67	140.1	445	
TMP-24	10/19/2020	20	95.3	492	
TMP-24	10/19/2020	40	123.4	472	
TMP-24	10/19/2020	60	138.0	452	
TMP-24	10/19/2020	67	139.2	445	
TMP-24	10/26/2020	20	95.6	492	
TMP-24	10/26/2020	40	123.7	472	
TMP-24	10/26/2020	60	138.2	452	
TMP-24	10/26/2020	67	139.5	445	
TMP-24	11/2/2020	20	96.4	492	
TMP-24	11/2/2020	40	124.8	472	
TMP-24	11/2/2020	60	139.2	452	
TMP-24	11/2/2020	67	140.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	10/5/2020	20	102.5	493	
TMP-25R	10/5/2020	40	132.2	473	
TMP-25R	10/5/2020	60	157.0	453	
TMP-25R	10/5/2020	80	161.4	433	
TMP-25R	10/5/2020	100	158.2	413	
TMP-25R	10/5/2020	120	149.1	393	
TMP-25R	10/5/2020	140	138.9	373	
TMP-25R	10/5/2020	160	128.9	353	
TMP-25R	10/5/2020	180	120.6	333	
TMP-25R	10/5/2020	200	112.2	313	
TMP-25R	10/5/2020	220	104.0	293	
TMP-25R	10/5/2020	235	95.5	278	
TMP-25R	10/12/2020	20	103.3	493	
TMP-25R	10/12/2020	40	132.7	473	
TMP-25R	10/12/2020	60	157.4	453	
TMP-25R	10/12/2020	80	161.6	433	
TMP-25R	10/12/2020	100	158.2	413	
TMP-25R	10/12/2020	120	148.8	393	
TMP-25R	10/12/2020	140	138.3	373	
TMP-25R	10/12/2020	160	128.0	353	
TMP-25R	10/12/2020	180	119.8	333	
TMP-25R	10/12/2020	200	111.7	313	
TMP-25R	10/12/2020	220	103.3	293	
TMP-25R	10/12/2020	235	95.5	278	
TMP-25R	10/19/2020	20	105.4	493	
TMP-25R	10/19/2020	40	133.6	473	
TMP-25R	10/19/2020	60	158.8	453	
TMP-25R	10/19/2020	80	162.8	433	
TMP-25R	10/19/2020	100	159.5	413	
TMP-25R	10/19/2020	120	150.0	393	
TMP-25R	10/19/2020	140	139.4	373	
TMP-25R	10/19/2020	160	129.2	353	
TMP-25R	10/19/2020	180	121.0	333	
TMP-25R	10/19/2020	200	112.9	313	
TMP-25R	10/19/2020	220	104.7	293	
TMP-25R	10/19/2020	235	96.6	278	
TMP-25R	10/26/2020	20	104.4	493	
TMP-25R	10/26/2020	40	132.7	473	
TMP-25R	10/26/2020	60	158.1	453	
TMP-25R	10/26/2020	80	162.2	433	
TMP-25R	10/26/2020	100	159.0	413	
TMP-25R	10/26/2020	120	149.4	393	
TMP-25R	10/26/2020	140	138.3	373	
TMP-25R	10/26/2020	160	128.5	353	
TMP-25R	10/26/2020	180	120.5	333	
TMP-25R	10/26/2020	200	112.2	313	
TMP-25R	10/26/2020	220	104.4	293	
TMP-25R	10/26/2020	235	96.0	278	
TMP-25R	11/2/2020	20	103.6	493	
TMP-25R	11/2/2020	40	131.8	473	
TMP-25R	11/2/2020	60	157.7	453	
TMP-25R	11/2/2020	80	161.8	433	
TMP-25R	11/2/2020	100	158.5	413	
TMP-25R	11/2/2020	120	149.1	393	
TMP-25R	11/2/2020	140	138.4	373	
TMP-25R	11/2/2020	160	128.1	353	
TMP-25R	11/2/2020	180	119.9	333	
TMP-25R	11/2/2020	200	111.6	313	
TMP-25R	11/2/2020	220	103.5	293	
TMP-25R	11/2/2020	235	95.2	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	10/5/2020	20	97.6	473	
TMP-26R	10/5/2020	40	111.2	453	
TMP-26R	10/5/2020	60	111.7	433	
TMP-26R	10/5/2020	80	106.1	413	
TMP-26R	10/5/2020	100	94.9	393	
TMP-26R	10/5/2020	120	108.0	373	
TMP-26R	10/5/2020	140	108.9	353	
TMP-26R	10/5/2020	142	108.4	351	
TMP-26R	10/12/2020	20	96.8	473	
TMP-26R	10/12/2020	40	110.0	453	
TMP-26R	10/12/2020	60	110.2	433	
TMP-26R	10/12/2020	80	104.6	413	
TMP-26R	10/12/2020	100	93.4	393	
TMP-26R	10/12/2020	120	106.4	373	
TMP-26R	10/12/2020	140	107.3	353	
TMP-26R	10/12/2020	142	106.8	351	
TMP-26R	10/19/2020	20	97.3	473	
TMP-26R	10/19/2020	40	110.3	453	
TMP-26R	10/19/2020	60	110.5	433	
TMP-26R	10/19/2020	80	105.1	413	
TMP-26R	10/19/2020	100	94.0	393	
TMP-26R	10/19/2020	120	106.7	373	
TMP-26R	10/19/2020	140	107.5	353	
TMP-26R	10/19/2020	142	107.0	351	
TMP-26R	10/26/2020	20	97.6	473	
TMP-26R	10/26/2020	40	110.6	453	
TMP-26R	10/26/2020	60	110.7	433	
TMP-26R	10/26/2020	80	105.4	413	
TMP-26R	10/26/2020	100	94.4	393	
TMP-26R	10/26/2020	120	107.0	373	
TMP-26R	10/26/2020	140	107.7	353	
TMP-26R	10/26/2020	142	107.2	351	
TMP-26R	11/2/2020	20	97.4	473	
TMP-26R	11/2/2020	40	110.7	453	
TMP-26R	11/2/2020	60	111.2	433	
TMP-26R	11/2/2020	80	105.7	413	
TMP-26R	11/2/2020	100	95.0	393	
TMP-26R	11/2/2020	120	107.4	373	
TMP-26R	11/2/2020	140	108.1	353	
TMP-26R	11/2/2020	142	107.9	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	10/5/2020	20	105.1	493	
TMP-27	10/5/2020	40	142.6	473	
TMP-27	10/5/2020	60	154.5	453	
TMP-27	10/5/2020	80	156.6	433	
TMP-27	10/5/2020	100	151.5	413	
TMP-27	10/5/2020	120	145.8	393	
TMP-27	10/5/2020	140	140.5	373	
TMP-27	10/5/2020	160	133.4	353	
TMP-27	10/5/2020	180	128.0	333	
TMP-27	10/5/2020	200	122.7	313	
TMP-27	10/5/2020	220	116.5	293	
TMP-27	10/5/2020	233	111.8	280	
TMP-27	10/12/2020	20	103.5	493	
TMP-27	10/12/2020	40	141.1	473	
TMP-27	10/12/2020	60	153.1	453	
TMP-27	10/12/2020	80	155.0	433	
TMP-27	10/12/2020	100	150.4	413	
TMP-27	10/12/2020	120	144.8	393	
TMP-27	10/12/2020	140	138.9	373	
TMP-27	10/12/2020	160	132.2	353	
TMP-27	10/12/2020	180	127.0	333	
TMP-27	10/12/2020	200	122.0	313	
TMP-27	10/12/2020	220	115.8	293	
TMP-27	10/12/2020	233	111.0	280	
TMP-27	10/19/2020	20	106.0	493	
TMP-27	10/19/2020	40	141.3	473	
TMP-27	10/19/2020	60	153.3	453	
TMP-27	10/19/2020	80	155.2	433	
TMP-27	10/19/2020	100	150.6	413	
TMP-27	10/19/2020	120	144.9	393	
TMP-27	10/19/2020	140	139.1	373	
TMP-27	10/19/2020	160	132.3	353	
TMP-27	10/19/2020	180	127.2	333	
TMP-27	10/19/2020	200	122.2	313	
TMP-27	10/19/2020	220	116.1	293	
TMP-27	10/19/2020	233	111.3	280	
TMP-27	10/26/2020	20	106.6	493	
TMP-27	10/26/2020	40	141.7	473	
TMP-27	10/26/2020	60	153.7	453	
TMP-27	10/26/2020	80	155.6	433	
TMP-27	10/26/2020	100	150.9	413	
TMP-27	10/26/2020	120	145.2	393	
TMP-27	10/26/2020	140	139.5	373	
TMP-27	10/26/2020	160	132.7	353	
TMP-27	10/26/2020	180	127.5	333	
TMP-27	10/26/2020	200	122.5	313	
TMP-27	10/26/2020	220	116.4	293	
TMP-27	10/26/2020	233	111.7	280	
TMP-27	11/2/2020	20	107.1	493	
TMP-27	11/2/2020	40	142.2	473	
TMP-27	11/2/2020	60	154.2	453	
TMP-27	11/2/2020	80	156.4	433	
TMP-27	11/2/2020	100	151.4	413	
TMP-27	11/2/2020	120	145.6	393	
TMP-27	11/2/2020	140	140.3	373	
TMP-27	11/2/2020	160	133.3	353	
TMP-27	11/2/2020	180	128.0	333	
TMP-27	11/2/2020	200	122.8	313	
TMP-27	11/2/2020	220	116.1	293	
TMP-27	11/2/2020	233	111.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	10/5/2020	20	82.6	478	
TMP-28R	10/5/2020	40	113.7	458	
TMP-28R	10/5/2020	60	118.6	438	
TMP-28R	10/5/2020	80	121.5	418	
TMP-28R	10/5/2020	100	121.4	398	
TMP-28R	10/5/2020	120	118.7	378	
TMP-28R	10/5/2020	140	115.9	358	
TMP-28R	10/5/2020	160	112.9	338	
TMP-28R	10/5/2020	180	109.2	318	
TMP-28R	10/5/2020	200	106.0	298	
TMP-28R	10/5/2020	220	101.7	278	
TMP-28R	10/12/2020	20	82.8	478	
TMP-28R	10/12/2020	40	113.8	458	
TMP-28R	10/12/2020	60	118.9	438	
TMP-28R	10/12/2020	80	121.7	418	
TMP-28R	10/12/2020	100	121.5	398	
TMP-28R	10/12/2020	120	118.7	378	
TMP-28R	10/12/2020	140	115.6	358	
TMP-28R	10/12/2020	160	112.4	338	
TMP-28R	10/12/2020	180	108.6	318	
TMP-28R	10/12/2020	200	105.3	298	
TMP-28R	10/12/2020	220	101.0	278	
TMP-28R	10/19/2020	20	83.9	478	
TMP-28R	10/19/2020	40	114.3	458	
TMP-28R	10/19/2020	60	119.3	438	
TMP-28R	10/19/2020	80	122.3	418	
TMP-28R	10/19/2020	100	122.3	398	
TMP-28R	10/19/2020	120	119.6	378	
TMP-28R	10/19/2020	140	117.2	358	
TMP-28R	10/19/2020	160	113.4	338	
TMP-28R	10/19/2020	180	109.5	318	
TMP-28R	10/19/2020	200	106.3	298	
TMP-28R	10/19/2020	220	102.0	278	
TMP-28R	10/26/2020	20	84.5	478	
TMP-28R	10/26/2020	40	114.4	458	
TMP-28R	10/26/2020	60	119.4	438	
TMP-28R	10/26/2020	80	122.2	418	
TMP-28R	10/26/2020	100	122.1	398	
TMP-28R	10/26/2020	120	119.0	378	
TMP-28R	10/26/2020	140	116.1	358	
TMP-28R	10/26/2020	160	112.7	338	
TMP-28R	10/26/2020	180	108.9	318	
TMP-28R	10/26/2020	200	105.7	298	
TMP-28R	10/26/2020	220	101.5	278	
TMP-28R	11/2/2020	20	83.8	478	
TMP-28R	11/2/2020	40	113.4	458	
TMP-28R	11/2/2020	60	118.4	438	
TMP-28R	11/2/2020	80	121.4	418	
TMP-28R	11/2/2020	100	121.2	398	
TMP-28R	11/2/2020	120	118.3	378	
TMP-28R	11/2/2020	140	115.5	358	
TMP-28R	11/2/2020	160	112.2	338	
TMP-28R	11/2/2020	180	108.6	318	
TMP-28R	11/2/2020	200	105.4	298	
TMP-28R	11/2/2020	220	101.2	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	10/5/2020	8	85.8	488	
TMP-29	10/5/2020	16	84.9	480	
TMP-29	10/5/2020	25	89.2	471	
TMP-29	10/12/2020	8	84.3	488	
TMP-29	10/12/2020	16	83.2	480	
TMP-29	10/12/2020	25	87.4	471	
TMP-29	10/19/2020	8	84.6	488	
TMP-29	10/19/2020	16	83.7	480	
TMP-29	10/19/2020	25	87.8	471	
TMP-29	10/26/2020	8	84.6	488	
TMP-29	10/26/2020	16	84.1	480	
TMP-29	10/26/2020	25	88.0	471	
TMP-29	11/2/2020	8	85.4	488	
TMP-29	11/2/2020	16	85.3	480	
TMP-29	11/2/2020	25	89.0	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	10/5/2020	20	87.6	484	
TMP-33	10/5/2020	40	96.2	464	
TMP-33	10/5/2020	53	96.3	451	
TMP-33	10/12/2020	20	88.5	484	
TMP-33	10/12/2020	40	96.6	464	
TMP-33	10/12/2020	53	96.6	451	
TMP-33	10/19/2020	20	88.6	484	
TMP-33	10/19/2020	40	97.0	464	
TMP-33	10/19/2020	53	97.3	451	
TMP-33	10/26/2020	20	89.6	484	
TMP-33	10/26/2020	40	97.8	464	
TMP-33	10/26/2020	53	98.0	451	
TMP-33	11/2/2020	20	89.2	484	
TMP-33	11/2/2020	40	97.1	464	
TMP-33	11/2/2020	53	97.2	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	10/5/2020	20	90.2	495	
TMP-34	10/5/2020	40	104.8	475	
TMP-34	10/5/2020	50	105.8	465	
TMP-34	10/5/2020	63	104.5	452	
TMP-34	10/12/2020	20	90.1	495	
TMP-34	10/12/2020	40	104.6	475	
TMP-34	10/12/2020	50	105.7	465	
TMP-34	10/12/2020	63	104.3	452	
TMP-34	10/19/2020	20	91.1	495	
TMP-34	10/19/2020	40	105.3	475	
TMP-34	10/19/2020	50	106.3	465	
TMP-34	10/19/2020	63	104.8	452	
TMP-34	10/26/2020	20	91.3	495	
TMP-34	10/26/2020	40	105.6	475	
TMP-34	10/26/2020	50	106.4	465	
TMP-34	10/26/2020	63	105.1	452	
TMP-34	11/2/2020	20	91.7	495	
TMP-34	11/2/2020	40	106.2	475	
TMP-34	11/2/2020	50	107.2	465	
TMP-34	11/2/2020	63	105.9	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	10/5/2020	20	89.3	500	
TMP-35	10/5/2020	40	101.5	480	
TMP-35	10/5/2020	60	101.8	460	
TMP-35	10/5/2020	70	99.8	450	
TMP-35	10/12/2020	20	90.5	500	
TMP-35	10/12/2020	40	102.3	480	
TMP-35	10/12/2020	60	102.7	460	
TMP-35	10/12/2020	70	100.6	450	
TMP-35	10/19/2020	20	90.9	500	
TMP-35	10/19/2020	40	102.7	480	
TMP-35	10/19/2020	60	102.8	460	
TMP-35	10/19/2020	70	100.7	450	
TMP-35	10/26/2020	20	91.4	500	
TMP-35	10/26/2020	40	103.1	480	
TMP-35	10/26/2020	60	103.2	460	
TMP-35	10/26/2020	70	101.1	450	
TMP-35	11/2/2020	20	91.8	500	
TMP-35	11/2/2020	40	103.4	480	
TMP-35	11/2/2020	60	103.3	460	
TMP-35	11/2/2020	70	101.5	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36R	10/5/2020	15	75.4	472	
TMP-36R	10/5/2020	20	79.5	467	
TMP-36R	10/5/2020	30	82.5	457	
TMP-36R	10/12/2020	15	75.7	472	
TMP-36R	10/12/2020	20	78.8	467	
TMP-36R	10/12/2020	30	81.2	457	
TMP-36R	10/19/2020	15	75.5	472	
TMP-36R	10/19/2020	20	78.8	467	
TMP-36R	10/19/2020	30	81.3	457	
TMP-36R	10/26/2020	15	77.1	472	
TMP-36R	10/26/2020	20	79.9	467	
TMP-36R	10/26/2020	30	82.3	457	
TMP-36R	11/2/2020	15	76.5	472	
TMP-36R	11/2/2020	20	79.6	467	
TMP-36R	11/2/2020	30	82.0	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	10/5/2020	20	83.4	480	
TMP-37	10/5/2020	40	92.4	460	
TMP-37	10/5/2020	50	91.5	450	
TMP-37	10/12/2020	20	83.8	480	
TMP-37	10/12/2020	40	92.5	460	
TMP-37	10/12/2020	50	91.3	450	
TMP-37	10/19/2020	20	84.9	480	
TMP-37	10/19/2020	40	93.5	460	
TMP-37	10/19/2020	50	92.7	450	
TMP-37	10/26/2020	20	86.0	480	
TMP-37	10/26/2020	40	94.4	460	
TMP-37	10/26/2020	50	93.5	450	
TMP-37	11/2/2020	20	85.2	480	
TMP-37	11/2/2020	40	93.6	460	
TMP-37	11/2/2020	50	92.8	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	10/5/2020	20	96.2	495	
TMP-38	10/5/2020	40	108.5	475	
TMP-38	10/5/2020	60	106.1	455	
TMP-38	10/5/2020	70	104.0	445	
TMP-38	10/12/2020	20	95.8	495	
TMP-38	10/12/2020	40	108.1	475	
TMP-38	10/12/2020	60	105.2	455	
TMP-38	10/12/2020	70	102.7	445	
TMP-38	10/19/2020	20	96.7	495	
TMP-38	10/19/2020	40	109.3	475	
TMP-38	10/19/2020	60	106.6	455	
TMP-38	10/19/2020	70	104.4	445	
TMP-38	10/26/2020	20	97.9	495	
TMP-38	10/26/2020	40	110.1	475	
TMP-38	10/26/2020	60	107.5	455	
TMP-38	10/26/2020	70	105.3	445	
TMP-38	11/2/2020	20	95.9	495	
TMP-38	11/2/2020	40	108.1	475	
TMP-38	11/2/2020	60	105.5	455	
TMP-38	11/2/2020	70	103.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	10/5/2020	20	101.0	501	
TMP-39	10/5/2020	40	121.5	481	
TMP-39	10/5/2020	60	120.7	461	
TMP-39	10/5/2020	80	114.8	441	
TMP-39	10/12/2020	20	101.9	501	
TMP-39	10/12/2020	40	122.1	481	
TMP-39	10/12/2020	60	121.3	461	
TMP-39	10/12/2020	80	115.3	441	
TMP-39	10/19/2020	20	101.9	501	
TMP-39	10/19/2020	40	121.9	481	
TMP-39	10/19/2020	60	121.2	461	
TMP-39	10/19/2020	80	115.4	441	
TMP-39	10/26/2020	20	103.1	501	
TMP-39	10/26/2020	40	122.8	481	
TMP-39	10/26/2020	60	122.0	461	
TMP-39	10/26/2020	80	116.1	441	
TMP-39	11/2/2020	20	101.8	501	
TMP-39	11/2/2020	40	121.6	481	
TMP-39	11/2/2020	60	120.9	461	
TMP-39	11/2/2020	80	115.0	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	10/5/2020	20	93.3	505	
TMP-40	10/5/2020	40	121.2	485	
TMP-40	10/5/2020	60	125.8	465	
TMP-40	10/5/2020	80	121.9	445	
TMP-40	10/12/2020	20	92.7	505	
TMP-40	10/12/2020	40	120.6	485	
TMP-40	10/12/2020	60	125.1	465	
TMP-40	10/12/2020	80	121.3	445	
TMP-40	10/19/2020	20	93.8	505	
TMP-40	10/19/2020	40	121.8	485	
TMP-40	10/19/2020	60	126.6	465	
TMP-40	10/19/2020	80	123.1	445	
TMP-40	10/26/2020	20	94.8	505	
TMP-40	10/26/2020	40	122.5	485	
TMP-40	10/26/2020	60	127.1	465	
TMP-40	10/26/2020	80	123.6	445	
TMP-40	11/2/2020	20	94.3	505	
TMP-40	11/2/2020	40	121.7	485	
TMP-40	11/2/2020	60	126.3	465	
TMP-40	11/2/2020	80	122.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	10/5/2020	20	94.9	504	
TMP-41	10/5/2020	40	119.5	484	
TMP-41	10/5/2020	60	122.3	464	
TMP-41	10/5/2020	80	117.8	444	
TMP-41	10/5/2020	98	111.1	426	
TMP-41	10/12/2020	20	95.2	504	
TMP-41	10/12/2020	40	119.6	484	
TMP-41	10/12/2020	60	122.2	464	
TMP-41	10/12/2020	80	117.4	444	
TMP-41	10/12/2020	98	110.6	426	
TMP-41	10/19/2020	20	96.8	504	
TMP-41	10/19/2020	40	121.3	484	
TMP-41	10/19/2020	60	124.0	464	
TMP-41	10/19/2020	80	119.5	444	
TMP-41	10/19/2020	98	112.7	426	
TMP-41	10/26/2020	20	97.7	504	
TMP-41	10/26/2020	40	121.9	484	
TMP-41	10/26/2020	60	124.6	464	
TMP-41	10/26/2020	80	120.0	444	
TMP-41	10/26/2020	98	113.3	426	
TMP-41	11/2/2020	20	96.4	504	
TMP-41	11/2/2020	40	120.8	484	
TMP-41	11/2/2020	60	123.7	464	
TMP-41	11/2/2020	80	119.3	444	
TMP-41	11/2/2020	98	112.6	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	10/5/2020	20	101.3	498	
TMP-42	10/5/2020	40	117.5	478	
TMP-42	10/5/2020	60	117.1	458	
TMP-42	10/5/2020	78	112.7	440	
TMP-42	10/12/2020	20	101.4	498	
TMP-42	10/12/2020	40	117.8	478	
TMP-42	10/12/2020	60	117.4	458	
TMP-42	10/12/2020	78	113.0	440	
TMP-42	10/19/2020	20	101.9	498	
TMP-42	10/19/2020	40	118.2	478	
TMP-42	10/19/2020	60	117.7	458	
TMP-42	10/19/2020	78	113.4	440	
TMP-42	10/26/2020	20	101.9	498	
TMP-42	10/26/2020	40	118.2	478	
TMP-42	10/26/2020	60	117.7	458	
TMP-42	10/26/2020	78	113.3	440	
TMP-42	11/2/2020	20	101.8	498	
TMP-42	11/2/2020	40	118.4	478	
TMP-42	11/2/2020	60	118.3	458	
TMP-42	11/2/2020	78	113.7	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	10/5/2020	20	97.2	496	
TMP-43	10/5/2020	40	117.2	476	
TMP-43	10/5/2020	60	123.5	456	
TMP-43	10/5/2020	80	122.6	436	
TMP-43	10/5/2020	100	116.3	416	
TMP-43	10/12/2020	20	98.6	496	
TMP-43	10/12/2020	40	118.4	476	
TMP-43	10/12/2020	60	124.8	456	
TMP-43	10/12/2020	80	123.8	436	
TMP-43	10/12/2020	100	117.7	416	
TMP-43	10/19/2020	20	99.1	496	
TMP-43	10/19/2020	40	119.0	476	
TMP-43	10/19/2020	60	125.0	456	
TMP-43	10/19/2020	80	124.1	436	
TMP-43	10/19/2020	100	117.8	416	
TMP-43	10/26/2020	20	99.3	496	
TMP-43	10/26/2020	40	119.0	476	
TMP-43	10/26/2020	60	125.1	456	
TMP-43	10/26/2020	80	124.2	436	
TMP-43	10/26/2020	100	117.8	416	
TMP-43	11/2/2020	20	99.1	496	
TMP-43	11/2/2020	40	119.3	476	
TMP-43	11/2/2020	60	125.8	456	
TMP-43	11/2/2020	80	124.9	436	
TMP-43	11/2/2020	100	118.6	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	10/5/2020	20	100.8	491	
TMP-44	10/5/2020	40	129.1	471	
TMP-44	10/5/2020	60	142.3	451	
TMP-44	10/5/2020	80	147.5	431	
TMP-44	10/5/2020	100	149.6	411	
TMP-44	10/5/2020	120	148.7	391	
TMP-44	10/5/2020	140	148.8	371	
TMP-44	10/5/2020	160	138.2	351	
TMP-44	10/5/2020	180	121.4	331	
TMP-44	10/12/2020	20	101.1	491	
TMP-44	10/12/2020	40	129.2	471	
TMP-44	10/12/2020	60	142.4	451	
TMP-44	10/12/2020	80	147.5	431	
TMP-44	10/12/2020	100	149.7	411	
TMP-44	10/12/2020	120	148.9	391	
TMP-44	10/12/2020	140	149.0	371	
TMP-44	10/12/2020	160	138.1	351	
TMP-44	10/12/2020	180	121.4	331	
TMP-44	10/19/2020	20	100.4	491	
TMP-44	10/19/2020	40	128.5	471	
TMP-44	10/19/2020	60	141.6	451	
TMP-44	10/19/2020	80	146.8	431	
TMP-44	10/19/2020	100	148.6	411	
TMP-44	10/19/2020	120	147.9	391	
TMP-44	10/19/2020	140	148.0	371	
TMP-44	10/19/2020	160	137.4	351	
TMP-44	10/19/2020	180	120.6	331	
TMP-44	10/26/2020	20	102.3	491	
TMP-44	10/26/2020	40	130.6	471	
TMP-44	10/26/2020	60	143.7	451	
TMP-44	10/26/2020	80	149.0	431	
TMP-44	10/26/2020	100	151.2	411	
TMP-44	10/26/2020	120	150.4	391	
TMP-44	10/26/2020	140	150.5	371	
TMP-44	10/26/2020	160	139.9	351	
TMP-44	10/26/2020	180	123.3	331	
TMP-44	11/2/2020	20	102.0	491	
TMP-44	11/2/2020	40	130.1	471	
TMP-44	11/2/2020	60	143.2	451	
TMP-44	11/2/2020	80	148.4	431	
TMP-44	11/2/2020	100	150.6	411	
TMP-44	11/2/2020	120	149.8	391	
TMP-44	11/2/2020	140	149.9	371	
TMP-44	11/2/2020	160	139.2	351	
TMP-44	11/2/2020	180	122.5	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	10/5/2020	15	70.0	464	
TMP-45	10/5/2020	30	78.9	449	
TMP-45	10/5/2020	45	83.6	434	
TMP-45	10/12/2020	15	70.1	464	
TMP-45	10/12/2020	30	78.8	449	
TMP-45	10/12/2020	45	83.6	434	
TMP-45	10/19/2020	15	71.4	464	
TMP-45	10/19/2020	30	79.5	449	
TMP-45	10/19/2020	45	84.3	434	
TMP-45	10/26/2020	15	72.3	464	
TMP-45	10/26/2020	30	80.3	449	
TMP-45	10/26/2020	45	85.1	434	
TMP-45	11/2/2020	15	71.3	464	
TMP-45	11/2/2020	30	79.0	449	
TMP-45	11/2/2020	45	83.7	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	10/5/2020	20	69.6	457	
TMP-46	10/5/2020	40	80.5	437	
TMP-46	10/5/2020	60	88.1	417	
TMP-46	10/12/2020	20	69.6	457	
TMP-46	10/12/2020	40	80.1	437	
TMP-46	10/12/2020	60	87.5	417	
TMP-46	10/19/2020	20	70.9	457	
TMP-46	10/19/2020	40	81.0	437	
TMP-46	10/19/2020	60	88.2	417	
TMP-46	10/26/2020	20	71.6	457	
TMP-46	10/26/2020	40	81.8	437	
TMP-46	10/26/2020	60	89.1	417	
TMP-46	11/2/2020	20	71.2	457	
TMP-46	11/2/2020	40	81.4	437	
TMP-46	11/2/2020	60	89.0	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	10/5/2020	20	66.4	457	
TMP-47	10/5/2020	40	71.6	437	
TMP-47	10/5/2020	60	74.6	417	
TMP-47	10/12/2020	20	66.1	457	
TMP-47	10/12/2020	40	71.2	437	
TMP-47	10/12/2020	60	74.1	417	
TMP-47	10/19/2020	20	67.9	457	
TMP-47	10/19/2020	40	72.6	437	
TMP-47	10/19/2020	60	75.6	417	
TMP-47	10/26/2020	20	67.7	457	
TMP-47	10/26/2020	40	71.9	437	
TMP-47	10/26/2020	60	74.9	417	
TMP-47	11/2/2020	20	65.8	457	
TMP-47	11/2/2020	40	70.4	437	
TMP-47	11/2/2020	60	73.4	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	10/5/2020	20	63.1	455	
TMP-48	10/5/2020	40	67.4	435	
TMP-48	10/5/2020	60	72.0	415	
TMP-48	10/5/2020	72	70.5	403	
TMP-48	10/12/2020	20	62.9	455	
TMP-48	10/12/2020	40	67.0	435	
TMP-48	10/12/2020	60	71.7	415	
TMP-48	10/12/2020	72	70.4	403	
TMP-48	10/19/2020	20	64.1	455	
TMP-48	10/19/2020	40	67.5	435	
TMP-48	10/19/2020	60	72.4	415	
TMP-48	10/19/2020	72	71.2	403	
TMP-48	10/26/2020	20	64.7	455	
TMP-48	10/26/2020	40	67.7	435	
TMP-48	10/26/2020	60	72.9	415	
TMP-48	10/26/2020	72	71.6	403	
TMP-48	11/2/2020	20	64.9	455	
TMP-48	11/2/2020	40	68.1	435	
TMP-48	11/2/2020	60	73.2	415	
TMP-48	11/2/2020	72	71.9	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	10/5/2020	20	61.3	453	
TMP-49	10/5/2020	40	62.3	433	
TMP-49	10/5/2020	60	67.4	413	
TMP-49	10/12/2020	20	61.7	453	
TMP-49	10/12/2020	40	62.7	433	
TMP-49	10/12/2020	60	67.9	413	
TMP-49	10/19/2020	20	62.6	453	
TMP-49	10/19/2020	40	63.4	433	
TMP-49	10/19/2020	60	68.4	413	
TMP-49	10/26/2020	20	63.3	453	
TMP-49	10/26/2020	40	64.1	433	
TMP-49	10/26/2020	60	68.5	413	
TMP-49	11/2/2020	20	62.9	453	
TMP-49	11/2/2020	40	64.3	433	
TMP-49	11/2/2020	60	68.9	413	