

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	11/16/2020	20	142.4	473	
TMP-19	11/16/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/16/2020	60	194.2	433	
TMP-19	11/16/2020	80	200.3	413	
TMP-19	11/16/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/23/2020	20	140.6	473	
TMP-19	11/23/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/23/2020	60	193.6	433	
TMP-19	11/23/2020	80	199.5	413	
TMP-19	11/23/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/30/2020	20	142.3	473	
TMP-19	11/30/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/30/2020	60	195.9	433	
TMP-19	11/30/2020	80	201.0	413	
TMP-19	11/30/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/7/2020	20	143.2	473	
TMP-19	12/7/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/7/2020	60	194.7	433	
TMP-19	12/7/2020	80	200.0	413	
TMP-19	12/7/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/14/2020	20	144.0	473	
TMP-19	12/14/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/14/2020	60	195.3	433	
TMP-19	12/14/2020	80	200.6	413	
TMP-19	12/14/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	11/16/2020	20	104.6	478	
TMP-20	11/16/2020	40	152.9	458	
TMP-20	11/16/2020	60	178.1	438	
TMP-20	11/16/2020	80	192.2	418	
TMP-20	11/16/2020	100	208.5	398	
TMP-20	11/16/2020	120	224.5	378	
TMP-20	11/16/2020	140	225.3	358	
TMP-20	11/23/2020	20	103.6	478	
TMP-20	11/23/2020	40	151.7	458	
TMP-20	11/23/2020	60	177.0	438	
TMP-20	11/23/2020	80	191.2	418	
TMP-20	11/23/2020	100	207.3	398	
TMP-20	11/23/2020	120	223.3	378	
TMP-20	11/23/2020	140	224.0	358	
TMP-20	11/30/2020	20	105.4	478	
TMP-20	11/30/2020	40	152.9	458	
TMP-20	11/30/2020	60	177.7	438	
TMP-20	11/30/2020	80	191.7	418	
TMP-20	11/30/2020	100	208.1	398	
TMP-20	11/30/2020	120	224.0	378	
TMP-20	11/30/2020	140	224.8	358	
TMP-20	12/7/2020	20	104.9	478	
TMP-20	12/7/2020	40	152.6	458	
TMP-20	12/7/2020	60	177.4	438	
TMP-20	12/7/2020	80	191.5	418	
TMP-20	12/7/2020	100	208.0	398	
TMP-20	12/7/2020	120	224.0	378	
TMP-20	12/7/2020	140	225.0	358	
TMP-20	12/14/2020	20	105.4	478	
TMP-20	12/14/2020	40	152.6	458	
TMP-20	12/14/2020	60	177.4	438	
TMP-20	12/14/2020	80	191.4	418	
TMP-20	12/14/2020	100	207.9	398	
TMP-20	12/14/2020	120	223.9	378	
TMP-20	12/14/2020	140	225.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	11/16/2020	20	106.8	475	
TMP-10-9N	11/16/2020	40	132.3	455	
TMP-10-9N	11/16/2020	60	129.5	435	
TMP-10-9N	11/16/2020	80	131.3	415	
TMP-10-9N	11/16/2020	100	141.5	395	
TMP-10-9N	11/23/2020	20	106.4	475	
TMP-10-9N	11/23/2020	40	131.3	455	
TMP-10-9N	11/23/2020	60	128.2	435	
TMP-10-9N	11/23/2020	80	129.9	415	
TMP-10-9N	11/23/2020	100	140.2	395	
TMP-10-9N	11/30/2020	20	108.8	475	
TMP-10-9N	11/30/2020	40	133.4	455	
TMP-10-9N	11/30/2020	60	130.1	435	
TMP-10-9N	11/30/2020	80	131.5	415	
TMP-10-9N	11/30/2020	100	141.7	395	
TMP-10-9N	12/7/2020	20	108.7	475	
TMP-10-9N	12/7/2020	40	133.4	455	
TMP-10-9N	12/7/2020	60	129.6	435	
TMP-10-9N	12/7/2020	80	130.9	415	
TMP-10-9N	12/7/2020	100	141.1	395	
TMP-10-9N	12/14/2020	20	110.0	475	
TMP-10-9N	12/14/2020	40	134.0	455	
TMP-10-9N	12/14/2020	60	130.0	435	
TMP-10-9N	12/14/2020	80	131.4	415	
TMP-10-9N	12/14/2020	100	141.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	11/16/2020	20	106.8	476	
TMP-10-9S	11/16/2020	40	147.4	456	
TMP-10-9S	11/16/2020	60	163.4	436	
TMP-10-9S	11/16/2020	80	172.6	416	
TMP-10-9S	11/16/2020	100	191.2	396	
TMP-10-9S	11/23/2020	20	106.4	476	
TMP-10-9S	11/23/2020	40	146.5	456	
TMP-10-9S	11/23/2020	60	162.0	436	
TMP-10-9S	11/23/2020	80	171.3	416	
TMP-10-9S	11/23/2020	100	190.1	396	
TMP-10-9S	11/30/2020	20	107.3	476	
TMP-10-9S	11/30/2020	40	147.2	456	
TMP-10-9S	11/30/2020	60	162.9	436	
TMP-10-9S	11/30/2020	80	171.9	416	
TMP-10-9S	11/30/2020	100	190.7	396	
TMP-10-9S	12/7/2020	20	107.3	476	
TMP-10-9S	12/7/2020	40	147.1	456	
TMP-10-9S	12/7/2020	60	162.9	436	
TMP-10-9S	12/7/2020	80	171.6	416	
TMP-10-9S	12/7/2020	100	190.5	396	
TMP-10-9S	12/14/2020	20	108.3	476	
TMP-10-9S	12/14/2020	40	147.9	456	
TMP-10-9S	12/14/2020	60	163.5	436	
TMP-10-9S	12/14/2020	80	172.2	416	
TMP-10-9S	12/14/2020	100	191.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	11/16/2020	20	95.7	478	
TMP-10-5N	11/16/2020	40	115.0	458	
TMP-10-5N	11/16/2020	60	97.1	438	
TMP-10-5N	11/16/2020	80	90.1	418	
TMP-10-5N	11/16/2020	100	86.1	398	
TMP-10-5N	11/23/2020	20	94.7	478	
TMP-10-5N	11/23/2020	40	113.8	458	
TMP-10-5N	11/23/2020	60	95.6	438	
TMP-10-5N	11/23/2020	80	88.4	418	
TMP-10-5N	11/23/2020	100	84.3	398	
TMP-10-5N	11/30/2020	20	96.7	478	
TMP-10-5N	11/30/2020	40	115.2	458	
TMP-10-5N	11/30/2020	60	96.3	438	
TMP-10-5N	11/30/2020	80	88.9	418	
TMP-10-5N	11/30/2020	100	84.6	398	
TMP-10-5N	12/7/2020	20	96.2	478	
TMP-10-5N	12/7/2020	40	114.5	458	
TMP-10-5N	12/7/2020	60	95.2	438	
TMP-10-5N	12/7/2020	80	87.9	418	
TMP-10-5N	12/7/2020	100	83.6	398	
TMP-10-5N	12/14/2020	20	96.6	478	
TMP-10-5N	12/14/2020	40	114.9	458	
TMP-10-5N	12/14/2020	60	95.7	438	
TMP-10-5N	12/14/2020	80	88.7	418	
TMP-10-5N	12/14/2020	100	84.6	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	11/16/2020	20	101.1	477	
TMP-10-5S	11/16/2020	40	138.0	457	
TMP-10-5S	11/16/2020	60	147.1	437	
TMP-10-5S	11/16/2020	80	158.6	417	
TMP-10-5S	11/16/2020	100	175.8	397	
TMP-10-5S	11/23/2020	20	100.8	477	
TMP-10-5S	11/23/2020	40	137.6	457	
TMP-10-5S	11/23/2020	60	146.5	437	
TMP-10-5S	11/23/2020	80	157.8	417	
TMP-10-5S	11/23/2020	100	175.1	397	
TMP-10-5S	11/30/2020	20	102.4	477	
TMP-10-5S	11/30/2020	40	138.7	457	
TMP-10-5S	11/30/2020	60	147.3	437	
TMP-10-5S	11/30/2020	80	158.6	417	
TMP-10-5S	11/30/2020	100	175.9	397	
TMP-10-5S	12/7/2020	20	102.5	477	
TMP-10-5S	12/7/2020	40	138.8	457	
TMP-10-5S	12/7/2020	60	147.3	437	
TMP-10-5S	12/7/2020	80	158.5	417	
TMP-10-5S	12/7/2020	100	175.7	397	
TMP-10-5S	12/14/2020	20	104.0	477	
TMP-10-5S	12/14/2020	40	139.7	457	
TMP-10-5S	12/14/2020	60	147.9	437	
TMP-10-5S	12/14/2020	80	159.1	417	
TMP-10-5S	12/14/2020	100	176.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	11/16/2020	20	98.0	476	
TMP-5-9N	11/16/2020	40	137.5	456	
TMP-5-9N	11/16/2020	60	144.1	436	
TMP-5-9N	11/16/2020	80	225.4	416	
TMP-5-9N	11/16/2020	100	247.0	396	
TMP-5-9N	11/23/2020	20	98.4	476	
TMP-5-9N	11/23/2020	40	137.5	456	
TMP-5-9N	11/23/2020	60	143.7	436	
TMP-5-9N	11/23/2020	80	225.3	416	
TMP-5-9N	11/23/2020	100	247.3	396	
TMP-5-9N	11/30/2020	20	99.8	476	
TMP-5-9N	11/30/2020	40	138.4	456	
TMP-5-9N	11/30/2020	60	144.0	436	
TMP-5-9N	11/30/2020	80	225.4	416	
TMP-5-9N	11/30/2020	100	247.7	396	
TMP-5-9N	12/7/2020	20	99.6	476	
TMP-5-9N	12/7/2020	40	138.2	456	
TMP-5-9N	12/7/2020	60	143.6	436	
TMP-5-9N	12/7/2020	80	225.0	416	
TMP-5-9N	12/7/2020	100	247.3	396	
TMP-5-9N	12/14/2020	20	100.1	476	
TMP-5-9N	12/14/2020	40	138.3	456	
TMP-5-9N	12/14/2020	60	143.5	436	
TMP-5-9N	12/14/2020	80	225.0	416	
TMP-5-9N	12/14/2020	100	247.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	11/16/2020	20	113.8	476	
TMP-5-9S	11/16/2020	40	173.5	456	
TMP-5-9S	11/16/2020	60	210.6	436	
TMP-5-9S	11/16/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/16/2020	100			No readings could be obtained
TMP-5-9S	11/23/2020	20	113.9	476	
TMP-5-9S	11/23/2020	40	173.0	456	
TMP-5-9S	11/23/2020	60	210.3	436	
TMP-5-9S	11/23/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/23/2020	100			No readings could be obtained
TMP-5-9S	11/30/2020	20	114.1	476	
TMP-5-9S	11/30/2020	40	172.9	456	
TMP-5-9S	11/30/2020	60	209.9	436	
TMP-5-9S	11/30/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/30/2020	100			No readings could be obtained
TMP-5-9S	12/7/2020	20	114.0	476	
TMP-5-9S	12/7/2020	40	172.3	456	
TMP-5-9S	12/7/2020	60	209.1	436	
TMP-5-9S	12/7/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/7/2020	100			No readings could be obtained
TMP-5-9S	12/14/2020	20	115.2	476	
TMP-5-9S	12/14/2020	40	173.2	456	
TMP-5-9S	12/14/2020	60	210.2	436	
TMP-5-9S	12/14/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/14/2020	100			No readings could be obtained



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	11/16/2020	20	94.2	475	
TMP-5-5N	11/16/2020	40	100.0	455	
TMP-5-5N	11/16/2020	60	88.4	435	
TMP-5-5N	11/16/2020	80	218.5	415	
TMP-5-5N	11/16/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/23/2020	20	94.4	475	
TMP-5-5N	11/23/2020	40	102.5	455	
TMP-5-5N	11/23/2020	60	89.6	435	
TMP-5-5N	11/23/2020	80	217.7	415	
TMP-5-5N	11/23/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/30/2020	20	94.6	475	
TMP-5-5N	11/30/2020	40	102.4	455	
TMP-5-5N	11/30/2020	60	89.0	435	
TMP-5-5N	11/30/2020	80	217.5	415	
TMP-5-5N	11/30/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/7/2020	20	93.9	475	
TMP-5-5N	12/7/2020	40	101.6	455	
TMP-5-5N	12/7/2020	60	88.5	435	
TMP-5-5N	12/7/2020	80	217.1	415	
TMP-5-5N	12/7/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/14/2020	20	94.4	475	
TMP-5-5N	12/14/2020	40	101.9	455	
TMP-5-5N	12/14/2020	60	88.1	435	
TMP-5-5N	12/14/2020	80	217.8	415	
TMP-5-5N	12/14/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	11/16/2020	20	112.1	474	
TMP-5-5S	11/16/2020	40	164.6	454	
TMP-5-5S	11/16/2020	60	196.6	434	
TMP-5-5S	11/16/2020	80	233.2	414	
TMP-5-5S	11/16/2020	100	238.0	394	
TMP-5-5S	11/23/2020	20	112.0	474	
TMP-5-5S	11/23/2020	40	164.2	454	
TMP-5-5S	11/23/2020	60	195.6	434	
TMP-5-5S	11/23/2020	80	233.0	414	
TMP-5-5S	11/23/2020	100	238.0	394	
TMP-5-5S	11/30/2020	20	112.5	474	
TMP-5-5S	11/30/2020	40	164.6	454	
TMP-5-5S	11/30/2020	60	196.0	434	
TMP-5-5S	11/30/2020	80	233.2	414	
TMP-5-5S	11/30/2020	100	238.0	394	
TMP-5-5S	12/7/2020	20	112.9	474	
TMP-5-5S	12/7/2020	40	164.1	454	
TMP-5-5S	12/7/2020	60	195.7	434	
TMP-5-5S	12/7/2020	80	233.0	414	
TMP-5-5S	12/7/2020	100	237.7	394	
TMP-5-5S	12/14/2020	20	114.0	474	
TMP-5-5S	12/14/2020	40	164.9	454	
TMP-5-5S	12/14/2020	60	196.9	434	
TMP-5-5S	12/14/2020	80	233.8	414	
TMP-5-5S	12/14/2020	100	238.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	11/16/2020	20	152.6	474	
TMP-31	11/16/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/16/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/16/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/16/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/16/2020	120	268.3	374	
TMP-31	11/23/2020	20	153.1	474	
TMP-31	11/23/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/23/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/23/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/23/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/23/2020	120	268.9	374	
TMP-31	11/30/2020	20	151.9	474	
TMP-31	11/30/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/30/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/30/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/30/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/30/2020	120	267.9	374	
TMP-31	12/7/2020	20	151.9	474	
TMP-31	12/7/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	120	267.6	374	
TMP-31	12/14/2020	20	153.1	474	
TMP-31	12/14/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	120	269.2	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	11/16/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	60	225	444	
TMP-32	11/16/2020	80	240.9	424	
TMP-32	11/16/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/16/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	60	226.3	444	
TMP-32	11/23/2020	80	242	424	
TMP-32	11/23/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/23/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	60	225.5	444	
TMP-32	11/30/2020	80	241.3	424	
TMP-32	11/30/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/30/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	60	225.1	444	
TMP-32	12/7/2020	80	240.7	424	
TMP-32	12/7/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	60	225.7	444	
TMP-32	12/14/2020	80	241.4	424	
TMP-32	12/14/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	11/16/2020	20	134.7	473	
TMP-SPM1	11/16/2020	40	157.9	453	
TMP-SPM1	11/16/2020	60	173.3	433	
TMP-SPM1	11/16/2020	80	165.8	413	
TMP-SPM1	11/16/2020	100	166.2	393	
TMP-SPM1	11/16/2020	120	162.1	373	
TMP-SPM1	11/16/2020	140	152.3	353	
TMP-SPM1	11/16/2020	160	134.2	333	
TMP-SPM1	11/16/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/16/2020	200	105.4	293	
TMP-SPM1	11/16/2020	220	91.9	273	
TMP-SPM1	11/16/2020	240	88.9	253	
TMP-SPM1	11/23/2020	20	134.7	473	
TMP-SPM1	11/23/2020	40	158.4	453	
TMP-SPM1	11/23/2020	60	173.3	433	
TMP-SPM1	11/23/2020	80	166.0	413	
TMP-SPM1	11/23/2020	100	166.5	393	
TMP-SPM1	11/23/2020	120	162.4	373	
TMP-SPM1	11/23/2020	140	152.8	353	
TMP-SPM1	11/23/2020	160	134.6	333	
TMP-SPM1	11/23/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/23/2020	200	105.9	293	
TMP-SPM1	11/23/2020	220	92.9	273	
TMP-SPM1	11/23/2020	240	89.3	253	
TMP-SPM1	11/30/2020	20	135.7	473	
TMP-SPM1	11/30/2020	40	159.0	453	
TMP-SPM1	11/30/2020	60	174.0	433	
TMP-SPM1	11/30/2020	80	166.7	413	
TMP-SPM1	11/30/2020	100	167.2	393	
TMP-SPM1	11/30/2020	120	163.1	373	
TMP-SPM1	11/30/2020	140	153.3	353	
TMP-SPM1	11/30/2020	160	135.3	333	
TMP-SPM1	11/30/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/30/2020	200	106.7	293	
TMP-SPM1	11/30/2020	220	93.4	273	
TMP-SPM1	11/30/2020	240	90.1	253	
TMP-SPM1	12/7/2020	20	135.6	473	
TMP-SPM1	12/7/2020	40	158.7	453	
TMP-SPM1	12/7/2020	60	173.8	433	
TMP-SPM1	12/7/2020	80	166.5	413	
TMP-SPM1	12/7/2020	100	167.2	393	
TMP-SPM1	12/7/2020	120	163.1	373	
TMP-SPM1	12/7/2020	140	153.3	353	
TMP-SPM1	12/7/2020	160	135.3	333	
TMP-SPM1	12/7/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/7/2020	200	106.8	293	
TMP-SPM1	12/7/2020	220	93.3	273	
TMP-SPM1	12/7/2020	240	90.1	253	
TMP-SPM1	12/14/2020	20	136.3	473	
TMP-SPM1	12/14/2020	40	159.4	453	
TMP-SPM1	12/14/2020	60	174.6	433	
TMP-SPM1	12/14/2020	80	167.4	413	
TMP-SPM1	12/14/2020	100	168.0	393	
TMP-SPM1	12/14/2020	120	164.0	373	
TMP-SPM1	12/14/2020	140	154.2	353	
TMP-SPM1	12/14/2020	160	136.1	333	
TMP-SPM1	12/14/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/14/2020	200	107.6	293	
TMP-SPM1	12/14/2020	220	94.3	273	
TMP-SPM1	12/14/2020	240	91.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	11/16/2020	20	122.8	475	
TMP-SPM2	11/16/2020	40	145.2	455	
TMP-SPM2	11/16/2020	60	140.5	435	
TMP-SPM2	11/16/2020	80	158.1	415	
TMP-SPM2	11/16/2020	100	178.3	395	
TMP-SPM2	11/16/2020	120	181.0	375	
TMP-SPM2	11/16/2020	140	185.1	355	
TMP-SPM2	11/16/2020	160	163.9	335	
TMP-SPM2	11/16/2020	172	148.8	323	
TMP-SPM2	11/23/2020	20	122.9	475	
TMP-SPM2	11/23/2020	40	145.5	455	
TMP-SPM2	11/23/2020	60	140.8	435	
TMP-SPM2	11/23/2020	80	158.4	415	
TMP-SPM2	11/23/2020	100	178.4	395	
TMP-SPM2	11/23/2020	120	181.2	375	
TMP-SPM2	11/23/2020	140	185.4	355	
TMP-SPM2	11/23/2020	160	164.3	335	
TMP-SPM2	11/23/2020	172	149.1	323	
TMP-SPM2	11/30/2020	20	125.0	475	
TMP-SPM2	11/30/2020	40	146.9	455	
TMP-SPM2	11/30/2020	60	142.1	435	
TMP-SPM2	11/30/2020	80	159.2	415	
TMP-SPM2	11/30/2020	100	179.0	395	
TMP-SPM2	11/30/2020	120	181.5	375	
TMP-SPM2	11/30/2020	140	185.6	355	
TMP-SPM2	11/30/2020	160	164.5	335	
TMP-SPM2	11/30/2020	172	149.0	323	
TMP-SPM2	12/7/2020	20	124.2	475	
TMP-SPM2	12/7/2020	40	146.2	455	
TMP-SPM2	12/7/2020	60	141.4	435	
TMP-SPM2	12/7/2020	80	158.4	415	
TMP-SPM2	12/7/2020	100	178.1	395	
TMP-SPM2	12/7/2020	120	180.9	375	
TMP-SPM2	12/7/2020	140	185.1	355	
TMP-SPM2	12/7/2020	160	164.0	335	
TMP-SPM2	12/7/2020	172	148.9	323	
TMP-SPM2	12/14/2020	20	124.1	475	
TMP-SPM2	12/14/2020	40	145.9	455	
TMP-SPM2	12/14/2020	60	141.1	435	
TMP-SPM2	12/14/2020	80	158.2	415	
TMP-SPM2	12/14/2020	100	178.0	395	
TMP-SPM2	12/14/2020	120	180.9	375	
TMP-SPM2	12/14/2020	140	185.3	355	
TMP-SPM2	12/14/2020	160	164.5	335	
TMP-SPM2	12/14/2020	172	149.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	11/16/2020	20	108.6	478	
TMP-SPM3	11/16/2020	40	107.6	458	
TMP-SPM3	11/16/2020	60	101.8	438	
TMP-SPM3	11/16/2020	80	106.5	418	
TMP-SPM3	11/16/2020	85	108.7	413	
TMP-SPM3	11/23/2020	20	109.2	478	
TMP-SPM3	11/23/2020	40	107.8	458	
TMP-SPM3	11/23/2020	60	101.9	438	
TMP-SPM3	11/23/2020	80	106.7	418	
TMP-SPM3	11/23/2020	85	108.8	413	
TMP-SPM3	11/30/2020	20	110.7	478	
TMP-SPM3	11/30/2020	40	109.6	458	
TMP-SPM3	11/30/2020	60	103.8	438	
TMP-SPM3	11/30/2020	80	108.5	418	
TMP-SPM3	11/30/2020	85	110.4	413	
TMP-SPM3	12/7/2020	20	110.4	478	
TMP-SPM3	12/7/2020	40	109.1	458	
TMP-SPM3	12/7/2020	60	103.4	438	
TMP-SPM3	12/7/2020	80	108.1	418	
TMP-SPM3	12/7/2020	85	110.1	413	
TMP-SPM3	12/14/2020	20	110.9	478	
TMP-SPM3	12/14/2020	40	109.3	458	
TMP-SPM3	12/14/2020	60	103.4	438	
TMP-SPM3	12/14/2020	80	108.2	418	
TMP-SPM3	12/14/2020	85	110.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	11/16/2020	20	113.2	475	
TMP-SPM4	11/16/2020	40	136.5	455	
TMP-SPM4	11/16/2020	60	138.7	435	
TMP-SPM4	11/16/2020	80	139.6	415	
TMP-SPM4	11/16/2020	100	135.5	395	
TMP-SPM4	11/16/2020	120	128.0	375	
TMP-SPM4	11/16/2020	140	123.2	355	
TMP-SPM4	11/16/2020	160	117.4	335	
TMP-SPM4	11/16/2020	180	113.3	315	
TMP-SPM4	11/16/2020	200	107.9	295	
TMP-SPM4	11/16/2020	220	95.9	275	
TMP-SPM4	11/16/2020	240	89.7	255	
TMP-SPM4	11/23/2020	20	112.9	475	
TMP-SPM4	11/23/2020	40	136.1	455	
TMP-SPM4	11/23/2020	60	138.3	435	
TMP-SPM4	11/23/2020	80	139.2	415	
TMP-SPM4	11/23/2020	100	135.1	395	
TMP-SPM4	11/23/2020	120	127.7	375	
TMP-SPM4	11/23/2020	140	122.9	355	
TMP-SPM4	11/23/2020	160	117.2	335	
TMP-SPM4	11/23/2020	180	113.0	315	
TMP-SPM4	11/23/2020	200	107.6	295	
TMP-SPM4	11/23/2020	220	95.6	275	
TMP-SPM4	11/23/2020	240	89.4	255	
TMP-SPM4	11/30/2020	20	114.2	475	
TMP-SPM4	11/30/2020	40	136.7	455	
TMP-SPM4	11/30/2020	60	138.7	435	
TMP-SPM4	11/30/2020	80	139.6	415	
TMP-SPM4	11/30/2020	100	135.3	395	
TMP-SPM4	11/30/2020	120	127.9	375	
TMP-SPM4	11/30/2020	140	123.2	355	
TMP-SPM4	11/30/2020	160	117.6	335	
TMP-SPM4	11/30/2020	180	113.8	315	
TMP-SPM4	11/30/2020	200	108.6	295	
TMP-SPM4	11/30/2020	220	97.0	275	
TMP-SPM4	11/30/2020	240	90.9	255	
TMP-SPM4	12/7/2020	20	113.7	475	
TMP-SPM4	12/7/2020	40	136.4	455	
TMP-SPM4	12/7/2020	60	138.3	435	
TMP-SPM4	12/7/2020	80	139.1	415	
TMP-SPM4	12/7/2020	100	134.9	395	
TMP-SPM4	12/7/2020	120	127.6	375	
TMP-SPM4	12/7/2020	140	122.9	355	
TMP-SPM4	12/7/2020	160	117.3	335	
TMP-SPM4	12/7/2020	180	113.4	315	
TMP-SPM4	12/7/2020	200	108.3	295	
TMP-SPM4	12/7/2020	220	96.7	275	
TMP-SPM4	12/7/2020	240	90.7	255	
TMP-SPM4	12/14/2020	20	114.7	475	
TMP-SPM4	12/14/2020	40	137.0	455	
TMP-SPM4	12/14/2020	60	139.0	435	
TMP-SPM4	12/14/2020	80	139.9	415	
TMP-SPM4	12/14/2020	100	135.6	395	
TMP-SPM4	12/14/2020	120	128.3	375	
TMP-SPM4	12/14/2020	140	123.6	355	
TMP-SPM4	12/14/2020	160	117.9	335	
TMP-SPM4	12/14/2020	180	113.9	315	
TMP-SPM4	12/14/2020	200	108.7	295	
TMP-SPM4	12/14/2020	220	97.1	275	
TMP-SPM4	12/14/2020	240	90.9	255	