

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/7/2020	20	143.2	473	
TMP-19	12/7/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/7/2020	60	194.7	433	
TMP-19	12/7/2020	80	200.0	413	
TMP-19	12/7/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/14/2020	20	144.0	473	
TMP-19	12/14/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/14/2020	60	195.3	433	
TMP-19	12/14/2020	80	200.6	413	
TMP-19	12/14/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/21/2020	20	142.0	473	
TMP-19	12/21/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/21/2020	60	193.8	433	
TMP-19	12/21/2020	80	199.5	413	
TMP-19	12/21/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/28/2020	20	143.6	473	
TMP-19	12/28/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/28/2020	60	194.8	433	
TMP-19	12/28/2020	80	200.2	413	
TMP-19	12/28/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/4/2021	20	143.0	473	
TMP-19	1/4/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/4/2021	60	193.8	433	
TMP-19	1/4/2021	80	199.4	413	
TMP-19	1/4/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/7/2020	20	104.9	478	
TMP-20	12/7/2020	40	152.6	458	
TMP-20	12/7/2020	60	177.4	438	
TMP-20	12/7/2020	80	191.5	418	
TMP-20	12/7/2020	100	208.0	398	
TMP-20	12/7/2020	120	224.0	378	
TMP-20	12/7/2020	140	225.0	358	
TMP-20	12/14/2020	20	105.4	478	
TMP-20	12/14/2020	40	152.6	458	
TMP-20	12/14/2020	60	177.4	438	
TMP-20	12/14/2020	80	191.4	418	
TMP-20	12/14/2020	100	207.9	398	
TMP-20	12/14/2020	120	223.9	378	
TMP-20	12/14/2020	140	225.1	358	
TMP-20	12/21/2020	20	104.3	478	
TMP-20	12/21/2020	40	151.6	458	
TMP-20	12/21/2020	60	176.4	438	
TMP-20	12/21/2020	80	190.4	418	
TMP-20	12/21/2020	100	206.7	398	
TMP-20	12/21/2020	120	222.8	378	
TMP-20	12/21/2020	140	224.4	358	
TMP-20	12/28/2020	20	105.6	478	
TMP-20	12/28/2020	40	152.6	458	
TMP-20	12/28/2020	60	177.2	438	
TMP-20	12/28/2020	80	191.3	418	
TMP-20	12/28/2020	100	207.7	398	
TMP-20	12/28/2020	120	223.8	378	
TMP-20	12/28/2020	140	225.2	358	
TMP-20	1/4/2021	20	104.9	478	
TMP-20	1/4/2021	40	151.8	458	
TMP-20	1/4/2021	60	176.3	438	
TMP-20	1/4/2021	80	190.4	418	
TMP-20	1/4/2021	100	206.8	398	
TMP-20	1/4/2021	120	222.9	378	
TMP-20	1/4/2021	140	224.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/7/2020	20	108.7	475	
TMP-10-9N	12/7/2020	40	133.4	455	
TMP-10-9N	12/7/2020	60	129.6	435	
TMP-10-9N	12/7/2020	80	130.9	415	
TMP-10-9N	12/7/2020	100	141.1	395	
TMP-10-9N	12/14/2020	20	110.0	475	
TMP-10-9N	12/14/2020	40	134.0	455	
TMP-10-9N	12/14/2020	60	130.0	435	
TMP-10-9N	12/14/2020	80	131.4	415	
TMP-10-9N	12/14/2020	100	141.4	395	
TMP-10-9N	12/21/2020	20	106.8	475	
TMP-10-9N	12/21/2020	40	131.5	455	
TMP-10-9N	12/21/2020	60	127.4	435	
TMP-10-9N	12/21/2020	80	129.0	415	
TMP-10-9N	12/21/2020	100	139.0	395	
TMP-10-9N	12/28/2020	20	109.2	475	
TMP-10-9N	12/28/2020	40	133.5	455	
TMP-10-9N	12/28/2020	60	129.0	435	
TMP-10-9N	12/28/2020	80	130.4	415	
TMP-10-9N	12/28/2020	100	140.4	395	
TMP-10-9N	1/4/2021	20	108.6	475	
TMP-10-9N	1/4/2021	40	133.0	455	
TMP-10-9N	1/4/2021	60	128.5	435	
TMP-10-9N	1/4/2021	80	130.2	415	
TMP-10-9N	1/4/2021	100	140.1	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/7/2020	20	107.3	476	
TMP-10-9S	12/7/2020	40	147.1	456	
TMP-10-9S	12/7/2020	60	162.9	436	
TMP-10-9S	12/7/2020	80	171.6	416	
TMP-10-9S	12/7/2020	100	190.5	396	
TMP-10-9S	12/14/2020	20	108.3	476	
TMP-10-9S	12/14/2020	40	147.9	456	
TMP-10-9S	12/14/2020	60	163.5	436	
TMP-10-9S	12/14/2020	80	172.2	416	
TMP-10-9S	12/14/2020	100	191.1	396	
TMP-10-9S	12/21/2020	20	106.4	476	
TMP-10-9S	12/21/2020	40	146.0	456	
TMP-10-9S	12/21/2020	60	161.9	436	
TMP-10-9S	12/21/2020	80	170.6	416	
TMP-10-9S	12/21/2020	100	189.6	396	
TMP-10-9S	12/28/2020	20	107.3	476	
TMP-10-9S	12/28/2020	40	147.0	456	
TMP-10-9S	12/28/2020	60	162.5	436	
TMP-10-9S	12/28/2020	80	171.2	416	
TMP-10-9S	12/28/2020	100	190.3	396	
TMP-10-9S	1/4/2021	20	107.7	476	
TMP-10-9S	1/4/2021	40	146.8	456	
TMP-10-9S	1/4/2021	60	162.2	436	
TMP-10-9S	1/4/2021	80	170.9	416	
TMP-10-9S	1/4/2021	100	190.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/7/2020	20	96.2	478	
TMP-10-5N	12/7/2020	40	114.5	458	
TMP-10-5N	12/7/2020	60	95.2	438	
TMP-10-5N	12/7/2020	80	87.9	418	
TMP-10-5N	12/7/2020	100	83.6	398	
TMP-10-5N	12/14/2020	20	96.6	478	
TMP-10-5N	12/14/2020	40	114.9	458	
TMP-10-5N	12/14/2020	60	95.7	438	
TMP-10-5N	12/14/2020	80	88.7	418	
TMP-10-5N	12/14/2020	100	84.6	398	
TMP-10-5N	12/21/2020	20	94.8	478	
TMP-10-5N	12/21/2020	40	113.3	458	
TMP-10-5N	12/21/2020	60	93.9	438	
TMP-10-5N	12/21/2020	80	87.1	418	
TMP-10-5N	12/21/2020	100	82.8	398	
TMP-10-5N	12/28/2020	20	96.5	478	
TMP-10-5N	12/28/2020	40	115.3	458	
TMP-10-5N	12/28/2020	60	95.2	438	
TMP-10-5N	12/28/2020	80	88.9	418	
TMP-10-5N	12/28/2020	100	84.6	398	
TMP-10-5N	1/4/2021	20	96.1	478	
TMP-10-5N	1/4/2021	40	114.7	458	
TMP-10-5N	1/4/2021	60	95.7	438	
TMP-10-5N	1/4/2021	80	88.8	418	
TMP-10-5N	1/4/2021	100	84.6	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	12/7/2020	20	102.5	477	
TMP-10-5S	12/7/2020	40	138.8	457	
TMP-10-5S	12/7/2020	60	147.3	437	
TMP-10-5S	12/7/2020	80	158.5	417	
TMP-10-5S	12/7/2020	100	175.7	397	
TMP-10-5S	12/14/2020	20	104.0	477	
TMP-10-5S	12/14/2020	40	139.7	457	
TMP-10-5S	12/14/2020	60	147.9	437	
TMP-10-5S	12/14/2020	80	159.1	417	
TMP-10-5S	12/14/2020	100	176.5	397	
TMP-10-5S	12/21/2020	20	101.0	477	
TMP-10-5S	12/21/2020	40	137.3	457	
TMP-10-5S	12/21/2020	60	145.6	437	
TMP-10-5S	12/21/2020	80	157.0	417	
TMP-10-5S	12/21/2020	100	174.5	397	
TMP-10-5S	12/28/2020	20	102.7	477	
TMP-10-5S	12/28/2020	40	138.7	457	
TMP-10-5S	12/28/2020	60	146.7	437	
TMP-10-5S	12/28/2020	80	158.0	417	
TMP-10-5S	12/28/2020	100	175.9	397	
TMP-10-5S	1/4/2021	20	102.5	477	
TMP-10-5S	1/4/2021	40	138.5	457	
TMP-10-5S	1/4/2021	60	146.4	437	
TMP-10-5S	1/4/2021	80	157.6	417	
TMP-10-5S	1/4/2021	100	175.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/7/2020	20	99.6	476	
TMP-5-9N	12/7/2020	40	138.2	456	
TMP-5-9N	12/7/2020	60	143.6	436	
TMP-5-9N	12/7/2020	80	225.0	416	
TMP-5-9N	12/7/2020	100	247.3	396	
TMP-5-9N	12/14/2020	20	100.1	476	
TMP-5-9N	12/14/2020	40	138.3	456	
TMP-5-9N	12/14/2020	60	143.5	436	
TMP-5-9N	12/14/2020	80	225.0	416	
TMP-5-9N	12/14/2020	100	247.7	396	
TMP-5-9N	12/21/2020	20	97.6	476	
TMP-5-9N	12/21/2020	40	136.0	456	
TMP-5-9N	12/21/2020	60	141.2	436	
TMP-5-9N	12/21/2020	80	223.3	416	
TMP-5-9N	12/21/2020	100	246.0	396	
TMP-5-9N	12/28/2020	20	99.6	476	
TMP-5-9N	12/28/2020	40	137.8	456	
TMP-5-9N	12/28/2020	60	142.9	436	
TMP-5-9N	12/28/2020	80	224.5	416	
TMP-5-9N	12/28/2020	100	247.2	396	
TMP-5-9N	1/4/2021	20	99.3	476	
TMP-5-9N	1/4/2021	40	137.7	456	
TMP-5-9N	1/4/2021	60	143.0	436	
TMP-5-9N	1/4/2021	80	223.9	416	
TMP-5-9N	1/4/2021	100	247.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/7/2020	20	114.0	476	
TMP-5-9S	12/7/2020	40	172.3	456	
TMP-5-9S	12/7/2020	60	209.1	436	
TMP-5-9S	12/7/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/7/2020	100			No readings could be obtained
TMP-5-9S	12/14/2020	20	115.2	476	
TMP-5-9S	12/14/2020	40	173.2	456	
TMP-5-9S	12/14/2020	60	210.2	436	
TMP-5-9S	12/14/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/14/2020	100			No readings could be obtained
TMP-5-9S	12/21/2020	20	113.8	476	
TMP-5-9S	12/21/2020	40	171.9	456	
TMP-5-9S	12/21/2020	60	208.7	436	
TMP-5-9S	12/21/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/21/2020	100			No readings could be obtained
TMP-5-9S	12/28/2020	20	114.0	476	
TMP-5-9S	12/28/2020	40	172.0	456	
TMP-5-9S	12/28/2020	60	208.4	436	
TMP-5-9S	12/28/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/28/2020	100			No readings could be obtained
TMP-5-9S	1/4/2021	20	113.8	476	
TMP-5-9S	1/4/2021	40	171.5	456	
TMP-5-9S	1/4/2021	60	207.9	436	
TMP-5-9S	1/4/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/4/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/7/2020	20	93.9	475	
TMP-5-5N	12/7/2020	40	101.6	455	
TMP-5-5N	12/7/2020	60	88.5	435	
TMP-5-5N	12/7/2020	80	217.1	415	
TMP-5-5N	12/7/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/14/2020	20	94.4	475	
TMP-5-5N	12/14/2020	40	101.9	455	
TMP-5-5N	12/14/2020	60	88.1	435	
TMP-5-5N	12/14/2020	80	217.8	415	
TMP-5-5N	12/14/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/21/2020	20	92.5	475	
TMP-5-5N	12/21/2020	40	100.0	455	
TMP-5-5N	12/21/2020	60	86.3	435	
TMP-5-5N	12/21/2020	80	216.1	415	
TMP-5-5N	12/21/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/28/2020	20	94.3	475	
TMP-5-5N	12/28/2020	40	105.4	455	
TMP-5-5N	12/28/2020	60	89.5	435	
TMP-5-5N	12/28/2020	80	216.4	415	
TMP-5-5N	12/28/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/4/2021	20	93.5	475	
TMP-5-5N	1/4/2021	40	101.8	455	
TMP-5-5N	1/4/2021	60	88.0	435	
TMP-5-5N	1/4/2021	80	216.1	415	
TMP-5-5N	1/4/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/7/2020	20	112.9	474	
TMP-5-5S	12/7/2020	40	164.1	454	
TMP-5-5S	12/7/2020	60	195.7	434	
TMP-5-5S	12/7/2020	80	233.0	414	
TMP-5-5S	12/7/2020	100	237.7	394	
TMP-5-5S	12/14/2020	20	114.0	474	
TMP-5-5S	12/14/2020	40	164.9	454	
TMP-5-5S	12/14/2020	60	196.9	434	
TMP-5-5S	12/14/2020	80	233.8	414	
TMP-5-5S	12/14/2020	100	238.8	394	
TMP-5-5S	12/21/2020	20	112.0	474	
TMP-5-5S	12/21/2020	40	162.8	454	
TMP-5-5S	12/21/2020	60	194.9	434	
TMP-5-5S	12/21/2020	80	232.2	414	
TMP-5-5S	12/21/2020	100	237.1	394	
TMP-5-5S	12/28/2020	20	112.7	474	
TMP-5-5S	12/28/2020	40	163.7	454	
TMP-5-5S	12/28/2020	60	195.9	434	
TMP-5-5S	12/28/2020	80	232.6	414	
TMP-5-5S	12/28/2020	100	237.6	394	
TMP-5-5S	1/4/2021	20	112.6	474	
TMP-5-5S	1/4/2021	40	163.3	454	
TMP-5-5S	1/4/2021	60	195.2	434	
TMP-5-5S	1/4/2021	80	232.3	414	
TMP-5-5S	1/4/2021	100	237.2	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/7/2020	20	151.9	474	
TMP-31	12/7/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/7/2020	120	267.6	374	
TMP-31	12/14/2020	20	153.1	474	
TMP-31	12/14/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/14/2020	120	269.2	374	
TMP-31	12/21/2020	20	151.3	474	
TMP-31	12/21/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/21/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/21/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/21/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/21/2020	120	267.9	374	
TMP-31	12/28/2020	20	151.4	474	
TMP-31	12/28/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	120	267.6	374	
TMP-31	1/4/2021	20	151.7	474	
TMP-31	1/4/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	120	267.6	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/7/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	60	225.1	444	
TMP-32	12/7/2020	80	240.7	424	
TMP-32	12/7/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/7/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	60	225.7	444	
TMP-32	12/14/2020	80	241.4	424	
TMP-32	12/14/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/14/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	60	225	444	
TMP-32	12/21/2020	80	240.8	424	
TMP-32	12/21/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/21/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	60	225	444	
TMP-32	12/28/2020	80	240.6	424	
TMP-32	12/28/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	60	224.8	444	
TMP-32	1/4/2021	80	240.4	424	
TMP-32	1/4/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/7/2020	20	135.6	473	
TMP-SPM1	12/7/2020	40	158.7	453	
TMP-SPM1	12/7/2020	60	173.8	433	
TMP-SPM1	12/7/2020	80	166.5	413	
TMP-SPM1	12/7/2020	100	167.2	393	
TMP-SPM1	12/7/2020	120	163.1	373	
TMP-SPM1	12/7/2020	140	153.3	353	
TMP-SPM1	12/7/2020	160	135.3	333	
TMP-SPM1	12/7/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/7/2020	200	106.8	293	
TMP-SPM1	12/7/2020	220	93.3	273	
TMP-SPM1	12/7/2020	240	90.1	253	
TMP-SPM1	12/14/2020	20	136.3	473	
TMP-SPM1	12/14/2020	40	159.4	453	
TMP-SPM1	12/14/2020	60	174.6	433	
TMP-SPM1	12/14/2020	80	167.4	413	
TMP-SPM1	12/14/2020	100	168.0	393	
TMP-SPM1	12/14/2020	120	164.0	373	
TMP-SPM1	12/14/2020	140	154.2	353	
TMP-SPM1	12/14/2020	160	136.1	333	
TMP-SPM1	12/14/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/14/2020	200	107.6	293	
TMP-SPM1	12/14/2020	220	94.3	273	
TMP-SPM1	12/14/2020	240	91.1	253	
TMP-SPM1	12/21/2020	20	134.1	473	
TMP-SPM1	12/21/2020	40	156.9	453	
TMP-SPM1	12/21/2020	60	172.1	433	
TMP-SPM1	12/21/2020	80	165.1	413	
TMP-SPM1	12/21/2020	100	166.0	393	
TMP-SPM1	12/21/2020	120	162.0	373	
TMP-SPM1	12/21/2020	140	152.3	353	
TMP-SPM1	12/21/2020	160	134.3	333	
TMP-SPM1	12/21/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/21/2020	200	105.7	293	
TMP-SPM1	12/21/2020	220	92.3	273	
TMP-SPM1	12/21/2020	240	89.3	253	
TMP-SPM1	12/28/2020	20	134.8	473	
TMP-SPM1	12/28/2020	40	157.9	453	
TMP-SPM1	12/28/2020	60	173.0	433	
TMP-SPM1	12/28/2020	80	166.1	413	
TMP-SPM1	12/28/2020	100	166.9	393	
TMP-SPM1	12/28/2020	120	162.9	373	
TMP-SPM1	12/28/2020	140	153.3	353	
TMP-SPM1	12/28/2020	160	135.3	333	
TMP-SPM1	12/28/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/28/2020	200	106.9	293	
TMP-SPM1	12/28/2020	220	93.5	273	
TMP-SPM1	12/28/2020	240	90.4	253	
TMP-SPM1	1/4/2021	20	135.3	473	
TMP-SPM1	1/4/2021	40	158.4	453	
TMP-SPM1	1/4/2021	60	173.4	433	
TMP-SPM1	1/4/2021	80	166.5	413	
TMP-SPM1	1/4/2021	100	167.4	393	
TMP-SPM1	1/4/2021	120	163.5	373	
TMP-SPM1	1/4/2021	140	153.8	353	
TMP-SPM1	1/4/2021	160	135.8	333	
TMP-SPM1	1/4/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/4/2021	200	107.3	293	
TMP-SPM1	1/4/2021	220	94.0	273	
TMP-SPM1	1/4/2021	240	90.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/7/2020	20	124.2	475	
TMP-SPM2	12/7/2020	40	146.2	455	
TMP-SPM2	12/7/2020	60	141.4	435	
TMP-SPM2	12/7/2020	80	158.4	415	
TMP-SPM2	12/7/2020	100	178.1	395	
TMP-SPM2	12/7/2020	120	180.9	375	
TMP-SPM2	12/7/2020	140	185.1	355	
TMP-SPM2	12/7/2020	160	164.0	335	
TMP-SPM2	12/7/2020	172	148.9	323	
TMP-SPM2	12/14/2020	20	124.1	475	
TMP-SPM2	12/14/2020	40	145.9	455	
TMP-SPM2	12/14/2020	60	141.1	435	
TMP-SPM2	12/14/2020	80	158.2	415	
TMP-SPM2	12/14/2020	100	178.0	395	
TMP-SPM2	12/14/2020	120	180.9	375	
TMP-SPM2	12/14/2020	140	185.3	355	
TMP-SPM2	12/14/2020	160	164.5	335	
TMP-SPM2	12/14/2020	172	149.4	323	
TMP-SPM2	12/21/2020	20	123.0	475	
TMP-SPM2	12/21/2020	40	144.6	455	
TMP-SPM2	12/21/2020	60	139.9	435	
TMP-SPM2	12/21/2020	80	156.8	415	
TMP-SPM2	12/21/2020	100	176.6	395	
TMP-SPM2	12/21/2020	120	179.6	375	
TMP-SPM2	12/21/2020	140	184.1	355	
TMP-SPM2	12/21/2020	160	163.4	335	
TMP-SPM2	12/21/2020	172	148.3	323	
TMP-SPM2	12/28/2020	20	125.0	475	
TMP-SPM2	12/28/2020	40	146.6	455	
TMP-SPM2	12/28/2020	60	141.8	435	
TMP-SPM2	12/28/2020	80	158.5	415	
TMP-SPM2	12/28/2020	100	178.0	395	
TMP-SPM2	12/28/2020	120	181.0	375	
TMP-SPM2	12/28/2020	140	185.5	355	
TMP-SPM2	12/28/2020	160	164.9	335	
TMP-SPM2	12/28/2020	172	149.7	323	
TMP-SPM2	1/4/2021	20	124.8	475	
TMP-SPM2	1/4/2021	40	146.3	455	
TMP-SPM2	1/4/2021	60	141.7	435	
TMP-SPM2	1/4/2021	80	158.3	415	
TMP-SPM2	1/4/2021	100	177.8	395	
TMP-SPM2	1/4/2021	120	180.8	375	
TMP-SPM2	1/4/2021	140	185.5	355	
TMP-SPM2	1/4/2021	160	164.9	335	
TMP-SPM2	1/4/2021	172	149.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/7/2020	20	110.4	478	
TMP-SPM3	12/7/2020	40	109.1	458	
TMP-SPM3	12/7/2020	60	103.4	438	
TMP-SPM3	12/7/2020	80	108.1	418	
TMP-SPM3	12/7/2020	85	110.1	413	
TMP-SPM3	12/14/2020	20	110.9	478	
TMP-SPM3	12/14/2020	40	109.3	458	
TMP-SPM3	12/14/2020	60	103.4	438	
TMP-SPM3	12/14/2020	80	108.2	418	
TMP-SPM3	12/14/2020	85	110.2	413	
TMP-SPM3	12/21/2020	20	109.0	478	
TMP-SPM3	12/21/2020	40	107.6	458	
TMP-SPM3	12/21/2020	60	101.7	438	
TMP-SPM3	12/21/2020	80	106.4	418	
TMP-SPM3	12/21/2020	85	108.5	413	
TMP-SPM3	12/28/2020	20	111.1	478	
TMP-SPM3	12/28/2020	40	109.6	458	
TMP-SPM3	12/28/2020	60	103.7	438	
TMP-SPM3	12/28/2020	80	108.5	418	
TMP-SPM3	12/28/2020	85	110.5	413	
TMP-SPM3	1/4/2021	20	110.8	478	
TMP-SPM3	1/4/2021	40	109.5	458	
TMP-SPM3	1/4/2021	60	103.7	438	
TMP-SPM3	1/4/2021	80	108.5	418	
TMP-SPM3	1/4/2021	85	110.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/7/2020	20	113.7	475	
TMP-SPM4	12/7/2020	40	136.4	455	
TMP-SPM4	12/7/2020	60	138.3	435	
TMP-SPM4	12/7/2020	80	139.1	415	
TMP-SPM4	12/7/2020	100	134.9	395	
TMP-SPM4	12/7/2020	120	127.6	375	
TMP-SPM4	12/7/2020	140	122.9	355	
TMP-SPM4	12/7/2020	160	117.3	335	
TMP-SPM4	12/7/2020	180	113.4	315	
TMP-SPM4	12/7/2020	200	108.3	295	
TMP-SPM4	12/7/2020	220	96.7	275	
TMP-SPM4	12/7/2020	240	90.7	255	
TMP-SPM4	12/14/2020	20	114.7	475	
TMP-SPM4	12/14/2020	40	137.0	455	
TMP-SPM4	12/14/2020	60	139.0	435	
TMP-SPM4	12/14/2020	80	139.9	415	
TMP-SPM4	12/14/2020	100	135.6	395	
TMP-SPM4	12/14/2020	120	128.3	375	
TMP-SPM4	12/14/2020	140	123.6	355	
TMP-SPM4	12/14/2020	160	117.9	335	
TMP-SPM4	12/14/2020	180	113.9	315	
TMP-SPM4	12/14/2020	200	108.7	295	
TMP-SPM4	12/14/2020	220	97.1	275	
TMP-SPM4	12/14/2020	240	90.9	255	
TMP-SPM4	12/21/2020	20	112.6	475	
TMP-SPM4	12/21/2020	40	135.6	455	
TMP-SPM4	12/21/2020	60	137.6	435	
TMP-SPM4	12/21/2020	80	138.5	415	
TMP-SPM4	12/21/2020	100	134.4	395	
TMP-SPM4	12/21/2020	120	127.0	375	
TMP-SPM4	12/21/2020	140	122.3	355	
TMP-SPM4	12/21/2020	160	116.6	335	
TMP-SPM4	12/21/2020	180	112.6	315	
TMP-SPM4	12/21/2020	200	107.4	295	
TMP-SPM4	12/21/2020	220	95.7	275	
TMP-SPM4	12/21/2020	240	89.5	255	
TMP-SPM4	12/28/2020	20	114.5	475	
TMP-SPM4	12/28/2020	40	136.8	455	
TMP-SPM4	12/28/2020	60	138.7	435	
TMP-SPM4	12/28/2020	80	139.5	415	
TMP-SPM4	12/28/2020	100	135.3	395	
TMP-SPM4	12/28/2020	120	128.0	375	
TMP-SPM4	12/28/2020	140	123.2	355	
TMP-SPM4	12/28/2020	160	117.7	335	
TMP-SPM4	12/28/2020	180	113.8	315	
TMP-SPM4	12/28/2020	200	108.7	295	
TMP-SPM4	12/28/2020	220	97.2	275	
TMP-SPM4	12/28/2020	240	91.2	255	
TMP-SPM4	1/4/2021	20	114.4	475	
TMP-SPM4	1/4/2021	40	137.0	455	
TMP-SPM4	1/4/2021	60	138.8	435	
TMP-SPM4	1/4/2021	80	139.7	415	
TMP-SPM4	1/4/2021	100	135.4	395	
TMP-SPM4	1/4/2021	120	128.1	375	
TMP-SPM4	1/4/2021	140	123.4	355	
TMP-SPM4	1/4/2021	160	117.8	335	
TMP-SPM4	1/4/2021	180	113.9	315	
TMP-SPM4	1/4/2021	200	108.8	295	
TMP-SPM4	1/4/2021	220	97.3	275	
TMP-SPM4	1/4/2021	240	91.3	255	