

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	12/7/2020	18	106.7	451	
TMP-1	12/7/2020	38	135.1	431	
TMP-1	12/7/2020	58	142.9	411	
TMP-1	12/7/2020	78	141.3	391	
TMP-1	12/7/2020	98	133.4	371	
TMP-1	12/7/2020	118	123.1	351	
TMP-1	12/7/2020	138	115.0	331	
TMP-1	12/14/2020	18	106.3	451	
TMP-1	12/14/2020	38	134.9	431	
TMP-1	12/14/2020	58	142.8	411	
TMP-1	12/14/2020	78	141.3	391	
TMP-1	12/14/2020	98	133.6	371	
TMP-1	12/14/2020	118	123.4	351	
TMP-1	12/14/2020	138	115.3	331	
TMP-1	12/21/2020	18	105.5	451	
TMP-1	12/21/2020	38	134.0	431	
TMP-1	12/21/2020	58	142.1	411	
TMP-1	12/21/2020	78	140.7	391	
TMP-1	12/21/2020	98	132.9	371	
TMP-1	12/21/2020	118	122.7	351	
TMP-1	12/21/2020	138	114.9	331	
TMP-1	12/28/2020	18	104.6	451	
TMP-1	12/28/2020	38	133.3	431	
TMP-1	12/28/2020	58	141.7	411	
TMP-1	12/28/2020	78	140.3	391	
TMP-1	12/28/2020	98	132.7	371	
TMP-1	12/28/2020	118	122.7	351	
TMP-1	12/28/2020	138	114.9	331	
TMP-1	1/4/2021	18	105.4	451	
TMP-1	1/4/2021	38	134.2	431	
TMP-1	1/4/2021	58	142.0	411	
TMP-1	1/4/2021	78	140.3	391	
TMP-1	1/4/2021	98	132.9	371	
TMP-1	1/4/2021	118	122.5	351	
TMP-1	1/4/2021	138	114.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	12/7/2020	20	116.5	440	
TMP-2R	12/7/2020	40	151.9	420	
TMP-2R	12/7/2020	60	162.7	400	
TMP-2R	12/7/2020	80	168.8	380	
TMP-2R	12/7/2020	100	166.3	360	
TMP-2R	12/7/2020	120	157.7	340	
TMP-2R	12/7/2020	140	152.2	320	
TMP-2R	12/7/2020	160	145.1	300	
TMP-2R	12/7/2020	180	132.3	280	
TMP-2R	12/14/2020	20	116.9	440	
TMP-2R	12/14/2020	40	152.2	420	
TMP-2R	12/14/2020	60	163.2	400	
TMP-2R	12/14/2020	80	169.3	380	
TMP-2R	12/14/2020	100	166.9	360	
TMP-2R	12/14/2020	120	158.3	340	
TMP-2R	12/14/2020	140	152.5	320	
TMP-2R	12/14/2020	160	145.5	300	
TMP-2R	12/14/2020	180	132.7	280	
TMP-2R	12/21/2020	20	116.2	440	
TMP-2R	12/21/2020	40	151.4	420	
TMP-2R	12/21/2020	60	162.4	400	
TMP-2R	12/21/2020	80	168.6	380	
TMP-2R	12/21/2020	100	166.1	360	
TMP-2R	12/21/2020	120	157.6	340	
TMP-2R	12/21/2020	140	151.8	320	
TMP-2R	12/21/2020	160	144.8	300	
TMP-2R	12/21/2020	180	132.1	280	
TMP-2R	12/28/2020	20	117.2	440	
TMP-2R	12/28/2020	40	152.4	420	
TMP-2R	12/28/2020	60	163.3	400	
TMP-2R	12/28/2020	80	169.4	380	
TMP-2R	12/28/2020	100	166.8	360	
TMP-2R	12/28/2020	120	158.2	340	
TMP-2R	12/28/2020	140	152.4	320	
TMP-2R	12/28/2020	160	145.4	300	
TMP-2R	12/28/2020	180	132.7	280	
TMP-2R	1/4/2021	20	117.3	440	
TMP-2R	1/4/2021	40	152.4	420	
TMP-2R	1/4/2021	60	163.3	400	
TMP-2R	1/4/2021	80	169.3	380	
TMP-2R	1/4/2021	100	166.8	360	
TMP-2R	1/4/2021	120	158.1	340	
TMP-2R	1/4/2021	140	152.3	320	
TMP-2R	1/4/2021	160	145.3	300	
TMP-2R	1/4/2021	180	132.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	12/7/2020	30	138.6	470	
TMP-3	12/7/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/7/2020	150	137.0	350	
TMP-3	12/7/2020	190	119.6	310	
TMP-3	12/7/2020	230	100.8	270	
TMP-3	12/14/2020	30	138.4	470	
TMP-3	12/14/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/14/2020	150	136.9	350	
TMP-3	12/14/2020	190	119.6	310	
TMP-3	12/14/2020	230	101.0	270	
TMP-3	12/21/2020	30	138.2	470	
TMP-3	12/21/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/21/2020	150	136.7	350	
TMP-3	12/21/2020	190	119.3	310	
TMP-3	12/21/2020	230	101.0	270	
TMP-3	12/28/2020	30	137.1	470	
TMP-3	12/28/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/28/2020	150	136.0	350	
TMP-3	12/28/2020	190	118.8	310	
TMP-3	12/28/2020	230	100.9	270	
TMP-3	1/4/2021	30	138.5	470	
TMP-3	1/4/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/4/2021	150	137.4	350	
TMP-3	1/4/2021	190	119.5	310	
TMP-3	1/4/2021	230	102.1	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	12/7/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	12/7/2020	40	149.4	459	
TMP-3R	12/7/2020	60	151.9	439	
TMP-3R	12/7/2020	80	152.7	419	
TMP-3R	12/7/2020	100	150.9	399	
TMP-3R	12/7/2020	120	147.2	379	
TMP-3R	12/7/2020	140	140.0	359	
TMP-3R	12/7/2020	160	134.5	339	
TMP-3R	12/7/2020	180	125.6	319	
TMP-3R	12/7/2020	200	114.2	299	
TMP-3R	12/7/2020	218	103.7	281	
TMP-3R	12/14/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	12/14/2020	40	149.7	459	
TMP-3R	12/14/2020	60	152.0	439	
TMP-3R	12/14/2020	80	152.9	419	
TMP-3R	12/14/2020	100	151.0	399	
TMP-3R	12/14/2020	120	147.3	379	
TMP-3R	12/14/2020	140	140.0	359	
TMP-3R	12/14/2020	160	134.6	339	
TMP-3R	12/14/2020	180	125.9	319	
TMP-3R	12/14/2020	200	114.4	299	
TMP-3R	12/14/2020	218	104.0	281	
TMP-3R	12/21/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	12/21/2020	40	148.9	459	
TMP-3R	12/21/2020	60	151.3	439	
TMP-3R	12/21/2020	80	152.1	419	
TMP-3R	12/21/2020	100	150.2	399	
TMP-3R	12/21/2020	120	146.5	379	
TMP-3R	12/21/2020	140	139.1	359	
TMP-3R	12/21/2020	160	133.8	339	
TMP-3R	12/21/2020	180	125.0	319	
TMP-3R	12/21/2020	200	113.6	299	
TMP-3R	12/21/2020	218	103.1	281	
TMP-3R	12/28/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	12/28/2020	40	149.7	459	
TMP-3R	12/28/2020	60	152.1	439	
TMP-3R	12/28/2020	80	153.0	419	
TMP-3R	12/28/2020	100	151.1	399	
TMP-3R	12/28/2020	120	147.4	379	
TMP-3R	12/28/2020	140	140.0	359	
TMP-3R	12/28/2020	160	134.8	339	
TMP-3R	12/28/2020	180	126.0	319	
TMP-3R	12/28/2020	200	114.6	299	
TMP-3R	12/28/2020	218	104.2	281	
TMP-3R	1/4/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	1/4/2021	40	149.6	459	
TMP-3R	1/4/2021	60	152.0	439	
TMP-3R	1/4/2021	80	152.8	419	
TMP-3R	1/4/2021	100	150.9	399	
TMP-3R	1/4/2021	120	147.3	379	
TMP-3R	1/4/2021	140	139.7	359	
TMP-3R	1/4/2021	160	134.6	339	
TMP-3R	1/4/2021	180	125.9	319	
TMP-3R	1/4/2021	200	114.5	299	
TMP-3R	1/4/2021	218	104.1	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	12/7/2020	28	105.4	472	
TMP-4	12/14/2020	28	105.4	472	
TMP-4	12/21/2020	28	105.3	472	
TMP-4	12/28/2020	28	105.2	472	
TMP-4	1/4/2021	28	104.4	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	12/7/2020	10	93.5	489	
TMP-4R	12/7/2020	20	100.7	479	
TMP-4R	12/7/2020	29	105.8	470	
TMP-4R	12/14/2020	10	92.8	489	
TMP-4R	12/14/2020	20	100.7	479	
TMP-4R	12/14/2020	29	105.8	470	
TMP-4R	12/21/2020	10	91.3	489	
TMP-4R	12/21/2020	20	99.7	479	
TMP-4R	12/21/2020	29	104.7	470	
TMP-4R	12/28/2020	10	91.0	489	
TMP-4R	12/28/2020	20	100.2	479	
TMP-4R	12/28/2020	29	105.2	470	
TMP-4R	1/4/2021	10	90.2	489	
TMP-4R	1/4/2021	20	100.2	479	
TMP-4R	1/4/2021	29	105.2	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	12/7/2020	15	117.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	12/7/2020	95	152.2	392	
TMP-6	12/7/2020	115	148.7	372	
TMP-6	12/7/2020	135	140.4	352	
TMP-6	12/14/2020	15	116.9	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	12/14/2020	95	152.3	392	
TMP-6	12/14/2020	115	149.1	372	
TMP-6	12/14/2020	135	140.8	352	
TMP-6	12/21/2020	15	117.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	12/21/2020	95	151.8	392	
TMP-6	12/21/2020	115	148.6	372	
TMP-6	12/21/2020	135	140.3	352	
TMP-6	12/28/2020	15	116.4	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	12/28/2020	95	151.9	392	
TMP-6	12/28/2020	115	148.7	372	
TMP-6	12/28/2020	135	140.4	352	
TMP-6	1/4/2021	15	117.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	1/4/2021	95	152.0	392	
TMP-6	1/4/2021	115	148.6	372	
TMP-6	1/4/2021	135	140.6	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	12/7/2020	40	191.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	12/14/2020	40	191.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	12/21/2020	40	191.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	12/28/2020	40	192	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	1/4/2021	40	191.2	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	12/7/2020	20	103.0	448	
TMP-11R	12/7/2020	40	116.7	428	
TMP-11R	12/7/2020	60	117.5	408	
TMP-11R	12/7/2020	80	117.3	388	
TMP-11R	12/7/2020	100	110.5	368	
TMP-11R	12/7/2020	120	104.8	348	
TMP-11R	12/14/2020	20	102.8	448	
TMP-11R	12/14/2020	40	116.8	428	
TMP-11R	12/14/2020	60	117.8	408	
TMP-11R	12/14/2020	80	117.8	388	
TMP-11R	12/14/2020	100	111.1	368	
TMP-11R	12/14/2020	120	105.7	348	
TMP-11R	12/21/2020	20	103.0	448	
TMP-11R	12/21/2020	40	117.0	428	
TMP-11R	12/21/2020	60	117.9	408	
TMP-11R	12/21/2020	80	119.0	388	
TMP-11R	12/21/2020	100	111.8	368	
TMP-11R	12/21/2020	120	106.3	348	
TMP-11R	12/28/2020	20	104.2	448	
TMP-11R	12/28/2020	40	117.7	428	
TMP-11R	12/28/2020	60	118.4	408	
TMP-11R	12/28/2020	80	118.3	388	
TMP-11R	12/28/2020	100	111.6	368	
TMP-11R	12/28/2020	120	105.9	348	
TMP-11R	1/4/2021	20	103.3	448	
TMP-11R	1/4/2021	40	117.2	428	
TMP-11R	1/4/2021	60	118.4	408	
TMP-11R	1/4/2021	80	118.3	388	
TMP-11R	1/4/2021	100	111.8	368	
TMP-11R	1/4/2021	120	106.7	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	12/7/2020	20	111.9	470	
TMP-14R2	12/7/2020	40	163.7	450	
TMP-14R2	12/7/2020	60	185.8	430	
TMP-14R2	12/7/2020	80	191.9	410	
TMP-14R2	12/7/2020	100	212.1	390	
TMP-14R2	12/7/2020	120	212.4	370	
TMP-14R2	12/7/2020	140	203.2	350	
TMP-14R2	12/7/2020	160	170.6	330	
TMP-14R2	12/7/2020	180	147.9	310	
TMP-14R2	12/7/2020	200	124.8	290	
TMP-14R2	12/7/2020	220	100.5	270	
TMP-14R2	12/7/2020	228	95.5	262	
TMP-14R2	12/14/2020	20	111.5	470	
TMP-14R2	12/14/2020	40	163.2	450	
TMP-14R2	12/14/2020	60	185.3	430	
TMP-14R2	12/14/2020	80	191.5	410	
TMP-14R2	12/14/2020	100	211.9	390	
TMP-14R2	12/14/2020	120	212.3	370	
TMP-14R2	12/14/2020	140	203.3	350	
TMP-14R2	12/14/2020	160	171.1	330	
TMP-14R2	12/14/2020	180	148.2	310	
TMP-14R2	12/14/2020	200	125.2	290	
TMP-14R2	12/14/2020	220	100.8	270	
TMP-14R2	12/14/2020	228	95.9	262	
TMP-14R2	12/21/2020	20	111.3	470	
TMP-14R2	12/21/2020	40	162.8	450	
TMP-14R2	12/21/2020	60	185.0	430	
TMP-14R2	12/21/2020	80	191.1	410	
TMP-14R2	12/21/2020	100	211.4	390	
TMP-14R2	12/21/2020	120	211.9	370	
TMP-14R2	12/21/2020	140	203.0	350	
TMP-14R2	12/21/2020	160	170.8	330	
TMP-14R2	12/21/2020	180	147.8	310	
TMP-14R2	12/21/2020	200	124.6	290	
TMP-14R2	12/21/2020	220	100.3	270	
TMP-14R2	12/21/2020	228	95.1	262	
TMP-14R2	12/28/2020	20	111.9	470	
TMP-14R2	12/28/2020	40	163.2	450	
TMP-14R2	12/28/2020	60	185.2	430	
TMP-14R2	12/28/2020	80	191.2	410	
TMP-14R2	12/28/2020	100	211.6	390	
TMP-14R2	12/28/2020	120	212.0	370	
TMP-14R2	12/28/2020	140	203.1	350	
TMP-14R2	12/28/2020	160	171.0	330	
TMP-14R2	12/28/2020	180	148.1	310	
TMP-14R2	12/28/2020	200	125.0	290	
TMP-14R2	12/28/2020	220	100.6	270	
TMP-14R2	12/28/2020	228	95.6	262	
TMP-14R2	1/4/2021	20	111.5	470	
TMP-14R2	1/4/2021	40	162.7	450	
TMP-14R2	1/4/2021	60	184.8	430	
TMP-14R2	1/4/2021	80	190.7	410	
TMP-14R2	1/4/2021	100	211.2	390	
TMP-14R2	1/4/2021	120	211.7	370	
TMP-14R2	1/4/2021	140	202.9	350	
TMP-14R2	1/4/2021	160	171.2	330	
TMP-14R2	1/4/2021	180	147.9	310	
TMP-14R2	1/4/2021	200	124.8	290	
TMP-14R2	1/4/2021	220	100.4	270	
TMP-14R2	1/4/2021	228	95.3	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	12/7/2020	20	109.6	491	
TMP-16R	12/7/2020	40	148.8	471	
TMP-16R	12/7/2020	60	163.9	451	
TMP-16R	12/7/2020	80	166.8	431	
TMP-16R	12/7/2020	100	159.2	411	
TMP-16R	12/7/2020	120	150.1	391	
TMP-16R	12/7/2020	140	146.2	371	
TMP-16R	12/7/2020	160	120.2	351	
TMP-16R	12/7/2020	180	112.2	331	
TMP-16R	12/7/2020	200	98.6	311	
TMP-16R	12/7/2020	220	94.1	291	
TMP-16R	12/7/2020	230	92.6	281	
TMP-16R	12/14/2020	20	109.4	491	
TMP-16R	12/14/2020	40	148.6	471	
TMP-16R	12/14/2020	60	163.6	451	
TMP-16R	12/14/2020	80	166.4	431	
TMP-16R	12/14/2020	100	158.8	411	
TMP-16R	12/14/2020	120	149.7	391	
TMP-16R	12/14/2020	140	145.9	371	
TMP-16R	12/14/2020	160	119.9	351	
TMP-16R	12/14/2020	180	112.0	331	
TMP-16R	12/14/2020	200	98.4	311	
TMP-16R	12/14/2020	220	93.8	291	
TMP-16R	12/14/2020	230	91.9	281	
TMP-16R	12/21/2020	20	110.0	491	
TMP-16R	12/21/2020	40	149.1	471	
TMP-16R	12/21/2020	60	164.1	451	
TMP-16R	12/21/2020	80	166.9	431	
TMP-16R	12/21/2020	100	159.3	411	
TMP-16R	12/21/2020	120	150.2	391	
TMP-16R	12/21/2020	140	146.4	371	
TMP-16R	12/21/2020	160	120.4	351	
TMP-16R	12/21/2020	180	112.5	331	
TMP-16R	12/21/2020	200	98.9	311	
TMP-16R	12/21/2020	220	94.3	291	
TMP-16R	12/21/2020	230	93.0	281	
TMP-16R	12/28/2020	20	111.3	491	
TMP-16R	12/28/2020	40	150.2	471	
TMP-16R	12/28/2020	60	165.3	451	
TMP-16R	12/28/2020	80	168.3	431	
TMP-16R	12/28/2020	100	160.7	411	
TMP-16R	12/28/2020	120	151.7	391	
TMP-16R	12/28/2020	140	147.9	371	
TMP-16R	12/28/2020	160	122.0	351	
TMP-16R	12/28/2020	180	114.2	331	
TMP-16R	12/28/2020	200	100.7	311	
TMP-16R	12/28/2020	220	96.3	291	
TMP-16R	12/28/2020	230	95.9	281	
TMP-16R	1/4/2021	20	110.0	491	
TMP-16R	1/4/2021	40	149.1	471	
TMP-16R	1/4/2021	60	164.2	451	
TMP-16R	1/4/2021	80	167.2	431	
TMP-16R	1/4/2021	100	159.7	411	
TMP-16R	1/4/2021	120	150.7	391	
TMP-16R	1/4/2021	140	146.9	371	
TMP-16R	1/4/2021	160	121.0	351	
TMP-16R	1/4/2021	180	113.2	331	
TMP-16R	1/4/2021	200	99.6	311	
TMP-16R	1/4/2021	220	95.2	291	
TMP-16R	1/4/2021	230	94.7	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	12/7/2020	20	111.9	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	12/7/2020	40	144.0	476	
TMP-17	12/7/2020	60	158.0	456	
TMP-17	12/7/2020	80	159.1	436	
TMP-17	12/7/2020	100	155.4	416	
TMP-17	12/7/2020	120	148.6	396	
TMP-17	12/7/2020	140	142.1	376	
TMP-17	12/7/2020	160	130.2	356	
TMP-17	12/7/2020	180	122.5	336	
TMP-17	12/7/2020	200	114.8	316	
TMP-17	12/7/2020	220	107.8	296	
TMP-17	12/7/2020	237	100.8	279	
TMP-17	12/14/2020	20	110.6	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	12/14/2020	40	142.7	476	
TMP-17	12/14/2020	60	156.7	456	
TMP-17	12/14/2020	80	158.0	436	
TMP-17	12/14/2020	100	154.3	416	
TMP-17	12/14/2020	120	147.4	396	
TMP-17	12/14/2020	140	140.9	376	
TMP-17	12/14/2020	160	128.7	356	
TMP-17	12/14/2020	180	121.5	336	
TMP-17	12/14/2020	200	112.8	316	
TMP-17	12/14/2020	220	106.0	296	
TMP-17	12/14/2020	237	98.8	279	
TMP-17	12/21/2020	20	111.3	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	12/21/2020	40	143.3	476	
TMP-17	12/21/2020	60	157.4	456	
TMP-17	12/21/2020	80	158.7	436	
TMP-17	12/21/2020	100	154.9	416	
TMP-17	12/21/2020	120	148.1	396	
TMP-17	12/21/2020	140	141.5	376	
TMP-17	12/21/2020	160	129.3	356	
TMP-17	12/21/2020	180	122.1	336	
TMP-17	12/21/2020	200	113.8	316	
TMP-17	12/21/2020	220	106.7	296	
TMP-17	12/21/2020	237	99.4	279	
TMP-17	12/28/2020	20	111.8	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	12/28/2020	40	143.4	476	
TMP-17	12/28/2020	60	157.7	456	
TMP-17	12/28/2020	80	159.0	436	
TMP-17	12/28/2020	100	155.2	416	
TMP-17	12/28/2020	120	149.2	396	
TMP-17	12/28/2020	140	142.0	376	
TMP-17	12/28/2020	160	130.4	356	
TMP-17	12/28/2020	180	123.4	336	
TMP-17	12/28/2020	200	115.1	316	
TMP-17	12/28/2020	220	108.0	296	
TMP-17	12/28/2020	237	101.1	279	
TMP-17	1/4/2021	20	111.3	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	1/4/2021	40	143.1	476	
TMP-17	1/4/2021	60	157.4	456	
TMP-17	1/4/2021	80	158.7	436	
TMP-17	1/4/2021	100	154.8	416	
TMP-17	1/4/2021	120	148.9	396	
TMP-17	1/4/2021	140	142.0	376	
TMP-17	1/4/2021	160	130.0	356	
TMP-17	1/4/2021	180	122.5	336	
TMP-17	1/4/2021	200	115.1	316	
TMP-17	1/4/2021	220	108.0	296	
TMP-17	1/4/2021	237	101.2	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	12/7/2020	20	98.5	489	
TMP-18	12/7/2020	39	132.7	470	
TMP-18	12/7/2020	58	146.6	451	
TMP-18	12/7/2020	77	147.0	432	
TMP-18	12/7/2020	96	141.8	413	
TMP-18	12/7/2020	115	135.9	394	
TMP-18	12/7/2020	134	129.3	375	
TMP-18	12/7/2020	153	123.5	356	
TMP-18	12/7/2020	172	118.1	337	
TMP-18	12/7/2020	191	113.3	318	
TMP-18	12/7/2020	210	108.7	299	
TMP-18	12/7/2020	227	105.6	282	
TMP-18	12/14/2020	20	97.3	489	
TMP-18	12/14/2020	39	131.6	470	
TMP-18	12/14/2020	58	145.9	451	
TMP-18	12/14/2020	77	146.0	432	
TMP-18	12/14/2020	96	142.2	413	
TMP-18	12/14/2020	115	135.4	394	
TMP-18	12/14/2020	134	129.2	375	
TMP-18	12/14/2020	153	124.1	356	
TMP-18	12/14/2020	172	118.7	337	
TMP-18	12/14/2020	191	114.1	318	
TMP-18	12/14/2020	210	109.3	299	
TMP-18	12/14/2020	227	106.3	282	
TMP-18	12/21/2020	20	98.0	489	
TMP-18	12/21/2020	39	132.0	470	
TMP-18	12/21/2020	58	146.2	451	
TMP-18	12/21/2020	77	146.6	432	
TMP-18	12/21/2020	96	142.2	413	
TMP-18	12/21/2020	115	135.8	394	
TMP-18	12/21/2020	134	129.5	375	
TMP-18	12/21/2020	153	124.1	356	
TMP-18	12/21/2020	172	118.6	337	
TMP-18	12/21/2020	191	113.9	318	
TMP-18	12/21/2020	210	109.1	299	
TMP-18	12/21/2020	227	106.2	282	
TMP-18	12/28/2020	20	99.2	489	
TMP-18	12/28/2020	39	133.0	470	
TMP-18	12/28/2020	58	146.8	451	
TMP-18	12/28/2020	77	147.4	432	
TMP-18	12/28/2020	96	142.1	413	
TMP-18	12/28/2020	115	136.2	394	
TMP-18	12/28/2020	134	129.6	375	
TMP-18	12/28/2020	153	123.8	356	
TMP-18	12/28/2020	172	118.5	337	
TMP-18	12/28/2020	191	113.6	318	
TMP-18	12/28/2020	210	109.1	299	
TMP-18	12/28/2020	227	106.0	282	
TMP-18	1/4/2021	20	98.8	489	
TMP-18	1/4/2021	39	132.6	470	
TMP-18	1/4/2021	58	146.5	451	
TMP-18	1/4/2021	77	147.1	432	
TMP-18	1/4/2021	96	141.9	413	
TMP-18	1/4/2021	115	136.0	394	
TMP-18	1/4/2021	134	129.5	375	
TMP-18	1/4/2021	153	123.7	356	
TMP-18	1/4/2021	172	118.4	337	
TMP-18	1/4/2021	191	113.6	318	
TMP-18	1/4/2021	210	108.9	299	
TMP-18	1/4/2021	227	105.9	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	12/7/2020	13	84.1	461	
TMP-21	12/7/2020	26	94.0	448	
TMP-21	12/7/2020	41	93.2	433	
TMP-21	12/14/2020	13	84.9	461	
TMP-21	12/14/2020	26	94.9	448	
TMP-21	12/14/2020	41	94.0	433	
TMP-21	12/21/2020	13	84.3	461	
TMP-21	12/21/2020	26	94.3	448	
TMP-21	12/21/2020	41	93.4	433	
TMP-21	12/28/2020	13	85.9	461	
TMP-21	12/28/2020	26	95.6	448	
TMP-21	12/28/2020	41	94.6	433	
TMP-21	1/4/2021	13	84.1	461	
TMP-21	1/4/2021	26	93.7	448	
TMP-21	1/4/2021	41	92.9	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	12/7/2020	15	95.9	474	
TMP-22	12/7/2020	31	119.9	458	
TMP-22	12/7/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	12/7/2020	70	117.4	419	
TMP-22	12/14/2020	15	96.6	474	
TMP-22	12/14/2020	31	120.3	458	
TMP-22	12/14/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	12/14/2020	70	117.5	419	
TMP-22	12/21/2020	15	96.0	474	
TMP-22	12/21/2020	31	119.8	458	
TMP-22	12/21/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	12/21/2020	70	117.2	419	
TMP-22	12/28/2020	15	97.5	474	
TMP-22	12/28/2020	31	121.2	458	
TMP-22	12/28/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	12/28/2020	70	118.6	419	
TMP-22	1/4/2021	15	96.2	474	
TMP-22	1/4/2021	31	119.9	458	
TMP-22	1/4/2021	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	1/4/2021	70	117.3	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	12/7/2020	20	106.6	477	
TMP-23	12/7/2020	38	132.4	459	
TMP-23	12/7/2020	56	138.4	441	
TMP-23	12/7/2020	74	131.6	423	
TMP-23	12/7/2020	92	123.4	405	
TMP-23	12/7/2020	106	115.4	391	
TMP-23	12/14/2020	20	108.3	477	
TMP-23	12/14/2020	38	133.5	459	
TMP-23	12/14/2020	56	139.3	441	
TMP-23	12/14/2020	74	132.5	423	
TMP-23	12/14/2020	92	124.0	405	
TMP-23	12/14/2020	106	115.9	391	
TMP-23	12/21/2020	20	107.2	477	
TMP-23	12/21/2020	38	132.8	459	
TMP-23	12/21/2020	56	138.7	441	
TMP-23	12/21/2020	74	131.9	423	
TMP-23	12/21/2020	92	123.5	405	
TMP-23	12/21/2020	106	115.4	391	
TMP-23	12/28/2020	20	108.2	477	
TMP-23	12/28/2020	38	133.4	459	
TMP-23	12/28/2020	56	139.3	441	
TMP-23	12/28/2020	74	132.6	423	
TMP-23	12/28/2020	92	124.3	405	
TMP-23	12/28/2020	106	116.3	391	
TMP-23	1/4/2021	20	106.9	477	
TMP-23	1/4/2021	38	132.3	459	
TMP-23	1/4/2021	56	138.3	441	
TMP-23	1/4/2021	74	131.6	423	
TMP-23	1/4/2021	92	123.4	405	
TMP-23	1/4/2021	106	115.4	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	12/7/2020	20	95.6	492	
TMP-24	12/7/2020	40	123.4	472	
TMP-24	12/7/2020	60	138.0	452	
TMP-24	12/7/2020	67	139.4	445	
TMP-24	12/14/2020	20	97.8	492	
TMP-24	12/14/2020	40	125.3	472	
TMP-24	12/14/2020	60	139.9	452	
TMP-24	12/14/2020	67	140.8	445	
TMP-24	12/21/2020	20	96.1	492	
TMP-24	12/21/2020	40	123.7	472	
TMP-24	12/21/2020	60	138.5	452	
TMP-24	12/21/2020	67	139.5	445	
TMP-24	12/28/2020	20	95.9	492	
TMP-24	12/28/2020	40	123.3	472	
TMP-24	12/28/2020	60	137.8	452	
TMP-24	12/28/2020	67	139.1	445	
TMP-24	1/4/2021	20	96.1	492	
TMP-24	1/4/2021	40	123.6	472	
TMP-24	1/4/2021	60	138.3	452	
TMP-24	1/4/2021	67	139.7	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	12/7/2020	20	104.4	493	
TMP-25R	12/7/2020	40	130.9	473	
TMP-25R	12/7/2020	60	157.7	453	
TMP-25R	12/7/2020	80	161.9	433	
TMP-25R	12/7/2020	100	158.7	413	
TMP-25R	12/7/2020	120	149.3	393	
TMP-25R	12/7/2020	140	138.5	373	
TMP-25R	12/7/2020	160	128.4	353	
TMP-25R	12/7/2020	180	120.4	333	
TMP-25R	12/7/2020	200	112.2	313	
TMP-25R	12/7/2020	220	103.9	293	
TMP-25R	12/7/2020	235	95.9	278	
TMP-25R	12/14/2020	20	104.1	493	
TMP-25R	12/14/2020	40	130.2	473	
TMP-25R	12/14/2020	60	157.2	453	
TMP-25R	12/14/2020	80	161.5	433	
TMP-25R	12/14/2020	100	158.3	413	
TMP-25R	12/14/2020	120	148.7	393	
TMP-25R	12/14/2020	140	138.0	373	
TMP-25R	12/14/2020	160	127.7	353	
TMP-25R	12/14/2020	180	119.6	333	
TMP-25R	12/14/2020	200	111.3	313	
TMP-25R	12/14/2020	220	103.3	293	
TMP-25R	12/14/2020	235	94.5	278	
TMP-25R	12/21/2020	20	104.2	493	
TMP-25R	12/21/2020	40	130.8	473	
TMP-25R	12/21/2020	60	157.4	453	
TMP-25R	12/21/2020	80	161.6	433	
TMP-25R	12/21/2020	100	158.4	413	
TMP-25R	12/21/2020	120	149.1	393	
TMP-25R	12/21/2020	140	138.4	373	
TMP-25R	12/21/2020	160	128.2	353	
TMP-25R	12/21/2020	180	120.0	333	
TMP-25R	12/21/2020	200	111.8	313	
TMP-25R	12/21/2020	220	103.7	293	
TMP-25R	12/21/2020	235	94.8	278	
TMP-25R	12/28/2020	20	105.6	493	
TMP-25R	12/28/2020	40	130.7	473	
TMP-25R	12/28/2020	60	158.6	453	
TMP-25R	12/28/2020	80	162.7	433	
TMP-25R	12/28/2020	100	159.4	413	
TMP-25R	12/28/2020	120	149.9	393	
TMP-25R	12/28/2020	140	139.1	373	
TMP-25R	12/28/2020	160	128.9	353	
TMP-25R	12/28/2020	180	120.8	333	
TMP-25R	12/28/2020	200	112.7	313	
TMP-25R	12/28/2020	220	104.9	293	
TMP-25R	12/28/2020	235	96.1	278	
TMP-25R	1/4/2021	20	104.7	493	
TMP-25R	1/4/2021	40	131.1	473	
TMP-25R	1/4/2021	60	157.7	453	
TMP-25R	1/4/2021	80	161.9	433	
TMP-25R	1/4/2021	100	158.6	413	
TMP-25R	1/4/2021	120	149.2	393	
TMP-25R	1/4/2021	140	138.4	373	
TMP-25R	1/4/2021	160	128.2	353	
TMP-25R	1/4/2021	180	120.1	333	
TMP-25R	1/4/2021	200	112.2	313	
TMP-25R	1/4/2021	220	104.6	293	
TMP-25R	1/4/2021	235	95.6	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	12/7/2020	20	97.4	473	
TMP-26R	12/7/2020	40	109.9	453	
TMP-26R	12/7/2020	60	110.0	433	
TMP-26R	12/7/2020	80	104.8	413	
TMP-26R	12/7/2020	100	94.4	393	
TMP-26R	12/7/2020	120	106.5	373	
TMP-26R	12/7/2020	140	107.3	353	
TMP-26R	12/7/2020	142	106.8	351	
TMP-26R	12/14/2020	20	97.0	473	
TMP-26R	12/14/2020	40	110.1	453	
TMP-26R	12/14/2020	60	110.7	433	
TMP-26R	12/14/2020	80	105.5	413	
TMP-26R	12/14/2020	100	95.4	393	
TMP-26R	12/14/2020	120	107.3	373	
TMP-26R	12/14/2020	140	108.2	353	
TMP-26R	12/14/2020	142	107.8	351	
TMP-26R	12/21/2020	20	98.1	473	
TMP-26R	12/21/2020	40	110.5	453	
TMP-26R	12/21/2020	60	110.9	433	
TMP-26R	12/21/2020	80	105.7	413	
TMP-26R	12/21/2020	100	95.5	393	
TMP-26R	12/21/2020	120	107.4	373	
TMP-26R	12/21/2020	140	108.3	353	
TMP-26R	12/21/2020	142	107.8	351	
TMP-26R	12/28/2020	20	98.0	473	
TMP-26R	12/28/2020	40	110.2	453	
TMP-26R	12/28/2020	60	110.3	433	
TMP-26R	12/28/2020	80	105.3	413	
TMP-26R	12/28/2020	100	95.1	393	
TMP-26R	12/28/2020	120	106.8	373	
TMP-26R	12/28/2020	140	107.6	353	
TMP-26R	12/28/2020	142	107.1	351	
TMP-26R	1/4/2021	20	97.9	473	
TMP-26R	1/4/2021	40	110.0	453	
TMP-26R	1/4/2021	60	110.2	433	
TMP-26R	1/4/2021	80	105.3	413	
TMP-26R	1/4/2021	100	95.1	393	
TMP-26R	1/4/2021	120	106.7	373	
TMP-26R	1/4/2021	140	107.5	353	
TMP-26R	1/4/2021	142	107.0	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	12/7/2020	20	113.4	493	
TMP-27	12/7/2020	40	141.2	473	
TMP-27	12/7/2020	60	153.3	453	
TMP-27	12/7/2020	80	155.2	433	
TMP-27	12/7/2020	100	150.7	413	
TMP-27	12/7/2020	120	145.0	393	
TMP-27	12/7/2020	140	139.2	373	
TMP-27	12/7/2020	160	132.4	353	
TMP-27	12/7/2020	180	127.1	333	
TMP-27	12/7/2020	200	122.2	313	
TMP-27	12/7/2020	220	116.2	293	
TMP-27	12/7/2020	233	111.4	280	
TMP-27	12/14/2020	20	114.2	493	
TMP-27	12/14/2020	40	141.5	473	
TMP-27	12/14/2020	60	153.8	453	
TMP-27	12/14/2020	80	156.1	433	
TMP-27	12/14/2020	100	151.2	413	
TMP-27	12/14/2020	120	145.6	393	
TMP-27	12/14/2020	140	140.3	373	
TMP-27	12/14/2020	160	132.9	353	
TMP-27	12/14/2020	180	127.5	333	
TMP-27	12/14/2020	200	122.8	313	
TMP-27	12/14/2020	220	116.4	293	
TMP-27	12/14/2020	233	111.4	280	
TMP-27	12/21/2020	20	114.0	493	
TMP-27	12/21/2020	40	141.5	473	
TMP-27	12/21/2020	60	153.9	453	
TMP-27	12/21/2020	80	155.9	433	
TMP-27	12/21/2020	100	151.1	413	
TMP-27	12/21/2020	120	145.6	393	
TMP-27	12/21/2020	140	140.0	373	
TMP-27	12/21/2020	160	133.0	353	
TMP-27	12/21/2020	180	127.5	333	
TMP-27	12/21/2020	200	122.6	313	
TMP-27	12/21/2020	220	116.1	293	
TMP-27	12/21/2020	233	111.7	280	
TMP-27	12/28/2020	20	113.4	493	
TMP-27	12/28/2020	40	141.1	473	
TMP-27	12/28/2020	60	153.4	453	
TMP-27	12/28/2020	80	155.3	433	
TMP-27	12/28/2020	100	150.7	413	
TMP-27	12/28/2020	120	145.0	393	
TMP-27	12/28/2020	140	139.3	373	
TMP-27	12/28/2020	160	132.5	353	
TMP-27	12/28/2020	180	126.2	333	
TMP-27	12/28/2020	200	121.9	313	
TMP-27	12/28/2020	220	116.3	293	
TMP-27	12/28/2020	233	111.6	280	
TMP-27	1/4/2021	20	113.6	493	
TMP-27	1/4/2021	40	141.5	473	
TMP-27	1/4/2021	60	153.7	453	
TMP-27	1/4/2021	80	155.6	433	
TMP-27	1/4/2021	100	150.9	413	
TMP-27	1/4/2021	120	145.2	393	
TMP-27	1/4/2021	140	139.5	373	
TMP-27	1/4/2021	160	132.6	353	
TMP-27	1/4/2021	180	127.2	333	
TMP-27	1/4/2021	200	122.3	313	
TMP-27	1/4/2021	220	116.4	293	
TMP-27	1/4/2021	233	111.8	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	12/7/2020	20	84.4	478	
TMP-28R	12/7/2020	40	113.6	458	
TMP-28R	12/7/2020	60	118.7	438	
TMP-28R	12/7/2020	80	121.7	418	
TMP-28R	12/7/2020	100	121.6	398	
TMP-28R	12/7/2020	120	118.5	378	
TMP-28R	12/7/2020	140	115.8	358	
TMP-28R	12/7/2020	160	112.4	338	
TMP-28R	12/7/2020	180	108.6	318	
TMP-28R	12/7/2020	200	105.5	298	
TMP-28R	12/7/2020	220	101.4	278	
TMP-28R	12/14/2020	20	85.0	478	
TMP-28R	12/14/2020	40	114.2	458	
TMP-28R	12/14/2020	60	119.3	438	
TMP-28R	12/14/2020	80	122.2	418	
TMP-28R	12/14/2020	100	122.2	398	
TMP-28R	12/14/2020	120	119.3	378	
TMP-28R	12/14/2020	140	116.7	358	
TMP-28R	12/14/2020	160	113.5	338	
TMP-28R	12/14/2020	180	110.1	318	
TMP-28R	12/14/2020	200	107.0	298	
TMP-28R	12/14/2020	220	103.0	278	
TMP-28R	12/21/2020	20	83.7	478	
TMP-28R	12/21/2020	40	112.7	458	
TMP-28R	12/21/2020	60	118.0	438	
TMP-28R	12/21/2020	80	121.0	418	
TMP-28R	12/21/2020	100	121.0	398	
TMP-28R	12/21/2020	120	118.3	378	
TMP-28R	12/21/2020	140	115.6	358	
TMP-28R	12/21/2020	160	112.5	338	
TMP-28R	12/21/2020	180	109.0	318	
TMP-28R	12/21/2020	200	106.1	298	
TMP-28R	12/21/2020	220	102.2	278	
TMP-28R	12/28/2020	20	84.6	478	
TMP-28R	12/28/2020	40	113.7	458	
TMP-28R	12/28/2020	60	118.9	438	
TMP-28R	12/28/2020	80	121.8	418	
TMP-28R	12/28/2020	100	121.8	398	
TMP-28R	12/28/2020	120	118.7	378	
TMP-28R	12/28/2020	140	115.9	358	
TMP-28R	12/28/2020	160	112.6	338	
TMP-28R	12/28/2020	180	108.8	318	
TMP-28R	12/28/2020	200	105.6	298	
TMP-28R	12/28/2020	220	101.5	278	
TMP-28R	1/4/2021	20	84.1	478	
TMP-28R	1/4/2021	40	113.3	458	
TMP-28R	1/4/2021	60	118.6	438	
TMP-28R	1/4/2021	80	121.6	418	
TMP-28R	1/4/2021	100	121.5	398	
TMP-28R	1/4/2021	120	118.5	378	
TMP-28R	1/4/2021	140	115.8	358	
TMP-28R	1/4/2021	160	112.5	338	
TMP-28R	1/4/2021	180	108.8	318	
TMP-28R	1/4/2021	200	105.7	298	
TMP-28R	1/4/2021	220	101.7	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	12/7/2020	8	82.0	488	
TMP-29	12/7/2020	16	84.9	480	
TMP-29	12/7/2020	25	88.0	471	
TMP-29	12/14/2020	8	82.4	488	
TMP-29	12/14/2020	16	86.0	480	
TMP-29	12/14/2020	25	88.9	471	
TMP-29	12/21/2020	8	81.0	488	
TMP-29	12/21/2020	16	85.5	480	
TMP-29	12/21/2020	25	88.3	471	
TMP-29	12/28/2020	8	80.3	488	
TMP-29	12/28/2020	16	85.4	480	
TMP-29	12/28/2020	25	88.3	471	
TMP-29	1/4/2021	8	79.3	488	
TMP-29	1/4/2021	16	85.3	480	
TMP-29	1/4/2021	25	88.2	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	12/7/2020	20	89.7	484	
TMP-33	12/7/2020	40	97.2	464	
TMP-33	12/7/2020	53	97.4	451	
TMP-33	12/14/2020	20	89.2	484	
TMP-33	12/14/2020	40	96.5	464	
TMP-33	12/14/2020	53	96.8	451	
TMP-33	12/21/2020	20	88.9	484	
TMP-33	12/21/2020	40	96.2	464	
TMP-33	12/21/2020	53	96.7	451	
TMP-33	12/28/2020	20	91.4	484	
TMP-33	12/28/2020	40	98.9	464	
TMP-33	12/28/2020	53	99.3	451	
TMP-33	1/4/2021	20	89.9	484	
TMP-33	1/4/2021	40	96.8	464	
TMP-33	1/4/2021	53	96.8	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	12/7/2020	20	91.7	495	
TMP-34	12/7/2020	40	105.6	475	
TMP-34	12/7/2020	50	106.5	465	
TMP-34	12/7/2020	63	105.3	452	
TMP-34	12/14/2020	20	91.4	495	
TMP-34	12/14/2020	40	105.8	475	
TMP-34	12/14/2020	50	106.9	465	
TMP-34	12/14/2020	63	105.8	452	
TMP-34	12/21/2020	20	90.5	495	
TMP-34	12/21/2020	40	104.6	475	
TMP-34	12/21/2020	50	105.6	465	
TMP-34	12/21/2020	63	104.3	452	
TMP-34	12/28/2020	20	92.4	495	
TMP-34	12/28/2020	40	106.0	475	
TMP-34	12/28/2020	50	106.9	465	
TMP-34	12/28/2020	63	105.6	452	
TMP-34	1/4/2021	20	91.8	495	
TMP-34	1/4/2021	40	105.8	475	
TMP-34	1/4/2021	50	106.8	465	
TMP-34	1/4/2021	63	105.7	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	12/7/2020	20	91.7	500	
TMP-35	12/7/2020	40	102.8	480	
TMP-35	12/7/2020	60	102.9	460	
TMP-35	12/7/2020	70	100.8	450	
TMP-35	12/14/2020	20	91.7	500	
TMP-35	12/14/2020	40	103.6	480	
TMP-35	12/14/2020	60	103.6	460	
TMP-35	12/14/2020	70	101.8	450	
TMP-35	12/21/2020	20	91.0	500	
TMP-35	12/21/2020	40	102.2	480	
TMP-35	12/21/2020	60	102.5	460	
TMP-35	12/21/2020	70	100.6	450	
TMP-35	12/28/2020	20	92.2	500	
TMP-35	12/28/2020	40	103.0	480	
TMP-35	12/28/2020	60	103.1	460	
TMP-35	12/28/2020	70	101.1	450	
TMP-35	1/4/2021	20	92.3	500	
TMP-35	1/4/2021	40	103.1	480	
TMP-35	1/4/2021	60	103.4	460	
TMP-35	1/4/2021	70	101.2	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36R	12/7/2020	15	77.3	472	
TMP-36R	12/7/2020	20	79.6	467	
TMP-36R	12/7/2020	30	81.7	457	
TMP-36R	12/14/2020	15	76.4	472	
TMP-36R	12/14/2020	20	79.3	467	
TMP-36R	12/14/2020	30	81.6	457	
TMP-36R	12/21/2020	15	75.8	472	
TMP-36R	12/21/2020	20	78.6	467	
TMP-36R	12/21/2020	30	80.9	457	
TMP-36R	12/28/2020	15	77.3	472	
TMP-36R	12/28/2020	20	79.6	467	
TMP-36R	12/28/2020	30	81.6	457	
TMP-36R	1/4/2021	15	77.8	472	
TMP-36R	1/4/2021	20	80.3	467	
TMP-36R	1/4/2021	30	82.3	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	12/7/2020	20	85.9	480	
TMP-37	12/7/2020	40	94.0	460	
TMP-37	12/7/2020	50	93.3	450	
TMP-37	12/14/2020	20	84.5	480	
TMP-37	12/14/2020	40	92.6	460	
TMP-37	12/14/2020	50	91.8	450	
TMP-37	12/21/2020	20	84.3	480	
TMP-37	12/21/2020	40	92.5	460	
TMP-37	12/21/2020	50	91.7	450	
TMP-37	12/28/2020	20	86.8	480	
TMP-37	12/28/2020	40	94.6	460	
TMP-37	12/28/2020	50	93.9	450	
TMP-37	1/4/2021	20	85.2	480	
TMP-37	1/4/2021	40	92.8	460	
TMP-37	1/4/2021	50	91.8	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	12/7/2020	20	97.0	495	
TMP-38	12/7/2020	40	109.4	475	
TMP-38	12/7/2020	60	106.9	455	
TMP-38	12/7/2020	70	104.7	445	
TMP-38	12/14/2020	20	96.4	495	
TMP-38	12/14/2020	40	108.7	475	
TMP-38	12/14/2020	60	106.2	455	
TMP-38	12/14/2020	70	104.1	445	
TMP-38	12/21/2020	20	96.1	495	
TMP-38	12/21/2020	40	108.5	475	
TMP-38	12/21/2020	60	106.2	455	
TMP-38	12/21/2020	70	104.2	445	
TMP-38	12/28/2020	20	98.2	495	
TMP-38	12/28/2020	40	110.9	475	
TMP-38	12/28/2020	60	108.9	455	
TMP-38	12/28/2020	70	107.0	445	
TMP-38	1/4/2021	20	96.6	495	
TMP-38	1/4/2021	40	109.0	475	
TMP-38	1/4/2021	60	106.6	455	
TMP-38	1/4/2021	70	104.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	12/7/2020	20	102.0	501	
TMP-39	12/7/2020	40	122.0	481	
TMP-39	12/7/2020	60	121.3	461	
TMP-39	12/7/2020	80	115.5	441	
TMP-39	12/14/2020	20	102.8	501	
TMP-39	12/14/2020	40	122.7	481	
TMP-39	12/14/2020	60	121.8	461	
TMP-39	12/14/2020	80	115.8	441	
TMP-39	12/21/2020	20	101.1	501	
TMP-39	12/21/2020	40	121.2	481	
TMP-39	12/21/2020	60	120.4	461	
TMP-39	12/21/2020	80	114.2	441	
TMP-39	12/28/2020	20	103.5	501	
TMP-39	12/28/2020	40	124.0	481	
TMP-39	12/28/2020	60	123.2	461	
TMP-39	12/28/2020	80	116.5	441	
TMP-39	1/4/2021	20	102.9	501	
TMP-39	1/4/2021	40	122.7	481	
TMP-39	1/4/2021	60	121.9	461	
TMP-39	1/4/2021	80	115.8	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	12/7/2020	20	94.7	505	
TMP-40	12/7/2020	40	122.0	485	
TMP-40	12/7/2020	60	126.7	465	
TMP-40	12/7/2020	80	123.2	445	
TMP-40	12/14/2020	20	94.7	505	
TMP-40	12/14/2020	40	121.7	485	
TMP-40	12/14/2020	60	126.4	465	
TMP-40	12/14/2020	80	123.1	445	
TMP-40	12/21/2020	20	93.5	505	
TMP-40	12/21/2020	40	120.5	485	
TMP-40	12/21/2020	60	125.2	465	
TMP-40	12/21/2020	80	121.7	445	
TMP-40	12/28/2020	20	95.8	505	
TMP-40	12/28/2020	40	122.9	485	
TMP-40	12/28/2020	60	127.2	465	
TMP-40	12/28/2020	80	123.7	445	
TMP-40	1/4/2021	20	95.3	505	
TMP-40	1/4/2021	40	121.9	485	
TMP-40	1/4/2021	60	126.6	465	
TMP-40	1/4/2021	80	123.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	12/7/2020	20	97.4	504	
TMP-41	12/7/2020	40	121.3	484	
TMP-41	12/7/2020	60	124.1	464	
TMP-41	12/7/2020	80	119.6	444	
TMP-41	12/7/2020	98	112.9	426	
TMP-41	12/14/2020	20	97.1	504	
TMP-41	12/14/2020	40	121.0	484	
TMP-41	12/14/2020	60	123.9	464	
TMP-41	12/14/2020	80	119.3	444	
TMP-41	12/14/2020	98	112.5	426	
TMP-41	12/21/2020	20	97.3	504	
TMP-41	12/21/2020	40	120.6	484	
TMP-41	12/21/2020	60	123.2	464	
TMP-41	12/21/2020	80	118.4	444	
TMP-41	12/21/2020	98	111.6	426	
TMP-41	12/28/2020	20	97.6	504	
TMP-41	12/28/2020	40	121.4	484	
TMP-41	12/28/2020	60	124.2	464	
TMP-41	12/28/2020	80	119.9	444	
TMP-41	12/28/2020	98	113.2	426	
TMP-41	1/4/2021	20	98.8	504	
TMP-41	1/4/2021	40	122.3	484	
TMP-41	1/4/2021	60	125.2	464	
TMP-41	1/4/2021	80	120.7	444	
TMP-41	1/4/2021	98	114.0	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	12/7/2020	20	102.0	498	
TMP-42	12/7/2020	40	118.0	478	
TMP-42	12/7/2020	60	117.8	458	
TMP-42	12/7/2020	78	113.3	440	
TMP-42	12/14/2020	20	101.8	498	
TMP-42	12/14/2020	40	118.4	478	
TMP-42	12/14/2020	60	118.3	458	
TMP-42	12/14/2020	78	114.0	440	
TMP-42	12/21/2020	20	101.8	498	
TMP-42	12/21/2020	40	118.1	478	
TMP-42	12/21/2020	60	118.0	458	
TMP-42	12/21/2020	78	113.7	440	
TMP-42	12/28/2020	20	102.9	498	
TMP-42	12/28/2020	40	118.6	478	
TMP-42	12/28/2020	60	118.5	458	
TMP-42	12/28/2020	78	113.9	440	
TMP-42	1/4/2021	20	101.4	498	
TMP-42	1/4/2021	40	117.9	478	
TMP-42	1/4/2021	60	118.0	458	
TMP-42	1/4/2021	78	113.9	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	12/7/2020	20	99.1	496	
TMP-43	12/7/2020	40	118.7	476	
TMP-43	12/7/2020	60	125.0	456	
TMP-43	12/7/2020	80	124.0	436	
TMP-43	12/7/2020	100	117.8	416	
TMP-43	12/14/2020	20	99.6	496	
TMP-43	12/14/2020	40	119.4	476	
TMP-43	12/14/2020	60	126.0	456	
TMP-43	12/14/2020	80	125.2	436	
TMP-43	12/14/2020	100	118.9	416	
TMP-43	12/21/2020	20	99.0	496	
TMP-43	12/21/2020	40	118.8	476	
TMP-43	12/21/2020	60	125.4	456	
TMP-43	12/21/2020	80	124.5	436	
TMP-43	12/21/2020	100	118.3	416	
TMP-43	12/28/2020	20	100.2	496	
TMP-43	12/28/2020	40	119.3	476	
TMP-43	12/28/2020	60	125.6	456	
TMP-43	12/28/2020	80	124.6	436	
TMP-43	12/28/2020	100	118.3	416	
TMP-43	1/4/2021	20	99.4	496	
TMP-43	1/4/2021	40	118.7	476	
TMP-43	1/4/2021	60	125.0	456	
TMP-43	1/4/2021	80	124.1	436	
TMP-43	1/4/2021	100	117.8	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	12/7/2020	20	102.1	491	
TMP-44	12/7/2020	40	130.2	471	
TMP-44	12/7/2020	60	143.5	451	
TMP-44	12/7/2020	80	148.8	431	
TMP-44	12/7/2020	100	150.9	411	
TMP-44	12/7/2020	120	150.3	391	
TMP-44	12/7/2020	140	150.4	371	
TMP-44	12/7/2020	160	140.0	351	
TMP-44	12/7/2020	180	123.3	331	
TMP-44	12/14/2020	20	102.1	491	
TMP-44	12/14/2020	40	130.2	471	
TMP-44	12/14/2020	60	143.4	451	
TMP-44	12/14/2020	80	148.9	431	
TMP-44	12/14/2020	100	151.1	411	
TMP-44	12/14/2020	120	150.3	391	
TMP-44	12/14/2020	140	150.6	371	
TMP-44	12/14/2020	160	140.0	351	
TMP-44	12/14/2020	180	123.2	331	
TMP-44	12/21/2020	20	101.6	491	
TMP-44	12/21/2020	40	129.6	471	
TMP-44	12/21/2020	60	142.9	451	
TMP-44	12/21/2020	80	148.3	431	
TMP-44	12/21/2020	100	150.7	411	
TMP-44	12/21/2020	120	150.0	391	
TMP-44	12/21/2020	140	150.2	371	
TMP-44	12/21/2020	160	139.7	351	
TMP-44	12/21/2020	180	123.1	331	
TMP-44	12/28/2020	20	102.1	491	
TMP-44	12/28/2020	40	130.1	471	
TMP-44	12/28/2020	60	143.2	451	
TMP-44	12/28/2020	80	148.6	431	
TMP-44	12/28/2020	100	150.6	411	
TMP-44	12/28/2020	120	149.9	391	
TMP-44	12/28/2020	140	150.0	371	
TMP-44	12/28/2020	160	139.4	351	
TMP-44	12/28/2020	180	122.8	331	
TMP-44	1/4/2021	20	101.5	491	
TMP-44	1/4/2021	40	129.6	471	
TMP-44	1/4/2021	60	143.0	451	
TMP-44	1/4/2021	80	148.5	431	
TMP-44	1/4/2021	100	150.7	411	
TMP-44	1/4/2021	120	150.1	391	
TMP-44	1/4/2021	140	150.2	371	
TMP-44	1/4/2021	160	139.7	351	
TMP-44	1/4/2021	180	123.0	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	12/7/2020	15	72.9	464	
TMP-45	12/7/2020	30	79.7	449	
TMP-45	12/7/2020	45	84.6	434	
TMP-45	12/14/2020	15	72.1	464	
TMP-45	12/14/2020	30	78.7	449	
TMP-45	12/14/2020	45	83.4	434	
TMP-45	12/21/2020	15	72.1	464	
TMP-45	12/21/2020	30	78.9	449	
TMP-45	12/21/2020	45	83.6	434	
TMP-45	12/28/2020	15	73.6	464	
TMP-45	12/28/2020	30	80.3	449	
TMP-45	12/28/2020	45	85.2	434	
TMP-45	1/4/2021	15	73.4	464	
TMP-45	1/4/2021	30	80.1	449	
TMP-45	1/4/2021	45	85.0	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	12/7/2020	20	72.4	457	
TMP-46	12/7/2020	40	81.5	437	
TMP-46	12/7/2020	60	88.8	417	
TMP-46	12/14/2020	20	71.4	457	
TMP-46	12/14/2020	40	80.4	437	
TMP-46	12/14/2020	60	87.8	417	
TMP-46	12/21/2020	20	71.1	457	
TMP-46	12/21/2020	40	80.0	437	
TMP-46	12/21/2020	60	87.3	417	
TMP-46	12/28/2020	20	73.1	457	
TMP-46	12/28/2020	40	82.0	437	
TMP-46	12/28/2020	60	89.4	417	
TMP-46	1/4/2021	20	72.6	457	
TMP-46	1/4/2021	40	81.5	437	
TMP-46	1/4/2021	60	88.8	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	12/7/2020	20	68.2	457	
TMP-47	12/7/2020	40	71.2	437	
TMP-47	12/7/2020	60	74.5	417	
TMP-47	12/14/2020	20	65.8	457	
TMP-47	12/14/2020	40	69.1	437	
TMP-47	12/14/2020	60	72.3	417	
TMP-47	12/21/2020	20	67.7	457	
TMP-47	12/21/2020	40	71.0	437	
TMP-47	12/21/2020	60	74.1	417	
TMP-47	12/28/2020	20	68.3	457	
TMP-47	12/28/2020	40	71.8	437	
TMP-47	12/28/2020	60	74.9	417	
TMP-47	1/4/2021	20	68.0	457	
TMP-47	1/4/2021	40	71.5	437	
TMP-47	1/4/2021	60	74.5	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	12/7/2020	20	65.4	455	
TMP-48	12/7/2020	40	67.3	435	
TMP-48	12/7/2020	60	72.7	415	
TMP-48	12/7/2020	72	71.2	403	
TMP-48	12/14/2020	20	64.7	455	
TMP-48	12/14/2020	40	66.8	435	
TMP-48	12/14/2020	60	71.9	415	
TMP-48	12/14/2020	72	70.4	403	
TMP-48	12/21/2020	20	66.0	455	
TMP-48	12/21/2020	40	68.0	435	
TMP-48	12/21/2020	60	73.2	415	
TMP-48	12/21/2020	72	71.7	403	
TMP-48	12/28/2020	20	66.3	455	
TMP-48	12/28/2020	40	67.9	435	
TMP-48	12/28/2020	60	73.2	415	
TMP-48	12/28/2020	72	71.8	403	
TMP-48	1/4/2021	20	65.4	455	
TMP-48	1/4/2021	40	67.3	435	
TMP-48	1/4/2021	60	72.7	415	
TMP-48	1/4/2021	72	71.5	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	12/7/2020	20	64.3	453	
TMP-49	12/7/2020	40	64.4	433	
TMP-49	12/7/2020	60	68.1	413	
TMP-49	12/14/2020	20	64.0	453	
TMP-49	12/14/2020	40	64.1	433	
TMP-49	12/14/2020	60	68.6	413	
TMP-49	12/21/2020	20	63.6	453	
TMP-49	12/21/2020	40	64.4	433	
TMP-49	12/21/2020	60	68.1	413	
TMP-49	12/28/2020	20	65.0	453	
TMP-49	12/28/2020	40	64.8	433	
TMP-49	12/28/2020	60	68.3	413	
TMP-49	1/4/2021	20	64.7	453	
TMP-49	1/4/2021	40	64.9	433	
TMP-49	1/4/2021	60	68.1	413	