

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/28/2020	20	143.6	473	
TMP-19	12/28/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/28/2020	60	194.8	433	
TMP-19	12/28/2020	80	200.2	413	
TMP-19	12/28/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/4/2021	20	143.0	473	
TMP-19	1/4/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/4/2021	60	193.8	433	
TMP-19	1/4/2021	80	199.4	413	
TMP-19	1/4/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/11/2021	20	144.1	473	
TMP-19	1/11/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/11/2021	60	194.4	433	
TMP-19	1/11/2021	80	199.9	413	
TMP-19	1/11/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/18/2021	20	142.8	473	
TMP-19	1/18/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/18/2021	60	193.7	433	
TMP-19	1/18/2021	80	199.6	413	
TMP-19	1/18/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2021	20	142.4	473	
TMP-19	1/26/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2021	60	193.0	433	
TMP-19	1/26/2021	80	198.7	413	
TMP-19	1/26/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/28/2020	20	105.6	478	
TMP-20	12/28/2020	40	152.6	458	
TMP-20	12/28/2020	60	177.2	438	
TMP-20	12/28/2020	80	191.3	418	
TMP-20	12/28/2020	100	207.7	398	
TMP-20	12/28/2020	120	223.8	378	
TMP-20	12/28/2020	140	225.2	358	
TMP-20	1/4/2021	20	104.9	478	
TMP-20	1/4/2021	40	151.8	458	
TMP-20	1/4/2021	60	176.3	438	
TMP-20	1/4/2021	80	190.4	418	
TMP-20	1/4/2021	100	206.8	398	
TMP-20	1/4/2021	120	222.9	378	
TMP-20	1/4/2021	140	224.4	358	
TMP-20	1/11/2021	20	105.6	478	
TMP-20	1/11/2021	40	152.2	458	
TMP-20	1/11/2021	60	176.6	438	
TMP-20	1/11/2021	80	190.6	418	
TMP-20	1/11/2021	100	207.1	398	
TMP-20	1/11/2021	120	223.2	378	
TMP-20	1/11/2021	140	224.6	358	
TMP-20	1/18/2021	20	105.4	478	
TMP-20	1/18/2021	40	151.9	458	
TMP-20	1/18/2021	60	176.5	438	
TMP-20	1/18/2021	80	190.2	418	
TMP-20	1/18/2021	100	206.5	398	
TMP-20	1/18/2021	120	222.7	378	
TMP-20	1/18/2021	140	224.3	358	
TMP-20	1/26/2021	20	104.4	478	
TMP-20	1/26/2021	40	151.1	458	
TMP-20	1/26/2021	60	175.5	438	
TMP-20	1/26/2021	80	189.5	418	
TMP-20	1/26/2021	100	206.0	398	
TMP-20	1/26/2021	120	222.1	378	
TMP-20	1/26/2021	140	223.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/28/2020	20	109.2	475	
TMP-10-9N	12/28/2020	40	133.5	455	
TMP-10-9N	12/28/2020	60	129.0	435	
TMP-10-9N	12/28/2020	80	130.4	415	
TMP-10-9N	12/28/2020	100	140.4	395	
TMP-10-9N	1/4/2021	20	108.6	475	
TMP-10-9N	1/4/2021	40	133.0	455	
TMP-10-9N	1/4/2021	60	128.5	435	
TMP-10-9N	1/4/2021	80	130.2	415	
TMP-10-9N	1/4/2021	100	140.1	395	
TMP-10-9N	1/11/2021	20	109.1	475	
TMP-10-9N	1/11/2021	40	133.3	455	
TMP-10-9N	1/11/2021	60	128.8	435	
TMP-10-9N	1/11/2021	80	130.3	415	
TMP-10-9N	1/11/2021	100	140.2	395	
TMP-10-9N	1/18/2021	20	108.2	475	
TMP-10-9N	1/18/2021	40	132.6	455	
TMP-10-9N	1/18/2021	60	128.0	435	
TMP-10-9N	1/18/2021	80	129.7	415	
TMP-10-9N	1/18/2021	100	139.5	395	
TMP-10-9N	1/26/2021	20	108.1	475	
TMP-10-9N	1/26/2021	40	132.4	455	
TMP-10-9N	1/26/2021	60	127.6	435	
TMP-10-9N	1/26/2021	80	129.2	415	
TMP-10-9N	1/26/2021	100	139.0	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/28/2020	20	107.3	476	
TMP-10-9S	12/28/2020	40	147.0	456	
TMP-10-9S	12/28/2020	60	162.5	436	
TMP-10-9S	12/28/2020	80	171.2	416	
TMP-10-9S	12/28/2020	100	190.3	396	
TMP-10-9S	1/4/2021	20	107.7	476	
TMP-10-9S	1/4/2021	40	146.8	456	
TMP-10-9S	1/4/2021	60	162.2	436	
TMP-10-9S	1/4/2021	80	170.9	416	
TMP-10-9S	1/4/2021	100	190.0	396	
TMP-10-9S	1/11/2021	20	108.1	476	
TMP-10-9S	1/11/2021	40	147.3	456	
TMP-10-9S	1/11/2021	60	162.6	436	
TMP-10-9S	1/11/2021	80	171.3	416	
TMP-10-9S	1/11/2021	100	190.6	396	
TMP-10-9S	1/18/2021	20	107.9	476	
TMP-10-9S	1/18/2021	40	147.0	456	
TMP-10-9S	1/18/2021	60	162.4	436	
TMP-10-9S	1/18/2021	80	171.1	416	
TMP-10-9S	1/18/2021	100	190.4	396	
TMP-10-9S	1/26/2021	20	107.1	476	
TMP-10-9S	1/26/2021	40	146.0	456	
TMP-10-9S	1/26/2021	60	161.3	436	
TMP-10-9S	1/26/2021	80	169.9	416	
TMP-10-9S	1/26/2021	100	189.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/28/2020	20	96.5	478	
TMP-10-5N	12/28/2020	40	115.3	458	
TMP-10-5N	12/28/2020	60	95.2	438	
TMP-10-5N	12/28/2020	80	88.9	418	
TMP-10-5N	12/28/2020	100	84.6	398	
TMP-10-5N	1/4/2021	20	96.1	478	
TMP-10-5N	1/4/2021	40	114.7	458	
TMP-10-5N	1/4/2021	60	95.7	438	
TMP-10-5N	1/4/2021	80	88.8	418	
TMP-10-5N	1/4/2021	100	84.6	398	
TMP-10-5N	1/11/2021	20	96.2	478	
TMP-10-5N	1/11/2021	40	114.7	458	
TMP-10-5N	1/11/2021	60	95.4	438	
TMP-10-5N	1/11/2021	80	88.5	418	
TMP-10-5N	1/11/2021	100	84.4	398	
TMP-10-5N	1/18/2021	20	95.7	478	
TMP-10-5N	1/18/2021	40	114.5	458	
TMP-10-5N	1/18/2021	60	95.3	438	
TMP-10-5N	1/18/2021	80	88.8	418	
TMP-10-5N	1/18/2021	100	84.7	398	
TMP-10-5N	1/26/2021	20	95.1	478	
TMP-10-5N	1/26/2021	40	113.8	458	
TMP-10-5N	1/26/2021	60	94.5	438	
TMP-10-5N	1/26/2021	80	87.7	418	
TMP-10-5N	1/26/2021	100	83.6	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	12/28/2020	20	102.7	477	
TMP-10-5S	12/28/2020	40	138.7	457	
TMP-10-5S	12/28/2020	60	146.7	437	
TMP-10-5S	12/28/2020	80	158.0	417	
TMP-10-5S	12/28/2020	100	175.9	397	
TMP-10-5S	1/4/2021	20	102.5	477	
TMP-10-5S	1/4/2021	40	138.5	457	
TMP-10-5S	1/4/2021	60	146.4	437	
TMP-10-5S	1/4/2021	80	157.6	417	
TMP-10-5S	1/4/2021	100	175.2	397	
TMP-10-5S	1/11/2021	20	103.0	477	
TMP-10-5S	1/11/2021	40	138.9	457	
TMP-10-5S	1/11/2021	60	146.6	437	
TMP-10-5S	1/11/2021	80	157.9	417	
TMP-10-5S	1/11/2021	100	175.5	397	
TMP-10-5S	1/18/2021	20	102.3	477	
TMP-10-5S	1/18/2021	40	138.3	457	
TMP-10-5S	1/18/2021	60	146.1	437	
TMP-10-5S	1/18/2021	80	157.4	417	
TMP-10-5S	1/18/2021	100	175.0	397	
TMP-10-5S	1/26/2021	20	101.7	477	
TMP-10-5S	1/26/2021	40	137.7	457	
TMP-10-5S	1/26/2021	60	145.3	437	
TMP-10-5S	1/26/2021	80	156.5	417	
TMP-10-5S	1/26/2021	100	174.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/28/2020	20	99.6	476	
TMP-5-9N	12/28/2020	40	137.8	456	
TMP-5-9N	12/28/2020	60	142.9	436	
TMP-5-9N	12/28/2020	80	224.5	416	
TMP-5-9N	12/28/2020	100	247.2	396	
TMP-5-9N	1/4/2021	20	99.3	476	
TMP-5-9N	1/4/2021	40	137.7	456	
TMP-5-9N	1/4/2021	60	143.0	436	
TMP-5-9N	1/4/2021	80	223.9	416	
TMP-5-9N	1/4/2021	100	247.0	396	
TMP-5-9N	1/11/2021	20	99.7	476	
TMP-5-9N	1/11/2021	40	137.7	456	
TMP-5-9N	1/11/2021	60	142.6	436	
TMP-5-9N	1/11/2021	80	223.8	416	
TMP-5-9N	1/11/2021	100	247.0	396	
TMP-5-9N	1/18/2021	20	99.1	476	
TMP-5-9N	1/18/2021	40	137.4	456	
TMP-5-9N	1/18/2021	60	142.4	436	
TMP-5-9N	1/18/2021	80	223.5	416	
TMP-5-9N	1/18/2021	100	247.3	396	
TMP-5-9N	1/26/2021	20	98.4	476	
TMP-5-9N	1/26/2021	40	136.7	456	
TMP-5-9N	1/26/2021	60	141.9	436	
TMP-5-9N	1/26/2021	80	222.5	416	
TMP-5-9N	1/26/2021	100	246.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/28/2020	20	114.0	476	
TMP-5-9S	12/28/2020	40	172.0	456	
TMP-5-9S	12/28/2020	60	208.4	436	
TMP-5-9S	12/28/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/28/2020	100			No readings could be obtained
TMP-5-9S	1/4/2021	20	113.8	476	
TMP-5-9S	1/4/2021	40	171.5	456	
TMP-5-9S	1/4/2021	60	207.9	436	
TMP-5-9S	1/4/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/4/2021	100			No readings could be obtained
TMP-5-9S	1/11/2021	20	113.9	476	
TMP-5-9S	1/11/2021	40	171.7	456	
TMP-5-9S	1/11/2021	60	207.8	436	
TMP-5-9S	1/11/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/11/2021	100			No readings could be obtained
TMP-5-9S	1/18/2021	20	114.0	476	
TMP-5-9S	1/18/2021	40	171.7	456	
TMP-5-9S	1/18/2021	60	208.1	436	
TMP-5-9S	1/18/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/18/2021	100			No readings could be obtained
TMP-5-9S	1/26/2021	20	113.2	476	
TMP-5-9S	1/26/2021	40	170.7	456	
TMP-5-9S	1/26/2021	60	207.1	436	
TMP-5-9S	1/26/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/26/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/28/2020	20	94.3	475	
TMP-5-5N	12/28/2020	40	105.4	455	
TMP-5-5N	12/28/2020	60	89.5	435	
TMP-5-5N	12/28/2020	80	216.4	415	
TMP-5-5N	12/28/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/4/2021	20	93.5	475	
TMP-5-5N	1/4/2021	40	101.8	455	
TMP-5-5N	1/4/2021	60	88.0	435	
TMP-5-5N	1/4/2021	80	216.1	415	
TMP-5-5N	1/4/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/11/2021	20	93.3	475	
TMP-5-5N	1/11/2021	40	102.1	455	
TMP-5-5N	1/11/2021	60	87.8	435	
TMP-5-5N	1/11/2021	80	216.1	415	
TMP-5-5N	1/11/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/18/2021	20	93.7	475	
TMP-5-5N	1/18/2021	40	101.3	455	
TMP-5-5N	1/18/2021	60	88.7	435	
TMP-5-5N	1/18/2021	80	216.5	415	
TMP-5-5N	1/18/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/26/2021	20	92.4	475	
TMP-5-5N	1/26/2021	40	101.0	455	
TMP-5-5N	1/26/2021	60	89.1	435	
TMP-5-5N	1/26/2021	80	214.6	415	
TMP-5-5N	1/26/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/28/2020	20	112.7	474	
TMP-5-5S	12/28/2020	40	163.7	454	
TMP-5-5S	12/28/2020	60	195.9	434	
TMP-5-5S	12/28/2020	80	232.6	414	
TMP-5-5S	12/28/2020	100	237.6	394	
TMP-5-5S	1/4/2021	20	112.6	474	
TMP-5-5S	1/4/2021	40	163.3	454	
TMP-5-5S	1/4/2021	60	195.2	434	
TMP-5-5S	1/4/2021	80	232.3	414	
TMP-5-5S	1/4/2021	100	237.2	394	
TMP-5-5S	1/11/2021	20	112.9	474	
TMP-5-5S	1/11/2021	40	163.8	454	
TMP-5-5S	1/11/2021	60	195.0	434	
TMP-5-5S	1/11/2021	80	232.3	414	
TMP-5-5S	1/11/2021	100	237.3	394	
TMP-5-5S	1/18/2021	20	112.0	474	
TMP-5-5S	1/18/2021	40	163.4	454	
TMP-5-5S	1/18/2021	60	194.9	434	
TMP-5-5S	1/18/2021	80	232.3	414	
TMP-5-5S	1/18/2021	100	237.1	394	
TMP-5-5S	1/26/2021	20	111.9	474	
TMP-5-5S	1/26/2021	40	162.8	454	
TMP-5-5S	1/26/2021	60	194.2	434	
TMP-5-5S	1/26/2021	80	231.6	414	
TMP-5-5S	1/26/2021	100	236.6	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/28/2020	20	151.4	474	
TMP-31	12/28/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/28/2020	120	267.6	374	
TMP-31	1/4/2021	20	151.7	474	
TMP-31	1/4/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/4/2021	120	267.6	374	
TMP-31	1/11/2021	20	151.9	474	
TMP-31	1/11/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	120	267.9	374	
TMP-31	1/18/2021	20	151.8	474	
TMP-31	1/18/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	120	268.2	374	
TMP-31	1/26/2021	20	150.9	474	
TMP-31	1/26/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	120	267.2	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/28/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	60	225	444	
TMP-32	12/28/2020	80	240.6	424	
TMP-32	12/28/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/28/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	60	224.8	444	
TMP-32	1/4/2021	80	240.4	424	
TMP-32	1/4/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/4/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	60	224.8	444	
TMP-32	1/11/2021	80	240.4	424	
TMP-32	1/11/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	60	225.5	444	
TMP-32	1/18/2021	80	241.3	424	
TMP-32	1/18/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	60	224.5	444	
TMP-32	1/26/2021	80	240.1	424	
TMP-32	1/26/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/28/2020	20	134.8	473	
TMP-SPM1	12/28/2020	40	157.9	453	
TMP-SPM1	12/28/2020	60	173.0	433	
TMP-SPM1	12/28/2020	80	166.1	413	
TMP-SPM1	12/28/2020	100	166.9	393	
TMP-SPM1	12/28/2020	120	162.9	373	
TMP-SPM1	12/28/2020	140	153.3	353	
TMP-SPM1	12/28/2020	160	135.3	333	
TMP-SPM1	12/28/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/28/2020	200	106.9	293	
TMP-SPM1	12/28/2020	220	93.5	273	
TMP-SPM1	12/28/2020	240	90.4	253	
TMP-SPM1	1/4/2021	20	135.3	473	
TMP-SPM1	1/4/2021	40	158.4	453	
TMP-SPM1	1/4/2021	60	173.4	433	
TMP-SPM1	1/4/2021	80	166.5	413	
TMP-SPM1	1/4/2021	100	167.4	393	
TMP-SPM1	1/4/2021	120	163.5	373	
TMP-SPM1	1/4/2021	140	153.8	353	
TMP-SPM1	1/4/2021	160	135.8	333	
TMP-SPM1	1/4/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/4/2021	200	107.3	293	
TMP-SPM1	1/4/2021	220	94.0	273	
TMP-SPM1	1/4/2021	240	90.8	253	
TMP-SPM1	1/11/2021	20	135.5	473	
TMP-SPM1	1/11/2021	40	158.2	453	
TMP-SPM1	1/11/2021	60	173.2	433	
TMP-SPM1	1/11/2021	80	166.4	413	
TMP-SPM1	1/11/2021	100	167.3	393	
TMP-SPM1	1/11/2021	120	163.4	373	
TMP-SPM1	1/11/2021	140	153.7	353	
TMP-SPM1	1/11/2021	160	135.6	333	
TMP-SPM1	1/11/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/11/2021	200	107.2	293	
TMP-SPM1	1/11/2021	220	93.8	273	
TMP-SPM1	1/11/2021	240	90.6	253	
TMP-SPM1	1/18/2021	20	135.3	473	
TMP-SPM1	1/18/2021	40	158.2	453	
TMP-SPM1	1/18/2021	60	173.3	433	
TMP-SPM1	1/18/2021	80	166.8	413	
TMP-SPM1	1/18/2021	100	167.8	393	
TMP-SPM1	1/18/2021	120	164.0	373	
TMP-SPM1	1/18/2021	140	154.3	353	
TMP-SPM1	1/18/2021	160	136.1	333	
TMP-SPM1	1/18/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/18/2021	200	107.4	293	
TMP-SPM1	1/18/2021	220	93.8	273	
TMP-SPM1	1/18/2021	240	90.8	253	
TMP-SPM1	1/26/2021	20	133.4	473	
TMP-SPM1	1/26/2021	40	156.0	453	
TMP-SPM1	1/26/2021	60	171.3	433	
TMP-SPM1	1/26/2021	80	164.7	413	
TMP-SPM1	1/26/2021	100	165.8	393	
TMP-SPM1	1/26/2021	120	162.0	373	
TMP-SPM1	1/26/2021	140	152.3	353	
TMP-SPM1	1/26/2021	160	134.4	333	
TMP-SPM1	1/26/2021				fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/26/2021	200	106.0	293	
TMP-SPM1	1/26/2021	220	92.7	273	
TMP-SPM1	1/26/2021	240	89.6	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/28/2020	20	125.0	475	
TMP-SPM2	12/28/2020	40	146.6	455	
TMP-SPM2	12/28/2020	60	141.8	435	
TMP-SPM2	12/28/2020	80	158.5	415	
TMP-SPM2	12/28/2020	100	178.0	395	
TMP-SPM2	12/28/2020	120	181.0	375	
TMP-SPM2	12/28/2020	140	185.5	355	
TMP-SPM2	12/28/2020	160	164.9	335	
TMP-SPM2	12/28/2020	172	149.7	323	
TMP-SPM2	1/4/2021	20	124.8	475	
TMP-SPM2	1/4/2021	40	146.3	455	
TMP-SPM2	1/4/2021	60	141.7	435	
TMP-SPM2	1/4/2021	80	158.3	415	
TMP-SPM2	1/4/2021	100	177.8	395	
TMP-SPM2	1/4/2021	120	180.8	375	
TMP-SPM2	1/4/2021	140	185.5	355	
TMP-SPM2	1/4/2021	160	164.9	335	
TMP-SPM2	1/4/2021	172	149.9	323	
TMP-SPM2	1/11/2021	20	124.6	475	
TMP-SPM2	1/11/2021	40	146.0	455	
TMP-SPM2	1/11/2021	60	141.3	435	
TMP-SPM2	1/11/2021	80	157.8	415	
TMP-SPM2	1/11/2021	100	177.2	395	
TMP-SPM2	1/11/2021	120	180.4	375	
TMP-SPM2	1/11/2021	140	185.1	355	
TMP-SPM2	1/11/2021	160	164.6	335	
TMP-SPM2	1/11/2021	172	149.7	323	
TMP-SPM2	1/18/2021	20	123.7	475	
TMP-SPM2	1/18/2021	40	144.8	455	
TMP-SPM2	1/18/2021	60	140.2	435	
TMP-SPM2	1/18/2021	80	156.9	415	
TMP-SPM2	1/18/2021	100	176.6	395	
TMP-SPM2	1/18/2021	120	180.0	375	
TMP-SPM2	1/18/2021	140	184.9	355	
TMP-SPM2	1/18/2021	160	164.6	335	
TMP-SPM2	1/18/2021	172	149.7	323	
TMP-SPM2	1/26/2021	20	123.5	475	
TMP-SPM2	1/26/2021	40	144.8	455	
TMP-SPM2	1/26/2021	60	140.2	435	
TMP-SPM2	1/26/2021	80	156.5	415	
TMP-SPM2	1/26/2021	100	175.9	395	
TMP-SPM2	1/26/2021	120	179.4	375	
TMP-SPM2	1/26/2021	140	184.3	355	
TMP-SPM2	1/26/2021	160	164.0	335	
TMP-SPM2	1/26/2021	172	149.2	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/28/2020	20	111.1	478	
TMP-SPM3	12/28/2020	40	109.6	458	
TMP-SPM3	12/28/2020	60	103.7	438	
TMP-SPM3	12/28/2020	80	108.5	418	
TMP-SPM3	12/28/2020	85	110.5	413	
TMP-SPM3	1/4/2021	20	110.8	478	
TMP-SPM3	1/4/2021	40	109.5	458	
TMP-SPM3	1/4/2021	60	103.7	438	
TMP-SPM3	1/4/2021	80	108.5	418	
TMP-SPM3	1/4/2021	85	110.5	413	
TMP-SPM3	1/11/2021	20	110.8	478	
TMP-SPM3	1/11/2021	40	109.2	458	
TMP-SPM3	1/11/2021	60	103.4	438	
TMP-SPM3	1/11/2021	80	108.2	418	
TMP-SPM3	1/11/2021	85	110.2	413	
TMP-SPM3	1/18/2021	20	109.5	478	
TMP-SPM3	1/18/2021	40	107.7	458	
TMP-SPM3	1/18/2021	60	101.9	438	
TMP-SPM3	1/18/2021	80	106.5	418	
TMP-SPM3	1/18/2021	85	108.6	413	
TMP-SPM3	1/26/2021	20	109.8	478	
TMP-SPM3	1/26/2021	40	108.5	458	
TMP-SPM3	1/26/2021	60	102.8	438	
TMP-SPM3	1/26/2021	80	107.5	418	
TMP-SPM3	1/26/2021	85	109.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/28/2020	20	114.5	475	
TMP-SPM4	12/28/2020	40	136.8	455	
TMP-SPM4	12/28/2020	60	138.7	435	
TMP-SPM4	12/28/2020	80	139.5	415	
TMP-SPM4	12/28/2020	100	135.3	395	
TMP-SPM4	12/28/2020	120	128.0	375	
TMP-SPM4	12/28/2020	140	123.2	355	
TMP-SPM4	12/28/2020	160	117.7	335	
TMP-SPM4	12/28/2020	180	113.8	315	
TMP-SPM4	12/28/2020	200	108.7	295	
TMP-SPM4	12/28/2020	220	97.2	275	
TMP-SPM4	12/28/2020	240	91.2	255	
TMP-SPM4	1/4/2021	20	114.4	475	
TMP-SPM4	1/4/2021	40	137.0	455	
TMP-SPM4	1/4/2021	60	138.8	435	
TMP-SPM4	1/4/2021	80	139.7	415	
TMP-SPM4	1/4/2021	100	135.4	395	
TMP-SPM4	1/4/2021	120	128.1	375	
TMP-SPM4	1/4/2021	140	123.4	355	
TMP-SPM4	1/4/2021	160	117.8	335	
TMP-SPM4	1/4/2021	180	113.9	315	
TMP-SPM4	1/4/2021	200	108.8	295	
TMP-SPM4	1/4/2021	220	97.3	275	
TMP-SPM4	1/4/2021	240	91.3	255	
TMP-SPM4	1/11/2021	20	114.4	475	
TMP-SPM4	1/11/2021	40	136.8	455	
TMP-SPM4	1/11/2021	60	138.6	435	
TMP-SPM4	1/11/2021	80	139.4	415	
TMP-SPM4	1/11/2021	100	135.2	395	
TMP-SPM4	1/11/2021	120	127.9	375	
TMP-SPM4	1/11/2021	140	123.1	355	
TMP-SPM4	1/11/2021	160	117.5	335	
TMP-SPM4	1/11/2021	180	113.7	315	
TMP-SPM4	1/11/2021	200	108.6	295	
TMP-SPM4	1/11/2021	220	97.1	275	
TMP-SPM4	1/11/2021	240	91.2	255	
TMP-SPM4	1/18/2021	20	114.1	475	
TMP-SPM4	1/18/2021	40	136.5	455	
TMP-SPM4	1/18/2021	60	138.4	435	
TMP-SPM4	1/18/2021	80	139.4	415	
TMP-SPM4	1/18/2021	100	135.1	395	
TMP-SPM4	1/18/2021	120	127.8	375	
TMP-SPM4	1/18/2021	140	123.0	355	
TMP-SPM4	1/18/2021	160	117.4	335	
TMP-SPM4	1/18/2021	180	113.4	315	
TMP-SPM4	1/18/2021	200	108.2	295	
TMP-SPM4	1/18/2021	220	96.6	275	
TMP-SPM4	1/18/2021	240	90.3	255	
TMP-SPM4	1/26/2021	20	113.6	475	
TMP-SPM4	1/26/2021	40	136.1	455	
TMP-SPM4	1/26/2021	60	138.0	435	
TMP-SPM4	1/26/2021	80	138.8	415	
TMP-SPM4	1/26/2021	100	134.5	395	
TMP-SPM4	1/26/2021	120	127.2	375	
TMP-SPM4	1/26/2021	140	122.5	355	
TMP-SPM4	1/26/2021	160	116.9	335	
TMP-SPM4	1/26/2021	180	113.1	315	
TMP-SPM4	1/26/2021	200	108.1	295	
TMP-SPM4	1/26/2021	220	96.8	275	
TMP-SPM4	1/26/2021	240	90.8	255	