

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	12/28/2020	18	104.6	451	
TMP-1	12/28/2020	38	133.3	431	
TMP-1	12/28/2020	58	141.7	411	
TMP-1	12/28/2020	78	140.3	391	
TMP-1	12/28/2020	98	132.7	371	
TMP-1	12/28/2020	118	122.7	351	
TMP-1	12/28/2020	138	114.9	331	
TMP-1	1/4/2021	18	105.4	451	
TMP-1	1/4/2021	38	134.2	431	
TMP-1	1/4/2021	58	142.0	411	
TMP-1	1/4/2021	78	140.3	391	
TMP-1	1/4/2021	98	132.9	371	
TMP-1	1/4/2021	118	122.5	351	
TMP-1	1/4/2021	138	114.6	331	
TMP-1	1/11/2021	18	105.6	451	
TMP-1	1/11/2021	38	134.3	431	
TMP-1	1/11/2021	58	142.5	411	
TMP-1	1/11/2021	78	141.1	391	
TMP-1	1/11/2021	98	133.1	371	
TMP-1	1/11/2021	118	122.9	351	
TMP-1	1/11/2021	138	114.9	331	
TMP-1	1/18/2021	18	105.3	451	
TMP-1	1/18/2021	38	134.0	431	
TMP-1	1/18/2021	58	142.2	411	
TMP-1	1/18/2021	78	140.9	391	
TMP-1	1/18/2021	98	133.0	371	
TMP-1	1/18/2021	118	122.8	351	
TMP-1	1/18/2021	138	114.9	331	
TMP-1	1/26/2021	18	105.4	451	
TMP-1	1/26/2021	38	134.3	431	
TMP-1	1/26/2021	58	142.4	411	
TMP-1	1/26/2021	78	140.9	391	
TMP-1	1/26/2021	98	133.0	371	
TMP-1	1/26/2021	118	122.9	351	
TMP-1	1/26/2021	138	114.8	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	12/28/2020	20	117.2	440	
TMP-2R	12/28/2020	40	152.4	420	
TMP-2R	12/28/2020	60	163.3	400	
TMP-2R	12/28/2020	80	169.4	380	
TMP-2R	12/28/2020	100	166.8	360	
TMP-2R	12/28/2020	120	158.2	340	
TMP-2R	12/28/2020	140	152.4	320	
TMP-2R	12/28/2020	160	145.4	300	
TMP-2R	12/28/2020	180	132.7	280	
TMP-2R	1/4/2021	20	117.3	440	
TMP-2R	1/4/2021	40	152.4	420	
TMP-2R	1/4/2021	60	163.3	400	
TMP-2R	1/4/2021	80	169.3	380	
TMP-2R	1/4/2021	100	166.8	360	
TMP-2R	1/4/2021	120	158.1	340	
TMP-2R	1/4/2021	140	152.3	320	
TMP-2R	1/4/2021	160	145.3	300	
TMP-2R	1/4/2021	180	132.7	280	
TMP-2R	1/11/2021	20	117.0	440	
TMP-2R	1/11/2021	40	152.0	420	
TMP-2R	1/11/2021	60	162.9	400	
TMP-2R	1/11/2021	80	168.8	380	
TMP-2R	1/11/2021	100	166.4	360	
TMP-2R	1/11/2021	120	157.7	340	
TMP-2R	1/11/2021	140	151.8	320	
TMP-2R	1/11/2021	160	145.0	300	
TMP-2R	1/11/2021	180	132.2	280	
TMP-2R	1/18/2021	20	116.7	440	
TMP-2R	1/18/2021	40	151.6	420	
TMP-2R	1/18/2021	60	162.7	400	
TMP-2R	1/18/2021	80	168.8	380	
TMP-2R	1/18/2021	100	166.2	360	
TMP-2R	1/18/2021	120	157.7	340	
TMP-2R	1/18/2021	140	152.1	320	
TMP-2R	1/18/2021	160	145.3	300	
TMP-2R	1/18/2021	180	132.7	280	
TMP-2R	1/26/2021	20	116.8	440	
TMP-2R	1/26/2021	40	151.8	420	
TMP-2R	1/26/2021	60	162.7	400	
TMP-2R	1/26/2021	80	168.6	380	
TMP-2R	1/26/2021	100	166.1	360	
TMP-2R	1/26/2021	120	157.4	340	
TMP-2R	1/26/2021	140	151.7	320	
TMP-2R	1/26/2021	160	144.8	300	
TMP-2R	1/26/2021	180	132.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	12/28/2020	30	137.1	470	
TMP-3	12/28/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/28/2020	150	136.0	350	
TMP-3	12/28/2020	190	118.8	310	
TMP-3	12/28/2020	230	100.9	270	
TMP-3	1/4/2021	30	138.5	470	
TMP-3	1/4/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/4/2021	150	137.4	350	
TMP-3	1/4/2021	190	119.5	310	
TMP-3	1/4/2021	230	102.1	270	
TMP-3	1/11/2021	30	137.7	470	
TMP-3	1/11/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/11/2021	150	136.6	350	
TMP-3	1/11/2021	190	119.2	310	
TMP-3	1/11/2021	230	101.2	270	
TMP-3	1/18/2021	30	137.9	470	
TMP-3	1/18/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/18/2021	150	136.5	350	
TMP-3	1/18/2021	190	119.1	310	
TMP-3	1/18/2021	230	101.7	270	
TMP-3	1/26/2021	30	139.3	470	
TMP-3	1/26/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/26/2021	150	137.5	350	
TMP-3	1/26/2021	190	120.0	310	
TMP-3	1/26/2021	230	102.3	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	12/28/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	12/28/2020	40	149.7	459	
TMP-3R	12/28/2020	60	152.1	439	
TMP-3R	12/28/2020	80	153.0	419	
TMP-3R	12/28/2020	100	151.1	399	
TMP-3R	12/28/2020	120	147.4	379	
TMP-3R	12/28/2020	140	140.0	359	
TMP-3R	12/28/2020	160	134.8	339	
TMP-3R	12/28/2020	180	126.0	319	
TMP-3R	12/28/2020	200	114.6	299	
TMP-3R	12/28/2020	218	104.2	281	
TMP-3R	1/4/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	1/4/2021	40	149.6	459	
TMP-3R	1/4/2021	60	152.0	439	
TMP-3R	1/4/2021	80	152.8	419	
TMP-3R	1/4/2021	100	150.9	399	
TMP-3R	1/4/2021	120	147.3	379	
TMP-3R	1/4/2021	140	139.7	359	
TMP-3R	1/4/2021	160	134.6	339	
TMP-3R	1/4/2021	180	125.9	319	
TMP-3R	1/4/2021	200	114.5	299	
TMP-3R	1/4/2021	218	104.1	281	
TMP-3R	1/11/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	1/11/2021	40	149.5	459	
TMP-3R	1/11/2021	60	151.8	439	
TMP-3R	1/11/2021	80	152.8	419	
TMP-3R	1/11/2021	100	150.8	399	
TMP-3R	1/11/2021	120	147.2	379	
TMP-3R	1/11/2021	140	139.6	359	
TMP-3R	1/11/2021	160	134.5	339	
TMP-3R	1/11/2021	180	125.8	319	
TMP-3R	1/11/2021	200	114.4	299	
TMP-3R	1/11/2021	218	104.0	281	
TMP-3R	1/18/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	1/18/2021	40	148.9	459	
TMP-3R	1/18/2021	60	151.4	439	
TMP-3R	1/18/2021	80	152.3	419	
TMP-3R	1/18/2021	100	150.4	399	
TMP-3R	1/18/2021	120	146.8	379	
TMP-3R	1/18/2021	140	139.1	359	
TMP-3R	1/18/2021	160	134.1	339	
TMP-3R	1/18/2021	180	125.4	319	
TMP-3R	1/18/2021	200	114.0	299	
TMP-3R	1/18/2021	218	103.6	281	
TMP-3R	1/26/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	1/26/2021	40	147.6	459	
TMP-3R	1/26/2021	60	150.2	439	
TMP-3R	1/26/2021	80	151.3	419	
TMP-3R	1/26/2021	100	149.4	399	
TMP-3R	1/26/2021	120	145.8	379	
TMP-3R	1/26/2021	140	138.2	359	
TMP-3R	1/26/2021	160	133.2	339	
TMP-3R	1/26/2021	180	124.6	319	
TMP-3R	1/26/2021	200	113.3	299	
TMP-3R	1/26/2021	218	103.0	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	12/28/2020	28	105.2	472	
TMP-4	1/4/2021	28	104.4	472	
TMP-4	1/11/2021	28	103.0	472	
TMP-4	1/18/2021	28	104.7	472	
TMP-4	1/26/2021	28	104.8	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	12/28/2020	10	91.0	489	
TMP-4R	12/28/2020	20	100.2	479	
TMP-4R	12/28/2020	29	105.2	470	
TMP-4R	1/4/2021	10	90.2	489	
TMP-4R	1/4/2021	20	100.2	479	
TMP-4R	1/4/2021	29	105.2	470	
TMP-4R	1/11/2021	10	90.1	489	
TMP-4R	1/11/2021	20	101.1	479	
TMP-4R	1/11/2021	29	106.0	470	
TMP-4R	1/18/2021	10	87.5	489	
TMP-4R	1/18/2021	20	99.8	479	
TMP-4R	1/18/2021	29	104.6	470	
TMP-4R	1/26/2021	10	86.7	489	
TMP-4R	1/26/2021	20	99.9	479	
TMP-4R	1/26/2021	29	104.8	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	12/28/2020	15	116.4	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	12/28/2020	95	151.9	392	
TMP-6	12/28/2020	115	148.7	372	
TMP-6	12/28/2020	135	140.4	352	
TMP-6	1/4/2021	15	117.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	1/4/2021	95	152.0	392	
TMP-6	1/4/2021	115	148.6	372	
TMP-6	1/4/2021	135	140.6	352	
TMP-6	1/11/2021	15	117.8	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	1/11/2021	95	152.4	392	
TMP-6	1/11/2021	115	149.3	372	
TMP-6	1/11/2021	135	141.2	352	
TMP-6	1/18/2021	15	116.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	1/18/2021	95	150.7	392	
TMP-6	1/18/2021	115	147.7	372	
TMP-6	1/18/2021	135	139.6	352	
TMP-6	1/26/2021	15	116.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	1/26/2021	95	151.9	392	
TMP-6	1/26/2021	115	148.5	372	
TMP-6	1/26/2021	135	140.5	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	12/28/2020	40	192	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	1/4/2021	40	191.2	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	1/11/2021	40	191.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	1/18/2021	40	190.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	1/26/2021	40	191.1	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	12/28/2020	20	104.2	448	
TMP-11R	12/28/2020	40	117.7	428	
TMP-11R	12/28/2020	60	118.4	408	
TMP-11R	12/28/2020	80	118.3	388	
TMP-11R	12/28/2020	100	111.6	368	
TMP-11R	12/28/2020	120	105.9	348	
TMP-11R	1/4/2021	20	103.3	448	
TMP-11R	1/4/2021	40	117.2	428	
TMP-11R	1/4/2021	60	118.4	408	
TMP-11R	1/4/2021	80	118.3	388	
TMP-11R	1/4/2021	100	111.8	368	
TMP-11R	1/4/2021	120	106.7	348	
TMP-11R	1/11/2021	20	103.4	448	
TMP-11R	1/11/2021	40	117.0	428	
TMP-11R	1/11/2021	60	117.4	408	
TMP-11R	1/11/2021	80	117.3	388	
TMP-11R	1/11/2021	100	110.7	368	
TMP-11R	1/11/2021	120	105.2	348	
TMP-11R	1/18/2021	20	103.3	448	
TMP-11R	1/18/2021	40	116.6	428	
TMP-11R	1/18/2021	60	117.1	408	
TMP-11R	1/18/2021	80	116.9	388	
TMP-11R	1/18/2021	100	110.1	368	
TMP-11R	1/18/2021	120	104.4	348	
TMP-11R	1/26/2021	20	103.5	448	
TMP-11R	1/26/2021	40	117.0	428	
TMP-11R	1/26/2021	60	117.7	408	
TMP-11R	1/26/2021	80	117.6	388	
TMP-11R	1/26/2021	100	111.2	368	
TMP-11R	1/26/2021	120	105.3	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	12/28/2020	20	111.9	470	
TMP-14R2	12/28/2020	40	163.2	450	
TMP-14R2	12/28/2020	60	185.2	430	
TMP-14R2	12/28/2020	80	191.2	410	
TMP-14R2	12/28/2020	100	211.6	390	
TMP-14R2	12/28/2020	120	212.0	370	
TMP-14R2	12/28/2020	140	203.1	350	
TMP-14R2	12/28/2020	160	171.0	330	
TMP-14R2	12/28/2020	180	148.1	310	
TMP-14R2	12/28/2020	200	125.0	290	
TMP-14R2	12/28/2020	220	100.6	270	
TMP-14R2	12/28/2020	228	95.6	262	
TMP-14R2	1/4/2021	20	111.5	470	
TMP-14R2	1/4/2021	40	162.7	450	
TMP-14R2	1/4/2021	60	184.8	430	
TMP-14R2	1/4/2021	80	190.7	410	
TMP-14R2	1/4/2021	100	211.2	390	
TMP-14R2	1/4/2021	120	211.7	370	
TMP-14R2	1/4/2021	140	202.9	350	
TMP-14R2	1/4/2021	160	171.2	330	
TMP-14R2	1/4/2021	180	147.9	310	
TMP-14R2	1/4/2021	200	124.8	290	
TMP-14R2	1/4/2021	220	100.4	270	
TMP-14R2	1/4/2021	228	95.3	262	
TMP-14R2	1/11/2021	20	113.1	470	
TMP-14R2	1/11/2021	40	163.8	450	
TMP-14R2	1/11/2021	60	185.8	430	
TMP-14R2	1/11/2021	80	191.6	410	
TMP-14R2	1/11/2021	100	212.1	390	
TMP-14R2	1/11/2021	120	212.5	370	
TMP-14R2	1/11/2021	140	203.7	350	
TMP-14R2	1/11/2021	160	172.5	330	
TMP-14R2	1/11/2021	180	148.9	310	
TMP-14R2	1/11/2021	200	125.8	290	
TMP-14R2	1/11/2021	220	101.4	270	
TMP-14R2	1/11/2021	228	96.3	262	
TMP-14R2	1/18/2021	20	110.8	470	
TMP-14R2	1/18/2021	40	162.1	450	
TMP-14R2	1/18/2021	60	184.3	430	
TMP-14R2	1/18/2021	80	190.2	410	
TMP-14R2	1/18/2021	100	210.9	390	
TMP-14R2	1/18/2021	120	211.5	370	
TMP-14R2	1/18/2021	140	202.9	350	
TMP-14R2	1/18/2021	160	172.5	330	
TMP-14R2	1/18/2021	180	148.3	310	
TMP-14R2	1/18/2021	200	125.1	290	

TMP-14R2	1/18/2021	220	100.7	270
TMP-14R2	1/18/2021	228	95.6	262
TMP-14R2	1/26/2021	20	110.9	470
TMP-14R2	1/26/2021	40	162.1	450
TMP-14R2	1/26/2021	60	184.1	430
TMP-14R2	1/26/2021	80	189.9	410
TMP-14R2	1/26/2021	100	210.6	390
TMP-14R2	1/26/2021	120	211.2	370
TMP-14R2	1/26/2021	140	202.6	350
TMP-14R2	1/26/2021	160	171.8	330
TMP-14R2	1/26/2021	180	148.0	310
TMP-14R2	1/26/2021	200	124.9	290
TMP-14R2	1/26/2021	220	100.5	270
TMP-14R2	1/26/2021	228	95.5	262

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	12/28/2020	20	111.3	491	
TMP-16R	12/28/2020	40	150.2	471	
TMP-16R	12/28/2020	60	165.3	451	
TMP-16R	12/28/2020	80	168.3	431	
TMP-16R	12/28/2020	100	160.7	411	
TMP-16R	12/28/2020	120	151.7	391	
TMP-16R	12/28/2020	140	147.9	371	
TMP-16R	12/28/2020	160	122.0	351	
TMP-16R	12/28/2020	180	114.2	331	
TMP-16R	12/28/2020	200	100.7	311	
TMP-16R	12/28/2020	220	96.3	291	
TMP-16R	12/28/2020	230	95.9	281	
TMP-16R	1/4/2021	20	110.0	491	
TMP-16R	1/4/2021	40	149.1	471	
TMP-16R	1/4/2021	60	164.2	451	
TMP-16R	1/4/2021	80	167.2	431	
TMP-16R	1/4/2021	100	159.7	411	
TMP-16R	1/4/2021	120	150.7	391	
TMP-16R	1/4/2021	140	146.9	371	
TMP-16R	1/4/2021	160	121.0	351	
TMP-16R	1/4/2021	180	113.2	331	
TMP-16R	1/4/2021	200	99.6	311	
TMP-16R	1/4/2021	220	95.2	291	
TMP-16R	1/4/2021	230	94.7	281	
TMP-16R	1/11/2021	20	112.1	491	
TMP-16R	1/11/2021	40	151.1	471	
TMP-16R	1/11/2021	60	166.1	451	
TMP-16R	1/11/2021	80	169.2	431	
TMP-16R	1/11/2021	100	161.3	411	
TMP-16R	1/11/2021	120	152.3	391	
TMP-16R	1/11/2021	140	148.5	371	
TMP-16R	1/11/2021	160	122.6	351	
TMP-16R	1/11/2021	180	114.7	331	
TMP-16R	1/11/2021	200	101.1	311	
TMP-16R	1/11/2021	220	96.8	291	
TMP-16R	1/11/2021	230	95.9	281	
TMP-16R	1/18/2021	20	110.7	491	
TMP-16R	1/18/2021	40	149.8	471	
TMP-16R	1/18/2021	60	164.8	451	
TMP-16R	1/18/2021	80	167.7	431	
TMP-16R	1/18/2021	100	160.2	411	
TMP-16R	1/18/2021	120	151.2	391	
TMP-16R	1/18/2021	140	147.3	371	
TMP-16R	1/18/2021	160	121.5	351	
TMP-16R	1/18/2021	180	113.6	331	
TMP-16R	1/18/2021	200	100.0	311	
TMP-16R	1/18/2021	220	95.7	291	
TMP-16R	1/18/2021	230	94.9	281	
TMP-16R	1/26/2021	20	110.9	491	
TMP-16R	1/26/2021	40	149.9	471	
TMP-16R	1/26/2021	60	165.0	451	
TMP-16R	1/26/2021	80	167.9	431	
TMP-16R	1/26/2021	100	160.3	411	
TMP-16R	1/26/2021	120	151.3	391	
TMP-16R	1/26/2021	140	147.4	371	
TMP-16R	1/26/2021	160	122.0	351	
TMP-16R	1/26/2021	180	113.9	331	
TMP-16R	1/26/2021	200	100.2	311	
TMP-16R	1/26/2021	220	95.9	291	
TMP-16R	1/26/2021	230	95.3	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	12/28/2020	20	111.8	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	12/28/2020	40	143.4	476	
TMP-17	12/28/2020	60	157.7	456	
TMP-17	12/28/2020	80	159.0	436	
TMP-17	12/28/2020	100	155.2	416	
TMP-17	12/28/2020	120	149.2	396	
TMP-17	12/28/2020	140	142.0	376	
TMP-17	12/28/2020	160	130.4	356	
TMP-17	12/28/2020	180	123.4	336	
TMP-17	12/28/2020	200	115.1	316	
TMP-17	12/28/2020	220	108.0	296	
TMP-17	12/28/2020	237	101.1	279	
TMP-17	1/4/2021	20	111.3	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	1/4/2021	40	143.1	476	
TMP-17	1/4/2021	60	157.4	456	
TMP-17	1/4/2021	80	158.7	436	
TMP-17	1/4/2021	100	154.8	416	
TMP-17	1/4/2021	120	148.9	396	
TMP-17	1/4/2021	140	142.0	376	
TMP-17	1/4/2021	160	130.0	356	
TMP-17	1/4/2021	180	122.5	336	
TMP-17	1/4/2021	200	115.1	316	
TMP-17	1/4/2021	220	108.0	296	
TMP-17	1/4/2021	237	101.2	279	
TMP-17	1/11/2021	20	111.5	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	1/11/2021	40	143.1	476	
TMP-17	1/11/2021	60	157.6	456	
TMP-17	1/11/2021	80	159.1	436	
TMP-17	1/11/2021	100	155.1	416	
TMP-17	1/11/2021	120	149.2	396	
TMP-17	1/11/2021	140	142.3	376	
TMP-17	1/11/2021	160	130.3	356	
TMP-17	1/11/2021	180	122.9	336	
TMP-17	1/11/2021	200	115.3	316	
TMP-17	1/11/2021	220	108.3	296	
TMP-17	1/11/2021	237	101.4	279	
TMP-17	1/18/2021	20	110.2	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	1/18/2021	40	141.3	476	
TMP-17	1/18/2021	60	156.2	456	
TMP-17	1/18/2021	80	157.8	436	
TMP-17	1/18/2021	100	153.8	416	
TMP-17	1/18/2021	120	147.9	396	
TMP-17	1/18/2021	140	141.0	376	
TMP-17	1/18/2021	160	128.9	356	
TMP-17	1/18/2021	180	121.2	336	
TMP-17	1/18/2021	200	113.5	316	
TMP-17	1/18/2021	220	106.7	296	
TMP-17	1/18/2021	237	99.5	279	
TMP-17	1/26/2021	20	111.6	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	1/26/2021	40	142.5	476	
TMP-17	1/26/2021	60	157.4	456	
TMP-17	1/26/2021	80	158.8	436	
TMP-17	1/26/2021	100	155.3	416	
TMP-17	1/26/2021	120	148.9	396	
TMP-17	1/26/2021	140	141.8	376	
TMP-17	1/26/2021	160	130.2	356	
TMP-17	1/26/2021	180	122.3	336	
TMP-17	1/26/2021	200	114.4	316	
TMP-17	1/26/2021	220	108.0	296	
TMP-17	1/26/2021	237	101.0	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	12/28/2020	20	99.2	489	
TMP-18	12/28/2020	39	133.0	470	
TMP-18	12/28/2020	58	146.8	451	
TMP-18	12/28/2020	77	147.4	432	
TMP-18	12/28/2020	96	142.1	413	
TMP-18	12/28/2020	115	136.2	394	
TMP-18	12/28/2020	134	129.6	375	
TMP-18	12/28/2020	153	123.8	356	
TMP-18	12/28/2020	172	118.5	337	
TMP-18	12/28/2020	191	113.6	318	
TMP-18	12/28/2020	210	109.1	299	
TMP-18	12/28/2020	227	106.0	282	
TMP-18	1/4/2021	20	98.8	489	
TMP-18	1/4/2021	39	132.6	470	
TMP-18	1/4/2021	58	146.5	451	
TMP-18	1/4/2021	77	147.1	432	
TMP-18	1/4/2021	96	141.9	413	
TMP-18	1/4/2021	115	136.0	394	
TMP-18	1/4/2021	134	129.5	375	
TMP-18	1/4/2021	153	123.7	356	
TMP-18	1/4/2021	172	118.4	337	
TMP-18	1/4/2021	191	113.6	318	
TMP-18	1/4/2021	210	108.9	299	
TMP-18	1/4/2021	227	105.9	282	
TMP-18	1/11/2021	20	98.9	489	
TMP-18	1/11/2021	39	132.6	470	
TMP-18	1/11/2021	58	146.6	451	
TMP-18	1/11/2021	77	147.0	432	
TMP-18	1/11/2021	96	141.8	413	
TMP-18	1/11/2021	115	136.0	394	
TMP-18	1/11/2021	134	129.5	375	
TMP-18	1/11/2021	153	123.7	356	
TMP-18	1/11/2021	172	118.4	337	
TMP-18	1/11/2021	191	113.7	318	
TMP-18	1/11/2021	210	109.2	299	
TMP-18	1/11/2021	227	106.2	282	
TMP-18	1/18/2021	20	96.5	489	
TMP-18	1/18/2021	39	132.0	470	
TMP-18	1/18/2021	58	144.4	451	
TMP-18	1/18/2021	77	145.0	432	
TMP-18	1/18/2021	96	140.3	413	
TMP-18	1/18/2021	115	134.4	394	
TMP-18	1/18/2021	134	128.1	375	
TMP-18	1/18/2021	153	122.8	356	
TMP-18	1/18/2021	172	117.5	337	
TMP-18	1/18/2021	191	112.9	318	
TMP-18	1/18/2021	210	108.2	299	
TMP-18	1/18/2021	227	105.2	282	
TMP-18	1/26/2021	20	97.9	489	
TMP-18	1/26/2021	39	132.5	470	
TMP-18	1/26/2021	58	146.4	451	
TMP-18	1/26/2021	77	147.0	432	
TMP-18	1/26/2021	96	141.7	413	
TMP-18	1/26/2021	115	135.9	394	
TMP-18	1/26/2021	134	129.3	375	
TMP-18	1/26/2021	153	123.5	356	
TMP-18	1/26/2021	172	118.2	337	
TMP-18	1/26/2021	191	113.3	318	
TMP-18	1/26/2021	210	108.8	299	
TMP-18	1/26/2021	227	105.7	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	12/28/2020	13	85.9	461	
TMP-21	12/28/2020	26	95.6	448	
TMP-21	12/28/2020	41	94.6	433	
TMP-21	1/4/2021	13	84.1	461	
TMP-21	1/4/2021	26	93.7	448	
TMP-21	1/4/2021	41	92.9	433	
TMP-21	1/11/2021	13	85.6	461	
TMP-21	1/11/2021	26	95.0	448	
TMP-21	1/11/2021	41	94.0	433	
TMP-21	1/18/2021	13	84.6	461	
TMP-21	1/18/2021	26	94.4	448	
TMP-21	1/18/2021	41	93.5	433	
TMP-21	1/26/2021	13	84.5	461	
TMP-21	1/26/2021	26	94.2	448	
TMP-21	1/26/2021	41	93.1	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	12/28/2020	15	97.5	474	
TMP-22	12/28/2020	31	121.2	458	
TMP-22	12/28/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	12/28/2020	70	118.6	419	
TMP-22	1/4/2021	15	96.2	474	
TMP-22	1/4/2021	31	119.9	458	
TMP-22	1/4/2021	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	1/4/2021	70	117.3	419	
TMP-22	1/11/2021	15	97.2	474	
TMP-22	1/11/2021	31	120.7	458	
TMP-22	1/11/2021	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	1/11/2021	70	118.3	419	
TMP-22	1/18/2021	15	96.6	474	
TMP-22	1/18/2021	31	120.1	458	
TMP-22	1/18/2021	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	1/18/2021	70	117.3	419	
TMP-22	1/26/2021	15	96.5	474	
TMP-22	1/26/2021	31	120.1	458	
TMP-22	1/26/2021	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	1/26/2021	70	117.6	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	12/28/2020	20	108.2	477	
TMP-23	12/28/2020	38	133.4	459	
TMP-23	12/28/2020	56	139.3	441	
TMP-23	12/28/2020	74	132.6	423	
TMP-23	12/28/2020	92	124.3	405	
TMP-23	12/28/2020	106	116.3	391	
TMP-23	1/4/2021	20	106.9	477	
TMP-23	1/4/2021	38	132.3	459	
TMP-23	1/4/2021	56	138.3	441	
TMP-23	1/4/2021	74	131.6	423	
TMP-23	1/4/2021	92	123.4	405	
TMP-23	1/4/2021	106	115.4	391	
TMP-23	1/11/2021	20	108.4	477	
TMP-23	1/11/2021	38	133.2	459	
TMP-23	1/11/2021	56	139.1	441	
TMP-23	1/11/2021	74	132.4	423	
TMP-23	1/11/2021	92	124.1	405	
TMP-23	1/11/2021	106	116.2	391	
TMP-23	1/18/2021	20	107.5	477	
TMP-23	1/18/2021	38	132.7	459	
TMP-23	1/18/2021	56	138.7	441	
TMP-23	1/18/2021	74	131.9	423	
TMP-23	1/18/2021	92	123.5	405	
TMP-23	1/18/2021	106	115.5	391	
TMP-23	1/26/2021	20	107.2	477	
TMP-23	1/26/2021	38	132.5	459	
TMP-23	1/26/2021	56	138.6	441	
TMP-23	1/26/2021	74	131.9	423	
TMP-23	1/26/2021	92	123.6	405	
TMP-23	1/26/2021	106	115.7	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	12/28/2020	20	95.9	492	
TMP-24	12/28/2020	40	123.3	472	
TMP-24	12/28/2020	60	137.8	452	
TMP-24	12/28/2020	67	139.1	445	
TMP-24	1/4/2021	20	96.1	492	
TMP-24	1/4/2021	40	123.6	472	
TMP-24	1/4/2021	60	138.3	452	
TMP-24	1/4/2021	67	139.7	445	
TMP-24	1/11/2021	20	96.3	492	
TMP-24	1/11/2021	40	123.7	472	
TMP-24	1/11/2021	60	138.3	452	
TMP-24	1/11/2021	67	139.5	445	
TMP-24	1/18/2021	20	97.1	492	
TMP-24	1/18/2021	40	124.4	472	
TMP-24	1/18/2021	60	138.9	452	
TMP-24	1/18/2021	67	140.1	445	
TMP-24	1/26/2021	20	96.2	492	
TMP-24	1/26/2021	40	123.4	472	
TMP-24	1/26/2021	60	138.1	452	
TMP-24	1/26/2021	67	139.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	12/28/2020	20	105.6	493	
TMP-25R	12/28/2020	40	130.7	473	
TMP-25R	12/28/2020	60	158.6	453	
TMP-25R	12/28/2020	80	162.7	433	
TMP-25R	12/28/2020	100	159.4	413	
TMP-25R	12/28/2020	120	149.9	393	
TMP-25R	12/28/2020	140	139.1	373	
TMP-25R	12/28/2020	160	128.9	353	
TMP-25R	12/28/2020	180	120.8	333	
TMP-25R	12/28/2020	200	112.7	313	
TMP-25R	12/28/2020	220	104.9	293	
TMP-25R	12/28/2020	235	96.1	278	
TMP-25R	1/4/2021	20	104.7	493	
TMP-25R	1/4/2021	40	131.1	473	
TMP-25R	1/4/2021	60	157.7	453	
TMP-25R	1/4/2021	80	161.9	433	
TMP-25R	1/4/2021	100	158.6	413	
TMP-25R	1/4/2021	120	149.2	393	
TMP-25R	1/4/2021	140	138.4	373	
TMP-25R	1/4/2021	160	128.2	353	
TMP-25R	1/4/2021	180	120.1	333	
TMP-25R	1/4/2021	200	112.2	313	
TMP-25R	1/4/2021	220	104.6	293	
TMP-25R	1/4/2021	235	95.6	278	
TMP-25R	1/11/2021	20	105.4	493	
TMP-25R	1/11/2021	40	131.6	473	
TMP-25R	1/11/2021	60	158.3	453	
TMP-25R	1/11/2021	80	162.5	433	
TMP-25R	1/11/2021	100	159.4	413	
TMP-25R	1/11/2021	120	150.0	393	
TMP-25R	1/11/2021	140	139.2	373	
TMP-25R	1/11/2021	160	129.1	353	
TMP-25R	1/11/2021	180	121.0	333	
TMP-25R	1/11/2021	200	112.8	313	
TMP-25R	1/11/2021	220	105.2	293	
TMP-25R	1/11/2021	235	96.1	278	
TMP-25R	1/18/2021	20	103.9	493	
TMP-25R	1/18/2021	40	129.8	473	
TMP-25R	1/18/2021	60	157.0	453	
TMP-25R	1/18/2021	80	161.3	433	
TMP-25R	1/18/2021	100	158.1	413	
TMP-25R	1/18/2021	120	148.7	393	
TMP-25R	1/18/2021	140	138.0	373	
TMP-25R	1/18/2021	160	127.7	353	
TMP-25R	1/18/2021	180	119.6	333	
TMP-25R	1/18/2021	200	111.4	313	
TMP-25R	1/18/2021	220	103.6	293	
TMP-25R	1/18/2021	235	94.2	278	
TMP-25R	1/26/2021	20	105.2	493	
TMP-25R	1/26/2021	40	130.6	473	
TMP-25R	1/26/2021	60	158.0	453	
TMP-25R	1/26/2021	80	162.2	433	
TMP-25R	1/26/2021	100	159.0	413	
TMP-25R	1/26/2021	120	149.4	393	
TMP-25R	1/26/2021	140	138.6	373	
TMP-25R	1/26/2021	160	128.4	353	
TMP-25R	1/26/2021	180	120.4	333	
TMP-25R	1/26/2021	200	112.4	313	
TMP-25R	1/26/2021	220	103.8	293	
TMP-25R	1/26/2021	235	95.7	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	12/28/2020	20	98.0	473	
TMP-26R	12/28/2020	40	110.2	453	
TMP-26R	12/28/2020	60	110.3	433	
TMP-26R	12/28/2020	80	105.3	413	
TMP-26R	12/28/2020	100	95.1	393	
TMP-26R	12/28/2020	120	106.8	373	
TMP-26R	12/28/2020	140	107.6	353	
TMP-26R	12/28/2020	142	107.1	351	
TMP-26R	1/4/2021	20	97.9	473	
TMP-26R	1/4/2021	40	110.0	453	
TMP-26R	1/4/2021	60	110.2	433	
TMP-26R	1/4/2021	80	105.3	413	
TMP-26R	1/4/2021	100	95.1	393	
TMP-26R	1/4/2021	120	106.7	373	
TMP-26R	1/4/2021	140	107.5	353	
TMP-26R	1/4/2021	142	107.0	351	
TMP-26R	1/11/2021	20	97.6	473	
TMP-26R	1/11/2021	40	109.8	453	
TMP-26R	1/11/2021	60	110.0	433	
TMP-26R	1/11/2021	80	105.2	413	
TMP-26R	1/11/2021	100	95.2	393	
TMP-26R	1/11/2021	120	106.7	373	
TMP-26R	1/11/2021	140	107.5	353	
TMP-26R	1/11/2021	142	107.1	351	
TMP-26R	1/18/2021	20	97.2	473	
TMP-26R	1/18/2021	40	109.3	453	
TMP-26R	1/18/2021	60	109.9	433	
TMP-26R	1/18/2021	80	105.2	413	
TMP-26R	1/18/2021	100	95.4	393	
TMP-26R	1/18/2021	120	106.9	373	
TMP-26R	1/18/2021	140	107.8	353	
TMP-26R	1/18/2021	142	107.3	351	
TMP-26R	1/26/2021	20	97.6	473	
TMP-26R	1/26/2021	40	109.5	453	
TMP-26R	1/26/2021	60	109.7	433	
TMP-26R	1/26/2021	80	104.8	413	
TMP-26R	1/26/2021	100	95.1	393	
TMP-26R	1/26/2021	120	106.4	373	
TMP-26R	1/26/2021	140	107.2	353	
TMP-26R	1/26/2021	142	106.8	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	12/28/2020	20	113.4	493	
TMP-27	12/28/2020	40	141.1	473	
TMP-27	12/28/2020	60	153.4	453	
TMP-27	12/28/2020	80	155.3	433	
TMP-27	12/28/2020	100	150.7	413	
TMP-27	12/28/2020	120	145.0	393	
TMP-27	12/28/2020	140	139.3	373	
TMP-27	12/28/2020	160	132.5	353	
TMP-27	12/28/2020	180	126.2	333	
TMP-27	12/28/2020	200	121.9	313	
TMP-27	12/28/2020	220	116.3	293	
TMP-27	12/28/2020	233	111.6	280	
TMP-27	1/4/2021	20	113.6	493	
TMP-27	1/4/2021	40	141.5	473	
TMP-27	1/4/2021	60	153.7	453	
TMP-27	1/4/2021	80	155.6	433	
TMP-27	1/4/2021	100	150.9	413	
TMP-27	1/4/2021	120	145.2	393	
TMP-27	1/4/2021	140	139.5	373	
TMP-27	1/4/2021	160	132.6	353	
TMP-27	1/4/2021	180	127.2	333	
TMP-27	1/4/2021	200	122.3	313	
TMP-27	1/4/2021	220	116.4	293	
TMP-27	1/4/2021	233	111.8	280	
TMP-27	1/11/2021	20	113.5	493	
TMP-27	1/11/2021	40	141.4	473	
TMP-27	1/11/2021	60	153.6	453	
TMP-27	1/11/2021	80	155.5	433	
TMP-27	1/11/2021	100	150.9	413	
TMP-27	1/11/2021	120	145.2	393	
TMP-27	1/11/2021	140	139.5	373	
TMP-27	1/11/2021	160	132.7	353	
TMP-27	1/11/2021	180	127.2	333	
TMP-27	1/11/2021	200	122.4	313	
TMP-27	1/11/2021	220	116.3	293	
TMP-27	1/11/2021	233	111.6	280	
TMP-27	1/18/2021	20	114.0	493	
TMP-27	1/18/2021	40	140.9	473	
TMP-27	1/18/2021	60	153.2	453	
TMP-27	1/18/2021	80	155.2	433	
TMP-27	1/18/2021	100	150.5	413	
TMP-27	1/18/2021	120	145.0	393	
TMP-27	1/18/2021	140	139.3	373	
TMP-27	1/18/2021	160	132.3	353	
TMP-27	1/18/2021	180	126.8	333	
TMP-27	1/18/2021	200	121.9	313	
TMP-27	1/18/2021	220	115.7	293	
TMP-27	1/18/2021	233	110.9	280	
TMP-27	1/26/2021	20	113.0	493	
TMP-27	1/26/2021	40	140.9	473	
TMP-27	1/26/2021	60	153.4	453	
TMP-27	1/26/2021	80	155.3	433	
TMP-27	1/26/2021	100	150.7	413	
TMP-27	1/26/2021	120	145.1	393	
TMP-27	1/26/2021	140	139.3	373	
TMP-27	1/26/2021	160	132.4	353	
TMP-27	1/26/2021	180	127.0	333	
TMP-27	1/26/2021	200	122.2	313	
TMP-27	1/26/2021	220	116.2	293	
TMP-27	1/26/2021	233	111.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	12/28/2020	20	84.6	478	
TMP-28R	12/28/2020	40	113.7	458	
TMP-28R	12/28/2020	60	118.9	438	
TMP-28R	12/28/2020	80	121.8	418	
TMP-28R	12/28/2020	100	121.8	398	
TMP-28R	12/28/2020	120	118.7	378	
TMP-28R	12/28/2020	140	115.9	358	
TMP-28R	12/28/2020	160	112.6	338	
TMP-28R	12/28/2020	180	108.8	318	
TMP-28R	12/28/2020	200	105.6	298	
TMP-28R	12/28/2020	220	101.5	278	
TMP-28R	1/4/2021	20	84.1	478	
TMP-28R	1/4/2021	40	113.3	458	
TMP-28R	1/4/2021	60	118.6	438	
TMP-28R	1/4/2021	80	121.6	418	
TMP-28R	1/4/2021	100	121.5	398	
TMP-28R	1/4/2021	120	118.5	378	
TMP-28R	1/4/2021	140	115.8	358	
TMP-28R	1/4/2021	160	112.5	338	
TMP-28R	1/4/2021	180	108.8	318	
TMP-28R	1/4/2021	200	105.7	298	
TMP-28R	1/4/2021	220	101.7	278	
TMP-28R	1/11/2021	20	83.1	478	
TMP-28R	1/11/2021	40	112.4	458	
TMP-28R	1/11/2021	60	117.7	438	
TMP-28R	1/11/2021	80	120.6	418	
TMP-28R	1/11/2021	100	120.6	398	
TMP-28R	1/11/2021	120	117.8	378	
TMP-28R	1/11/2021	140	115.1	358	
TMP-28R	1/11/2021	160	112.1	338	
TMP-28R	1/11/2021	180	108.6	318	
TMP-28R	1/11/2021	200	105.5	298	
TMP-28R	1/11/2021	220	101.5	278	
TMP-28R	1/18/2021	20	84.5	478	
TMP-28R	1/18/2021	40	113.4	458	
TMP-28R	1/18/2021	60	118.2	438	
TMP-28R	1/18/2021	80	121.0	418	
TMP-28R	1/18/2021	100	120.9	398	
TMP-28R	1/18/2021	120	118.0	378	
TMP-28R	1/18/2021	140	115.2	358	
TMP-28R	1/18/2021	160	111.9	338	
TMP-28R	1/18/2021	180	108.3	318	
TMP-28R	1/18/2021	200	105.0	298	
TMP-28R	1/18/2021	220	100.8	278	
TMP-28R	1/26/2021	20	83.3	478	
TMP-28R	1/26/2021	40	113.3	458	
TMP-28R	1/26/2021	60	118.6	438	
TMP-28R	1/26/2021	80	121.5	418	
TMP-28R	1/26/2021	100	121.4	398	
TMP-28R	1/26/2021	120	118.5	378	
TMP-28R	1/26/2021	140	115.7	358	
TMP-28R	1/26/2021	160	112.4	338	
TMP-28R	1/26/2021	180	108.7	318	
TMP-28R	1/26/2021	200	105.6	298	
TMP-28R	1/26/2021	220	101.4	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	12/28/2020	8	80.3	488	
TMP-29	12/28/2020	16	85.4	480	
TMP-29	12/28/2020	25	88.3	471	
TMP-29	1/4/2021	8	79.3	488	
TMP-29	1/4/2021	16	85.3	480	
TMP-29	1/4/2021	25	88.2	471	
TMP-29	1/11/2021	8	78.7	488	
TMP-29	1/11/2021	16	85.5	480	
TMP-29	1/11/2021	25	88.5	471	
TMP-29	1/18/2021	8	78.3	488	
TMP-29	1/18/2021	16	85.7	480	
TMP-29	1/18/2021	25	88.6	471	
TMP-29	1/26/2021	8	76.6	488	
TMP-29	1/26/2021	16	85.1	480	
TMP-29	1/26/2021	25	88.1	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	12/28/2020	20	91.4	484	
TMP-33	12/28/2020	40	98.9	464	
TMP-33	12/28/2020	53	99.3	451	
TMP-33	1/4/2021	20	89.9	484	
TMP-33	1/4/2021	40	96.8	464	
TMP-33	1/4/2021	53	96.8	451	
TMP-33	1/11/2021	20	90.5	484	
TMP-33	1/11/2021	40	97.3	464	
TMP-33	1/11/2021	53	97.3	451	
TMP-33	1/18/2021	20	90.5	484	
TMP-33	1/18/2021	40	97.4	464	
TMP-33	1/18/2021	53	97.8	451	
TMP-33	1/26/2021	20	90.1	484	
TMP-33	1/26/2021	40	97.1	464	
TMP-33	1/26/2021	53	97.5	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	12/28/2020	20	92.4	495	
TMP-34	12/28/2020	40	106.0	475	
TMP-34	12/28/2020	50	106.9	465	
TMP-34	12/28/2020	63	105.6	452	
TMP-34	1/4/2021	20	91.8	495	
TMP-34	1/4/2021	40	105.8	475	
TMP-34	1/4/2021	50	106.8	465	
TMP-34	1/4/2021	63	105.7	452	
TMP-34	1/11/2021	20	92.3	495	
TMP-34	1/11/2021	40	106.2	475	
TMP-34	1/11/2021	50	107.1	465	
TMP-34	1/11/2021	63	105.9	452	
TMP-34	1/18/2021	20	92.6	495	
TMP-34	1/18/2021	40	106.1	475	
TMP-34	1/18/2021	50	107.0	465	
TMP-34	1/18/2021	63	105.8	452	
TMP-34	1/26/2021	20	91.4	495	
TMP-34	1/26/2021	40	105.2	475	
TMP-34	1/26/2021	50	106.2	465	
TMP-34	1/26/2021	63	105.1	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	12/28/2020	20	92.2	500	
TMP-35	12/28/2020	40	103.0	480	
TMP-35	12/28/2020	60	103.1	460	
TMP-35	12/28/2020	70	101.1	450	
TMP-35	1/4/2021	20	92.3	500	
TMP-35	1/4/2021	40	103.1	480	
TMP-35	1/4/2021	60	103.4	460	
TMP-35	1/4/2021	70	101.2	450	
TMP-35	1/11/2021	20	92.4	500	
TMP-35	1/11/2021	40	103.0	480	
TMP-35	1/11/2021	60	103.1	460	
TMP-35	1/11/2021	70	101.3	450	
TMP-35	1/18/2021	20	92.3	500	
TMP-35	1/18/2021	40	102.8	480	
TMP-35	1/18/2021	60	103.1	460	
TMP-35	1/18/2021	70	101.1	450	
TMP-35	1/26/2021	20	92.4	500	
TMP-35	1/26/2021	40	102.8	480	
TMP-35	1/26/2021	60	102.9	460	
TMP-35	1/26/2021	70	101.1	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36R	12/28/2020	15	77.3	472	
TMP-36R	12/28/2020	20	79.6	467	
TMP-36R	12/28/2020	30	81.6	457	
TMP-36R	1/4/2021	15	77.8	472	
TMP-36R	1/4/2021	20	80.3	467	
TMP-36R	1/4/2021	30	82.3	457	
TMP-36R	1/11/2021	15	78.4	472	
TMP-36R	1/11/2021	20	81.0	467	
TMP-36R	1/11/2021	30	82.9	457	
TMP-36R	1/18/2021	15	78.0	472	
TMP-36R	1/18/2021	20	80.4	467	
TMP-36R	1/18/2021	30	82.2	457	
TMP-36R	1/26/2021	15	77.3	472	
TMP-36R	1/26/2021	20	79.8	467	
TMP-36R	1/26/2021	30	81.8	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	12/28/2020	20	86.8	480	
TMP-37	12/28/2020	40	94.6	460	
TMP-37	12/28/2020	50	93.9	450	
TMP-37	1/4/2021	20	85.2	480	
TMP-37	1/4/2021	40	92.8	460	
TMP-37	1/4/2021	50	91.8	450	
TMP-37	1/11/2021	20	86.3	480	
TMP-37	1/11/2021	40	93.8	460	
TMP-37	1/11/2021	50	92.9	450	
TMP-37	1/18/2021	20	86.7	480	
TMP-37	1/18/2021	40	94.4	460	
TMP-37	1/18/2021	50	93.6	450	
TMP-37	1/26/2021	20	86.0	480	
TMP-37	1/26/2021	40	94.0	460	
TMP-37	1/26/2021	50	93.4	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	12/28/2020	20	98.2	495	
TMP-38	12/28/2020	40	110.9	475	
TMP-38	12/28/2020	60	108.9	455	
TMP-38	12/28/2020	70	107.0	445	
TMP-38	1/4/2021	20	96.6	495	
TMP-38	1/4/2021	40	109.0	475	
TMP-38	1/4/2021	60	106.6	455	
TMP-38	1/4/2021	70	104.6	445	
TMP-38	1/11/2021	20	97.6	495	
TMP-38	1/11/2021	40	109.3	475	
TMP-38	1/11/2021	60	106.8	455	
TMP-38	1/11/2021	70	104.6	445	
TMP-38	1/18/2021	20	97.3	495	
TMP-38	1/18/2021	40	109.4	475	
TMP-38	1/18/2021	60	106.8	455	
TMP-38	1/18/2021	70	104.7	445	
TMP-38	1/26/2021	20	96.7	495	
TMP-38	1/26/2021	40	109.5	475	
TMP-38	1/26/2021	60	107.0	455	
TMP-38	1/26/2021	70	104.9	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	12/28/2020	20	103.5	501	
TMP-39	12/28/2020	40	124.0	481	
TMP-39	12/28/2020	60	123.2	461	
TMP-39	12/28/2020	80	116.5	441	
TMP-39	1/4/2021	20	102.9	501	
TMP-39	1/4/2021	40	122.7	481	
TMP-39	1/4/2021	60	121.9	461	
TMP-39	1/4/2021	80	115.8	441	
TMP-39	1/11/2021	20	102.7	501	
TMP-39	1/11/2021	40	122.2	481	
TMP-39	1/11/2021	60	121.5	461	
TMP-39	1/11/2021	80	115.5	441	
TMP-39	1/18/2021	20	102.6	501	
TMP-39	1/18/2021	40	122.3	481	
TMP-39	1/18/2021	60	121.5	461	
TMP-39	1/18/2021	80	115.7	441	
TMP-39	1/26/2021	20	102.8	501	
TMP-39	1/26/2021	40	122.4	481	
TMP-39	1/26/2021	60	121.7	461	
TMP-39	1/26/2021	80	115.9	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	12/28/2020	20	95.8	505	
TMP-40	12/28/2020	40	122.9	485	
TMP-40	12/28/2020	60	127.2	465	
TMP-40	12/28/2020	80	123.7	445	
TMP-40	1/4/2021	20	95.3	505	
TMP-40	1/4/2021	40	121.9	485	
TMP-40	1/4/2021	60	126.6	465	
TMP-40	1/4/2021	80	123.2	445	
TMP-40	1/11/2021	20	94.8	505	
TMP-40	1/11/2021	40	121.3	485	
TMP-40	1/11/2021	60	126.0	465	
TMP-40	1/11/2021	80	122.5	445	
TMP-40	1/18/2021	20	95.3	505	
TMP-40	1/18/2021	40	121.9	485	
TMP-40	1/18/2021	60	126.6	465	
TMP-40	1/18/2021	80	123.1	445	
TMP-40	1/26/2021	20	95.4	505	
TMP-40	1/26/2021	40	122.2	485	
TMP-40	1/26/2021	60	127.0	465	
TMP-40	1/26/2021	80	123.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	12/28/2020	20	97.6	504	
TMP-41	12/28/2020	40	121.4	484	
TMP-41	12/28/2020	60	124.2	464	
TMP-41	12/28/2020	80	119.9	444	
TMP-41	12/28/2020	98	113.2	426	
TMP-41	1/4/2021	20	98.8	504	
TMP-41	1/4/2021	40	122.3	484	
TMP-41	1/4/2021	60	125.2	464	
TMP-41	1/4/2021	80	120.7	444	
TMP-41	1/4/2021	98	114.0	426	
TMP-41	1/11/2021	20	97.0	504	
TMP-41	1/11/2021	40	120.3	484	
TMP-41	1/11/2021	60	123.1	464	
TMP-41	1/11/2021	80	118.7	444	
TMP-41	1/11/2021	98	112.1	426	
TMP-41	1/18/2021	20	97.6	504	
TMP-41	1/18/2021	40	121.0	484	
TMP-41	1/18/2021	60	123.9	464	
TMP-41	1/18/2021	80	119.5	444	
TMP-41	1/18/2021	98	112.9	426	
TMP-41	1/26/2021	20	95.9	504	
TMP-41	1/26/2021	40	119.2	484	
TMP-41	1/26/2021	60	122.1	464	
TMP-41	1/26/2021	80	117.8	444	
TMP-41	1/26/2021	98	110.9	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	12/28/2020	20	102.9	498	
TMP-42	12/28/2020	40	118.6	478	
TMP-42	12/28/2020	60	118.5	458	
TMP-42	12/28/2020	78	113.9	440	
TMP-42	1/4/2021	20	101.4	498	
TMP-42	1/4/2021	40	117.9	478	
TMP-42	1/4/2021	60	118.0	458	
TMP-42	1/4/2021	78	113.9	440	
TMP-42	1/11/2021	20	101.4	498	
TMP-42	1/11/2021	40	117.6	478	
TMP-42	1/11/2021	60	117.6	458	
TMP-42	1/11/2021	78	113.4	440	
TMP-42	1/18/2021	20	102.4	498	
TMP-42	1/18/2021	40	118.3	478	
TMP-42	1/18/2021	60	118.2	458	
TMP-42	1/18/2021	78	113.8	440	
TMP-42	1/26/2021	20	102.4	498	
TMP-42	1/26/2021	40	118.2	478	
TMP-42	1/26/2021	60	118.1	458	
TMP-42	1/26/2021	78	113.8	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	12/28/2020	20	100.2	496	
TMP-43	12/28/2020	40	119.3	476	
TMP-43	12/28/2020	60	125.6	456	
TMP-43	12/28/2020	80	124.6	436	
TMP-43	12/28/2020	100	118.3	416	
TMP-43	1/4/2021	20	99.4	496	
TMP-43	1/4/2021	40	118.7	476	
TMP-43	1/4/2021	60	125.0	456	
TMP-43	1/4/2021	80	124.1	436	
TMP-43	1/4/2021	100	117.8	416	
TMP-43	1/11/2021	20	99.1	496	
TMP-43	1/11/2021	40	118.8	476	
TMP-43	1/11/2021	60	125.5	456	
TMP-43	1/11/2021	80	124.7	436	
TMP-43	1/11/2021	100	118.6	416	
TMP-43	1/18/2021	20	99.1	496	
TMP-43	1/18/2021	40	118.6	476	
TMP-43	1/18/2021	60	125.3	456	
TMP-43	1/18/2021	80	124.4	436	
TMP-43	1/18/2021	100	118.3	416	
TMP-43	1/26/2021	20	99.4	496	
TMP-43	1/26/2021	40	118.6	476	
TMP-43	1/26/2021	60	125.0	456	
TMP-43	1/26/2021	80	124.2	436	
TMP-43	1/26/2021	100	118.0	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	12/28/2020	20	102.1	491	
TMP-44	12/28/2020	40	130.1	471	
TMP-44	12/28/2020	60	143.2	451	
TMP-44	12/28/2020	80	148.6	431	
TMP-44	12/28/2020	100	150.6	411	
TMP-44	12/28/2020	120	149.9	391	
TMP-44	12/28/2020	140	150.0	371	
TMP-44	12/28/2020	160	139.4	351	
TMP-44	12/28/2020	180	122.8	331	
TMP-44	1/4/2021	20	101.5	491	
TMP-44	1/4/2021	40	129.6	471	
TMP-44	1/4/2021	60	143.0	451	
TMP-44	1/4/2021	80	148.5	431	
TMP-44	1/4/2021	100	150.7	411	
TMP-44	1/4/2021	120	150.1	391	
TMP-44	1/4/2021	140	150.2	371	
TMP-44	1/4/2021	160	139.7	351	
TMP-44	1/4/2021	180	123.0	331	
TMP-44	1/11/2021	20	102.1	491	
TMP-44	1/11/2021	40	129.8	471	
TMP-44	1/11/2021	60	143.0	451	
TMP-44	1/11/2021	80	148.3	431	
TMP-44	1/11/2021	100	150.3	411	
TMP-44	1/11/2021	120	149.5	391	
TMP-44	1/11/2021	140	149.6	371	
TMP-44	1/11/2021	160	138.9	351	
TMP-44	1/11/2021	180	122.4	331	
TMP-44	1/18/2021	20	102.5	491	
TMP-44	1/18/2021	40	130.4	471	
TMP-44	1/18/2021	60	143.7	451	
TMP-44	1/18/2021	80	149.2	431	
TMP-44	1/18/2021	100	151.5	411	
TMP-44	1/18/2021	120	151.0	391	
TMP-44	1/18/2021	140	151.3	371	
TMP-44	1/18/2021	160	140.8	351	
TMP-44	1/18/2021	180	124.0	331	
TMP-44	1/26/2021	20	102.4	491	
TMP-44	1/26/2021	40	130.3	471	
TMP-44	1/26/2021	60	143.5	451	
TMP-44	1/26/2021	80	148.9	431	
TMP-44	1/26/2021	100	151.0	411	
TMP-44	1/26/2021	120	150.4	391	
TMP-44	1/26/2021	140	150.6	371	
TMP-44	1/26/2021	160	140.0	351	
TMP-44	1/26/2021	180	123.7	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	12/28/2020	15	73.6	464	
TMP-45	12/28/2020	30	80.3	449	
TMP-45	12/28/2020	45	85.2	434	
TMP-45	1/4/2021	15	73.4	464	
TMP-45	1/4/2021	30	80.1	449	
TMP-45	1/4/2021	45	85.0	434	
TMP-45	1/11/2021	15	73.5	464	
TMP-45	1/11/2021	30	79.9	449	
TMP-45	1/11/2021	45	84.5	434	
TMP-45	1/18/2021	15	75.2	464	
TMP-45	1/18/2021	30	81.3	449	
TMP-45	1/18/2021	45	85.6	434	
TMP-45	1/26/2021	15	73.9	464	
TMP-45	1/26/2021	30	80.7	449	
TMP-45	1/26/2021	45	85.6	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	12/28/2020	20	73.1	457	
TMP-46	12/28/2020	40	82.0	437	
TMP-46	12/28/2020	60	89.4	417	
TMP-46	1/4/2021	20	72.6	457	
TMP-46	1/4/2021	40	81.5	437	
TMP-46	1/4/2021	60	88.8	417	
TMP-46	1/11/2021	20	73.0	457	
TMP-46	1/11/2021	40	81.4	437	
TMP-46	1/11/2021	60	88.7	417	
TMP-46	1/18/2021	20	74.1	457	
TMP-46	1/18/2021	40	81.8	437	
TMP-46	1/18/2021	60	88.7	417	
TMP-46	1/26/2021	20	73.3	457	
TMP-46	1/26/2021	40	82.1	437	
TMP-46	1/26/2021	60	89.5	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	12/28/2020	20	68.3	457	
TMP-47	12/28/2020	40	71.8	437	
TMP-47	12/28/2020	60	74.9	417	
TMP-47	1/4/2021	20	68.0	457	
TMP-47	1/4/2021	40	71.5	437	
TMP-47	1/4/2021	60	74.5	417	
TMP-47	1/11/2021	20	67.1	457	
TMP-47	1/11/2021	40	70.6	437	
TMP-47	1/11/2021	60	73.7	417	
TMP-47	1/18/2021	20	68.3	457	
TMP-47	1/18/2021	40	71.1	437	
TMP-47	1/18/2021	60	74.6	417	
TMP-47	1/26/2021	20	68.6	457	
TMP-47	1/26/2021	40	72.4	437	
TMP-47	1/26/2021	60	75.4	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	12/28/2020	20	66.3	455	
TMP-48	12/28/2020	40	67.9	435	
TMP-48	12/28/2020	60	73.2	415	
TMP-48	12/28/2020	72	71.8	403	
TMP-48	1/4/2021	20	65.4	455	
TMP-48	1/4/2021	40	67.3	435	
TMP-48	1/4/2021	60	72.7	415	
TMP-48	1/4/2021	72	71.5	403	
TMP-48	1/11/2021	20	67.0	455	
TMP-48	1/11/2021	40	68.5	435	
TMP-48	1/11/2021	60	73.6	415	
TMP-48	1/11/2021	72	72.1	403	
TMP-48	1/18/2021	20	67.0	455	
TMP-48	1/18/2021	40	68.4	435	
TMP-48	1/18/2021	60	73.5	415	
TMP-48	1/18/2021	72	72.1	403	
TMP-48	1/26/2021	20	66.2	455	
TMP-48	1/26/2021	40	67.6	435	
TMP-48	1/26/2021	60	72.7	415	
TMP-48	1/26/2021	72	71.3	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	12/28/2020	20	65.0	453	
TMP-49	12/28/2020	40	64.8	433	
TMP-49	12/28/2020	60	68.3	413	
TMP-49	1/4/2021	20	64.7	453	
TMP-49	1/4/2021	40	64.9	433	
TMP-49	1/4/2021	60	68.1	413	
TMP-49	1/11/2021	20	65.6	453	
TMP-49	1/11/2021	40	66.0	433	
TMP-49	1/11/2021	60	69.1	413	
TMP-49	1/18/2021	20	66.7	453	
TMP-49	1/18/2021	40	66.7	433	
TMP-49	1/18/2021	60	69.9	413	
TMP-49	1/26/2021	20	65.8	453	
TMP-49	1/26/2021	40	65.7	433	
TMP-49	1/26/2021	60	68.6	413	