

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	2/15/2021	20	142.0	473	
TMP-19	2/15/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2021	60	192.9	433	
TMP-19	2/15/2021	80	198.8	413	
TMP-19	2/15/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2021	20	141.5	473	
TMP-19	2/22/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2021	60	192.5	433	
TMP-19	2/22/2021	80	198.2	413	
TMP-19	2/22/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/1/2021	20	141.0	473	
TMP-19	3/1/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/1/2021	60	192.1	433	
TMP-19	3/1/2021	80	198.2	413	
TMP-19	3/1/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/8/2021	20	141.3	473	
TMP-19	3/8/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/8/2021	60	191.5	433	
TMP-19	3/8/2021	80	197.5	413	
TMP-19	3/8/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/15/2021	20	142.6	473	
TMP-19	3/15/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/15/2021	60	192.0	433	
TMP-19	3/15/2021	80	198.0	413	
TMP-19	3/15/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	2/15/2021	20	104.1	478	
TMP-20	2/15/2021	40	150.7	458	
TMP-20	2/15/2021	60	174.9	438	
TMP-20	2/15/2021	80	188.7	418	
TMP-20	2/15/2021	100	205.3	398	
TMP-20	2/15/2021	120	221.4	378	
TMP-20	2/15/2021	140	223.2	358	
TMP-20	2/22/2021	20	104.2	478	
TMP-20	2/22/2021	40	150.7	458	
TMP-20	2/22/2021	60	174.7	438	
TMP-20	2/22/2021	80	188.3	418	
TMP-20	2/22/2021	100	204.7	398	
TMP-20	2/22/2021	120	220.7	378	
TMP-20	2/22/2021	140	222.4	358	
TMP-20	3/1/2021	20	103.8	478	
TMP-20	3/1/2021	40	150.1	458	
TMP-20	3/1/2021	60	174.3	438	
TMP-20	3/1/2021	80	187.8	418	
TMP-20	3/1/2021	100	204.2	398	
TMP-20	3/1/2021	120	220.2	378	
TMP-20	3/1/2021	140	222.0	358	
TMP-20	3/8/2021	20	103.7	478	
TMP-20	3/8/2021	40	149.9	458	
TMP-20	3/8/2021	60	174.0	438	
TMP-20	3/8/2021	80	187.5	418	
TMP-20	3/8/2021	100	204.1	398	
TMP-20	3/8/2021	120	220.2	378	
TMP-20	3/8/2021	140	222.1	358	
TMP-20	3/15/2021	20	103.6	478	
TMP-20	3/15/2021	40	150.1	458	
TMP-20	3/15/2021	60	174.0	438	
TMP-20	3/15/2021	80	187.6	418	
TMP-20	3/15/2021	100	204.2	398	
TMP-20	3/15/2021	120	220.2	378	
TMP-20	3/15/2021	140	222.2	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	2/15/2021	20	106.9	475	
TMP-10-9N	2/15/2021	40	131.3	455	
TMP-10-9N	2/15/2021	60	126.3	435	
TMP-10-9N	2/15/2021	80	128.6	415	
TMP-10-9N	2/15/2021	100	138.4	395	
TMP-10-9N	2/22/2021	20	107.4	475	
TMP-10-9N	2/22/2021	40	131.8	455	
TMP-10-9N	2/22/2021	60	126.6	435	
TMP-10-9N	2/22/2021	80	128.7	415	
TMP-10-9N	2/22/2021	100	138.3	395	
TMP-10-9N	3/1/2021	20	106.7	475	
TMP-10-9N	3/1/2021	40	131.5	455	
TMP-10-9N	3/1/2021	60	126.5	435	
TMP-10-9N	3/1/2021	80	129.0	415	
TMP-10-9N	3/1/2021	100	138.7	395	
TMP-10-9N	3/8/2021	20	106.2	475	
TMP-10-9N	3/8/2021	40	130.7	455	
TMP-10-9N	3/8/2021	60	125.6	435	
TMP-10-9N	3/8/2021	80	127.9	415	
TMP-10-9N	3/8/2021	100	137.4	395	
TMP-10-9N	3/15/2021	20	107.5	475	
TMP-10-9N	3/15/2021	40	132.0	455	
TMP-10-9N	3/15/2021	60	126.7	435	
TMP-10-9N	3/15/2021	80	128.9	415	
TMP-10-9N	3/15/2021	100	138.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	2/15/2021	20	106.0	476	
TMP-10-9S	2/15/2021	40	145.0	456	
TMP-10-9S	2/15/2021	60	159.9	436	
TMP-10-9S	2/15/2021	80	168.4	416	
TMP-10-9S	2/15/2021	100	187.9	396	
TMP-10-9S	2/22/2021	20	105.4	476	
TMP-10-9S	2/22/2021	40	144.6	456	
TMP-10-9S	2/22/2021	60	160.0	436	
TMP-10-9S	2/22/2021	80	168.3	416	
TMP-10-9S	2/22/2021	100	187.8	396	
TMP-10-9S	3/1/2021	20	105.6	476	
TMP-10-9S	3/1/2021	40	144.8	456	
TMP-10-9S	3/1/2021	60	159.9	436	
TMP-10-9S	3/1/2021	80	168.3	416	
TMP-10-9S	3/1/2021	100	188.0	396	
TMP-10-9S	3/8/2021	20	105.3	476	
TMP-10-9S	3/8/2021	40	144.6	456	
TMP-10-9S	3/8/2021	60	159.5	436	
TMP-10-9S	3/8/2021	80	168.4	416	
TMP-10-9S	3/8/2021	100	188.0	396	
TMP-10-9S	3/15/2021	20	106.0	476	
TMP-10-9S	3/15/2021	40	145.0	456	
TMP-10-9S	3/15/2021	60	159.9	436	
TMP-10-9S	3/15/2021	80	168.4	416	
TMP-10-9S	3/15/2021	100	187.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	2/15/2021	20	94.6	478	
TMP-10-5N	2/15/2021	40	114.8	458	
TMP-10-5N	2/15/2021	60	96.3	438	
TMP-10-5N	2/15/2021	80	90.3	418	
TMP-10-5N	2/15/2021	100	87.0	398	
TMP-10-5N	2/22/2021	20	94.5	478	
TMP-10-5N	2/22/2021	40	114.9	458	
TMP-10-5N	2/22/2021	60	97.3	438	
TMP-10-5N	2/22/2021	80	92.6	418	
TMP-10-5N	2/22/2021	100	89.5	398	
TMP-10-5N	3/1/2021	20	94.4	478	
TMP-10-5N	3/1/2021	40	114.4	458	
TMP-10-5N	3/1/2021	60	95.5	438	
TMP-10-5N	3/1/2021	80	89.5	418	
TMP-10-5N	3/1/2021	100	85.7	398	
TMP-10-5N	3/8/2021	20	93.2	478	
TMP-10-5N	3/8/2021	40	113.1	458	
TMP-10-5N	3/8/2021	60	94.0	438	
TMP-10-5N	3/8/2021	80	87.9	418	
TMP-10-5N	3/8/2021	100	84.1	398	
TMP-10-5N	3/15/2021	20	94.2	478	
TMP-10-5N	3/15/2021	40	114.4	458	
TMP-10-5N	3/15/2021	60	96.0	438	
TMP-10-5N	3/15/2021	80	90.1	418	
TMP-10-5N	3/15/2021	100	86.1	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	2/15/2021	20	99.7	477	
TMP-10-5S	2/15/2021	40	136.1	457	
TMP-10-5S	2/15/2021	60	143.5	437	
TMP-10-5S	2/15/2021	80	155.0	417	
TMP-10-5S	2/15/2021	100	172.9	397	
TMP-10-5S	2/22/2021	20	99.6	477	
TMP-10-5S	2/22/2021	40	136.0	457	
TMP-10-5S	2/22/2021	60	143.2	437	
TMP-10-5S	2/22/2021	80	154.4	417	
TMP-10-5S	2/22/2021	100	172.3	397	
TMP-10-5S	3/1/2021	20	99.6	477	
TMP-10-5S	3/1/2021	40	136.1	457	
TMP-10-5S	3/1/2021	60	143.3	437	
TMP-10-5S	3/1/2021	80	154.7	417	
TMP-10-5S	3/1/2021	100	172.5	397	
TMP-10-5S	3/8/2021	20	99.2	477	
TMP-10-5S	3/8/2021	40	135.8	457	
TMP-10-5S	3/8/2021	60	143.0	437	
TMP-10-5S	3/8/2021	80	154.4	417	
TMP-10-5S	3/8/2021	100	172.2	397	
TMP-10-5S	3/15/2021	20	100.3	477	
TMP-10-5S	3/15/2021	40	136.9	457	
TMP-10-5S	3/15/2021	60	144.1	437	
TMP-10-5S	3/15/2021	80	155.1	417	
TMP-10-5S	3/15/2021	100	172.8	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	2/15/2021	20	96.8	476	
TMP-5-9N	2/15/2021	40	135.8	456	
TMP-5-9N	2/15/2021	60	141.0	436	
TMP-5-9N	2/15/2021	80	221.1	416	
TMP-5-9N	2/15/2021	100	245.5	396	
TMP-5-9N	2/22/2021	20	97.0	476	
TMP-5-9N	2/22/2021	40	135.9	456	
TMP-5-9N	2/22/2021	60	140.9	436	
TMP-5-9N	2/22/2021	80	221.4	416	
TMP-5-9N	2/22/2021	100	245.5	396	
TMP-5-9N	3/1/2021	20	96.2	476	
TMP-5-9N	3/1/2021	40	135.2	456	
TMP-5-9N	3/1/2021	60	140.9	436	
TMP-5-9N	3/1/2021	80	221.7	416	
TMP-5-9N	3/1/2021	100	245.9	396	
TMP-5-9N	3/8/2021	20	95.9	476	
TMP-5-9N	3/8/2021	40	134.3	456	
TMP-5-9N	3/8/2021	60	140.0	436	
TMP-5-9N	3/8/2021	80	221.0	416	
TMP-5-9N	3/8/2021	100	245.3	396	
TMP-5-9N	3/15/2021	20	96.8	476	
TMP-5-9N	3/15/2021	40	135.1	456	
TMP-5-9N	3/15/2021	60	140.7	436	
TMP-5-9N	3/15/2021	80	221.6	416	
TMP-5-9N	3/15/2021	100	245.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	2/15/2021	20	112.5	476	
TMP-5-9S	2/15/2021	40	170.4	456	
TMP-5-9S	2/15/2021	60	207.3	436	
TMP-5-9S	2/15/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/15/2021	100			No readings could be obtained
TMP-5-9S	2/22/2021	20	112.4	476	
TMP-5-9S	2/22/2021	40	170.6	456	
TMP-5-9S	2/22/2021	60	207.3	436	
TMP-5-9S	2/22/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/22/2021	100			No readings could be obtained
TMP-5-9S	3/1/2021	20	112.1	476	
TMP-5-9S	3/1/2021	40	170.1	456	
TMP-5-9S	3/1/2021	60	207.3	436	
TMP-5-9S	3/1/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/1/2021	100			No readings could be obtained
TMP-5-9S	3/8/2021	20	110.9	476	
TMP-5-9S	3/8/2021	40	168.7	456	
TMP-5-9S	3/8/2021	60	206.0	436	
TMP-5-9S	3/8/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/8/2021	100			No readings could be obtained
TMP-5-9S	3/15/2021	20	111.5	476	
TMP-5-9S	3/15/2021	40	169.3	456	
TMP-5-9S	3/15/2021	60	206.6	436	
TMP-5-9S	3/15/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/15/2021	100			No readings could be obtained



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	2/15/2021	20	91.7	475	
TMP-5-5N	2/15/2021	40	101.2	455	
TMP-5-5N	2/15/2021	60	90.6	435	
TMP-5-5N	2/15/2021	80	214.4	415	
TMP-5-5N	2/15/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/22/2021	20	92.4	475	
TMP-5-5N	2/22/2021	40	99.0	455	
TMP-5-5N	2/22/2021	60	88.6	435	
TMP-5-5N	2/22/2021	80	215.0	415	
TMP-5-5N	2/22/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/1/2021	20	92.4	475	
TMP-5-5N	3/1/2021	40	97.5	455	
TMP-5-5N	3/1/2021	60	87.1	435	
TMP-5-5N	3/1/2021	80	215.9	415	
TMP-5-5N	3/1/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/8/2021	20	91.2	475	
TMP-5-5N	3/8/2021	40	97.5	455	
TMP-5-5N	3/8/2021	60	87.7	435	
TMP-5-5N	3/8/2021	80	214.9	415	
TMP-5-5N	3/8/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/15/2021	20	91.6	475	
TMP-5-5N	3/15/2021	40	99.0	455	
TMP-5-5N	3/15/2021	60	89.6	435	
TMP-5-5N	3/15/2021	80	214.0	415	
TMP-5-5N	3/15/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	2/15/2021	20	111.0	474	
TMP-5-5S	2/15/2021	40	161.4	454	
TMP-5-5S	2/15/2021	60	192.6	434	
TMP-5-5S	2/15/2021	80	230.8	414	
TMP-5-5S	2/15/2021	100	236.0	394	
TMP-5-5S	2/22/2021	20	110.9	474	
TMP-5-5S	2/22/2021	40	161.3	454	
TMP-5-5S	2/22/2021	60	192.7	434	
TMP-5-5S	2/22/2021	80	230.7	414	
TMP-5-5S	2/22/2021	100	235.9	394	
TMP-5-5S	3/1/2021	20	110.2	474	
TMP-5-5S	3/1/2021	40	161.4	454	
TMP-5-5S	3/1/2021	60	192.7	434	
TMP-5-5S	3/1/2021	80	230.6	414	
TMP-5-5S	3/1/2021	100	236.0	394	
TMP-5-5S	3/8/2021	20	109.6	474	
TMP-5-5S	3/8/2021	40	160.8	454	
TMP-5-5S	3/8/2021	60	191.2	434	
TMP-5-5S	3/8/2021	80	229.8	414	
TMP-5-5S	3/8/2021	100	235.2	394	
TMP-5-5S	3/15/2021	20	110.5	474	
TMP-5-5S	3/15/2021	40	161.7	454	
TMP-5-5S	3/15/2021	60	191.9	434	
TMP-5-5S	3/15/2021	80	230.6	414	
TMP-5-5S	3/15/2021	100	235.6	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	2/15/2021	20	151.7	474	
TMP-31	2/15/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/15/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/15/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/15/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/15/2021	120	268.1	374	
TMP-31	2/22/2021	20	152.0	474	
TMP-31	2/22/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/22/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/22/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/22/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/22/2021	120	268.2	374	
TMP-31	3/1/2021	20	152.4	474	
TMP-31	3/1/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/1/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/1/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/1/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/1/2021	120	269.0	374	
TMP-31	3/8/2021	20	151.4	474	
TMP-31	3/8/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	120	267.6	374	
TMP-31	3/15/2021	20	150.8	474	
TMP-31	3/15/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	120	266.8	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	2/15/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	60	224.7	444	
TMP-32	2/15/2021	80	240.3	424	
TMP-32	2/15/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/15/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	60	224.2	444	
TMP-32	2/22/2021	80	239.9	424	
TMP-32	2/22/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/22/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	60	224.7	444	
TMP-32	3/1/2021	80	240.2	424	
TMP-32	3/1/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/1/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	60	223.9	444	
TMP-32	3/8/2021	80	239.7	424	
TMP-32	3/8/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	60	223.9	444	
TMP-32	3/15/2021	80	239.2	424	
TMP-32	3/15/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	2/15/2021	20	134.0	473	
TMP-SPM1	2/15/2021	40	156.6	453	
TMP-SPM1	2/15/2021	60	171.8	433	
TMP-SPM1	2/15/2021	80	165.5	413	
TMP-SPM1	2/15/2021	100	166.7	393	
TMP-SPM1	2/15/2021	120	163.0	373	
TMP-SPM1	2/15/2021	140	153.5	353	
TMP-SPM1	2/15/2021	160	135.6	333	
TMP-SPM1	2/15/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/15/2021	200	107.2	293	
TMP-SPM1	2/15/2021	220	94.0	273	
TMP-SPM1	2/15/2021	240	90.8	253	
TMP-SPM1	2/22/2021	20	133.0	473	
TMP-SPM1	2/22/2021	40	155.2	453	
TMP-SPM1	2/22/2021	60	170.5	433	
TMP-SPM1	2/22/2021	80	164.3	413	
TMP-SPM1	2/22/2021	100	165.5	393	
TMP-SPM1	2/22/2021	120	161.8	373	
TMP-SPM1	2/22/2021	140	152.3	353	
TMP-SPM1	2/22/2021	160	134.4	333	
TMP-SPM1	2/22/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/22/2021	200	106.1	293	
TMP-SPM1	2/22/2021	220	92.8	273	
TMP-SPM1	2/22/2021	240	89.6	253	
TMP-SPM1	3/1/2021	20	132.0	473	
TMP-SPM1	3/1/2021	40	154.6	453	
TMP-SPM1	3/1/2021	60	170.3	433	
TMP-SPM1	3/1/2021	80	164.1	413	
TMP-SPM1	3/1/2021	100	165.6	393	
TMP-SPM1	3/1/2021	120	162.0	373	
TMP-SPM1	3/1/2021	140	152.6	353	
TMP-SPM1	3/1/2021	160	134.7	333	
TMP-SPM1	3/1/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/1/2021	200	106.3	293	
TMP-SPM1	3/1/2021	220	93.0	273	
TMP-SPM1	3/1/2021	240	89.9	253	
TMP-SPM1	3/8/2021	20	131.7	473	
TMP-SPM1	3/8/2021	40	154.0	453	
TMP-SPM1	3/8/2021	60	169.7	433	
TMP-SPM1	3/8/2021	80	163.5	413	
TMP-SPM1	3/8/2021	100	165.0	393	
TMP-SPM1	3/8/2021	120	161.4	373	
TMP-SPM1	3/8/2021	140	151.9	353	
TMP-SPM1	3/8/2021	160	134.0	333	
TMP-SPM1	3/8/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/8/2021	200	105.7	293	
TMP-SPM1	3/8/2021	220	92.4	273	
TMP-SPM1	3/8/2021	240	89.3	253	
TMP-SPM1	3/15/2021	20	132.5	473	
TMP-SPM1	3/15/2021	40	154.5	453	
TMP-SPM1	3/15/2021	60	169.8	433	
TMP-SPM1	3/15/2021	80	163.8	413	
TMP-SPM1	3/15/2021	100	165.2	393	
TMP-SPM1	3/15/2021	120	161.6	373	
TMP-SPM1	3/15/2021	140	152.2	353	
TMP-SPM1	3/15/2021	160	134.3	333	
TMP-SPM1	3/15/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/15/2021	200	106.0	293	
TMP-SPM1	3/15/2021	220	92.6	273	
TMP-SPM1	3/15/2021	240	89.5	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	2/15/2021	20	123.5	475	
TMP-SPM2	2/15/2021	40	144.3	455	
TMP-SPM2	2/15/2021	60	139.9	435	
TMP-SPM2	2/15/2021	80	155.9	415	
TMP-SPM2	2/15/2021	100	175.2	395	
TMP-SPM2	2/15/2021	120	179.1	375	
TMP-SPM2	2/15/2021	140	184.4	355	
TMP-SPM2	2/15/2021	160	164.6	335	
TMP-SPM2	2/15/2021	172	149.9	323	
TMP-SPM2	2/22/2021	20	122.2	475	
TMP-SPM2	2/22/2021	40	143.2	455	
TMP-SPM2	2/22/2021	60	138.8	435	
TMP-SPM2	2/22/2021	80	154.8	415	
TMP-SPM2	2/22/2021	100	174.0	395	
TMP-SPM2	2/22/2021	120	178.0	375	
TMP-SPM2	2/22/2021	140	183.3	355	
TMP-SPM2	2/22/2021	160	163.5	335	
TMP-SPM2	2/22/2021	172	148.7	323	
TMP-SPM2	3/1/2021	20	121.2	475	
TMP-SPM2	3/1/2021	40	142.4	455	
TMP-SPM2	3/1/2021	60	138.1	435	
TMP-SPM2	3/1/2021	80	154.0	415	
TMP-SPM2	3/1/2021	100	173.4	395	
TMP-SPM2	3/1/2021	120	177.5	375	
TMP-SPM2	3/1/2021	140	182.9	355	
TMP-SPM2	3/1/2021	160	163.3	335	
TMP-SPM2	3/1/2021	172	148.5	323	
TMP-SPM2	3/8/2021	20	121.2	475	
TMP-SPM2	3/8/2021	40	142.2	455	
TMP-SPM2	3/8/2021	60	138.1	435	
TMP-SPM2	3/8/2021	80	153.6	415	
TMP-SPM2	3/8/2021	100	172.8	395	
TMP-SPM2	3/8/2021	120	177.1	375	
TMP-SPM2	3/8/2021	140	182.6	355	
TMP-SPM2	3/8/2021	160	163.1	335	
TMP-SPM2	3/8/2021	172	148.4	323	
TMP-SPM2	3/15/2021	20	122.7	475	
TMP-SPM2	3/15/2021	40	143.7	455	
TMP-SPM2	3/15/2021	60	139.5	435	
TMP-SPM2	3/15/2021	80	154.8	415	
TMP-SPM2	3/15/2021	100	173.9	395	
TMP-SPM2	3/15/2021	120	178.1	375	
TMP-SPM2	3/15/2021	140	183.5	355	
TMP-SPM2	3/15/2021	160	164.1	335	
TMP-SPM2	3/15/2021	172	149.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	2/15/2021	20	109.6	478	
TMP-SPM3	2/15/2021	40	108.1	458	
TMP-SPM3	2/15/2021	60	102.6	438	
TMP-SPM3	2/15/2021	80	107.3	418	
TMP-SPM3	2/15/2021	85	109.3	413	
TMP-SPM3	2/22/2021	20	107.8	478	
TMP-SPM3	2/22/2021	40	106.7	458	
TMP-SPM3	2/22/2021	60	101.1	438	
TMP-SPM3	2/22/2021	80	105.8	418	
TMP-SPM3	2/22/2021	85	107.8	413	
TMP-SPM3	3/1/2021	20	107.6	478	
TMP-SPM3	3/1/2021	40	107.0	458	
TMP-SPM3	3/1/2021	60	101.7	438	
TMP-SPM3	3/1/2021	80	106.3	418	
TMP-SPM3	3/1/2021	85	108.5	413	
TMP-SPM3	3/8/2021	20	106.7	478	
TMP-SPM3	3/8/2021	40	105.9	458	
TMP-SPM3	3/8/2021	60	100.6	438	
TMP-SPM3	3/8/2021	80	105.2	418	
TMP-SPM3	3/8/2021	85	107.4	413	
TMP-SPM3	3/15/2021	20	108.5	478	
TMP-SPM3	3/15/2021	40	107.9	458	
TMP-SPM3	3/15/2021	60	102.7	438	
TMP-SPM3	3/15/2021	80	107.2	418	
TMP-SPM3	3/15/2021	85	109.1	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	2/15/2021	20	114.5	475	
TMP-SPM4	2/15/2021	40	136.7	455	
TMP-SPM4	2/15/2021	60	138.5	435	
TMP-SPM4	2/15/2021	80	139.4	415	
TMP-SPM4	2/15/2021	100	135.1	395	
TMP-SPM4	2/15/2021	120	127.8	375	
TMP-SPM4	2/15/2021	140	122.9	355	
TMP-SPM4	2/15/2021	160	117.3	335	
TMP-SPM4	2/15/2021	180	113.3	315	
TMP-SPM4	2/15/2021	200	108.2	295	
TMP-SPM4	2/15/2021	220	96.7	275	
TMP-SPM4	2/15/2021	240	90.6	255	
TMP-SPM4	2/22/2021	20	113.4	475	
TMP-SPM4	2/22/2021	40	135.9	455	
TMP-SPM4	2/22/2021	60	137.9	435	
TMP-SPM4	2/22/2021	80	138.7	415	
TMP-SPM4	2/22/2021	100	134.6	395	
TMP-SPM4	2/22/2021	120	127.3	375	
TMP-SPM4	2/22/2021	140	122.5	355	
TMP-SPM4	2/22/2021	160	116.9	335	
TMP-SPM4	2/22/2021	180	113.0	315	
TMP-SPM4	2/22/2021	200	108.1	295	
TMP-SPM4	2/22/2021	220	96.7	275	
TMP-SPM4	2/22/2021	240	90.7	255	
TMP-SPM4	3/1/2021	20	113.3	475	
TMP-SPM4	3/1/2021	40	135.9	455	
TMP-SPM4	3/1/2021	60	138.0	435	
TMP-SPM4	3/1/2021	80	138.7	415	
TMP-SPM4	3/1/2021	100	134.4	395	
TMP-SPM4	3/1/2021	120	127.1	375	
TMP-SPM4	3/1/2021	140	122.3	355	
TMP-SPM4	3/1/2021	160	116.7	335	
TMP-SPM4	3/1/2021	180	112.9	315	
TMP-SPM4	3/1/2021	200	107.9	295	
TMP-SPM4	3/1/2021	220	96.6	275	
TMP-SPM4	3/1/2021	240	90.7	255	
TMP-SPM4	3/8/2021	20	113.1	475	
TMP-SPM4	3/8/2021	40	135.5	455	
TMP-SPM4	3/8/2021	60	137.4	435	
TMP-SPM4	3/8/2021	80	138.1	415	
TMP-SPM4	3/8/2021	100	134.0	395	
TMP-SPM4	3/8/2021	120	126.8	375	
TMP-SPM4	3/8/2021	140	122.0	355	
TMP-SPM4	3/8/2021	160	116.5	335	
TMP-SPM4	3/8/2021	180	112.7	315	
TMP-SPM4	3/8/2021	200	107.8	295	
TMP-SPM4	3/8/2021	220	96.5	275	
TMP-SPM4	3/8/2021	240	90.5	255	
TMP-SPM4	3/15/2021	20	113.5	475	
TMP-SPM4	3/15/2021	40	135.6	455	
TMP-SPM4	3/15/2021	60	137.4	435	
TMP-SPM4	3/15/2021	80	138.0	415	
TMP-SPM4	3/15/2021	100	133.6	395	
TMP-SPM4	3/15/2021	120	126.4	375	
TMP-SPM4	3/15/2021	140	121.6	355	
TMP-SPM4	3/15/2021	160	116.1	335	
TMP-SPM4	3/15/2021	180	112.4	315	
TMP-SPM4	3/15/2021	200	107.5	295	
TMP-SPM4	3/15/2021	220	96.3	275	
TMP-SPM4	3/15/2021	240	90.4	255	