

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-1	3/1/2021	18	105.6	451	
TMP-1	3/1/2021	38	134.9	431	
TMP-1	3/1/2021	58	142.9	411	
TMP-1	3/1/2021	78	141.8	391	
TMP-1	3/1/2021	98	133.6	371	
TMP-1	3/1/2021	118	123.6	351	
TMP-1	3/1/2021	138	115.5	331	
TMP-1	3/8/2021	18	104.6	451	
TMP-1	3/8/2021	38	134.0	431	
TMP-1	3/8/2021	58	142.2	411	
TMP-1	3/8/2021	78	140.7	391	
TMP-1	3/8/2021	98	132.8	371	
TMP-1	3/8/2021	118	122.4	351	
TMP-1	3/8/2021	138	114.6	331	
TMP-1	3/15/2021	18	103.9	451	
TMP-1	3/15/2021	38	133.5	431	
TMP-1	3/15/2021	58	141.8	411	
TMP-1	3/15/2021	78	140.4	391	
TMP-1	3/15/2021	98	132.7	371	
TMP-1	3/15/2021	118	122.3	351	
TMP-1	3/15/2021	138	114.5	331	
TMP-1	3/22/2021	18	103.9	451	
TMP-1	3/22/2021	38	133.8	431	
TMP-1	3/22/2021	58	142.0	411	
TMP-1	3/22/2021	78	140.4	391	
TMP-1	3/22/2021	98	132.7	371	
TMP-1	3/22/2021	118	122.5	351	
TMP-1	3/22/2021	138	114.5	331	
TMP-1	3/29/2021	18	104.4	451	
TMP-1	3/29/2021	38	134.3	431	
TMP-1	3/29/2021	58	142.5	411	
TMP-1	3/29/2021	78	140.9	391	
TMP-1	3/29/2021	98	133.1	371	
TMP-1	3/29/2021	118	122.8	351	
TMP-1	3/29/2021	138	114.9	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	3/1/2021	20	117.1	440	
TMP-2R	3/1/2021	40	152.4	420	
TMP-2R	3/1/2021	60	163.5	400	
TMP-2R	3/1/2021	80	169.6	380	
TMP-2R	3/1/2021	100	167.3	360	
TMP-2R	3/1/2021	120	158.8	340	
TMP-2R	3/1/2021	140	153.2	320	
TMP-2R	3/1/2021	160	146.3	300	
TMP-2R	3/1/2021	180	133.7	280	
TMP-2R	3/8/2021	20	116.2	440	
TMP-2R	3/8/2021	40	151.2	420	
TMP-2R	3/8/2021	60	162.1	400	
TMP-2R	3/8/2021	80	168.2	380	
TMP-2R	3/8/2021	100	165.7	360	
TMP-2R	3/8/2021	120	157.2	340	
TMP-2R	3/8/2021	140	151.7	320	
TMP-2R	3/8/2021	160	144.8	300	
TMP-2R	3/8/2021	180	132.2	280	
TMP-2R	3/15/2021	20	116.8	440	
TMP-2R	3/15/2021	40	151.6	420	
TMP-2R	3/15/2021	60	162.4	400	
TMP-2R	3/15/2021	80	168.4	380	
TMP-2R	3/15/2021	100	165.7	360	
TMP-2R	3/15/2021	120	157.1	340	
TMP-2R	3/15/2021	140	151.5	320	
TMP-2R	3/15/2021	160	144.5	300	
TMP-2R	3/15/2021	180	131.9	280	
TMP-2R	3/22/2021	20	115.5	440	
TMP-2R	3/22/2021	40	150.3	420	
TMP-2R	3/22/2021	60	161.2	400	
TMP-2R	3/22/2021	80	167.1	380	
TMP-2R	3/22/2021	100	164.6	360	
TMP-2R	3/22/2021	120	156.1	340	
TMP-2R	3/22/2021	140	150.6	320	
TMP-2R	3/22/2021	160	143.6	300	
TMP-2R	3/22/2021	180	131.0	280	
TMP-2R	3/29/2021	20	116.2	440	
TMP-2R	3/29/2021	40	151.0	420	
TMP-2R	3/29/2021	60	161.9	400	
TMP-2R	3/29/2021	80	168.0	380	
TMP-2R	3/29/2021	100	165.5	360	
TMP-2R	3/29/2021	120	156.9	340	
TMP-2R	3/29/2021	140	151.6	320	
TMP-2R	3/29/2021	160	144.5	300	
TMP-2R	3/29/2021	180	131.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	3/1/2021	30	137.4	470	
TMP-3	3/1/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/1/2021	150	135.9	350	
TMP-3	3/1/2021	190	119.0	310	
TMP-3	3/1/2021	230	101.6	270	
TMP-3	3/8/2021	30	137.4	470	
TMP-3	3/8/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/8/2021	150	135.7	350	
TMP-3	3/8/2021	190	118.6	310	
TMP-3	3/8/2021	230	101.4	270	
TMP-3	3/15/2021	30	137.8	470	
TMP-3	3/15/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/15/2021	150	136.1	350	
TMP-3	3/15/2021	190	119.1	310	
TMP-3	3/15/2021	230	102.1	270	
TMP-3	3/22/2021	30	137.4	470	
TMP-3	3/22/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/22/2021	150	136.2	350	
TMP-3	3/22/2021	190	119.1	310	
TMP-3	3/22/2021	230	101.7	270	
TMP-3	3/29/2021	30	137.9	470	
TMP-3	3/29/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/29/2021	150	136.0	350	
TMP-3	3/29/2021	190	119.1	310	
TMP-3	3/29/2021	230	101.9	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	3/1/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/1/2021	40	148.4	459	
TMP-3R	3/1/2021	60	150.9	439	
TMP-3R	3/1/2021	80	151.9	419	
TMP-3R	3/1/2021	100	150.0	399	
TMP-3R	3/1/2021	120	146.4	379	
TMP-3R	3/1/2021	140	138.4	359	
TMP-3R	3/1/2021	160	134.1	339	
TMP-3R	3/1/2021	180	125.4	319	
TMP-3R	3/1/2021	200	114.1	299	
TMP-3R	3/1/2021	218	104.0	281	
TMP-3R	3/8/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/8/2021	40	147.9	459	
TMP-3R	3/8/2021	60	150.3	439	
TMP-3R	3/8/2021	80	151.2	419	
TMP-3R	3/8/2021	100	149.3	399	
TMP-3R	3/8/2021	120	145.5	379	
TMP-3R	3/8/2021	140	137.5	359	
TMP-3R	3/8/2021	160	133.4	339	
TMP-3R	3/8/2021	180	124.5	319	
TMP-3R	3/8/2021	200	113.3	299	
TMP-3R	3/8/2021	218	103.2	281	
TMP-3R	3/15/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/15/2021	40	149.7	459	
TMP-3R	3/15/2021	60	152.0	439	
TMP-3R	3/15/2021	80	153.0	419	
TMP-3R	3/15/2021	100	151.0	399	
TMP-3R	3/15/2021	120	147.2	379	
TMP-3R	3/15/2021	140	139.0	359	
TMP-3R	3/15/2021	160	135.2	339	
TMP-3R	3/15/2021	180	126.2	319	
TMP-3R	3/15/2021	200	114.9	299	
TMP-3R	3/15/2021	218	104.8	281	
TMP-3R	3/22/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/22/2021	40	147.3	459	
TMP-3R	3/22/2021	60	149.7	439	
TMP-3R	3/22/2021	80	150.6	419	
TMP-3R	3/22/2021	100	148.6	399	
TMP-3R	3/22/2021	120	144.8	379	
TMP-3R	3/22/2021	140	136.6	359	
TMP-3R	3/22/2021	160	132.8	339	
TMP-3R	3/22/2021	180	123.8	319	
TMP-3R	3/22/2021	200	112.6	299	
TMP-3R	3/22/2021	218	102.5	281	
TMP-3R	3/29/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/29/2021	40	148.0	459	
TMP-3R	3/29/2021	60	150.6	439	
TMP-3R	3/29/2021	80	151.5	419	
TMP-3R	3/29/2021	100	149.5	399	
TMP-3R	3/29/2021	120	145.7	379	
TMP-3R	3/29/2021	140	137.5	359	
TMP-3R	3/29/2021	160	133.8	339	
TMP-3R	3/29/2021	180	124.8	319	
TMP-3R	3/29/2021	200	113.7	299	
TMP-3R	3/29/2021	218	103.5	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	3/1/2021	28	104.6	472	
TMP-4	3/8/2021	28	104.6	472	
TMP-4	3/15/2021	28	104.7	472	
TMP-4	3/22/2021	28	104.8	472	
TMP-4	3/29/2021	28	103.7	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	3/1/2021	10	83.6	489	
TMP-4R	3/1/2021	20	100.0	479	
TMP-4R	3/1/2021	29	105.1	470	
TMP-4R	3/8/2021	10	83.0	489	
TMP-4R	3/8/2021	20	99.9	479	
TMP-4R	3/8/2021	29	105.2	470	
TMP-4R	3/15/2021	10	82.6	489	
TMP-4R	3/15/2021	20	99.9	479	
TMP-4R	3/15/2021	29	104.2	470	
TMP-4R	3/22/2021	10	82.6	489	
TMP-4R	3/22/2021	20	100.4	479	
TMP-4R	3/22/2021	29	106.0	470	
TMP-4R	3/29/2021	10	81.1	489	
TMP-4R	3/29/2021	20	98.7	479	
TMP-4R	3/29/2021	29	104.3	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	3/1/2021	15	115.0	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/1/2021	95	150.6	392	
TMP-6	3/1/2021	115	148.3	372	
TMP-6	3/1/2021	135	140.6	352	
TMP-6	3/8/2021	15	114.6	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/8/2021	95	150.5	392	
TMP-6	3/8/2021	115	147.6	372	
TMP-6	3/8/2021	135	139.7	352	
TMP-6	3/15/2021	15	115.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/15/2021	95	150.9	392	
TMP-6	3/15/2021	115	148.0	372	
TMP-6	3/15/2021	135	140.2	352	
TMP-6	3/22/2021	15	115.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/22/2021	95	150.8	392	
TMP-6	3/22/2021	115	147.9	372	
TMP-6	3/22/2021	135	139.9	352	
TMP-6	3/29/2021	15	113.9	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/29/2021	95	150.5	392	
TMP-6	3/29/2021	115	148.0	372	
TMP-6	3/29/2021	135	140.1	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	3/1/2021	40	190	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/8/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/15/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/22/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/29/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	3/1/2021	20	103.8	448	
TMP-11R	3/1/2021	40	117.2	428	
TMP-11R	3/1/2021	60	117.9	408	
TMP-11R	3/1/2021	80	117.9	388	
TMP-11R	3/1/2021	100	111.3	368	
TMP-11R	3/1/2021	120	106.1	348	
TMP-11R	3/8/2021	20	104.3	448	
TMP-11R	3/8/2021	40	117.6	428	
TMP-11R	3/8/2021	60	118.3	408	
TMP-11R	3/8/2021	80	118.3	388	
TMP-11R	3/8/2021	100	111.8	368	
TMP-11R	3/8/2021	120	106.3	348	
TMP-11R	3/15/2021	20	103.1	448	
TMP-11R	3/15/2021	40	116.6	428	
TMP-11R	3/15/2021	60	117.1	408	
TMP-11R	3/15/2021	80	117.1	388	
TMP-11R	3/15/2021	100	110.8	368	
TMP-11R	3/15/2021	120	105.3	348	
TMP-11R	3/22/2021	20	103.7	448	
TMP-11R	3/22/2021	40	117.2	428	
TMP-11R	3/22/2021	60	118.0	408	
TMP-11R	3/22/2021	80	118.1	388	
TMP-11R	3/22/2021	100	111.8	368	
TMP-11R	3/22/2021	120	106.6	348	
TMP-11R	3/29/2021	20	101.9	448	
TMP-11R	3/29/2021	40	115.3	428	
TMP-11R	3/29/2021	60	116.0	408	
TMP-11R	3/29/2021	80	116.1	388	
TMP-11R	3/29/2021	100	109.6	368	
TMP-11R	3/29/2021	120	104.6	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	3/1/2021	20	108.7	470	
TMP-14R2	3/1/2021	40	160.8	450	
TMP-14R2	3/1/2021	60	182.8	430	
TMP-14R2	3/1/2021	80	188.7	410	
TMP-14R2	3/1/2021	100	209.6	390	
TMP-14R2	3/1/2021	120	210.7	370	
TMP-14R2	3/1/2021	140	202.6	350	
TMP-14R2	3/1/2021	160	171.6	330	
TMP-14R2	3/1/2021	180	149.0	310	
TMP-14R2	3/1/2021	200	125.8	290	
TMP-14R2	3/1/2021	220	101.6	270	
TMP-14R2	3/1/2021	228	96.6	262	
TMP-14R2	3/8/2021	20	108.4	470	
TMP-14R2	3/8/2021	40	160.3	450	
TMP-14R2	3/8/2021	60	182.2	430	
TMP-14R2	3/8/2021	80	187.8	410	
TMP-14R2	3/8/2021	100	208.6	390	
TMP-14R2	3/8/2021	120	209.7	370	
TMP-14R2	3/8/2021	140	201.6	350	
TMP-14R2	3/8/2021	160	170.8	330	
TMP-14R2	3/8/2021	180	148.0	310	
TMP-14R2	3/8/2021	200	124.6	290	
TMP-14R2	3/8/2021	220	100.2	270	
TMP-14R2	3/8/2021	228	95.1	262	
TMP-14R2	3/15/2021	20	108.1	470	
TMP-14R2	3/15/2021	40	160.4	450	
TMP-14R2	3/15/2021	60	182.2	430	
TMP-14R2	3/15/2021	80	187.9	410	
TMP-14R2	3/15/2021	100	208.5	390	
TMP-14R2	3/15/2021	120	209.7	370	
TMP-14R2	3/15/2021	140	201.6	350	
TMP-14R2	3/15/2021	160	170.9	330	
TMP-14R2	3/15/2021	180	148.1	310	
TMP-14R2	3/15/2021	200	125.0	290	
TMP-14R2	3/15/2021	220	100.6	270	
TMP-14R2	3/15/2021	228	95.5	262	
TMP-14R2	3/22/2021	20	108.5	470	
TMP-14R2	3/22/2021	40	160.9	450	
TMP-14R2	3/22/2021	60	182.6	430	
TMP-14R2	3/22/2021	80	188.2	410	
TMP-14R2	3/22/2021	100	208.9	390	
TMP-14R2	3/22/2021	120	210.1	370	
TMP-14R2	3/22/2021	140	202.1	350	
TMP-14R2	3/22/2021	160	171.7	330	
TMP-14R2	3/22/2021	180	148.9	310	
TMP-14R2	3/22/2021	200	125.6	290	

TMP-14R2	3/22/2021	220	101.0	270
TMP-14R2	3/22/2021	228	96.1	262
TMP-14R2	3/29/2021	20	107.0	470
TMP-14R2	3/29/2021	40	159.8	450
TMP-14R2	3/29/2021	60	181.6	430
TMP-14R2	3/29/2021	80	187.3	410
TMP-14R2	3/29/2021	100	208.0	390
TMP-14R2	3/29/2021	120	209.4	370
TMP-14R2	3/29/2021	140	201.5	350
TMP-14R2	3/29/2021	160	171.2	330
TMP-14R2	3/29/2021	180	148.4	310
TMP-14R2	3/29/2021	200	125.1	290
TMP-14R2	3/29/2021	220	100.7	270
TMP-14R2	3/29/2021	228	95.7	262

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	3/1/2021	20	109.9	491	
TMP-16R	3/1/2021	40	148.5	471	
TMP-16R	3/1/2021	60	163.8	451	
TMP-16R	3/1/2021	80	166.5	431	
TMP-16R	3/1/2021	100	158.9	411	
TMP-16R	3/1/2021	120	149.9	391	
TMP-16R	3/1/2021	140	146.0	371	
TMP-16R	3/1/2021	160	120.6	351	
TMP-16R	3/1/2021	180	112.3	331	
TMP-16R	3/1/2021	200	98.6	311	
TMP-16R	3/1/2021	220	94.0	291	
TMP-16R	3/1/2021	230	92.4	281	
TMP-16R	3/8/2021	20	109.7	491	
TMP-16R	3/8/2021	40	148.6	471	
TMP-16R	3/8/2021	60	163.8	451	
TMP-16R	3/8/2021	80	166.5	431	
TMP-16R	3/8/2021	100	159.0	411	
TMP-16R	3/8/2021	120	149.9	391	
TMP-16R	3/8/2021	140	146.2	371	
TMP-16R	3/8/2021	160	120.8	351	
TMP-16R	3/8/2021	180	112.5	331	
TMP-16R	3/8/2021	200	98.9	311	
TMP-16R	3/8/2021	220	94.5	291	
TMP-16R	3/8/2021	230	93.3	281	
TMP-16R	3/15/2021	20	110.3	491	
TMP-16R	3/15/2021	40	149.3	471	
TMP-16R	3/15/2021	60	164.4	451	
TMP-16R	3/15/2021	80	167.3	431	
TMP-16R	3/15/2021	100	159.7	411	
TMP-16R	3/15/2021	120	150.6	391	
TMP-16R	3/15/2021	140	146.8	371	
TMP-16R	3/15/2021	160	121.3	351	
TMP-16R	3/15/2021	180	113.1	331	
TMP-16R	3/15/2021	200	99.6	311	
TMP-16R	3/15/2021	220	95.2	291	
TMP-16R	3/15/2021	230	94.1	281	
TMP-16R	3/22/2021	20	110.3	491	
TMP-16R	3/22/2021	40	149.1	471	
TMP-16R	3/22/2021	60	164.4	451	
TMP-16R	3/22/2021	80	167.3	431	
TMP-16R	3/22/2021	100	159.8	411	
TMP-16R	3/22/2021	120	150.7	391	
TMP-16R	3/22/2021	140	146.9	371	
TMP-16R	3/22/2021	160	121.4	351	
TMP-16R	3/22/2021	180	113.1	331	
TMP-16R	3/22/2021	200	99.3	311	
TMP-16R	3/22/2021	220	94.9	291	
TMP-16R	3/22/2021	230	93.7	281	
TMP-16R	3/29/2021	20	110.9	491	
TMP-16R	3/29/2021	40	149.7	471	
TMP-16R	3/29/2021	60	164.9	451	
TMP-16R	3/29/2021	80	167.7	431	
TMP-16R	3/29/2021	100	160.2	411	
TMP-16R	3/29/2021	120	151.1	391	
TMP-16R	3/29/2021	140	147.4	371	
TMP-16R	3/29/2021	160	122.1	351	
TMP-16R	3/29/2021	180	113.5	331	
TMP-16R	3/29/2021	200	99.7	311	
TMP-16R	3/29/2021	220	95.3	291	
TMP-16R	3/29/2021	230	94.3	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	3/1/2021	20	111.9	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/1/2021	40	143.0	476	
TMP-17	3/1/2021	60	157.7	456	
TMP-17	3/1/2021	80	159.3	436	
TMP-17	3/1/2021	100	155.4	416	
TMP-17	3/1/2021	120	148.9	396	
TMP-17	3/1/2021	140	141.6	376	
TMP-17	3/1/2021	160	129.5	356	
TMP-17	3/1/2021	180	122.7	336	
TMP-17	3/1/2021	200	114.3	316	
TMP-17	3/1/2021	220	106.7	296	
TMP-17	3/1/2021	237	99.2	279	
TMP-17	3/8/2021	20	111.3	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/8/2021	40	142.7	476	
TMP-17	3/8/2021	60	157.3	456	
TMP-17	3/8/2021	80	158.9	436	
TMP-17	3/8/2021	100	155.2	416	
TMP-17	3/8/2021	120	149.0	396	
TMP-17	3/8/2021	140	141.6	376	
TMP-17	3/8/2021	160	129.5	356	
TMP-17	3/8/2021	180	122.8	336	
TMP-17	3/8/2021	200	114.8	316	
TMP-17	3/8/2021	220	107.3	296	
TMP-17	3/8/2021	237	100.4	279	
TMP-17	3/15/2021	20	111.4	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/15/2021	40	142.8	476	
TMP-17	3/15/2021	60	157.1	456	
TMP-17	3/15/2021	80	158.6	436	
TMP-17	3/15/2021	100	154.8	416	
TMP-17	3/15/2021	120	148.8	396	
TMP-17	3/15/2021	140	141.3	376	
TMP-17	3/15/2021	160	129.5	356	
TMP-17	3/15/2021	180	122.9	336	
TMP-17	3/15/2021	200	115.0	316	
TMP-17	3/15/2021	220	107.6	296	
TMP-17	3/15/2021	237	100.8	279	
TMP-17	3/22/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/22/2021	40	142.4	476	
TMP-17	3/22/2021	60	156.9	456	
TMP-17	3/22/2021	80	158.4	436	
TMP-17	3/22/2021	100	154.4	416	
TMP-17	3/22/2021	120	148.1	396	
TMP-17	3/22/2021	140	141.2	376	
TMP-17	3/22/2021	160	129.2	356	
TMP-17	3/22/2021	180	122.0	336	
TMP-17	3/22/2021	200	114.4	316	
TMP-17	3/22/2021	220	107.1	296	
TMP-17	3/22/2021	237	100.3	279	
TMP-17	3/29/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/29/2021	40	142.2	476	
TMP-17	3/29/2021	60	157.0	456	
TMP-17	3/29/2021	80	158.8	436	
TMP-17	3/29/2021	100	154.8	416	
TMP-17	3/29/2021	120	148.9	396	
TMP-17	3/29/2021	140	141.6	376	
TMP-17	3/29/2021	160	129.5	356	
TMP-17	3/29/2021	180	122.8	336	
TMP-17	3/29/2021	200	114.6	316	
TMP-17	3/29/2021	220	107.2	296	
TMP-17	3/29/2021	237	100.2	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	3/1/2021	20	96.5	489	
TMP-18	3/1/2021	39	130.5	470	
TMP-18	3/1/2021	58	144.7	451	
TMP-18	3/1/2021	77	145.4	432	
TMP-18	3/1/2021	96	141.2	413	
TMP-18	3/1/2021	115	134.6	394	
TMP-18	3/1/2021	134	128.4	375	
TMP-18	3/1/2021	153	123.5	356	
TMP-18	3/1/2021	172	118.3	337	
TMP-18	3/1/2021	191	113.8	318	
TMP-18	3/1/2021	210	109.2	299	
TMP-18	3/1/2021	227	106.4	282	
TMP-18	3/8/2021	20	96.9	489	
TMP-18	3/8/2021	39	130.9	470	
TMP-18	3/8/2021	58	145.0	451	
TMP-18	3/8/2021	77	145.7	432	
TMP-18	3/8/2021	96	141.1	413	
TMP-18	3/8/2021	115	135.0	394	
TMP-18	3/8/2021	134	128.5	375	
TMP-18	3/8/2021	153	123.2	356	
TMP-18	3/8/2021	172	117.8	337	
TMP-18	3/8/2021	191	113.1	318	
TMP-18	3/8/2021	210	108.4	299	
TMP-18	3/8/2021	227	105.4	282	
TMP-18	3/15/2021	20	98.7	489	
TMP-18	3/15/2021	39	132.5	470	
TMP-18	3/15/2021	58	146.4	451	
TMP-18	3/15/2021	77	146.9	432	
TMP-18	3/15/2021	96	141.6	413	
TMP-18	3/15/2021	115	135.8	394	
TMP-18	3/15/2021	134	129.1	375	
TMP-18	3/15/2021	153	123.3	356	
TMP-18	3/15/2021	172	118.0	337	
TMP-18	3/15/2021	191	113.1	318	
TMP-18	3/15/2021	210	108.5	299	
TMP-18	3/15/2021	227	105.5	282	
TMP-18	3/22/2021	20	97.1	489	
TMP-18	3/22/2021	39	131.1	470	
TMP-18	3/22/2021	58	145.2	451	
TMP-18	3/22/2021	77	145.7	432	
TMP-18	3/22/2021	96	140.8	413	
TMP-18	3/22/2021	115	134.9	394	
TMP-18	3/22/2021	134	128.4	375	
TMP-18	3/22/2021	153	123.0	356	
TMP-18	3/22/2021	172	117.8	337	
TMP-18	3/22/2021	191	113.1	318	
TMP-18	3/22/2021	210	108.7	299	
TMP-18	3/22/2021	227	105.6	282	
TMP-18	3/29/2021	20	96.7	489	
TMP-18	3/29/2021	39	130.9	470	
TMP-18	3/29/2021	58	145.0	451	
TMP-18	3/29/2021	77	145.6	432	
TMP-18	3/29/2021	96	140.9	413	
TMP-18	3/29/2021	115	134.9	394	
TMP-18	3/29/2021	134	128.4	375	
TMP-18	3/29/2021	153	123.1	356	
TMP-18	3/29/2021	172	117.9	337	
TMP-18	3/29/2021	191	113.3	318	
TMP-18	3/29/2021	210	108.8	299	
TMP-18	3/29/2021	227	105.9	282	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-21	3/1/2021	13	85.0	461	
TMP-21	3/1/2021	26	95.3	448	
TMP-21	3/1/2021	41	94.4	433	
TMP-21	3/8/2021	13	82.9	461	
TMP-21	3/8/2021	26	93.5	448	
TMP-21	3/8/2021	41	92.5	433	
TMP-21	3/15/2021	13	82.8	461	
TMP-21	3/15/2021	26	93.2	448	
TMP-21	3/15/2021	41	92.3	433	
TMP-21	3/22/2021	13	82.7	461	
TMP-21	3/22/2021	26	93.4	448	
TMP-21	3/22/2021	41	92.4	433	
TMP-21	3/29/2021	13	83.3	461	
TMP-21	3/29/2021	26	94.4	448	
TMP-21	3/29/2021	41	93.2	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	3/1/2021	15	97.3	474	
TMP-22	3/1/2021	31	120.4	458	
TMP-22	3/1/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/1/2021	70	117.6	419	
TMP-22	3/8/2021	15	96.1	474	
TMP-22	3/8/2021	31	119.5	458	
TMP-22	3/8/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/8/2021	70	116.9	419	
TMP-22	3/15/2021	15	95.9	474	
TMP-22	3/15/2021	31	119.3	458	
TMP-22	3/15/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/15/2021	70	117.0	419	
TMP-22	3/22/2021	15	96.0	474	
TMP-22	3/22/2021	31	119.2	458	
TMP-22	3/22/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/22/2021	70	116.7	419	
TMP-22	3/29/2021	15	96.5	474	
TMP-22	3/29/2021	31	120.1	458	
TMP-22	3/29/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/29/2021	70	117.6	419	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	3/1/2021	20	108.7	477	
TMP-23	3/1/2021	38	133.6	459	
TMP-23	3/1/2021	56	139.7	441	
TMP-23	3/1/2021	74	133.0	423	
TMP-23	3/1/2021	92	124.6	405	
TMP-23	3/1/2021	106	116.7	391	
TMP-23	3/8/2021	20	107.1	477	
TMP-23	3/8/2021	38	132.2	459	
TMP-23	3/8/2021	56	138.3	441	
TMP-23	3/8/2021	74	131.6	423	
TMP-23	3/8/2021	92	123.3	405	
TMP-23	3/8/2021	106	115.5	391	
TMP-23	3/15/2021	20	106.7	477	
TMP-23	3/15/2021	38	131.8	459	
TMP-23	3/15/2021	56	138.0	441	
TMP-23	3/15/2021	74	131.4	423	
TMP-23	3/15/2021	92	123.1	405	
TMP-23	3/15/2021	106	115.4	391	
TMP-23	3/22/2021	20	106.9	477	
TMP-23	3/22/2021	38	131.9	459	
TMP-23	3/22/2021	56	138.0	441	
TMP-23	3/22/2021	74	131.2	423	
TMP-23	3/22/2021	92	122.9	405	
TMP-23	3/22/2021	106	115.2	391	
TMP-23	3/29/2021	20	107.3	477	
TMP-23	3/29/2021	38	132.3	459	
TMP-23	3/29/2021	56	138.4	441	
TMP-23	3/29/2021	74	131.6	423	
TMP-23	3/29/2021	92	123.4	405	
TMP-23	3/29/2021	106	115.6	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	3/1/2021	20	99.3	492	
TMP-24	3/1/2021	40	126.4	472	
TMP-24	3/1/2021	60	141.0	452	
TMP-24	3/1/2021	67	142.3	445	
TMP-24	3/8/2021	20	95.8	492	
TMP-24	3/8/2021	40	123.4	472	
TMP-24	3/8/2021	60	137.9	452	
TMP-24	3/8/2021	67	139.0	445	
TMP-24	3/15/2021	20	95.5	492	
TMP-24	3/15/2021	40	122.7	472	
TMP-24	3/15/2021	60	137.5	452	
TMP-24	3/15/2021	67	138.9	445	
TMP-24	3/22/2021	20	96.0	492	
TMP-24	3/22/2021	40	123.6	472	
TMP-24	3/22/2021	60	138.4	452	
TMP-24	3/22/2021	67	139.8	445	
TMP-24	3/29/2021	20	97.4	492	
TMP-24	3/29/2021	40	124.5	472	
TMP-24	3/29/2021	60	139.2	452	
TMP-24	3/29/2021	67	140.7	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	3/1/2021	20	104.5	493	
TMP-25R	3/1/2021	40	132.1	473	
TMP-25R	3/1/2021	60	157.3	453	
TMP-25R	3/1/2021	80	161.5	433	
TMP-25R	3/1/2021	100	158.4	413	
TMP-25R	3/1/2021	120	148.9	393	
TMP-25R	3/1/2021	140	138.1	373	
TMP-25R	3/1/2021	160	127.9	353	
TMP-25R	3/1/2021	180	119.7	333	
TMP-25R	3/1/2021	200	111.7	313	
TMP-25R	3/1/2021	220	102.8	293	
TMP-25R	3/1/2021	235	94.6	278	
TMP-25R	3/8/2021	20	104.6	493	
TMP-25R	3/8/2021	40	132.3	473	
TMP-25R	3/8/2021	60	157.5	453	
TMP-25R	3/8/2021	80	161.7	433	
TMP-25R	3/8/2021	100	158.5	413	
TMP-25R	3/8/2021	120	149.1	393	
TMP-25R	3/8/2021	140	138.3	373	
TMP-25R	3/8/2021	160	128.1	353	
TMP-25R	3/8/2021	180	119.9	333	
TMP-25R	3/8/2021	200	112.0	313	
TMP-25R	3/8/2021	220	103.2	293	
TMP-25R	3/8/2021	235	94.9	278	
TMP-25R	3/15/2021	20	104.9	493	
TMP-25R	3/15/2021	40	132.5	473	
TMP-25R	3/15/2021	60	157.6	453	
TMP-25R	3/15/2021	80	161.7	433	
TMP-25R	3/15/2021	100	158.6	413	
TMP-25R	3/15/2021	120	149.0	393	
TMP-25R	3/15/2021	140	138.2	373	
TMP-25R	3/15/2021	160	128.0	353	
TMP-25R	3/15/2021	180	119.9	333	
TMP-25R	3/15/2021	200	112.1	313	
TMP-25R	3/15/2021	220	103.5	293	
TMP-25R	3/15/2021	235	95.3	278	
TMP-25R	3/22/2021	20	104.6	493	
TMP-25R	3/22/2021	40	132.7	473	
TMP-25R	3/22/2021	60	157.7	453	
TMP-25R	3/22/2021	80	161.9	433	
TMP-25R	3/22/2021	100	158.8	413	
TMP-25R	3/22/2021	120	149.3	393	
TMP-25R	3/22/2021	140	138.5	373	
TMP-25R	3/22/2021	160	128.4	353	
TMP-25R	3/22/2021	180	120.3	333	
TMP-25R	3/22/2021	200	112.4	313	
TMP-25R	3/22/2021	220	103.7	293	
TMP-25R	3/22/2021	235	95.4	278	
TMP-25R	3/29/2021	20	104.4	493	
TMP-25R	3/29/2021	40	133.6	473	
TMP-25R	3/29/2021	60	157.8	453	
TMP-25R	3/29/2021	80	162.1	433	
TMP-25R	3/29/2021	100	159.0	413	
TMP-25R	3/29/2021	120	149.5	393	
TMP-25R	3/29/2021	140	138.7	373	
TMP-25R	3/29/2021	160	128.5	353	
TMP-25R	3/29/2021	180	120.4	333	
TMP-25R	3/29/2021	200	112.5	313	
TMP-25R	3/29/2021	220	103.7	293	
TMP-25R	3/29/2021	235	95.3	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	3/1/2021	20	97.8	473	
TMP-26R	3/1/2021	40	110.2	453	
TMP-26R	3/1/2021	60	110.9	433	
TMP-26R	3/1/2021	80	106.1	413	
TMP-26R	3/1/2021	100	96.8	393	
TMP-26R	3/1/2021	120	107.6	373	
TMP-26R	3/1/2021	140	108.5	353	
TMP-26R	3/1/2021	142	108.1	351	
TMP-26R	3/8/2021	20	97.1	473	
TMP-26R	3/8/2021	40	109.5	453	
TMP-26R	3/8/2021	60	110.2	433	
TMP-26R	3/8/2021	80	105.4	413	
TMP-26R	3/8/2021	100	96.4	393	
TMP-26R	3/8/2021	120	107.1	373	
TMP-26R	3/8/2021	140	108.1	353	
TMP-26R	3/8/2021	142	107.7	351	
TMP-26R	3/15/2021	20	97.0	473	
TMP-26R	3/15/2021	40	109.0	453	
TMP-26R	3/15/2021	60	109.5	433	
TMP-26R	3/15/2021	80	104.6	413	
TMP-26R	3/15/2021	100	95.4	393	
TMP-26R	3/15/2021	120	106.0	373	
TMP-26R	3/15/2021	140	106.8	353	
TMP-26R	3/15/2021	142	106.3	351	
TMP-26R	3/22/2021	20	96.9	473	
TMP-26R	3/22/2021	40	109.2	453	
TMP-26R	3/22/2021	60	109.9	433	
TMP-26R	3/22/2021	80	104.9	413	
TMP-26R	3/22/2021	100	96.1	393	
TMP-26R	3/22/2021	120	106.5	373	
TMP-26R	3/22/2021	140	107.5	353	
TMP-26R	3/22/2021	142	107.3	351	
TMP-26R	3/29/2021	20	97.3	473	
TMP-26R	3/29/2021	40	109.7	453	
TMP-26R	3/29/2021	60	110.4	433	
TMP-26R	3/29/2021	80	105.5	413	
TMP-26R	3/29/2021	100	96.7	393	
TMP-26R	3/29/2021	120	107.2	373	
TMP-26R	3/29/2021	140	108.1	353	
TMP-26R	3/29/2021	142	107.7	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	3/1/2021	20	112.1	493	
TMP-27	3/1/2021	40	141.3	473	
TMP-27	3/1/2021	60	153.8	453	
TMP-27	3/1/2021	80	156.3	433	
TMP-27	3/1/2021	100	151.3	413	
TMP-27	3/1/2021	120	146.1	393	
TMP-27	3/1/2021	140	140.8	373	
TMP-27	3/1/2021	160	133.6	353	
TMP-27	3/1/2021	180	129.2	333	
TMP-27	3/1/2021	200	122.1	313	
TMP-27	3/1/2021	220	117.3	293	
TMP-27	3/1/2021	233	112.3	280	
TMP-27	3/8/2021	20	113.5	493	
TMP-27	3/8/2021	40	141.1	473	
TMP-27	3/8/2021	60	153.5	453	
TMP-27	3/8/2021	80	155.7	433	
TMP-27	3/8/2021	100	150.8	413	
TMP-27	3/8/2021	120	145.3	393	
TMP-27	3/8/2021	140	139.7	373	
TMP-27	3/8/2021	160	132.9	353	
TMP-27	3/8/2021	180	127.4	333	
TMP-27	3/8/2021	200	122.5	313	
TMP-27	3/8/2021	220	116.2	293	
TMP-27	3/8/2021	233	111.4	280	
TMP-27	3/15/2021	20	112.7	493	
TMP-27	3/15/2021	40	140.8	473	
TMP-27	3/15/2021	60	153.2	453	
TMP-27	3/15/2021	80	155.1	433	
TMP-27	3/15/2021	100	150.4	413	
TMP-27	3/15/2021	120	144.8	393	
TMP-27	3/15/2021	140	139.0	373	
TMP-27	3/15/2021	160	132.1	353	
TMP-27	3/15/2021	180	126.6	333	
TMP-27	3/15/2021	200	121.8	313	
TMP-27	3/15/2021	220	116.0	293	
TMP-27	3/15/2021	233	111.3	280	
TMP-27	3/22/2021	20	113.5	493	
TMP-27	3/22/2021	40	141.4	473	
TMP-27	3/22/2021	60	153.8	453	
TMP-27	3/22/2021	80	155.9	433	
TMP-27	3/22/2021	100	151.0	413	
TMP-27	3/22/2021	120	145.4	393	
TMP-27	3/22/2021	140	139.7	373	
TMP-27	3/22/2021	160	132.6	353	
TMP-27	3/22/2021	180	127.2	333	
TMP-27	3/22/2021	200	122.3	313	
TMP-27	3/22/2021	220	115.9	293	
TMP-27	3/22/2021	233	111.6	280	
TMP-27	3/29/2021	20	114.7	493	
TMP-27	3/29/2021	40	142.0	473	
TMP-27	3/29/2021	60	154.3	453	
TMP-27	3/29/2021	80	156.5	433	
TMP-27	3/29/2021	100	151.5	413	
TMP-27	3/29/2021	120	146.0	393	
TMP-27	3/29/2021	140	140.4	373	
TMP-27	3/29/2021	160	133.4	353	
TMP-27	3/29/2021	180	128.2	333	
TMP-27	3/29/2021	200	123.2	313	
TMP-27	3/29/2021	220	116.8	293	
TMP-27	3/29/2021	233	112.4	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	3/1/2021	20	81.4	478	
TMP-28R	3/1/2021	40	112.5	458	
TMP-28R	3/1/2021	60	117.8	438	
TMP-28R	3/1/2021	80	120.7	418	
TMP-28R	3/1/2021	100	120.8	398	
TMP-28R	3/1/2021	120	118.1	378	
TMP-28R	3/1/2021	140	115.4	358	
TMP-28R	3/1/2021	160	112.2	338	
TMP-28R	3/1/2021	180	108.4	318	
TMP-28R	3/1/2021	200	105.3	298	
TMP-28R	3/1/2021	220	101.2	278	
TMP-28R	3/8/2021	20	79.7	478	
TMP-28R	3/8/2021	40	111.4	458	
TMP-28R	3/8/2021	60	117.1	438	
TMP-28R	3/8/2021	80	120.5	418	
TMP-28R	3/8/2021	100	120.7	398	
TMP-28R	3/8/2021	120	118.4	378	
TMP-28R	3/8/2021	140	115.8	358	
TMP-28R	3/8/2021	160	112.7	338	
TMP-28R	3/8/2021	180	109.2	318	
TMP-28R	3/8/2021	200	106.1	298	
TMP-28R	3/8/2021	220	101.9	278	
TMP-28R	3/15/2021	20	80.9	478	
TMP-28R	3/15/2021	40	113.0	458	
TMP-28R	3/15/2021	60	118.4	438	
TMP-28R	3/15/2021	80	121.4	418	
TMP-28R	3/15/2021	100	121.4	398	
TMP-28R	3/15/2021	120	118.5	378	
TMP-28R	3/15/2021	140	115.6	358	
TMP-28R	3/15/2021	160	112.2	338	
TMP-28R	3/15/2021	180	108.5	318	
TMP-28R	3/15/2021	200	105.4	298	
TMP-28R	3/15/2021	220	101.2	278	
TMP-28R	3/22/2021	20	79.2	478	
TMP-28R	3/22/2021	40	111.6	458	
TMP-28R	3/22/2021	60	117.2	438	
TMP-28R	3/22/2021	80	120.3	418	
TMP-28R	3/22/2021	100	120.4	398	
TMP-28R	3/22/2021	120	118.0	378	
TMP-28R	3/22/2021	140	115.5	358	
TMP-28R	3/22/2021	160	112.4	338	
TMP-28R	3/22/2021	180	108.8	318	
TMP-28R	3/22/2021	200	105.9	298	
TMP-28R	3/22/2021	220	101.6	278	
TMP-28R	3/29/2021	20	79.8	478	
TMP-28R	3/29/2021	40	112.4	458	
TMP-28R	3/29/2021	60	117.9	438	
TMP-28R	3/29/2021	80	121.0	418	
TMP-28R	3/29/2021	100	121.0	398	
TMP-28R	3/29/2021	120	118.5	378	
TMP-28R	3/29/2021	140	116.1	358	
TMP-28R	3/29/2021	160	113.0	338	
TMP-28R	3/29/2021	180	109.5	318	
TMP-28R	3/29/2021	200	106.6	298	
TMP-28R	3/29/2021	220	102.4	278	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-29	3/1/2021	8	74.3	488	
TMP-29	3/1/2021	16	86.3	480	
TMP-29	3/1/2021	25	89.7	471	
TMP-29	3/8/2021	8	72.5	488	
TMP-29	3/8/2021	16	85.2	480	
TMP-29	3/8/2021	25	88.6	471	
TMP-29	3/15/2021	8	71.1	488	
TMP-29	3/15/2021	16	84.1	480	
TMP-29	3/15/2021	25	88.0	471	
TMP-29	3/22/2021	8	71.5	488	
TMP-29	3/22/2021	16	84.9	480	
TMP-29	3/22/2021	25	88.6	471	
TMP-29	3/29/2021	8	71.5	488	
TMP-29	3/29/2021	16	85.1	480	
TMP-29	3/29/2021	25	89.0	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	3/1/2021	20	90.7	484	
TMP-33	3/1/2021	40	97.4	464	
TMP-33	3/1/2021	53	98.0	451	
TMP-33	3/8/2021	20	88.1	484	
TMP-33	3/8/2021	40	94.8	464	
TMP-33	3/8/2021	53	94.9	451	
TMP-33	3/15/2021	20	89.7	484	
TMP-33	3/15/2021	40	96.6	464	
TMP-33	3/15/2021	53	97.1	451	
TMP-33	3/22/2021	20	88.9	484	
TMP-33	3/22/2021	40	95.9	464	
TMP-33	3/22/2021	53	96.4	451	
TMP-33	3/29/2021	20	89.0	484	
TMP-33	3/29/2021	40	95.8	464	
TMP-33	3/29/2021	53	96.0	451	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	3/1/2021	20	92.7	495	
TMP-34	3/1/2021	40	106.2	475	
TMP-34	3/1/2021	50	107.3	465	
TMP-34	3/1/2021	63	106.1	452	
TMP-34	3/8/2021	20	90.6	495	
TMP-34	3/8/2021	40	104.3	475	
TMP-34	3/8/2021	50	105.6	465	
TMP-34	3/8/2021	63	104.5	452	
TMP-34	3/15/2021	20	91.7	495	
TMP-34	3/15/2021	40	105.2	475	
TMP-34	3/15/2021	50	106.1	465	
TMP-34	3/15/2021	63	104.9	452	
TMP-34	3/22/2021	20	90.9	495	
TMP-34	3/22/2021	40	104.8	475	
TMP-34	3/22/2021	50	106.1	465	
TMP-34	3/22/2021	63	104.8	452	
TMP-34	3/29/2021	20	91.1	495	
TMP-34	3/29/2021	40	104.8	475	
TMP-34	3/29/2021	50	106.0	465	
TMP-34	3/29/2021	63	104.7	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	3/1/2021	20	92.9	500	
TMP-35	3/1/2021	40	103.1	480	
TMP-35	3/1/2021	60	103.4	460	
TMP-35	3/1/2021	70	101.4	450	
TMP-35	3/8/2021	20	92.2	500	
TMP-35	3/8/2021	40	102.4	480	
TMP-35	3/8/2021	60	102.7	460	
TMP-35	3/8/2021	70	100.6	450	
TMP-35	3/15/2021	20	92.4	500	
TMP-35	3/15/2021	40	102.4	480	
TMP-35	3/15/2021	60	102.5	460	
TMP-35	3/15/2021	70	100.5	450	
TMP-35	3/22/2021	20	94.6	500	
TMP-35	3/22/2021	40	104.5	480	
TMP-35	3/22/2021	60	104.4	460	
TMP-35	3/22/2021	70	102.2	450	
TMP-35	3/29/2021	20	96.5	500	
TMP-35	3/29/2021	40	106.0	480	
TMP-35	3/29/2021	60	106.0	460	
TMP-35	3/29/2021	70	103.6	450	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-36R	3/1/2021	15	78.0	472	
TMP-36R	3/1/2021	20	81.4	467	
TMP-36R	3/1/2021	30	83.2	457	
TMP-36R	3/8/2021	15	74.6	472	
TMP-36R	3/8/2021	20	78.1	467	
TMP-36R	3/8/2021	30	79.9	457	
TMP-36R	3/15/2021	15	75.9	472	
TMP-36R	3/15/2021	20	79.4	467	
TMP-36R	3/15/2021	30	81.2	457	
TMP-36R	3/22/2021	15	75.6	472	
TMP-36R	3/22/2021	20	79.7	467	
TMP-36R	3/22/2021	30	81.5	457	
TMP-36R	3/29/2021	15	75.7	472	
TMP-36R	3/29/2021	20	79.6	467	
TMP-36R	3/29/2021	30	81.9	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	3/1/2021	20	86.4	480	
TMP-37	3/1/2021	40	93.9	460	
TMP-37	3/1/2021	50	93.1	450	
TMP-37	3/8/2021	20	83.9	480	
TMP-37	3/8/2021	40	91.6	460	
TMP-37	3/8/2021	50	90.7	450	
TMP-37	3/15/2021	20	85.5	480	
TMP-37	3/15/2021	40	93.5	460	
TMP-37	3/15/2021	50	92.8	450	
TMP-37	3/22/2021	20	84.4	480	
TMP-37	3/22/2021	40	92.4	460	
TMP-37	3/22/2021	50	91.6	450	
TMP-37	3/29/2021	20	85.1	480	
TMP-37	3/29/2021	40	92.9	460	
TMP-37	3/29/2021	50	92.0	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	3/1/2021	20	97.5	495	
TMP-38	3/1/2021	40	109.2	475	
TMP-38	3/1/2021	60	106.9	455	
TMP-38	3/1/2021	70	104.7	445	
TMP-38	3/8/2021	20	96.0	495	
TMP-38	3/8/2021	40	107.6	475	
TMP-38	3/8/2021	60	105.2	455	
TMP-38	3/8/2021	70	102.9	445	
TMP-38	3/15/2021	20	97.1	495	
TMP-38	3/15/2021	40	109.1	475	
TMP-38	3/15/2021	60	106.7	455	
TMP-38	3/15/2021	70	104.6	445	
TMP-38	3/22/2021	20	96.3	495	
TMP-38	3/22/2021	40	108.1	475	
TMP-38	3/22/2021	60	106.0	455	
TMP-38	3/22/2021	70	103.8	445	
TMP-38	3/29/2021	20	96.4	495	
TMP-38	3/29/2021	40	108.1	475	
TMP-38	3/29/2021	60	105.7	455	
TMP-38	3/29/2021	70	103.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	3/1/2021	20	102.5	501	
TMP-39	3/1/2021	40	122.3	481	
TMP-39	3/1/2021	60	121.6	461	
TMP-39	3/1/2021	80	115.6	441	
TMP-39	3/8/2021	20	102.0	501	
TMP-39	3/8/2021	40	121.8	481	
TMP-39	3/8/2021	60	121.2	461	
TMP-39	3/8/2021	80	115.2	441	
TMP-39	3/15/2021	20	102.3	501	
TMP-39	3/15/2021	40	122.0	481	
TMP-39	3/15/2021	60	121.2	461	
TMP-39	3/15/2021	80	115.4	441	
TMP-39	3/22/2021	20	101.8	501	
TMP-39	3/22/2021	40	121.7	481	
TMP-39	3/22/2021	60	121.1	461	
TMP-39	3/22/2021	80	115.2	441	
TMP-39	3/29/2021	20	100.9	501	
TMP-39	3/29/2021	40	121.0	481	
TMP-39	3/29/2021	60	120.5	461	
TMP-39	3/29/2021	80	114.5	441	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-40	3/1/2021	20	94.7	505	
TMP-40	3/1/2021	40	121.1	485	
TMP-40	3/1/2021	60	125.9	465	
TMP-40	3/1/2021	80	122.5	445	
TMP-40	3/8/2021	20	94.6	505	
TMP-40	3/8/2021	40	121.0	485	
TMP-40	3/8/2021	60	125.6	465	
TMP-40	3/8/2021	80	122.2	445	
TMP-40	3/15/2021	20	94.9	505	
TMP-40	3/15/2021	40	121.5	485	
TMP-40	3/15/2021	60	126.3	465	
TMP-40	3/15/2021	80	123.0	445	
TMP-40	3/22/2021	20	93.9	505	
TMP-40	3/22/2021	40	120.7	485	
TMP-40	3/22/2021	60	125.6	465	
TMP-40	3/22/2021	80	122.3	445	
TMP-40	3/29/2021	20	94.1	505	
TMP-40	3/29/2021	40	120.7	485	
TMP-40	3/29/2021	60	125.5	465	
TMP-40	3/29/2021	80	122.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	3/1/2021	20	95.7	504	
TMP-41	3/1/2021	40	119.1	484	
TMP-41	3/1/2021	60	121.9	464	
TMP-41	3/1/2021	80	117.4	444	
TMP-41	3/1/2021	98	110.8	426	
TMP-41	3/8/2021	20	96.8	504	
TMP-41	3/8/2021	40	120.0	484	
TMP-41	3/8/2021	60	122.9	464	
TMP-41	3/8/2021	80	118.4	444	
TMP-41	3/8/2021	98	111.9	426	
TMP-41	3/15/2021	20	95.0	504	
TMP-41	3/15/2021	40	118.5	484	
TMP-41	3/15/2021	60	121.7	464	
TMP-41	3/15/2021	80	117.3	444	
TMP-41	3/15/2021	98	110.8	426	
TMP-41	3/22/2021	20	96.9	504	
TMP-41	3/22/2021	40	120.2	484	
TMP-41	3/22/2021	60	123.1	464	
TMP-41	3/22/2021	80	118.7	444	
TMP-41	3/22/2021	98	112.1	426	
TMP-41	3/29/2021	20	96.5	504	
TMP-41	3/29/2021	40	119.6	484	
TMP-41	3/29/2021	60	122.5	464	
TMP-41	3/29/2021	80	118.2	444	
TMP-41	3/29/2021	98	111.5	426	



<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-42	3/1/2021	20	101.8	498	
TMP-42	3/1/2021	40	118.4	478	
TMP-42	3/1/2021	60	118.5	458	
TMP-42	3/1/2021	78	114.4	440	
TMP-42	3/8/2021	20	101.4	498	
TMP-42	3/8/2021	40	117.5	478	
TMP-42	3/8/2021	60	117.5	458	
TMP-42	3/8/2021	78	113.0	440	
TMP-42	3/15/2021	20	101.6	498	
TMP-42	3/15/2021	40	117.4	478	
TMP-42	3/15/2021	60	117.3	458	
TMP-42	3/15/2021	78	113.0	440	
TMP-42	3/22/2021	20	101.3	498	
TMP-42	3/22/2021	40	117.3	478	
TMP-42	3/22/2021	60	117.4	458	
TMP-42	3/22/2021	78	113.3	440	
TMP-42	3/29/2021	20	101.0	498	
TMP-42	3/29/2021	40	117.1	478	
TMP-42	3/29/2021	60	117.2	458	
TMP-42	3/29/2021	78	113.2	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	3/1/2021	20	101.4	496	
TMP-43	3/1/2021	40	120.9	476	
TMP-43	3/1/2021	60	127.6	456	
TMP-43	3/1/2021	80	126.9	436	
TMP-43	3/1/2021	100	120.9	416	
TMP-43	3/8/2021	20	99.1	496	
TMP-43	3/8/2021	40	118.3	476	
TMP-43	3/8/2021	60	125.1	456	
TMP-43	3/8/2021	80	124.2	436	
TMP-43	3/8/2021	100	118.1	416	
TMP-43	3/15/2021	20	98.9	496	
TMP-43	3/15/2021	40	117.9	476	
TMP-43	3/15/2021	60	124.3	456	
TMP-43	3/15/2021	80	123.4	436	
TMP-43	3/15/2021	100	117.1	416	
TMP-43	3/22/2021	20	99.3	496	
TMP-43	3/22/2021	40	118.5	476	
TMP-43	3/22/2021	60	125.3	456	
TMP-43	3/22/2021	80	124.4	436	
TMP-43	3/22/2021	100	118.3	416	
TMP-43	3/29/2021	20	98.6	496	
TMP-43	3/29/2021	40	118.0	476	
TMP-43	3/29/2021	60	124.8	456	
TMP-43	3/29/2021	80	124.0	436	
TMP-43	3/29/2021	100	117.9	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	3/1/2021	20	102.8	491	
TMP-44	3/1/2021	40	130.5	471	
TMP-44	3/1/2021	60	143.7	451	
TMP-44	3/1/2021	80	149.0	431	
TMP-44	3/1/2021	100	151.1	411	
TMP-44	3/1/2021	120	150.6	391	
TMP-44	3/1/2021	140	150.7	371	
TMP-44	3/1/2021	160	140.2	351	
TMP-44	3/1/2021	180	123.4	331	
TMP-44	3/8/2021	20	102.1	491	
TMP-44	3/8/2021	40	129.5	471	
TMP-44	3/8/2021	60	142.8	451	
TMP-44	3/8/2021	80	147.9	431	
TMP-44	3/8/2021	100	150.1	411	
TMP-44	3/8/2021	120	149.5	391	
TMP-44	3/8/2021	140	149.7	371	
TMP-44	3/8/2021	160	139.1	351	
TMP-44	3/8/2021	180	122.5	331	
TMP-44	3/15/2021	20	102.5	491	
TMP-44	3/15/2021	40	130.0	471	
TMP-44	3/15/2021	60	143.1	451	
TMP-44	3/15/2021	80	148.2	431	
TMP-44	3/15/2021	100	150.3	411	
TMP-44	3/15/2021	120	149.7	391	
TMP-44	3/15/2021	140	149.8	371	
TMP-44	3/15/2021	160	139.1	351	
TMP-44	3/15/2021	180	122.4	331	
TMP-44	3/22/2021	20	102.4	491	
TMP-44	3/22/2021	40	129.7	471	
TMP-44	3/22/2021	60	142.9	451	
TMP-44	3/22/2021	80	147.9	431	
TMP-44	3/22/2021	100	150.0	411	
TMP-44	3/22/2021	120	149.5	391	
TMP-44	3/22/2021	140	149.6	371	
TMP-44	3/22/2021	160	138.8	351	
TMP-44	3/22/2021	180	122.2	331	
TMP-44	3/29/2021	20	103.2	491	
TMP-44	3/29/2021	40	130.6	471	
TMP-44	3/29/2021	60	143.8	451	
TMP-44	3/29/2021	80	149.0	431	
TMP-44	3/29/2021	100	151.2	411	
TMP-44	3/29/2021	120	150.6	391	
TMP-44	3/29/2021	140	150.8	371	
TMP-44	3/29/2021	160	140.1	351	
TMP-44	3/29/2021	180	123.4	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	3/1/2021	15	72.9	464	
TMP-45	3/1/2021	30	80.5	449	
TMP-45	3/1/2021	45	84.9	434	
TMP-45	3/8/2021	15	70.8	464	
TMP-45	3/8/2021	30	78.8	449	
TMP-45	3/8/2021	45	83.4	434	
TMP-45	3/15/2021	15	71.5	464	
TMP-45	3/15/2021	30	79.8	449	
TMP-45	3/15/2021	45	84.4	434	
TMP-45	3/22/2021	15	70.6	464	
TMP-45	3/22/2021	30	79.3	449	
TMP-45	3/22/2021	45	83.9	434	
TMP-45	3/29/2021	15	71.2	464	
TMP-45	3/29/2021	30	79.6	449	
TMP-45	3/29/2021	45	83.8	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	3/1/2021	20	72.4	457	
TMP-46	3/1/2021	40	80.8	437	
TMP-46	3/1/2021	60	88.0	417	
TMP-46	3/8/2021	20	71.8	457	
TMP-46	3/8/2021	40	80.5	437	
TMP-46	3/8/2021	60	88.1	417	
TMP-46	3/15/2021	20	72.4	457	
TMP-46	3/15/2021	40	81.3	437	
TMP-46	3/15/2021	60	88.6	417	
TMP-46	3/22/2021	20	71.1	457	
TMP-46	3/22/2021	40	80.1	437	
TMP-46	3/22/2021	60	87.7	417	
TMP-46	3/29/2021	20	71.9	457	
TMP-46	3/29/2021	40	80.5	437	
TMP-46	3/29/2021	60	87.8	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	3/1/2021	20	66.4	457	
TMP-47	3/1/2021	40	71.5	437	
TMP-47	3/1/2021	60	74.0	417	
TMP-47	3/8/2021	20	65.1	457	
TMP-47	3/8/2021	40	70.4	437	
TMP-47	3/8/2021	60	73.2	417	
TMP-47	3/15/2021	20	66.5	457	
TMP-47	3/15/2021	40	71.9	437	
TMP-47	3/15/2021	60	74.2	417	
TMP-47	3/22/2021	20	65.4	457	
TMP-47	3/22/2021	40	70.9	437	
TMP-47	3/22/2021	60	73.9	417	
TMP-47	3/29/2021	20	66.0	457	
TMP-47	3/29/2021	40	71.6	437	
TMP-47	3/29/2021	60	74.4	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	3/1/2021	20	66.2	455	
TMP-48	3/1/2021	40	67.8	435	
TMP-48	3/1/2021	60	72.7	415	
TMP-48	3/1/2021	72	71.1	403	
TMP-48	3/8/2021	20	66.2	455	
TMP-48	3/8/2021	40	67.9	435	
TMP-48	3/8/2021	60	72.8	415	
TMP-48	3/8/2021	72	71.3	403	
TMP-48	3/15/2021	20	63.8	455	
TMP-48	3/15/2021	40	65.8	435	
TMP-48	3/15/2021	60	70.9	415	
TMP-48	3/15/2021	72	69.5	403	
TMP-48	3/22/2021	20	65.4	455	
TMP-48	3/22/2021	40	67.4	435	
TMP-48	3/22/2021	60	72.4	415	
TMP-48	3/22/2021	72	70.8	403	
TMP-48	3/29/2021	20	66.3	455	
TMP-48	3/29/2021	40	68.2	435	
TMP-48	3/29/2021	60	73.1	415	
TMP-48	3/29/2021	72	71.7	403	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-49	3/1/2021	20	64.7	453	
TMP-49	3/1/2021	40	65.3	433	
TMP-49	3/1/2021	60	68.2	413	
TMP-49	3/8/2021	20	64.8	453	
TMP-49	3/8/2021	40	65.6	433	
TMP-49	3/8/2021	60	68.7	413	
TMP-49	3/15/2021	20	64.9	453	
TMP-49	3/15/2021	40	65.4	433	
TMP-49	3/15/2021	60	68.1	413	
TMP-49	3/22/2021	20	62.9	453	
TMP-49	3/22/2021	40	64.2	433	
TMP-49	3/22/2021	60	67.5	413	
TMP-49	3/29/2021	20	63.7	453	
TMP-49	3/29/2021	40	64.5	433	
TMP-49	3/29/2021	60	68.1	413	