

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	3/8/2021	20	141.3	473	
TMP-19	3/8/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/8/2021	60	191.5	433	
TMP-19	3/8/2021	80	197.5	413	
TMP-19	3/8/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/15/2021	20	142.6	473	
TMP-19	3/15/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/15/2021	60	192.0	433	
TMP-19	3/15/2021	80	198.0	413	
TMP-19	3/15/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/22/2021	20	140.9	473	
TMP-19	3/22/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/22/2021	60	190.6	433	
TMP-19	3/22/2021	80	197.1	413	
TMP-19	3/22/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/29/2021	20	140.4	473	
TMP-19	3/29/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/29/2021	60	190.7	433	
TMP-19	3/29/2021	80	197.0	413	
TMP-19	3/29/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/5/2021	20	140.4	473	
TMP-19	4/5/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/5/2021	60	190.2	433	
TMP-19	4/5/2021	80	196.6	413	
TMP-19	4/5/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	3/8/2021	20	103.7	478	
TMP-20	3/8/2021	40	149.9	458	
TMP-20	3/8/2021	60	174.0	438	
TMP-20	3/8/2021	80	187.5	418	
TMP-20	3/8/2021	100	204.1	398	
TMP-20	3/8/2021	120	220.2	378	
TMP-20	3/8/2021	140	222.1	358	
TMP-20	3/15/2021	20	103.6	478	
TMP-20	3/15/2021	40	150.1	458	
TMP-20	3/15/2021	60	174.0	438	
TMP-20	3/15/2021	80	187.6	418	
TMP-20	3/15/2021	100	204.2	398	
TMP-20	3/15/2021	120	220.2	378	
TMP-20	3/15/2021	140	222.2	358	
TMP-20	3/22/2021	20	103.2	478	
TMP-20	3/22/2021	40	149.5	458	
TMP-20	3/22/2021	60	173.4	438	
TMP-20	3/22/2021	80	186.7	418	
TMP-20	3/22/2021	100	203.3	398	
TMP-20	3/22/2021	120	219.5	378	
TMP-20	3/22/2021	140	221.5	358	
TMP-20	3/29/2021	20	101.7	478	
TMP-20	3/29/2021	40	148.3	458	
TMP-20	3/29/2021	60	172.4	438	
TMP-20	3/29/2021	80	185.9	418	
TMP-20	3/29/2021	100	202.4	398	
TMP-20	3/29/2021	120	218.5	378	
TMP-20	3/29/2021	140	220.6	358	
TMP-20	4/5/2021	20	101.4	478	
TMP-20	4/5/2021	40	148.1	458	
TMP-20	4/5/2021	60	172.2	438	
TMP-20	4/5/2021	80	185.5	418	
TMP-20	4/5/2021	100	202.0	398	
TMP-20	4/5/2021	120	218.2	378	
TMP-20	4/5/2021	140	220.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	3/8/2021	20	106.2	475	
TMP-10-9N	3/8/2021	40	130.7	455	
TMP-10-9N	3/8/2021	60	125.6	435	
TMP-10-9N	3/8/2021	80	127.9	415	
TMP-10-9N	3/8/2021	100	137.4	395	
TMP-10-9N	3/15/2021	20	107.5	475	
TMP-10-9N	3/15/2021	40	132.0	455	
TMP-10-9N	3/15/2021	60	126.7	435	
TMP-10-9N	3/15/2021	80	128.9	415	
TMP-10-9N	3/15/2021	100	138.3	395	
TMP-10-9N	3/22/2021	20	105.9	475	
TMP-10-9N	3/22/2021	40	130.2	455	
TMP-10-9N	3/22/2021	60	124.8	435	
TMP-10-9N	3/22/2021	80	127.1	415	
TMP-10-9N	3/22/2021	100	136.5	395	
TMP-10-9N	3/29/2021	20	106.0	475	
TMP-10-9N	3/29/2021	40	130.2	455	
TMP-10-9N	3/29/2021	60	124.9	435	
TMP-10-9N	3/29/2021	80	127.2	415	
TMP-10-9N	3/29/2021	100	136.6	395	
TMP-10-9N	4/5/2021	20	104.9	475	
TMP-10-9N	4/5/2021	40	129.4	455	
TMP-10-9N	4/5/2021	60	124.3	435	
TMP-10-9N	4/5/2021	80	126.8	415	
TMP-10-9N	4/5/2021	100	136.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	3/8/2021	20	105.3	476	
TMP-10-9S	3/8/2021	40	144.6	456	
TMP-10-9S	3/8/2021	60	159.5	436	
TMP-10-9S	3/8/2021	80	168.4	416	
TMP-10-9S	3/8/2021	100	188.0	396	
TMP-10-9S	3/15/2021	20	106.0	476	
TMP-10-9S	3/15/2021	40	145.0	456	
TMP-10-9S	3/15/2021	60	159.9	436	
TMP-10-9S	3/15/2021	80	168.4	416	
TMP-10-9S	3/15/2021	100	187.8	396	
TMP-10-9S	3/22/2021	20	103.8	476	
TMP-10-9S	3/22/2021	40	143.2	456	
TMP-10-9S	3/22/2021	60	157.7	436	
TMP-10-9S	3/22/2021	80	166.7	416	
TMP-10-9S	3/22/2021	100	186.2	396	
TMP-10-9S	3/29/2021	20	103.6	476	
TMP-10-9S	3/29/2021	40	143.1	456	
TMP-10-9S	3/29/2021	60	157.9	436	
TMP-10-9S	3/29/2021	80	166.7	416	
TMP-10-9S	3/29/2021	100	186.0	396	
TMP-10-9S	4/5/2021	20	103.4	476	
TMP-10-9S	4/5/2021	40	142.9	456	
TMP-10-9S	4/5/2021	60	157.6	436	
TMP-10-9S	4/5/2021	80	166.4	416	
TMP-10-9S	4/5/2021	100	185.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	3/8/2021	20	93.2	478	
TMP-10-5N	3/8/2021	40	113.1	458	
TMP-10-5N	3/8/2021	60	94.0	438	
TMP-10-5N	3/8/2021	80	87.9	418	
TMP-10-5N	3/8/2021	100	84.1	398	
TMP-10-5N	3/15/2021	20	94.2	478	
TMP-10-5N	3/15/2021	40	114.4	458	
TMP-10-5N	3/15/2021	60	96.0	438	
TMP-10-5N	3/15/2021	80	90.1	418	
TMP-10-5N	3/15/2021	100	86.1	398	
TMP-10-5N	3/22/2021	20	92.0	478	
TMP-10-5N	3/22/2021	40	112.4	458	
TMP-10-5N	3/22/2021	60	93.6	438	
TMP-10-5N	3/22/2021	80	87.6	418	
TMP-10-5N	3/22/2021	100	83.8	398	
TMP-10-5N	3/29/2021	20	92.2	478	
TMP-10-5N	3/29/2021	40	113.2	458	
TMP-10-5N	3/29/2021	60	95.3	438	
TMP-10-5N	3/29/2021	80	90.0	418	
TMP-10-5N	3/29/2021	100	86.2	398	
TMP-10-5N	4/5/2021	20	91.5	478	
TMP-10-5N	4/5/2021	40	112.5	458	
TMP-10-5N	4/5/2021	60	94.0	438	
TMP-10-5N	4/5/2021	80	88.4	418	
TMP-10-5N	4/5/2021	100	85.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	3/8/2021	20	99.2	477	
TMP-10-5S	3/8/2021	40	135.8	457	
TMP-10-5S	3/8/2021	60	143.0	437	
TMP-10-5S	3/8/2021	80	154.4	417	
TMP-10-5S	3/8/2021	100	172.2	397	
TMP-10-5S	3/15/2021	20	100.3	477	
TMP-10-5S	3/15/2021	40	136.9	457	
TMP-10-5S	3/15/2021	60	144.1	437	
TMP-10-5S	3/15/2021	80	155.1	417	
TMP-10-5S	3/15/2021	100	172.8	397	
TMP-10-5S	3/22/2021	20	98.8	477	
TMP-10-5S	3/22/2021	40	135.3	457	
TMP-10-5S	3/22/2021	60	142.1	437	
TMP-10-5S	3/22/2021	80	153.4	417	
TMP-10-5S	3/22/2021	100	171.0	397	
TMP-10-5S	3/29/2021	20	98.1	477	
TMP-10-5S	3/29/2021	40	134.7	457	
TMP-10-5S	3/29/2021	60	141.5	437	
TMP-10-5S	3/29/2021	80	153.0	417	
TMP-10-5S	3/29/2021	100	170.6	397	
TMP-10-5S	4/5/2021	20	97.7	477	
TMP-10-5S	4/5/2021	40	134.6	457	
TMP-10-5S	4/5/2021	60	141.5	437	
TMP-10-5S	4/5/2021	80	152.9	417	
TMP-10-5S	4/5/2021	100	170.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	3/8/2021	20	95.9	476	
TMP-5-9N	3/8/2021	40	134.3	456	
TMP-5-9N	3/8/2021	60	140.0	436	
TMP-5-9N	3/8/2021	80	221.0	416	
TMP-5-9N	3/8/2021	100	245.3	396	
TMP-5-9N	3/15/2021	20	96.8	476	
TMP-5-9N	3/15/2021	40	135.1	456	
TMP-5-9N	3/15/2021	60	140.7	436	
TMP-5-9N	3/15/2021	80	221.6	416	
TMP-5-9N	3/15/2021	100	245.6	396	
TMP-5-9N	3/22/2021	20	95.7	476	
TMP-5-9N	3/22/2021	40	134.4	456	
TMP-5-9N	3/22/2021	60	140.4	436	
TMP-5-9N	3/22/2021	80	220.9	416	
TMP-5-9N	3/22/2021	100	245.4	396	
TMP-5-9N	3/29/2021	20	94.4	476	
TMP-5-9N	3/29/2021	40	133.7	456	
TMP-5-9N	3/29/2021	60	139.6	436	
TMP-5-9N	3/29/2021	80	219.9	416	
TMP-5-9N	3/29/2021	100	244.2	396	
TMP-5-9N	4/5/2021	20	95.1	476	
TMP-5-9N	4/5/2021	40	134.6	456	
TMP-5-9N	4/5/2021	60	140.1	436	
TMP-5-9N	4/5/2021	80	220.2	416	
TMP-5-9N	4/5/2021	100	244.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	3/8/2021	20	110.9	476	
TMP-5-9S	3/8/2021	40	168.7	456	
TMP-5-9S	3/8/2021	60	206.0	436	
TMP-5-9S	3/8/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/8/2021	100			No readings could be obtained
TMP-5-9S	3/15/2021	20	111.5	476	
TMP-5-9S	3/15/2021	40	169.3	456	
TMP-5-9S	3/15/2021	60	206.6	436	
TMP-5-9S	3/15/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/15/2021	100			No readings could be obtained
TMP-5-9S	3/22/2021	20	110.0	476	
TMP-5-9S	3/22/2021	40	168.0	456	
TMP-5-9S	3/22/2021	60	204.8	436	
TMP-5-9S	3/22/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/22/2021	100			No readings could be obtained
TMP-5-9S	3/29/2021	20	109.1	476	
TMP-5-9S	3/29/2021	40	167.4	456	
TMP-5-9S	3/29/2021	60	204.1	436	
TMP-5-9S	3/29/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/29/2021	100			No readings could be obtained
TMP-5-9S	4/5/2021	20	109.0	476	
TMP-5-9S	4/5/2021	40	167.2	456	
TMP-5-9S	4/5/2021	60	204.2	436	
TMP-5-9S	4/5/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/5/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	3/8/2021	20	91.2	475	
TMP-5-5N	3/8/2021	40	97.5	455	
TMP-5-5N	3/8/2021	60	87.7	435	
TMP-5-5N	3/8/2021	80	214.9	415	
TMP-5-5N	3/8/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/15/2021	20	91.6	475	
TMP-5-5N	3/15/2021	40	99.0	455	
TMP-5-5N	3/15/2021	60	89.6	435	
TMP-5-5N	3/15/2021	80	214.0	415	
TMP-5-5N	3/15/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/22/2021	20	91.0	475	
TMP-5-5N	3/22/2021	40	103.2	455	
TMP-5-5N	3/22/2021	60	90.5	435	
TMP-5-5N	3/22/2021	80	214.1	415	
TMP-5-5N	3/22/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/29/2021	20	90.1	475	
TMP-5-5N	3/29/2021	40	103.6	455	
TMP-5-5N	3/29/2021	60	89.8	435	
TMP-5-5N	3/29/2021	80	213.4	415	
TMP-5-5N	3/29/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/5/2021	20	89.8	475	
TMP-5-5N	4/5/2021	40	103.5	455	
TMP-5-5N	4/5/2021	60	92.1	435	
TMP-5-5N	4/5/2021	80	214.5	415	
TMP-5-5N	4/5/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	3/8/2021	20	109.6	474	
TMP-5-5S	3/8/2021	40	160.8	454	
TMP-5-5S	3/8/2021	60	191.2	434	
TMP-5-5S	3/8/2021	80	229.8	414	
TMP-5-5S	3/8/2021	100	235.2	394	
TMP-5-5S	3/15/2021	20	110.5	474	
TMP-5-5S	3/15/2021	40	161.7	454	
TMP-5-5S	3/15/2021	60	191.9	434	
TMP-5-5S	3/15/2021	80	230.6	414	
TMP-5-5S	3/15/2021	100	235.6	394	
TMP-5-5S	3/22/2021	20	109.7	474	
TMP-5-5S	3/22/2021	40	160.5	454	
TMP-5-5S	3/22/2021	60	191.1	434	
TMP-5-5S	3/22/2021	80	229.5	414	
TMP-5-5S	3/22/2021	100	234.4	394	
TMP-5-5S	3/29/2021	20	108.7	474	
TMP-5-5S	3/29/2021	40	159.7	454	
TMP-5-5S	3/29/2021	60	190.5	434	
TMP-5-5S	3/29/2021	80	228.9	414	
TMP-5-5S	3/29/2021	100	233.6	394	
TMP-5-5S	4/5/2021	20	108.6	474	
TMP-5-5S	4/5/2021	40	159.5	454	
TMP-5-5S	4/5/2021	60	190.6	434	
TMP-5-5S	4/5/2021	80	228.8	414	
TMP-5-5S	4/5/2021	100	233.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	3/8/2021	20	151.4	474	
TMP-31	3/8/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/8/2021	120	267.6	374	
TMP-31	3/15/2021	20	150.8	474	
TMP-31	3/15/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/15/2021	120	266.8	374	
TMP-31	3/22/2021	20	150.9	474	
TMP-31	3/22/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/22/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/22/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/22/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/22/2021	120	266.8	374	
TMP-31	3/29/2021	20	151.0	474	
TMP-31	3/29/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/29/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/29/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/29/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/29/2021	120	266.8	374	
TMP-31	4/5/2021	20	151.3	474	
TMP-31	4/5/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	120	267.0	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	3/8/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	60	223.9	444	
TMP-32	3/8/2021	80	239.7	424	
TMP-32	3/8/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/8/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	60	223.9	444	
TMP-32	3/15/2021	80	239.2	424	
TMP-32	3/15/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/15/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	60	223.4	444	
TMP-32	3/22/2021	80	239	424	
TMP-32	3/22/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/22/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	60	223.5	444	
TMP-32	3/29/2021	80	239.1	424	
TMP-32	3/29/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/29/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	60	223.6	444	
TMP-32	4/5/2021	80	239.1	424	
TMP-32	4/5/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	3/8/2021	20	131.7	473	
TMP-SPM1	3/8/2021	40	154.0	453	
TMP-SPM1	3/8/2021	60	169.7	433	
TMP-SPM1	3/8/2021	80	163.5	413	
TMP-SPM1	3/8/2021	100	165.0	393	
TMP-SPM1	3/8/2021	120	161.4	373	
TMP-SPM1	3/8/2021	140	151.9	353	
TMP-SPM1	3/8/2021	160	134.0	333	
TMP-SPM1	3/8/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/8/2021	200	105.7	293	
TMP-SPM1	3/8/2021	220	92.4	273	
TMP-SPM1	3/8/2021	240	89.3	253	
TMP-SPM1	3/15/2021	20	132.5	473	
TMP-SPM1	3/15/2021	40	154.5	453	
TMP-SPM1	3/15/2021	60	169.8	433	
TMP-SPM1	3/15/2021	80	163.8	413	
TMP-SPM1	3/15/2021	100	165.2	393	
TMP-SPM1	3/15/2021	120	161.6	373	
TMP-SPM1	3/15/2021	140	152.2	353	
TMP-SPM1	3/15/2021	160	134.3	333	
TMP-SPM1	3/15/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/15/2021	200	106.0	293	
TMP-SPM1	3/15/2021	220	92.6	273	
TMP-SPM1	3/15/2021	240	89.5	253	
TMP-SPM1	3/22/2021	20	132.1	473	
TMP-SPM1	3/22/2021	40	154.3	453	
TMP-SPM1	3/22/2021	60	169.1	433	
TMP-SPM1	3/22/2021	80	163.4	413	
TMP-SPM1	3/22/2021	100	164.7	393	
TMP-SPM1	3/22/2021	120	161.1	373	
TMP-SPM1	3/22/2021	140	151.7	353	
TMP-SPM1	3/22/2021	160	133.8	333	
TMP-SPM1	3/22/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/22/2021	200	105.4	293	
TMP-SPM1	3/22/2021	220	92.1	273	
TMP-SPM1	3/22/2021	240	88.9	253	
TMP-SPM1	3/29/2021	20	131.3	473	
TMP-SPM1	3/29/2021	40	153.6	453	
TMP-SPM1	3/29/2021	60	168.5	433	
TMP-SPM1	3/29/2021	80	162.9	413	
TMP-SPM1	3/29/2021	100	164.4	393	
TMP-SPM1	3/29/2021	120	160.9	373	
TMP-SPM1	3/29/2021	140	151.5	353	
TMP-SPM1	3/29/2021	160	133.7	333	
TMP-SPM1	3/29/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/29/2021	200	105.4	293	
TMP-SPM1	3/29/2021	220	92.1	273	
TMP-SPM1	3/29/2021	240	89.1	253	
TMP-SPM1	4/5/2021	20	131.2	473	
TMP-SPM1	4/5/2021	40	153.2	453	
TMP-SPM1	4/5/2021	60	168.3	433	
TMP-SPM1	4/5/2021	80	162.7	413	
TMP-SPM1	4/5/2021	100	164.3	393	
TMP-SPM1	4/5/2021	120	160.9	373	
TMP-SPM1	4/5/2021	140	151.5	353	
TMP-SPM1	4/5/2021	160	133.7	333	
TMP-SPM1	4/5/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/5/2021	200	105.4	293	
TMP-SPM1	4/5/2021	220	92.1	273	
TMP-SPM1	4/5/2021	240	89.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	3/8/2021	20	121.2	475	
TMP-SPM2	3/8/2021	40	142.2	455	
TMP-SPM2	3/8/2021	60	138.1	435	
TMP-SPM2	3/8/2021	80	153.6	415	
TMP-SPM2	3/8/2021	100	172.8	395	
TMP-SPM2	3/8/2021	120	177.1	375	
TMP-SPM2	3/8/2021	140	182.6	355	
TMP-SPM2	3/8/2021	160	163.1	335	
TMP-SPM2	3/8/2021	172	148.4	323	
TMP-SPM2	3/15/2021	20	122.7	475	
TMP-SPM2	3/15/2021	40	143.7	455	
TMP-SPM2	3/15/2021	60	139.5	435	
TMP-SPM2	3/15/2021	80	154.8	415	
TMP-SPM2	3/15/2021	100	173.9	395	
TMP-SPM2	3/15/2021	120	178.1	375	
TMP-SPM2	3/15/2021	140	183.5	355	
TMP-SPM2	3/15/2021	160	164.1	335	
TMP-SPM2	3/15/2021	172	149.4	323	
TMP-SPM2	3/22/2021	20	121.9	475	
TMP-SPM2	3/22/2021	40	142.6	455	
TMP-SPM2	3/22/2021	60	138.3	435	
TMP-SPM2	3/22/2021	80	153.5	415	
TMP-SPM2	3/22/2021	100	172.6	395	
TMP-SPM2	3/22/2021	120	176.8	375	
TMP-SPM2	3/22/2021	140	182.3	355	
TMP-SPM2	3/22/2021	160	163.0	335	
TMP-SPM2	3/22/2021	172	148.2	323	
TMP-SPM2	3/29/2021	20	120.6	475	
TMP-SPM2	3/29/2021	40	141.1	455	
TMP-SPM2	3/29/2021	60	137.1	435	
TMP-SPM2	3/29/2021	80	152.1	415	
TMP-SPM2	3/29/2021	100	171.2	395	
TMP-SPM2	3/29/2021	120	175.7	375	
TMP-SPM2	3/29/2021	140	181.4	355	
TMP-SPM2	3/29/2021	160	162.3	335	
TMP-SPM2	3/29/2021	172	147.7	323	
TMP-SPM2	4/5/2021	20	120.6	475	
TMP-SPM2	4/5/2021	40	141.3	455	
TMP-SPM2	4/5/2021	60	137.3	435	
TMP-SPM2	4/5/2021	80	152.2	415	
TMP-SPM2	4/5/2021	100	171.3	395	
TMP-SPM2	4/5/2021	120	175.7	375	
TMP-SPM2	4/5/2021	140	181.6	355	
TMP-SPM2	4/5/2021	160	162.4	335	
TMP-SPM2	4/5/2021	172	147.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	3/8/2021	20	106.7	478	
TMP-SPM3	3/8/2021	40	105.9	458	
TMP-SPM3	3/8/2021	60	100.6	438	
TMP-SPM3	3/8/2021	80	105.2	418	
TMP-SPM3	3/8/2021	85	107.4	413	
TMP-SPM3	3/15/2021	20	108.5	478	
TMP-SPM3	3/15/2021	40	107.9	458	
TMP-SPM3	3/15/2021	60	102.7	438	
TMP-SPM3	3/15/2021	80	107.2	418	
TMP-SPM3	3/15/2021	85	109.1	413	
TMP-SPM3	3/22/2021	20	106.7	478	
TMP-SPM3	3/22/2021	40	106.6	458	
TMP-SPM3	3/22/2021	60	101.4	438	
TMP-SPM3	3/22/2021	80	105.9	418	
TMP-SPM3	3/22/2021	85	107.8	413	
TMP-SPM3	3/29/2021	20	105.7	478	
TMP-SPM3	3/29/2021	40	105.6	458	
TMP-SPM3	3/29/2021	60	100.3	438	
TMP-SPM3	3/29/2021	80	104.7	418	
TMP-SPM3	3/29/2021	85	106.6	413	
TMP-SPM3	4/5/2021	20	105.6	478	
TMP-SPM3	4/5/2021	40	105.3	458	
TMP-SPM3	4/5/2021	60	100.1	438	
TMP-SPM3	4/5/2021	80	104.5	418	
TMP-SPM3	4/5/2021	85	106.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	3/8/2021	20	113.1	475	
TMP-SPM4	3/8/2021	40	135.5	455	
TMP-SPM4	3/8/2021	60	137.4	435	
TMP-SPM4	3/8/2021	80	138.1	415	
TMP-SPM4	3/8/2021	100	134.0	395	
TMP-SPM4	3/8/2021	120	126.8	375	
TMP-SPM4	3/8/2021	140	122.0	355	
TMP-SPM4	3/8/2021	160	116.5	335	
TMP-SPM4	3/8/2021	180	112.7	315	
TMP-SPM4	3/8/2021	200	107.8	295	
TMP-SPM4	3/8/2021	220	96.5	275	
TMP-SPM4	3/8/2021	240	90.5	255	
TMP-SPM4	3/15/2021	20	113.5	475	
TMP-SPM4	3/15/2021	40	135.6	455	
TMP-SPM4	3/15/2021	60	137.4	435	
TMP-SPM4	3/15/2021	80	138.0	415	
TMP-SPM4	3/15/2021	100	133.6	395	
TMP-SPM4	3/15/2021	120	126.4	375	
TMP-SPM4	3/15/2021	140	121.6	355	
TMP-SPM4	3/15/2021	160	116.1	335	
TMP-SPM4	3/15/2021	180	112.4	315	
TMP-SPM4	3/15/2021	200	107.5	295	
TMP-SPM4	3/15/2021	220	96.3	275	
TMP-SPM4	3/15/2021	240	90.4	255	
TMP-SPM4	3/22/2021	20	113.3	475	
TMP-SPM4	3/22/2021	40	135.4	455	
TMP-SPM4	3/22/2021	60	137.3	435	
TMP-SPM4	3/22/2021	80	137.9	415	
TMP-SPM4	3/22/2021	100	133.6	395	
TMP-SPM4	3/22/2021	120	126.4	375	
TMP-SPM4	3/22/2021	140	121.6	355	
TMP-SPM4	3/22/2021	160	116.1	335	
TMP-SPM4	3/22/2021	180	112.4	315	
TMP-SPM4	3/22/2021	200	107.6	295	
TMP-SPM4	3/22/2021	220	96.3	275	
TMP-SPM4	3/22/2021	240	90.3	255	
TMP-SPM4	3/29/2021	20	112.7	475	
TMP-SPM4	3/29/2021	40	135.0	455	
TMP-SPM4	3/29/2021	60	137.0	435	
TMP-SPM4	3/29/2021	80	137.6	415	
TMP-SPM4	3/29/2021	100	133.8	395	
TMP-SPM4	3/29/2021	120	126.6	375	
TMP-SPM4	3/29/2021	140	121.8	355	
TMP-SPM4	3/29/2021	160	116.3	335	
TMP-SPM4	3/29/2021	180	112.5	315	
TMP-SPM4	3/29/2021	200	107.7	295	
TMP-SPM4	3/29/2021	220	96.5	275	
TMP-SPM4	3/29/2021	240	90.5	255	
TMP-SPM4	4/5/2021	20	112.7	475	
TMP-SPM4	4/5/2021	40	134.9	455	
TMP-SPM4	4/5/2021	60	137.0	435	
TMP-SPM4	4/5/2021	80	137.5	415	
TMP-SPM4	4/5/2021	100	133.3	395	
TMP-SPM4	4/5/2021	120	126.1	375	
TMP-SPM4	4/5/2021	140	121.4	355	
TMP-SPM4	4/5/2021	160	115.9	335	
TMP-SPM4	4/5/2021	180	112.2	315	
TMP-SPM4	4/5/2021	200	107.5	295	
TMP-SPM4	4/5/2021	220	96.2	275	
TMP-SPM4	4/5/2021	240	90.3	255	