

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-1	3/22/2021	18	103.9	451	
TMP-1	3/22/2021	38	133.8	431	
TMP-1	3/22/2021	58	142.0	411	
TMP-1	3/22/2021	78	140.4	391	
TMP-1	3/22/2021	98	132.7	371	
TMP-1	3/22/2021	118	122.5	351	
TMP-1	3/22/2021	138	114.5	331	
TMP-1	3/29/2021	18	104.4	451	
TMP-1	3/29/2021	38	134.3	431	
TMP-1	3/29/2021	58	142.5	411	
TMP-1	3/29/2021	78	140.9	391	
TMP-1	3/29/2021	98	133.1	371	
TMP-1	3/29/2021	118	122.8	351	
TMP-1	3/29/2021	138	114.9	331	
TMP-1	4/5/2021	18	103.5	451	
TMP-1	4/5/2021	38	134.0	431	
TMP-1	4/5/2021	58	142.0	411	
TMP-1	4/5/2021	78	140.6	391	
TMP-1	4/5/2021	98	132.9	371	
TMP-1	4/5/2021	118	122.5	351	
TMP-1	4/5/2021	138	114.7	331	
TMP-1	4/12/2021	18	103.8	451	
TMP-1	4/12/2021	38	134.2	431	
TMP-1	4/12/2021	58	142.5	411	
TMP-1	4/12/2021	78	141.3	391	
TMP-1	4/12/2021	98	133.7	371	
TMP-1	4/12/2021	118	122.8	351	
TMP-1	4/12/2021	138	115.4	331	
TMP-1	4/19/2021	18	103.0	451	
TMP-1	4/19/2021	38	133.8	431	
TMP-1	4/19/2021	58	141.9	411	
TMP-1	4/19/2021	78	140.5	391	
TMP-1	4/19/2021	98	132.7	371	
TMP-1	4/19/2021	118	122.2	351	
TMP-1	4/19/2021	138	114.5	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	3/22/2021	20	115.5	440	
TMP-2R	3/22/2021	40	150.3	420	
TMP-2R	3/22/2021	60	161.2	400	
TMP-2R	3/22/2021	80	167.1	380	
TMP-2R	3/22/2021	100	164.6	360	
TMP-2R	3/22/2021	120	156.1	340	
TMP-2R	3/22/2021	140	150.6	320	
TMP-2R	3/22/2021	160	143.6	300	
TMP-2R	3/22/2021	180	131.0	280	
TMP-2R	3/29/2021	20	116.2	440	
TMP-2R	3/29/2021	40	151.0	420	
TMP-2R	3/29/2021	60	161.9	400	
TMP-2R	3/29/2021	80	168.0	380	
TMP-2R	3/29/2021	100	165.5	360	
TMP-2R	3/29/2021	120	156.9	340	
TMP-2R	3/29/2021	140	151.6	320	
TMP-2R	3/29/2021	160	144.5	300	
TMP-2R	3/29/2021	180	131.9	280	
TMP-2R	4/5/2021	20	115.8	440	
TMP-2R	4/5/2021	40	150.7	420	
TMP-2R	4/5/2021	60	161.6	400	
TMP-2R	4/5/2021	80	167.7	380	
TMP-2R	4/5/2021	100	165.1	360	
TMP-2R	4/5/2021	120	156.7	340	
TMP-2R	4/5/2021	140	151.3	320	
TMP-2R	4/5/2021	160	144.3	300	
TMP-2R	4/5/2021	180	131.7	280	
TMP-2R	4/12/2021	20	116.2	440	
TMP-2R	4/12/2021	40	151.3	420	
TMP-2R	4/12/2021	60	162.2	400	
TMP-2R	4/12/2021	80	168.4	380	
TMP-2R	4/12/2021	100	165.9	360	
TMP-2R	4/12/2021	120	157.5	340	
TMP-2R	4/12/2021	140	152.3	320	
TMP-2R	4/12/2021	160	145.4	300	
TMP-2R	4/12/2021	180	132.8	280	
TMP-2R	4/19/2021	20	116.0	440	
TMP-2R	4/19/2021	40	150.9	420	
TMP-2R	4/19/2021	60	161.8	400	
TMP-2R	4/19/2021	80	167.9	380	
TMP-2R	4/19/2021	100	165.4	360	
TMP-2R	4/19/2021	120	156.9	340	
TMP-2R	4/19/2021	140	151.6	320	
TMP-2R	4/19/2021	160	144.6	300	
TMP-2R	4/19/2021	180	132.0	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	3/22/2021	30	137.4	470	
TMP-3	3/22/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/22/2021	150	136.2	350	
TMP-3	3/22/2021	190	119.1	310	
TMP-3	3/22/2021	230	101.7	270	
TMP-3	3/29/2021	30	137.9	470	
TMP-3	3/29/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/29/2021	150	136.0	350	
TMP-3	3/29/2021	190	119.1	310	
TMP-3	3/29/2021	230	101.9	270	
TMP-3	4/5/2021	30	136.4	470	
TMP-3	4/5/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/5/2021	150	134.9	350	
TMP-3	4/5/2021	190	118.3	310	
TMP-3	4/5/2021	230	100.8	270	
TMP-3	4/12/2021	30	135.6	470	
TMP-3	4/12/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/12/2021	150	135.8	350	
TMP-3	4/12/2021	190	119.4	310	
TMP-3	4/12/2021	230	101.6	270	
TMP-3	4/19/2021	30	137.8	470	
TMP-3	4/19/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/19/2021	150	135.9	350	
TMP-3	4/19/2021	190	119.5	310	
TMP-3	4/19/2021	230	101.5	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	3/22/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/22/2021	40	147.3	459	
TMP-3R	3/22/2021	60	149.7	439	
TMP-3R	3/22/2021	80	150.6	419	
TMP-3R	3/22/2021	100	148.6	399	
TMP-3R	3/22/2021	120	144.8	379	
TMP-3R	3/22/2021	140	136.6	359	
TMP-3R	3/22/2021	160	132.8	339	
TMP-3R	3/22/2021	180	123.8	319	
TMP-3R	3/22/2021	200	112.6	299	
TMP-3R	3/22/2021	218	102.5	281	
TMP-3R	3/29/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	3/29/2021	40	148.0	459	
TMP-3R	3/29/2021	60	150.6	439	
TMP-3R	3/29/2021	80	151.5	419	
TMP-3R	3/29/2021	100	149.5	399	
TMP-3R	3/29/2021	120	145.7	379	
TMP-3R	3/29/2021	140	137.5	359	
TMP-3R	3/29/2021	160	133.8	339	
TMP-3R	3/29/2021	180	124.8	319	
TMP-3R	3/29/2021	200	113.7	299	
TMP-3R	3/29/2021	218	103.5	281	
TMP-3R	4/5/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	4/5/2021	40	147.1	459	
TMP-3R	4/5/2021	60	149.6	439	
TMP-3R	4/5/2021	80	150.6	419	
TMP-3R	4/5/2021	100	148.6	399	
TMP-3R	4/5/2021	120	144.9	379	
TMP-3R	4/5/2021	140	136.7	359	
TMP-3R	4/5/2021	160	133.0	339	
TMP-3R	4/5/2021	180	124.1	319	
TMP-3R	4/5/2021	200	113.0	299	
TMP-3R	4/5/2021	218	102.9	281	
TMP-3R	4/12/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	4/12/2021	40	147.6	459	
TMP-3R	4/12/2021	60	150.2	439	
TMP-3R	4/12/2021	80	151.1	419	
TMP-3R	4/12/2021	100	148.9	399	
TMP-3R	4/12/2021	120	145.1	379	
TMP-3R	4/12/2021	140	136.6	359	
TMP-3R	4/12/2021	160	133.5	339	
TMP-3R	4/12/2021	180	123.8	319	
TMP-3R	4/12/2021	200	112.6	299	
TMP-3R	4/12/2021	218	102.4	281	
TMP-3R	4/19/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	4/19/2021	40	146.8	459	
TMP-3R	4/19/2021	60	149.3	439	
TMP-3R	4/19/2021	80	150.1	419	
TMP-3R	4/19/2021	100	148.1	399	
TMP-3R	4/19/2021	120	144.4	379	
TMP-3R	4/19/2021	140	136.1	359	
TMP-3R	4/19/2021	160	132.3	339	
TMP-3R	4/19/2021	180	123.6	319	
TMP-3R	4/19/2021	200	112.6	299	
TMP-3R	4/19/2021	218	102.5	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	3/22/2021	28	104.8	472	
TMP-4	3/29/2021	28	103.7	472	
TMP-4	4/5/2021	28	103.5	472	
TMP-4	4/12/2021	28	103.4	472	
TMP-4	4/19/2021	28	104.2	472	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4R	3/22/2021	10	82.6	489	
TMP-4R	3/22/2021	20	100.4	479	
TMP-4R	3/22/2021	29	106.0	470	
TMP-4R	3/29/2021	10	81.1	489	
TMP-4R	3/29/2021	20	98.7	479	
TMP-4R	3/29/2021	29	104.3	470	
TMP-4R	4/5/2021	10	80.2	489	
TMP-4R	4/5/2021	20	98.2	479	
TMP-4R	4/5/2021	29	104.2	470	
TMP-4R	4/12/2021	10	80.1	489	
TMP-4R	4/12/2021	20	98.1	479	
TMP-4R	4/12/2021	29	104.0	470	
TMP-4R	4/19/2021	10	81.0	489	
TMP-4R	4/19/2021	20	98.8	479	
TMP-4R	4/19/2021	29	104.9	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	3/22/2021	15	115.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/22/2021	95	150.8	392	
TMP-6	3/22/2021	115	147.9	372	
TMP-6	3/22/2021	135	139.9	352	
TMP-6	3/29/2021	15	113.9	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/29/2021	95	150.5	392	
TMP-6	3/29/2021	115	148.0	372	
TMP-6	3/29/2021	135	140.1	352	
TMP-6	4/5/2021	15	115.6	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/5/2021	95	150.1	392	
TMP-6	4/5/2021	115	147.6	372	
TMP-6	4/5/2021	135	139.5	352	
TMP-6	4/12/2021	15	115.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/12/2021	95	150.8	392	
TMP-6	4/12/2021	115	148.0	372	
TMP-6	4/12/2021	135	140.2	352	
TMP-6	4/19/2021	15	115.3	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/19/2021	95	150.6	392	
TMP-6	4/19/2021	115	147.7	372	
TMP-6	4/19/2021	135	139.8	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	3/22/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/29/2021	40	189.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/5/2021	40	188.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/12/2021	40	189	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/19/2021	40	189.3	446	Previous report of moisture in line sheeting & end corrosion.



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	3/22/2021	20	103.7	448	
TMP-11R	3/22/2021	40	117.2	428	
TMP-11R	3/22/2021	60	118.0	408	
TMP-11R	3/22/2021	80	118.1	388	
TMP-11R	3/22/2021	100	111.8	368	
TMP-11R	3/22/2021	120	106.6	348	
TMP-11R	3/29/2021	20	101.9	448	
TMP-11R	3/29/2021	40	115.3	428	
TMP-11R	3/29/2021	60	116.0	408	
TMP-11R	3/29/2021	80	116.1	388	
TMP-11R	3/29/2021	100	109.6	368	
TMP-11R	3/29/2021	120	104.6	348	
TMP-11R	4/5/2021	20	102.9	448	
TMP-11R	4/5/2021	40	116.4	428	
TMP-11R	4/5/2021	60	117.1	408	
TMP-11R	4/5/2021	80	117.2	388	
TMP-11R	4/5/2021	100	110.9	368	
TMP-11R	4/5/2021	120	105.7	348	
TMP-11R	4/12/2021	20	103.7	448	
TMP-11R	4/12/2021	40	117.4	428	
TMP-11R	4/12/2021	60	118.1	408	
TMP-11R	4/12/2021	80	118.2	388	
TMP-11R	4/12/2021	100	112.0	368	
TMP-11R	4/12/2021	120	106.8	348	
TMP-11R	4/19/2021	20	102.8	448	
TMP-11R	4/19/2021	40	116.7	428	
TMP-11R	4/19/2021	60	117.5	408	
TMP-11R	4/19/2021	80	117.6	388	
TMP-11R	4/19/2021	100	111.4	368	
TMP-11R	4/19/2021	120	106.3	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	3/22/2021	20	108.5	470	
TMP-14R2	3/22/2021	40	160.9	450	
TMP-14R2	3/22/2021	60	182.6	430	
TMP-14R2	3/22/2021	80	188.2	410	
TMP-14R2	3/22/2021	100	208.9	390	
TMP-14R2	3/22/2021	120	210.1	370	
TMP-14R2	3/22/2021	140	202.1	350	
TMP-14R2	3/22/2021	160	171.7	330	
TMP-14R2	3/22/2021	180	148.9	310	
TMP-14R2	3/22/2021	200	125.6	290	
TMP-14R2	3/22/2021	220	101.0	270	
TMP-14R2	3/22/2021	228	96.1	262	
TMP-14R2	3/29/2021	20	107.0	470	
TMP-14R2	3/29/2021	40	159.8	450	
TMP-14R2	3/29/2021	60	181.6	430	
TMP-14R2	3/29/2021	80	187.3	410	
TMP-14R2	3/29/2021	100	208.0	390	
TMP-14R2	3/29/2021	120	209.4	370	
TMP-14R2	3/29/2021	140	201.5	350	
TMP-14R2	3/29/2021	160	171.2	330	
TMP-14R2	3/29/2021	180	148.4	310	
TMP-14R2	3/29/2021	200	125.1	290	
TMP-14R2	3/29/2021	220	100.7	270	
TMP-14R2	3/29/2021	228	95.7	262	
TMP-14R2	4/5/2021	20	106.0	470	
TMP-14R2	4/5/2021	40	159.2	450	
TMP-14R2	4/5/2021	60	181.0	430	
TMP-14R2	4/5/2021	80	186.5	410	
TMP-14R2	4/5/2021	100	207.3	390	
TMP-14R2	4/5/2021	120	208.7	370	
TMP-14R2	4/5/2021	140	200.9	350	
TMP-14R2	4/5/2021	160	170.6	330	
TMP-14R2	4/5/2021	180	147.9	310	
TMP-14R2	4/5/2021	200	124.5	290	
TMP-14R2	4/5/2021	220	100.1	270	
TMP-14R2	4/5/2021	228	95.0	262	
TMP-14R2	4/12/2021	20	106.0	470	
TMP-14R2	4/12/2021	40	159.6	450	
TMP-14R2	4/12/2021	60	181.4	430	
TMP-14R2	4/12/2021	80	187.1	410	
TMP-14R2	4/12/2021	100	207.9	390	
TMP-14R2	4/12/2021	120	209.4	370	
TMP-14R2	4/12/2021	140	201.8	350	
TMP-14R2	4/12/2021	160	171.7	330	
TMP-14R2	4/12/2021	180	149.0	310	
TMP-14R2	4/12/2021	200	125.7	290	

TMP-14R2	4/12/2021	220	101.4	270
TMP-14R2	4/12/2021	228	96.3	262
TMP-14R2	4/19/2021	20	105.2	470
TMP-14R2	4/19/2021	40	159.0	450
TMP-14R2	4/19/2021	60	180.7	430
TMP-14R2	4/19/2021	80	186.4	410
TMP-14R2	4/19/2021	100	207.2	390
TMP-14R2	4/19/2021	120	208.6	370
TMP-14R2	4/19/2021	140	201.0	350
TMP-14R2	4/19/2021	160	171.0	330
TMP-14R2	4/19/2021	180	148.3	310
TMP-14R2	4/19/2021	200	125.0	290
TMP-14R2	4/19/2021	220	100.5	270
TMP-14R2	4/19/2021	228	95.4	262

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	3/22/2021	20	110.3	491	
TMP-16R	3/22/2021	40	149.1	471	
TMP-16R	3/22/2021	60	164.4	451	
TMP-16R	3/22/2021	80	167.3	431	
TMP-16R	3/22/2021	100	159.8	411	
TMP-16R	3/22/2021	120	150.7	391	
TMP-16R	3/22/2021	140	146.9	371	
TMP-16R	3/22/2021	160	121.4	351	
TMP-16R	3/22/2021	180	113.1	331	
TMP-16R	3/22/2021	200	99.3	311	
TMP-16R	3/22/2021	220	94.9	291	
TMP-16R	3/22/2021	230	93.7	281	
TMP-16R	3/29/2021	20	110.9	491	
TMP-16R	3/29/2021	40	149.7	471	
TMP-16R	3/29/2021	60	164.9	451	
TMP-16R	3/29/2021	80	167.7	431	
TMP-16R	3/29/2021	100	160.2	411	
TMP-16R	3/29/2021	120	151.1	391	
TMP-16R	3/29/2021	140	147.4	371	
TMP-16R	3/29/2021	160	122.1	351	
TMP-16R	3/29/2021	180	113.5	331	
TMP-16R	3/29/2021	200	99.7	311	
TMP-16R	3/29/2021	220	95.3	291	
TMP-16R	3/29/2021	230	94.3	281	
TMP-16R	4/5/2021	20	110.2	491	
TMP-16R	4/5/2021	40	149.2	471	
TMP-16R	4/5/2021	60	164.5	451	
TMP-16R	4/5/2021	80	167.3	431	
TMP-16R	4/5/2021	100	159.9	411	
TMP-16R	4/5/2021	120	150.9	391	
TMP-16R	4/5/2021	140	147.2	371	
TMP-16R	4/5/2021	160	122.4	351	
TMP-16R	4/5/2021	180	113.4	331	
TMP-16R	4/5/2021	200	99.7	311	
TMP-16R	4/5/2021	220	95.3	291	
TMP-16R	4/5/2021	230	94.1	281	
TMP-16R	4/12/2021	20	111.6	491	
TMP-16R	4/12/2021	40	150.4	471	
TMP-16R	4/12/2021	60	165.6	451	
TMP-16R	4/12/2021	80	168.4	431	
TMP-16R	4/12/2021	100	160.9	411	
TMP-16R	4/12/2021	120	151.9	391	
TMP-16R	4/12/2021	140	148.0	371	
TMP-16R	4/12/2021	160	123.2	351	
TMP-16R	4/12/2021	180	114.2	331	
TMP-16R	4/12/2021	200	100.6	311	
TMP-16R	4/12/2021	220	96.1	291	
TMP-16R	4/12/2021	230	95.0	281	
TMP-16R	4/19/2021	20	111.2	491	
TMP-16R	4/19/2021	40	150.1	471	
TMP-16R	4/19/2021	60	165.3	451	
TMP-16R	4/19/2021	80	168.0	431	
TMP-16R	4/19/2021	100	160.5	411	
TMP-16R	4/19/2021	120	151.5	391	
TMP-16R	4/19/2021	140	147.8	371	
TMP-16R	4/19/2021	160	123.2	351	
TMP-16R	4/19/2021	180	113.9	331	
TMP-16R	4/19/2021	200	100.4	311	
TMP-16R	4/19/2021	220	96.1	291	
TMP-16R	4/19/2021	230	95.1	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	3/22/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/22/2021	40	142.4	476	
TMP-17	3/22/2021	60	156.9	456	
TMP-17	3/22/2021	80	158.4	436	
TMP-17	3/22/2021	100	154.4	416	
TMP-17	3/22/2021	120	148.1	396	
TMP-17	3/22/2021	140	141.2	376	
TMP-17	3/22/2021	160	129.2	356	
TMP-17	3/22/2021	180	122.0	336	
TMP-17	3/22/2021	200	114.4	316	
TMP-17	3/22/2021	220	107.1	296	
TMP-17	3/22/2021	237	100.3	279	
TMP-17	3/29/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	3/29/2021	40	142.2	476	
TMP-17	3/29/2021	60	157.0	456	
TMP-17	3/29/2021	80	158.8	436	
TMP-17	3/29/2021	100	154.8	416	
TMP-17	3/29/2021	120	148.9	396	
TMP-17	3/29/2021	140	141.6	376	
TMP-17	3/29/2021	160	129.5	356	
TMP-17	3/29/2021	180	122.8	336	
TMP-17	3/29/2021	200	114.6	316	
TMP-17	3/29/2021	220	107.2	296	
TMP-17	3/29/2021	237	100.2	279	
TMP-17	4/5/2021	20	111.4	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	4/5/2021	40	142.6	476	
TMP-17	4/5/2021	60	157.4	456	
TMP-17	4/5/2021	80	159.1	436	
TMP-17	4/5/2021	100	155.1	416	
TMP-17	4/5/2021	120	148.8	396	
TMP-17	4/5/2021	140	141.4	376	
TMP-17	4/5/2021	160	129.7	356	
TMP-17	4/5/2021	180	122.8	336	
TMP-17	4/5/2021	200	114.9	316	
TMP-17	4/5/2021	220	107.5	296	
TMP-17	4/5/2021	237	100.6	279	
TMP-17	4/12/2021	20	111.7	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	4/12/2021	40	142.4	476	
TMP-17	4/12/2021	60	157.9	456	
TMP-17	4/12/2021	80	159.6	436	
TMP-17	4/12/2021	100	155.8	416	
TMP-17	4/12/2021	120	150.0	396	
TMP-17	4/12/2021	140	142.2	376	
TMP-17	4/12/2021	160	130.5	356	
TMP-17	4/12/2021	180	123.9	336	
TMP-17	4/12/2021	200	115.9	316	
TMP-17	4/12/2021	220	108.7	296	
TMP-17	4/12/2021	237	101.6	279	
TMP-17	4/19/2021	20	111.2	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	4/19/2021	40	142.5	476	
TMP-17	4/19/2021	60	157.3	456	
TMP-17	4/19/2021	80	159.0	436	
TMP-17	4/19/2021	100	155.0	416	
TMP-17	4/19/2021	120	149.5	396	
TMP-17	4/19/2021	140	141.8	376	
TMP-17	4/19/2021	160	130.1	356	
TMP-17	4/19/2021	180	123.0	336	
TMP-17	4/19/2021	200	115.4	316	
TMP-17	4/19/2021	220	108.1	296	
TMP-17	4/19/2021	237	101.3	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	3/22/2021	20	97.1	489	
TMP-18	3/22/2021	39	131.1	470	
TMP-18	3/22/2021	58	145.2	451	
TMP-18	3/22/2021	77	145.7	432	
TMP-18	3/22/2021	96	140.8	413	
TMP-18	3/22/2021	115	134.9	394	
TMP-18	3/22/2021	134	128.4	375	
TMP-18	3/22/2021	153	123.0	356	
TMP-18	3/22/2021	172	117.8	337	
TMP-18	3/22/2021	191	113.1	318	
TMP-18	3/22/2021	210	108.7	299	
TMP-18	3/22/2021	227	105.6	282	
TMP-18	3/29/2021	20	96.7	489	
TMP-18	3/29/2021	39	130.9	470	
TMP-18	3/29/2021	58	145.0	451	
TMP-18	3/29/2021	77	145.6	432	
TMP-18	3/29/2021	96	140.9	413	
TMP-18	3/29/2021	115	134.9	394	
TMP-18	3/29/2021	134	128.4	375	
TMP-18	3/29/2021	153	123.1	356	
TMP-18	3/29/2021	172	117.9	337	
TMP-18	3/29/2021	191	113.3	318	
TMP-18	3/29/2021	210	108.8	299	
TMP-18	3/29/2021	227	105.9	282	
TMP-18	4/5/2021	20	96.4	489	
TMP-18	4/5/2021	39	130.6	470	
TMP-18	4/5/2021	58	144.7	451	
TMP-18	4/5/2021	77	145.4	432	
TMP-18	4/5/2021	96	140.6	413	
TMP-18	4/5/2021	115	134.7	394	
TMP-18	4/5/2021	134	128.1	375	
TMP-18	4/5/2021	153	122.8	356	
TMP-18	4/5/2021	172	117.5	337	
TMP-18	4/5/2021	191	113.0	318	
TMP-18	4/5/2021	210	108.2	299	
TMP-18	4/5/2021	227	105.4	282	
TMP-18	4/12/2021	20	96.7	489	
TMP-18	4/12/2021	39	131.2	470	
TMP-18	4/12/2021	58	145.2	451	
TMP-18	4/12/2021	77	145.9	432	
TMP-18	4/12/2021	96	141.5	413	
TMP-18	4/12/2021	115	135.2	394	
TMP-18	4/12/2021	134	128.8	375	
TMP-18	4/12/2021	153	123.6	356	
TMP-18	4/12/2021	172	118.3	337	
TMP-18	4/12/2021	191	113.7	318	
TMP-18	4/12/2021	210	109.0	299	
TMP-18	4/12/2021	227	106.1	282	
TMP-18	4/19/2021	20	96.4	489	
TMP-18	4/19/2021	39	131.0	470	
TMP-18	4/19/2021	58	145.0	451	
TMP-18	4/19/2021	77	145.7	432	
TMP-18	4/19/2021	96	141.1	413	
TMP-18	4/19/2021	115	134.9	394	
TMP-18	4/19/2021	134	128.3	375	
TMP-18	4/19/2021	153	122.9	356	
TMP-18	4/19/2021	172	117.5	337	
TMP-18	4/19/2021	191	112.8	318	
TMP-18	4/19/2021	210	108.0	299	
TMP-18	4/19/2021	227	105.2	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	3/22/2021	13	82.7	461	
TMP-21	3/22/2021	26	93.4	448	
TMP-21	3/22/2021	41	92.4	433	
TMP-21	3/29/2021	13	83.3	461	
TMP-21	3/29/2021	26	94.4	448	
TMP-21	3/29/2021	41	93.2	433	
TMP-21	4/5/2021	13	83.8	461	
TMP-21	4/5/2021	26	94.9	448	
TMP-21	4/5/2021	41	93.8	433	
TMP-21	4/12/2021	13	83.5	461	
TMP-21	4/12/2021	26	94.8	448	
TMP-21	4/12/2021	41	93.8	433	
TMP-21	4/19/2021	13	82.2	461	
TMP-21	4/19/2021	26	93.7	448	
TMP-21	4/19/2021	41	92.8	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	3/22/2021	15	96.0	474	
TMP-22	3/22/2021	31	119.2	458	
TMP-22	3/22/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/22/2021	70	116.7	419	
TMP-22	3/29/2021	15	96.5	474	
TMP-22	3/29/2021	31	120.1	458	
TMP-22	3/29/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/29/2021	70	117.6	419	
TMP-22	4/5/2021	15	97.0	474	
TMP-22	4/5/2021	31	120.2	458	
TMP-22	4/5/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/5/2021	70	117.9	419	
TMP-22	4/12/2021	15	97.0	474	
TMP-22	4/12/2021	31	120.6	458	
TMP-22	4/12/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/12/2021	70	118.3	419	
TMP-22	4/19/2021	15	96.6	474	
TMP-22	4/19/2021	31	120.1	458	
TMP-22	4/19/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/19/2021	70	117.8	419	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	3/22/2021	20	106.9	477	
TMP-23	3/22/2021	38	131.9	459	
TMP-23	3/22/2021	56	138.0	441	
TMP-23	3/22/2021	74	131.2	423	
TMP-23	3/22/2021	92	122.9	405	
TMP-23	3/22/2021	106	115.2	391	
TMP-23	3/29/2021	20	107.3	477	
TMP-23	3/29/2021	38	132.3	459	
TMP-23	3/29/2021	56	138.4	441	
TMP-23	3/29/2021	74	131.6	423	
TMP-23	3/29/2021	92	123.4	405	
TMP-23	3/29/2021	106	115.6	391	
TMP-23	4/5/2021	20	108.3	477	
TMP-23	4/5/2021	38	133.3	459	
TMP-23	4/5/2021	56	139.4	441	
TMP-23	4/5/2021	74	132.6	423	
TMP-23	4/5/2021	92	124.4	405	
TMP-23	4/5/2021	106	116.5	391	
TMP-23	4/12/2021	20	106.9	477	
TMP-23	4/12/2021	38	132.3	459	
TMP-23	4/12/2021	56	138.6	441	
TMP-23	4/12/2021	74	132.0	423	
TMP-23	4/12/2021	92	123.8	405	
TMP-23	4/12/2021	106	116.1	391	
TMP-23	4/19/2021	20	105.0	477	
TMP-23	4/19/2021	38	130.9	459	
TMP-23	4/19/2021	56	137.3	441	
TMP-23	4/19/2021	74	130.6	423	
TMP-23	4/19/2021	92	122.5	405	
TMP-23	4/19/2021	106	114.9	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	3/22/2021	20	96.0	492	
TMP-24	3/22/2021	40	123.6	472	
TMP-24	3/22/2021	60	138.4	452	
TMP-24	3/22/2021	67	139.8	445	
TMP-24	3/29/2021	20	97.4	492	
TMP-24	3/29/2021	40	124.5	472	
TMP-24	3/29/2021	60	139.2	452	
TMP-24	3/29/2021	67	140.7	445	
TMP-24	4/5/2021	20	97.1	492	
TMP-24	4/5/2021	40	124.4	472	
TMP-24	4/5/2021	60	139.3	452	
TMP-24	4/5/2021	67	140.7	445	
TMP-24	4/12/2021	20	97.7	492	
TMP-24	4/12/2021	40	124.9	472	
TMP-24	4/12/2021	60	139.7	452	
TMP-24	4/12/2021	67	141.2	445	
TMP-24	4/19/2021	20	96.8	492	
TMP-24	4/19/2021	40	124.3	472	
TMP-24	4/19/2021	60	139.1	452	
TMP-24	4/19/2021	67	140.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	3/22/2021	20	104.6	493	
TMP-25R	3/22/2021	40	132.7	473	
TMP-25R	3/22/2021	60	157.7	453	
TMP-25R	3/22/2021	80	161.9	433	
TMP-25R	3/22/2021	100	158.8	413	
TMP-25R	3/22/2021	120	149.3	393	
TMP-25R	3/22/2021	140	138.5	373	
TMP-25R	3/22/2021	160	128.4	353	
TMP-25R	3/22/2021	180	120.3	333	
TMP-25R	3/22/2021	200	112.4	313	
TMP-25R	3/22/2021	220	103.7	293	
TMP-25R	3/22/2021	235	95.4	278	
TMP-25R	3/29/2021	20	104.4	493	
TMP-25R	3/29/2021	40	133.6	473	
TMP-25R	3/29/2021	60	157.8	453	
TMP-25R	3/29/2021	80	162.1	433	
TMP-25R	3/29/2021	100	159.0	413	
TMP-25R	3/29/2021	120	149.5	393	
TMP-25R	3/29/2021	140	138.7	373	
TMP-25R	3/29/2021	160	128.5	353	
TMP-25R	3/29/2021	180	120.4	333	
TMP-25R	3/29/2021	200	112.5	313	
TMP-25R	3/29/2021	220	103.7	293	
TMP-25R	3/29/2021	235	95.3	278	
TMP-25R	4/5/2021	20	105.0	493	
TMP-25R	4/5/2021	40	134.0	473	
TMP-25R	4/5/2021	60	158.5	453	
TMP-25R	4/5/2021	80	162.6	433	
TMP-25R	4/5/2021	100	159.6	413	
TMP-25R	4/5/2021	120	150.1	393	
TMP-25R	4/5/2021	140	139.4	373	
TMP-25R	4/5/2021	160	129.2	353	
TMP-25R	4/5/2021	180	121.0	333	
TMP-25R	4/5/2021	200	113.2	313	
TMP-25R	4/5/2021	220	104.3	293	
TMP-25R	4/5/2021	235	96.1	278	
TMP-25R	4/12/2021	20	105.7	493	
TMP-25R	4/12/2021	40	134.7	473	
TMP-25R	4/12/2021	60	159.1	453	
TMP-25R	4/12/2021	80	163.3	433	
TMP-25R	4/12/2021	100	160.3	413	
TMP-25R	4/12/2021	120	150.7	393	
TMP-25R	4/12/2021	140	139.9	373	
TMP-25R	4/12/2021	160	129.7	353	
TMP-25R	4/12/2021	180	121.5	333	
TMP-25R	4/12/2021	200	113.5	313	
TMP-25R	4/12/2021	220	104.4	293	
TMP-25R	4/12/2021	235	96.1	278	
TMP-25R	4/19/2021	20	104.7	493	
TMP-25R	4/19/2021	40	133.5	473	
TMP-25R	4/19/2021	60	158.4	453	
TMP-25R	4/19/2021	80	162.7	433	
TMP-25R	4/19/2021	100	159.7	413	
TMP-25R	4/19/2021	120	150.1	393	
TMP-25R	4/19/2021	140	139.3	373	
TMP-25R	4/19/2021	160	129.1	353	
TMP-25R	4/19/2021	180	120.9	333	
TMP-25R	4/19/2021	200	113.0	313	
TMP-25R	4/19/2021	220	103.9	293	
TMP-25R	4/19/2021	235	95.9	278	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-26R	3/22/2021	20	96.9	473	
TMP-26R	3/22/2021	40	109.2	453	
TMP-26R	3/22/2021	60	109.9	433	
TMP-26R	3/22/2021	80	104.9	413	
TMP-26R	3/22/2021	100	96.1	393	
TMP-26R	3/22/2021	120	106.5	373	
TMP-26R	3/22/2021	140	107.5	353	
TMP-26R	3/22/2021	142	107.3	351	
TMP-26R	3/29/2021	20	97.3	473	
TMP-26R	3/29/2021	40	109.7	453	
TMP-26R	3/29/2021	60	110.4	433	
TMP-26R	3/29/2021	80	105.5	413	
TMP-26R	3/29/2021	100	96.7	393	
TMP-26R	3/29/2021	120	107.2	373	
TMP-26R	3/29/2021	140	108.1	353	
TMP-26R	3/29/2021	142	107.7	351	
TMP-26R	4/5/2021	20	97.8	473	
TMP-26R	4/5/2021	40	110.4	453	
TMP-26R	4/5/2021	60	111.0	433	
TMP-26R	4/5/2021	80	106.2	413	
TMP-26R	4/5/2021	100	97.5	393	
TMP-26R	4/5/2021	120	107.8	373	
TMP-26R	4/5/2021	140	108.8	353	
TMP-26R	4/5/2021	142	108.4	351	
TMP-26R	4/12/2021	20	97.3	473	
TMP-26R	4/12/2021	40	109.9	453	
TMP-26R	4/12/2021	60	110.5	433	
TMP-26R	4/12/2021	80	105.7	413	
TMP-26R	4/12/2021	100	96.9	393	
TMP-26R	4/12/2021	120	107.2	373	
TMP-26R	4/12/2021	140	108.2	353	
TMP-26R	4/12/2021	142	108.1	351	
TMP-26R	4/19/2021	20	97.1	473	
TMP-26R	4/19/2021	40	109.7	453	
TMP-26R	4/19/2021	60	110.4	433	
TMP-26R	4/19/2021	80	105.7	413	
TMP-26R	4/19/2021	100	97.0	393	
TMP-26R	4/19/2021	120	107.2	373	
TMP-26R	4/19/2021	140	108.3	353	
TMP-26R	4/19/2021	142	107.9	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	3/22/2021	20	113.5	493	
TMP-27	3/22/2021	40	141.4	473	
TMP-27	3/22/2021	60	153.8	453	
TMP-27	3/22/2021	80	155.9	433	
TMP-27	3/22/2021	100	151.0	413	
TMP-27	3/22/2021	120	145.4	393	
TMP-27	3/22/2021	140	139.7	373	
TMP-27	3/22/2021	160	132.6	353	
TMP-27	3/22/2021	180	127.2	333	
TMP-27	3/22/2021	200	122.3	313	
TMP-27	3/22/2021	220	115.9	293	
TMP-27	3/22/2021	233	111.6	280	
TMP-27	3/29/2021	20	114.7	493	
TMP-27	3/29/2021	40	142.0	473	
TMP-27	3/29/2021	60	154.3	453	
TMP-27	3/29/2021	80	156.5	433	
TMP-27	3/29/2021	100	151.5	413	
TMP-27	3/29/2021	120	146.0	393	
TMP-27	3/29/2021	140	140.4	373	
TMP-27	3/29/2021	160	133.4	353	
TMP-27	3/29/2021	180	128.2	333	
TMP-27	3/29/2021	200	123.2	313	
TMP-27	3/29/2021	220	116.8	293	
TMP-27	3/29/2021	233	112.4	280	
TMP-27	4/5/2021	20	114.3	493	
TMP-27	4/5/2021	40	141.2	473	
TMP-27	4/5/2021	60	153.6	453	
TMP-27	4/5/2021	80	155.7	433	
TMP-27	4/5/2021	100	150.8	413	
TMP-27	4/5/2021	120	145.2	393	
TMP-27	4/5/2021	140	139.5	373	
TMP-27	4/5/2021	160	132.7	353	
TMP-27	4/5/2021	180	127.4	333	
TMP-27	4/5/2021	200	122.5	313	
TMP-27	4/5/2021	220	116.4	293	
TMP-27	4/5/2021	233	111.7	280	
TMP-27	4/12/2021	20	112.4	493	
TMP-27	4/12/2021	40	140.6	473	
TMP-27	4/12/2021	60	153.3	453	
TMP-27	4/12/2021	80	155.6	433	
TMP-27	4/12/2021	100	150.8	413	
TMP-27	4/12/2021	120	145.3	393	
TMP-27	4/12/2021	140	139.8	373	
TMP-27	4/12/2021	160	132.9	353	
TMP-27	4/12/2021	180	127.9	333	
TMP-27	4/12/2021	200	123.3	313	
TMP-27	4/12/2021	220	116.8	293	
TMP-27	4/12/2021	233	112.4	280	
TMP-27	4/19/2021	20	114.5	493	
TMP-27	4/19/2021	40	141.3	473	
TMP-27	4/19/2021	60	153.7	453	
TMP-27	4/19/2021	80	155.9	433	
TMP-27	4/19/2021	100	151.0	413	
TMP-27	4/19/2021	120	145.5	393	
TMP-27	4/19/2021	140	139.8	373	
TMP-27	4/19/2021	160	133.1	353	
TMP-27	4/19/2021	180	127.8	333	
TMP-27	4/19/2021	200	123.0	313	
TMP-27	4/19/2021	220	116.8	293	
TMP-27	4/19/2021	233	112.2	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	3/22/2021	20	79.2	478	
TMP-28R	3/22/2021	40	111.6	458	
TMP-28R	3/22/2021	60	117.2	438	
TMP-28R	3/22/2021	80	120.3	418	
TMP-28R	3/22/2021	100	120.4	398	
TMP-28R	3/22/2021	120	118.0	378	
TMP-28R	3/22/2021	140	115.5	358	
TMP-28R	3/22/2021	160	112.4	338	
TMP-28R	3/22/2021	180	108.8	318	
TMP-28R	3/22/2021	200	105.9	298	
TMP-28R	3/22/2021	220	101.6	278	
TMP-28R	3/29/2021	20	79.8	478	
TMP-28R	3/29/2021	40	112.4	458	
TMP-28R	3/29/2021	60	117.9	438	
TMP-28R	3/29/2021	80	121.0	418	
TMP-28R	3/29/2021	100	121.0	398	
TMP-28R	3/29/2021	120	118.5	378	
TMP-28R	3/29/2021	140	116.1	358	
TMP-28R	3/29/2021	160	113.0	338	
TMP-28R	3/29/2021	180	109.5	318	
TMP-28R	3/29/2021	200	106.6	298	
TMP-28R	3/29/2021	220	102.4	278	
TMP-28R	4/5/2021	20	77.9	478	
TMP-28R	4/5/2021	40	111.1	458	
TMP-28R	4/5/2021	60	116.6	438	
TMP-28R	4/5/2021	80	120.0	418	
TMP-28R	4/5/2021	100	120.1	398	
TMP-28R	4/5/2021	120	117.9	378	
TMP-28R	4/5/2021	140	115.4	358	
TMP-28R	4/5/2021	160	112.2	338	
TMP-28R	4/5/2021	180	108.7	318	
TMP-28R	4/5/2021	200	105.7	298	
TMP-28R	4/5/2021	220	101.4	278	
TMP-28R	4/12/2021	20	78.1	478	
TMP-28R	4/12/2021	40	111.6	458	
TMP-28R	4/12/2021	60	117.2	438	
TMP-28R	4/12/2021	80	120.3	418	
TMP-28R	4/12/2021	100	120.2	398	
TMP-28R	4/12/2021	120	117.4	378	
TMP-28R	4/12/2021	140	114.6	358	
TMP-28R	4/12/2021	160	111.5	338	
TMP-28R	4/12/2021	180	107.9	318	
TMP-28R	4/12/2021	200	104.9	298	
TMP-28R	4/12/2021	220	100.9	278	
TMP-28R	4/19/2021	20	77.4	478	
TMP-28R	4/19/2021	40	111.1	458	
TMP-28R	4/19/2021	60	116.6	438	
TMP-28R	4/19/2021	80	119.7	418	
TMP-28R	4/19/2021	100	119.6	398	
TMP-28R	4/19/2021	120	116.8	378	
TMP-28R	4/19/2021	140	114.1	358	
TMP-28R	4/19/2021	160	111.1	338	
TMP-28R	4/19/2021	180	107.7	318	
TMP-28R	4/19/2021	200	104.9	298	
TMP-28R	4/19/2021	220	101.2	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	3/22/2021	8	71.5	488	
TMP-29	3/22/2021	16	84.9	480	
TMP-29	3/22/2021	25	88.6	471	
TMP-29	3/29/2021	8	71.5	488	
TMP-29	3/29/2021	16	85.1	480	
TMP-29	3/29/2021	25	89.0	471	
TMP-29	4/5/2021	8	70.9	488	
TMP-29	4/5/2021	16	84.5	480	
TMP-29	4/5/2021	25	88.6	471	
TMP-29	4/12/2021	8	71.4	488	
TMP-29	4/12/2021	16	85.0	480	
TMP-29	4/12/2021	25	89.4	471	
TMP-29	4/19/2021	8	71.4	488	
TMP-29	4/19/2021	16	84.7	480	
TMP-29	4/19/2021	25	89.2	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	3/22/2021	20	88.9	484	
TMP-33	3/22/2021	40	95.9	464	
TMP-33	3/22/2021	53	96.4	451	
TMP-33	3/29/2021	20	89.0	484	
TMP-33	3/29/2021	40	95.8	464	
TMP-33	3/29/2021	53	96.0	451	
TMP-33	4/5/2021	20	88.3	484	
TMP-33	4/5/2021	40	95.4	464	
TMP-33	4/5/2021	53	95.6	451	
TMP-33	4/12/2021	20	89.7	484	
TMP-33	4/12/2021	40	96.7	464	
TMP-33	4/12/2021	53	97.1	451	
TMP-33	4/19/2021	20	87.8	484	
TMP-33	4/19/2021	40	95.4	464	
TMP-33	4/19/2021	53	96.0	451	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	3/22/2021	20	90.9	495	
TMP-34	3/22/2021	40	104.8	475	
TMP-34	3/22/2021	50	106.1	465	
TMP-34	3/22/2021	63	104.8	452	
TMP-34	3/29/2021	20	91.1	495	
TMP-34	3/29/2021	40	104.8	475	
TMP-34	3/29/2021	50	106.0	465	
TMP-34	3/29/2021	63	104.7	452	
TMP-34	4/5/2021	20	91.1	495	
TMP-34	4/5/2021	40	104.3	475	
TMP-34	4/5/2021	50	105.4	465	
TMP-34	4/5/2021	63	104.1	452	
TMP-34	4/12/2021	20	92.5	495	
TMP-34	4/12/2021	40	105.4	475	
TMP-34	4/12/2021	50	106.3	465	
TMP-34	4/12/2021	63	105.1	452	
TMP-34	4/19/2021	20	91.3	495	
TMP-34	4/19/2021	40	105.1	475	
TMP-34	4/19/2021	50	106.4	465	
TMP-34	4/19/2021	63	105.2	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	3/22/2021	20	94.6	500	
TMP-35	3/22/2021	40	104.5	480	
TMP-35	3/22/2021	60	104.4	460	
TMP-35	3/22/2021	70	102.2	450	
TMP-35	3/29/2021	20	96.5	500	
TMP-35	3/29/2021	40	106.0	480	
TMP-35	3/29/2021	60	106.0	460	
TMP-35	3/29/2021	70	103.6	450	
TMP-35	4/5/2021	20	92.6	500	
TMP-35	4/5/2021	40	102.5	480	
TMP-35	4/5/2021	60	102.6	460	
TMP-35	4/5/2021	70	100.6	450	
TMP-35	4/12/2021	20	87.2	500	
TMP-35	4/12/2021	40	97.7	480	
TMP-35	4/12/2021	60	97.4	460	
TMP-35	4/12/2021	70	95.4	450	
TMP-35	4/19/2021	20	89.9	500	
TMP-35	4/19/2021	40	100.2	480	
TMP-35	4/19/2021	60	100.4	460	
TMP-35	4/19/2021	70	98.1	450	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-36R	3/22/2021	15	75.6	472	
TMP-36R	3/22/2021	20	79.7	467	
TMP-36R	3/22/2021	30	81.5	457	
TMP-36R	3/29/2021	15	75.7	472	
TMP-36R	3/29/2021	20	79.6	467	
TMP-36R	3/29/2021	30	81.9	457	
TMP-36R	4/5/2021	15	73.9	472	
TMP-36R	4/5/2021	20	78.1	467	
TMP-36R	4/5/2021	30	80.0	457	
TMP-36R	4/12/2021	15	76.1	472	
TMP-36R	4/12/2021	20	80.3	467	
TMP-36R	4/12/2021	30	82.2	457	
TMP-36R	4/19/2021	15	75.0	472	
TMP-36R	4/19/2021	20	80.7	467	
TMP-36R	4/19/2021	30	84.7	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	3/22/2021	20	84.4	480	
TMP-37	3/22/2021	40	92.4	460	
TMP-37	3/22/2021	50	91.6	450	
TMP-37	3/29/2021	20	85.1	480	
TMP-37	3/29/2021	40	92.9	460	
TMP-37	3/29/2021	50	92.0	450	
TMP-37	4/5/2021	20	84.6	480	
TMP-37	4/5/2021	40	92.3	460	
TMP-37	4/5/2021	50	91.5	450	
TMP-37	4/12/2021	20	86.0	480	
TMP-37	4/12/2021	40	93.9	460	
TMP-37	4/12/2021	50	93.2	450	
TMP-37	4/19/2021	20	83.5	480	
TMP-37	4/19/2021	40	91.8	460	
TMP-37	4/19/2021	50	91.2	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	3/22/2021	20	96.3	495	
TMP-38	3/22/2021	40	108.1	475	
TMP-38	3/22/2021	60	106.0	455	
TMP-38	3/22/2021	70	103.8	445	
TMP-38	3/29/2021	20	96.4	495	
TMP-38	3/29/2021	40	108.1	475	
TMP-38	3/29/2021	60	105.7	455	
TMP-38	3/29/2021	70	103.4	445	
TMP-38	4/5/2021	20	95.8	495	
TMP-38	4/5/2021	40	107.5	475	
TMP-38	4/5/2021	60	105.1	455	
TMP-38	4/5/2021	70	102.8	445	
TMP-38	4/12/2021	20	96.4	495	
TMP-38	4/12/2021	40	108.9	475	
TMP-38	4/12/2021	60	106.5	455	
TMP-38	4/12/2021	70	104.2	445	
TMP-38	4/19/2021	20	96.2	495	
TMP-38	4/19/2021	40	108.1	475	
TMP-38	4/19/2021	60	106.0	455	
TMP-38	4/19/2021	70	103.8	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	3/22/2021	20	101.8	501	
TMP-39	3/22/2021	40	121.7	481	
TMP-39	3/22/2021	60	121.1	461	
TMP-39	3/22/2021	80	115.2	441	
TMP-39	3/29/2021	20	100.9	501	
TMP-39	3/29/2021	40	121.0	481	
TMP-39	3/29/2021	60	120.5	461	
TMP-39	3/29/2021	80	114.5	441	
TMP-39	4/5/2021	20	101.0	501	
TMP-39	4/5/2021	40	121.2	481	
TMP-39	4/5/2021	60	120.5	461	
TMP-39	4/5/2021	80	114.5	441	
TMP-39	4/12/2021	20	101.4	501	
TMP-39	4/12/2021	40	121.6	481	
TMP-39	4/12/2021	60	120.9	461	
TMP-39	4/12/2021	80	115.0	441	
TMP-39	4/19/2021	20	102.6	501	
TMP-39	4/19/2021	40	123.0	481	
TMP-39	4/19/2021	60	122.3	461	
TMP-39	4/19/2021	80	116.4	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	3/22/2021	20	93.9	505	
TMP-40	3/22/2021	40	120.7	485	
TMP-40	3/22/2021	60	125.6	465	
TMP-40	3/22/2021	80	122.3	445	
TMP-40	3/29/2021	20	94.1	505	
TMP-40	3/29/2021	40	120.7	485	
TMP-40	3/29/2021	60	125.5	465	
TMP-40	3/29/2021	80	122.2	445	
TMP-40	4/5/2021	20	94.4	505	
TMP-40	4/5/2021	40	121.0	485	
TMP-40	4/5/2021	60	125.5	465	
TMP-40	4/5/2021	80	122.0	445	
TMP-40	4/12/2021	20	94.7	505	
TMP-40	4/12/2021	40	121.4	485	
TMP-40	4/12/2021	60	126.1	465	
TMP-40	4/12/2021	80	122.8	445	
TMP-40	4/19/2021	20	95.7	505	
TMP-40	4/19/2021	40	122.2	485	
TMP-40	4/19/2021	60	127.0	465	
TMP-40	4/19/2021	80	123.8	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	3/22/2021	20	96.9	504	
TMP-41	3/22/2021	40	120.2	484	
TMP-41	3/22/2021	60	123.1	464	
TMP-41	3/22/2021	80	118.7	444	
TMP-41	3/22/2021	98	112.1	426	
TMP-41	3/29/2021	20	96.5	504	
TMP-41	3/29/2021	40	119.6	484	
TMP-41	3/29/2021	60	122.5	464	
TMP-41	3/29/2021	80	118.2	444	
TMP-41	3/29/2021	98	111.5	426	
TMP-41	4/5/2021	20	96.1	504	
TMP-41	4/5/2021	40	119.4	484	
TMP-41	4/5/2021	60	122.2	464	
TMP-41	4/5/2021	80	117.8	444	
TMP-41	4/5/2021	98	111.1	426	
TMP-41	4/12/2021	20	97.5	504	
TMP-41	4/12/2021	40	120.8	484	
TMP-41	4/12/2021	60	123.8	464	
TMP-41	4/12/2021	80	119.5	444	
TMP-41	4/12/2021	98	112.9	426	
TMP-41	4/19/2021	20	96.0	504	
TMP-41	4/19/2021	40	119.0	484	
TMP-41	4/19/2021	60	121.9	464	
TMP-41	4/19/2021	80	117.4	444	
TMP-41	4/19/2021	98	110.7	426	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	3/22/2021	20	101.3	498	
TMP-42	3/22/2021	40	117.3	478	
TMP-42	3/22/2021	60	117.4	458	
TMP-42	3/22/2021	78	113.3	440	
TMP-42	3/29/2021	20	101.0	498	
TMP-42	3/29/2021	40	117.1	478	
TMP-42	3/29/2021	60	117.2	458	
TMP-42	3/29/2021	78	113.2	440	
TMP-42	4/5/2021	20	100.8	498	
TMP-42	4/5/2021	40	116.9	478	
TMP-42	4/5/2021	60	116.9	458	
TMP-42	4/5/2021	78	112.7	440	
TMP-42	4/12/2021	20	101.5	498	
TMP-42	4/12/2021	40	117.7	478	
TMP-42	4/12/2021	60	117.8	458	
TMP-42	4/12/2021	78	113.6	440	
TMP-42	4/19/2021	20	101.7	498	
TMP-42	4/19/2021	40	118.0	478	
TMP-42	4/19/2021	60	118.2	458	
TMP-42	4/19/2021	78	114.1	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	3/22/2021	20	99.3	496	
TMP-43	3/22/2021	40	118.5	476	
TMP-43	3/22/2021	60	125.3	456	
TMP-43	3/22/2021	80	124.4	436	
TMP-43	3/22/2021	100	118.3	416	
TMP-43	3/29/2021	20	98.6	496	
TMP-43	3/29/2021	40	118.0	476	
TMP-43	3/29/2021	60	124.8	456	
TMP-43	3/29/2021	80	124.0	436	
TMP-43	3/29/2021	100	117.9	416	
TMP-43	4/5/2021	20	97.5	496	
TMP-43	4/5/2021	40	116.7	476	
TMP-43	4/5/2021	60	123.4	456	
TMP-43	4/5/2021	80	122.6	436	
TMP-43	4/5/2021	100	116.6	416	
TMP-43	4/12/2021	20	98.8	496	
TMP-43	4/12/2021	40	118.3	476	
TMP-43	4/12/2021	60	125.1	456	
TMP-43	4/12/2021	80	124.0	436	
TMP-43	4/12/2021	100	118.0	416	
TMP-43	4/19/2021	20	99.2	496	
TMP-43	4/19/2021	40	118.7	476	
TMP-43	4/19/2021	60	125.4	456	
TMP-43	4/19/2021	80	124.6	436	
TMP-43	4/19/2021	100	118.6	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	3/22/2021	20	102.4	491	
TMP-44	3/22/2021	40	129.7	471	
TMP-44	3/22/2021	60	142.9	451	
TMP-44	3/22/2021	80	147.9	431	
TMP-44	3/22/2021	100	150.0	411	
TMP-44	3/22/2021	120	149.5	391	
TMP-44	3/22/2021	140	149.6	371	
TMP-44	3/22/2021	160	138.8	351	
TMP-44	3/22/2021	180	122.2	331	
TMP-44	3/29/2021	20	103.2	491	
TMP-44	3/29/2021	40	130.6	471	
TMP-44	3/29/2021	60	143.8	451	
TMP-44	3/29/2021	80	149.0	431	
TMP-44	3/29/2021	100	151.2	411	
TMP-44	3/29/2021	120	150.6	391	
TMP-44	3/29/2021	140	150.8	371	
TMP-44	3/29/2021	160	140.1	351	
TMP-44	3/29/2021	180	123.4	331	
TMP-44	4/5/2021	20	102.1	491	
TMP-44	4/5/2021	40	129.5	471	
TMP-44	4/5/2021	60	142.7	451	
TMP-44	4/5/2021	80	147.5	431	
TMP-44	4/5/2021	100	149.5	411	
TMP-44	4/5/2021	120	148.8	391	
TMP-44	4/5/2021	140	148.9	371	
TMP-44	4/5/2021	160	138.0	351	
TMP-44	4/5/2021	180	121.5	331	
TMP-44	4/12/2021	20	102.9	491	
TMP-44	4/12/2021	40	130.3	471	
TMP-44	4/12/2021	60	143.6	451	
TMP-44	4/12/2021	80	148.8	431	
TMP-44	4/12/2021	100	151.0	411	
TMP-44	4/12/2021	120	150.3	391	
TMP-44	4/12/2021	140	150.4	371	
TMP-44	4/12/2021	160	139.9	351	
TMP-44	4/12/2021	180	123.3	331	
TMP-44	4/19/2021	20	102.3	491	
TMP-44	4/19/2021	40	129.7	471	
TMP-44	4/19/2021	60	143.0	451	
TMP-44	4/19/2021	80	148.2	431	
TMP-44	4/19/2021	100	150.5	411	
TMP-44	4/19/2021	120	150.3	391	
TMP-44	4/19/2021	140	150.4	371	
TMP-44	4/19/2021	160	139.8	351	
TMP-44	4/19/2021	180	123.3	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	3/22/2021	15	70.6	464	
TMP-45	3/22/2021	30	79.3	449	
TMP-45	3/22/2021	45	83.9	434	
TMP-45	3/29/2021	15	71.2	464	
TMP-45	3/29/2021	30	79.6	449	
TMP-45	3/29/2021	45	83.8	434	
TMP-45	4/5/2021	15	70.9	464	
TMP-45	4/5/2021	30	79.6	449	
TMP-45	4/5/2021	45	83.8	434	
TMP-45	4/12/2021	15	72.2	464	
TMP-45	4/12/2021	30	81.0	449	
TMP-45	4/12/2021	45	85.2	434	
TMP-45	4/19/2021	15	71.5	464	
TMP-45	4/19/2021	30	80.7	449	
TMP-45	4/19/2021	45	84.9	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	3/22/2021	20	71.1	457	
TMP-46	3/22/2021	40	80.1	437	
TMP-46	3/22/2021	60	87.7	417	
TMP-46	3/29/2021	20	71.9	457	
TMP-46	3/29/2021	40	80.5	437	
TMP-46	3/29/2021	60	87.8	417	
TMP-46	4/5/2021	20	71.8	457	
TMP-46	4/5/2021	40	80.6	437	
TMP-46	4/5/2021	60	88.1	417	
TMP-46	4/12/2021	20	72.3	457	
TMP-46	4/12/2021	40	81.4	437	
TMP-46	4/12/2021	60	88.8	417	
TMP-46	4/19/2021	20	71.6	457	
TMP-46	4/19/2021	40	80.9	437	
TMP-46	4/19/2021	60	88.3	417	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-47	3/22/2021	20	65.4	457	
TMP-47	3/22/2021	40	70.9	437	
TMP-47	3/22/2021	60	73.9	417	
TMP-47	3/29/2021	20	66.0	457	
TMP-47	3/29/2021	40	71.6	437	
TMP-47	3/29/2021	60	74.4	417	
TMP-47	4/5/2021	20	65.7	457	
TMP-47	4/5/2021	40	71.6	437	
TMP-47	4/5/2021	60	74.5	417	
TMP-47	4/12/2021	20	65.4	457	
TMP-47	4/12/2021	40	71.8	437	
TMP-47	4/12/2021	60	74.9	417	
TMP-47	4/19/2021	20	64.6	457	
TMP-47	4/19/2021	40	71.2	437	
TMP-47	4/19/2021	60	74.2	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	3/22/2021	20	65.4	455	
TMP-48	3/22/2021	40	67.4	435	
TMP-48	3/22/2021	60	72.4	415	
TMP-48	3/22/2021	72	70.8	403	
TMP-48	3/29/2021	20	66.3	455	
TMP-48	3/29/2021	40	68.2	435	
TMP-48	3/29/2021	60	73.1	415	
TMP-48	3/29/2021	72	71.7	403	
TMP-48	4/5/2021	20	66.0	455	
TMP-48	4/5/2021	40	67.9	435	
TMP-48	4/5/2021	60	72.9	415	
TMP-48	4/5/2021	72	71.4	403	
TMP-48	4/12/2021	20	66.7	455	
TMP-48	4/12/2021	40	68.8	435	
TMP-48	4/12/2021	60	73.6	415	
TMP-48	4/12/2021	72	72.2	403	
TMP-48	4/19/2021	20	67.4	455	
TMP-48	4/19/2021	40	69.9	435	
TMP-48	4/19/2021	60	74.5	415	
TMP-48	4/19/2021	72	72.8	403	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-49	3/22/2021	20	62.9	453	
TMP-49	3/22/2021	40	64.2	433	
TMP-49	3/22/2021	60	67.5	413	
TMP-49	3/29/2021	20	63.7	453	
TMP-49	3/29/2021	40	64.5	433	
TMP-49	3/29/2021	60	68.1	413	
TMP-49	4/5/2021	20	64.3	453	
TMP-49	4/5/2021	40	65.0	433	
TMP-49	4/5/2021	60	68.7	413	
TMP-49	4/12/2021	20	65.0	453	
TMP-49	4/12/2021	40	66.0	433	
TMP-49	4/12/2021	60	70.3	413	
TMP-49	4/19/2021	20	65.1	453	
TMP-49	4/19/2021	40	66.0	433	
TMP-49	4/19/2021	60	70.4	413	