

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/5/2021	20	112.7	475	
TMP-SPM4	4/5/2021	40	134.9	455	
TMP-SPM4	4/5/2021	60	137.0	435	
TMP-SPM4	4/5/2021	80	137.5	415	
TMP-SPM4	4/5/2021	100	133.3	395	
TMP-SPM4	4/5/2021	120	126.1	375	
TMP-SPM4	4/5/2021	140	121.4	355	
TMP-SPM4	4/5/2021	160	115.9	335	
TMP-SPM4	4/5/2021	180	112.2	315	
TMP-SPM4	4/5/2021	200	107.5	295	
TMP-SPM4	4/5/2021	220	96.2	275	
TMP-SPM4	4/5/2021	240	90.3	255	
TMP-SPM4	4/12/2021	20	113.1	475	
TMP-SPM4	4/12/2021	40	135.3	455	
TMP-SPM4	4/12/2021	60	137.3	435	
TMP-SPM4	4/12/2021	80	137.8	415	
TMP-SPM4	4/12/2021	100	133.6	395	
TMP-SPM4	4/12/2021	120	126.3	375	
TMP-SPM4	4/12/2021	140	121.6	355	
TMP-SPM4	4/12/2021	160	116.1	335	
TMP-SPM4	4/12/2021	180	112.3	315	
TMP-SPM4	4/12/2021	200	107.5	295	
TMP-SPM4	4/12/2021	220	96.2	275	
TMP-SPM4	4/12/2021	240	90.3	255	
TMP-SPM4	4/19/2021	20	113.5	475	
TMP-SPM4	4/19/2021	40	135.7	455	
TMP-SPM4	4/19/2021	60	137.7	435	
TMP-SPM4	4/19/2021	80	138.2	415	
TMP-SPM4	4/19/2021	100	134.0	395	
TMP-SPM4	4/19/2021	120	126.9	375	
TMP-SPM4	4/19/2021	140	122.1	355	
TMP-SPM4	4/19/2021	160	116.6	335	
TMP-SPM4	4/19/2021	180	113.0	315	
TMP-SPM4	4/19/2021	200	108.3	295	
TMP-SPM4	4/19/2021	220	97.1	275	
TMP-SPM4	4/19/2021	240	91.2	255	
TMP-SPM4	4/26/2021	20	113.2	475	
TMP-SPM4	4/26/2021	40	135.2	455	
TMP-SPM4	4/26/2021	60	137.0	435	
TMP-SPM4	4/26/2021	80	137.5	415	
TMP-SPM4	4/26/2021	100	133.1	395	
TMP-SPM4	4/26/2021	120	126.0	375	
TMP-SPM4	4/26/2021	140	121.2	355	
TMP-SPM4	4/26/2021	160	115.7	335	
TMP-SPM4	4/26/2021	180	112.1	315	
TMP-SPM4	4/26/2021	200	107.5	295	
TMP-SPM4	4/26/2021	220	96.4	275	
TMP-SPM4	4/26/2021	240	90.6	255	
TMP-SPM4	5/3/2021	20	113.4	475	
TMP-SPM4	5/3/2021	40	135.6	455	
TMP-SPM4	5/3/2021	60	137.4	435	
TMP-SPM4	5/3/2021	80	137.7	415	
TMP-SPM4	5/3/2021	100	133.4	395	
TMP-SPM4	5/3/2021	120	126.2	375	
TMP-SPM4	5/3/2021	140	121.4	355	
TMP-SPM4	5/3/2021	160	115.9	335	
TMP-SPM4	5/3/2021	180	112.3	315	
TMP-SPM4	5/3/2021	200	107.7	295	
TMP-SPM4	5/3/2021	220	96.5	275	
TMP-SPM4	5/3/2021	240	90.5	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/5/2021	20	140.4	473	
TMP-19	4/5/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/5/2021	60	190.2	433	
TMP-19	4/5/2021	80	196.6	413	
TMP-19	4/5/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/12/2021	20	140.8	473	
TMP-19	4/12/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/12/2021	60	190.8	433	
TMP-19	4/12/2021	80	197.3	413	
TMP-19	4/12/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/19/2021	20	141.3	473	
TMP-19	4/19/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/19/2021	60	190.5	433	
TMP-19	4/19/2021	80	197.4	413	
TMP-19	4/19/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/26/2021	20	140.4	473	
TMP-19	4/26/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/26/2021	60	189.5	433	
TMP-19	4/26/2021	80	196.5	413	
TMP-19	4/26/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/3/2021	20	140.1	473	
TMP-19	5/3/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/3/2021	60	189.1	433	
TMP-19	5/3/2021	80	196.3	413	
TMP-19	5/3/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/5/2021	20	101.4	478	
TMP-20	4/5/2021	40	148.1	458	
TMP-20	4/5/2021	60	172.2	438	
TMP-20	4/5/2021	80	185.5	418	
TMP-20	4/5/2021	100	202.0	398	
TMP-20	4/5/2021	120	218.2	378	
TMP-20	4/5/2021	140	220.3	358	
TMP-20	4/12/2021	20	101.0	478	
TMP-20	4/12/2021	40	148.1	458	
TMP-20	4/12/2021	60	172.3	438	
TMP-20	4/12/2021	80	185.8	418	
TMP-20	4/12/2021	100	202.3	398	
TMP-20	4/12/2021	120	218.5	378	
TMP-20	4/12/2021	140	220.7	358	
TMP-20	4/19/2021	20	102.8	478	
TMP-20	4/19/2021	40	149.3	458	
TMP-20	4/19/2021	60	173.2	438	
TMP-20	4/19/2021	80	186.4	418	
TMP-20	4/19/2021	100	202.9	398	
TMP-20	4/19/2021	120	218.9	378	
TMP-20	4/19/2021	140	221.0	358	
TMP-20	4/26/2021	20	101.8	478	
TMP-20	4/26/2021	40	148.6	458	
TMP-20	4/26/2021	60	172.7	438	
TMP-20	4/26/2021	80	185.9	418	
TMP-20	4/26/2021	100	202.4	398	
TMP-20	4/26/2021	120	218.6	378	
TMP-20	4/26/2021	140	220.9	358	
TMP-20	5/3/2021	20	100.7	478	
TMP-20	5/3/2021	40	147.6	458	
TMP-20	5/3/2021	60	171.9	438	
TMP-20	5/3/2021	80	185.2	418	
TMP-20	5/3/2021	100	201.8	398	
TMP-20	5/3/2021	120	218.1	378	
TMP-20	5/3/2021	140	220.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/5/2021	20	104.9	475	
TMP-10-9N	4/5/2021	40	129.4	455	
TMP-10-9N	4/5/2021	60	124.3	435	
TMP-10-9N	4/5/2021	80	126.8	415	
TMP-10-9N	4/5/2021	100	136.2	395	
TMP-10-9N	4/12/2021	20	105.2	475	
TMP-10-9N	4/12/2021	40	129.6	455	
TMP-10-9N	4/12/2021	60	124.3	435	
TMP-10-9N	4/12/2021	80	126.8	415	
TMP-10-9N	4/12/2021	100	136.1	395	
TMP-10-9N	4/19/2021	20	105.6	475	
TMP-10-9N	4/19/2021	40	130.2	455	
TMP-10-9N	4/19/2021	60	125.1	435	
TMP-10-9N	4/19/2021	80	127.7	415	
TMP-10-9N	4/19/2021	100	136.9	395	
TMP-10-9N	4/26/2021	20	105.4	475	
TMP-10-9N	4/26/2021	40	130.4	455	
TMP-10-9N	4/26/2021	60	125.3	435	
TMP-10-9N	4/26/2021	80	128.0	415	
TMP-10-9N	4/26/2021	100	137.2	395	
TMP-10-9N	5/3/2021	20	103.9	475	
TMP-10-9N	5/3/2021	40	129.0	455	
TMP-10-9N	5/3/2021	60	123.6	435	
TMP-10-9N	5/3/2021	80	126.4	415	
TMP-10-9N	5/3/2021	100	135.7	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/5/2021	20	103.4	476	
TMP-10-9S	4/5/2021	40	142.9	456	
TMP-10-9S	4/5/2021	60	157.6	436	
TMP-10-9S	4/5/2021	80	166.4	416	
TMP-10-9S	4/5/2021	100	185.9	396	
TMP-10-9S	4/12/2021	20	103.0	476	
TMP-10-9S	4/12/2021	40	142.5	456	
TMP-10-9S	4/12/2021	60	157.3	436	
TMP-10-9S	4/12/2021	80	166.0	416	
TMP-10-9S	4/12/2021	100	185.4	396	
TMP-10-9S	4/19/2021	20	103.8	476	
TMP-10-9S	4/19/2021	40	143.6	456	
TMP-10-9S	4/19/2021	60	158.2	436	
TMP-10-9S	4/19/2021	80	167.0	416	
TMP-10-9S	4/19/2021	100	186.7	396	
TMP-10-9S	4/26/2021	20	103.2	476	
TMP-10-9S	4/26/2021	40	142.8	456	
TMP-10-9S	4/26/2021	60	157.6	436	
TMP-10-9S	4/26/2021	80	166.1	416	
TMP-10-9S	4/26/2021	100	185.7	396	
TMP-10-9S	5/3/2021	20	103.5	476	
TMP-10-9S	5/3/2021	40	143.1	456	
TMP-10-9S	5/3/2021	60	157.7	436	
TMP-10-9S	5/3/2021	80	166.4	416	
TMP-10-9S	5/3/2021	100	185.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/5/2021	20	91.5	478	
TMP-10-5N	4/5/2021	40	112.5	458	
TMP-10-5N	4/5/2021	60	94.0	438	
TMP-10-5N	4/5/2021	80	88.4	418	
TMP-10-5N	4/5/2021	100	85.4	398	
TMP-10-5N	4/12/2021	20	91.3	478	
TMP-10-5N	4/12/2021	40	113.0	458	
TMP-10-5N	4/12/2021	60	95.8	438	
TMP-10-5N	4/12/2021	80	91.0	418	
TMP-10-5N	4/12/2021	100	87.7	398	
TMP-10-5N	4/19/2021	20	91.8	478	
TMP-10-5N	4/19/2021	40	113.5	458	
TMP-10-5N	4/19/2021	60	95.8	438	
TMP-10-5N	4/19/2021	80	90.4	418	
TMP-10-5N	4/19/2021	100	86.8	398	
TMP-10-5N	4/26/2021	20	92.1	478	
TMP-10-5N	4/26/2021	40	113.8	458	
TMP-10-5N	4/26/2021	60	95.7	438	
TMP-10-5N	4/26/2021	80	90.4	418	
TMP-10-5N	4/26/2021	100	87.2	398	
TMP-10-5N	5/3/2021	20	90.4	478	
TMP-10-5N	5/3/2021	40	113.4	458	
TMP-10-5N	5/3/2021	60	97.4	438	
TMP-10-5N	5/3/2021	80	93.3	418	
TMP-10-5N	5/3/2021	100	89.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/5/2021	20	97.7	477	
TMP-10-5S	4/5/2021	40	134.6	457	
TMP-10-5S	4/5/2021	60	141.5	437	
TMP-10-5S	4/5/2021	80	152.9	417	
TMP-10-5S	4/5/2021	100	170.5	397	
TMP-10-5S	4/12/2021	20	97.1	477	
TMP-10-5S	4/12/2021	40	134.4	457	
TMP-10-5S	4/12/2021	60	141.3	437	
TMP-10-5S	4/12/2021	80	152.6	417	
TMP-10-5S	4/12/2021	100	170.3	397	
TMP-10-5S	4/19/2021	20	98.4	477	
TMP-10-5S	4/19/2021	40	135.3	457	
TMP-10-5S	4/19/2021	60	142.1	437	
TMP-10-5S	4/19/2021	80	153.3	417	
TMP-10-5S	4/19/2021	100	171.0	397	
TMP-10-5S	4/26/2021	20	97.6	477	
TMP-10-5S	4/26/2021	40	134.9	457	
TMP-10-5S	4/26/2021	60	141.7	437	
TMP-10-5S	4/26/2021	80	152.9	417	
TMP-10-5S	4/26/2021	100	170.6	397	
TMP-10-5S	5/3/2021	20	97.6	477	
TMP-10-5S	5/3/2021	40	135.0	457	
TMP-10-5S	5/3/2021	60	141.7	437	
TMP-10-5S	5/3/2021	80	152.9	417	
TMP-10-5S	5/3/2021	100	170.6	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/5/2021	20	95.1	476	
TMP-5-9N	4/5/2021	40	134.6	456	
TMP-5-9N	4/5/2021	60	140.1	436	
TMP-5-9N	4/5/2021	80	220.2	416	
TMP-5-9N	4/5/2021	100	244.3	396	
TMP-5-9N	4/12/2021	20	94.4	476	
TMP-5-9N	4/12/2021	40	134.2	456	
TMP-5-9N	4/12/2021	60	140.1	436	
TMP-5-9N	4/12/2021	80	219.4	416	
TMP-5-9N	4/12/2021	100	243.8	396	
TMP-5-9N	4/19/2021	20	94.6	476	
TMP-5-9N	4/19/2021	40	134.6	456	
TMP-5-9N	4/19/2021	60	140.5	436	
TMP-5-9N	4/19/2021	80	219.5	416	
TMP-5-9N	4/19/2021	100	243.9	396	
TMP-5-9N	4/26/2021	20	93.9	476	
TMP-5-9N	4/26/2021	40	134.4	456	
TMP-5-9N	4/26/2021	60	140.0	436	
TMP-5-9N	4/26/2021	80	219.8	416	
TMP-5-9N	4/26/2021	100	243.6	396	
TMP-5-9N	5/3/2021	20	95.0	476	
TMP-5-9N	5/3/2021	40	135.5	456	
TMP-5-9N	5/3/2021	60	141.8	436	
TMP-5-9N	5/3/2021	80	220.0	416	
TMP-5-9N	5/3/2021	100	244.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/5/2021	20	109.0	476	
TMP-5-9S	4/5/2021	40	167.2	456	
TMP-5-9S	4/5/2021	60	204.2	436	
TMP-5-9S	4/5/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/5/2021	100			No readings could be obtained
TMP-5-9S	4/12/2021	20	109.5	476	
TMP-5-9S	4/12/2021	40	167.9	456	
TMP-5-9S	4/12/2021	60	204.6	436	
TMP-5-9S	4/12/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/12/2021	100			No readings could be obtained
TMP-5-9S	4/19/2021	20	109.0	476	
TMP-5-9S	4/19/2021	40	167.7	456	
TMP-5-9S	4/19/2021	60	204.1	436	
TMP-5-9S	4/19/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/19/2021	100			No readings could be obtained
TMP-5-9S	4/26/2021	20	108.6	476	
TMP-5-9S	4/26/2021	40	167.3	456	
TMP-5-9S	4/26/2021	60	204.2	436	
TMP-5-9S	4/26/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/26/2021	100			No readings could be obtained
TMP-5-9S	5/3/2021	20	107.8	476	
TMP-5-9S	5/3/2021	40	166.5	456	
TMP-5-9S	5/3/2021	60	203.3	436	
TMP-5-9S	5/3/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/3/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/5/2021	20	89.8	475	
TMP-5-5N	4/5/2021	40	103.5	455	
TMP-5-5N	4/5/2021	60	92.1	435	
TMP-5-5N	4/5/2021	80	214.5	415	
TMP-5-5N	4/5/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/12/2021	20	89.8	475	
TMP-5-5N	4/12/2021	40	103.1	455	
TMP-5-5N	4/12/2021	60	92.3	435	
TMP-5-5N	4/12/2021	80	213.4	415	
TMP-5-5N	4/12/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/19/2021	20	89.7	475	
TMP-5-5N	4/19/2021	40	104.8	455	
TMP-5-5N	4/19/2021	60	91.7	435	
TMP-5-5N	4/19/2021	80	213.5	415	
TMP-5-5N	4/19/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/26/2021	20	89.2	475	
TMP-5-5N	4/26/2021	40	103.2	455	
TMP-5-5N	4/26/2021	60	92.7	435	
TMP-5-5N	4/26/2021	80	213.3	415	
TMP-5-5N	4/26/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/3/2021	20	91.2	475	
TMP-5-5N	5/3/2021	40	107.1	455	
TMP-5-5N	5/3/2021	60	99.9	435	
TMP-5-5N	5/3/2021	80	213.5	415	
TMP-5-5N	5/3/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/5/2021	20	108.6	474	
TMP-5-5S	4/5/2021	40	159.5	454	
TMP-5-5S	4/5/2021	60	190.6	434	
TMP-5-5S	4/5/2021	80	228.8	414	
TMP-5-5S	4/5/2021	100	233.8	394	
TMP-5-5S	4/12/2021	20	108.9	474	
TMP-5-5S	4/12/2021	40	159.8	454	
TMP-5-5S	4/12/2021	60	190.5	434	
TMP-5-5S	4/12/2021	80	229.1	414	
TMP-5-5S	4/12/2021	100	234.0	394	
TMP-5-5S	4/19/2021	20	108.8	474	
TMP-5-5S	4/19/2021	40	159.8	454	
TMP-5-5S	4/19/2021	60	190.2	434	
TMP-5-5S	4/19/2021	80	229.0	414	
TMP-5-5S	4/19/2021	100	233.8	394	
TMP-5-5S	4/26/2021	20	107.5	474	
TMP-5-5S	4/26/2021	40	159.5	454	
TMP-5-5S	4/26/2021	60	190.5	434	
TMP-5-5S	4/26/2021	80	228.7	414	
TMP-5-5S	4/26/2021	100	233.6	394	
TMP-5-5S	5/3/2021	20	106.7	474	
TMP-5-5S	5/3/2021	40	158.6	454	
TMP-5-5S	5/3/2021	60	189.7	434	
TMP-5-5S	5/3/2021	80	227.9	414	
TMP-5-5S	5/3/2021	100	232.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/5/2021	20	151.3	474	
TMP-31	4/5/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/5/2021	120	267.0	374	
TMP-31	4/12/2021	20	151.3	474	
TMP-31	4/12/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/12/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/12/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/12/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/12/2021	120	267.5	374	
TMP-31	4/19/2021	20	151.9	474	
TMP-31	4/19/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/19/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/19/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/19/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/19/2021	120	267.6	374	
TMP-31	4/26/2021	20	150.3	474	
TMP-31	4/26/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	120	266.5	374	
TMP-31	5/3/2021	20	150.2	474	
TMP-31	5/3/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	120	266.7	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/5/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	60	223.6	444	
TMP-32	4/5/2021	80	239.1	424	
TMP-32	4/5/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/5/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	60	224	444	
TMP-32	4/12/2021	80	239.5	424	
TMP-32	4/12/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/12/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	60	223.9	444	
TMP-32	4/19/2021	80	239.5	424	
TMP-32	4/19/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/19/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	60	223.5	444	
TMP-32	4/26/2021	80	238.8	424	
TMP-32	4/26/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	60	222.9	444	
TMP-32	5/3/2021	80	238.3	424	
TMP-32	5/3/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/5/2021	20	131.2	473	
TMP-SPM1	4/5/2021	40	153.2	453	
TMP-SPM1	4/5/2021	60	168.3	433	
TMP-SPM1	4/5/2021	80	162.7	413	
TMP-SPM1	4/5/2021	100	164.3	393	
TMP-SPM1	4/5/2021	120	160.9	373	
TMP-SPM1	4/5/2021	140	151.5	353	
TMP-SPM1	4/5/2021	160	133.7	333	
TMP-SPM1	4/5/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/5/2021	200	105.4	293	
TMP-SPM1	4/5/2021	220	92.1	273	
TMP-SPM1	4/5/2021	240	89.1	253	
TMP-SPM1	4/12/2021	20	130.8	473	
TMP-SPM1	4/12/2021	40	153.1	453	
TMP-SPM1	4/12/2021	60	168.1	433	
TMP-SPM1	4/12/2021	80	162.7	413	
TMP-SPM1	4/12/2021	100	164.5	393	
TMP-SPM1	4/12/2021	120	161.1	373	
TMP-SPM1	4/12/2021	140	151.8	353	
TMP-SPM1	4/12/2021	160	134.1	333	
TMP-SPM1	4/12/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/12/2021	200	105.8	293	
TMP-SPM1	4/12/2021	220	92.5	273	
TMP-SPM1	4/12/2021	240	89.5	253	
TMP-SPM1	4/19/2021	20	130.6	473	
TMP-SPM1	4/19/2021	40	153.2	453	
TMP-SPM1	4/19/2021	60	167.8	433	
TMP-SPM1	4/19/2021	80	162.6	413	
TMP-SPM1	4/19/2021	100	164.3	393	
TMP-SPM1	4/19/2021	120	161.0	373	
TMP-SPM1	4/19/2021	140	151.7	353	
TMP-SPM1	4/19/2021	160	133.9	333	
TMP-SPM1	4/19/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/19/2021	200	105.7	293	
TMP-SPM1	4/19/2021	220	92.5	273	
TMP-SPM1	4/19/2021	240	89.5	253	
TMP-SPM1	4/26/2021	20	131.3	473	
TMP-SPM1	4/26/2021	40	153.9	453	
TMP-SPM1	4/26/2021	60	167.9	433	
TMP-SPM1	4/26/2021	80	162.9	413	
TMP-SPM1	4/26/2021	100	164.6	393	
TMP-SPM1	4/26/2021	120	161.1	373	
TMP-SPM1	4/26/2021	140	151.9	353	
TMP-SPM1	4/26/2021	160	134.0	333	
TMP-SPM1	4/26/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/26/2021	200	105.8	293	
TMP-SPM1	4/26/2021	220	92.6	273	
TMP-SPM1	4/26/2021	240	89.5	253	
TMP-SPM1	5/3/2021	20	130.3	473	
TMP-SPM1	5/3/2021	40	153.3	453	
TMP-SPM1	5/3/2021	60	167.1	433	
TMP-SPM1	5/3/2021	80	162.2	413	
TMP-SPM1	5/3/2021	100	164.1	393	
TMP-SPM1	5/3/2021	120	160.9	373	
TMP-SPM1	5/3/2021	140	151.8	353	
TMP-SPM1	5/3/2021	160	134.3	333	
TMP-SPM1	5/3/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/3/2021	200	106.3	293	
TMP-SPM1	5/3/2021	220	93.0	273	
TMP-SPM1	5/3/2021	240	89.9	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/5/2021	20	120.6	475	
TMP-SPM2	4/5/2021	40	141.3	455	
TMP-SPM2	4/5/2021	60	137.3	435	
TMP-SPM2	4/5/2021	80	152.2	415	
TMP-SPM2	4/5/2021	100	171.3	395	
TMP-SPM2	4/5/2021	120	175.7	375	
TMP-SPM2	4/5/2021	140	181.6	355	
TMP-SPM2	4/5/2021	160	162.4	335	
TMP-SPM2	4/5/2021	172	147.7	323	
TMP-SPM2	4/12/2021	20	120.5	475	
TMP-SPM2	4/12/2021	40	140.9	455	
TMP-SPM2	4/12/2021	60	136.9	435	
TMP-SPM2	4/12/2021	80	151.6	415	
TMP-SPM2	4/12/2021	100	170.7	395	
TMP-SPM2	4/12/2021	120	175.1	375	
TMP-SPM2	4/12/2021	140	181.2	355	
TMP-SPM2	4/12/2021	160	162.2	335	
TMP-SPM2	4/12/2021	172	147.6	323	
TMP-SPM2	4/19/2021	20	120.3	475	
TMP-SPM2	4/19/2021	40	140.9	455	
TMP-SPM2	4/19/2021	60	137.2	435	
TMP-SPM2	4/19/2021	80	151.9	415	
TMP-SPM2	4/19/2021	100	170.8	395	
TMP-SPM2	4/19/2021	120	175.4	375	
TMP-SPM2	4/19/2021	140	181.5	355	
TMP-SPM2	4/19/2021	160	162.8	335	
TMP-SPM2	4/19/2021	172	148.4	323	
TMP-SPM2	4/26/2021	20	121.4	475	
TMP-SPM2	4/26/2021	40	141.9	455	
TMP-SPM2	4/26/2021	60	138.1	435	
TMP-SPM2	4/26/2021	80	152.6	415	
TMP-SPM2	4/26/2021	100	171.3	395	
TMP-SPM2	4/26/2021	120	175.7	375	
TMP-SPM2	4/26/2021	140	182.0	355	
TMP-SPM2	4/26/2021	160	163.2	335	
TMP-SPM2	4/26/2021	172	148.7	323	
TMP-SPM2	5/3/2021	20	120.5	475	
TMP-SPM2	5/3/2021	40	141.2	455	
TMP-SPM2	5/3/2021	60	137.6	435	
TMP-SPM2	5/3/2021	80	151.9	415	
TMP-SPM2	5/3/2021	100	170.8	395	
TMP-SPM2	5/3/2021	120	175.3	375	
TMP-SPM2	5/3/2021	140	181.6	355	
TMP-SPM2	5/3/2021	160	163.1	335	
TMP-SPM2	5/3/2021	172	148.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/5/2021	20	105.6	478	
TMP-SPM3	4/5/2021	40	105.3	458	
TMP-SPM3	4/5/2021	60	100.1	438	
TMP-SPM3	4/5/2021	80	104.5	418	
TMP-SPM3	4/5/2021	85	106.5	413	
TMP-SPM3	4/12/2021	20	105.2	478	
TMP-SPM3	4/12/2021	40	105.4	458	
TMP-SPM3	4/12/2021	60	100.2	438	
TMP-SPM3	4/12/2021	80	104.7	418	
TMP-SPM3	4/12/2021	85	106.8	413	
TMP-SPM3	4/19/2021	20	104.9	478	
TMP-SPM3	4/19/2021	40	105.0	458	
TMP-SPM3	4/19/2021	60	99.9	438	
TMP-SPM3	4/19/2021	80	104.5	418	
TMP-SPM3	4/19/2021	85	106.6	413	
TMP-SPM3	4/26/2021	20	106.3	478	
TMP-SPM3	4/26/2021	40	106.5	458	
TMP-SPM3	4/26/2021	60	101.4	438	
TMP-SPM3	4/26/2021	80	105.9	418	
TMP-SPM3	4/26/2021	85	107.7	413	
TMP-SPM3	5/3/2021	20	105.9	478	
TMP-SPM3	5/3/2021	40	106.3	458	
TMP-SPM3	5/3/2021	60	101.5	438	
TMP-SPM3	5/3/2021	80	105.9	418	
TMP-SPM3	5/3/2021	85	108.1	413	