

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/26/2021	20	140.4	473	
TMP-19	4/26/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/26/2021	60	189.5	433	
TMP-19	4/26/2021	80	196.5	413	
TMP-19	4/26/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/3/2021	20	140.1	473	
TMP-19	5/3/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/3/2021	60	189.1	433	
TMP-19	5/3/2021	80	196.3	413	
TMP-19	5/3/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/10/2021	20	140.6	473	
TMP-19	5/10/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/10/2021	60	189.9	433	
TMP-19	5/10/2021	80	197.2	413	
TMP-19	5/10/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/17/2021	20	140.2	473	
TMP-19	5/17/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/17/2021	60	188.7	433	
TMP-19	5/17/2021	80	195.8	413	
TMP-19	5/17/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/24/2021	20	139.4	473	
TMP-19	5/24/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/24/2021	60	188.4	433	
TMP-19	5/24/2021	80	195.8	413	
TMP-19	5/24/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/26/2021	20	101.8	478	
TMP-20	4/26/2021	40	148.6	458	
TMP-20	4/26/2021	60	172.7	438	
TMP-20	4/26/2021	80	185.9	418	
TMP-20	4/26/2021	100	202.4	398	
TMP-20	4/26/2021	120	218.6	378	
TMP-20	4/26/2021	140	220.9	358	
TMP-20	5/3/2021	20	100.7	478	
TMP-20	5/3/2021	40	147.6	458	
TMP-20	5/3/2021	60	171.9	438	
TMP-20	5/3/2021	80	185.2	418	
TMP-20	5/3/2021	100	201.8	398	
TMP-20	5/3/2021	120	218.1	378	
TMP-20	5/3/2021	140	220.4	358	
TMP-20	5/10/2021	20	100.7	478	
TMP-20	5/10/2021	40	147.9	458	
TMP-20	5/10/2021	60	172.2	438	
TMP-20	5/10/2021	80	185.3	418	
TMP-20	5/10/2021	100	202.1	398	
TMP-20	5/10/2021	120	218.4	378	
TMP-20	5/10/2021	140	220.8	358	
TMP-20	5/17/2021	20	100.8	478	
TMP-20	5/17/2021	40	147.4	458	
TMP-20	5/17/2021	60	171.4	438	
TMP-20	5/17/2021	80	184.6	418	
TMP-20	5/17/2021	100	201.2	398	
TMP-20	5/17/2021	120	217.6	378	
TMP-20	5/17/2021	140	220.1	358	
TMP-20	5/24/2021	20	100.7	478	
TMP-20	5/24/2021	40	147.4	458	
TMP-20	5/24/2021	60	171.3	438	
TMP-20	5/24/2021	80	184.4	418	
TMP-20	5/24/2021	100	200.9	398	
TMP-20	5/24/2021	120	217.1	378	
TMP-20	5/24/2021	140	219.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/26/2021	20	105.4	475	
TMP-10-9N	4/26/2021	40	130.4	455	
TMP-10-9N	4/26/2021	60	125.3	435	
TMP-10-9N	4/26/2021	80	128.0	415	
TMP-10-9N	4/26/2021	100	137.2	395	
TMP-10-9N	5/3/2021	20	103.9	475	
TMP-10-9N	5/3/2021	40	129.0	455	
TMP-10-9N	5/3/2021	60	123.6	435	
TMP-10-9N	5/3/2021	80	126.4	415	
TMP-10-9N	5/3/2021	100	135.7	395	
TMP-10-9N	5/10/2021	20	104.3	475	
TMP-10-9N	5/10/2021	40	129.8	455	
TMP-10-9N	5/10/2021	60	124.6	435	
TMP-10-9N	5/10/2021	80	127.7	415	
TMP-10-9N	5/10/2021	100	137.1	395	
TMP-10-9N	5/17/2021	20	104.9	475	
TMP-10-9N	5/17/2021	40	130.7	455	
TMP-10-9N	5/17/2021	60	125.5	435	
TMP-10-9N	5/17/2021	80	128.5	415	
TMP-10-9N	5/17/2021	100	137.6	395	
TMP-10-9N	5/24/2021	20	104.0	475	
TMP-10-9N	5/24/2021	40	129.6	455	
TMP-10-9N	5/24/2021	60	124.3	435	
TMP-10-9N	5/24/2021	80	127.4	415	
TMP-10-9N	5/24/2021	100	136.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/26/2021	20	103.2	476	
TMP-10-9S	4/26/2021	40	142.8	456	
TMP-10-9S	4/26/2021	60	157.6	436	
TMP-10-9S	4/26/2021	80	166.1	416	
TMP-10-9S	4/26/2021	100	185.7	396	
TMP-10-9S	5/3/2021	20	103.5	476	
TMP-10-9S	5/3/2021	40	143.1	456	
TMP-10-9S	5/3/2021	60	157.7	436	
TMP-10-9S	5/3/2021	80	166.4	416	
TMP-10-9S	5/3/2021	100	185.9	396	
TMP-10-9S	5/10/2021	20	103.0	476	
TMP-10-9S	5/10/2021	40	142.7	456	
TMP-10-9S	5/10/2021	60	157.1	436	
TMP-10-9S	5/10/2021	80	165.9	416	
TMP-10-9S	5/10/2021	100	185.6	396	
TMP-10-9S	5/17/2021	20	103.5	476	
TMP-10-9S	5/17/2021	40	143.1	456	
TMP-10-9S	5/17/2021	60	157.3	436	
TMP-10-9S	5/17/2021	80	166.1	416	
TMP-10-9S	5/17/2021	100	185.7	396	
TMP-10-9S	5/24/2021	20	101.8	476	
TMP-10-9S	5/24/2021	40	141.9	456	
TMP-10-9S	5/24/2021	60	156.0	436	
TMP-10-9S	5/24/2021	80	165.2	416	
TMP-10-9S	5/24/2021	100	185.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/26/2021	20	92.1	478	
TMP-10-5N	4/26/2021	40	113.8	458	
TMP-10-5N	4/26/2021	60	95.7	438	
TMP-10-5N	4/26/2021	80	90.4	418	
TMP-10-5N	4/26/2021	100	87.2	398	
TMP-10-5N	5/3/2021	20	90.4	478	
TMP-10-5N	5/3/2021	40	113.4	458	
TMP-10-5N	5/3/2021	60	97.4	438	
TMP-10-5N	5/3/2021	80	93.3	418	
TMP-10-5N	5/3/2021	100	89.9	398	
TMP-10-5N	5/10/2021	20	91.7	478	
TMP-10-5N	5/10/2021	40	114.5	458	
TMP-10-5N	5/10/2021	60	97.9	438	
TMP-10-5N	5/10/2021	80	92.8	418	
TMP-10-5N	5/10/2021	100	88.9	398	
TMP-10-5N	5/17/2021	20	91.8	478	
TMP-10-5N	5/17/2021	40	114.6	458	
TMP-10-5N	5/17/2021	60	97.6	438	
TMP-10-5N	5/17/2021	80	92.8	418	
TMP-10-5N	5/24/2021	20	90.9	478	
TMP-10-5N	5/24/2021	40	114.8	458	
TMP-10-5N	5/24/2021	60	99.9	438	
TMP-10-5N	5/24/2021	80	95.2	418	
TMP-10-5N	5/24/2021	100	92.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/26/2021	20	97.6	477	
TMP-10-5S	4/26/2021	40	134.9	457	
TMP-10-5S	4/26/2021	60	141.7	437	
TMP-10-5S	4/26/2021	80	152.9	417	
TMP-10-5S	4/26/2021	100	170.6	397	
TMP-10-5S	5/3/2021	20	97.6	477	
TMP-10-5S	5/3/2021	40	135.0	457	
TMP-10-5S	5/3/2021	60	141.7	437	
TMP-10-5S	5/3/2021	80	152.9	417	
TMP-10-5S	5/3/2021	100	170.6	397	
TMP-10-5S	5/10/2021	20	96.6	477	
TMP-10-5S	5/10/2021	40	134.2	457	
TMP-10-5S	5/10/2021	60	141.0	437	
TMP-10-5S	5/10/2021	80	152.3	417	
TMP-10-5S	5/10/2021	100	170.2	397	
TMP-10-5S	5/17/2021	20	97.8	477	
TMP-10-5S	5/17/2021	40	135.3	457	
TMP-10-5S	5/17/2021	60	142.0	437	
TMP-10-5S	5/17/2021	80	153.2	417	
TMP-10-5S	5/17/2021	100	170.9	397	
TMP-10-5S	5/24/2021	20	95.9	477	
TMP-10-5S	5/24/2021	40	133.6	457	
TMP-10-5S	5/24/2021	60	140.3	437	
TMP-10-5S	5/24/2021	80	151.5	417	
TMP-10-5S	5/24/2021	100	169.3	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/26/2021	20	93.9	476	
TMP-5-9N	4/26/2021	40	134.4	456	
TMP-5-9N	4/26/2021	60	140.0	436	
TMP-5-9N	4/26/2021	80	219.8	416	
TMP-5-9N	4/26/2021	100	243.6	396	
TMP-5-9N	5/3/2021	20	95.0	476	
TMP-5-9N	5/3/2021	40	135.5	456	
TMP-5-9N	5/3/2021	60	141.8	436	
TMP-5-9N	5/3/2021	80	220.0	416	
TMP-5-9N	5/3/2021	100	244.3	396	
TMP-5-9N	5/10/2021	20	93.7	476	
TMP-5-9N	5/10/2021	40	135.0	456	
TMP-5-9N	5/10/2021	60	142.0	436	
TMP-5-9N	5/10/2021	80	219.6	416	
TMP-5-9N	5/10/2021	100	243.8	396	
TMP-5-9N	5/17/2021	20	94.0	476	
TMP-5-9N	5/17/2021	40	135.5	456	
TMP-5-9N	5/17/2021	60	142.4	436	
TMP-5-9N	5/17/2021	80	219.3	416	
TMP-5-9N	5/17/2021	100	243.7	396	
TMP-5-9N	5/24/2021	20	93.9	476	
TMP-5-9N	5/24/2021	40	135.6	456	
TMP-5-9N	5/24/2021	60	142.5	436	
TMP-5-9N	5/24/2021	80	218.6	416	
TMP-5-9N	5/24/2021	100	243.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/26/2021	20	108.6	476	
TMP-5-9S	4/26/2021	40	167.3	456	
TMP-5-9S	4/26/2021	60	204.2	436	
TMP-5-9S	4/26/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/26/2021	100			No readings could be obtained
TMP-5-9S	5/3/2021	20	107.8	476	
TMP-5-9S	5/3/2021	40	166.5	456	
TMP-5-9S	5/3/2021	60	203.3	436	
TMP-5-9S	5/3/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/3/2021	100			No readings could be obtained
TMP-5-9S	5/10/2021	20	107.5	476	
TMP-5-9S	5/10/2021	40	167.0	456	
TMP-5-9S	5/10/2021	60	203.2	436	
TMP-5-9S	5/10/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/10/2021	100			No readings could be obtained
TMP-5-9S	5/17/2021	20	108.4	476	
TMP-5-9S	5/17/2021	40	167.6	456	
TMP-5-9S	5/17/2021	60	203.5	436	
TMP-5-9S	5/17/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/17/2021	100			No readings could be obtained
TMP-5-9S	5/24/2021	20	106.4	476	
TMP-5-9S	5/24/2021	40	165.8	456	
TMP-5-9S	5/24/2021	60	201.3	436	
TMP-5-9S	5/24/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/24/2021	100			No readings could be obtained



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/26/2021	20	89.2	475	
TMP-5-5N	4/26/2021	40	103.2	455	
TMP-5-5N	4/26/2021	60	92.7	435	
TMP-5-5N	4/26/2021	80	213.3	415	
TMP-5-5N	4/26/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/3/2021	20	91.2	475	
TMP-5-5N	5/3/2021	40	107.1	455	
TMP-5-5N	5/3/2021	60	99.9	435	
TMP-5-5N	5/3/2021	80	213.5	415	
TMP-5-5N	5/3/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/10/2021	20	90.8	475	
TMP-5-5N	5/10/2021	40	107.9	455	
TMP-5-5N	5/10/2021	60	96.3	435	
TMP-5-5N	5/10/2021	80	213.0	415	
TMP-5-5N	5/10/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/17/2021	20	90.5	475	
TMP-5-5N	5/17/2021	40	109.5	455	
TMP-5-5N	5/17/2021	60	99.2	435	
TMP-5-5N	5/17/2021	80	211.6	415	
TMP-5-5N	5/17/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/24/2021	20	90.8	475	
TMP-5-5N	5/24/2021	40	112.5	455	
TMP-5-5N	5/24/2021	60	102.9	435	
TMP-5-5N	5/24/2021	80	210.4	415	
TMP-5-5N	5/24/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/26/2021	20	107.5	474	
TMP-5-5S	4/26/2021	40	159.5	454	
TMP-5-5S	4/26/2021	60	190.5	434	
TMP-5-5S	4/26/2021	80	228.7	414	
TMP-5-5S	4/26/2021	100	233.6	394	
TMP-5-5S	5/3/2021	20	106.7	474	
TMP-5-5S	5/3/2021	40	158.6	454	
TMP-5-5S	5/3/2021	60	189.7	434	
TMP-5-5S	5/3/2021	80	227.9	414	
TMP-5-5S	5/3/2021	100	232.7	394	
TMP-5-5S	5/10/2021	20	106.5	474	
TMP-5-5S	5/10/2021	40	158.1	454	
TMP-5-5S	5/10/2021	60	188.5	434	
TMP-5-5S	5/10/2021	80	227.6	414	
TMP-5-5S	5/10/2021	100	232.5	394	
TMP-5-5S	5/17/2021	20	107.6	474	
TMP-5-5S	5/17/2021	40	159.4	454	
TMP-5-5S	5/17/2021	60	189.7	434	
TMP-5-5S	5/17/2021	80	228.7	414	
TMP-5-5S	5/17/2021	100	233.4	394	
TMP-5-5S	5/24/2021	20	106.0	474	
TMP-5-5S	5/24/2021	40	157.7	454	
TMP-5-5S	5/24/2021	60	188.3	434	
TMP-5-5S	5/24/2021	80	226.9	414	
TMP-5-5S	5/24/2021	100	231.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/26/2021	20	150.3	474	
TMP-31	4/26/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/26/2021	120	266.5	374	
TMP-31	5/3/2021	20	150.2	474	
TMP-31	5/3/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/3/2021	120	266.7	374	
TMP-31	5/10/2021	20	151.2	474	
TMP-31	5/10/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/10/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/10/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/10/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/10/2021	120	267.2	374	
TMP-31	5/17/2021	20	149.8	474	
TMP-31	5/17/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	120	266.4	374	
TMP-31	5/24/2021	20	150.1	474	
TMP-31	5/24/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	120	266.3	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/26/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	60	223.5	444	
TMP-32	4/26/2021	80	238.8	424	
TMP-32	4/26/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/26/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	60	222.9	444	
TMP-32	5/3/2021	80	238.3	424	
TMP-32	5/3/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/3/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	60	224	444	
TMP-32	5/10/2021	80	239.2	424	
TMP-32	5/10/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/10/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	60	223.3	444	
TMP-32	5/17/2021	80	238.4	424	
TMP-32	5/17/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	60	223.4	444	
TMP-32	5/24/2021	80	239.2	424	
TMP-32	5/24/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/26/2021	20	131.3	473	
TMP-SPM1	4/26/2021	40	153.9	453	
TMP-SPM1	4/26/2021	60	167.9	433	
TMP-SPM1	4/26/2021	80	162.9	413	
TMP-SPM1	4/26/2021	100	164.6	393	
TMP-SPM1	4/26/2021	120	161.1	373	
TMP-SPM1	4/26/2021	140	151.9	353	
TMP-SPM1	4/26/2021	160	134.0	333	
TMP-SPM1	4/26/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/26/2021	200	105.8	293	
TMP-SPM1	4/26/2021	220	92.6	273	
TMP-SPM1	4/26/2021	240	89.5	253	
TMP-SPM1	5/3/2021	20	130.3	473	
TMP-SPM1	5/3/2021	40	153.3	453	
TMP-SPM1	5/3/2021	60	167.1	433	
TMP-SPM1	5/3/2021	80	162.2	413	
TMP-SPM1	5/3/2021	100	164.1	393	
TMP-SPM1	5/3/2021	120	160.9	373	
TMP-SPM1	5/3/2021	140	151.8	353	
TMP-SPM1	5/3/2021	160	134.3	333	
TMP-SPM1	5/3/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/3/2021	200	106.3	293	
TMP-SPM1	5/3/2021	220	93.0	273	
TMP-SPM1	5/3/2021	240	89.9	253	
TMP-SPM1	5/10/2021	20	130.1	473	
TMP-SPM1	5/10/2021	40	153.5	453	
TMP-SPM1	5/10/2021	60	167.1	433	
TMP-SPM1	5/10/2021	80	162.5	413	
TMP-SPM1	5/10/2021	100	164.5	393	
TMP-SPM1	5/10/2021	120	161.3	373	
TMP-SPM1	5/10/2021	140	152.3	353	
TMP-SPM1	5/10/2021	160	134.7	333	
TMP-SPM1	5/10/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/10/2021	200	106.5	293	
TMP-SPM1	5/10/2021	220	93.1	273	
TMP-SPM1	5/10/2021	240	89.9	253	
TMP-SPM1	5/17/2021	20	130.6	473	
TMP-SPM1	5/17/2021	40	153.7	453	
TMP-SPM1	5/17/2021	60	166.7	433	
TMP-SPM1	5/17/2021	80	162.1	413	
TMP-SPM1	5/17/2021	100	164.1	393	
TMP-SPM1	5/17/2021	120	160.7	373	
TMP-SPM1	5/17/2021	140	151.7	353	
TMP-SPM1	5/17/2021	160	133.9	333	
TMP-SPM1	5/17/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/17/2021	200	105.5	293	
TMP-SPM1	5/17/2021	220	92.1	273	
TMP-SPM1	5/17/2021	240	89.0	253	
TMP-SPM1	5/24/2021	20	130.5	473	
TMP-SPM1	5/24/2021	40	153.9	453	
TMP-SPM1	5/24/2021	60	166.8	433	
TMP-SPM1	5/24/2021	80	162.1	413	
TMP-SPM1	5/24/2021	100	164.0	393	
TMP-SPM1	5/24/2021	120	160.7	373	
TMP-SPM1	5/24/2021	140	151.5	353	
TMP-SPM1	5/24/2021	160	133.7	333	
TMP-SPM1	5/24/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/24/2021	200	105.6	293	
TMP-SPM1	5/24/2021	220	92.4	273	
TMP-SPM1	5/24/2021	240	89.2	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/26/2021	20	121.4	475	
TMP-SPM2	4/26/2021	40	141.9	455	
TMP-SPM2	4/26/2021	60	138.1	435	
TMP-SPM2	4/26/2021	80	152.6	415	
TMP-SPM2	4/26/2021	100	171.3	395	
TMP-SPM2	4/26/2021	120	175.7	375	
TMP-SPM2	4/26/2021	140	182.0	355	
TMP-SPM2	4/26/2021	160	163.2	335	
TMP-SPM2	4/26/2021	172	148.7	323	
TMP-SPM2	5/3/2021	20	120.5	475	
TMP-SPM2	5/3/2021	40	141.2	455	
TMP-SPM2	5/3/2021	60	137.6	435	
TMP-SPM2	5/3/2021	80	151.9	415	
TMP-SPM2	5/3/2021	100	170.8	395	
TMP-SPM2	5/3/2021	120	175.3	375	
TMP-SPM2	5/3/2021	140	181.6	355	
TMP-SPM2	5/3/2021	160	163.1	335	
TMP-SPM2	5/3/2021	172	148.7	323	
TMP-SPM2	5/10/2021	20	119.0	475	
TMP-SPM2	5/10/2021	40	139.7	455	
TMP-SPM2	5/10/2021	60	136.1	435	
TMP-SPM2	5/10/2021	80	150.2	415	
TMP-SPM2	5/10/2021	100	169.1	395	
TMP-SPM2	5/10/2021	120	173.6	375	
TMP-SPM2	5/10/2021	140	180.2	355	
TMP-SPM2	5/10/2021	160	161.6	335	
TMP-SPM2	5/10/2021	172	147.0	323	
TMP-SPM2	5/17/2021	20	120.5	475	
TMP-SPM2	5/17/2021	40	141.4	455	
TMP-SPM2	5/17/2021	60	137.8	435	
TMP-SPM2	5/17/2021	80	151.9	415	
TMP-SPM2	5/17/2021	100	170.6	395	
TMP-SPM2	5/17/2021	120	175.1	375	
TMP-SPM2	5/17/2021	140	181.7	355	
TMP-SPM2	5/17/2021	160	163.3	335	
TMP-SPM2	5/17/2021	172	149.0	323	
TMP-SPM2	5/24/2021	20	119.9	475	
TMP-SPM2	5/24/2021	40	140.9	455	
TMP-SPM2	5/24/2021	60	137.3	435	
TMP-SPM2	5/24/2021	80	151.2	415	
TMP-SPM2	5/24/2021	100	169.8	395	
TMP-SPM2	5/24/2021	120	174.4	375	
TMP-SPM2	5/24/2021	140	181.1	355	
TMP-SPM2	5/24/2021	160	162.9	335	
TMP-SPM2	5/24/2021	172	148.6	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/26/2021	20	106.3	478	
TMP-SPM3	4/26/2021	40	106.5	458	
TMP-SPM3	4/26/2021	60	101.4	438	
TMP-SPM3	4/26/2021	80	105.9	418	
TMP-SPM3	4/26/2021	85	107.7	413	
TMP-SPM3	5/3/2021	20	105.9	478	
TMP-SPM3	5/3/2021	40	106.3	458	
TMP-SPM3	5/3/2021	60	101.5	438	
TMP-SPM3	5/3/2021	80	105.9	418	
TMP-SPM3	5/3/2021	85	108.1	413	
TMP-SPM3	5/10/2021	20	104.4	478	
TMP-SPM3	5/10/2021	40	104.6	458	
TMP-SPM3	5/10/2021	60	99.6	438	
TMP-SPM3	5/10/2021	80	104.1	418	
TMP-SPM3	5/10/2021	85	106.2	413	
TMP-SPM3	5/17/2021	20	105.9	478	
TMP-SPM3	5/17/2021	40	106.1	458	
TMP-SPM3	5/17/2021	60	101.4	438	
TMP-SPM3	5/17/2021	80	105.8	418	
TMP-SPM3	5/17/2021	85	107.7	413	
TMP-SPM3	5/24/2021	20	105.8	478	
TMP-SPM3	5/24/2021	40	105.9	458	
TMP-SPM3	5/24/2021	60	101.1	438	
TMP-SPM3	5/24/2021	80	105.4	418	
TMP-SPM3	5/24/2021	85	107.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/26/2021	20	113.2	475	
TMP-SPM4	4/26/2021	40	135.2	455	
TMP-SPM4	4/26/2021	60	137.0	435	
TMP-SPM4	4/26/2021	80	137.5	415	
TMP-SPM4	4/26/2021	100	133.1	395	
TMP-SPM4	4/26/2021	120	126.0	375	
TMP-SPM4	4/26/2021	140	121.2	355	
TMP-SPM4	4/26/2021	160	115.7	335	
TMP-SPM4	4/26/2021	180	112.1	315	
TMP-SPM4	4/26/2021	200	107.5	295	
TMP-SPM4	4/26/2021	220	96.4	275	
TMP-SPM4	4/26/2021	240	90.6	255	
TMP-SPM4	5/3/2021	20	113.4	475	
TMP-SPM4	5/3/2021	40	135.6	455	
TMP-SPM4	5/3/2021	60	137.4	435	
TMP-SPM4	5/3/2021	80	137.7	415	
TMP-SPM4	5/3/2021	100	133.4	395	
TMP-SPM4	5/3/2021	120	126.2	375	
TMP-SPM4	5/3/2021	140	121.4	355	
TMP-SPM4	5/3/2021	160	115.9	335	
TMP-SPM4	5/3/2021	180	112.3	315	
TMP-SPM4	5/3/2021	200	107.7	295	
TMP-SPM4	5/3/2021	220	96.5	275	
TMP-SPM4	5/3/2021	240	90.5	255	
TMP-SPM4	5/10/2021	20	114.2	475	
TMP-SPM4	5/10/2021	40	136.4	455	
TMP-SPM4	5/10/2021	60	138.4	435	
TMP-SPM4	5/10/2021	80	138.8	415	
TMP-SPM4	5/10/2021	100	134.3	395	
TMP-SPM4	5/10/2021	120	127.0	375	
TMP-SPM4	5/10/2021	140	122.3	355	
TMP-SPM4	5/10/2021	160	116.8	335	
TMP-SPM4	5/10/2021	180	113.0	315	
TMP-SPM4	5/10/2021	200	108.1	295	
TMP-SPM4	5/10/2021	220	96.7	275	
TMP-SPM4	5/10/2021	240	90.5	255	
TMP-SPM4	5/17/2021	20	112.3	475	
TMP-SPM4	5/17/2021	40	134.3	455	
TMP-SPM4	5/17/2021	60	136.3	435	
TMP-SPM4	5/17/2021	80	136.6	415	
TMP-SPM4	5/17/2021	100	132.3	395	
TMP-SPM4	5/17/2021	120	125.2	375	
TMP-SPM4	5/17/2021	140	120.5	355	
TMP-SPM4	5/17/2021	160	115.1	335	
TMP-SPM4	5/17/2021	180	111.5	315	
TMP-SPM4	5/17/2021	200	106.9	295	
TMP-SPM4	5/17/2021	220	95.8	275	
TMP-SPM4	5/17/2021	240	90.0	255	
TMP-SPM4	5/24/2021	20	111.9	475	
TMP-SPM4	5/24/2021	40	134.0	455	
TMP-SPM4	5/24/2021	60	136.0	435	
TMP-SPM4	5/24/2021	80	136.4	415	
TMP-SPM4	5/24/2021	100	132.2	395	
TMP-SPM4	5/24/2021	120	125.0	375	
TMP-SPM4	5/24/2021	140	120.3	355	
TMP-SPM4	5/24/2021	160	114.9	335	
TMP-SPM4	5/24/2021	180	111.4	315	
TMP-SPM4	5/24/2021	200	106.9	295	
TMP-SPM4	5/24/2021	220	95.9	275	
TMP-SPM4	5/24/2021	240	89.9	255	