

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/17/2021	20	140.2	473	
TMP-19	5/17/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/17/2021	60	188.7	433	
TMP-19	5/17/2021	80	195.8	413	
TMP-19	5/17/2021	140		353	[not reliable - connectivity test]
TMP-19	5/24/2021	20	139.4	473	
TMP-19	5/24/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/24/2021	60	188.4	433	
TMP-19	5/24/2021	80	195.8	413	
TMP-19	5/24/2021	140		353	[not reliable - connectivity test]
TMP-19	6/1/2021	20	139.5	473	
TMP-19	6/1/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2021	60	188.2	433	
TMP-19	6/1/2021	80	195.6	413	
TMP-19	6/1/2021	140		353	[not reliable - connectivity test]
TMP-19	6/7/2021	20	139.2	473	
TMP-19	6/7/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/7/2021	60	187.6	433	
TMP-19	6/7/2021	80	195.0	413	
TMP-19	6/7/2021	140		353	[not reliable - connectivity test]
TMP-19	6/14/2021	20	138.7	473	
TMP-19	6/14/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/14/2021	60	186.9	433	
TMP-19	6/14/2021	80	194.4	413	
TMP-19	6/14/2021	140		353	[not reliable - connectivity test]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/17/2021	20	100.8	478	
TMP-20	5/17/2021	40	147.4	458	
TMP-20	5/17/2021	60	171.4	438	
TMP-20	5/17/2021	80	184.6	418	
TMP-20	5/17/2021	100	201.2	398	
TMP-20	5/17/2021	120	217.6	378	
TMP-20	5/17/2021	140	220.1	358	
TMP-20	5/24/2021	20	100.7	478	
TMP-20	5/24/2021	40	147.4	458	
TMP-20	5/24/2021	60	171.3	438	
TMP-20	5/24/2021	80	184.4	418	
TMP-20	5/24/2021	100	200.9	398	
TMP-20	5/24/2021	120	217.1	378	
TMP-20	5/24/2021	140	219.5	358	
TMP-20	6/1/2021	20	100.1	478	
TMP-20	6/1/2021	40	146.9	458	
TMP-20	6/1/2021	60	170.7	438	
TMP-20	6/1/2021	80	183.9	418	
TMP-20	6/1/2021	100	200.4	398	
TMP-20	6/1/2021	120	216.7	378	
TMP-20	6/1/2021	140	219.2	358	
TMP-20	6/7/2021	20	99.4	478	
TMP-20	6/7/2021	40	146.3	458	
TMP-20	6/7/2021	60	170.2	438	
TMP-20	6/7/2021	80	183.1	418	
TMP-20	6/7/2021	100	199.8	398	
TMP-20	6/7/2021	120	216.1	378	
TMP-20	6/7/2021	140	218.6	358	
TMP-20	6/14/2021	20	98.6	478	
TMP-20	6/14/2021	40	145.7	458	
TMP-20	6/14/2021	60	169.5	438	
TMP-20	6/14/2021	80	182.4	418	
TMP-20	6/14/2021	100	199.0	398	
TMP-20	6/14/2021	120	215.1	378	
TMP-20	6/14/2021	140	217.7	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/17/2021	20	104.9	475	
TMP-10-9N	5/17/2021	40	130.7	455	
TMP-10-9N	5/17/2021	60	125.5	435	
TMP-10-9N	5/17/2021	80	128.5	415	
TMP-10-9N	5/17/2021	100	137.6	395	
TMP-10-9N	5/24/2021	20	104.0	475	
TMP-10-9N	5/24/2021	40	129.6	455	
TMP-10-9N	5/24/2021	60	124.3	435	
TMP-10-9N	5/24/2021	80	127.4	415	
TMP-10-9N	5/24/2021	100	136.6	395	
TMP-10-9N	6/1/2021	20	104.8	475	
TMP-10-9N	6/1/2021	40	131.2	455	
TMP-10-9N	6/1/2021	60	126.2	435	
TMP-10-9N	6/1/2021	80	129.4	415	
TMP-10-9N	6/1/2021	100	138.6	395	
TMP-10-9N	6/7/2021	20	103.9	475	
TMP-10-9N	6/7/2021	40	130.3	455	
TMP-10-9N	6/7/2021	60	125.3	435	
TMP-10-9N	6/7/2021	80	128.5	415	
TMP-10-9N	6/7/2021	100	137.8	395	
TMP-10-9N	6/14/2021	20	102.9	475	
TMP-10-9N	6/14/2021	40	129.5	455	
TMP-10-9N	6/14/2021	60	124.7	435	
TMP-10-9N	6/14/2021	80	128.3	415	
TMP-10-9N	6/14/2021	100	137.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/17/2021	20	103.5	476	
TMP-10-9S	5/17/2021	40	143.1	456	
TMP-10-9S	5/17/2021	60	157.3	436	
TMP-10-9S	5/17/2021	80	166.1	416	
TMP-10-9S	5/17/2021	100	185.7	396	
TMP-10-9S	5/24/2021	20	101.8	476	
TMP-10-9S	5/24/2021	40	141.9	456	
TMP-10-9S	5/24/2021	60	156.0	436	
TMP-10-9S	5/24/2021	80	165.2	416	
TMP-10-9S	5/24/2021	100	185.0	396	
TMP-10-9S	6/1/2021	20	102.9	476	
TMP-10-9S	6/1/2021	40	142.7	456	
TMP-10-9S	6/1/2021	60	156.7	436	
TMP-10-9S	6/1/2021	80	165.6	416	
TMP-10-9S	6/1/2021	100	185.3	396	
TMP-10-9S	6/7/2021	20	102.4	476	
TMP-10-9S	6/7/2021	40	142.3	456	
TMP-10-9S	6/7/2021	60	156.3	436	
TMP-10-9S	6/7/2021	80	165.3	416	
TMP-10-9S	6/7/2021	100	184.9	396	
TMP-10-9S	6/14/2021	20	100.2	476	
TMP-10-9S	6/14/2021	40	140.1	456	
TMP-10-9S	6/14/2021	60	154.3	436	
TMP-10-9S	6/14/2021	80	163.2	416	
TMP-10-9S	6/14/2021	100	183.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/17/2021	20	91.8	478	
TMP-10-5N	5/17/2021	40	114.6	458	
TMP-10-5N	5/17/2021	60	97.6	438	
TMP-10-5N	5/17/2021	80	92.8	418	
TMP-10-5N	5/24/2021	20	90.9	478	
TMP-10-5N	5/24/2021	40	114.8	458	
TMP-10-5N	5/24/2021	60	99.9	438	
TMP-10-5N	5/24/2021	80	95.2	418	
TMP-10-5N	5/24/2021	100	92.4	398	
TMP-10-5N	6/1/2021	20	92.4	478	
TMP-10-5N	6/1/2021	40	116.2	458	
TMP-10-5N	6/1/2021	60	100.8	438	
TMP-10-5N	6/1/2021	80	96.2	418	
TMP-10-5N	6/1/2021	100	93.4	398	
TMP-10-5N	6/7/2021	20	91.5	478	
TMP-10-5N	6/7/2021	40	115.8	458	
TMP-10-5N	6/7/2021	60	101.2	438	
TMP-10-5N	6/7/2021	80	98.0	418	
TMP-10-5N	6/7/2021	100	95.6	398	
TMP-10-5N	6/14/2021	20	91.8	478	
TMP-10-5N	6/14/2021	40	116.9	458	
TMP-10-5N	6/14/2021	60	103.9	438	
TMP-10-5N	6/14/2021	80	101.0	418	
TMP-10-5N	6/14/2021	100	98.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/17/2021	20	97.8	477	
TMP-10-5S	5/17/2021	40	135.3	457	
TMP-10-5S	5/17/2021	60	142.0	437	
TMP-10-5S	5/17/2021	80	153.2	417	
TMP-10-5S	5/17/2021	100	170.9	397	
TMP-10-5S	5/24/2021	20	95.9	477	
TMP-10-5S	5/24/2021	40	133.6	457	
TMP-10-5S	5/24/2021	60	140.3	437	
TMP-10-5S	5/24/2021	80	151.5	417	
TMP-10-5S	5/24/2021	100	169.3	397	
TMP-10-5S	6/1/2021	20	97.2	477	
TMP-10-5S	6/1/2021	40	135.1	457	
TMP-10-5S	6/1/2021	60	141.7	437	
TMP-10-5S	6/1/2021	80	152.7	417	
TMP-10-5S	6/1/2021	100	170.4	397	
TMP-10-5S	6/7/2021	20	96.9	477	
TMP-10-5S	6/7/2021	40	134.7	457	
TMP-10-5S	6/7/2021	60	141.4	437	
TMP-10-5S	6/7/2021	80	152.3	417	
TMP-10-5S	6/7/2021	100	170.0	397	
TMP-10-5S	6/14/2021	20	94.9	477	
TMP-10-5S	6/14/2021	40	132.6	457	
TMP-10-5S	6/14/2021	60	139.3	437	
TMP-10-5S	6/14/2021	80	150.2	417	
TMP-10-5S	6/14/2021	100	167.8	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/17/2021	20	94.0	476	
TMP-5-9N	5/17/2021	40	135.5	456	
TMP-5-9N	5/17/2021	60	142.4	436	
TMP-5-9N	5/17/2021	80	219.3	416	
TMP-5-9N	5/17/2021	100	243.7	396	
TMP-5-9N	5/24/2021	20	93.9	476	
TMP-5-9N	5/24/2021	40	135.6	456	
TMP-5-9N	5/24/2021	60	142.5	436	
TMP-5-9N	5/24/2021	80	218.6	416	
TMP-5-9N	5/24/2021	100	243.0	396	
TMP-5-9N	6/1/2021	20	93.9	476	
TMP-5-9N	6/1/2021	40	136.4	456	
TMP-5-9N	6/1/2021	60	143.9	436	
TMP-5-9N	6/1/2021	80	218.7	416	
TMP-5-9N	6/1/2021	100	243.5	396	
TMP-5-9N	6/7/2021	20	93.8	476	
TMP-5-9N	6/7/2021	40	136.4	456	
TMP-5-9N	6/7/2021	60	143.8	436	
TMP-5-9N	6/7/2021	80	218.5	416	
TMP-5-9N	6/7/2021	100	243.1	396	
TMP-5-9N	6/14/2021	20	92.9	476	
TMP-5-9N	6/14/2021	40	135.4	456	
TMP-5-9N	6/14/2021	60	143.3	436	
TMP-5-9N	6/14/2021	80	217.0	416	
TMP-5-9N	6/14/2021	100	241.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/17/2021	20	108.4	476	
TMP-5-9S	5/17/2021	40	167.6	456	
TMP-5-9S	5/17/2021	60	203.5	436	
TMP-5-9S	5/17/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/17/2021	100			No readings could be obtained
TMP-5-9S	5/24/2021	20	106.4	476	
TMP-5-9S	5/24/2021	40	165.8	456	
TMP-5-9S	5/24/2021	60	201.3	436	
TMP-5-9S	5/24/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/24/2021	100			No readings could be obtained
TMP-5-9S	6/1/2021	20	108.1	476	
TMP-5-9S	6/1/2021	40	167.5	456	
TMP-5-9S	6/1/2021	60	202.9	436	
TMP-5-9S	6/1/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/1/2021	100			No readings could be obtained
TMP-5-9S	6/7/2021	20	108.0	476	
TMP-5-9S	6/7/2021	40	167.3	456	
TMP-5-9S	6/7/2021	60	203.1	436	
TMP-5-9S	6/7/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/7/2021	100			No readings could be obtained
TMP-5-9S	6/14/2021	20	107.0	476	
TMP-5-9S	6/14/2021	40	166.5	456	
TMP-5-9S	6/14/2021	60	201.8	436	
TMP-5-9S	6/14/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/14/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/17/2021	20	90.5	475	
TMP-5-5N	5/17/2021	40	109.5	455	
TMP-5-5N	5/17/2021	60	99.2	435	
TMP-5-5N	5/17/2021	80	211.6	415	
TMP-5-5N	5/17/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/24/2021	20	90.8	475	
TMP-5-5N	5/24/2021	40	112.5	455	
TMP-5-5N	5/24/2021	60	102.9	435	
TMP-5-5N	5/24/2021	80	210.4	415	
TMP-5-5N	5/24/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/1/2021	20	91.5	475	
TMP-5-5N	6/1/2021	40	112.2	455	
TMP-5-5N	6/1/2021	60	101.7	435	
TMP-5-5N	6/1/2021	80	211.2	415	
TMP-5-5N	6/1/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/7/2021	20	91.7	475	
TMP-5-5N	6/7/2021	40	113.3	455	
TMP-5-5N	6/7/2021	60	104.9	435	
TMP-5-5N	6/7/2021	80	211.1	415	
TMP-5-5N	6/7/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/14/2021	20	91.1	475	
TMP-5-5N	6/14/2021	40	113.5	455	
TMP-5-5N	6/14/2021	60	105.2	435	
TMP-5-5N	6/14/2021	80	209.1	415	
TMP-5-5N	6/14/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/17/2021	20	107.6	474	
TMP-5-5S	5/17/2021	40	159.4	454	
TMP-5-5S	5/17/2021	60	189.7	434	
TMP-5-5S	5/17/2021	80	228.7	414	
TMP-5-5S	5/17/2021	100	233.4	394	
TMP-5-5S	5/24/2021	20	106.0	474	
TMP-5-5S	5/24/2021	40	157.7	454	
TMP-5-5S	5/24/2021	60	188.3	434	
TMP-5-5S	5/24/2021	80	226.9	414	
TMP-5-5S	5/24/2021	100	231.7	394	
TMP-5-5S	6/1/2021	20	107.4	474	
TMP-5-5S	6/1/2021	40	159.3	454	
TMP-5-5S	6/1/2021	60	190.0	434	
TMP-5-5S	6/1/2021	80	228.4	414	
TMP-5-5S	6/1/2021	100	233.2	394	
TMP-5-5S	6/7/2021	20	107.5	474	
TMP-5-5S	6/7/2021	40	159.4	454	
TMP-5-5S	6/7/2021	60	189.9	434	
TMP-5-5S	6/7/2021	80	228.3	414	
TMP-5-5S	6/7/2021	100	233.2	394	
TMP-5-5S	6/14/2021	20	107.4	474	
TMP-5-5S	6/14/2021	40	158.8	454	
TMP-5-5S	6/14/2021	60	189.3	434	
TMP-5-5S	6/14/2021	80	227.4	414	
TMP-5-5S	6/14/2021	100	232.2	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	5/17/2021	20	149.8	474	
TMP-31	5/17/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/17/2021	120	266.4	374	
TMP-31	5/24/2021	20	150.1	474	
TMP-31	5/24/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/24/2021	120	266.3	374	
TMP-31	6/1/2021	20	149.4	474	
TMP-31	6/1/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2021	120	266.2	374	
TMP-31	6/7/2021	20	149.2	474	
TMP-31	6/7/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/7/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/7/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/7/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/7/2021	120	266.2	374	
TMP-31	6/14/2021	20	150.3	474	
TMP-31	6/14/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/14/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/14/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/14/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/14/2021	120	265.4	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	5/17/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	60	223.3	444	
TMP-32	5/17/2021	80	238.4	424	
TMP-32	5/17/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/17/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	60	223.4	444	
TMP-32	5/24/2021	80	239.2	424	
TMP-32	5/24/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/24/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	60	223.0	444	
TMP-32	6/1/2021	80	238.4	424	
TMP-32	6/1/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	60	223.0	444	
TMP-32	6/7/2021	80	238.3	424	
TMP-32	6/7/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/7/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	60	222.8	444	
TMP-32	6/14/2021	80	238.1	424	
TMP-32	6/14/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/14/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	5/17/2021	20	130.6	473	
TMP-SPM1	5/17/2021	40	153.7	453	
TMP-SPM1	5/17/2021	60	166.7	433	
TMP-SPM1	5/17/2021	80	162.1	413	
TMP-SPM1	5/17/2021	100	164.1	393	
TMP-SPM1	5/17/2021	120	160.7	373	
TMP-SPM1	5/17/2021	140	151.7	353	
TMP-SPM1	5/17/2021	160	133.9	333	
TMP-SPM1	5/17/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/17/2021	200	105.5	293	
TMP-SPM1	5/17/2021	220	92.1	273	
TMP-SPM1	5/17/2021	240	89.0	253	
TMP-SPM1	5/24/2021	20	130.5	473	
TMP-SPM1	5/24/2021	40	153.9	453	
TMP-SPM1	5/24/2021	60	166.8	433	
TMP-SPM1	5/24/2021	80	162.1	413	
TMP-SPM1	5/24/2021	100	164.0	393	
TMP-SPM1	5/24/2021	120	160.7	373	
TMP-SPM1	5/24/2021	140	151.5	353	
TMP-SPM1	5/24/2021	160	133.7	333	
TMP-SPM1	5/24/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/24/2021	200	105.6	293	
TMP-SPM1	5/24/2021	220	92.4	273	
TMP-SPM1	5/24/2021	240	89.2	253	
TMP-SPM1	6/1/2021	20	130.1	473	
TMP-SPM1	6/1/2021	40	153.7	453	
TMP-SPM1	6/1/2021	60	166.4	433	
TMP-SPM1	6/1/2021	80	161.6	413	
TMP-SPM1	6/1/2021	100	163.8	393	
TMP-SPM1	6/1/2021	120	160.4	373	
TMP-SPM1	6/1/2021	140	151.1	353	
TMP-SPM1	6/1/2021	160	133.4	333	
TMP-SPM1	6/1/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/1/2021	200	105.3	293	
TMP-SPM1	6/1/2021	220	92.1	273	
TMP-SPM1	6/1/2021	240	89.0	253	
TMP-SPM1	6/7/2021	20	130.1	473	
TMP-SPM1	6/7/2021	40	153.7	453	
TMP-SPM1	6/7/2021	60	166.2	433	
TMP-SPM1	6/7/2021	80	161.5	413	
TMP-SPM1	6/7/2021	100	163.8	393	
TMP-SPM1	6/7/2021	120	160.5	373	
TMP-SPM1	6/7/2021	140	151.4	353	
TMP-SPM1	6/7/2021	160	133.6	333	
TMP-SPM1	6/7/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/7/2021	200	105.4	293	
TMP-SPM1	6/7/2021	220	92.1	273	
TMP-SPM1	6/7/2021	240	89.2	253	
TMP-SPM1	6/14/2021	20	128.9	473	
TMP-SPM1	6/14/2021	40	152.5	453	
TMP-SPM1	6/14/2021	60	165.3	433	
TMP-SPM1	6/14/2021	80	160.6	413	
TMP-SPM1	6/14/2021	100	163.2	393	
TMP-SPM1	6/14/2021	120	160.0	373	
TMP-SPM1	6/14/2021	140	151.0	353	
TMP-SPM1	6/14/2021	160	133.4	333	
TMP-SPM1	6/14/2021				fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/14/2021	200	105.3	293	
TMP-SPM1	6/14/2021	220	92.1	273	
TMP-SPM1	6/14/2021	240	89.0	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	5/17/2021	20	120.5	475	
TMP-SPM2	5/17/2021	40	141.4	455	
TMP-SPM2	5/17/2021	60	137.8	435	
TMP-SPM2	5/17/2021	80	151.9	415	
TMP-SPM2	5/17/2021	100	170.6	395	
TMP-SPM2	5/17/2021	120	175.1	375	
TMP-SPM2	5/17/2021	140	181.7	355	
TMP-SPM2	5/17/2021	160	163.3	335	
TMP-SPM2	5/17/2021	172	149.0	323	
TMP-SPM2	5/24/2021	20	119.9	475	
TMP-SPM2	5/24/2021	40	140.9	455	
TMP-SPM2	5/24/2021	60	137.3	435	
TMP-SPM2	5/24/2021	80	151.2	415	
TMP-SPM2	5/24/2021	100	169.8	395	
TMP-SPM2	5/24/2021	120	174.4	375	
TMP-SPM2	5/24/2021	140	181.1	355	
TMP-SPM2	5/24/2021	160	162.9	335	
TMP-SPM2	5/24/2021	172	148.6	323	
TMP-SPM2	6/1/2021	20	120.0	475	
TMP-SPM2	6/1/2021	40	141.1	455	
TMP-SPM2	6/1/2021	60	137.5	435	
TMP-SPM2	6/1/2021	80	151.3	415	
TMP-SPM2	6/1/2021	100	169.8	395	
TMP-SPM2	6/1/2021	120	174.4	375	
TMP-SPM2	6/1/2021	140	181.2	355	
TMP-SPM2	6/1/2021	160	163.1	335	
TMP-SPM2	6/1/2021	172	148.9	323	
TMP-SPM2	6/7/2021	20	120.0	475	
TMP-SPM2	6/7/2021	40	140.8	455	
TMP-SPM2	6/7/2021	60	137.3	435	
TMP-SPM2	6/7/2021	80	150.9	415	
TMP-SPM2	6/7/2021	100	169.5	395	
TMP-SPM2	6/7/2021	120	174.1	375	
TMP-SPM2	6/7/2021	140	181.0	355	
TMP-SPM2	6/7/2021	160	163.1	335	
TMP-SPM2	6/7/2021	172	148.7	323	
TMP-SPM2	6/14/2021	20	117.6	475	
TMP-SPM2	6/14/2021	40	138.9	455	
TMP-SPM2	6/14/2021	60	135.5	435	
TMP-SPM2	6/14/2021	80	149.1	415	
TMP-SPM2	6/14/2021	100	167.6	395	
TMP-SPM2	6/14/2021	120	172.4	375	
TMP-SPM2	6/14/2021	140	179.5	355	
TMP-SPM2	6/14/2021	160	161.6	335	
TMP-SPM2	6/14/2021	172	147.5	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	5/17/2021	20	105.9	478	
TMP-SPM3	5/17/2021	40	106.1	458	
TMP-SPM3	5/17/2021	60	101.4	438	
TMP-SPM3	5/17/2021	80	105.8	418	
TMP-SPM3	5/17/2021	85	107.7	413	
TMP-SPM3	5/24/2021	20	105.8	478	
TMP-SPM3	5/24/2021	40	105.9	458	
TMP-SPM3	5/24/2021	60	101.1	438	
TMP-SPM3	5/24/2021	80	105.4	418	
TMP-SPM3	5/24/2021	85	107.2	413	
TMP-SPM3	6/1/2021	20	105.6	478	
TMP-SPM3	6/1/2021	40	106.2	458	
TMP-SPM3	6/1/2021	60	101.5	438	
TMP-SPM3	6/1/2021	80	105.8	418	
TMP-SPM3	6/1/2021	85	107.7	413	
TMP-SPM3	6/7/2021	20	105.3	478	
TMP-SPM3	6/7/2021	40	105.9	458	
TMP-SPM3	6/7/2021	60	101.2	438	
TMP-SPM3	6/7/2021	80	105.4	418	
TMP-SPM3	6/7/2021	85	107.3	413	
TMP-SPM3	6/14/2021	20	106.0	478	
TMP-SPM3	6/14/2021	40	106.8	458	
TMP-SPM3	6/14/2021	60	102.2	438	
TMP-SPM3	6/14/2021	80	106.3	418	
TMP-SPM3	6/14/2021	85	108.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	5/17/2021	20	112.3	475	
TMP-SPM4	5/17/2021	40	134.3	455	
TMP-SPM4	5/17/2021	60	136.3	435	
TMP-SPM4	5/17/2021	80	136.6	415	
TMP-SPM4	5/17/2021	100	132.3	395	
TMP-SPM4	5/17/2021	120	125.2	375	
TMP-SPM4	5/17/2021	140	120.5	355	
TMP-SPM4	5/17/2021	160	115.1	335	
TMP-SPM4	5/17/2021	180	111.5	315	
TMP-SPM4	5/17/2021	200	106.9	295	
TMP-SPM4	5/17/2021	220	95.8	275	
TMP-SPM4	5/17/2021	240	90.0	255	
TMP-SPM4	5/24/2021	20	111.9	475	
TMP-SPM4	5/24/2021		134.0	455	
TMP-SPM4	5/24/2021	60	136.0	435	
TMP-SPM4	5/24/2021	80	136.4	415	
TMP-SPM4	5/24/2021	100	132.2	395	
TMP-SPM4	5/24/2021	120	125.0	375	
TMP-SPM4	5/24/2021	140	120.3	355	
TMP-SPM4	5/24/2021	160	114.9	335	
TMP-SPM4	5/24/2021	180	111.4	315	
TMP-SPM4	5/24/2021	200	106.9	295	
TMP-SPM4	5/24/2021	220	95.9	275	
TMP-SPM4	5/24/2021	240	89.9	255	
TMP-SPM4	6/1/2021	20	112.0	475	
TMP-SPM4	6/1/2021	40	134.2	455	
TMP-SPM4	6/1/2021	60	136.1	435	
TMP-SPM4	6/1/2021	80	136.4	415	
TMP-SPM4	6/1/2021	100	132.1	395	
TMP-SPM4	6/1/2021	120	124.9	375	
TMP-SPM4	6/1/2021	140	120.2	355	
TMP-SPM4	6/1/2021	160	114.9	335	
TMP-SPM4	6/1/2021	180	111.3	315	
TMP-SPM4	6/1/2021	200	106.9	295	
TMP-SPM4	6/1/2021	220	95.9	275	
TMP-SPM4	6/1/2021	240	90.1	255	
TMP-SPM4	6/7/2021	20	112.1	475	
TMP-SPM4	6/7/2021	40	134.2	455	
TMP-SPM4	6/7/2021	60	136.1	435	
TMP-SPM4	6/7/2021	80	136.2	415	
TMP-SPM4	6/7/2021	100	132.1	395	
TMP-SPM4	6/7/2021	120	125.1	375	
TMP-SPM4	6/7/2021	140	120.3	355	
TMP-SPM4	6/7/2021	160	114.9	335	
TMP-SPM4	6/7/2021	180	111.3	315	
TMP-SPM4	6/7/2021	200	106.8	295	
TMP-SPM4	6/7/2021	220	95.8	275	
TMP-SPM4	6/7/2021	240	89.9	255	
TMP-SPM4	6/14/2021	20	111.7	475	
TMP-SPM4	6/14/2021	40	133.9	455	
TMP-SPM4	6/14/2021	60	135.9	435	
TMP-SPM4	6/14/2021	80	136.0	415	
TMP-SPM4	6/14/2021	100	131.9	395	
TMP-SPM4	6/14/2021	120	124.8	375	
TMP-SPM4	6/14/2021	140	120.0	355	
TMP-SPM4	6/14/2021	160	114.8	335	
TMP-SPM4	6/14/2021	180	111.3	315	
TMP-SPM4	6/14/2021	200	106.9	295	
TMP-SPM4	6/14/2021	220	96.0	275	
TMP-SPM4	6/14/2021	240	90.1	255	