

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	5/17/2021	18	102.4	451	
TMP-1	5/17/2021	38	134.0	431	
TMP-1	5/17/2021	58	142.0	411	
TMP-1	5/17/2021	78	140.4	391	
TMP-1	5/17/2021	98	132.6	371	
TMP-1	5/17/2021	118	122.3	351	
TMP-1	5/17/2021	138	114.4	331	
TMP-1	5/24/2021	18	102.4	451	
TMP-1	5/24/2021	38	134.1	431	
TMP-1	5/24/2021	58	142.0	411	
TMP-1	5/24/2021	78	140.4	391	
TMP-1	5/24/2021	98	132.7	371	
TMP-1	5/24/2021	118	122.4	351	
TMP-1	5/24/2021	138	114.6	331	
TMP-1	6/1/2021	18	101.6	451	
TMP-1	6/1/2021	38	133.6	431	
TMP-1	6/1/2021	58	141.3	411	
TMP-1	6/1/2021	78	139.9	391	
TMP-1	6/1/2021	98	132.1	371	
TMP-1	6/1/2021	118	121.9	351	
TMP-1	6/1/2021	138	114.0	331	
TMP-1	6/7/2021	18	102.3	451	
TMP-1	6/7/2021	38	134.3	431	
TMP-1	6/7/2021	58	142.0	411	
TMP-1	6/7/2021	78	140.4	391	
TMP-1	6/7/2021	98	132.7	371	
TMP-1	6/7/2021	118	122.4	351	
TMP-1	6/7/2021	138	114.7	331	
TMP-1	6/14/2021	18	101.9	451	
TMP-1	6/14/2021	38	134.0	431	
TMP-1	6/14/2021	58	141.7	411	
TMP-1	6/14/2021	78	140.3	391	
TMP-1	6/14/2021	98	132.8	371	
TMP-1	6/14/2021	118	122.5	351	
TMP-1	6/14/2021	138	114.9	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	5/17/2021	20	116.0	440	
TMP-2R	5/17/2021	40	151.0	420	
TMP-2R	5/17/2021	60	161.7	400	
TMP-2R	5/17/2021	80	167.6	380	
TMP-2R	5/17/2021	100	164.9	360	
TMP-2R	5/17/2021	120	156.4	340	
TMP-2R	5/17/2021	140	150.9	320	
TMP-2R	5/17/2021	160	143.9	300	
TMP-2R	5/17/2021	180	131.3	280	
TMP-2R	5/24/2021	20	115.0	440	
TMP-2R	5/24/2021	40	150.1	420	
TMP-2R	5/24/2021	60	160.9	400	
TMP-2R	5/24/2021	80	166.8	380	
TMP-2R	5/24/2021	100	164.0	360	
TMP-2R	5/24/2021	120	155.4	340	
TMP-2R	5/24/2021	140	150.2	320	
TMP-2R	5/24/2021	160	143.3	300	
TMP-2R	5/24/2021	180	130.7	280	
TMP-2R	6/1/2021	20	115.8	440	
TMP-2R	6/1/2021	40	151.0	420	
TMP-2R	6/1/2021	60	161.6	400	
TMP-2R	6/1/2021	80	167.5	380	
TMP-2R	6/1/2021	100	164.7	360	
TMP-2R	6/1/2021	120	156.2	340	
TMP-2R	6/1/2021	140	150.8	320	
TMP-2R	6/1/2021	160	143.8	300	
TMP-2R	6/1/2021	180	131.2	280	
TMP-2R	6/7/2021	20	115.1	440	
TMP-2R	6/7/2021	40	150.5	420	
TMP-2R	6/7/2021	60	161.3	400	
TMP-2R	6/7/2021	80	167.2	380	
TMP-2R	6/7/2021	100	164.6	360	
TMP-2R	6/7/2021	120	156.1	340	
TMP-2R	6/7/2021	140	150.8	320	
TMP-2R	6/7/2021	160	143.9	300	
TMP-2R	6/7/2021	180	131.4	280	
TMP-2R	6/14/2021	20	115.5	440	
TMP-2R	6/14/2021	40	150.9	420	
TMP-2R	6/14/2021	60	161.6	400	
TMP-2R	6/14/2021	80	167.4	380	
TMP-2R	6/14/2021	100	164.7	360	
TMP-2R	6/14/2021	120	156.2	340	
TMP-2R	6/14/2021	140	150.9	320	
TMP-2R	6/14/2021	160	144.0	300	
TMP-2R	6/14/2021	180	131.4	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	5/17/2021	30	137.4	470	
TMP-3	5/17/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/17/2021	150	135.4	350	
TMP-3	5/17/2021	190	119.0	310	
TMP-3	5/17/2021	230	100.8	270	
TMP-3	5/24/2021	30	138.0	470	
TMP-3	5/24/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/24/2021	150	135.7	350	
TMP-3	5/24/2021	190	119.3	310	
TMP-3	5/24/2021	230	101.1	270	
TMP-3	6/1/2021	30	136.8	470	
TMP-3	6/1/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/1/2021	150	134.9	350	
TMP-3	6/1/2021	190	118.7	310	
TMP-3	6/1/2021	230	100.3	270	
TMP-3	6/7/2021	30	137.2	470	
TMP-3	6/7/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/7/2021	150	135.1	350	
TMP-3	6/7/2021	190	118.9	310	
TMP-3	6/7/2021	230	100.5	270	
TMP-3	6/14/2021	30	136.5	470	
TMP-3	6/14/2021	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/14/2021	150	134.6	350	
TMP-3	6/14/2021	190	118.3	310	
TMP-3	6/14/2021	230	100.1	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	5/17/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	5/17/2021	40	147.6	459	
TMP-3R	5/17/2021	60	150.1	439	
TMP-3R	5/17/2021	80	151.0	419	
TMP-3R	5/17/2021	100	149.0	399	
TMP-3R	5/17/2021	120	145.1	379	
TMP-3R	5/17/2021	140	136.7	359	
TMP-3R	5/17/2021	160	132.9	339	
TMP-3R	5/17/2021	180	124.3	319	
TMP-3R	5/17/2021	200	113.3	299	
TMP-3R	5/17/2021	218	103.2	281	
TMP-3R	5/24/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	5/24/2021	40	146.8	459	
TMP-3R	5/24/2021	60	149.2	439	
TMP-3R	5/24/2021	80	150.1	419	
TMP-3R	5/24/2021	100	148.0	399	
TMP-3R	5/24/2021	120	144.2	379	
TMP-3R	5/24/2021	140	135.7	359	
TMP-3R	5/24/2021	160	132.2	339	
TMP-3R	5/24/2021	180	123.5	319	
TMP-3R	5/24/2021	200	112.4	299	
TMP-3R	5/24/2021	218	102.4	281	
TMP-3R	6/1/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	6/1/2021	40	147.0	459	
TMP-3R	6/1/2021	60	149.6	439	
TMP-3R	6/1/2021	80	150.5	419	
TMP-3R	6/1/2021	100	148.4	399	
TMP-3R	6/1/2021	120	144.6	379	
TMP-3R	6/1/2021	140	136.1	359	
TMP-3R	6/1/2021	160	132.9	339	
TMP-3R	6/1/2021	180	123.9	319	
TMP-3R	6/1/2021	200	113.0	299	
TMP-3R	6/1/2021	218	103.1	281	
TMP-3R	6/7/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	6/7/2021	40	147.0	459	
TMP-3R	6/7/2021	60	149.6	439	
TMP-3R	6/7/2021	80	150.4	419	
TMP-3R	6/7/2021	100	148.4	399	
TMP-3R	6/7/2021	120	144.6	379	
TMP-3R	6/7/2021	140	136.0	359	
TMP-3R	6/7/2021	160	132.4	339	
TMP-3R	6/7/2021	180	123.9	319	
TMP-3R	6/7/2021	200	112.9	299	
TMP-3R	6/7/2021	218	102.8	281	
TMP-3R	6/14/2021	20		479	no resistance reading, temperature not reliable
TMP-3R	6/14/2021	40	146.8	459	
TMP-3R	6/14/2021	60	149.4	439	
TMP-3R	6/14/2021	80	150.2	419	
TMP-3R	6/14/2021	100	148.1	399	
TMP-3R	6/14/2021	120	144.3	379	
TMP-3R	6/14/2021	140	135.9	359	
TMP-3R	6/14/2021	160	132.2	339	
TMP-3R	6/14/2021	180	123.7	319	
TMP-3R	6/14/2021	200	112.9	299	
TMP-3R	6/14/2021	218	102.9	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	5/17/2021	28	103.1	472	
TMP-4	5/24/2021	28	102.0	472	
TMP-4	6/1/2021	28	103.1	472	
TMP-4	6/7/2021	28	102.8	472	
TMP-4	6/14/2021	28	101.6	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	5/17/2021	10	81.4	489	
TMP-4R	5/17/2021	20	97.4	479	
TMP-4R	5/17/2021	29	104.2	470	
TMP-4R	5/24/2021	10	80.8	489	
TMP-4R	5/24/2021	20	96.4	479	
TMP-4R	5/24/2021	29	103.2	470	
TMP-4R	6/1/2021	10	82.7	489	
TMP-4R	6/1/2021	20	97.8	479	
TMP-4R	6/1/2021	29	104.8	470	
TMP-4R	6/7/2021	10	82.9	489	
TMP-4R	6/7/2021	20	97.1	479	
TMP-4R	6/7/2021	29	104.3	470	
TMP-4R	6/14/2021	10	82.6	489	
TMP-4R	6/14/2021	20	95.9	479	
TMP-4R	6/14/2021	29	103.0	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	5/17/2021	15	108.2	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	5/17/2021	95	149.8	392	
TMP-6	5/17/2021	115	147.0	372	
TMP-6	5/17/2021	135	139.3	352	
TMP-6	5/24/2021	15	108.5	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	5/24/2021	95	149.8	392	
TMP-6	5/24/2021	115	147.3	372	
TMP-6	5/24/2021	135	139.5	352	
TMP-6	6/1/2021	15	106.3	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	6/1/2021	95	149.7	392	
TMP-6	6/1/2021	115	147.0	372	
TMP-6	6/1/2021	135	139.4	352	
TMP-6	6/7/2021	15	105.8	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	6/7/2021	95	149.6	392	
TMP-6	6/7/2021	115	146.7	372	
TMP-6	6/7/2021	135	139.1	352	
TMP-6	6/14/2021	15	105.3	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	6/14/2021	95	149.5	392	
TMP-6	6/14/2021	115	147.1	372	
TMP-6	6/14/2021	135	139.4	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	5/17/2021	20	102.0	448	
TMP-11R	5/17/2021	40	115.7	428	
TMP-11R	5/17/2021	60	116.2	408	
TMP-11R	5/17/2021	80	116.1	388	
TMP-11R	5/17/2021	100	109.5	368	
TMP-11R	5/17/2021	120	104.4	348	
TMP-11R	5/24/2021	20	102.0	448	
TMP-11R	5/24/2021	40	116.1	428	
TMP-11R	5/24/2021	60	116.9	408	
TMP-11R	5/24/2021	80	117.0	388	
TMP-11R	5/24/2021	100	110.9	368	
TMP-11R	5/24/2021	120	105.7	348	
TMP-11R	6/1/2021	20	102.4	448	
TMP-11R	6/1/2021	40	116.4	428	
TMP-11R	6/1/2021	60	117.1	408	
TMP-11R	6/1/2021	80	117.1	388	
TMP-11R	6/1/2021	100	110.5	368	
TMP-11R	6/1/2021	120	105.3	348	
TMP-11R	6/7/2021	20	102.8	448	
TMP-11R	6/7/2021	40	117.0	428	
TMP-11R	6/7/2021	60	117.8	408	
TMP-11R	6/7/2021	80	117.8	388	
TMP-11R	6/7/2021	100	111.5	368	
TMP-11R	6/7/2021	120	106.4	348	
TMP-11R	6/14/2021	20	102.4	448	
TMP-11R	6/14/2021	40	116.4	428	
TMP-11R	6/14/2021	60	117.1	408	
TMP-11R	6/14/2021	80	117.3	388	
TMP-11R	6/14/2021	100	111.0	368	
TMP-11R	6/14/2021	120	105.6	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	5/17/2021	20	104.8	470	
TMP-14R2	5/17/2021	40	159.1	450	
TMP-14R2	5/17/2021	60	180.6	430	
TMP-14R2	5/17/2021	80	185.9	410	
TMP-14R2	5/17/2021	100	206.5	390	
TMP-14R2	5/17/2021	120	208.2	370	
TMP-14R2	5/17/2021	140	200.8	350	
TMP-14R2	5/17/2021	160	171.1	330	
TMP-14R2	5/17/2021	180	148.4	310	
TMP-14R2	5/17/2021	200	125.1	290	
TMP-14R2	5/17/2021	220	100.7	270	
TMP-14R2	5/17/2021	228	95.6	262	
TMP-14R2	5/24/2021	20	104.9	470	
TMP-14R2	5/24/2021	40	159.1	450	
TMP-14R2	5/24/2021	60	180.5	430	
TMP-14R2	5/24/2021	80	185.8	410	
TMP-14R2	5/24/2021	100	206.5	390	
TMP-14R2	5/24/2021	120	208.1	370	
TMP-14R2	5/24/2021	140	200.8	350	
TMP-14R2	5/24/2021	160	171.2	330	
TMP-14R2	5/24/2021	180	148.5	310	
TMP-14R2	5/24/2021	200	125.1	290	
TMP-14R2	5/24/2021	220	100.5	270	
TMP-14R2	5/24/2021	228	95.3	262	
TMP-14R2	6/1/2021	20	104.0	470	
TMP-14R2	6/1/2021	40	158.5	450	
TMP-14R2	6/1/2021	60	179.9	430	
TMP-14R2	6/1/2021	80	185.2	410	
TMP-14R2	6/1/2021	100	205.8	390	
TMP-14R2	6/1/2021	120	207.6	370	
TMP-14R2	6/1/2021	140	200.3	350	
TMP-14R2	6/1/2021	160	170.8	330	
TMP-14R2	6/1/2021	180	148.2	310	
TMP-14R2	6/1/2021	200	124.8	290	
TMP-14R2	6/1/2021	220	100.2	270	
TMP-14R2	6/1/2021	228	95.0	262	
TMP-14R2	6/7/2021	20	102.4	470	
TMP-14R2	6/7/2021	40	156.9	450	
TMP-14R2	6/7/2021	60	178.3	430	
TMP-14R2	6/7/2021	80	183.7	410	
TMP-14R2	6/7/2021	100	204.7	390	
TMP-14R2	6/7/2021	120	206.5	370	
TMP-14R2	6/7/2021	140	199.5	350	
TMP-14R2	6/7/2021	160	170.1	330	
TMP-14R2	6/7/2021	180	147.3	310	
TMP-14R2	6/7/2021	200	123.8	290	
TMP-14R2	6/7/2021	220	99.2	270	
TMP-14R2	6/7/2021	228	94.0	262	
TMP-14R2	6/14/2021	20	101.6	470	
TMP-14R2	6/14/2021	40	156.4	450	
TMP-14R2	6/14/2021	60	177.9	430	
TMP-14R2	6/14/2021	80	183.3	410	
TMP-14R2	6/14/2021	100	204.3	390	
TMP-14R2	6/14/2021	120	206.1	370	
TMP-14R2	6/14/2021	140	199.1	350	
TMP-14R2	6/14/2021	160	169.9	330	
TMP-14R2	6/14/2021	180	147.3	310	
TMP-14R2	6/14/2021	200	123.9	290	
TMP-14R2	6/14/2021	220	99.4	270	
TMP-14R2	6/14/2021	228	94.3	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	5/17/2021	20	110.3	491	
TMP-16R	5/17/2021	40	149.2	471	
TMP-16R	5/17/2021	60	164.4	451	
TMP-16R	5/17/2021	80	167.0	431	
TMP-16R	5/17/2021	100	159.5	411	
TMP-16R	5/17/2021	120	150.5	391	
TMP-16R	5/17/2021	140	146.8	371	
TMP-16R	5/17/2021	160	122.6	351	
TMP-16R	5/17/2021	180	112.9	331	
TMP-16R	5/17/2021	200	99.9	311	
TMP-16R	5/17/2021	220	95.6	291	
TMP-16R	5/17/2021	230	94.9	281	
TMP-16R	5/24/2021	20	110.2	491	
TMP-16R	5/24/2021	40	149.1	471	
TMP-16R	5/24/2021	60	164.4	451	
TMP-16R	5/24/2021	80	167.0	431	
TMP-16R	5/24/2021	100	159.5	411	
TMP-16R	5/24/2021	120	150.5	391	
TMP-16R	5/24/2021	140	146.7	371	
TMP-16R	5/24/2021	160	122.6	351	
TMP-16R	5/24/2021	180	112.9	331	
TMP-16R	5/24/2021	200	99.9	311	
TMP-16R	5/24/2021	220	95.6	291	
TMP-16R	5/24/2021	230	94.8	281	
TMP-16R	6/1/2021	20	109.8	491	
TMP-16R	6/1/2021	40	148.9	471	
TMP-16R	6/1/2021	60	164.1	451	
TMP-16R	6/1/2021	80	166.7	431	
TMP-16R	6/1/2021	100	159.2	411	
TMP-16R	6/1/2021	120	150.2	391	
TMP-16R	6/1/2021	140	146.4	371	
TMP-16R	6/1/2021	160	123.4	351	
TMP-16R	6/1/2021	180	112.4	331	
TMP-16R	6/1/2021	200	99.7	311	
TMP-16R	6/1/2021	220	95.3	291	
TMP-16R	6/1/2021	230	94.6	281	
TMP-16R	6/7/2021	20	109.4	491	
TMP-16R	6/7/2021	40	148.5	471	
TMP-16R	6/7/2021	60	163.9	451	
TMP-16R	6/7/2021	80	166.4	431	
TMP-16R	6/7/2021	100	159.0	411	
TMP-16R	6/7/2021	120	150.0	391	
TMP-16R	6/7/2021	140	146.3	371	
TMP-16R	6/7/2021	160	123.6	351	
TMP-16R	6/7/2021	180	112.4	331	
TMP-16R	6/7/2021	200	99.5	311	
TMP-16R	6/7/2021	220	95.2	291	
TMP-16R	6/7/2021	230	94.4	281	
TMP-16R	6/14/2021	20	109.7	491	
TMP-16R	6/14/2021	40	149.2	471	
TMP-16R	6/14/2021	60	164.6	451	
TMP-16R	6/14/2021	80	167.2	431	
TMP-16R	6/14/2021	100	159.8	411	
TMP-16R	6/14/2021	120	150.9	391	
TMP-16R	6/14/2021	140	147.3	371	
TMP-16R	6/14/2021	160	124.4	351	
TMP-16R	6/14/2021	180	113.1	331	
TMP-16R	6/14/2021	200	100.0	311	
TMP-16R	6/14/2021	220	95.4	291	
TMP-16R	6/14/2021	230	94.4	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	5/17/2021	20	111.4	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	5/17/2021	40	142.2	476	
TMP-17	5/17/2021	60	156.8	456	
TMP-17	5/17/2021	80	158.4	436	
TMP-17	5/17/2021	100	154.3	416	
TMP-17	5/17/2021	120	148.8	396	
TMP-17	5/17/2021	140	141.0	376	
TMP-17	5/17/2021	160	129.1	356	
TMP-17	5/17/2021	180	122.5	336	
TMP-17	5/17/2021	200	114.7	316	
TMP-17	5/17/2021	220	107.5	296	
TMP-17	5/17/2021	237	100.7	279	
TMP-17	5/24/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	5/24/2021	40	142.5	476	
TMP-17	5/24/2021	60	157.4	456	
TMP-17	5/24/2021	80	159.1	436	
TMP-17	5/24/2021	100	155.0	416	
TMP-17	5/24/2021	120	149.5	396	
TMP-17	5/24/2021	140	141.8	376	
TMP-17	5/24/2021	160	129.7	356	
TMP-17	5/24/2021	180	123.0	336	
TMP-17	5/24/2021	200	115.2	316	
TMP-17	5/24/2021	220	108.1	296	
TMP-17	5/24/2021	237	101.6	279	
TMP-17	6/1/2021	20	111.0	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	6/1/2021	40	141.9	476	
TMP-17	6/1/2021	60	156.5	456	
TMP-17	6/1/2021	80	158.1	436	
TMP-17	6/1/2021	100	154.0	416	
TMP-17	6/1/2021	120	148.6	396	
TMP-17	6/1/2021	140	140.5	376	
TMP-17	6/1/2021	160	128.9	356	
TMP-17	6/1/2021	180	122.2	336	
TMP-17	6/1/2021	200	114.3	316	
TMP-17	6/1/2021	220	107.0	296	
TMP-17	6/1/2021	237	100.0	279	
TMP-17	6/7/2021	20	110.5	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	6/7/2021	40	141.9	476	
TMP-17	6/7/2021	60	156.5	456	
TMP-17	6/7/2021	80	158.1	436	
TMP-17	6/7/2021	100	153.9	416	
TMP-17	6/7/2021	120	148.8	396	
TMP-17	6/7/2021	140	140.3	376	
TMP-17	6/7/2021	160	129.1	356	
TMP-17	6/7/2021	180	122.3	336	
TMP-17	6/7/2021	200	114.7	316	
TMP-17	6/7/2021	220	107.1	296	
TMP-17	6/7/2021	237	100.4	279	
TMP-17	6/14/2021	20	109.8	496	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-17	6/14/2021	40	141.2	476	
TMP-17	6/14/2021	60	156.0	456	
TMP-17	6/14/2021	80	157.9	436	
TMP-17	6/14/2021	100	154.1	416	
TMP-17	6/14/2021	120	148.4	396	
TMP-17	6/14/2021	140	140.1	376	
TMP-17	6/14/2021	160	128.8	356	
TMP-17	6/14/2021	180	121.8	336	
TMP-17	6/14/2021	200	114.1	316	
TMP-17	6/14/2021	220	106.3	296	
TMP-17	6/14/2021	237	99.7	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	5/17/2021	20	97.1	489	
TMP-18	5/17/2021	39	132.0	470	
TMP-18	5/17/2021	58	145.7	451	
TMP-18	5/17/2021	77	146.3	432	
TMP-18	5/17/2021	96	141.1	413	
TMP-18	5/17/2021	115	135.3	394	
TMP-18	5/17/2021	134	128.6	375	
TMP-18	5/17/2021	153	122.9	356	
TMP-18	5/17/2021	172	117.5	337	
TMP-18	5/17/2021	191	112.7	318	
TMP-18	5/17/2021	210	108.0	299	
TMP-18	5/17/2021	227	104.9	282	
TMP-18	5/24/2021	20	97.0	489	
TMP-18	5/24/2021	39	131.9	470	
TMP-18	5/24/2021	58	145.8	451	
TMP-18	5/24/2021	77	146.4	432	
TMP-18	5/24/2021	96	141.3	413	
TMP-18	5/24/2021	115	135.6	394	
TMP-18	5/24/2021	134	129.0	375	
TMP-18	5/24/2021	153	123.4	356	
TMP-18	5/24/2021	172	118.1	337	
TMP-18	5/24/2021	191	113.4	318	
TMP-18	5/24/2021	210	108.9	299	
TMP-18	5/24/2021	227	105.9	282	
TMP-18	6/1/2021	20	96.1	489	
TMP-18	6/1/2021	39	131.0	470	
TMP-18	6/1/2021	58	144.8	451	
TMP-18	6/1/2021	77	145.4	432	
TMP-18	6/1/2021	96	140.3	413	
TMP-18	6/1/2021	115	134.5	394	
TMP-18	6/1/2021	134	127.9	375	
TMP-18	6/1/2021	153	122.3	356	
TMP-18	6/1/2021	172	116.8	337	
TMP-18	6/1/2021	191	112.2	318	
TMP-18	6/1/2021	210	107.4	299	
TMP-18	6/1/2021	227	104.4	282	
TMP-18	6/7/2021	20	96.2	489	
TMP-18	6/7/2021	39	131.3	470	
TMP-18	6/7/2021	58	145.1	451	
TMP-18	6/7/2021	77	145.7	432	
TMP-18	6/7/2021	96	140.5	413	
TMP-18	6/7/2021	115	134.8	394	
TMP-18	6/7/2021	134	128.1	375	
TMP-18	6/7/2021	153	122.4	356	
TMP-18	6/7/2021	172	117.1	337	
TMP-18	6/7/2021	191	112.3	318	
TMP-18	6/7/2021	210	107.7	299	
TMP-18	6/7/2021	227	104.7	282	
TMP-18	6/14/2021	20	94.3	489	
TMP-18	6/14/2021	39	129.7	470	
TMP-18	6/14/2021	58	143.6	451	
TMP-18	6/14/2021	77	144.2	432	
TMP-18	6/14/2021	96	138.9	413	
TMP-18	6/14/2021	115	133.4	394	
TMP-18	6/14/2021	134	127.0	375	
TMP-18	6/14/2021	153	121.4	356	
TMP-18	6/14/2021	172	116.1	337	
TMP-18	6/14/2021	191	111.6	318	
TMP-18	6/14/2021	210	107.1	299	
TMP-18	6/14/2021	227	104.3	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	5/17/2021	13	81.3	461	
TMP-21	5/17/2021	26	93.0	448	
TMP-21	5/17/2021	41	92.1	433	
TMP-21	5/24/2021	13	83.3	461	
TMP-21	5/24/2021	26	95.5	448	
TMP-21	5/24/2021	41	94.8	433	
TMP-21	6/1/2021	13	80.9	461	
TMP-21	6/1/2021	26	92.8	448	
TMP-21	6/1/2021	41	92.0	433	
TMP-21	6/7/2021	13	80.4	461	
TMP-21	6/7/2021	26	92.7	448	
TMP-21	6/7/2021	41	91.9	433	
TMP-21	6/14/2021	13	81.0	461	
TMP-21	6/14/2021	26	93.4	448	
TMP-21	6/14/2021	41	92.7	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	5/17/2021	15	95.0	474	
TMP-22	5/17/2021	31	118.9	458	
TMP-22	5/17/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	5/17/2021	70	116.6	419	
TMP-22	5/24/2021	15	96.7	474	
TMP-22	5/24/2021	31	120.8	458	
TMP-22	5/24/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	5/24/2021	70	118.9	419	
TMP-22	6/1/2021	15	94.8	474	
TMP-22	6/1/2021	31	118.9	458	
TMP-22	6/1/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	6/1/2021	70	116.6	419	
TMP-22	6/7/2021	15	94.2	474	
TMP-22	6/7/2021	31	118.6	458	
TMP-22	6/7/2021	50			fluctuating resistivity/no temperature reading could be obtained
TMP-22	6/7/2021	70	116.5	419	
TMP-22	6/14/2021	15	95.1	474	
TMP-22	6/14/2021	31	119.5	458	
TMP-22	6/14/2021				fluctuating resistivity/no temperature reading could be obtained
TMP-22	6/14/2021	70	117.5	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	5/17/2021	20	105.9	477	
TMP-23	5/17/2021	38	131.2	459	
TMP-23	5/17/2021	56	137.4	441	
TMP-23	5/17/2021	74	130.7	423	
TMP-23	5/17/2021	92	122.6	405	
TMP-23	5/17/2021	106	115.0	391	
TMP-23	5/24/2021	20	107.6	477	
TMP-23	5/24/2021	38	133.2	459	
TMP-23	5/24/2021	56	139.6	441	
TMP-23	5/24/2021	74	132.8	423	
TMP-23	5/24/2021	92	124.8	405	
TMP-23	5/24/2021	106	117.2	391	
TMP-23	6/1/2021	20	105.6	477	
TMP-23	6/1/2021	38	131.0	459	
TMP-23	6/1/2021	56	137.3	441	
TMP-23	6/1/2021	74	130.6	423	
TMP-23	6/1/2021	92	122.4	405	
TMP-23	6/1/2021	106	114.9	391	
TMP-23	6/7/2021	20	105.6	477	
TMP-23	6/7/2021	38	131.0	459	
TMP-23	6/7/2021	56	137.4	441	
TMP-23	6/7/2021	74	130.7	423	
TMP-23	6/7/2021	92	122.7	405	
TMP-23	6/7/2021	106	115.1	391	
TMP-23	6/14/2021	20	106.2	477	
TMP-23	6/14/2021	38	132.0	459	
TMP-23	6/14/2021	56	138.6	441	
TMP-23	6/14/2021	74	132.0	423	
TMP-23	6/14/2021	92	123.9	405	
TMP-23	6/14/2021	106	116.2	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	5/17/2021	20	94.8	492	
TMP-24	5/17/2021	40	122.7	472	
TMP-24	5/17/2021	60	137.5	452	
TMP-24	5/17/2021	67	138.9	445	
TMP-24	5/24/2021	20	94.2	492	
TMP-24	5/24/2021	40	122.1	472	
TMP-24	5/24/2021	60	136.9	452	
TMP-24	5/24/2021	67	138.1	445	
TMP-24	6/1/2021	20	95.1	492	
TMP-24	6/1/2021	40	122.9	472	
TMP-24	6/1/2021	60	137.7	452	
TMP-24	6/1/2021	67	139.0	445	
TMP-24	6/7/2021	20	95.6	492	
TMP-24	6/7/2021	40	122.5	472	
TMP-24	6/7/2021	60	137.3	452	
TMP-24	6/7/2021	67	138.6	445	
TMP-24	6/14/2021	20	96.4	492	
TMP-24	6/14/2021	40	124.7	472	
TMP-24	6/14/2021	60	139.7	452	
TMP-24	6/14/2021	67	141.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	5/17/2021	20	103.7	493	
TMP-25R	5/17/2021	40	132.2	473	
TMP-25R	5/17/2021	60	157.3	453	
TMP-25R	5/17/2021	80	161.5	433	
TMP-25R	5/17/2021	100	158.4	413	
TMP-25R	5/17/2021	120	148.6	393	
TMP-25R	5/17/2021	140	137.7	373	
TMP-25R	5/17/2021	160	127.7	353	
TMP-25R	5/17/2021	180	119.6	333	
TMP-25R	5/17/2021	200	112.0	313	
TMP-25R	5/17/2021	220	102.8	293	
TMP-25R	5/17/2021	235	95.2	278	
TMP-25R	5/24/2021	20	104.9	493	
TMP-25R	5/24/2021	40	133.8	473	
TMP-25R	5/24/2021	60	159.2	453	
TMP-25R	5/24/2021	80	163.4	433	
TMP-25R	5/24/2021	100	160.4	413	
TMP-25R	5/24/2021	120	150.7	393	
TMP-25R	5/24/2021	140	140.0	373	
TMP-25R	5/24/2021	160	129.9	353	
TMP-25R	5/24/2021	180	121.8	333	
TMP-25R	5/24/2021	200	114.0	313	
TMP-25R	5/24/2021	220	104.6	293	
TMP-25R	5/24/2021	235	97.1	278	
TMP-25R	6/1/2021	20	103.2	493	
TMP-25R	6/1/2021	40	132.1	473	
TMP-25R	6/1/2021	60	157.0	453	
TMP-25R	6/1/2021	80	161.1	433	
TMP-25R	6/1/2021	100	158.1	413	
TMP-25R	6/1/2021	120	148.5	393	
TMP-25R	6/1/2021	140	137.6	373	
TMP-25R	6/1/2021	160	127.8	353	
TMP-25R	6/1/2021	180	119.4	333	
TMP-25R	6/1/2021	200	111.8	313	
TMP-25R	6/1/2021	220	103.2	293	
TMP-25R	6/1/2021	235	94.8	278	
TMP-25R	6/7/2021	20	102.8	493	
TMP-25R	6/7/2021	40	132.4	473	
TMP-25R	6/7/2021	60	157.1	453	
TMP-25R	6/7/2021	80	161.3	433	
TMP-25R	6/7/2021	100	158.3	413	
TMP-25R	6/7/2021	120	148.6	393	
TMP-25R	6/7/2021	140	137.7	373	
TMP-25R	6/7/2021	160	128.0	353	
TMP-25R	6/7/2021	180	119.6	333	
TMP-25R	6/7/2021	200	111.9	313	
TMP-25R	6/7/2021	220	103.6	293	
TMP-25R	6/7/2021	235	95.0	278	
TMP-25R	6/14/2021	20	102.4	493	
TMP-25R	6/14/2021	40	132.4	473	
TMP-25R	6/14/2021	60	157.3	453	
TMP-25R	6/14/2021	80	161.5	433	
TMP-25R	6/14/2021	100	158.6	413	
TMP-25R	6/14/2021	120	148.9	393	
TMP-25R	6/14/2021	140	138.0	373	
TMP-25R	6/14/2021	160	128.3	353	
TMP-25R	6/14/2021	180	119.7	333	
TMP-25R	6/14/2021	200	111.8	313	
TMP-25R	6/14/2021	220	103.4	293	
TMP-25R	6/14/2021	235	94.8	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	5/17/2021	20	95.6	473	
TMP-26R	5/17/2021	40	108.2	453	
TMP-26R	5/17/2021	60	108.7	433	
TMP-26R	5/17/2021	80	104.0	413	
TMP-26R	5/17/2021	100	95.5	393	
TMP-26R	5/17/2021	120	105.5	373	
TMP-26R	5/17/2021	140	106.3	353	
TMP-26R	5/17/2021	142	105.9	351	
TMP-26R	5/24/2021	20	95.7	473	
TMP-26R	5/24/2021	40	108.5	453	
TMP-26R	5/24/2021	60	109.0	433	
TMP-26R	5/24/2021	80	104.2	413	
TMP-26R	5/24/2021	100	95.7	393	
TMP-26R	5/24/2021	120	105.6	373	
TMP-26R	5/24/2021	140	106.4	353	
TMP-26R	5/24/2021	142	106.0	351	
TMP-26R	6/1/2021	20	95.3	473	
TMP-26R	6/1/2021	40	108.3	453	
TMP-26R	6/1/2021	60	108.9	433	
TMP-26R	6/1/2021	80	104.1	413	
TMP-26R	6/1/2021	100	95.7	393	
TMP-26R	6/1/2021	120	105.7	373	
TMP-26R	6/1/2021	140	106.6	353	
TMP-26R	6/1/2021	142	106.3	351	
TMP-26R	6/7/2021	20	95.4	473	
TMP-26R	6/7/2021	40	108.4	453	
TMP-26R	6/7/2021	60	108.8	433	
TMP-26R	6/7/2021	80	104.1	413	
TMP-26R	6/7/2021	100	95.6	393	
TMP-26R	6/7/2021	120	105.5	373	
TMP-26R	6/7/2021	140	106.4	353	
TMP-26R	6/7/2021	142	106.3	351	
TMP-26R	6/14/2021	20	94.4	473	
TMP-26R	6/14/2021	40	108.1	453	
TMP-26R	6/14/2021	60	109.0	433	
TMP-26R	6/14/2021	80	104.5	413	
TMP-26R	6/14/2021	100	96.3	393	
TMP-26R	6/14/2021	120	106.5	373	
TMP-26R	6/14/2021	140	107.6	353	
TMP-26R	6/14/2021	142	107.5	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	5/17/2021	20	114.0	493	
TMP-27	5/17/2021	40	140.3	473	
TMP-27	5/17/2021	60	152.8	453	
TMP-27	5/17/2021	80	154.7	433	
TMP-27	5/17/2021	100	149.9	413	
TMP-27	5/17/2021	120	144.2	393	
TMP-27	5/17/2021	140	138.4	373	
TMP-27	5/17/2021	160	131.5	353	
TMP-27	5/17/2021	180	126.0	333	
TMP-27	5/17/2021	200	121.1	313	
TMP-27	5/17/2021	220	115.4	293	
TMP-27	5/17/2021	233	110.7	280	
TMP-27	5/24/2021	20	114.4	493	
TMP-27	5/24/2021	40	140.7	473	
TMP-27	5/24/2021	60	153.3	453	
TMP-27	5/24/2021	80	155.3	433	
TMP-27	5/24/2021	100	150.4	413	
TMP-27	5/24/2021	120	144.9	393	
TMP-27	5/24/2021	140	139.1	373	
TMP-27	5/24/2021	160	132.4	353	
TMP-27	5/24/2021	180	126.9	333	
TMP-27	5/24/2021	200	122.0	313	
TMP-27	5/24/2021	220	116.3	293	
TMP-27	5/24/2021	233	111.3	280	
TMP-27	6/1/2021	20	113.4	493	
TMP-27	6/1/2021	40	139.5	473	
TMP-27	6/1/2021	60	152.1	453	
TMP-27	6/1/2021	80	154.0	433	
TMP-27	6/1/2021	100	149.1	413	
TMP-27	6/1/2021	120	143.5	393	
TMP-27	6/1/2021	140	137.7	373	
TMP-27	6/1/2021	160	130.9	353	
TMP-27	6/1/2021	180	125.2	333	
TMP-27	6/1/2021	200	120.2	313	
TMP-27	6/1/2021	220	114.7	293	
TMP-27	6/1/2021	233	109.6	280	
TMP-27	6/7/2021	20	113.0	493	
TMP-27	6/7/2021	40	139.7	473	
TMP-27	6/7/2021	60	152.3	453	
TMP-27	6/7/2021	80	154.2	433	
TMP-27	6/7/2021	100	149.4	413	
TMP-27	6/7/2021	120	143.8	393	
TMP-27	6/7/2021	140	138.0	373	
TMP-27	6/7/2021	160	131.2	353	
TMP-27	6/7/2021	180	125.7	333	
TMP-27	6/7/2021	200	120.7	313	
TMP-27	6/7/2021	220	115.1	293	
TMP-27	6/7/2021	233	110.1	280	
TMP-27	6/14/2021	20	111.9	493	
TMP-27	6/14/2021	40	138.7	473	
TMP-27	6/14/2021	60	151.8	453	
TMP-27	6/14/2021	80	153.7	433	
TMP-27	6/14/2021	100	149.1	413	
TMP-27	6/14/2021	120	143.8	393	
TMP-27	6/14/2021	140	138.3	373	
TMP-27	6/14/2021	160	131.7	353	
TMP-27	6/14/2021	180	125.7	333	
TMP-27	6/14/2021	200	121.6	313	
TMP-27	6/14/2021	220	116.5	293	
TMP-27	6/14/2021	233	110.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	5/17/2021	20	77.1	478	
TMP-28R	5/17/2021	40	111.0	458	
TMP-28R	5/17/2021	60	116.6	438	
TMP-28R	5/17/2021	80	119.8	418	
TMP-28R	5/17/2021	100	119.7	398	
TMP-28R	5/17/2021	120	116.8	378	
TMP-28R	5/17/2021	140	114.0	358	
TMP-28R	5/17/2021	160	110.4	338	
TMP-28R	5/17/2021	180	106.8	318	
TMP-28R	5/17/2021	200	103.7	298	
TMP-28R	5/17/2021	220	99.5	278	
TMP-28R	5/24/2021	20	76.8	478	
TMP-28R	5/24/2021	40	111.4	458	
TMP-28R	5/24/2021	60	117.2	438	
TMP-28R	5/24/2021	80	120.5	418	
TMP-28R	5/24/2021	100	120.5	398	
TMP-28R	5/24/2021	120	117.9	378	
TMP-28R	5/24/2021	140	115.1	358	
TMP-28R	5/24/2021	160	111.9	338	
TMP-28R	5/24/2021	180	108.5	318	
TMP-28R	5/24/2021	200	105.5	298	
TMP-28R	5/24/2021	220	101.4	278	
TMP-28R	6/1/2021	20	77.8	478	
TMP-28R	6/1/2021	40	111.9	458	
TMP-28R	6/1/2021	60	117.6	438	
TMP-28R	6/1/2021	80	120.8	418	
TMP-28R	6/1/2021	100	120.8	398	
TMP-28R	6/1/2021	120	118.0	378	
TMP-28R	6/1/2021	140	115.1	358	
TMP-28R	6/1/2021	160	111.7	338	
TMP-28R	6/1/2021	180	108.2	318	
TMP-28R	6/1/2021	200	104.9	298	
TMP-28R	6/1/2021	220	100.8	278	
TMP-28R	6/7/2021	20	77.4	478	
TMP-28R	6/7/2021	40	111.6	458	
TMP-28R	6/7/2021	60	117.2	438	
TMP-28R	6/7/2021	80	120.4	418	
TMP-28R	6/7/2021	100	120.3	398	
TMP-28R	6/7/2021	120	117.5	378	
TMP-28R	6/7/2021	140	114.7	358	
TMP-28R	6/7/2021	160	111.3	338	
TMP-28R	6/7/2021	180	107.8	318	
TMP-28R	6/7/2021	200	104.7	298	
TMP-28R	6/7/2021	220	100.6	278	
TMP-28R	6/14/2021	20	77.0	478	
TMP-28R	6/14/2021	40	110.9	458	
TMP-28R	6/14/2021	60	116.5	438	
TMP-28R	6/14/2021	80	119.7	418	
TMP-28R	6/14/2021	100	119.7	398	
TMP-28R	6/14/2021	120	116.9	378	
TMP-28R	6/14/2021	140	113.7	358	
TMP-28R	6/14/2021	160	110.4	338	
TMP-28R	6/14/2021	180	106.8	318	
TMP-28R	6/14/2021	200	103.6	298	
TMP-28R	6/14/2021	220	99.2	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	5/17/2021	8	71.0	488	
TMP-29	5/17/2021	16	82.3	480	
TMP-29	5/17/2021	25	87.3	471	
TMP-29	5/24/2021	8	71.6	488	
TMP-29	5/24/2021	16	83.0	480	
TMP-29	5/24/2021	25	88.1	471	
TMP-29	6/1/2021	8	72.1	488	
TMP-29	6/1/2021	16	82.4	480	
TMP-29	6/1/2021	25	87.5	471	
TMP-29	6/7/2021	8	72.0	488	
TMP-29	6/7/2021	16	81.9	480	
TMP-29	6/7/2021	25	87.1	471	
TMP-29	6/14/2021	8	73.4	488	
TMP-29	6/14/2021	16	82.7	480	
TMP-29	6/14/2021	25	88.4	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	5/17/2021	20	88.1	484	
TMP-33	5/17/2021	40	95.9	464	
TMP-33	5/17/2021	53	96.4	451	
TMP-33	5/24/2021	20	88.1	484	
TMP-33	5/24/2021	40	95.9	464	
TMP-33	5/24/2021	53	96.4	451	
TMP-33	6/1/2021	20	87.8	484	
TMP-33	6/1/2021	40	96.2	464	
TMP-33	6/1/2021	53	96.8	451	
TMP-33	6/7/2021	20	87.3	484	
TMP-33	6/7/2021	40	95.6	464	
TMP-33	6/7/2021	53	96.1	451	
TMP-33	6/14/2021	20	88.5	484	
TMP-33	6/14/2021	40	96.8	464	
TMP-33	6/14/2021	53	97.2	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	5/17/2021	20	90.5	495	
TMP-34	5/17/2021	40	104.3	475	
TMP-34	5/17/2021	50	105.4	465	
TMP-34	5/17/2021	63	104.1	452	
TMP-34	5/24/2021	20	90.6	495	
TMP-34	5/24/2021	40	104.3	475	
TMP-34	5/24/2021	50	105.5	465	
TMP-34	5/24/2021	63	104.1	452	
TMP-34	6/1/2021	20	90.5	495	
TMP-34	6/1/2021	40	104.6	475	
TMP-34	6/1/2021	50	105.8	465	
TMP-34	6/1/2021	63	104.6	452	
TMP-34	6/7/2021	20	90.4	495	
TMP-34	6/7/2021	40	104.6	475	
TMP-34	6/7/2021	50	105.6	465	
TMP-34	6/7/2021	63	104.4	452	
TMP-34	6/14/2021	20	91.2	495	
TMP-34	6/14/2021	40	106.0	475	
TMP-34	6/14/2021	50	107.4	465	
TMP-34	6/14/2021	63	106.4	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	5/17/2021	20	92.1	500	
TMP-35	5/17/2021	40	102.0	480	
TMP-35	5/17/2021	60	102.4	460	
TMP-35	5/17/2021	70	100.4	450	
TMP-35	5/24/2021	20	92.4	500	
TMP-35	5/24/2021	40	102.3	480	
TMP-35	5/24/2021	60	102.4	460	
TMP-35	5/24/2021	70	100.4	450	
TMP-35	6/1/2021	20	92.3	500	
TMP-35	6/1/2021	40	102.3	480	
TMP-35	6/1/2021	60	102.6	460	
TMP-35	6/1/2021	70	100.7	450	
TMP-35	6/7/2021	20	93.3	500	
TMP-35	6/7/2021	40	102.9	480	
TMP-35	6/7/2021	60	103.4	460	
TMP-35	6/7/2021	70	101.5	450	
TMP-35	6/14/2021	20	92.0	500	
TMP-35	6/14/2021	40	102.2	480	
TMP-35	6/14/2021	60	103.0	460	
TMP-35	6/14/2021	70	101.0	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36R	5/17/2021	15	73.3	472	
TMP-36R	5/17/2021	20	78.5	467	
TMP-36R	5/17/2021	30	80.6	457	
TMP-36R	5/24/2021	15	73.3	472	
TMP-36R	5/24/2021	20	78.5	467	
TMP-36R	5/24/2021	30	80.6	457	
TMP-36R	6/1/2021	15	73.2	472	
TMP-36R	6/1/2021	20	78.8	467	
TMP-36R	6/1/2021	30	81.1	457	
TMP-36R	6/7/2021	15	74.0	472	
TMP-36R	6/7/2021	20	79.7	467	
TMP-36R	6/7/2021	30	82.4	457	
TMP-36R	6/14/2021	15	74.3	472	
TMP-36R	6/14/2021	20	79.6	467	
TMP-36R	6/14/2021	30	82.2	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	5/17/2021	20	84.4	480	
TMP-37	5/17/2021	40	92.9	460	
TMP-37	5/17/2021	50	92.3	450	
TMP-37	5/24/2021	20	84.2	480	
TMP-37	5/24/2021	40	92.7	460	
TMP-37	5/24/2021	50	92.1	450	
TMP-37	6/1/2021	20	84.2	480	
TMP-37	6/1/2021	40	93.2	460	
TMP-37	6/1/2021	50	92.7	450	
TMP-37	6/7/2021	20	85.1	480	
TMP-37	6/7/2021	40	93.5	460	
TMP-37	6/7/2021	50	92.8	450	
TMP-37	6/14/2021	20	84.5	480	
TMP-37	6/14/2021	40	93.6	460	
TMP-37	6/14/2021	50	92.8	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	5/17/2021	20	95.8	495	
TMP-38	5/17/2021	40	108.2	475	
TMP-38	5/17/2021	60	106.0	455	
TMP-38	5/17/2021	70	103.8	445	
TMP-38	5/24/2021	20	96.3	495	
TMP-38	5/24/2021	40	108.4	475	
TMP-38	5/24/2021	60	106.1	455	
TMP-38	5/24/2021	70	103.9	445	
TMP-38	6/1/2021	20	96.0	495	
TMP-38	6/1/2021	40	108.4	475	
TMP-38	6/1/2021	60	106.3	455	
TMP-38	6/1/2021	70	104.1	445	
TMP-38	6/7/2021	20	95.9	495	
TMP-38	6/7/2021	40	107.7	475	
TMP-38	6/7/2021	60	105.6	455	
TMP-38	6/7/2021	70	103.3	445	
TMP-38	6/14/2021	20	96.7	495	
TMP-38	6/14/2021	40	109.0	475	
TMP-38	6/14/2021	60	106.8	455	
TMP-38	6/14/2021	70	104.5	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	5/17/2021	20	100.5	501	
TMP-39	5/17/2021	40	121.1	481	
TMP-39	5/17/2021	60	120.4	461	
TMP-39	5/17/2021	80	114.5	441	
TMP-39	5/24/2021	20	100.8	501	
TMP-39	5/24/2021	40	121.3	481	
TMP-39	5/24/2021	60	120.7	461	
TMP-39	5/24/2021	80	114.9	441	
TMP-39	6/1/2021	20	101.0	501	
TMP-39	6/1/2021	40	121.7	481	
TMP-39	6/1/2021	60	121.0	461	
TMP-39	6/1/2021	80	115.2	441	
TMP-39	6/7/2021	20	100.7	501	
TMP-39	6/7/2021	40	121.4	481	
TMP-39	6/7/2021	60	120.9	461	
TMP-39	6/7/2021	80	114.9	441	
TMP-39	6/14/2021	20	102.5	501	
TMP-39	6/14/2021	40	123.1	481	
TMP-39	6/14/2021	60	122.6	461	
TMP-39	6/14/2021	80	116.6	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	5/17/2021	20	93.3	505	
TMP-40	5/17/2021	40	120.7	485	
TMP-40	5/17/2021	60	125.4	465	
TMP-40	5/17/2021	80	121.9	445	
TMP-40	5/24/2021	20	93.7	505	
TMP-40	5/24/2021	40	121.1	485	
TMP-40	5/24/2021	60	125.9	465	
TMP-40	5/24/2021	80	122.6	445	
TMP-40	6/1/2021	20	93.7	505	
TMP-40	6/1/2021	40	121.1	485	
TMP-40	6/1/2021	60	125.9	465	
TMP-40	6/1/2021	80	122.7	445	
TMP-40	6/7/2021	20	92.8	505	
TMP-40	6/7/2021	40	120.3	485	
TMP-40	6/7/2021	60	125.0	465	
TMP-40	6/7/2021	80	121.7	445	
TMP-40	6/14/2021	20	94.9	505	
TMP-40	6/14/2021	40	122.1	485	
TMP-40	6/14/2021	60	126.7	465	
TMP-40	6/14/2021	80	123.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	5/17/2021	20	95.7	504	
TMP-41	5/17/2021	40	119.5	484	
TMP-41	5/17/2021	60	122.6	464	
TMP-41	5/17/2021	80	118.3	444	
TMP-41	5/17/2021	98	111.7	426	
TMP-41	5/24/2021	20	96.3	504	
TMP-41	5/24/2021	40	120.3	484	
TMP-41	5/24/2021	60	123.3	464	
TMP-41	5/24/2021	80	118.9	444	
TMP-41	5/24/2021	98	112.4	426	
TMP-41	6/1/2021	20	96.2	504	
TMP-41	6/1/2021	40	120.3	484	
TMP-41	6/1/2021	60	123.5	464	
TMP-41	6/1/2021	80	119.1	444	
TMP-41	6/1/2021	98	112.6	426	
TMP-41	6/7/2021	20	94.2	504	
TMP-41	6/7/2021	40	118.2	484	
TMP-41	6/7/2021	60	121.0	464	
TMP-41	6/7/2021	80	116.3	444	
TMP-41	6/7/2021	98	109.4	426	
TMP-41	6/14/2021	20	94.9	504	
TMP-41	6/14/2021	40	118.9	484	
TMP-41	6/14/2021	60	122.0	464	
TMP-41	6/14/2021	80	117.7	444	
TMP-41	6/14/2021	98	111.1	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	5/17/2021	20	100.1	498	
TMP-42	5/17/2021	40	116.4	478	
TMP-42	5/17/2021	60	116.4	458	
TMP-42	5/17/2021	78	112.0	440	
TMP-42	5/24/2021	20	100.8	498	
TMP-42	5/24/2021	40	117.1	478	
TMP-42	5/24/2021	60	117.2	458	
TMP-42	5/24/2021	78	113.0	440	
TMP-42	6/1/2021	20	100.1	498	
TMP-42	6/1/2021	40	116.7	478	
TMP-42	6/1/2021	60	116.8	458	
TMP-42	6/1/2021	78	112.5	440	
TMP-42	6/7/2021	20	100.4	498	
TMP-42	6/7/2021	40	117.1	478	
TMP-42	6/7/2021	60	117.2	458	
TMP-42	6/7/2021	78	112.9	440	
TMP-42	6/14/2021	20	102.4	498	
TMP-42	6/14/2021	40	118.9	478	
TMP-42	6/14/2021	60	119.4	458	
TMP-42	6/14/2021	78	115.1	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	5/17/2021	20	98.0	496	
TMP-43	5/17/2021	40	117.3	476	
TMP-43	5/17/2021	60	123.9	456	
TMP-43	5/17/2021	80	123.0	436	
TMP-43	5/17/2021	100	116.8	416	
TMP-43	5/24/2021	20	98.1	496	
TMP-43	5/24/2021	40	117.4	476	
TMP-43	5/24/2021	60	124.1	456	
TMP-43	5/24/2021	80	123.2	436	
TMP-43	5/24/2021	100	117.1	416	
TMP-43	6/1/2021	20	97.9	496	
TMP-43	6/1/2021	40	117.2	476	
TMP-43	6/1/2021	60	124.0	456	
TMP-43	6/1/2021	80	123.1	436	
TMP-43	6/1/2021	100	117.0	416	
TMP-43	6/7/2021	20	98.5	496	
TMP-43	6/7/2021	40	117.9	476	
TMP-43	6/7/2021	60	124.7	456	
TMP-43	6/7/2021	80	123.7	436	
TMP-43	6/7/2021	100	117.7	416	
TMP-43	6/14/2021	20	100.1	496	
TMP-43	6/14/2021	40	119.7	476	
TMP-43	6/14/2021	60	126.6	456	
TMP-43	6/14/2021	80	125.7	436	
TMP-43	6/14/2021	100	119.9	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	5/17/2021	20	102.1	491	
TMP-44	5/17/2021	40	129.7	471	
TMP-44	5/17/2021	60	143.0	451	
TMP-44	5/17/2021	80	148.1	431	
TMP-44	5/17/2021	100	150.2	411	
TMP-44	5/17/2021	120	149.6	391	
TMP-44	5/17/2021	140	149.7	371	
TMP-44	5/17/2021	160	138.9	351	
TMP-44	5/17/2021	180	124.2	331	
TMP-44	5/24/2021	20	102.0	491	
TMP-44	5/24/2021	40	129.5	471	
TMP-44	5/24/2021	60	142.8	451	
TMP-44	5/24/2021	80	147.7	431	
TMP-44	5/24/2021	100	149.8	411	
TMP-44	5/24/2021	120	149.3	391	
TMP-44	5/24/2021	140	149.3	371	
TMP-44	5/24/2021	160	138.6	351	
TMP-44	5/24/2021	180	123.9	331	
TMP-44	6/1/2021	20	101.9	491	
TMP-44	6/1/2021	40	129.5	471	
TMP-44	6/1/2021	60	142.8	451	
TMP-44	6/1/2021	80	147.8	431	
TMP-44	6/1/2021	100	150.0	411	
TMP-44	6/1/2021	120	149.6	391	
TMP-44	6/1/2021	140	149.8	371	
TMP-44	6/1/2021	160	138.9	351	
TMP-44	6/1/2021	180	122.4	331	
TMP-44	6/7/2021	20	102.2	491	
TMP-44	6/7/2021	40	129.8	471	
TMP-44	6/7/2021	60	143.3	451	
TMP-44	6/7/2021	80	148.1	431	
TMP-44	6/7/2021	100	150.5	411	
TMP-44	6/7/2021	120	150.0	391	
TMP-44	6/7/2021	140	150.1	371	
TMP-44	6/7/2021	160	139.4	351	
TMP-44	6/7/2021	180	123.1	331	
TMP-44	6/14/2021	20	104.4	491	
TMP-44	6/14/2021	40	132.3	471	
TMP-44	6/14/2021	60	145.3	451	
TMP-44	6/14/2021	80	150.1	431	
TMP-44	6/14/2021	100	152.2	411	
TMP-44	6/14/2021	120	151.6	391	
TMP-44	6/14/2021	140	151.6	371	
TMP-44	6/14/2021	160	140.8	351	
TMP-44	6/14/2021	180	124.1	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	5/17/2021	15	69.2	464	
TMP-45	5/17/2021	30	79.8	449	
TMP-45	5/17/2021	45	84.3	434	
TMP-45	5/24/2021	15	70.2	464	
TMP-45	5/24/2021	30	80.8	449	
TMP-45	5/24/2021	45	85.2	434	
TMP-45	6/1/2021	15	68.1	464	
TMP-45	6/1/2021	30	79.2	449	
TMP-45	6/1/2021	45	83.6	434	
TMP-45	6/7/2021	15	67.4	464	
TMP-45	6/7/2021	30	78.3	449	
TMP-45	6/7/2021	45	82.7	434	
TMP-45	6/14/2021	15	69.4	464	
TMP-45	6/14/2021	30	80.5	449	
TMP-45	6/14/2021	45	84.6	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	5/17/2021	20	71.5	457	
TMP-46	5/17/2021	40	81.2	437	
TMP-46	5/17/2021	60	88.6	417	
TMP-46	5/24/2021	20	71.3	457	
TMP-46	5/24/2021	40	81.1	437	
TMP-46	5/24/2021	60	88.3	417	
TMP-46	6/1/2021	20	70.6	457	
TMP-46	6/1/2021	40	80.6	437	
TMP-46	6/1/2021	60	87.9	417	
TMP-46	6/7/2021	20	69.9	457	
TMP-46	6/7/2021	40	79.9	437	
TMP-46	6/7/2021	60	87.1	417	
TMP-46	6/14/2021	20	69.7	457	
TMP-46	6/14/2021	40	79.8	437	
TMP-46	6/14/2021	60	87.2	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	5/17/2021	20	64.8	457	
TMP-47	5/17/2021	40	72.1	437	
TMP-47	5/17/2021	60	75.0	417	
TMP-47	5/24/2021	20	65.2	457	
TMP-47	5/24/2021	40	72.6	437	
TMP-47	5/24/2021	60	75.4	417	
TMP-47	6/1/2021	20	64.4	457	
TMP-47	6/1/2021	40	72.1	437	
TMP-47	6/1/2021	60	75.0	417	
TMP-47	6/7/2021	20	62.6	457	
TMP-47	6/7/2021	40	70.1	437	
TMP-47	6/7/2021	60	72.9	417	
TMP-47	6/14/2021	20	64.3	457	
TMP-47	6/14/2021	40	71.9	437	
TMP-47	6/14/2021	60	74.6	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	5/17/2021	20	64.9	455	
TMP-48	5/17/2021	40	67.4	435	
TMP-48	5/17/2021	60	72.3	415	
TMP-48	5/17/2021	72	71.3	403	
TMP-48	5/24/2021	20	64.5	455	
TMP-48	5/24/2021	40	67.0	435	
TMP-48	5/24/2021	60	72.6	415	
TMP-48	5/24/2021	72	71.3	403	
TMP-48	6/1/2021	20	64.0	455	
TMP-48	6/1/2021	40	66.5	435	
TMP-48	6/1/2021	60	72.0	415	
TMP-48	6/1/2021	72	70.7	403	
TMP-48	6/7/2021	20	63.7	455	
TMP-48	6/7/2021	40	66.5	435	
TMP-48	6/7/2021	60	71.9	415	
TMP-48	6/7/2021	72	70.6	403	
TMP-48	6/14/2021	20	64.4	455	
TMP-48	6/14/2021	40	67.5	435	
TMP-48	6/14/2021	60	73.2	415	
TMP-48	6/14/2021	72	72.0	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	5/17/2021	20	63.4	453	
TMP-49	5/17/2021	40	64.1	433	
TMP-49	5/17/2021	60	68.7	413	
TMP-49	5/24/2021	20	62.8	453	
TMP-49	5/24/2021	40	63.6	433	
TMP-49	5/24/2021	60	68.0	413	
TMP-49	6/1/2021	20	62.7	453	
TMP-49	6/1/2021	40	63.4	433	
TMP-49	6/1/2021	60	67.4	413	
TMP-49	6/7/2021	20	61.3	453	
TMP-49	6/7/2021	40	62.2	433	
TMP-49	6/7/2021	60	66.4	413	
TMP-49	6/14/2021	20	61.9	453	
TMP-49	6/14/2021	40	63.3	433	
TMP-49	6/14/2021	60	67.8	413	