

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	11/29/2016	20	164.2	479	
TMP-14R	11/29/2016	40	192.4	459	
TMP-14R	11/29/2016	60	197.7	439	
TMP-14R	11/29/2016	80	195.0	419	
TMP-14R	11/29/2016	100	182.3	399	
TMP-14R	11/29/2016	120	179.7	379	
TMP-14R	11/29/2016	140	176.0	359	
TMP-14R	12/5/2016	20	164.2	479	
TMP-14R	12/5/2016	40	192.2	459	
TMP-14R	12/5/2016	60	197.5	439	
TMP-14R	12/5/2016	80	195.1	419	
TMP-14R	12/5/2016	100	182.5	399	
TMP-14R	12/5/2016	120	180.0	379	
TMP-14R	12/5/2016	140	176.4	359	
TMP-14R	12/12/2016	20	165.4	479	
TMP-14R	12/12/2016	40	193.5	459	
TMP-14R	12/12/2016	60	198.8	439	
TMP-14R	12/12/2016	80	196.4	419	
TMP-14R	12/12/2016	100	183.9	399	
TMP-14R	12/12/2016	120	181.3	379	
TMP-14R	12/12/2016	140	177.7	359	
TMP-14R	12/19/2016	20	164.6	479	
TMP-14R	12/19/2016	40	192.4	459	
TMP-14R	12/19/2016	60	197.9	439	
TMP-14R	12/19/2016	80	195.8	419	
TMP-14R	12/19/2016	100	183.4	399	
TMP-14R	12/19/2016	120	181.0	379	
TMP-14R	12/19/2016	140	177.4	359	
TMP-14R	12/27/2016	20	164.5	479	
TMP-14R	12/27/2016	40	193.2	459	
TMP-14R	12/27/2016	60	199.0	439	
TMP-14R	12/27/2016	80	197.1	419	
TMP-14R	12/27/2016	100	184.6	399	
TMP-14R	12/27/2016	120	182.3	379	
TMP-14R	12/27/2016	140	178.8	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	11/29/2016	20	182.7	473	
TMP-19	11/29/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/29/2016	60	234.1	433	
TMP-19	11/29/2016	80	243.0	413	
TMP-19	11/29/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/5/2016	20	181.5	473	
TMP-19	12/5/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/5/2016	60	235.6	433	
TMP-19	12/5/2016	80	244.5	413	
TMP-19	12/5/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/12/2016	20	182.7	473	
TMP-19	12/12/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/12/2016	60	237.5	433	
TMP-19	12/12/2016	80	246.3	413	
TMP-19	12/12/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/19/2016	20	183.6	473	
TMP-19	12/19/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/19/2016	60	235.6	433	
TMP-19	12/19/2016	80	244.4	413	
TMP-19	12/19/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/27/2016	20	185.0	473	
TMP-19	12/27/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/27/2016	60	236.6	433	
TMP-19	12/27/2016	80	245.4	413	
TMP-19	12/27/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	11/29/2016	20	142.0	478	
TMP-20	11/29/2016	40	213.9	458	
TMP-20	11/29/2016	60	238.3	438	
TMP-20	11/29/2016	80	251.4	418	
TMP-20	11/29/2016	100	262.7	398	
TMP-20	11/29/2016	120	271.7	378	
TMP-20	11/29/2016	140	274.6	358	
TMP-20	12/5/2016	20	143.7	478	
TMP-20	12/5/2016	40	215.3	458	
TMP-20	12/5/2016	60	240.0	438	
TMP-20	12/5/2016	80	253.1	418	
TMP-20	12/5/2016	100	264.7	398	
TMP-20	12/5/2016	120	273.6	378	
TMP-20	12/5/2016	140	276.1	358	
TMP-20	12/12/2016	20	144.3	478	
TMP-20	12/12/2016	40	215.3	458	
TMP-20	12/12/2016	60	240.1	438	
TMP-20	12/12/2016	80	253.1	418	
TMP-20	12/12/2016	100	264.2	398	
TMP-20	12/12/2016	120	273.1	378	
TMP-20	12/12/2016	140	275.9	358	
TMP-20	12/19/2016	20	143.1	478	
TMP-20	12/19/2016	40	214.3	458	
TMP-20	12/19/2016	60	239.3	438	
TMP-20	12/19/2016	80	252.1	418	
TMP-20	12/19/2016	100	263.3	398	
TMP-20	12/19/2016	120	272.1	378	
TMP-20	12/19/2016	140	274.6	358	
TMP-20	12/27/2016	20	142.0	478	
TMP-20	12/27/2016	40	213.6	458	
TMP-20	12/27/2016	60	238.9	438	
TMP-20	12/27/2016	80	251.8	418	
TMP-20	12/27/2016	100	262.9	398	
TMP-20	12/27/2016	120	271.8	378	
TMP-20	12/27/2016	140	274.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	11/29/2016	20	140.4	475	
TMP-10-9N	11/29/2016	40	156.4	455	
TMP-10-9N	11/29/2016	60	162.4	435	
TMP-10-9N	11/29/2016	80	161.1	415	
TMP-10-9N	11/29/2016	100	170.9	395	
TMP-10-9N	12/5/2016	20	141.2	475	
TMP-10-9N	12/5/2016	40	157.2	455	
TMP-10-9N	12/5/2016	60	163.0	435	
TMP-10-9N	12/5/2016	80	161.8	415	
TMP-10-9N	12/5/2016	100	171.4	395	
TMP-10-9N	12/12/2016	20	142.2	475	
TMP-10-9N	12/12/2016	40	158.1	455	
TMP-10-9N	12/12/2016	60	163.4	435	
TMP-10-9N	12/12/2016	80	162.6	415	
TMP-10-9N	12/12/2016	100	172.4	395	
TMP-10-9N	12/19/2016	20	140.4	475	
TMP-10-9N	12/19/2016	40	157.1	455	
TMP-10-9N	12/19/2016	60	162.0	435	
TMP-10-9N	12/19/2016	80	161.5	415	
TMP-10-9N	12/19/2016	100	171.3	395	
TMP-10-9N	12/27/2016	20	140.3	475	
TMP-10-9N	12/27/2016	40	156.8	455	
TMP-10-9N	12/27/2016	60	161.1	435	
TMP-10-9N	12/27/2016	80	160.8	415	
TMP-10-9N	12/27/2016	100	170.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	11/29/2016	20	141.1	476	
TMP-10-9S	11/29/2016	40	190.2	456	
TMP-10-9S	11/29/2016	60	217.0	436	
TMP-10-9S	11/29/2016	80	219.5	416	
TMP-10-9S	11/29/2016	100	232.7	396	
TMP-10-9S	12/5/2016	20	142.1	476	
TMP-10-9S	12/5/2016	40	191.0	456	
TMP-10-9S	12/5/2016	60	217.6	436	
TMP-10-9S	12/5/2016	80	220.4	416	
TMP-10-9S	12/5/2016	100	233.5	396	
TMP-10-9S	12/12/2016	20	142.4	476	
TMP-10-9S	12/12/2016	40	190.3	456	
TMP-10-9S	12/12/2016	60	217.7	436	
TMP-10-9S	12/12/2016	80	220.7	416	
TMP-10-9S	12/12/2016	100	233.9	396	
TMP-10-9S	12/19/2016	20	141.1	476	
TMP-10-9S	12/19/2016	40	188.3	456	
TMP-10-9S	12/19/2016	60	216.1	436	
TMP-10-9S	12/19/2016	80	219.5	416	
TMP-10-9S	12/19/2016	100	232.8	396	
TMP-10-9S	12/27/2016	20	141.2	476	
TMP-10-9S	12/27/2016	40	190.0	456	
TMP-10-9S	12/27/2016	60	216.1	436	
TMP-10-9S	12/27/2016	80	219.4	416	
TMP-10-9S	12/27/2016	100	232.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	11/29/2016	20	120.9	478	
TMP-10-5N	11/29/2016	40	118.6	458	
TMP-10-5N	11/29/2016	60	115.4	438	
TMP-10-5N	11/29/2016	80	103.0	418	
TMP-10-5N	11/29/2016	100	97.5	398	
TMP-10-5N	12/5/2016	20	121.8	478	
TMP-10-5N	12/5/2016	40	122.3	458	
TMP-10-5N	12/5/2016	60	119.3	438	
TMP-10-5N	12/5/2016	80	108.7	418	
TMP-10-5N	12/5/2016	100	104.0	398	
TMP-10-5N	12/12/2016	20	122.9	478	
TMP-10-5N	12/12/2016	40	126.1	458	
TMP-10-5N	12/12/2016	60	122.2	438	
TMP-10-5N	12/12/2016	80	111.4	418	
TMP-10-5N	12/12/2016	100	105.8	398	
TMP-10-5N	12/19/2016	20	121.5	478	
TMP-10-5N	12/19/2016	40	123.5	458	
TMP-10-5N	12/19/2016	60	117.8	438	
TMP-10-5N	12/19/2016	80	106.5	418	
TMP-10-5N	12/19/2016	100	101.4	398	
TMP-10-5N	12/27/2016	20	120.9	478	
TMP-10-5N	12/27/2016	40	122.9	458	
TMP-10-5N	12/27/2016	60	117.4	438	
TMP-10-5N	12/27/2016	80	106.7	418	
TMP-10-5N	12/27/2016	100	102.0	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	11/29/2016	20	132.1	477	
TMP-10-5S	11/29/2016	40	165.4	457	
TMP-10-5S	11/29/2016	60	193.8	437	
TMP-10-5S	11/29/2016	80	202.8	417	
TMP-10-5S	11/29/2016	100	215.5	397	
TMP-10-5S	12/5/2016	20	132.7	477	
TMP-10-5S	12/5/2016	40	166.4	457	
TMP-10-5S	12/5/2016	60	194.4	437	
TMP-10-5S	12/5/2016	80	203.6	417	
TMP-10-5S	12/5/2016	100	216.3	397	
TMP-10-5S	12/12/2016	20	133.3	477	
TMP-10-5S	12/12/2016	40	167.3	457	
TMP-10-5S	12/12/2016	60	194.4	437	
TMP-10-5S	12/12/2016	80	203.7	417	
TMP-10-5S	12/12/2016	100	216.4	397	
TMP-10-5S	12/19/2016	20	132.1	477	
TMP-10-5S	12/19/2016	40	166.5	457	
TMP-10-5S	12/19/2016	60	192.8	437	
TMP-10-5S	12/19/2016	80	202.0	417	
TMP-10-5S	12/19/2016	100	214.8	397	
TMP-10-5S	12/27/2016	20	131.8	477	
TMP-10-5S	12/27/2016	40	166.8	457	
TMP-10-5S	12/27/2016	60	192.5	437	
TMP-10-5S	12/27/2016	80	201.8	417	
TMP-10-5S	12/27/2016	100	214.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	11/29/2016	20	125.9	476	
TMP-5-9N	11/29/2016	40	172.8	456	
TMP-5-9N	11/29/2016	60	165.8	436	
TMP-5-9N	11/29/2016	80	254.6	416	
TMP-5-9N	11/29/2016	100	263.6	396	
TMP-5-9N	12/5/2016	20	126.0	476	
TMP-5-9N	12/5/2016	40	173.4	456	
TMP-5-9N	12/5/2016	60	166.1	436	
TMP-5-9N	12/5/2016	80	255.5	416	
TMP-5-9N	12/5/2016	100	264.5	396	
TMP-5-9N	12/12/2016	20	126.5	476	
TMP-5-9N	12/12/2016	40	171.8	456	
TMP-5-9N	12/12/2016	60	166.0	436	
TMP-5-9N	12/12/2016	80	256.4	416	
TMP-5-9N	12/12/2016	100	265.3	396	
TMP-5-9N	12/19/2016	20	125.1	476	
TMP-5-9N	12/19/2016	40	168.2	456	
TMP-5-9N	12/19/2016	60	164.1	436	
TMP-5-9N	12/19/2016	80	255.7	416	
TMP-5-9N	12/19/2016	100	264.4	396	
TMP-5-9N	12/27/2016	20	124.7	476	
TMP-5-9N	12/27/2016	40	166.6	456	
TMP-5-9N	12/27/2016	60	163.6	436	
TMP-5-9N	12/27/2016	80	255.5	416	
TMP-5-9N	12/27/2016	100	264.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	11/29/2016	20	146.7	476	
TMP-5-9S	11/29/2016	40	215.7	456	
TMP-5-9S	11/29/2016	60	236.9	436	
TMP-5-9S	11/29/2016	80	223.0	416	
TMP-5-9S	11/29/2016	100	265.2	396	
TMP-5-9S	12/5/2016	20	147.7	476	
TMP-5-9S	12/5/2016	40	217.2	456	
TMP-5-9S	12/5/2016	60	238.2	436	
TMP-5-9S	12/5/2016	80		416	No reliable reading able to be obtained
TMP-5-9S	12/5/2016	100	266.5	396	
TMP-5-9S	12/12/2016	20	148.6	476	
TMP-5-9S	12/12/2016	40	218.7	456	
TMP-5-9S	12/12/2016	60	239.5	436	
TMP-5-9S	12/12/2016	80		416	No reliable reading able to be obtained
TMP-5-9S	12/12/2016	100	267.4	396	
TMP-5-9S	12/19/2016	20	147.7	476	
TMP-5-9S	12/19/2016	40	220.1	456	
TMP-5-9S	12/19/2016	60	239.5	436	
TMP-5-9S	12/19/2016	80		416	No reliable reading able to be obtained
TMP-5-9S	12/19/2016	100	266.7	396	
TMP-5-9S	12/27/2016	20	148.8	476	
TMP-5-9S	12/27/2016	40	220.8	456	
TMP-5-9S	12/27/2016	60	240.1	436	
TMP-5-9S	12/27/2016	80		416	Low resistivity, unreliable reading
TMP-5-9S	12/27/2016	100	267.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	11/29/2016	20	113.9	475	
TMP-5-5N	11/29/2016	40	105.3	455	
TMP-5-5N	11/29/2016	60	92.1	435	
TMP-5-5N	11/29/2016	80	253.1	415	
TMP-5-5N	11/29/2016	100	254.4	395	
TMP-5-5N	12/5/2016	20	114.4	475	
TMP-5-5N	12/5/2016	40	108.2	455	
TMP-5-5N	12/5/2016	60	95.3	435	
TMP-5-5N	12/5/2016	80	254.3	415	
TMP-5-5N	12/5/2016	100		395	No reliable reading able to be obtained
TMP-5-5N	12/12/2016	20	114.6	475	
TMP-5-5N	12/12/2016	40	108.4	455	
TMP-5-5N	12/12/2016	60	95.0	435	
TMP-5-5N	12/12/2016	80	255.2	415	
TMP-5-5N	12/12/2016	100		395	No reliable reading able to be obtained
TMP-5-5N	12/19/2016	20	112.9	475	
TMP-5-5N	12/19/2016	40	107.5	455	
TMP-5-5N	12/19/2016	60	93.7	435	
TMP-5-5N	12/19/2016	80	254.7	415	
TMP-5-5N	12/19/2016	100		395	No reliable reading able to be obtained
TMP-5-5N	12/27/2016	20	112.6	475	
TMP-5-5N	12/27/2016	40	108.1	455	
TMP-5-5N	12/27/2016	60	94.1	435	
TMP-5-5N	12/27/2016	80	254.0	415	
TMP-5-5N	12/27/2016	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	11/29/2016	20	145.9	474	
TMP-5-5S	11/29/2016	40	212.8	454	
TMP-5-5S	11/29/2016	60	236.6	434	
TMP-5-5S	11/29/2016	80	254.7	414	
TMP-5-5S	11/29/2016	100	257.4	394	
TMP-5-5S	12/5/2016	20	146.0	474	
TMP-5-5S	12/5/2016	40	212.9	454	
TMP-5-5S	12/5/2016	60	237.1	434	
TMP-5-5S	12/5/2016	80	255.4	414	
TMP-5-5S	12/5/2016	100	258.1	394	
TMP-5-5S	12/12/2016	20	147.6	474	
TMP-5-5S	12/12/2016	40	213.4	454	
TMP-5-5S	12/12/2016	60	237.9	434	
TMP-5-5S	12/12/2016	80	256.1	414	
TMP-5-5S	12/12/2016	100	259.0	394	
TMP-5-5S	12/19/2016	20	146.0	474	
TMP-5-5S	12/19/2016	40	211.6	454	
TMP-5-5S	12/19/2016	60	236.9	434	
TMP-5-5S	12/19/2016	80	255.1	414	
TMP-5-5S	12/19/2016	100	258.0	394	
TMP-5-5S	12/27/2016	20	146.8	474	
TMP-5-5S	12/27/2016	40	212.0	454	
TMP-5-5S	12/27/2016	60	237.6	434	
TMP-5-5S	12/27/2016	80	256.0	414	
TMP-5-5S	12/27/2016	100	258.9	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	11/29/2016	20	205.7	474	
TMP-31	11/29/2016	40	227.7	454	
TMP-31	11/29/2016	60	243.7	434	
TMP-31	11/29/2016	80	261.3	414	
TMP-31	11/29/2016	100	269.9	394	
TMP-31	11/29/2016	120	276.9	374	
TMP-31	11/29/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	11/29/2016	193		301	no longer working
TMP-31	12/5/2016	20	207.0	474	
TMP-31	12/5/2016	40	299.0	454	
TMP-31	12/5/2016	60	244.9	434	
TMP-31	12/5/2016	80	262.5	414	
TMP-31	12/5/2016	100	271.2	394	
TMP-31	12/5/2016	120	277.9	374	
TMP-31	12/5/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	12/5/2016	193		301	no longer working
TMP-31	12/12/2016	20	207.4	474	
TMP-31	12/12/2016	40	230.0	454	
TMP-31	12/12/2016	60	245.7	434	
TMP-31	12/12/2016	80	263.0	414	
TMP-31	12/12/2016	100	271.9	394	
TMP-31	12/12/2016	120	278.7	374	
TMP-31	12/12/2016	140		354	does not show stable resistivity readings
TMP-31	12/12/2016	160		334	does not show stable resistivity readings
TMP-31	12/12/2016	180		314	does not show stable resistivity readings
TMP-31	12/12/2016	193		301	does not show stable resistivity readings
TMP-31	12/19/2016	20	205.6	474	
TMP-31	12/19/2016	40	230.0	454	
TMP-31	12/19/2016	60	245.1	434	
TMP-31	12/19/2016	80	262.4	414	
TMP-31	12/19/2016	100	271.0	394	
TMP-31	12/19/2016	120	278.3	374	
TMP-31	12/19/2016	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	12/19/2016	160		334	does not show stable resistivity readings
TMP-31	12/19/2016	180		314	does not show stable resistivity readings
TMP-31	12/19/2016	193		301	does not show stable resistivity readings
TMP-31	12/27/2016	20	206.9	474	
TMP-31	12/27/2016	40	231.0	454	
TMP-31	12/27/2016	60	246.0	434	
TMP-31	12/27/2016	80	263.4	414	
TMP-31	12/27/2016	100	272.2	394	
TMP-31	12/27/2016	120	279.2	374	
TMP-31	12/27/2016	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	12/27/2016	160		334	does not show stable resistivity readings
TMP-31	12/27/2016	180		314	does not show stable resistivity readings
TMP-31	12/27/2016	193		301	does not show stable resistivity readings

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	11/29/2016	20	203.2	484	
TMP-32	11/29/2016	40	221.6	464	
TMP-32	11/29/2016	60	242.2	444	
TMP-32	11/29/2016	80	256.0	424	
TMP-32	11/29/2016	100	267.9	404	
TMP-32	11/29/2016	120	274.8	384	
TMP-32	11/29/2016	140	278.0	364	
TMP-32	11/29/2016	160	284.7	344	
TMP-32	11/29/2016	180	289.0	324	
TMP-32	11/29/2016	200	259.3	304	The resistivity has fluctuated week to week
TMP-32	12/5/2016	20	204.2	484	
TMP-32	12/5/2016	40	222.3	464	
TMP-32	12/5/2016	60	243.1	444	
TMP-32	12/5/2016	80	257.0	424	
TMP-32	12/5/2016	100	268.9	404	
TMP-32	12/5/2016	120	275.8	384	
TMP-32	12/5/2016	140	279.1	364	
TMP-32	12/5/2016	160	285.7	344	
TMP-32	12/5/2016	180	290.0	324	
TMP-32	12/5/2016	200	261.3	304	
TMP-32	12/12/2016	20	205.9	484	
TMP-32	12/12/2016	40	223.5	464	
TMP-32	12/12/2016	60	244.0	444	
TMP-32	12/12/2016	80	257.8	424	
TMP-32	12/12/2016	100	269.5	404	
TMP-32	12/12/2016	120	276.4	384	
TMP-32	12/12/2016	140	279.7	364	
TMP-32	12/12/2016	160	286.2	344	
TMP-32	12/12/2016	180	290.6	324	
TMP-32	12/12/2016	200	263.4	304	
TMP-32	12/19/2016	20	205.6	484	
TMP-32	12/19/2016	40	223.7	464	
TMP-32	12/19/2016	60	244.2	444	
TMP-32	12/19/2016	80	257.9	424	
TMP-32	12/19/2016	100	269.5	404	
TMP-32	12/19/2016	120	276.4	384	
TMP-32	12/19/2016	140	279.7	364	
TMP-32	12/19/2016	160	286.1	344	
TMP-32	12/19/2016	180	290.5	324	
TMP-32	12/19/2016	200	264.2	304	
TMP-32	12/27/2016	20	205.3	484	
TMP-32	12/27/2016	40	223.3	464	
TMP-32	12/27/2016	60	243.9	444	
TMP-32	12/27/2016	80	257.7	424	
TMP-32	12/27/2016	100	269.3	404	
TMP-32	12/27/2016	120	276.3	384	
TMP-32	12/27/2016	140	279.7	364	
TMP-32	12/27/2016	160	286.3	344	
TMP-32	12/27/2016	180	290.8	324	
TMP-32	12/27/2016	200	265.7	304	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	11/28/2016	20	173.0	473	
TMP-SPM1	11/28/2016	40	196.6	453	
TMP-SPM1	11/28/2016	60	189.9	433	
TMP-SPM1	11/28/2016	80	191.5	413	
TMP-SPM1	11/28/2016	100	180.0	393	
TMP-SPM1	11/28/2016	120	168.0	373	
TMP-SPM1	11/28/2016	140	158.0	353	
TMP-SPM1	11/28/2016	160	143.2	333	
TMP-SPM1	11/28/2016	180	127.9	313	
TMP-SPM1	11/28/2016	200	106.5	293	
TMP-SPM1	11/28/2016	220	90.7	273	
TMP-SPM1	11/28/2016	240	86.8	253	
TMP-SPM1	12/5/2016	20	173.1	473	
TMP-SPM1	12/5/2016	40	196.8	453	
TMP-SPM1	12/5/2016	60	190.1	433	
TMP-SPM1	12/5/2016	80	191.6	413	
TMP-SPM1	12/5/2016	100	180.6	393	
TMP-SPM1	12/5/2016	120	168.1	373	
TMP-SPM1	12/5/2016	140	158.1	353	
TMP-SPM1	12/5/2016	160	143.2	333	
TMP-SPM1	12/5/2016	180	127.9	313	
TMP-SPM1	12/5/2016	200	106.5	293	
TMP-SPM1	12/5/2016	220	90.6	273	
TMP-SPM1	12/5/2016	240	86.9	253	
TMP-SPM1	12/12/2016	20	174.2	473	
TMP-SPM1	12/12/2016	40	197.9	453	
TMP-SPM1	12/12/2016	60	191.4	433	
TMP-SPM1	12/12/2016	80	192.6	413	
TMP-SPM1	12/12/2016	100	181.5	393	
TMP-SPM1	12/12/2016	120	168.9	373	
TMP-SPM1	12/12/2016	140	158.8	353	
TMP-SPM1	12/12/2016	160	143.8	333	
TMP-SPM1	12/12/2016	180	128.5	313	
TMP-SPM1	12/12/2016	200	107.0	293	
TMP-SPM1	12/12/2016	220	90.9	273	
TMP-SPM1	12/12/2016	240	87.4	253	
TMP-SPM1	12/19/2016	20	175.1	473	
TMP-SPM1	12/19/2016	40	199.2	453	
TMP-SPM1	12/19/2016	60	192.5	433	
TMP-SPM1	12/19/2016	80	193.5	413	
TMP-SPM1	12/19/2016	100	182.3	393	
TMP-SPM1	12/19/2016	120	169.7	373	
TMP-SPM1	12/19/2016	140	159.4	353	
TMP-SPM1	12/19/2016	160	144.2	333	
TMP-SPM1	12/19/2016	180	128.8	313	
TMP-SPM1	12/19/2016	200	107.1	293	
TMP-SPM1	12/19/2016	220	90.6	273	
TMP-SPM1	12/19/2016	240	87.2	253	
TMP-SPM1	12/27/2016	20	175.7	473	
TMP-SPM1	12/27/2016	40	199.7	453	
TMP-SPM1	12/27/2016	60	193.4	433	
TMP-SPM1	12/27/2016	80	194.2	413	
TMP-SPM1	12/27/2016	100	183.0	393	
TMP-SPM1	12/27/2016	120	170.6	373	
TMP-SPM1	12/27/2016	140	160.3	353	
TMP-SPM1	12/27/2016	160	145.2	333	
TMP-SPM1	12/27/2016	180	130.0	313	
TMP-SPM1	12/27/2016	200	108.6	293	
TMP-SPM1	12/27/2016	220	92.2	273	
TMP-SPM1	12/27/2016	240	88.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	11/28/2016	20	175.2	475	
TMP-SPM2	11/28/2016	40	210.7	455	
TMP-SPM2	11/28/2016	60	204.8	435	
TMP-SPM2	11/28/2016	80	175.5	415	
TMP-SPM2	11/28/2016	100	174.0	395	
TMP-SPM2	11/28/2016	120	172.3	375	
TMP-SPM2	11/28/2016	140	161.2	355	
TMP-SPM2	11/28/2016	160	148.8	335	
TMP-SPM2	11/28/2016	172	136.3	323	
TMP-SPM2	12/5/2016	20	176.2	475	
TMP-SPM2	12/5/2016	40	211.5	455	
TMP-SPM2	12/5/2016	60	205.6	435	
TMP-SPM2	12/5/2016	80	176.8	415	
TMP-SPM2	12/5/2016	100	175.5	395	
TMP-SPM2	12/5/2016	120	173.7	375	
TMP-SPM2	12/5/2016	140	162.6	355	
TMP-SPM2	12/5/2016	160	150.0	335	
TMP-SPM2	12/5/2016	172	137.6	323	
TMP-SPM2	12/12/2016	20	174.7	475	
TMP-SPM2	12/12/2016	40	210.2	455	
TMP-SPM2	12/12/2016	60	204.5	435	
TMP-SPM2	12/12/2016	80	176.3	415	
TMP-SPM2	12/12/2016	100	175.1	395	
TMP-SPM2	12/12/2016	120	173.4	375	
TMP-SPM2	12/12/2016	140	162.3	355	
TMP-SPM2	12/12/2016	160	149.6	335	
TMP-SPM2	12/12/2016	172	137.3	323	
TMP-SPM2	12/19/2016	20	174.2	475	
TMP-SPM2	12/19/2016	40	209.3	455	
TMP-SPM2	12/19/2016	60	203.5	435	
TMP-SPM2	12/19/2016	80	176.1	415	
TMP-SPM2	12/19/2016	100	175.2	395	
TMP-SPM2	12/19/2016	120	173.5	375	
TMP-SPM2	12/19/2016	140	162.5	355	
TMP-SPM2	12/19/2016	160	150.1	335	
TMP-SPM2	12/19/2016	172	137.7	323	
TMP-SPM2	12/27/2016	20	174.2	475	
TMP-SPM2	12/27/2016	40	209.5	455	
TMP-SPM2	12/27/2016	60	203.8	435	
TMP-SPM2	12/27/2016	80	176.7	415	
TMP-SPM2	12/27/2016	100	175.8	395	
TMP-SPM2	12/27/2016	120	173.9	375	
TMP-SPM2	12/27/2016	140	162.6	355	
TMP-SPM2	12/27/2016	160	149.6	335	
TMP-SPM2	12/27/2016	172	137.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	11/28/2016	20	150.5	478	
TMP-SPM3	11/28/2016	40	154.7	458	
TMP-SPM3	11/28/2016	60	143.9	438	
TMP-SPM3	11/28/2016	80	136.3	418	
TMP-SPM3	11/28/2016	85	134.9	413	
TMP-SPM3	12/5/2016	20	151.1	478	
TMP-SPM3	12/5/2016	40	154.9	458	
TMP-SPM3	12/5/2016	60	144.2	438	
TMP-SPM3	12/5/2016	80	136.9	418	
TMP-SPM3	12/5/2016	85	135.5	413	
TMP-SPM3	12/12/2016	20	149.5	478	
TMP-SPM3	12/12/2016	40	153.3	458	
TMP-SPM3	12/12/2016	60	142.9	438	
TMP-SPM3	12/12/2016	80	136.0	418	
TMP-SPM3	12/12/2016	85	134.6	413	
TMP-SPM3	12/19/2016	20	150.9	478	
TMP-SPM3	12/19/2016	40	154.8	458	
TMP-SPM3	12/19/2016	60	144.7	438	
TMP-SPM3	12/19/2016	80	138.3	418	
TMP-SPM3	12/19/2016	85	137.3	413	
TMP-SPM3	12/27/2016	20	148.4	478	
TMP-SPM3	12/27/2016	40	152.2	458	
TMP-SPM3	12/27/2016	60	142.0	438	
TMP-SPM3	12/27/2016	80	135.5	418	
TMP-SPM3	12/27/2016	85	134.3	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	11/28/2016	20	141.4	475	
TMP-SPM4	11/28/2016	40	166.6	455	
TMP-SPM4	11/28/2016	60	169.8	435	
TMP-SPM4	11/28/2016	80	175.8	415	
TMP-SPM4	11/28/2016	100	172.7	395	
TMP-SPM4	11/28/2016	120	163.4	375	
TMP-SPM4	11/28/2016	140	155.4	355	
TMP-SPM4	11/28/2016	160	146.2	335	
TMP-SPM4	11/28/2016	180	134.4	315	
TMP-SPM4	11/28/2016	200	115.7	295	
TMP-SPM4	11/28/2016	220	97.6	275	
TMP-SPM4	11/28/2016	240	89.8	255	
TMP-SPM4	12/5/2016	20	142.7	475	
TMP-SPM4	12/5/2016	40	167.5	455	
TMP-SPM4	12/5/2016	60	170.8	435	
TMP-SPM4	12/5/2016	80	176.6	415	
TMP-SPM4	12/5/2016	100	173.5	395	
TMP-SPM4	12/5/2016	120	164.2	375	
TMP-SPM4	12/5/2016	140	156.1	355	
TMP-SPM4	12/5/2016	160	147.0	335	
TMP-SPM4	12/5/2016	180	135.2	315	
TMP-SPM4	12/5/2016	200	116.5	295	
TMP-SPM4	12/5/2016	220	98.3	275	
TMP-SPM4	12/5/2016	240	90.6	255	
TMP-SPM4	12/12/2016	20	142.8	475	
TMP-SPM4	12/12/2016	40	167.8	455	
TMP-SPM4	12/12/2016	60	171.3	435	
TMP-SPM4	12/12/2016	80	177.1	415	
TMP-SPM4	12/12/2016	100	173.9	395	
TMP-SPM4	12/12/2016	120	164.6	375	
TMP-SPM4	12/12/2016	140	156.4	355	
TMP-SPM4	12/12/2016	160	147.1	335	
TMP-SPM4	12/12/2016	180	135.2	315	
TMP-SPM4	12/12/2016	200	116.4	295	
TMP-SPM4	12/12/2016	220	98.0	275	
TMP-SPM4	12/12/2016	240	90.1	255	
TMP-SPM4	12/19/2016	20	142.4	475	
TMP-SPM4	12/19/2016	40	167.4	455	
TMP-SPM4	12/19/2016	60	171.0	435	
TMP-SPM4	12/19/2016	80	176.8	415	
TMP-SPM4	12/19/2016	100	173.5	395	
TMP-SPM4	12/19/2016	120	164.3	375	
TMP-SPM4	12/19/2016	140	156.1	355	
TMP-SPM4	12/19/2016	160	146.7	335	
TMP-SPM4	12/19/2016	180	134.8	315	
TMP-SPM4	12/19/2016	200	116.1	295	
TMP-SPM4	12/19/2016	220	97.6	275	
TMP-SPM4	12/19/2016	240	89.9	255	
TMP-SPM4	12/27/2016	20	143.0	475	
TMP-SPM4	12/27/2016	40	168.1	455	
TMP-SPM4	12/27/2016	60	171.7	435	
TMP-SPM4	12/27/2016	80	177.4	415	
TMP-SPM4	12/27/2016	100	174.1	395	
TMP-SPM4	12/27/2016	120	164.9	375	
TMP-SPM4	12/27/2016	140	156.7	355	
TMP-SPM4	12/27/2016	160	147.3	335	
TMP-SPM4	12/27/2016	180	135.5	315	
TMP-SPM4	12/27/2016	200	117.0	295	
TMP-SPM4	12/27/2016	220	98.6	275	
TMP-SPM4	12/27/2016	240	90.8	255	