

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	1/30/2017	20	163.3	479	
TMP-14R	1/30/2017	40	191.9	459	
TMP-14R	1/30/2017	60	198.0	439	
TMP-14R	1/30/2017	80	196.5	419	
TMP-14R	1/30/2017	100	184.4	399	
TMP-14R	1/30/2017	120	182.4	379	
TMP-14R	1/30/2017	140	178.9	359	
TMP-14R	2/7/2017	20	161.9	479	
TMP-14R	2/7/2017	40	191.0	459	
TMP-14R	2/7/2017	60	197.1	439	
TMP-14R	2/7/2017	80	196.0	419	
TMP-14R	2/7/2017	100	184.1	399	
TMP-14R	2/7/2017	120	182.3	379	
TMP-14R	2/7/2017	140	178.8	359	
TMP-14R	2/13/2017	20	163.0	479	
TMP-14R	2/13/2017	40	191.9	459	
TMP-14R	2/13/2017	60	198.2	439	
TMP-14R	2/13/2017	80	197.1	419	
TMP-14R	2/13/2017	100	185.4	399	
TMP-14R	2/13/2017	120	183.6	379	
TMP-14R	2/13/2017	140	179.9	359	
TMP-14R	2/20/2017	20	161.3	479	
TMP-14R	2/20/2017	40	190.5	459	
TMP-14R	2/20/2017	60	196.6	439	
TMP-14R	2/20/2017	80	195.8	419	
TMP-14R	2/20/2017	100	184.1	399	
TMP-14R	2/20/2017	120	182.3	379	
TMP-14R	2/20/2017	140	178.7	359	
TMP-14R	2/27/2017	20	162.3	479	
TMP-14R	2/27/2017	40	191.2	459	
TMP-14R	2/27/2017	60	197.2	439	
TMP-14R	2/27/2017	80	196.4	419	
TMP-14R	2/27/2017	100	185.0	399	
TMP-14R	2/27/2017	120	183.1	379	
TMP-14R	2/27/2017	140	179.4	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/30/2017	20	184.1	473	
TMP-19	1/30/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/30/2017	60	236.5	433	
TMP-19	1/30/2017	80	244.7	413	
TMP-19	1/30/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/7/2017	20	181.1	473	
TMP-19	2/7/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/7/2017	60	234.8	433	
TMP-19	2/7/2017	80	242.9	413	
TMP-19	2/7/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/13/2017	20	181.1	473	
TMP-19	2/13/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/13/2017	60	235.2	433	
TMP-19	2/13/2017	80	242.9	413	
TMP-19	2/13/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/20/2017	20	179.3	473	
TMP-19	2/20/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/20/2017	60	233.9	433	
TMP-19	2/20/2017	80	241.5	413	
TMP-19	2/20/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/27/2017	20	178.7	473	
TMP-19	2/27/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/27/2017	60	235.6	433	
TMP-19	2/27/2017	80	243.2	413	
TMP-19	2/27/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/30/2017	20	140.5	478	
TMP-20	1/30/2017	40	210.9	458	
TMP-20	1/30/2017	60	237.9	438	
TMP-20	1/30/2017	80	250.5	418	
TMP-20	1/30/2017	100	261.8	398	
TMP-20	1/30/2017	120	271.2	378	
TMP-20	1/30/2017	140	273.5	358	
TMP-20	2/7/2017	20	139.9	478	
TMP-20	2/7/2017	40	210.7	458	
TMP-20	2/7/2017	60	237.6	438	
TMP-20	2/7/2017	80	250.3	418	
TMP-20	2/7/2017	100	261.6	398	
TMP-20	2/7/2017	120	270.9	378	
TMP-20	2/7/2017	140	273.0	358	
TMP-20	2/13/2017	20	141.6	478	
TMP-20	2/13/2017	40	212.1	458	
TMP-20	2/13/2017	60	239.3	438	
TMP-20	2/13/2017	80	251.8	418	
TMP-20	2/13/2017	100	262.9	398	
TMP-20	2/13/2017	120	272.0	378	
TMP-20	2/13/2017	140	273.8	358	
TMP-20	2/20/2017	20	139.2	478	
TMP-20	2/20/2017	40	209.6	458	
TMP-20	2/20/2017	60	237.1	438	
TMP-20	2/20/2017	80	249.8	418	
TMP-20	2/20/2017	100	261.1	398	
TMP-20	2/20/2017	120	270.4	378	
TMP-20	2/20/2017	140	272.3	358	
TMP-20	2/27/2017	20	138.5	478	
TMP-20	2/27/2017	40	209.5	458	
TMP-20	2/27/2017	60	236.9	438	
TMP-20	2/27/2017	80	250.2	418	
TMP-20	2/27/2017	100	261.6	398	
TMP-20	2/27/2017	120	270.6	378	
TMP-20	2/27/2017	140	272.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/30/2017	20	138.3	475	
TMP-10-9N	1/30/2017	40	156.0	455	
TMP-10-9N	1/30/2017	60	160.6	435	
TMP-10-9N	1/30/2017	80	160.6	415	
TMP-10-9N	1/30/2017	100	170.4	395	
TMP-10-9N	2/7/2017	20	137.3	475	
TMP-10-9N	2/7/2017	40	155.2	455	
TMP-10-9N	2/7/2017	60	159.3	435	
TMP-10-9N	2/7/2017	80	159.4	415	
TMP-10-9N	2/7/2017	100	169.4	395	
TMP-10-9N	2/13/2017	20	137.4	475	
TMP-10-9N	2/13/2017	40	155.4	455	
TMP-10-9N	2/13/2017	60	159.5	435	
TMP-10-9N	2/13/2017	80	159.6	415	
TMP-10-9N	2/13/2017	100	169.7	395	
TMP-10-9N	2/20/2017	20	135.6	475	
TMP-10-9N	2/20/2017	40	154.3	455	
TMP-10-9N	2/20/2017	60	157.9	435	
TMP-10-9N	2/20/2017	80	158.8	415	
TMP-10-9N	2/20/2017	100	168.9	395	
TMP-10-9N	2/27/2017	20	136.6	475	
TMP-10-9N	2/27/2017	40	156.4	455	
TMP-10-9N	2/27/2017	60	160.2	435	
TMP-10-9N	2/27/2017	80	161.3	415	
TMP-10-9N	2/27/2017	100	171.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/30/2017	20	139.8	476	
TMP-10-9S	1/30/2017	40	188.1	456	
TMP-10-9S	1/30/2017	60	214.5	436	
TMP-10-9S	1/30/2017	80	217.9	416	
TMP-10-9S	1/30/2017	100	231.3	396	
TMP-10-9S	2/7/2017	20	138.9	476	
TMP-10-9S	2/7/2017	40	187.4	456	
TMP-10-9S	2/7/2017	60	213.2	436	
TMP-10-9S	2/7/2017	80	216.6	416	
TMP-10-9S	2/7/2017	100	229.8	396	
TMP-10-9S	2/13/2017	20	139.2	476	
TMP-10-9S	2/13/2017	40	187.6	456	
TMP-10-9S	2/13/2017	60	213.5	436	
TMP-10-9S	2/13/2017	80	217.1	416	
TMP-10-9S	2/13/2017	100	230.1	396	
TMP-10-9S	2/20/2017	20	137.5	476	
TMP-10-9S	2/20/2017	40	186.0	456	
TMP-10-9S	2/20/2017	60	211.8	436	
TMP-10-9S	2/20/2017	80	215.5	416	
TMP-10-9S	2/20/2017	100	228.5	396	
TMP-10-9S	2/27/2017	20	138.3	476	
TMP-10-9S	2/27/2017	40	187.2	456	
TMP-10-9S	2/27/2017	60	212.8	436	
TMP-10-9S	2/27/2017	80	216.4	416	
TMP-10-9S	2/27/2017	100	229.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/30/2017	20	120.0	478	
TMP-10-5N	1/30/2017	40	123.7	458	
TMP-10-5N	1/30/2017	60	119.4	438	
TMP-10-5N	1/30/2017	80	109.4	418	
TMP-10-5N	1/30/2017	100	104.5	398	
TMP-10-5N	2/7/2017	20	118.8	478	
TMP-10-5N	2/7/2017	40	122.3	458	
TMP-10-5N	2/7/2017	60	117.3	438	
TMP-10-5N	2/7/2017	80	107.8	418	
TMP-10-5N	2/7/2017	100	104.0	398	
TMP-10-5N	2/13/2017	20	119.4	478	
TMP-10-5N	2/13/2017	40	124.9	458	
TMP-10-5N	2/13/2017	60	120.8	438	
TMP-10-5N	2/13/2017	80	113.7	418	
TMP-10-5N	2/13/2017	100	113.1	398	
TMP-10-5N	2/20/2017	20	118.3	478	
TMP-10-5N	2/20/2017	40	129.3	458	
TMP-10-5N	2/20/2017	60	126.4	438	
TMP-10-5N	2/20/2017	80	119.6	418	
TMP-10-5N	2/20/2017	100	115.7	398	
TMP-10-5N	2/27/2017	20	118.0	478	
TMP-10-5N	2/27/2017	40	126.0	458	
TMP-10-5N	2/27/2017	60	121.7	438	
TMP-10-5N	2/27/2017	80	112.9	418	
TMP-10-5N	2/27/2017	100	108.8	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/30/2017	20	130.0	477	
TMP-10-5S	1/30/2017	40	165.6	457	
TMP-10-5S	1/30/2017	60	190.4	437	
TMP-10-5S	1/30/2017	80	200.1	417	
TMP-10-5S	1/30/2017	100	212.9	397	
TMP-10-5S	2/7/2017	20	129.0	477	
TMP-10-5S	2/7/2017	40	165.6	457	
TMP-10-5S	2/7/2017	60	189.6	437	
TMP-10-5S	2/7/2017	80	199.3	417	
TMP-10-5S	2/7/2017	100	211.9	397	
TMP-10-5S	2/13/2017	20	129.6	477	
TMP-10-5S	2/13/2017	40	166.3	457	
TMP-10-5S	2/13/2017	60	190.0	437	
TMP-10-5S	2/13/2017	80	199.8	417	
TMP-10-5S	2/13/2017	100	212.4	397	
TMP-10-5S	2/20/2017	20	128.0	477	
TMP-10-5S	2/20/2017	40	165.3	457	
TMP-10-5S	2/20/2017	60	188.4	437	
TMP-10-5S	2/20/2017	80	198.1	417	
TMP-10-5S	2/20/2017	100	210.6	397	
TMP-10-5S	2/27/2017	20	127.9	477	
TMP-10-5S	2/27/2017	40	166.5	457	
TMP-10-5S	2/27/2017	60	189.1	437	
TMP-10-5S	2/27/2017	80	198.8	417	
TMP-10-5S	2/27/2017	100	211.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/30/2017	20	121.5	476	
TMP-5-9N	1/30/2017	40	162.0	456	
TMP-5-9N	1/30/2017	60	162.6	436	
TMP-5-9N	1/30/2017	80	254.2	416	
TMP-5-9N	1/30/2017	100	263.3	396	
TMP-5-9N	2/7/2017	20	121.9	476	
TMP-5-9N	2/7/2017	40	161.7	456	
TMP-5-9N	2/7/2017	60	162.5	436	
TMP-5-9N	2/7/2017	80	254.4	416	
TMP-5-9N	2/7/2017	100	263.5	396	
TMP-5-9N	2/13/2017	20	122.1	476	
TMP-5-9N	2/13/2017	40	161.6	456	
TMP-5-9N	2/13/2017	60	162.9	436	
TMP-5-9N	2/13/2017	80	254.5	416	
TMP-5-9N	2/13/2017	100	263.5	396	
TMP-5-9N	2/20/2017	20	120.8	476	
TMP-5-9N	2/20/2017	40	161.9	456	
TMP-5-9N	2/20/2017	60	166.6	436	
TMP-5-9N	2/20/2017	80	253.4	416	
TMP-5-9N	2/20/2017	100	262.5	396	
TMP-5-9N	2/27/2017	20	121.0	476	
TMP-5-9N	2/27/2017	40	162.5	456	
TMP-5-9N	2/27/2017	60	166.9	436	
TMP-5-9N	2/27/2017	80	254.0	416	
TMP-5-9N	2/27/2017	100	263.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/30/2017	20	146.5	476	
TMP-5-9S	1/30/2017	40	218.9	456	
TMP-5-9S	1/30/2017	60	238.1	436	
TMP-5-9S	1/30/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/30/2017	100	265.8	396	
TMP-5-9S	2/7/2017	20	146.6	476	
TMP-5-9S	2/7/2017	40	218.8	456	
TMP-5-9S	2/7/2017	60	237.9	436	
TMP-5-9S	2/7/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/7/2017	100	265.8	396	
TMP-5-9S	2/13/2017	20	146.4	476	
TMP-5-9S	2/13/2017	40	219.3	456	
TMP-5-9S	2/13/2017	60	238.4	436	
TMP-5-9S	2/13/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/13/2017	100	266.0	396	
TMP-5-9S	2/20/2017	20	145.1	476	
TMP-5-9S	2/20/2017	40	217.8	456	
TMP-5-9S	2/20/2017	60	237.1	436	
TMP-5-9S	2/20/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/20/2017	100	265.1	396	
TMP-5-9S	2/27/2017	20	146.3	476	
TMP-5-9S	2/27/2017	40	219.0	456	
TMP-5-9S	2/27/2017	60	238.3	436	
TMP-5-9S	2/27/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/27/2017	100	266.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/30/2017	20	113.0	475	
TMP-5-5N	1/30/2017	40	110.7	455	
TMP-5-5N	1/30/2017	60	98.9	435	
TMP-5-5N	1/30/2017	80	253.5	415	
TMP-5-5N	1/30/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/7/2017	20	113.2	475	
TMP-5-5N	2/7/2017	40	114.0	455	
TMP-5-5N	2/7/2017	60	105.7	435	
TMP-5-5N	2/7/2017	80	253.5	415	
TMP-5-5N	2/7/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/13/2017	20	114.8	475	
TMP-5-5N	2/13/2017	40	128.2	455	
TMP-5-5N	2/13/2017	60	130.2	435	
TMP-5-5N	2/13/2017	80	253.4	415	
TMP-5-5N	2/13/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/20/2017	20	117.1	475	
TMP-5-5N	2/20/2017	40	122.9	455	
TMP-5-5N	2/20/2017	60	113.7	435	
TMP-5-5N	2/20/2017	80	252.3	415	
TMP-5-5N	2/20/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/27/2017	20	114.4	475	
TMP-5-5N	2/27/2017	40	115.2	455	
TMP-5-5N	2/27/2017	60	106.3	435	
TMP-5-5N	2/27/2017	80	252.0	415	
TMP-5-5N	2/27/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/30/2017	20	145.1	474	
TMP-5-5S	1/30/2017	40	209.4	454	
TMP-5-5S	1/30/2017	60	235.2	434	
TMP-5-5S	1/30/2017	80	254.1	414	
TMP-5-5S	1/30/2017	100	257.0	394	
TMP-5-5S	2/7/2017	20	145.1	474	
TMP-5-5S	2/7/2017	40	210.3	454	
TMP-5-5S	2/7/2017	60	235.3	434	
TMP-5-5S	2/7/2017	80	254.6	414	
TMP-5-5S	2/7/2017	100	257.5	394	
TMP-5-5S	2/13/2017	20	145.3	474	
TMP-5-5S	2/13/2017	40	209.4	454	
TMP-5-5S	2/13/2017	60	235.5	434	
TMP-5-5S	2/13/2017	80	254.7	414	
TMP-5-5S	2/13/2017	100	257.5	394	
TMP-5-5S	2/20/2017	20	143.7	474	
TMP-5-5S	2/20/2017	40	207.7	454	
TMP-5-5S	2/20/2017	60	233.8	434	
TMP-5-5S	2/20/2017	80	253.2	414	
TMP-5-5S	2/20/2017	100	256.1	394	
TMP-5-5S	2/27/2017	20	143.7	474	
TMP-5-5S	2/27/2017	40	208.6	454	
TMP-5-5S	2/27/2017	60	234.7	434	
TMP-5-5S	2/27/2017	80	254.3	414	
TMP-5-5S	2/27/2017	100	257.4	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/30/2017	20	205.4	474	
TMP-31	1/30/2017	40	229.9	454	
TMP-31	1/30/2017	60	244.7	434	
TMP-31	1/30/2017	80	261.6	414	
TMP-31	1/30/2017	100	270.4	394	
TMP-31	1/30/2017	120	277.5	374	
TMP-31	1/30/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/30/2017	160		334	does not show stable resistivity readings
TMP-31	1/30/2017	180		314	does not show stable resistivity readings
TMP-31	1/30/2017	193		301	does not show stable resistivity readings
TMP-31	2/7/2017	20	205.3	474	
TMP-31	2/7/2017	40	229.8	454	
TMP-31	2/7/2017	60	244.9	434	
TMP-31	2/7/2017	80	261.7	414	
TMP-31	2/7/2017	100	270.6	394	
TMP-31	2/7/2017	120	277.5	374	
TMP-31	2/7/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/7/2017	160		334	does not show stable resistivity readings
TMP-31	2/7/2017	180		314	does not show stable resistivity readings
TMP-31	2/7/2017	193		301	does not show stable resistivity readings
TMP-31	2/13/2017	20	205.9	474	
TMP-31	2/13/2017	40	230.2	454	
TMP-31	2/13/2017	60	245.1	434	
TMP-31	2/13/2017	80	261.6	414	
TMP-31	2/13/2017	100	270.6	394	
TMP-31	2/13/2017	120	277.4	374	
TMP-31	2/13/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/13/2017	160		334	does not show stable resistivity readings
TMP-31	2/13/2017	180		314	does not show stable resistivity readings
TMP-31	2/13/2017	193		301	does not show stable resistivity readings
TMP-31	2/20/2017	20	204.3	474	
TMP-31	2/20/2017	40	229.3	454	
TMP-31	2/20/2017	60	244.1	434	
TMP-31	2/20/2017	80	260.9	414	
TMP-31	2/20/2017	100	270.0	394	
TMP-31	2/20/2017	120	276.7	374	
TMP-31	2/20/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/20/2017	160		334	does not show stable resistivity readings
TMP-31	2/20/2017	180		314	does not show stable resistivity readings
TMP-31	2/20/2017	193		301	does not show stable resistivity readings
TMP-31	2/27/2017	20	204.8	474	
TMP-31	2/27/2017	40	230.0	454	
TMP-31	2/27/2017	60	244.9	434	
TMP-31	2/27/2017	80	261.5	414	
TMP-31	2/27/2017	100	270.5	394	
TMP-31	2/27/2017	120	277.4	374	
TMP-31	2/27/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/27/2017	160		334	does not show stable resistivity readings
TMP-31	2/27/2017	180		314	does not show stable resistivity readings
TMP-31	2/27/2017	193		301	does not show stable resistivity readings

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/30/2017	20	204.2	484	
TMP-32	1/30/2017	40	223.0	464	
TMP-32	1/30/2017	60	243.2	444	
TMP-32	1/30/2017	80	257.0	424	
TMP-32	1/30/2017	100	268.5	404	
TMP-32	1/30/2017	120	275.5	384	
TMP-32	1/30/2017	140	278.6	364	
TMP-32	1/30/2017	160	285.6	344	
TMP-32	1/30/2017	180	290.6	324	
TMP-32	1/30/2017	200	273.7	304	
TMP-32	2/7/2017	20	203.2	484	
TMP-32	2/7/2017	40	222.2	464	
TMP-32	2/7/2017	60	242.5	444	
TMP-32	2/7/2017	80	256.4	424	
TMP-32	2/7/2017	100	267.9	404	
TMP-32	2/7/2017	120	274.9	384	
TMP-32	2/7/2017	140	278.0	364	
TMP-32	2/7/2017	160	285.1	344	
TMP-32	2/7/2017	180	290.4	324	
TMP-32	2/7/2017	200	276.0	304	
TMP-32	2/13/2017	20	204.7	484	
TMP-32	2/13/2017	40	223.2	464	
TMP-32	2/13/2017	60	243.3	444	
TMP-32	2/13/2017	80	257.1	424	
TMP-32	2/13/2017	100	268.6	404	
TMP-32	2/13/2017	120	275.5	384	
TMP-32	2/13/2017	140	278.6	364	
TMP-32	2/13/2017	160	285.7	344	
TMP-32	2/13/2017	180	291.0	324	
TMP-32	2/13/2017	200	278.4	304	
TMP-32	2/20/2017	20	203.6	484	
TMP-32	2/20/2017	40	222.2	464	
TMP-32	2/20/2017	60	242.3	444	
TMP-32	2/20/2017	80	256.1	424	
TMP-32	2/20/2017	100	267.6	404	
TMP-32	2/20/2017	120	274.6	384	
TMP-32	2/20/2017	140	277.7	364	
TMP-32	2/20/2017	160	284.8	344	
TMP-32	2/20/2017	180	290.2	324	
TMP-32	2/20/2017	200	279.9	304	
TMP-32	2/27/2017	20	204.1	484	
TMP-32	2/27/2017	40	223.1	464	
TMP-32	2/27/2017	60	243.4	444	
TMP-32	2/27/2017	80	257.1	424	
TMP-32	2/27/2017	100	268.5	404	
TMP-32	2/27/2017	120	275.5	384	
TMP-32	2/27/2017	140	278.3	364	
TMP-32	2/27/2017	160	285.5	344	
TMP-32	2/27/2017	180	290.9	324	
TMP-32	2/27/2017	200	282.1	304	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	1/30/2017	20	173.8	473	
TMP-SPM1	1/30/2017	40	198.5	453	
TMP-SPM1	1/30/2017	60	192.4	433	
TMP-SPM1	1/30/2017	80	192.3	413	
TMP-SPM1	1/30/2017	100	180.7	393	
TMP-SPM1	1/30/2017	120	168.3	373	
TMP-SPM1	1/30/2017	140	157.9	353	
TMP-SPM1	1/30/2017	160	142.5	333	
TMP-SPM1	1/30/2017	180	127.2	313	
TMP-SPM1	1/30/2017	200	105.6	293	
TMP-SPM1	1/30/2017	220	89.3	273	
TMP-SPM1	1/30/2017	240	85.9	253	
TMP-SPM1	2/7/2017	20	173.8	473	
TMP-SPM1	2/7/2017	40	198.6	453	
TMP-SPM1	2/7/2017	60	192.8	433	
TMP-SPM1	2/7/2017	80	192.4	413	
TMP-SPM1	2/7/2017	100	180.9	393	
TMP-SPM1	2/7/2017	120	168.5	373	
TMP-SPM1	2/7/2017	140	158.2	353	
TMP-SPM1	2/7/2017	160	142.7	333	
TMP-SPM1	2/7/2017	180	127.5	313	
TMP-SPM1	2/7/2017	200	106.0	293	
TMP-SPM1	2/7/2017	220	89.9	273	
TMP-SPM1	2/7/2017	240	86.6	253	
TMP-SPM1	2/13/2017	20	173.8	473	
TMP-SPM1	2/13/2017	40	198.9	453	
TMP-SPM1	2/13/2017	60	193.1	433	
TMP-SPM1	2/13/2017	80	192.7	413	
TMP-SPM1	2/13/2017	100	181.0	393	
TMP-SPM1	2/13/2017	120	168.6	373	
TMP-SPM1	2/13/2017	140	158.2	353	
TMP-SPM1	2/13/2017	160	142.6	333	
TMP-SPM1	2/13/2017	180	127.4	313	
TMP-SPM1	2/13/2017	200	105.8	293	
TMP-SPM1	2/13/2017	220	89.4	273	
TMP-SPM1	2/13/2017	240	86.1	253	
TMP-SPM1	2/20/2017	20	174.2	473	
TMP-SPM1	2/20/2017	40	199.3	453	
TMP-SPM1	2/20/2017	60	193.7	433	
TMP-SPM1	2/20/2017	80	192.9	413	
TMP-SPM1	2/20/2017	100	181.3	393	
TMP-SPM1	2/20/2017	120	168.8	373	
TMP-SPM1	2/20/2017	140	158.4	353	
TMP-SPM1	2/20/2017	160	142.8	333	
TMP-SPM1	2/20/2017	180	127.5	313	
TMP-SPM1	2/20/2017	200	105.9	293	
TMP-SPM1	2/20/2017	220	89.6	273	
TMP-SPM1	2/20/2017	240	86.2	253	
TMP-SPM1	2/27/2017	20	174.3	473	
TMP-SPM1	2/27/2017	40	199.6	453	
TMP-SPM1	2/27/2017	60	194.0	433	
TMP-SPM1	2/27/2017	80	193.2	413	
TMP-SPM1	2/27/2017	100	181.5	393	
TMP-SPM1	2/27/2017	120	169.1	373	
TMP-SPM1	2/27/2017	140	158.7	353	
TMP-SPM1	2/27/2017	160	143.1	333	
TMP-SPM1	2/27/2017	180	127.8	313	
TMP-SPM1	2/27/2017	200	106.4	293	
TMP-SPM1	2/27/2017	220	90.2	273	
TMP-SPM1	2/27/2017	240	87.0	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	1/30/2017	20	173.1	475	
TMP-SPM2	1/30/2017	40	208.1	455	
TMP-SPM2	1/30/2017	60	202.5	435	
TMP-SPM2	1/30/2017	80	177.3	415	
TMP-SPM2	1/30/2017	100	177.4	395	
TMP-SPM2	1/30/2017	120	175.1	375	
TMP-SPM2	1/30/2017	140	163.5	355	
TMP-SPM2	1/30/2017	160	149.6	335	
TMP-SPM2	1/30/2017	172	137.4	323	
TMP-SPM2	2/7/2017	20	172.6	475	
TMP-SPM2	2/7/2017	40	208.0	455	
TMP-SPM2	2/7/2017	60	202.2	435	
TMP-SPM2	2/7/2017	80	177.4	415	
TMP-SPM2	2/7/2017	100	177.7	395	
TMP-SPM2	2/7/2017	120	175.1	375	
TMP-SPM2	2/7/2017	140	163.3	355	
TMP-SPM2	2/7/2017	160	149.2	335	
TMP-SPM2	2/7/2017	172	136.8	323	
TMP-SPM2	2/13/2017	20	173.2	475	
TMP-SPM2	2/13/2017	40	208.3	455	
TMP-SPM2	2/13/2017	60	202.6	435	
TMP-SPM2	2/13/2017	80	178.1	415	
TMP-SPM2	2/13/2017	100	178.7	395	
TMP-SPM2	2/13/2017	120	176.2	375	
TMP-SPM2	2/13/2017	140	164.2	355	
TMP-SPM2	2/13/2017	160	150.0	335	
TMP-SPM2	2/13/2017	172	137.7	323	
TMP-SPM2	2/20/2017	20	171.2	475	
TMP-SPM2	2/20/2017	40	206.4	455	
TMP-SPM2	2/20/2017	60	200.7	435	
TMP-SPM2	2/20/2017	80	176.5	415	
TMP-SPM2	2/20/2017	100	177.3	395	
TMP-SPM2	2/20/2017	120	174.6	375	
TMP-SPM2	2/20/2017	140	162.7	355	
TMP-SPM2	2/20/2017	160	148.3	335	
TMP-SPM2	2/20/2017	172	135.9	323	
TMP-SPM2	2/27/2017	20	170.6	475	
TMP-SPM2	2/27/2017	40	206.1	455	
TMP-SPM2	2/27/2017	60	200.5	435	
TMP-SPM2	2/27/2017	80	176.8	415	
TMP-SPM2	2/27/2017	100	178.0	395	
TMP-SPM2	2/27/2017	120	175.3	375	
TMP-SPM2	2/27/2017	140	163.4	355	
TMP-SPM2	2/27/2017	160	149.0	335	
TMP-SPM2	2/27/2017	172	136.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	1/30/2017	20	145.5	478	
TMP-SPM3	1/30/2017	40	149.5	458	
TMP-SPM3	1/30/2017	60	140.2	438	
TMP-SPM3	1/30/2017	80	134.9	418	
TMP-SPM3	1/30/2017	85	133.9	413	
TMP-SPM3	2/7/2017	20	144.3	478	
TMP-SPM3	2/7/2017	40	148.8	458	
TMP-SPM3	2/7/2017	60	139.7	438	
TMP-SPM3	2/7/2017	80	134.6	418	
TMP-SPM3	2/7/2017	85	133.6	413	
TMP-SPM3	2/13/2017	20	143.3	478	
TMP-SPM3	2/13/2017	40	147.4	458	
TMP-SPM3	2/13/2017	60	138.2	438	
TMP-SPM3	2/13/2017	80	133.4	418	
TMP-SPM3	2/13/2017	85	132.5	413	
TMP-SPM3	2/20/2017	20	142.3	478	
TMP-SPM3	2/20/2017	40	146.8	458	
TMP-SPM3	2/20/2017	60	137.8	438	
TMP-SPM3	2/20/2017	80	132.9	418	
TMP-SPM3	2/20/2017	85	132.1	413	
TMP-SPM3	2/27/2017	20	141.3	478	
TMP-SPM3	2/27/2017	40	146.3	458	
TMP-SPM3	2/27/2017	60	137.7	438	
TMP-SPM3	2/27/2017	80	133.1	418	
TMP-SPM3	2/27/2017	85	132.3	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	1/30/2017	20	142.7	475	
TMP-SPM4	1/30/2017	40	167.6	455	
TMP-SPM4	1/30/2017	60	171.7	435	
TMP-SPM4	1/30/2017	80	176.9	415	
TMP-SPM4	1/30/2017	100	173.6	395	
TMP-SPM4	1/30/2017	120	164.3	375	
TMP-SPM4	1/30/2017	140	155.9	355	
TMP-SPM4	1/30/2017	160	146.4	335	
TMP-SPM4	1/30/2017	180	134.9	315	
TMP-SPM4	1/30/2017	200	116.8	295	
TMP-SPM4	1/30/2017	220	98.4	275	
TMP-SPM4	1/30/2017	240	90.6	255	
TMP-SPM4	2/7/2017	20	141.4	475	
TMP-SPM4	2/7/2017	40	166.2	455	
TMP-SPM4	2/7/2017	60	170.2	435	
TMP-SPM4	2/7/2017	80	175.1	415	
TMP-SPM4	2/7/2017	100	171.7	395	
TMP-SPM4	2/7/2017	120	162.5	375	
TMP-SPM4	2/7/2017	140	154.1	355	
TMP-SPM4	2/7/2017	160	144.9	335	
TMP-SPM4	2/7/2017	180	133.5	315	
TMP-SPM4	2/7/2017	200	115.7	295	
TMP-SPM4	2/7/2017	220	97.5	275	
TMP-SPM4	2/7/2017	240	89.9	255	
TMP-SPM4	2/13/2017	20	143.2	475	
TMP-SPM4	2/13/2017	40	167.9	455	
TMP-SPM4	2/13/2017	60	172.1	435	
TMP-SPM4	2/13/2017	80	177.0	415	
TMP-SPM4	2/13/2017	100	173.6	395	
TMP-SPM4	2/13/2017	120	164.3	375	
TMP-SPM4	2/13/2017	140	155.9	355	
TMP-SPM4	2/13/2017	160	146.6	335	
TMP-SPM4	2/13/2017	180	135.1	315	
TMP-SPM4	2/13/2017	200	117.2	295	
TMP-SPM4	2/13/2017	220	99.0	275	
TMP-SPM4	2/13/2017	240	91.1	255	
TMP-SPM4	2/20/2017	20	141.5	475	
TMP-SPM4	2/20/2017	40	166.2	455	
TMP-SPM4	2/20/2017	60	170.4	435	
TMP-SPM4	2/20/2017	80	175.1	415	
TMP-SPM4	2/20/2017	100	171.7	395	
TMP-SPM4	2/20/2017	120	162.3	375	
TMP-SPM4	2/20/2017	140	153.9	355	
TMP-SPM4	2/20/2017	160	144.7	335	
TMP-SPM4	2/20/2017	180	133.4	315	
TMP-SPM4	2/20/2017	200	115.8	295	
TMP-SPM4	2/20/2017	220	97.6	275	
TMP-SPM4	2/20/2017	240	90.1	255	
TMP-SPM4	2/27/2017	20	142.0	475	
TMP-SPM4	2/27/2017	40	166.6	455	
TMP-SPM4	2/27/2017	60	171.0	435	
TMP-SPM4	2/27/2017	80	175.5	415	
TMP-SPM4	2/27/2017	100	172.1	395	
TMP-SPM4	2/27/2017	120	162.8	375	
TMP-SPM4	2/27/2017	140	154.3	355	
TMP-SPM4	2/27/2017	160	145.1	335	
TMP-SPM4	2/27/2017	180	133.8	315	
TMP-SPM4	2/27/2017	200	116.3	295	
TMP-SPM4	2/27/2017	220	98.1	275	
TMP-SPM4	2/27/2017	240	90.6	255	