

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	8/29/2016	20	162.4	479	
TMP-14R	8/29/2016	40	194.2	459	
TMP-14R	8/29/2016	60	199.3	439	
TMP-14R	8/29/2016	80	194.8	419	
TMP-14R	8/29/2016	100	181.8	399	
TMP-14R	8/29/2016	120	178.0	379	
TMP-14R	8/29/2016	140	174.3	359	
TMP-14R	9/7/2016	20	161.3	479	
TMP-14R	9/7/2016	40	192.7	459	
TMP-14R	9/7/2016	60	197.9	439	
TMP-14R	9/7/2016	80	193.6	419	
TMP-14R	9/7/2016	100	180.9	399	
TMP-14R	9/7/2016	120	177.2	379	
TMP-14R	9/7/2016	140	173.7	359	
TMP-14R	9/12/2016	20	161.1	479	
TMP-14R	9/12/2016	40	192.7	459	
TMP-14R	9/12/2016	60	197.8	439	
TMP-14R	9/12/2016	80	193.4	419	
TMP-14R	9/12/2016	100	180.6	399	
TMP-14R	9/12/2016	120	177.0	379	
TMP-14R	9/12/2016	140	173.5	359	
TMP-14R	9/20/2016	20	161.7	479	
TMP-14R	9/20/2016	40	193.0	459	
TMP-14R	9/20/2016	60	198.1	439	
TMP-14R	9/20/2016	80	194.1	419	
TMP-14R	9/20/2016	100	181.2	399	
TMP-14R	9/20/2016	120	177.7	379	
TMP-14R	9/20/2016	140	173.9	359	
TMP-14R	9/26/2016	20	162.9	479	
TMP-14R	9/26/2016	40	193.8	459	
TMP-14R	9/26/2016	60	199.0	439	
TMP-14R	9/26/2016	80	195.0	419	
TMP-14R	9/26/2016	100	182.1	399	
TMP-14R	9/26/2016	120	178.7	379	
TMP-14R	9/26/2016	140	174.9	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	8/29/2016	20	183.7	473	
TMP-19	8/29/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/29/2016	60	236.1	433	
TMP-19	8/29/2016	80	247.8	413	
TMP-19	8/29/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/7/2016	20	183.2	473	
TMP-19	9/7/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/7/2016	60	235.1	433	
TMP-19	9/7/2016	80	246.6	413	
TMP-19	9/7/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/12/2016	20	185.6	473	
TMP-19	9/12/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/12/2016	60	237.7	433	
TMP-19	9/12/2016	80	248.8	413	
TMP-19	9/12/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/20/2016	20	179.2	473	
TMP-19	9/20/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/20/2016	60	236.5	433	
TMP-19	9/20/2016	80	248.0	413	
TMP-19	9/20/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/26/2016	20	183.5	473	
TMP-19	9/26/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/26/2016	60	236.2	433	
TMP-19	9/26/2016	80	246.8	413	
TMP-19	9/26/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	8/29/2016	20	143.9	478	
TMP-20	8/29/2016	40	216.9	458	
TMP-20	8/29/2016	60	240.1	438	
TMP-20	8/29/2016	80	253.3	418	
TMP-20	8/29/2016	100	263.9	398	
TMP-20	8/29/2016	120	272.1	378	
TMP-20	8/29/2016	140	275.9	358	
TMP-20	9/7/2016	20	143.3	478	
TMP-20	9/7/2016	40	216.2	458	
TMP-20	9/7/2016	60	239.5	438	
TMP-20	9/7/2016	80	252.8	418	
TMP-20	9/7/2016	100	263.7	398	
TMP-20	9/7/2016	120	271.9	378	
TMP-20	9/7/2016	140	275.4	358	
TMP-20	9/12/2016	20	145.1	478	
TMP-20	9/12/2016	40	218.1	458	
TMP-20	9/12/2016	60	241.2	438	
TMP-20	9/12/2016	80	254.3	418	
TMP-20	9/12/2016	100	264.9	398	
TMP-20	9/12/2016	120	273.1	378	
TMP-20	9/12/2016	140	276.7	358	
TMP-20	9/20/2016	20	143.3	478	
TMP-20	9/20/2016	40	216.4	458	
TMP-20	9/20/2016	60	239.7	438	
TMP-20	9/20/2016	80	252.9	418	
TMP-20	9/20/2016	100	263.6	398	
TMP-20	9/20/2016	120	271.9	378	
TMP-20	9/20/2016	140	275.4	358	
TMP-20	9/26/2016	20	143.5	478	
TMP-20	9/26/2016	40	216.3	458	
TMP-20	9/26/2016	60	239.7	438	
TMP-20	9/26/2016	80	252.9	418	
TMP-20	9/26/2016	100	263.7	398	
TMP-20	9/26/2016	120	272.0	378	
TMP-20	9/26/2016	140	275.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	8/29/2016	20	142.9	475	
TMP-10-9N	8/29/2016	40	159.2	455	
TMP-10-9N	8/29/2016	60	166.7	435	
TMP-10-9N	8/29/2016	80	164.8	415	
TMP-10-9N	8/29/2016	100	175.3	395	
TMP-10-9N	9/7/2016	20	142.5	475	
TMP-10-9N	9/7/2016	40	159.1	455	
TMP-10-9N	9/7/2016	60	166.9	435	
TMP-10-9N	9/7/2016	80	164.9	415	
TMP-10-9N	9/7/2016	100	175.0	395	
TMP-10-9N	9/12/2016	20	143.1	475	
TMP-10-9N	9/12/2016	40	159.6	455	
TMP-10-9N	9/12/2016	60	167.2	435	
TMP-10-9N	9/12/2016	80	165.3	415	
TMP-10-9N	9/12/2016	100	175.4	395	
TMP-10-9N	9/20/2016	20	141.1	475	
TMP-10-9N	9/20/2016	40	157.8	455	
TMP-10-9N	9/20/2016	60	165.6	435	
TMP-10-9N	9/20/2016	80	164.3	415	
TMP-10-9N	9/20/2016	100	174.2	395	
TMP-10-9N	9/26/2016	20	141.8	475	
TMP-10-9N	9/26/2016	40	158.6	455	
TMP-10-9N	9/26/2016	60	166.1	435	
TMP-10-9N	9/26/2016	80	164.7	415	
TMP-10-9N	9/26/2016	100	174.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	8/29/2016	20	145.2	476	
TMP-10-9S	8/29/2016	40	202.2	456	
TMP-10-9S	8/29/2016	60	221.9	436	
TMP-10-9S	8/29/2016	80	224.9	416	
TMP-10-9S	8/29/2016	100	238.3	396	
TMP-10-9S	9/7/2016	20	143.2	476	
TMP-10-9S	9/7/2016	40	199.1	456	
TMP-10-9S	9/7/2016	60	220.3	436	
TMP-10-9S	9/7/2016	80	223.3	416	
TMP-10-9S	9/7/2016	100	236.9	396	
TMP-10-9S	9/12/2016	20	145.0	476	
TMP-10-9S	9/12/2016	40	198.8	456	
TMP-10-9S	9/12/2016	60	221.9	436	
TMP-10-9S	9/12/2016	80	224.7	416	
TMP-10-9S	9/12/2016	100	238.0	396	
TMP-10-9S	9/20/2016	20	142.5	476	
TMP-10-9S	9/20/2016	40	197.0	456	
TMP-10-9S	9/20/2016	60	219.9	436	
TMP-10-9S	9/20/2016	80	222.7	416	
TMP-10-9S	9/20/2016	100	236.0	396	
TMP-10-9S	9/26/2016	20	142.9	476	
TMP-10-9S	9/26/2016	40	196.7	456	
TMP-10-9S	9/26/2016	60	219.8	436	
TMP-10-9S	9/26/2016	80	222.4	416	
TMP-10-9S	9/26/2016	100	235.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	8/29/2016	20	124.8	478	
TMP-10-5N	8/29/2016	40	124.9	458	
TMP-10-5N	8/29/2016	60	126.9	438	
TMP-10-5N	8/29/2016	80	116.5	418	
TMP-10-5N	8/29/2016	100	112.8	398	
TMP-10-5N	9/7/2016	20	124.1	478	
TMP-10-5N	9/7/2016	40	124.2	458	
TMP-10-5N	9/7/2016	60	126.1	438	
TMP-10-5N	9/7/2016	80	115.5	418	
TMP-10-5N	9/7/2016	100	112.1	398	
TMP-10-5N	9/12/2016	20	124.4	478	
TMP-10-5N	9/12/2016	40	125.2	458	
TMP-10-5N	9/12/2016	60	125.8	438	
TMP-10-5N	9/12/2016	80	114.2	418	
TMP-10-5N	9/12/2016	100	108.9	398	
TMP-10-5N	9/20/2016	20	122.9	478	
TMP-10-5N	9/20/2016	40	122.7	458	
TMP-10-5N	9/20/2016	60	123.7	438	
TMP-10-5N	9/20/2016	80	112.5	418	
TMP-10-5N	9/20/2016	100	108.0	398	
TMP-10-5N	9/26/2016	20	123.4	478	
TMP-10-5N	9/26/2016	40	123.3	458	
TMP-10-5N	9/26/2016	60	124.4	438	
TMP-10-5N	9/26/2016	80	113.2	418	
TMP-10-5N	9/26/2016	100	108.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	8/29/2016	20	134.6	477	
TMP-10-5S	8/29/2016	40	165.3	457	
TMP-10-5S	8/29/2016	60	197.1	437	
TMP-10-5S	8/29/2016	80	207.4	417	
TMP-10-5S	8/29/2016	100	219.7	397	
TMP-10-5S	9/7/2016	20	132.8	477	
TMP-10-5S	9/7/2016	40	162.7	457	
TMP-10-5S	9/7/2016	60	195.4	437	
TMP-10-5S	9/7/2016	80	205.5	417	
TMP-10-5S	9/7/2016	100	217.9	397	
TMP-10-5S	9/12/2016	20	134.4	477	
TMP-10-5S	9/12/2016	40	164.2	457	
TMP-10-5S	9/12/2016	60	197.4	437	
TMP-10-5S	9/12/2016	80	207.7	417	
TMP-10-5S	9/12/2016	100	220.0	397	
TMP-10-5S	9/20/2016	20	131.7	477	
TMP-10-5S	9/20/2016	40	162.1	457	
TMP-10-5S	9/20/2016	60	195.4	437	
TMP-10-5S	9/20/2016	80	205.1	417	
TMP-10-5S	9/20/2016	100	217.6	397	
TMP-10-5S	9/26/2016	20	132.8	477	
TMP-10-5S	9/26/2016	40	162.7	457	
TMP-10-5S	9/26/2016	60	195.9	437	
TMP-10-5S	9/26/2016	80	205.7	417	
TMP-10-5S	9/26/2016	100	218.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	8/29/2016	20	122.1	476	
TMP-5-9N	8/29/2016	40	171.3	456	
TMP-5-9N	8/29/2016	60	168.1	436	
TMP-5-9N	8/29/2016	80	256.1	416	
TMP-5-9N	8/29/2016	100	265.4	396	
TMP-5-9N	9/7/2016	20	121.8	476	
TMP-5-9N	9/7/2016	40	170.7	456	
TMP-5-9N	9/7/2016	60	167.0	436	
TMP-5-9N	9/7/2016	80	254.7	416	
TMP-5-9N	9/7/2016	100	263.9	396	
TMP-5-9N	9/12/2016	20	121.4	476	
TMP-5-9N	9/12/2016	40	171.2	456	
TMP-5-9N	9/12/2016	60	170.5	436	
TMP-5-9N	9/12/2016	80	253.4	416	
TMP-5-9N	9/12/2016	100	262.6	396	
TMP-5-9N	9/20/2016	20	121.6	476	
TMP-5-9N	9/20/2016	40	176.8	456	
TMP-5-9N	9/20/2016	60	180.6	436	
TMP-5-9N	9/20/2016	80	253.4	416	
TMP-5-9N	9/20/2016	100	263.0	396	
TMP-5-9N	9/26/2016	20	125.0	476	
TMP-5-9N	9/26/2016	40	182.3	456	
TMP-5-9N	9/26/2016	60	188.5	436	
TMP-5-9N	9/26/2016	80	255.1	416	
TMP-5-9N	9/26/2016	100	264.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	8/29/2016	20	146.3	476	
TMP-5-9S	8/29/2016	40	217.2	456	
TMP-5-9S	8/29/2016	60	225.7	436	
TMP-5-9S	8/29/2016	80		416	no reading was obtained despite multiple attempts
TMP-5-9S	8/29/2016	100	267.8	396	
TMP-5-9S	9/7/2016	20	145.0	476	
TMP-5-9S	9/7/2016	40	215.4	456	
TMP-5-9S	9/7/2016	60	223.9	436	
TMP-5-9S	9/7/2016	80		416	no reading was obtained despite multiple attempts
TMP-5-9S	9/7/2016	100	266.1	396	
TMP-5-9S	9/12/2016	20	142.8	476	
TMP-5-9S	9/12/2016	40	215.6	456	
TMP-5-9S	9/12/2016	60	224.3	436	
TMP-5-9S	9/12/2016	80		416	no reading was obtained despite multiple attempts
TMP-5-9S	9/12/2016	100	263.7	396	
TMP-5-9S	9/20/2016	20	146.3	476	
TMP-5-9S	9/20/2016	40	216.9	456	
TMP-5-9S	9/20/2016	60	225.4	436	
TMP-5-9S	9/20/2016	80		416	no longer working
TMP-5-9S	9/20/2016	100	267.5	396	
TMP-5-9S	9/26/2016	20	147.3	476	
TMP-5-9S	9/26/2016	40	217.0	456	
TMP-5-9S	9/26/2016	60	226.1	436	
TMP-5-9S	9/26/2016	80		416	no longer working
TMP-5-9S	9/26/2016	100	267.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	8/29/2016	20	116.4	475	
TMP-5-5N	8/29/2016	40	119.7	455	
TMP-5-5N	8/29/2016	60	109.3	435	
TMP-5-5N	8/29/2016	80	255.2	415	
TMP-5-5N	8/29/2016	100	256.5	395	
TMP-5-5N	9/7/2016	20	117.0	475	
TMP-5-5N	9/7/2016	40	136.6	455	
TMP-5-5N	9/7/2016	60	143.2	435	
TMP-5-5N	9/7/2016	80	253.5	415	
TMP-5-5N	9/7/2016	100	254.7	395	
TMP-5-5N	9/12/2016	20	120.8	475	
TMP-5-5N	9/12/2016	40	155.1	455	
TMP-5-5N	9/12/2016	60	167.1	435	
TMP-5-5N	9/12/2016	80	251.4	415	
TMP-5-5N	9/12/2016	100	252.5	395	
TMP-5-5N	9/20/2016	20	130.4	475	
TMP-5-5N	9/20/2016	40	174.6	455	
TMP-5-5N	9/20/2016	60	188.9	435	
TMP-5-5N	9/20/2016	80	253.4	415	
TMP-5-5N	9/20/2016	100	254.9	395	
TMP-5-5N	9/26/2016	20	138.3	475	
TMP-5-5N	9/26/2016	40	184.2	455	
TMP-5-5N	9/26/2016	60	198.8	435	
TMP-5-5N	9/26/2016	80	255.3	415	
TMP-5-5N	9/26/2016	100	256.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	8/29/2016	20	144.7	474	
TMP-5-5S	8/29/2016	40	214.9	454	
TMP-5-5S	8/29/2016	60	237.6	434	
TMP-5-5S	8/29/2016	80	256.3	414	
TMP-5-5S	8/29/2016	100	258.6	394	
TMP-5-5S	9/7/2016	20	144.0	474	
TMP-5-5S	9/7/2016	40	213.6	454	
TMP-5-5S	9/7/2016	60	236.3	434	
TMP-5-5S	9/7/2016	80	254.9	414	
TMP-5-5S	9/7/2016	100	257.2	394	
TMP-5-5S	9/12/2016	20	142.8	474	
TMP-5-5S	9/12/2016	40	213.3	454	
TMP-5-5S	9/12/2016	60	234.8	434	
TMP-5-5S	9/12/2016	80	253.1	414	
TMP-5-5S	9/12/2016	100	255.4	394	
TMP-5-5S	9/20/2016	20	144.3	474	
TMP-5-5S	9/20/2016	40	214.0	454	
TMP-5-5S	9/20/2016	60	236.7	434	
TMP-5-5S	9/20/2016	80	255.5	414	
TMP-5-5S	9/20/2016	100	258.3	394	
TMP-5-5S	9/26/2016	20	145.1	474	
TMP-5-5S	9/26/2016	40	214.3	454	
TMP-5-5S	9/26/2016	60	237.5	434	
TMP-5-5S	9/26/2016	80	256.3	414	
TMP-5-5S	9/26/2016	100	259.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	8/29/2016	20	209.6	474	
TMP-31	8/29/2016	40	228.7	454	
TMP-31	8/29/2016	60	244.0	434	
TMP-31	8/29/2016	80	262.8	414	
TMP-31	8/29/2016	100	271.5	394	
TMP-31	8/29/2016	120	277.9	374	
TMP-31	8/29/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	8/29/2016	193		301	no longer working
TMP-31	9/7/2016	20	208.7	474	
TMP-31	9/7/2016	40	227.3	454	
TMP-31	9/7/2016	60	242.8	434	
TMP-31	9/7/2016	80	261.9	414	
TMP-31	9/7/2016	100	270.6	394	
TMP-31	9/7/2016	120	277.1	374	
TMP-31	9/7/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	9/7/2016	193		301	no longer working
TMP-31	9/12/2016	20	209.7	474	
TMP-31	9/12/2016	40	229.1	454	
TMP-31	9/12/2016	60	244.5	434	
TMP-31	9/12/2016	80	263.2	414	
TMP-31	9/12/2016	100	272.0	394	
TMP-31	9/12/2016	120	278.5	374	
TMP-31	9/12/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	9/12/2016	193		301	no longer working
TMP-31	9/20/2016	20	210.1	474	
TMP-31	9/20/2016	40	229.1	454	
TMP-31	9/20/2016	60	244.9	434	
TMP-31	9/20/2016	80	263.7	414	
TMP-31	9/20/2016	100	272.5	394	
TMP-31	9/20/2016	120	279.2	374	
TMP-31	9/20/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	9/20/2016	193		301	no longer working
TMP-31	9/26/2016	20	210.1	474	
TMP-31	9/26/2016	40	229.5	454	
TMP-31	9/26/2016	60	245.4	434	
TMP-31	9/26/2016	80	264.2	414	
TMP-31	9/26/2016	100	272.8	394	
TMP-31	9/26/2016	120	279.3	374	
TMP-31	9/26/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	9/26/2016	193		301	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	8/29/2016	20	203.6	484	
TMP-32	8/29/2016	40	223.6	464	
TMP-32	8/29/2016	60	243.6	444	
TMP-32	8/29/2016	80	257.5	424	
TMP-32	8/29/2016	100	269.7	404	
TMP-32	8/29/2016	120	276.2	384	
TMP-32	8/29/2016	140	278.9	364	
TMP-32	8/29/2016	160	284.9	344	
TMP-32	8/29/2016	180	287.7	324	
TMP-32	8/29/2016	200	248.2	304	The resistivity has fluctuated week to week.
TMP-32	9/7/2016	20	203.8	484	
TMP-32	9/7/2016	40	223.4	464	
TMP-32	9/7/2016	60	243.4	444	
TMP-32	9/7/2016	80	257.3	424	
TMP-32	9/7/2016	100	269.4	404	
TMP-32	9/7/2016	120	276.1	384	
TMP-32	9/7/2016	140	278.8	364	
TMP-32	9/7/2016	160	284.9	344	
TMP-32	9/7/2016	180	287.8	324	
TMP-32	9/7/2016	200	249.3	304	The resistivity has fluctuated week to week.
TMP-32	9/12/2016	20	205.2	484	
TMP-32	9/12/2016	40	224.6	464	
TMP-32	9/12/2016	60	244.5	444	
TMP-32	9/12/2016	80	258.4	424	
TMP-32	9/12/2016	100	270.5	404	
TMP-32	9/12/2016	120	277.0	384	
TMP-32	9/12/2016	140	279.6	364	
TMP-32	9/12/2016	160	285.9	344	
TMP-32	9/12/2016	180	289.1	324	
TMP-32	9/12/2016	200	250.9	304	The resistivity has fluctuated week to week.
TMP-32	9/20/2016	20	206.1	484	
TMP-32	9/20/2016	40	225.6	464	
TMP-32	9/20/2016	60	245.4	444	
TMP-32	9/20/2016	80	259.7	424	
TMP-32	9/20/2016	100	271.6	404	
TMP-32	9/20/2016	120	278.1	384	
TMP-32	9/20/2016	140	280.8	364	
TMP-32	9/20/2016	160	287.1	344	
TMP-32	9/20/2016	180	290.4	324	
TMP-32	9/20/2016	200	252.8	304	The resistivity has fluctuated week to week.
TMP-32	9/26/2016	20	205.5	484	
TMP-32	9/26/2016	40	224.6	464	
TMP-32	9/26/2016	60	244.7	444	
TMP-32	9/26/2016	80	258.6	424	
TMP-32	9/26/2016	100	270.5	404	
TMP-32	9/26/2016	120	277.1	384	
TMP-32	9/26/2016	140	279.9	364	
TMP-32	9/26/2016	160	285.9	344	
TMP-32	9/26/2016	180	289.2	324	
TMP-32	9/26/2016	200	252.4	304	The resistivity has fluctuated week to week.