

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	10/17/2016	20	163.1	479	
TMP-14R	10/17/2016	40	192.5	459	
TMP-14R	10/17/2016	60	197.5	439	
TMP-14R	10/17/2016	80	194.0	419	
TMP-14R	10/17/2016	100	181.2	399	
TMP-14R	10/17/2016	120	178.0	379	
TMP-14R	10/17/2016	140	174.3	359	
TMP-14R	10/24/2016	20	164.3	479	
TMP-14R	10/24/2016	40	193.3	459	
TMP-14R	10/24/2016	60	198.4	439	
TMP-14R	10/24/2016	80	195.1	419	
TMP-14R	10/24/2016	100	182.3	399	
TMP-14R	10/24/2016	120	179.4	379	
TMP-14R	10/24/2016	140	175.7	359	
TMP-14R	10/31/2016	20	164.4	479	
TMP-14R	10/31/2016	40	193.1	459	
TMP-14R	10/31/2016	60	198.1	439	
TMP-14R	10/31/2016	80	194.9	419	
TMP-14R	10/31/2016	100	182.1	399	
TMP-14R	10/31/2016	120	179.2	379	
TMP-14R	10/31/2016	140	175.4	359	
TMP-14R	11/8/2016	20	165.4	479	
TMP-14R	11/8/2016	40	193.7	459	
TMP-14R	11/8/2016	60	198.7	439	
TMP-14R	11/8/2016	80	195.6	419	
TMP-14R	11/8/2016	100	182.8	399	
TMP-14R	11/8/2016	120	180.0	379	
TMP-14R	11/8/2016	140	176.2	359	
TMP-14R	11/14/2016	20	163.8	479	
TMP-14R	11/14/2016	40	191.5	459	
TMP-14R	11/14/2016	60	196.5	439	
TMP-14R	11/14/2016	80	193.8	419	
TMP-14R	11/14/2016	100	181.1	399	
TMP-14R	11/14/2016	120	178.3	379	
TMP-14R	11/14/2016	140	174.6	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	10/17/2016	20	182.0	473	
TMP-19	10/17/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/17/2016	60	235.4	433	
TMP-19	10/17/2016	80	244.8	413	
TMP-19	10/17/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/24/2016	20	184.0	473	
TMP-19	10/24/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/24/2016	60	236.4	433	
TMP-19	10/24/2016	80	245.5	413	
TMP-19	10/24/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/31/2016	20	178.1	473	
TMP-19	10/31/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/31/2016	60	235.4	433	
TMP-19	10/31/2016	80	244.5	413	
TMP-19	10/31/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/8/2016	20	181.0	473	
TMP-19	11/8/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/8/2016	60	234.4	433	
TMP-19	11/8/2016	80	243.2	413	
TMP-19	11/8/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/14/2016	20	180.1	473	
TMP-19	11/14/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/14/2016	60	233.9	433	
TMP-19	11/14/2016	80	242.8	413	
TMP-19	11/14/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	10/17/2016	20	142.9	478	
TMP-20	10/17/2016	40	215.5	458	
TMP-20	10/17/2016	60	239.3	438	
TMP-20	10/17/2016	80	252.6	418	
TMP-20	10/17/2016	100	263.3	398	
TMP-20	10/17/2016	120	271.8	378	
TMP-20	10/17/2016	140	275.3	358	
TMP-20	10/24/2016	20	143.3	478	
TMP-20	10/24/2016	40	215.6	458	
TMP-20	10/24/2016	60	239.3	438	
TMP-20	10/24/2016	80	252.4	418	
TMP-20	10/24/2016	100	263.1	398	
TMP-20	10/24/2016	120	271.7	378	
TMP-20	10/24/2016	140	275.2	358	
TMP-20	10/31/2016	20	142.6	478	
TMP-20	10/31/2016	40	214.9	458	
TMP-20	10/31/2016	60	238.8	438	
TMP-20	10/31/2016	80	252.0	418	
TMP-20	10/31/2016	100	263.0	398	
TMP-20	10/31/2016	120	271.7	378	
TMP-20	10/31/2016	140	275.2	358	
TMP-20	11/8/2016	20	142.7	478	
TMP-20	11/8/2016	40	214.9	458	
TMP-20	11/8/2016	60	239.0	438	
TMP-20	11/8/2016	80	252.1	418	
TMP-20	11/8/2016	100	263.0	398	
TMP-20	11/8/2016	120	271.8	378	
TMP-20	11/8/2016	140	275.1	358	
TMP-20	11/14/2016	20	140.9	478	
TMP-20	11/14/2016	40	212.8	458	
TMP-20	11/14/2016	60	236.7	438	
TMP-20	11/14/2016	80	249.8	418	
TMP-20	11/14/2016	100	260.7	398	
TMP-20	11/14/2016	120	269.7	378	
TMP-20	11/14/2016	140	273.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	10/17/2016	20	141.4	475	
TMP-10-9N	10/17/2016	40	157.5	455	
TMP-10-9N	10/17/2016	60	165.1	435	
TMP-10-9N	10/17/2016	80	163.7	415	
TMP-10-9N	10/17/2016	100	173.5	395	
TMP-10-9N	10/24/2016	20	142.6	475	
TMP-10-9N	10/24/2016	40	158.6	455	
TMP-10-9N	10/24/2016	60	166.4	435	
TMP-10-9N	10/24/2016	80	165.1	415	
TMP-10-9N	10/24/2016	100	174.9	395	
TMP-10-9N	10/31/2016	20	141.3	475	
TMP-10-9N	10/31/2016	40	157.2	455	
TMP-10-9N	10/31/2016	60	165.0	435	
TMP-10-9N	10/31/2016	80	163.6	415	
TMP-10-9N	10/31/2016	100	173.3	395	
TMP-10-9N	11/8/2016	20	141.1	475	
TMP-10-9N	11/8/2016	40	157.3	455	
TMP-10-9N	11/8/2016	60	164.5	435	
TMP-10-9N	11/8/2016	80	163.1	415	
TMP-10-9N	11/8/2016	100	172.9	395	
TMP-10-9N	11/14/2016	20	139.0	475	
TMP-10-9N	11/14/2016	40	155.3	455	
TMP-10-9N	11/14/2016	60	162.4	435	
TMP-10-9N	11/14/2016	80	161.5	415	
TMP-10-9N	11/14/2016	100	171.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	10/17/2016	20	143.0	476	
TMP-10-9S	10/17/2016	40	197.7	456	
TMP-10-9S	10/17/2016	60	220.1	436	
TMP-10-9S	10/17/2016	80	222.5	416	
TMP-10-9S	10/17/2016	100	235.9	396	
TMP-10-9S	10/24/2016	20	143.8	476	
TMP-10-9S	10/24/2016	40	198.3	456	
TMP-10-9S	10/24/2016	60	220.9	436	
TMP-10-9S	10/24/2016	80	223.0	416	
TMP-10-9S	10/24/2016	100	236.4	396	
TMP-10-9S	10/31/2016	20	142.3	476	
TMP-10-9S	10/31/2016	40	197.2	456	
TMP-10-9S	10/31/2016	60	219.2	436	
TMP-10-9S	10/31/2016	80	221.3	416	
TMP-10-9S	10/31/2016	100	234.6	396	
TMP-10-9S	11/8/2016	20	142.1	476	
TMP-10-9S	11/8/2016	40	192.0	456	
TMP-10-9S	11/8/2016	60	218.1	436	
TMP-10-9S	11/8/2016	80	220.5	416	
TMP-10-9S	11/8/2016	100	233.8	396	
TMP-10-9S	11/14/2016	20	141.0	476	
TMP-10-9S	11/14/2016	40	191.8	456	
TMP-10-9S	11/14/2016	60	217.8	436	
TMP-10-9S	11/14/2016	80	220.6	416	
TMP-10-9S	11/14/2016	100	234.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	10/17/2016	20	122.7	478	
TMP-10-5N	10/17/2016	40	121.3	458	
TMP-10-5N	10/17/2016	60	121.4	438	
TMP-10-5N	10/17/2016	80	110.9	418	
TMP-10-5N	10/17/2016	100	107.2	398	
TMP-10-5N	10/24/2016	20	124.3	478	
TMP-10-5N	10/24/2016	40	122.4	458	
TMP-10-5N	10/24/2016	60	122.5	438	
TMP-10-5N	10/24/2016	80	110.5	418	
TMP-10-5N	10/24/2016	100	105.4	398	
TMP-10-5N	10/31/2016	20	122.6	478	
TMP-10-5N	10/31/2016	40	121.6	458	
TMP-10-5N	10/31/2016	60	122.1	438	
TMP-10-5N	10/31/2016	80	111.5	418	
TMP-10-5N	10/31/2016	100	106.8	398	
TMP-10-5N	11/8/2016	20	122.1	478	
TMP-10-5N	11/8/2016	40	121.1	458	
TMP-10-5N	11/8/2016	60	120.0	438	
TMP-10-5N	11/8/2016	80	107.9	418	
TMP-10-5N	11/8/2016	100	102.5	398	
TMP-10-5N	11/14/2016	20	121.1	478	
TMP-10-5N	11/14/2016	40	119.0	458	
TMP-10-5N	11/14/2016	60	117.2	438	
TMP-10-5N	11/14/2016	80	105.0	418	
TMP-10-5N	11/14/2016	100	99.1	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	10/17/2016	20	133.0	477	
TMP-10-5S	10/17/2016	40	163.6	457	
TMP-10-5S	10/17/2016	60	195.6	437	
TMP-10-5S	10/17/2016	80	204.8	417	
TMP-10-5S	10/17/2016	100	217.4	397	
TMP-10-5S	10/24/2016	20	133.7	477	
TMP-10-5S	10/24/2016	40	164.4	457	
TMP-10-5S	10/24/2016	60	196.2	437	
TMP-10-5S	10/24/2016	80	205.3	417	
TMP-10-5S	10/24/2016	100	218.1	397	
TMP-10-5S	10/31/2016	20	133.0	477	
TMP-10-5S	10/31/2016	40	163.7	457	
TMP-10-5S	10/31/2016	60	195.1	437	
TMP-10-5S	10/31/2016	80	204.2	417	
TMP-10-5S	10/31/2016	100	216.8	397	
TMP-10-5S	11/8/2016	20	132.8	477	
TMP-10-5S	11/8/2016	40	164.3	457	
TMP-10-5S	11/8/2016	60	195.9	437	
TMP-10-5S	11/8/2016	80	203.8	417	
TMP-10-5S	11/8/2016	100	216.4	397	
TMP-10-5S	11/14/2016	20	131.3	477	
TMP-10-5S	11/14/2016	40	163.4	457	
TMP-10-5S	11/14/2016	60	193.2	437	
TMP-10-5S	11/14/2016	80	202.4	417	
TMP-10-5S	11/14/2016	100	215.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	10/17/2016	20	128.8	476	
TMP-5-9N	10/17/2016	40	179.9	456	
TMP-5-9N	10/17/2016	60	178.1	436	
TMP-5-9N	10/17/2016	80	254.5	416	
TMP-5-9N	10/17/2016	100	264.2	396	
TMP-5-9N	10/24/2016	20	128.8	476	
TMP-5-9N	10/24/2016	40	178.6	456	
TMP-5-9N	10/24/2016	60	175.7	436	
TMP-5-9N	10/24/2016	80	255.3	416	
TMP-5-9N	10/24/2016	100	264.8	396	
TMP-5-9N	10/31/2016	20	128.4	476	
TMP-5-9N	10/31/2016	40	176.8	456	
TMP-5-9N	10/31/2016	60	172.7	436	
TMP-5-9N	10/31/2016	80	254.8	416	
TMP-5-9N	10/31/2016	100	264.2	396	
TMP-5-9N	11/8/2016	20	127.4	476	
TMP-5-9N	11/8/2016	40	173.4	456	
TMP-5-9N	11/8/2016	60	171.4	436	
TMP-5-9N	11/8/2016	80	254.6	416	
TMP-5-9N	11/8/2016	100	263.7	396	
TMP-5-9N	11/14/2016	20	125.0	476	
TMP-5-9N	11/14/2016	40	171.5	456	
TMP-5-9N	11/14/2016	60	167.7	436	
TMP-5-9N	11/14/2016	80	253.5	416	
TMP-5-9N	11/14/2016	100	262.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	10/17/2016	20	146.0	476	
TMP-5-9S	10/17/2016	40	215.5	456	
TMP-5-9S	10/17/2016	60	236.6	436	
TMP-5-9S	10/17/2016	80		416	no longer working
TMP-5-9S	10/17/2016	100	266.2	396	
TMP-5-9S	10/24/2016	20	147.2	476	
TMP-5-9S	10/24/2016	40	216.4	456	
TMP-5-9S	10/24/2016	60	237.7	436	
TMP-5-9S	10/24/2016	80		416	no longer working
TMP-5-9S	10/24/2016	100	266.8	396	
TMP-5-9S	10/31/2016	20	146.5	476	
TMP-5-9S	10/31/2016	40	215.5	456	
TMP-5-9S	10/31/2016	60	236.8	436	
TMP-5-9S	10/31/2016	80		416	no longer working
TMP-5-9S	10/31/2016	100	265.8	396	
TMP-5-9S	11/8/2016	20	146.4	476	
TMP-5-9S	11/8/2016	40	218.5	456	
TMP-5-9S	11/8/2016	60	237.5	436	
TMP-5-9S	11/8/2016	80		416	no longer working
TMP-5-9S	11/8/2016	100	265.2	396	
TMP-5-9S	11/14/2016	20	146.2	476	
TMP-5-9S	11/14/2016	40	215.6	456	
TMP-5-9S	11/14/2016	60	236.8	436	
TMP-5-9S	11/14/2016	80	225.2	416	
TMP-5-9S	11/14/2016	100	265.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	10/17/2016	20	123.4	475	
TMP-5-5N	10/17/2016	40	119.6	455	
TMP-5-5N	10/17/2016	60	108.4	435	
TMP-5-5N	10/17/2016	80	254.1	415	
TMP-5-5N	10/17/2016	100	255.6	395	
TMP-5-5N	10/24/2016	20	121.3	475	
TMP-5-5N	10/24/2016	40	114.0	455	
TMP-5-5N	10/24/2016	60	99.8	435	
TMP-5-5N	10/24/2016	80	254.4	415	
TMP-5-5N	10/24/2016	100	256.0	395	
TMP-5-5N	10/31/2016	20	120.1	475	
TMP-5-5N	10/31/2016	40	116.3	455	
TMP-5-5N	10/31/2016	60	103.8	435	
TMP-5-5N	10/31/2016	80	254.3	415	
TMP-5-5N	10/31/2016	100	256.0	395	
TMP-5-5N	11/8/2016	20	117.8	475	
TMP-5-5N	11/8/2016	40	110.9	455	
TMP-5-5N	11/8/2016	60	97.3	435	
TMP-5-5N	11/8/2016	80	253.0	415	
TMP-5-5N	11/8/2016	100	254.6	395	
TMP-5-5N	11/14/2016	20	115.7	475	
TMP-5-5N	11/14/2016	40	105.0	455	
TMP-5-5N	11/14/2016	60	89.6	435	
TMP-5-5N	11/14/2016	80	253.9	415	
TMP-5-5N	11/14/2016	100	255.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	10/17/2016	20	146.0	474	
TMP-5-5S	10/17/2016	40	213.7	454	
TMP-5-5S	10/17/2016	60	236.5	434	
TMP-5-5S	10/17/2016	80	254.8	414	
TMP-5-5S	10/17/2016	100	257.7	394	
TMP-5-5S	10/24/2016	20	146.4	474	
TMP-5-5S	10/24/2016	40	214.4	454	
TMP-5-5S	10/24/2016	60	237.1	434	
TMP-5-5S	10/24/2016	80	255.6	414	
TMP-5-5S	10/24/2016	100	258.3	394	
TMP-5-5S	10/31/2016	20	146.4	474	
TMP-5-5S	10/31/2016	40	213.9	454	
TMP-5-5S	10/31/2016	60	236.5	434	
TMP-5-5S	10/31/2016	80	254.8	414	
TMP-5-5S	10/31/2016	100	257.5	394	
TMP-5-5S	11/8/2016	20	147.0	474	
TMP-5-5S	11/8/2016	40	214.8	454	
TMP-5-5S	11/8/2016	60	237.2	434	
TMP-5-5S	11/8/2016	80	254.7	414	
TMP-5-5S	11/8/2016	100	257.4	394	
TMP-5-5S	11/14/2016	20	145.7	474	
TMP-5-5S	11/14/2016	40	212.6	454	
TMP-5-5S	11/14/2016	60	235.9	434	
TMP-5-5S	11/14/2016	80	253.9	414	
TMP-5-5S	11/14/2016	100	256.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	10/17/2016	20	207.1	474	
TMP-31	10/17/2016	40	227.7	454	
TMP-31	10/17/2016	60	243.8	434	
TMP-31	10/17/2016	80	262.2	414	
TMP-31	10/17/2016	100	270.8	394	
TMP-31	10/17/2016	120	277.5	374	
TMP-31	10/17/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/17/2016	193		301	no longer working
TMP-31	10/24/2016	20	208.4	474	
TMP-31	10/24/2016	40	228.6	454	
TMP-31	10/24/2016	60	244.7	434	
TMP-31	10/24/2016	80	263.0	414	
TMP-31	10/24/2016	100	271.6	394	
TMP-31	10/24/2016	120	278.3	374	
TMP-31	10/24/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/24/2016	193		301	no longer working
TMP-31	10/31/2016	20	207.1	474	
TMP-31	10/31/2016	40	227.7	454	
TMP-31	10/31/2016	60	244.0	434	
TMP-31	10/31/2016	80	262.0	414	
TMP-31	10/31/2016	100	270.6	394	
TMP-31	10/31/2016	120	277.4	374	
TMP-31	10/31/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/31/2016	193		301	no longer working
TMP-31	11/8/2016	20	206.3	474	
TMP-31	11/8/2016	40	228.2	454	
TMP-31	11/8/2016	60	243.6	434	
TMP-31	11/8/2016	80	261.2	414	
TMP-31	11/8/2016	100	270.0	394	
TMP-31	11/8/2016	120	276.8	374	
TMP-31	11/8/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	11/8/2016	193		301	no longer working
TMP-31	11/14/2016	20	206.4	474	
TMP-31	11/14/2016	40	227.7	454	
TMP-31	11/14/2016	60	243.8	434	
TMP-31	11/14/2016	80	261.6	414	
TMP-31	11/14/2016	100	270.5	394	
TMP-31	11/14/2016	120	277.4	374	
TMP-31	11/14/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	11/14/2016	193		301	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	10/17/2016	20	204.1	484	
TMP-32	10/17/2016	40	222.6	464	
TMP-32	10/17/2016	60	243.0	444	
TMP-32	10/17/2016	80	256.6	424	
TMP-32	10/17/2016	100	268.5	404	
TMP-32	10/17/2016	120	275.2	384	
TMP-32	10/17/2016	140	278.1	364	
TMP-32	10/17/2016	160	284.7	344	
TMP-32	10/17/2016	180	288.1	324	
TMP-32	10/17/2016	200	254.2	304	The resistivity has flucuated week to week.
TMP-32	10/24/2016	20	205.8	484	
TMP-32	10/24/2016	40	223.7	464	
TMP-32	10/24/2016	60	244.7	444	
TMP-32	10/24/2016	80	258.5	424	
TMP-32	10/24/2016	100	270.4	404	
TMP-32	10/24/2016	120	277.1	384	
TMP-32	10/24/2016	140	280.0	364	
TMP-32	10/24/2016	160	286.5	344	
TMP-32	10/24/2016	180	290.2	324	
TMP-32	10/24/2016	200	256.7	304	The resistivity has fluctuated week to week.
TMP-32	10/31/2016	20	204.5	484	
TMP-32	10/31/2016	40	223.1	464	
TMP-32	10/31/2016	60	243.5	444	
TMP-32	10/31/2016	80	257.2	424	
TMP-32	10/31/2016	100	269.1	404	
TMP-32	10/31/2016	120	275.8	384	
TMP-32	10/31/2016	140	278.6	364	
TMP-32	10/31/2016	160	285.2	344	
TMP-32	10/31/2016	180	289.0	324	
TMP-32	10/31/2016	200	256.1	304	The resistivity has fluctuated week to week.
TMP-32	11/8/2016	20	203.9	484	
TMP-32	11/8/2016	40	221.9	464	
TMP-32	11/8/2016	60	242.1	444	
TMP-32	11/8/2016	80	255.9	424	
TMP-32	11/8/2016	100	267.8	404	
TMP-32	11/8/2016	120	274.5	384	
TMP-32	11/8/2016	140	277.3	364	
TMP-32	11/8/2016	160	284.1	344	
TMP-32	11/8/2016	180	288.4	324	
TMP-32	11/8/2016	200	256.5	304	The resistivity has fluctuated week to week.
TMP-32	11/14/2016	20	204.2	484	
TMP-32	11/14/2016	40	222.7	464	
TMP-32	11/14/2016	60	243.2	444	
TMP-32	11/14/2016	80	257.0	424	
TMP-32	11/14/2016	100	268.9	404	
TMP-32	11/14/2016	120	275.5	384	
TMP-32	11/14/2016	140	278.4	364	
TMP-32	11/14/2016	160	285.0	344	
TMP-32	11/14/2016	180	289.1	324	
TMP-32	11/14/2016	200	257.7	304	The resistivity has flucuated week to week.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	10/17/2016	20	171.7	473	
TMP-SPM1	10/17/2016	40	194.9	453	
TMP-SPM1	10/17/2016	60	188.1	433	
TMP-SPM1	10/17/2016	80	190.8	413	
TMP-SPM1	10/17/2016	100	180.3	393	
TMP-SPM1	10/17/2016	120	167.3	373	
TMP-SPM1	10/17/2016	140	157.9	353	
TMP-SPM1	10/17/2016	160	143.5	333	
TMP-SPM1	10/17/2016	180	127.9	313	
TMP-SPM1	10/17/2016	200	106.3	293	
TMP-SPM1	10/17/2016	220	91.2	273	
TMP-SPM1	10/17/2016	240	86.2	253	
TMP-SPM1	10/24/2016	20	172.7	473	
TMP-SPM1	10/24/2016	40	196.1	453	
TMP-SPM1	10/24/2016	60	189.4	433	
TMP-SPM1	10/24/2016	80	191.8	413	
TMP-SPM1	10/24/2016	100	181.2	393	
TMP-SPM1	10/24/2016	120	168.2	373	
TMP-SPM1	10/24/2016	140	158.5	353	
TMP-SPM1	10/24/2016	160	143.9	333	
TMP-SPM1	10/24/2016	180	128.3	313	
TMP-SPM1	10/24/2016	200	106.6	293	
TMP-SPM1	10/24/2016	220	91.2	273	
TMP-SPM1	10/24/2016	240	86.7	253	
TMP-SPM1	10/31/2016	20	172.0	473	
TMP-SPM1	10/31/2016	40	195.3	453	
TMP-SPM1	10/31/2016	60	188.4	433	
TMP-SPM1	10/31/2016	80	190.8	413	
TMP-SPM1	10/31/2016	100	180.1	393	
TMP-SPM1	10/31/2016	120	167.4	373	
TMP-SPM1	10/31/2016	140	157.9	353	
TMP-SPM1	10/31/2016	160	143.1	333	
TMP-SPM1	10/31/2016	180	127.7	313	
TMP-SPM1	10/31/2016	200	106.2	293	
TMP-SPM1	10/31/2016	220	90.7	273	
TMP-SPM1	10/31/2016	240	86.6	253	
TMP-SPM1	11/8/2016	20	172.4	473	
TMP-SPM1	11/8/2016	40	196.0	453	
TMP-SPM1	11/8/2016	60	189.1	433	
TMP-SPM1	11/8/2016	80	191.2	413	
TMP-SPM1	11/8/2016	100	180.5	393	
TMP-SPM1	11/8/2016	120	167.8	373	
TMP-SPM1	11/8/2016	140	158.1	353	
TMP-SPM1	11/8/2016	160	143.4	333	
TMP-SPM1	11/8/2016	180	128.1	313	
TMP-SPM1	11/8/2016	200	106.7	293	
TMP-SPM1	11/8/2016	220	91.2	273	
TMP-SPM1	11/8/2016	240	87.1	253	
TMP-SPM1	11/14/2016	20	173.9	473	
TMP-SPM1	11/14/2016	40	197.5	453	
TMP-SPM1	11/14/2016	60	190.7	433	
TMP-SPM1	11/14/2016	80	192.7	413	
TMP-SPM1	11/14/2016	100	181.9	393	
TMP-SPM1	11/14/2016	120	169.2	373	
TMP-SPM1	11/14/2016	140	159.3	353	
TMP-SPM1	11/14/2016	160	144.5	333	
TMP-SPM1	11/14/2016	180	129.1	313	
TMP-SPM1	11/14/2016	200	107.5	293	
TMP-SPM1	11/14/2016	220	91.9	273	
TMP-SPM1	11/14/2016	240	87.7	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	10/17/2016	20	175.6	475	
TMP-SPM2	10/17/2016	40	211.4	455	
TMP-SPM2	10/17/2016	60	205.7	435	
TMP-SPM2	10/17/2016	80	173.8	415	
TMP-SPM2	10/17/2016	100	172.2	395	
TMP-SPM2	10/17/2016	120	171.2	375	
TMP-SPM2	10/17/2016	140	160.8	355	
TMP-SPM2	10/17/2016	160	149.6	335	
TMP-SPM2	10/17/2016	172	137.1	323	
TMP-SPM2	10/24/2016	20	175.9	475	
TMP-SPM2	10/24/2016	40	211.7	455	
TMP-SPM2	10/24/2016	60	206.1	435	
TMP-SPM2	10/24/2016	80	174.4	415	
TMP-SPM2	10/24/2016	100	173.2	395	
TMP-SPM2	10/24/2016	120	172.1	375	
TMP-SPM2	10/24/2016	140	161.5	355	
TMP-SPM2	10/24/2016	160	150.3	335	
TMP-SPM2	10/24/2016	172	138.0	323	
TMP-SPM2	10/31/2016	20	175.2	475	
TMP-SPM2	10/31/2016	40	211.1	455	
TMP-SPM2	10/31/2016	60	205.2	435	
TMP-SPM2	10/31/2016	80	173.7	415	
TMP-SPM2	10/31/2016	100	172.3	395	
TMP-SPM2	10/31/2016	120	171.0	375	
TMP-SPM2	10/31/2016	140	160.2	355	
TMP-SPM2	10/31/2016	160	148.5	335	
TMP-SPM2	10/31/2016	172	136.0	323	
TMP-SPM2	11/8/2016	20	175.3	475	
TMP-SPM2	11/8/2016	40	211.1	455	
TMP-SPM2	11/8/2016	60	205.2	435	
TMP-SPM2	11/8/2016	80	174.4	415	
TMP-SPM2	11/8/2016	100	172.8	395	
TMP-SPM2	11/8/2016	120	171.4	375	
TMP-SPM2	11/8/2016	140	160.4	355	
TMP-SPM2	11/8/2016	160	148.5	335	
TMP-SPM2	11/8/2016	172	136.0	323	
TMP-SPM2	11/14/2016	20	174.4	475	
TMP-SPM2	11/14/2016	40	210.2	455	
TMP-SPM2	11/14/2016	60	204.4	435	
TMP-SPM2	11/14/2016	80	174.1	415	
TMP-SPM2	11/14/2016	100	172.8	395	
TMP-SPM2	11/14/2016	120	171.5	375	
TMP-SPM2	11/14/2016	140	160.8	355	
TMP-SPM2	11/14/2016	160	149.0	335	
TMP-SPM2	11/14/2016	172	136.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	10/17/2016	20	151.3	478	
TMP-SPM3	10/17/2016	40	154.7	458	
TMP-SPM3	10/17/2016	60	144.8	438	
TMP-SPM3	10/17/2016	80	135.7	418	
TMP-SPM3	10/17/2016	85	134.3	413	
TMP-SPM3	10/24/2016	20	151.5	478	
TMP-SPM3	10/24/2016	40	155.2	458	
TMP-SPM3	10/24/2016	60	145.1	438	
TMP-SPM3	10/24/2016	80	136.3	418	
TMP-SPM3	10/24/2016	85	135.0	413	
TMP-SPM3	10/31/2016	20	151.1	478	
TMP-SPM3	10/31/2016	40	154.9	458	
TMP-SPM3	10/31/2016	60	144.4	438	
TMP-SPM3	10/31/2016	80	135.7	418	
TMP-SPM3	10/31/2016	85	134.3	413	
TMP-SPM3	11/8/2016	20	151.5	478	
TMP-SPM3	11/8/2016	40	155.4	458	
TMP-SPM3	11/8/2016	60	144.6	438	
TMP-SPM3	11/8/2016	80	136.2	418	
TMP-SPM3	11/8/2016	85	134.7	413	
TMP-SPM3	11/14/2016	20	150.3	478	
TMP-SPM3	11/14/2016	40	154.3	458	
TMP-SPM3	11/14/2016	60	143.6	438	
TMP-SPM3	11/14/2016	80	135.8	418	
TMP-SPM3	11/14/2016	85	134.6	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	10/17/2016	20	140.5	475	
TMP-SPM4	10/17/2016	40	165.5	455	
TMP-SPM4	10/17/2016	60	168.5	435	
TMP-SPM4	10/17/2016	80	174.5	415	
TMP-SPM4	10/17/2016	100	171.9	395	
TMP-SPM4	10/17/2016	120	162.5	375	
TMP-SPM4	10/17/2016	140	154.8	355	
TMP-SPM4	10/17/2016	160	145.9	335	
TMP-SPM4	10/17/2016	180	133.9	315	
TMP-SPM4	10/17/2016	200	115.1	295	
TMP-SPM4	10/17/2016	220	97.0	275	
TMP-SPM4	10/17/2016	240	89.4	255	
TMP-SPM4	10/24/2016	20	142.1	475	
TMP-SPM4	10/24/2016	40	167.0	455	
TMP-SPM4	10/24/2016	60	169.9	435	
TMP-SPM4	10/24/2016	80	176.0	415	
TMP-SPM4	10/24/2016	100	173.3	395	
TMP-SPM4	10/24/2016	120	163.9	375	
TMP-SPM4	10/24/2016	140	156.0	355	
TMP-SPM4	10/24/2016	160	147.0	335	
TMP-SPM4	10/24/2016	180	135.1	315	
TMP-SPM4	10/24/2016	200	116.2	295	
TMP-SPM4	10/24/2016	220	98.1	275	
TMP-SPM4	10/24/2016	240	90.4	255	
TMP-SPM4	10/31/2016	20	141.1	475	
TMP-SPM4	10/31/2016	40	166.0	455	
TMP-SPM4	10/31/2016	60	169.1	435	
TMP-SPM4	10/31/2016	80	175.4	415	
TMP-SPM4	10/31/2016	100	172.5	395	
TMP-SPM4	10/31/2016	120	163.2	375	
TMP-SPM4	10/31/2016	140	155.3	355	
TMP-SPM4	10/31/2016	160	146.3	335	
TMP-SPM4	10/31/2016	180	134.3	315	
TMP-SPM4	10/31/2016	200	115.5	295	
TMP-SPM4	10/31/2016	220	97.1	275	
TMP-SPM4	10/31/2016	240	89.2	255	
TMP-SPM4	11/8/2016	20	141.2	475	
TMP-SPM4	11/8/2016	40	166.2	455	
TMP-SPM4	11/8/2016	60	169.3	435	
TMP-SPM4	11/8/2016	80	175.5	415	
TMP-SPM4	11/8/2016	100	172.6	395	
TMP-SPM4	11/8/2016	120	163.3	375	
TMP-SPM4	11/8/2016	140	155.4	355	
TMP-SPM4	11/8/2016	160	146.4	335	
TMP-SPM4	11/8/2016	180	134.5	315	
TMP-SPM4	11/8/2016	200	115.9	295	
TMP-SPM4	11/8/2016	220	97.7	275	
TMP-SPM4	11/8/2016	240	90.0	255	
TMP-SPM4	11/14/2016	20	142.1	475	
TMP-SPM4	11/14/2016	40	167.2	455	
TMP-SPM4	11/14/2016	60	170.4	435	
TMP-SPM4	11/14/2016	80	176.5	415	
TMP-SPM4	11/14/2016	100	173.5	395	
TMP-SPM4	11/14/2016	120	164.2	375	
TMP-SPM4	11/14/2016	140	156.2	355	
TMP-SPM4	11/14/2016	160	147.0	335	
TMP-SPM4	11/14/2016	180	134.9	315	
TMP-SPM4	11/14/2016	200	116.0	295	
TMP-SPM4	11/14/2016	220	97.6	275	
TMP-SPM4	11/14/2016	240	89.6	255	