

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	9/26/2016	20	162.9	479	
TMP-14R	9/26/2016	40	193.8	459	
TMP-14R	9/26/2016	60	199.0	439	
TMP-14R	9/26/2016	80	195.0	419	
TMP-14R	9/26/2016	100	182.1	399	
TMP-14R	9/26/2016	120	178.7	379	
TMP-14R	9/26/2016	140	174.9	359	
TMP-14R	10/4/2016	20	162.5	479	
TMP-14R	10/4/2016	40	192.4	459	
TMP-14R	10/4/2016	60	197.4	439	
TMP-14R	10/4/2016	80	193.6	419	
TMP-14R	10/4/2016	100	180.9	399	
TMP-14R	10/4/2016	120	177.6	379	
TMP-14R	10/4/2016	140	174.0	359	
TMP-14R	10/11/2016	20	162.3	479	
TMP-14R	10/11/2016	40	191.8	459	
TMP-14R	10/11/2016	60	196.7	439	
TMP-14R	10/11/2016	80	193.2	419	
TMP-14R	10/11/2016	100	180.5	399	
TMP-14R	10/11/2016	120	177.2	379	
TMP-14R	10/11/2016	140	173.6	359	
TMP-14R	10/17/2016	20	163.1	479	
TMP-14R	10/17/2016	40	192.5	459	
TMP-14R	10/17/2016	60	197.5	439	
TMP-14R	10/17/2016	80	194.0	419	
TMP-14R	10/17/2016	100	181.2	399	
TMP-14R	10/17/2016	120	178.0	379	
TMP-14R	10/17/2016	140	174.3	359	
TMP-14R	10/24/2016	20	164.3	479	
TMP-14R	10/24/2016	40	193.3	459	
TMP-14R	10/24/2016	60	198.4	439	
TMP-14R	10/24/2016	80	195.1	419	
TMP-14R	10/24/2016	100	182.3	399	
TMP-14R	10/24/2016	120	179.4	379	
TMP-14R	10/24/2016	140	175.7	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/26/2016	20	183.5	473	
TMP-19	9/26/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/26/2016	60	236.2	433	
TMP-19	9/26/2016	80	246.8	413	
TMP-19	9/26/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/4/2016	20	181.6	473	
TMP-19	10/4/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/4/2016	60	235.0	433	
TMP-19	10/4/2016	80	244.9	413	
TMP-19	10/4/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/11/2016	20	182.1	473	
TMP-19	10/11/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/11/2016	60	235.3	433	
TMP-19	10/11/2016	80	244.7	413	
TMP-19	10/11/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/17/2016	20	182.0	473	
TMP-19	10/17/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/17/2016	60	235.4	433	
TMP-19	10/17/2016	80	244.8	413	
TMP-19	10/17/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/24/2016	20	184.0	473	
TMP-19	10/24/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/24/2016	60	236.4	433	
TMP-19	10/24/2016	80	245.5	413	
TMP-19	10/24/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/26/2016	20	143.5	478	
TMP-20	9/26/2016	40	216.3	458	
TMP-20	9/26/2016	60	239.7	438	
TMP-20	9/26/2016	80	252.9	418	
TMP-20	9/26/2016	100	263.7	398	
TMP-20	9/26/2016	120	272.0	378	
TMP-20	9/26/2016	140	275.8	358	
TMP-20	10/4/2016	20	143.1	478	
TMP-20	10/4/2016	40	215.7	458	
TMP-20	10/4/2016	60	239.4	438	
TMP-20	10/4/2016	80	252.5	418	
TMP-20	10/4/2016	100	263.6	398	
TMP-20	10/4/2016	120	272.0	378	
TMP-20	10/4/2016	140	275.2	358	
TMP-20	10/11/2016	20	142.9	478	
TMP-20	10/11/2016	40	215.4	458	
TMP-20	10/11/2016	60	239.2	438	
TMP-20	10/11/2016	80	252.3	418	
TMP-20	10/11/2016	100	263.2	398	
TMP-20	10/11/2016	120	271.8	378	
TMP-20	10/11/2016	140	275.5	358	
TMP-20	10/17/2016	20	142.9	478	
TMP-20	10/17/2016	40	215.5	458	
TMP-20	10/17/2016	60	239.3	438	
TMP-20	10/17/2016	80	252.6	418	
TMP-20	10/17/2016	100	263.3	398	
TMP-20	10/17/2016	120	271.8	378	
TMP-20	10/17/2016	140	275.3	358	
TMP-20	10/24/2016	20	143.3	478	
TMP-20	10/24/2016	40	215.6	458	
TMP-20	10/24/2016	60	239.3	438	
TMP-20	10/24/2016	80	252.4	418	
TMP-20	10/24/2016	100	263.1	398	
TMP-20	10/24/2016	120	271.7	378	
TMP-20	10/24/2016	140	275.2	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/26/2016	20	141.8	475	
TMP-10-9N	9/26/2016	40	158.6	455	
TMP-10-9N	9/26/2016	60	166.1	435	
TMP-10-9N	9/26/2016	80	164.7	415	
TMP-10-9N	9/26/2016	100	174.6	395	
TMP-10-9N	10/4/2016	20	141.6	475	
TMP-10-9N	10/4/2016	40	157.9	455	
TMP-10-9N	10/4/2016	60	165.1	435	
TMP-10-9N	10/4/2016	80	163.6	415	
TMP-10-9N	10/4/2016	100	173.4	395	
TMP-10-9N	10/11/2016	20	142.2	475	
TMP-10-9N	10/11/2016	40	158.8	455	
TMP-10-9N	10/11/2016	60	166.1	435	
TMP-10-9N	10/11/2016	80	164.7	415	
TMP-10-9N	10/11/2016	100	174.5	395	
TMP-10-9N	10/17/2016	20	141.4	475	
TMP-10-9N	10/17/2016	40	157.5	455	
TMP-10-9N	10/17/2016	60	165.1	435	
TMP-10-9N	10/17/2016	80	163.7	415	
TMP-10-9N	10/17/2016	100	173.5	395	
TMP-10-9N	10/24/2016	20	142.6	475	
TMP-10-9N	10/24/2016	40	158.6	455	
TMP-10-9N	10/24/2016	60	166.4	435	
TMP-10-9N	10/24/2016	80	165.1	415	
TMP-10-9N	10/24/2016	100	174.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/26/2016	20	142.9	476	
TMP-10-9S	9/26/2016	40	196.7	456	
TMP-10-9S	9/26/2016	60	219.8	436	
TMP-10-9S	9/26/2016	80	222.4	416	
TMP-10-9S	9/26/2016	100	235.5	396	
TMP-10-9S	10/4/2016	20	142.5	476	
TMP-10-9S	10/4/2016	40	194.3	456	
TMP-10-9S	10/4/2016	60	219.1	436	
TMP-10-9S	10/4/2016	80	221.6	416	
TMP-10-9S	10/4/2016	100	235.0	396	
TMP-10-9S	10/11/2016	20	143.5	476	
TMP-10-9S	10/11/2016	40	197.3	456	
TMP-10-9S	10/11/2016	60	220.3	436	
TMP-10-9S	10/11/2016	80	222.6	416	
TMP-10-9S	10/11/2016	100	235.8	396	
TMP-10-9S	10/17/2016	20	143.0	476	
TMP-10-9S	10/17/2016	40	197.7	456	
TMP-10-9S	10/17/2016	60	220.1	436	
TMP-10-9S	10/17/2016	80	222.5	416	
TMP-10-9S	10/17/2016	100	235.9	396	
TMP-10-9S	10/24/2016	20	143.8	476	
TMP-10-9S	10/24/2016	40	198.3	456	
TMP-10-9S	10/24/2016	60	220.9	436	
TMP-10-9S	10/24/2016	80	223.0	416	
TMP-10-9S	10/24/2016	100	236.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/26/2016	20	123.4	478	
TMP-10-5N	9/26/2016	40	123.3	458	
TMP-10-5N	9/26/2016	60	124.4	438	
TMP-10-5N	9/26/2016	80	113.2	418	
TMP-10-5N	9/26/2016	100	108.4	398	
TMP-10-5N	10/4/2016	20	122.1	478	
TMP-10-5N	10/4/2016	40	120.0	458	
TMP-10-5N	10/4/2016	60	120.3	438	
TMP-10-5N	10/4/2016	80	108.6	418	
TMP-10-5N	10/4/2016	100	103.7	398	
TMP-10-5N	10/11/2016	20	123.6	478	
TMP-10-5N	10/11/2016	40	121.8	458	
TMP-10-5N	10/11/2016	60	121.8	438	
TMP-10-5N	10/11/2016	80	109.6	418	
TMP-10-5N	10/11/2016	100	104.0	398	
TMP-10-5N	10/17/2016	20	122.7	478	
TMP-10-5N	10/17/2016	40	121.3	458	
TMP-10-5N	10/17/2016	60	121.4	438	
TMP-10-5N	10/17/2016	80	110.9	418	
TMP-10-5N	10/17/2016	100	107.2	398	
TMP-10-5N	10/24/2016	20	124.3	478	
TMP-10-5N	10/24/2016	40	122.4	458	
TMP-10-5N	10/24/2016	60	122.5	438	
TMP-10-5N	10/24/2016	80	110.5	418	
TMP-10-5N	10/24/2016	100	105.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/26/2016	20	132.8	477	
TMP-10-5S	9/26/2016	40	162.7	457	
TMP-10-5S	9/26/2016	60	195.9	437	
TMP-10-5S	9/26/2016	80	205.7	417	
TMP-10-5S	9/26/2016	100	218.2	397	
TMP-10-5S	10/4/2016	20	132.8	477	
TMP-10-5S	10/4/2016	40	163.2	457	
TMP-10-5S	10/4/2016	60	195.7	437	
TMP-10-5S	10/4/2016	80	204.9	417	
TMP-10-5S	10/4/2016	100	217.3	397	
TMP-10-5S	10/11/2016	20	133.4	477	
TMP-10-5S	10/11/2016	40	164.3	457	
TMP-10-5S	10/11/2016	60	196.6	437	
TMP-10-5S	10/11/2016	80	205.7	417	
TMP-10-5S	10/11/2016	100	218.3	397	
TMP-10-5S	10/17/2016	20	133.0	477	
TMP-10-5S	10/17/2016	40	163.6	457	
TMP-10-5S	10/17/2016	60	195.6	437	
TMP-10-5S	10/17/2016	80	204.8	417	
TMP-10-5S	10/17/2016	100	217.4	397	
TMP-10-5S	10/24/2016	20	133.7	477	
TMP-10-5S	10/24/2016	40	164.4	457	
TMP-10-5S	10/24/2016	60	196.2	437	
TMP-10-5S	10/24/2016	80	205.3	417	
TMP-10-5S	10/24/2016	100	218.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/26/2016	20	125.0	476	
TMP-5-9N	9/26/2016	40	182.3	456	
TMP-5-9N	9/26/2016	60	188.5	436	
TMP-5-9N	9/26/2016	80	255.1	416	
TMP-5-9N	9/26/2016	100	264.7	396	
TMP-5-9N	10/4/2016	20	127.6	476	
TMP-5-9N	10/4/2016	40	185.1	456	
TMP-5-9N	10/4/2016	60	191.6	436	
TMP-5-9N	10/4/2016	80	254.1	416	
TMP-5-9N	10/4/2016	100	263.6	396	
TMP-5-9N	10/11/2016	20	129.8	476	
TMP-5-9N	10/11/2016	40	183.8	456	
TMP-5-9N	10/11/2016	60	185.1	436	
TMP-5-9N	10/11/2016	80	255.2	416	
TMP-5-9N	10/11/2016	100	264.7	396	
TMP-5-9N	10/17/2016	20	128.8	476	
TMP-5-9N	10/17/2016	40	179.9	456	
TMP-5-9N	10/17/2016	60	178.1	436	
TMP-5-9N	10/17/2016	80	254.5	416	
TMP-5-9N	10/17/2016	100	264.2	396	
TMP-5-9N	10/24/2016	20	128.8	476	
TMP-5-9N	10/24/2016	40	178.6	456	
TMP-5-9N	10/24/2016	60	175.7	436	
TMP-5-9N	10/24/2016	80	255.3	416	
TMP-5-9N	10/24/2016	100	264.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/26/2016	20	147.3	476	
TMP-5-9S	9/26/2016	40	217.0	456	
TMP-5-9S	9/26/2016	60	226.1	436	
TMP-5-9S	9/26/2016	80		416	no longer working
TMP-5-9S	9/26/2016	100	267.8	396	
TMP-5-9S	10/4/2016	20	145.7	476	
TMP-5-9S	10/4/2016	40	216.7	456	
TMP-5-9S	10/4/2016	60	237.4	436	
TMP-5-9S	10/4/2016	80		416	no longer working
TMP-5-9S	10/4/2016	100	266.1	396	
TMP-5-9S	10/11/2016	20	146.7	476	
TMP-5-9S	10/11/2016	40	216.5	456	
TMP-5-9S	10/11/2016	60	237.6	436	
TMP-5-9S	10/11/2016	80		416	no longer working
TMP-5-9S	10/11/2016	100	266.5	396	
TMP-5-9S	10/17/2016	20	146.0	476	
TMP-5-9S	10/17/2016	40	215.5	456	
TMP-5-9S	10/17/2016	60	236.6	436	
TMP-5-9S	10/17/2016	80		416	no longer working
TMP-5-9S	10/17/2016	100	266.2	396	
TMP-5-9S	10/24/2016	20	147.2	476	
TMP-5-9S	10/24/2016	40	216.4	456	
TMP-5-9S	10/24/2016	60	237.7	436	
TMP-5-9S	10/24/2016	80		416	no longer working
TMP-5-9S	10/24/2016	100	266.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/26/2016	20	138.3	475	
TMP-5-5N	9/26/2016	40	184.2	455	
TMP-5-5N	9/26/2016	60	198.8	435	
TMP-5-5N	9/26/2016	80	255.3	415	
TMP-5-5N	9/26/2016	100	256.6	395	
TMP-5-5N	10/4/2016	20	136.4	475	
TMP-5-5N	10/4/2016	40	132.8	455	
TMP-5-5N	10/4/2016	60	112.0	435	
TMP-5-5N	10/4/2016	80	253.3	415	
TMP-5-5N	10/4/2016	100	254.4	395	
TMP-5-5N	10/11/2016	20	127.6	475	
TMP-5-5N	10/11/2016	40	120.1	455	
TMP-5-5N	10/11/2016	60	102.5	435	
TMP-5-5N	10/11/2016	80	253.5	415	
TMP-5-5N	10/11/2016	100	254.5	395	
TMP-5-5N	10/17/2016	20	123.4	475	
TMP-5-5N	10/17/2016	40	119.6	455	
TMP-5-5N	10/17/2016	60	108.4	435	
TMP-5-5N	10/17/2016	80	254.1	415	
TMP-5-5N	10/17/2016	100	255.6	395	
TMP-5-5N	10/24/2016	20	121.3	475	
TMP-5-5N	10/24/2016	40	114.0	455	
TMP-5-5N	10/24/2016	60	99.8	435	
TMP-5-5N	10/24/2016	80	254.4	415	
TMP-5-5N	10/24/2016	100	256.0	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/26/2016	20	145.1	474	
TMP-5-5S	9/26/2016	40	214.3	454	
TMP-5-5S	9/26/2016	60	237.5	434	
TMP-5-5S	9/26/2016	80	256.3	414	
TMP-5-5S	9/26/2016	100	259.1	394	
TMP-5-5S	10/4/2016	20	145.0	474	
TMP-5-5S	10/4/2016	40	214.2	454	
TMP-5-5S	10/4/2016	60	236.8	434	
TMP-5-5S	10/4/2016	80	255.0	414	
TMP-5-5S	10/4/2016	100	257.9	394	
TMP-5-5S	10/11/2016	20	146.3	474	
TMP-5-5S	10/11/2016	40	214.7	454	
TMP-5-5S	10/11/2016	60	237.6	434	
TMP-5-5S	10/11/2016	80	255.9	414	
TMP-5-5S	10/11/2016	100	258.6	394	
TMP-5-5S	10/17/2016	20	146.0	474	
TMP-5-5S	10/17/2016	40	213.7	454	
TMP-5-5S	10/17/2016	60	236.5	434	
TMP-5-5S	10/17/2016	80	254.8	414	
TMP-5-5S	10/17/2016	100	257.7	394	
TMP-5-5S	10/24/2016	20	146.4	474	
TMP-5-5S	10/24/2016	40	214.4	454	
TMP-5-5S	10/24/2016	60	237.1	434	
TMP-5-5S	10/24/2016	80	255.6	414	
TMP-5-5S	10/24/2016	100	258.3	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/26/2016	20	210.1	474	
TMP-31	9/26/2016	40	229.5	454	
TMP-31	9/26/2016	60	245.4	434	
TMP-31	9/26/2016	80	264.2	414	
TMP-31	9/26/2016	100	272.8	394	
TMP-31	9/26/2016	120	279.3	374	
TMP-31	9/26/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	9/26/2016	193		301	no longer working
TMP-31	10/4/2016	20	207.4	474	
TMP-31	10/4/2016	40	228.2	454	
TMP-31	10/4/2016	60	243.7	434	
TMP-31	10/4/2016	80	262.2	414	
TMP-31	10/4/2016	100	270.8	394	
TMP-31	10/4/2016	120	277.5	374	
TMP-31	10/4/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/4/2016	193		301	no longer working
TMP-31	10/11/2016	20	208.0	474	
TMP-31	10/11/2016	40	228.2	454	
TMP-31	10/11/2016	60	244.1	434	
TMP-31	10/11/2016	80	262.6	414	
TMP-31	10/11/2016	100	271.3	394	
TMP-31	10/11/2016	120	277.8	374	
TMP-31	10/11/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/11/2016	193		301	no longer working
TMP-31	10/17/2016	20	207.1	474	
TMP-31	10/17/2016	40	227.7	454	
TMP-31	10/17/2016	60	243.8	434	
TMP-31	10/17/2016	80	262.2	414	
TMP-31	10/17/2016	100	270.8	394	
TMP-31	10/17/2016	120	277.5	374	
TMP-31	10/17/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/17/2016	193		301	no longer working
TMP-31	10/24/2016	20	208.4	474	
TMP-31	10/24/2016	40	228.6	454	
TMP-31	10/24/2016	60	244.7	434	
TMP-31	10/24/2016	80	263.0	414	
TMP-31	10/24/2016	100	271.6	394	
TMP-31	10/24/2016	120	278.3	374	
TMP-31	10/24/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	10/24/2016	193		301	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/26/2016	20	205.5	484	
TMP-32	9/26/2016	40	224.6	464	
TMP-32	9/26/2016	60	244.7	444	
TMP-32	9/26/2016	80	258.6	424	
TMP-32	9/26/2016	100	270.5	404	
TMP-32	9/26/2016	120	277.1	384	
TMP-32	9/26/2016	140	279.9	364	
TMP-32	9/26/2016	160	285.9	344	
TMP-32	9/26/2016	180	289.2	324	
TMP-32	9/26/2016	200	252.4	304	The resistivity has fluctuated week to week.
TMP-32	10/4/2016	20	203.5	484	
TMP-32	10/4/2016	40	222.3	464	
TMP-32	10/4/2016	60	242.9	444	
TMP-32	10/4/2016	80	256.8	424	
TMP-32	10/4/2016	100	268.8	404	
TMP-32	10/4/2016	120	275.5	384	
TMP-32	10/4/2016	140	278.3	364	
TMP-32	10/4/2016	160	284.8	344	
TMP-32	10/4/2016	180	288.2	324	
TMP-32	10/4/2016	200	252.8	304	The resistivity has fluctuated week to week.
TMP-32	10/11/2016	20	204.6	484	
TMP-32	10/11/2016	40	223.3	464	
TMP-32	10/11/2016	60	243.7	444	
TMP-32	10/11/2016	80	257.6	424	
TMP-32	10/11/2016	100	269.4	404	
TMP-32	10/11/2016	120	276.0	384	
TMP-32	10/11/2016	140	278.7	364	
TMP-32	10/11/2016	160	285.1	344	
TMP-32	10/11/2016	180	288.7	324	
TMP-32	10/11/2016	200	253.7	304	The resistivity has fluctuated week to week.
TMP-32	10/17/2016	20	204.1	484	
TMP-32	10/17/2016	40	222.6	464	
TMP-32	10/17/2016	60	243.0	444	
TMP-32	10/17/2016	80	256.6	424	
TMP-32	10/17/2016	100	268.5	404	
TMP-32	10/17/2016	120	275.2	384	
TMP-32	10/17/2016	140	278.1	364	
TMP-32	10/17/2016	160	284.7	344	
TMP-32	10/17/2016	180	288.1	324	
TMP-32	10/17/2016	200	254.2	304	The resistivity has fluctuated week to week.
TMP-32	10/24/2016	20	205.8	484	
TMP-32	10/24/2016	40	223.7	464	
TMP-32	10/24/2016	60	244.7	444	
TMP-32	10/24/2016	80	258.5	424	
TMP-32	10/24/2016	100	270.4	404	
TMP-32	10/24/2016	120	277.1	384	
TMP-32	10/24/2016	140	280.0	364	
TMP-32	10/24/2016	160	286.5	344	
TMP-32	10/24/2016	180	290.2	324	
TMP-32	10/24/2016	200	256.7	304	The resistivity has fluctuated week to week.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	10/4/2016	20	170.3	473	
TMP-SPM1	10/4/2016	40	193.7	453	
TMP-SPM1	10/4/2016	60	186.5	433	
TMP-SPM1	10/4/2016	80	189.9	413	
TMP-SPM1	10/4/2016	100	179.9	393	
TMP-SPM1	10/4/2016	120	166.0	373	
TMP-SPM1	10/4/2016	140	157.5	353	
TMP-SPM1	10/4/2016	160	143.7	333	
TMP-SPM1	10/4/2016	180	128.1	313	
TMP-SPM1	10/4/2016	200	107.2	293	
TMP-SPM1	10/4/2016	220	92.1	273	
TMP-SPM1	10/4/2016	240	87.0	253	
TMP-SPM1	10/12/2016	20	170.9	473	
TMP-SPM1	10/12/2016	40	194.6	453	
TMP-SPM1	10/12/2016	60	187.6	433	
TMP-SPM1	10/12/2016	80	190.7	413	
TMP-SPM1	10/12/2016	100	180.3	393	
TMP-SPM1	10/12/2016	120	167.1	373	
TMP-SPM1	10/12/2016	140	158.1	353	
TMP-SPM1	10/12/2016	160	144.0	333	
TMP-SPM1	10/12/2016	180	128.5	313	
TMP-SPM1	10/12/2016	200	107.3	293	
TMP-SPM1	10/12/2016	220	92.4	273	
TMP-SPM1	10/12/2016	240	87.5	253	
TMP-SPM1	10/17/2016	20	171.7	473	
TMP-SPM1	10/17/2016	40	194.9	453	
TMP-SPM1	10/17/2016	60	188.1	433	
TMP-SPM1	10/17/2016	80	190.8	413	
TMP-SPM1	10/17/2016	100	180.3	393	
TMP-SPM1	10/17/2016	120	167.3	373	
TMP-SPM1	10/17/2016	140	157.9	353	
TMP-SPM1	10/17/2016	160	143.5	333	
TMP-SPM1	10/17/2016	180	127.9	313	
TMP-SPM1	10/17/2016	200	106.3	293	
TMP-SPM1	10/17/2016	220	91.2	273	
TMP-SPM1	10/17/2016	240	86.2	253	
TMP-SPM1	10/24/2016	20	172.7	473	
TMP-SPM1	10/24/2016	40	196.1	453	
TMP-SPM1	10/24/2016	60	189.4	433	
TMP-SPM1	10/24/2016	80	191.8	413	
TMP-SPM1	10/24/2016	100	181.2	393	
TMP-SPM1	10/24/2016	120	168.2	373	
TMP-SPM1	10/24/2016	140	158.5	353	
TMP-SPM1	10/24/2016	160	143.9	333	
TMP-SPM1	10/24/2016	180	128.3	313	
TMP-SPM1	10/24/2016	200	106.6	293	
TMP-SPM1	10/24/2016	220	91.2	273	
TMP-SPM1	10/24/2016	240	86.7	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	10/4/2016	20	176.0	475	
TMP-SPM2	10/4/2016	40	211.1	455	
TMP-SPM2	10/4/2016	60	205.7	435	
TMP-SPM2	10/4/2016	80	173.2	415	
TMP-SPM2	10/4/2016	100	171.4	395	
TMP-SPM2	10/4/2016	120	170.5	375	
TMP-SPM2	10/4/2016	140	159.9	355	
TMP-SPM2	10/4/2016	160	148.8	335	
TMP-SPM2	10/4/2016	172	136.1	323	
TMP-SPM2	10/12/2016	20	176.2	475	
TMP-SPM2	10/12/2016	40	212.0	455	
TMP-SPM2	10/12/2016	60	206.5	435	
TMP-SPM2	10/12/2016	80	174.4	415	
TMP-SPM2	10/12/2016	100	172.7	395	
TMP-SPM2	10/12/2016	120	171.6	375	
TMP-SPM2	10/12/2016	140	161.0	355	
TMP-SPM2	10/12/2016	160	149.8	335	
TMP-SPM2	10/12/2016	172	137.1	323	
TMP-SPM2	10/17/2016	20	175.6	475	
TMP-SPM2	10/17/2016	40	211.4	455	
TMP-SPM2	10/17/2016	60	205.7	435	
TMP-SPM2	10/17/2016	80	173.8	415	
TMP-SPM2	10/17/2016	100	172.2	395	
TMP-SPM2	10/17/2016	120	171.2	375	
TMP-SPM2	10/17/2016	140	160.8	355	
TMP-SPM2	10/17/2016	160	149.6	335	
TMP-SPM2	10/17/2016	172	137.1	323	
TMP-SPM2	10/24/2016	20	175.9	475	
TMP-SPM2	10/24/2016	40	211.7	455	
TMP-SPM2	10/24/2016	60	206.1	435	
TMP-SPM2	10/24/2016	80	174.4	415	
TMP-SPM2	10/24/2016	100	173.2	395	
TMP-SPM2	10/24/2016	120	172.1	375	
TMP-SPM2	10/24/2016	140	161.5	355	
TMP-SPM2	10/24/2016	160	150.3	335	
TMP-SPM2	10/24/2016	172	138.0	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	10/4/2016	20	152.9	478	
TMP-SPM3	10/4/2016	40	155.1	458	
TMP-SPM3	10/4/2016	60	145.7	438	
TMP-SPM3	10/4/2016	80	136.4	418	
TMP-SPM3	10/4/2016	85	134.6	413	
TMP-SPM3	10/12/2016	20	152.8	478	
TMP-SPM3	10/12/2016	40	156.1	458	
TMP-SPM3	10/12/2016	60	146.4	438	
TMP-SPM3	10/12/2016	80	137.1	418	
TMP-SPM3	10/12/2016	85	135.4	413	
TMP-SPM3	10/17/2016	20	151.3	478	
TMP-SPM3	10/17/2016	40	154.7	458	
TMP-SPM3	10/17/2016	60	144.8	438	
TMP-SPM3	10/17/2016	80	135.7	418	
TMP-SPM3	10/17/2016	85	134.3	413	
TMP-SPM3	10/24/2016	20	151.5	478	
TMP-SPM3	10/24/2016	40	155.2	458	
TMP-SPM3	10/24/2016	60	145.1	438	
TMP-SPM3	10/24/2016	80	136.3	418	
TMP-SPM3	10/24/2016	85	135.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	10/4/2016	20	141.0	475	
TMP-SPM4	10/4/2016	40	165.2	455	
TMP-SPM4	10/4/2016	60	168.0	435	
TMP-SPM4	10/4/2016	80	173.7	415	
TMP-SPM4	10/4/2016	100	171.4	395	
TMP-SPM4	10/4/2016	120	162.0	375	
TMP-SPM4	10/4/2016	140	154.9	355	
TMP-SPM4	10/4/2016	160	146.4	335	
TMP-SPM4	10/4/2016	180	134.4	315	
TMP-SPM4	10/4/2016	200	116.1	295	
TMP-SPM4	10/4/2016	220	98.0	275	
TMP-SPM4	10/4/2016	240	90.1	255	
TMP-SPM4	10/12/2016	20	141.8	475	
TMP-SPM4	10/12/2016	40	166.5	455	
TMP-SPM4	10/12/2016	60	169.5	435	
TMP-SPM4	10/12/2016	80	175.4	415	
TMP-SPM4	10/12/2016	100	172.8	395	
TMP-SPM4	10/12/2016	120	163.5	375	
TMP-SPM4	10/12/2016	140	156.0	355	
TMP-SPM4	10/12/2016	160	147.4	335	
TMP-SPM4	10/12/2016	180	135.4	315	
TMP-SPM4	10/12/2016	200	116.7	295	
TMP-SPM4	10/12/2016	220	98.7	275	
TMP-SPM4	10/12/2016	240	90.9	255	
TMP-SPM4	10/17/2016	20	140.5	475	
TMP-SPM4	10/17/2016	40	165.5	455	
TMP-SPM4	10/17/2016	60	168.5	435	
TMP-SPM4	10/17/2016	80	174.5	415	
TMP-SPM4	10/17/2016	100	171.9	395	
TMP-SPM4	10/17/2016	120	162.5	375	
TMP-SPM4	10/17/2016	140	154.8	355	
TMP-SPM4	10/17/2016	160	145.9	335	
TMP-SPM4	10/17/2016	180	133.9	315	
TMP-SPM4	10/17/2016	200	115.1	295	
TMP-SPM4	10/17/2016	220	97.0	275	
TMP-SPM4	10/17/2016	240	89.4	255	
TMP-SPM4	10/24/2016	20	142.1	475	
TMP-SPM4	10/24/2016	40	167.0	455	
TMP-SPM4	10/24/2016	60	169.9	435	
TMP-SPM4	10/24/2016	80	176.0	415	
TMP-SPM4	10/24/2016	100	173.3	395	
TMP-SPM4	10/24/2016	120	163.9	375	
TMP-SPM4	10/24/2016	140	156.0	355	
TMP-SPM4	10/24/2016	160	147.0	335	
TMP-SPM4	10/24/2016	180	135.1	315	
TMP-SPM4	10/24/2016	200	116.2	295	
TMP-SPM4	10/24/2016	220	98.1	275	
TMP-SPM4	10/24/2016	240	90.4	255	