

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	1/5/2016	20	177.0	479	
TMP-14R	1/5/2016	40	199.5	459	
TMP-14R	1/5/2016	60	196.1	439	
TMP-14R	1/5/2016	80	186.5	419	
TMP-14R	1/5/2016	100	180.5	399	
TMP-14R	1/5/2016	120	174.0	379	
TMP-14R	1/5/2016	140	169.3	359	
TMP-14R	1/12/2016	20	175.0	479	
TMP-14R	1/12/2016	40	198.6	459	
TMP-14R	1/12/2016	60	195.9	439	
TMP-14R	1/12/2016	80	186.4	419	
TMP-14R	1/12/2016	100	180.1	399	
TMP-14R	1/12/2016	120	173.8	379	
TMP-14R	1/12/2016	140	169.5	359	
TMP-14R	1/19/2016	20	175.2	479	
TMP-14R	1/19/2016	40	199.5	459	
TMP-14R	1/19/2016	60	197.3	439	
TMP-14R	1/19/2016	80	187.6	419	
TMP-14R	1/19/2016	100	181.2	399	
TMP-14R	1/19/2016	120	174.9	379	
TMP-14R	1/19/2016	140	170.7	359	
TMP-14R	1/26/2016	20	174.9	479	
TMP-14R	1/26/2016	40	199.2	459	
TMP-14R	1/26/2016	60	197.5	439	
TMP-14R	1/26/2016	80	188.3	419	
TMP-14R	1/26/2016	100	181.5	399	
TMP-14R	1/26/2016	120	175.3	379	
TMP-14R	1/26/2016	140	170.9	359	
TMP-14R	2/1/2016	20	176.8	479	
TMP-14R	2/1/2016	40	202.0	459	
TMP-14R	2/1/2016	60	201.0	439	
TMP-14R	2/1/2016	80	191.9	419	
TMP-14R	2/1/2016	100	184.7	399	
TMP-14R	2/1/2016	120	178.4	379	
TMP-14R	2/1/2016	140	173.7	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/5/2016	20	199.7	473	
TMP-19	1/5/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/5/2016	60	235.4	433	
TMP-19	1/5/2016	80	248.5	413	
TMP-19	1/5/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	1/5/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	1/12/2016	20	199.3	473	
TMP-19	1/12/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/12/2016	60	235.8	433	
TMP-19	1/12/2016	80	249.2	413	
TMP-19	1/12/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	1/12/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	1/19/2016	20	200.2	473	
TMP-19	1/19/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/19/2016	60	236.9	433	
TMP-19	1/19/2016	80	249.7	413	
TMP-19	1/19/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	1/19/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2016	20	199.8	473	
TMP-19	1/26/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2016	60	236.7	433	
TMP-19	1/26/2016	80	249.9	413	
TMP-19	1/26/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	20	198.4	473	
TMP-19	2/1/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	60	236.1	433	
TMP-19	2/1/2016	80	249.4	413	
TMP-19	2/1/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	140	252.5	353	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/5/2016	20	155.2	478	
TMP-20	1/5/2016	40	220.7	458	
TMP-20	1/5/2016	60	241.9	438	
TMP-20	1/5/2016	80	254.9	418	
TMP-20	1/5/2016	100	266.0	398	
TMP-20	1/5/2016	120	270.3	378	
TMP-20	1/5/2016	140	257.0	358	
TMP-20	1/12/2016	20	154.4	478	
TMP-20	1/12/2016	40	220.3	458	
TMP-20	1/12/2016	60	241.5	438	
TMP-20	1/12/2016	80	254.8	418	
TMP-20	1/12/2016	100	266.1	398	
TMP-20	1/12/2016	120	270.7	378	
TMP-20	1/12/2016	140	258.6	358	
TMP-20	1/19/2016	20	156.1	478	
TMP-20	1/19/2016	40	222.3	458	
TMP-20	1/19/2016	60	243.4	438	
TMP-20	1/19/2016	80	256.7	418	
TMP-20	1/19/2016	100	267.8	398	
TMP-20	1/19/2016	120	272.6	378	
TMP-20	1/19/2016	140	261.6	358	
TMP-20	1/26/2016	20	155.0	478	
TMP-20	1/26/2016	40	221.1	458	
TMP-20	1/26/2016	60	242.6	438	
TMP-20	1/26/2016	80	255.9	418	
TMP-20	1/26/2016	100	266.9	398	
TMP-20	1/26/2016	120	271.6	378	
TMP-20	1/26/2016	140	261.8	358	
TMP-20	2/1/2016	20	478.3	478	
TMP-20	2/1/2016	40	458.3	458	
TMP-20	2/1/2016	60	438.3	438	
TMP-20	2/1/2016	80	418.3	418	
TMP-20	2/1/2016	100	398.3	398	
TMP-20	2/1/2016	120	378.3	378	
TMP-20	2/1/2016	140	358.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/5/2016	20	155.8	475	
TMP-10-9N	1/5/2016	40	160.9	455	
TMP-10-9N	1/5/2016	60	157.1	435	
TMP-10-9N	1/5/2016	80	150.4	415	
TMP-10-9N	1/5/2016	100	169.7	395	
TMP-10-9N	1/12/2016	20	153.8	475	
TMP-10-9N	1/12/2016	40	159.6	455	
TMP-10-9N	1/12/2016	60	156.8	435	
TMP-10-9N	1/12/2016	80	150.4	415	
TMP-10-9N	1/12/2016	100	169.3	395	
TMP-10-9N	1/19/2016	20	154.3	475	
TMP-10-9N	1/19/2016	40	159.7	455	
TMP-10-9N	1/19/2016	60	158.1	435	
TMP-10-9N	1/19/2016	80	151.5	415	
TMP-10-9N	1/19/2016	100	170.1	395	
TMP-10-9N	1/26/2016	20	153.6	475	
TMP-10-9N	1/26/2016	40	158.9	455	
TMP-10-9N	1/26/2016	60	158.0	435	
TMP-10-9N	1/26/2016	80	151.9	415	
TMP-10-9N	1/26/2016	100	169.8	395	
TMP-10-9N	2/1/2016	20	152.4	475	
TMP-10-9N	2/1/2016	40	158.3	455	
TMP-10-9N	2/1/2016	60	157.2	435	
TMP-10-9N	2/1/2016	80	151.8	415	
TMP-10-9N	2/1/2016	100	169.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/5/2016	20	165.3	476	
TMP-10-9S	1/5/2016	40	213.6	456	
TMP-10-9S	1/5/2016	60	231.3	436	
TMP-10-9S	1/5/2016	80	241.2	416	
TMP-10-9S	1/5/2016	100	253.9	396	
TMP-10-9S	1/12/2016	20	165.2	476	
TMP-10-9S	1/12/2016	40	214.3	456	
TMP-10-9S	1/12/2016	60	231.7	436	
TMP-10-9S	1/12/2016	80	241.2	416	
TMP-10-9S	1/12/2016	100	254.2	396	
TMP-10-9S	1/19/2016	20	165.1	476	
TMP-10-9S	1/19/2016	40	215.5	456	
TMP-10-9S	1/19/2016	60	232.6	436	
TMP-10-9S	1/19/2016	80	241.2	416	
TMP-10-9S	1/19/2016	100	254.5	396	
TMP-10-9S	1/26/2016	20	164.9	476	
TMP-10-9S	1/26/2016	40	214.4	456	
TMP-10-9S	1/26/2016	60	232.6	436	
TMP-10-9S	1/26/2016	80	241.1	416	
TMP-10-9S	1/26/2016	100	254.5	396	
TMP-10-9S	2/1/2016	20	164.5	476	
TMP-10-9S	2/1/2016	40	212.8	456	
TMP-10-9S	2/1/2016	60	231.8	436	
TMP-10-9S	2/1/2016	80	240.2	416	
TMP-10-9S	2/1/2016	100	253.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/5/2016	20	130.8	478	
TMP-10-5N	1/5/2016	40	117.6	458	
TMP-10-5N	1/5/2016	60	107.6	438	
TMP-10-5N	1/5/2016	80	93.5	418	
TMP-10-5N	1/5/2016	100	90.3	398	
TMP-10-5N	1/12/2016	20	129.9	478	
TMP-10-5N	1/12/2016	40	116.0	458	
TMP-10-5N	1/12/2016	60	108.1	438	
TMP-10-5N	1/12/2016	80	94.3	418	
TMP-10-5N	1/12/2016	100	91.1	398	
TMP-10-5N	1/19/2016	20	131.1	478	
TMP-10-5N	1/19/2016	40	117.5	458	
TMP-10-5N	1/19/2016	60	111.6	438	
TMP-10-5N	1/19/2016	80	97.9	418	
TMP-10-5N	1/19/2016	100	94.4	398	
TMP-10-5N	1/26/2016	20	131.1	478	
TMP-10-5N	1/26/2016	40	116.7	458	
TMP-10-5N	1/26/2016	60	110.8	438	
TMP-10-5N	1/26/2016	80	97.3	418	
TMP-10-5N	1/26/2016	100	94.8	398	
TMP-10-5N	2/1/2016	20	130.5	478	
TMP-10-5N	2/1/2016	40	120.6	458	
TMP-10-5N	2/1/2016	60	114.4	438	
TMP-10-5N	2/1/2016	80	103.2	418	
TMP-10-5N	2/1/2016	100	101.7	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/5/2016	20	152.4	477	
TMP-10-5S	1/5/2016	40	195.1	457	
TMP-10-5S	1/5/2016	60	206.7	437	
TMP-10-5S	1/5/2016	80	221.3	417	
TMP-10-5S	1/5/2016	100	235.1	397	
TMP-10-5S	1/12/2016	20	151.3	477	
TMP-10-5S	1/12/2016	40	193.6	457	
TMP-10-5S	1/12/2016	60	206.2	437	
TMP-10-5S	1/12/2016	80	221.0	417	
TMP-10-5S	1/12/2016	100	235.0	397	
TMP-10-5S	1/19/2016	20	151.6	477	
TMP-10-5S	1/19/2016	40	190.7	457	
TMP-10-5S	1/19/2016	60	206.5	437	
TMP-10-5S	1/19/2016	80	221.0	417	
TMP-10-5S	1/19/2016	100	235.3	397	
TMP-10-5S	1/26/2016	20	151.6	477	
TMP-10-5S	1/26/2016	40	186.0	457	
TMP-10-5S	1/26/2016	60	206.1	437	
TMP-10-5S	1/26/2016	80	220.4	417	
TMP-10-5S	1/26/2016	100	235.0	397	
TMP-10-5S	2/1/2016	20	149.9	477	
TMP-10-5S	2/1/2016	40	182.7	457	
TMP-10-5S	2/1/2016	60	204.9	437	
TMP-10-5S	2/1/2016	80	219.1	417	
TMP-10-5S	2/1/2016	100	233.8	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/5/2016	20	124.2	476	
TMP-5-9N	1/5/2016	40	154.5	456	
TMP-5-9N	1/5/2016	60	146.2	436	
TMP-5-9N	1/5/2016	80	255.8	416	
TMP-5-9N	1/5/2016	100	265.8	396	
TMP-5-9N	1/12/2016	20	125.1	476	
TMP-5-9N	1/12/2016	40	155.3	456	
TMP-5-9N	1/12/2016	60	147.3	436	
TMP-5-9N	1/12/2016	80	257.4	416	
TMP-5-9N	1/12/2016	100	267.1	396	
TMP-5-9N	1/19/2016	20	126.0	476	
TMP-5-9N	1/19/2016	40	156.1	456	
TMP-5-9N	1/19/2016	60	148.3	436	
TMP-5-9N	1/19/2016	80	258.5	416	
TMP-5-9N	1/19/2016	100	268.5	396	
TMP-5-9N	1/26/2016	20	125.2	476	
TMP-5-9N	1/26/2016	40	155.7	456	
TMP-5-9N	1/26/2016	60	147.3	436	
TMP-5-9N	1/26/2016	80	257.7	416	
TMP-5-9N	1/26/2016	100	267.6	396	
TMP-5-9N	2/1/2016	20	124.4	476	
TMP-5-9N	2/1/2016	40	155.8	456	
TMP-5-9N	2/1/2016	60	148.1	436	
TMP-5-9N	2/1/2016	80	257.9	416	
TMP-5-9N	2/1/2016	100	267.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/5/2016	20	137.1	476	
TMP-5-9S	1/5/2016	40	224.3	456	
TMP-5-9S	1/5/2016	60	231.6	436	
TMP-5-9S	1/5/2016	80	255.3	416	
TMP-5-9S	1/5/2016	100	267.3	396	
TMP-5-9S	1/12/2016	20	137.1	476	
TMP-5-9S	1/12/2016	40	225.3	456	
TMP-5-9S	1/12/2016	60	232.2	436	
TMP-5-9S	1/12/2016	80	256.2	416	
TMP-5-9S	1/12/2016	100	268.3	396	
TMP-5-9S	1/19/2016	20	138.9	476	
TMP-5-9S	1/19/2016	40	226.3	456	
TMP-5-9S	1/19/2016	60	233.3	436	
TMP-5-9S	1/19/2016	80	257.1	416	
TMP-5-9S	1/19/2016	100	269.1	396	
TMP-5-9S	1/26/2016	20	138.1	476	
TMP-5-9S	1/26/2016	40	225.9	456	
TMP-5-9S	1/26/2016	60	232.8	436	
TMP-5-9S	1/26/2016	80	256.6	416	
TMP-5-9S	1/26/2016	100	268.7	396	
TMP-5-9S	2/1/2016	20	138.7	476	
TMP-5-9S	2/1/2016	40	227.0	456	
TMP-5-9S	2/1/2016	60	234.4	436	
TMP-5-9S	2/1/2016	80	258.1	416	
TMP-5-9S	2/1/2016	100	270.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/5/2016	20	103.0	475	The resistivity has flucuated week to week.
TMP-5-5N	1/5/2016	40	94.9	455	
TMP-5-5N	1/5/2016	60	75.1	435	
TMP-5-5N	1/5/2016	80	255.7	415	
TMP-5-5N	1/12/2016	20	100.3	475	The resistivity has flucuated week to week.
TMP-5-5N	1/12/2016	40	96.3	455	
TMP-5-5N	1/12/2016	60	76.0	435	
TMP-5-5N	1/12/2016	80	256.6	415	
TMP-5-5N	1/19/2016	20	103.5	475	The resistivity has flucuated week to week.
TMP-5-5N	1/19/2016	40	99.9	455	
TMP-5-5N	1/19/2016	60	78.9	435	
TMP-5-5N	1/19/2016	80	257.2	415	
TMP-5-5N	1/26/2016	20	101.1	475	The resistivity has flucuated week to week.
TMP-5-5N	1/26/2016	40	100.5	455	
TMP-5-5N	1/26/2016	60	82.9	435	
TMP-5-5N	1/26/2016	80	256.5	415	
TMP-5-5N	2/1/2016	20	103.6	475	The resistivity has flucuated week to week.
TMP-5-5N	2/1/2016	40	106.7	455	
TMP-5-5N	2/1/2016	60	90.9	435	
TMP-5-5N	2/1/2016	80	257.1	415	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/5/2016	20	147.8	474	
TMP-5-5S	1/5/2016	40	217.7	454	
TMP-5-5S	1/5/2016	60	237.7	434	
TMP-5-5S	1/5/2016	80	258.1	414	
TMP-5-5S	1/5/2016	100	266.6	394	
TMP-5-5S	1/12/2016	20	148.1	474	
TMP-5-5S	1/12/2016	40	218.2	454	
TMP-5-5S	1/12/2016	60	238.5	434	
TMP-5-5S	1/12/2016	80	258.6	414	
TMP-5-5S	1/12/2016	100	267.5	394	
TMP-5-5S	1/19/2016	20	150.8	474	
TMP-5-5S	1/19/2016	40	219.8	454	
TMP-5-5S	1/19/2016	60	240.0	434	
TMP-5-5S	1/19/2016	80	259.8	414	
TMP-5-5S	1/19/2016	100	268.9	394	
TMP-5-5S	1/26/2016	20	149.3	474	
TMP-5-5S	1/26/2016	40	219.0	454	
TMP-5-5S	1/26/2016	60	239.2	434	
TMP-5-5S	1/26/2016	80	259.0	414	
TMP-5-5S	1/26/2016	100	261.1	394	
TMP-5-5S	2/1/2016	20	148.8	474	
TMP-5-5S	2/1/2016	40	219.2	454	
TMP-5-5S	2/1/2016	60	239.9	434	
TMP-5-5S	2/1/2016	80	259.9	414	
TMP-5-5S	2/1/2016	100	262.0	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/5/2016	20	215.1	474	
TMP-31	1/5/2016	40	230.8	454	
TMP-31	1/5/2016	60	248.0	434	
TMP-31	1/5/2016	80	265.7	414	
TMP-31	1/5/2016	100	273.2	394	
TMP-31	1/5/2016	120	280.7	374	
TMP-31	1/5/2016	140	282.8	354	
TMP-31	1/5/2016	160	250.3	334	
TMP-31	1/5/2016	193	158.2	301	
TMP-31	1/12/2016	20	215.7	474	
TMP-31	1/12/2016	40	232.1	454	
TMP-31	1/12/2016	60	247.7	434	
TMP-31	1/12/2016	80	265.4	414	
TMP-31	1/12/2016	100	273.1	394	
TMP-31	1/12/2016	120	280.5	374	
TMP-31	1/12/2016	140	282.0	354	
TMP-31	1/12/2016	160	249.7	334	
TMP-31	1/12/2016	193	157.0	301	
TMP-31	1/19/2016	20	218.7	474	
TMP-31	1/19/2016	40	234.7	454	
TMP-31	1/19/2016	60	249.7	434	
TMP-31	1/19/2016	80	267.3	414	
TMP-31	1/19/2016	100	275.1	394	
TMP-31	1/19/2016	120	282.2	374	
TMP-31	1/19/2016	140	284.4	354	
TMP-31	1/19/2016	160	252.1	334	
TMP-31	1/19/2016	193	159.1	301	
TMP-31	1/26/2016	20	216.5	474	
TMP-31	1/26/2016	40	232.0	454	
TMP-31	1/26/2016	60	248.4	434	
TMP-31	1/26/2016	80	266.1	414	
TMP-31	1/26/2016	100	273.9	394	
TMP-31	1/26/2016	120	281.1	374	
TMP-31	1/26/2016	140	283.5	354	
TMP-31	1/26/2016	160	251.9	334	
TMP-31	1/26/2016	193	159.3	301	
TMP-31	2/1/2016	20	215.1	474	
TMP-31	2/1/2016	40	232.7	454	
TMP-31	2/1/2016	60	249.3	434	
TMP-31	2/1/2016	80	266.6	414	
TMP-31	2/1/2016	100	274.3	394	
TMP-31	2/1/2016	120	281.5	374	
TMP-31	2/1/2016	140	283.9	354	
TMP-31	2/1/2016	160	252.8	334	
TMP-31	2/1/2016	193	159.4	301	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/5/2016	20	191.9	484	
TMP-32	1/5/2016	40	228.7	464	
TMP-32	1/5/2016	60	247.0	444	
TMP-32	1/5/2016	80	260.8	424	
TMP-32	1/5/2016	100	270.4	404	
TMP-32	1/5/2016	120	278.9	384	
TMP-32	1/5/2016	140	280.2	364	
TMP-32	1/5/2016	160	283.3	344	
TMP-32	1/5/2016	180	277.6	324	
TMP-32	1/5/2016	200	224.6	304	
TMP-32	1/12/2016	20	197.7	484	
TMP-32	1/12/2016	40	232.0	464	
TMP-32	1/12/2016	60	249.7	444	
TMP-32	1/12/2016	80	262.8	424	
TMP-32	1/12/2016	100	272.3	404	
TMP-32	1/12/2016	120	281.0	384	
TMP-32	1/12/2016	140	281.9	364	
TMP-32	1/12/2016	160	284.9	344	
TMP-32	1/12/2016	180	279.4	324	
TMP-32	1/12/2016	200	226.2	304	
TMP-32	1/19/2016	20	202.7	484	
TMP-32	1/19/2016	40	231.9	464	
TMP-32	1/19/2016	60	249.7	444	
TMP-32	1/19/2016	80	262.8	424	
TMP-32	1/19/2016	100	272.6	404	
TMP-32	1/19/2016	120	281.4	384	
TMP-32	1/19/2016	140	282.3	364	
TMP-32	1/19/2016	160	285.3	344	
TMP-32	1/19/2016	180	280.1	324	
TMP-32	1/19/2016	200	227.2	304	
TMP-32	1/26/2016	20	201.7	484	
TMP-32	1/26/2016	40	229.4	464	
TMP-32	1/26/2016	60	247.4	444	
TMP-32	1/26/2016	80	260.8	424	
TMP-32	1/26/2016	100	270.5	404	
TMP-32	1/26/2016	120	279.4	384	
TMP-32	1/26/2016	140	280.5	364	
TMP-32	1/26/2016	160	283.5	344	
TMP-32	1/26/2016	180	278.7	324	
TMP-32	1/26/2016	200	225.9	304	
TMP-32	2/1/2016	20	202.4	484	
TMP-32	2/1/2016	40	230.3	464	
TMP-32	2/1/2016	60	248.3	444	
TMP-32	2/1/2016	80	261.7	424	
TMP-32	2/1/2016	100	271.3	404	
TMP-32	2/1/2016	120	280.2	384	
TMP-32	2/1/2016	140	281.6	364	
TMP-32	2/1/2016	160	284.7	344	
TMP-32	2/1/2016	180	280.1	324	
TMP-32	2/1/2016	200	227.4	304	