

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	1/16/2017	20	163.0	479	
TMP-14R	1/16/2017	40	191.5	459	
TMP-14R	1/16/2017	60	197.3	439	
TMP-14R	1/16/2017	80	195.5	419	
TMP-14R	1/16/2017	100	183.3	399	
TMP-14R	1/16/2017	120	181.2	379	
TMP-14R	1/16/2017	140	177.7	359	
TMP-14R	1/23/2017	20	163.1	479	
TMP-14R	1/23/2017	40	191.4	459	
TMP-14R	1/23/2017	60	197.3	439	
TMP-14R	1/23/2017	80	195.8	419	
TMP-14R	1/23/2017	100	183.6	399	
TMP-14R	1/23/2017	120	181.5	379	
TMP-14R	1/23/2017	140	178.0	359	
TMP-14R	1/30/2017	20	163.3	479	
TMP-14R	1/30/2017	40	191.9	459	
TMP-14R	1/30/2017	60	198.0	439	
TMP-14R	1/30/2017	80	196.5	419	
TMP-14R	1/30/2017	100	184.4	399	
TMP-14R	1/30/2017	120	182.4	379	
TMP-14R	1/30/2017	140	178.9	359	
TMP-14R	2/7/2017	20	161.9	479	
TMP-14R	2/7/2017	40	191.0	459	
TMP-14R	2/7/2017	60	197.1	439	
TMP-14R	2/7/2017	80	196.0	419	
TMP-14R	2/7/2017	100	184.1	399	
TMP-14R	2/7/2017	120	182.3	379	
TMP-14R	2/7/2017	140	178.8	359	
TMP-14R	2/13/2017	20	163.0	479	
TMP-14R	2/13/2017	40	191.9	459	
TMP-14R	2/13/2017	60	198.2	439	
TMP-14R	2/13/2017	80	197.1	419	
TMP-14R	2/13/2017	100	185.4	399	
TMP-14R	2/13/2017	120	183.6	379	
TMP-14R	2/13/2017	140	179.9	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/16/2017	20	184.0	473	
TMP-19	1/16/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/16/2017	60	234.5	433	
TMP-19	1/16/2017	80	242.8	413	
TMP-19	1/16/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2017	20	183.0	473	
TMP-19	1/23/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2017	60	234.8	433	
TMP-19	1/23/2017	80	243.0	413	
TMP-19	1/23/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/30/2017	20	184.1	473	
TMP-19	1/30/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/30/2017	60	236.5	433	
TMP-19	1/30/2017	80	244.7	413	
TMP-19	1/30/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/7/2017	20	181.1	473	
TMP-19	2/7/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/7/2017	60	234.8	433	
TMP-19	2/7/2017	80	242.9	413	
TMP-19	2/7/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/13/2017	20	181.1	473	
TMP-19	2/13/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/13/2017	60	235.2	433	
TMP-19	2/13/2017	80	242.9	413	
TMP-19	2/13/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/16/2017	20	141.3	478	
TMP-20	1/16/2017	40	212.5	458	
TMP-20	1/16/2017	60	238.3	438	
TMP-20	1/16/2017	80	251.2	418	
TMP-20	1/16/2017	100	262.4	398	
TMP-20	1/16/2017	120	271.6	378	
TMP-20	1/16/2017	140	273.8	358	
TMP-20	1/23/2017	20	141.3	478	
TMP-20	1/23/2017	40	212.2	458	
TMP-20	1/23/2017	60	238.6	438	
TMP-20	1/23/2017	80	251.5	418	
TMP-20	1/23/2017	100	263.0	398	
TMP-20	1/23/2017	120	272.3	378	
TMP-20	1/23/2017	140	274.5	358	
TMP-20	1/30/2017	20	140.5	478	
TMP-20	1/30/2017	40	210.9	458	
TMP-20	1/30/2017	60	237.9	438	
TMP-20	1/30/2017	80	250.5	418	
TMP-20	1/30/2017	100	261.8	398	
TMP-20	1/30/2017	120	271.2	378	
TMP-20	1/30/2017	140	273.5	358	
TMP-20	2/7/2017	20	139.9	478	
TMP-20	2/7/2017	40	210.7	458	
TMP-20	2/7/2017	60	237.6	438	
TMP-20	2/7/2017	80	250.3	418	
TMP-20	2/7/2017	100	261.6	398	
TMP-20	2/7/2017	120	270.9	378	
TMP-20	2/7/2017	140	273.0	358	
TMP-20	2/13/2017	20	141.6	478	
TMP-20	2/13/2017	40	212.1	458	
TMP-20	2/13/2017	60	239.3	438	
TMP-20	2/13/2017	80	251.8	418	
TMP-20	2/13/2017	100	262.9	398	
TMP-20	2/13/2017	120	272.0	378	
TMP-20	2/13/2017	140	273.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/16/2017	20	139.1	475	
TMP-10-9N	1/16/2017	40	155.8	455	
TMP-10-9N	1/16/2017	60	160.7	435	
TMP-10-9N	1/16/2017	80	160.0	415	
TMP-10-9N	1/16/2017	100	169.6	395	
TMP-10-9N	1/23/2017	20	138.9	475	
TMP-10-9N	1/23/2017	40	156.1	455	
TMP-10-9N	1/23/2017	60	160.9	435	
TMP-10-9N	1/23/2017	80	160.8	415	
TMP-10-9N	1/23/2017	100	170.2	395	
TMP-10-9N	1/30/2017	20	138.3	475	
TMP-10-9N	1/30/2017	40	156.0	455	
TMP-10-9N	1/30/2017	60	160.6	435	
TMP-10-9N	1/30/2017	80	160.6	415	
TMP-10-9N	1/30/2017	100	170.4	395	
TMP-10-9N	2/7/2017	20	137.3	475	
TMP-10-9N	2/7/2017	40	155.2	455	
TMP-10-9N	2/7/2017	60	159.3	435	
TMP-10-9N	2/7/2017	80	159.4	415	
TMP-10-9N	2/7/2017	100	169.4	395	
TMP-10-9N	2/13/2017	20	137.4	475	
TMP-10-9N	2/13/2017	40	155.4	455	
TMP-10-9N	2/13/2017	60	159.5	435	
TMP-10-9N	2/13/2017	80	159.6	415	
TMP-10-9N	2/13/2017	100	169.7	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/16/2017	20	140.0	476	
TMP-10-9S	1/16/2017	40	189.7	456	
TMP-10-9S	1/16/2017	60	214.6	436	
TMP-10-9S	1/16/2017	80	217.6	416	
TMP-10-9S	1/16/2017	100	230.8	396	
TMP-10-9S	1/23/2017	20	140.2	476	
TMP-10-9S	1/23/2017	40	188.9	456	
TMP-10-9S	1/23/2017	60	214.6	436	
TMP-10-9S	1/23/2017	80	217.5	416	
TMP-10-9S	1/23/2017	100	230.8	396	
TMP-10-9S	1/30/2017	20	139.8	476	
TMP-10-9S	1/30/2017	40	188.1	456	
TMP-10-9S	1/30/2017	60	214.5	436	
TMP-10-9S	1/30/2017	80	217.9	416	
TMP-10-9S	1/30/2017	100	231.3	396	
TMP-10-9S	2/7/2017	20	138.9	476	
TMP-10-9S	2/7/2017	40	187.4	456	
TMP-10-9S	2/7/2017	60	213.2	436	
TMP-10-9S	2/7/2017	80	216.6	416	
TMP-10-9S	2/7/2017	100	229.8	396	
TMP-10-9S	2/13/2017	20	139.2	476	
TMP-10-9S	2/13/2017	40	187.6	456	
TMP-10-9S	2/13/2017	60	213.5	436	
TMP-10-9S	2/13/2017	80	217.1	416	
TMP-10-9S	2/13/2017	100	230.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/16/2017	20	119.8	478	
TMP-10-5N	1/16/2017	40	123.1	458	
TMP-10-5N	1/16/2017	60	119.9	438	
TMP-10-5N	1/16/2017	80	110.7	418	
TMP-10-5N	1/16/2017	100	105.6	398	
TMP-10-5N	1/23/2017	20	120.1	478	
TMP-10-5N	1/23/2017	40	124.1	458	
TMP-10-5N	1/23/2017	60	121.0	438	
TMP-10-5N	1/23/2017	80	111.9	418	
TMP-10-5N	1/23/2017	100	107.6	398	
TMP-10-5N	1/30/2017	20	120.0	478	
TMP-10-5N	1/30/2017	40	123.7	458	
TMP-10-5N	1/30/2017	60	119.4	438	
TMP-10-5N	1/30/2017	80	109.4	418	
TMP-10-5N	1/30/2017	100	104.5	398	
TMP-10-5N	2/7/2017	20	118.8	478	
TMP-10-5N	2/7/2017	40	122.3	458	
TMP-10-5N	2/7/2017	60	117.3	438	
TMP-10-5N	2/7/2017	80	107.8	418	
TMP-10-5N	2/7/2017	100	104.0	398	
TMP-10-5N	2/13/2017	20	119.4	478	
TMP-10-5N	2/13/2017	40	124.9	458	
TMP-10-5N	2/13/2017	60	120.8	438	
TMP-10-5N	2/13/2017	80	113.7	418	
TMP-10-5N	2/13/2017	100	113.1	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/16/2017	20	131.0	477	
TMP-10-5S	1/16/2017	40	166.1	457	
TMP-10-5S	1/16/2017	60	191.5	437	
TMP-10-5S	1/16/2017	80	200.8	417	
TMP-10-5S	1/16/2017	100	213.6	397	
TMP-10-5S	1/23/2017	20	130.9	477	
TMP-10-5S	1/23/2017	40	166.0	457	
TMP-10-5S	1/23/2017	60	191.3	437	
TMP-10-5S	1/23/2017	80	200.8	417	
TMP-10-5S	1/23/2017	100	213.5	397	
TMP-10-5S	1/30/2017	20	130.0	477	
TMP-10-5S	1/30/2017	40	165.6	457	
TMP-10-5S	1/30/2017	60	190.4	437	
TMP-10-5S	1/30/2017	80	200.1	417	
TMP-10-5S	1/30/2017	100	212.9	397	
TMP-10-5S	2/7/2017	20	129.0	477	
TMP-10-5S	2/7/2017	40	165.6	457	
TMP-10-5S	2/7/2017	60	189.6	437	
TMP-10-5S	2/7/2017	80	199.3	417	
TMP-10-5S	2/7/2017	100	211.9	397	
TMP-10-5S	2/13/2017	20	129.6	477	
TMP-10-5S	2/13/2017	40	166.3	457	
TMP-10-5S	2/13/2017	60	190.0	437	
TMP-10-5S	2/13/2017	80	199.8	417	
TMP-10-5S	2/13/2017	100	212.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/16/2017	20	123.4	476	
TMP-5-9N	1/16/2017	40	164.8	456	
TMP-5-9N	1/16/2017	60	162.7	436	
TMP-5-9N	1/16/2017	80	255.1	416	
TMP-5-9N	1/16/2017	100	263.7	396	
TMP-5-9N	1/23/2017	20	123.1	476	
TMP-5-9N	1/23/2017	40	163.9	456	
TMP-5-9N	1/23/2017	60	163.5	436	
TMP-5-9N	1/23/2017	80	255.4	416	
TMP-5-9N	1/23/2017	100	264.0	396	
TMP-5-9N	1/30/2017	20	121.5	476	
TMP-5-9N	1/30/2017	40	162.0	456	
TMP-5-9N	1/30/2017	60	162.6	436	
TMP-5-9N	1/30/2017	80	254.2	416	
TMP-5-9N	1/30/2017	100	263.3	396	
TMP-5-9N	2/7/2017	20	121.9	476	
TMP-5-9N	2/7/2017	40	161.7	456	
TMP-5-9N	2/7/2017	60	162.5	436	
TMP-5-9N	2/7/2017	80	254.4	416	
TMP-5-9N	2/7/2017	100	263.5	396	
TMP-5-9N	2/13/2017	20	122.1	476	
TMP-5-9N	2/13/2017	40	161.6	456	
TMP-5-9N	2/13/2017	60	162.9	436	
TMP-5-9N	2/13/2017	80	254.5	416	
TMP-5-9N	2/13/2017	100	263.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/16/2017	20	147.0	476	
TMP-5-9S	1/16/2017	40	218.9	456	
TMP-5-9S	1/16/2017	60	237.7	436	
TMP-5-9S	1/16/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/16/2017	100	265.2	396	
TMP-5-9S	1/23/2017	20	147.5	476	
TMP-5-9S	1/23/2017	40	219.3	456	
TMP-5-9S	1/23/2017	60	238.4	436	
TMP-5-9S	1/23/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/23/2017	100	265.6	396	
TMP-5-9S	1/30/2017	20	146.5	476	
TMP-5-9S	1/30/2017	40	218.9	456	
TMP-5-9S	1/30/2017	60	238.1	436	
TMP-5-9S	1/30/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/30/2017	100	265.8	396	
TMP-5-9S	2/7/2017	20	146.6	476	
TMP-5-9S	2/7/2017	40	218.8	456	
TMP-5-9S	2/7/2017	60	237.9	436	
TMP-5-9S	2/7/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/7/2017	100	265.8	396	
TMP-5-9S	2/13/2017	20	146.4	476	
TMP-5-9S	2/13/2017	40	219.3	456	
TMP-5-9S	2/13/2017	60	238.4	436	
TMP-5-9S	2/13/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/13/2017	100	266.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/16/2017	20	112.7	475	
TMP-5-5N	1/16/2017	40	109.9	455	
TMP-5-5N	1/16/2017	60	99.4	435	
TMP-5-5N	1/16/2017	80	253.7	415	
TMP-5-5N	1/16/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	1/23/2017	20	113.9	475	
TMP-5-5N	1/23/2017	40	114.2	455	
TMP-5-5N	1/23/2017	60	104.1	435	
TMP-5-5N	1/23/2017	80	254.2	415	
TMP-5-5N	1/23/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	1/30/2017	20	113.0	475	
TMP-5-5N	1/30/2017	40	110.7	455	
TMP-5-5N	1/30/2017	60	98.9	435	
TMP-5-5N	1/30/2017	80	253.5	415	
TMP-5-5N	1/30/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/7/2017	20	113.2	475	
TMP-5-5N	2/7/2017	40	114.0	455	
TMP-5-5N	2/7/2017	60	105.7	435	
TMP-5-5N	2/7/2017	80	253.5	415	
TMP-5-5N	2/7/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/13/2017	20	114.8	475	
TMP-5-5N	2/13/2017	40	128.2	455	
TMP-5-5N	2/13/2017	60	130.2	435	
TMP-5-5N	2/13/2017	80	253.4	415	
TMP-5-5N	2/13/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/16/2017	20	143.6	474	
TMP-5-5S	1/16/2017	40	211.6	454	
TMP-5-5S	1/16/2017	60	236.1	434	
TMP-5-5S	1/16/2017	80	254.7	414	
TMP-5-5S	1/16/2017	100	257.2	394	
TMP-5-5S	1/23/2017	20	146.2	474	
TMP-5-5S	1/23/2017	40	210.9	454	
TMP-5-5S	1/23/2017	60	236.5	434	
TMP-5-5S	1/23/2017	80	255.1	414	
TMP-5-5S	1/23/2017	100	257.9	394	
TMP-5-5S	1/30/2017	20	145.1	474	
TMP-5-5S	1/30/2017	40	209.4	454	
TMP-5-5S	1/30/2017	60	235.2	434	
TMP-5-5S	1/30/2017	80	254.1	414	
TMP-5-5S	1/30/2017	100	257.0	394	
TMP-5-5S	2/7/2017	20	145.1	474	
TMP-5-5S	2/7/2017	40	210.3	454	
TMP-5-5S	2/7/2017	60	235.3	434	
TMP-5-5S	2/7/2017	80	254.6	414	
TMP-5-5S	2/7/2017	100	257.5	394	
TMP-5-5S	2/13/2017	20	145.3	474	
TMP-5-5S	2/13/2017	40	209.4	454	
TMP-5-5S	2/13/2017	60	235.5	434	
TMP-5-5S	2/13/2017	80	254.7	414	
TMP-5-5S	2/13/2017	100	257.5	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/16/2017	20	207.4	474	
TMP-31	1/16/2017	40	230.1	454	
TMP-31	1/16/2017	60	245.0	434	
TMP-31	1/16/2017	80	262.0	414	
TMP-31	1/16/2017	100	270.8	394	
TMP-31	1/16/2017	120	277.6	374	
TMP-31	1/16/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/16/2017	160		334	does not show stable resistivity readings
TMP-31	1/16/2017	180		314	does not show stable resistivity readings
TMP-31	1/16/2017	193		301	does not show stable resistivity readings
TMP-31	1/23/2017	20	205.6	474	
TMP-31	1/23/2017	40	229.9	454	
TMP-31	1/23/2017	60	244.7	434	
TMP-31	1/23/2017	80	261.7	414	
TMP-31	1/23/2017	100	270.4	394	
TMP-31	1/23/2017	120	277.4	374	
TMP-31	1/23/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/23/2017	160		334	does not show stable resistivity readings
TMP-31	1/23/2017	180		314	does not show stable resistivity readings
TMP-31	1/23/2017	193		301	does not show stable resistivity readings
TMP-31	1/30/2017	20	205.4	474	
TMP-31	1/30/2017	40	229.9	454	
TMP-31	1/30/2017	60	244.7	434	
TMP-31	1/30/2017	80	261.6	414	
TMP-31	1/30/2017	100	270.4	394	
TMP-31	1/30/2017	120	277.5	374	
TMP-31	1/30/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/30/2017	160		334	does not show stable resistivity readings
TMP-31	1/30/2017	180		314	does not show stable resistivity readings
TMP-31	1/30/2017	193		301	does not show stable resistivity readings
TMP-31	2/7/2017	20	205.3	474	
TMP-31	2/7/2017	40	229.8	454	
TMP-31	2/7/2017	60	244.9	434	
TMP-31	2/7/2017	80	261.7	414	
TMP-31	2/7/2017	100	270.6	394	
TMP-31	2/7/2017	120	277.5	374	
TMP-31	2/7/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/7/2017	160		334	does not show stable resistivity readings
TMP-31	2/7/2017	180		314	does not show stable resistivity readings
TMP-31	2/7/2017	193		301	does not show stable resistivity readings
TMP-31	2/13/2017	20	205.9	474	
TMP-31	2/13/2017	40	230.2	454	
TMP-31	2/13/2017	60	245.1	434	
TMP-31	2/13/2017	80	261.6	414	
TMP-31	2/13/2017	100	270.6	394	
TMP-31	2/13/2017	120	277.4	374	
TMP-31	2/13/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/13/2017	160		334	does not show stable resistivity readings
TMP-31	2/13/2017	180		314	does not show stable resistivity readings
TMP-31	2/13/2017	193		301	does not show stable resistivity readings

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/16/2017	20	205.0	484	
TMP-32	1/16/2017	40	222.8	464	
TMP-32	1/16/2017	60	243.0	444	
TMP-32	1/16/2017	80	256.7	424	
TMP-32	1/16/2017	100	268.3	404	
TMP-32	1/16/2017	120	275.2	384	
TMP-32	1/16/2017	140	278.4	364	
TMP-32	1/16/2017	160	285.4	344	
TMP-32	1/16/2017	180	290.3	324	
TMP-32	1/16/2017	200	269.2	304	
TMP-32	1/23/2017	20	203.7	484	
TMP-32	1/23/2017	40	222.1	464	
TMP-32	1/23/2017	60	242.3	444	
TMP-32	1/23/2017	80	256.1	424	
TMP-32	1/23/2017	100	267.7	404	
TMP-32	1/23/2017	120	274.7	384	
TMP-32	1/23/2017	140	278.0	364	
TMP-32	1/23/2017	160	284.9	344	
TMP-32	1/23/2017	180	290.0	324	
TMP-32	1/23/2017	200	271.1	304	
TMP-32	1/30/2017	20	204.2	484	
TMP-32	1/30/2017	40	223.0	464	
TMP-32	1/30/2017	60	243.2	444	
TMP-32	1/30/2017	80	257.0	424	
TMP-32	1/30/2017	100	268.5	404	
TMP-32	1/30/2017	120	275.5	384	
TMP-32	1/30/2017	140	278.6	364	
TMP-32	1/30/2017	160	285.6	344	
TMP-32	1/30/2017	180	290.6	324	
TMP-32	1/30/2017	200	273.7	304	
TMP-32	2/7/2017	20	203.2	484	
TMP-32	2/7/2017	40	222.2	464	
TMP-32	2/7/2017	60	242.5	444	
TMP-32	2/7/2017	80	256.4	424	
TMP-32	2/7/2017	100	267.9	404	
TMP-32	2/7/2017	120	274.9	384	
TMP-32	2/7/2017	140	278.0	364	
TMP-32	2/7/2017	160	285.1	344	
TMP-32	2/7/2017	180	290.4	324	
TMP-32	2/7/2017	200	276.0	304	
TMP-32	2/13/2017	20	204.7	484	
TMP-32	2/13/2017	40	223.2	464	
TMP-32	2/13/2017	60	243.3	444	
TMP-32	2/13/2017	80	257.1	424	
TMP-32	2/13/2017	100	268.6	404	
TMP-32	2/13/2017	120	275.5	384	
TMP-32	2/13/2017	140	278.6	364	
TMP-32	2/13/2017	160	285.7	344	
TMP-32	2/13/2017	180	291.0	324	
TMP-32	2/13/2017	200	278.4	304	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	1/16/2017	20	173.4	473	
TMP-SPM1	1/16/2017	40	197.5	453	
TMP-SPM1	1/16/2017	60	190.9	433	
TMP-SPM1	1/16/2017	80	190.6	413	
TMP-SPM1	1/16/2017	100	178.6	393	
TMP-SPM1	1/16/2017	120	166.2	373	
TMP-SPM1	1/16/2017	140	156.0	353	
TMP-SPM1	1/16/2017	160	140.9	333	
TMP-SPM1	1/16/2017	180	126.1	313	
TMP-SPM1	1/16/2017	200	104.9	293	
TMP-SPM1	1/16/2017	220	88.9	273	
TMP-SPM1	1/16/2017	240	85.9	253	
TMP-SPM1	1/23/2017	20	174.0	473	
TMP-SPM1	1/23/2017	40	198.4	453	
TMP-SPM1	1/23/2017	60	192.4	433	
TMP-SPM1	1/23/2017	80	192.5	413	
TMP-SPM1	1/23/2017	100	181.0	393	
TMP-SPM1	1/23/2017	120	168.6	373	
TMP-SPM1	1/23/2017	140	158.3	353	
TMP-SPM1	1/23/2017	160	142.9	333	
TMP-SPM1	1/23/2017	180	127.7	313	
TMP-SPM1	1/23/2017	200	106.2	293	
TMP-SPM1	1/23/2017	220	90.0	273	
TMP-SPM1	1/23/2017	240	86.8	253	
TMP-SPM1	1/30/2017	20	173.8	473	
TMP-SPM1	1/30/2017	40	198.5	453	
TMP-SPM1	1/30/2017	60	192.4	433	
TMP-SPM1	1/30/2017	80	192.3	413	
TMP-SPM1	1/30/2017	100	180.7	393	
TMP-SPM1	1/30/2017	120	168.3	373	
TMP-SPM1	1/30/2017	140	157.9	353	
TMP-SPM1	1/30/2017	160	142.5	333	
TMP-SPM1	1/30/2017	180	127.2	313	
TMP-SPM1	1/30/2017	200	105.6	293	
TMP-SPM1	1/30/2017	220	89.3	273	
TMP-SPM1	1/30/2017	240	85.9	253	
TMP-SPM1	2/7/2017	20	173.8	473	
TMP-SPM1	2/7/2017	40	198.6	453	
TMP-SPM1	2/7/2017	60	192.8	433	
TMP-SPM1	2/7/2017	80	192.4	413	
TMP-SPM1	2/7/2017	100	180.9	393	
TMP-SPM1	2/7/2017	120	168.5	373	
TMP-SPM1	2/7/2017	140	158.2	353	
TMP-SPM1	2/7/2017	160	142.7	333	
TMP-SPM1	2/7/2017	180	127.5	313	
TMP-SPM1	2/7/2017	200	106.0	293	
TMP-SPM1	2/7/2017	220	89.9	273	
TMP-SPM1	2/7/2017	240	86.6	253	
TMP-SPM1	2/13/2017	20	173.8	473	
TMP-SPM1	2/13/2017	40	198.9	453	
TMP-SPM1	2/13/2017	60	193.1	433	
TMP-SPM1	2/13/2017	80	192.7	413	
TMP-SPM1	2/13/2017	100	181.0	393	
TMP-SPM1	2/13/2017	120	168.6	373	
TMP-SPM1	2/13/2017	140	158.2	353	
TMP-SPM1	2/13/2017	160	142.6	333	
TMP-SPM1	2/13/2017	180	127.4	313	
TMP-SPM1	2/13/2017	200	105.8	293	
TMP-SPM1	2/13/2017	220	89.4	273	
TMP-SPM1	2/13/2017	240	86.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	1/16/2017	20	174.2	475	
TMP-SPM2	1/16/2017	40	209.4	455	
TMP-SPM2	1/16/2017	60	203.7	435	
TMP-SPM2	1/16/2017	80	177.7	415	
TMP-SPM2	1/16/2017	100	177.2	395	
TMP-SPM2	1/16/2017	120	174.8	375	
TMP-SPM2	1/16/2017	140	163.2	355	
TMP-SPM2	1/16/2017	160	149.6	335	
TMP-SPM2	1/16/2017	172	137.3	323	
TMP-SPM2	1/23/2017	20	173.9	475	
TMP-SPM2	1/23/2017	40	209.1	455	
TMP-SPM2	1/23/2017	60	203.4	435	
TMP-SPM2	1/23/2017	80	177.8	415	
TMP-SPM2	1/23/2017	100	177.6	395	
TMP-SPM2	1/23/2017	120	175.3	375	
TMP-SPM2	1/23/2017	140	163.5	355	
TMP-SPM2	1/23/2017	160	149.0	335	
TMP-SPM2	1/23/2017	172	137.4	323	
TMP-SPM2	1/30/2017	20	173.1	475	
TMP-SPM2	1/30/2017	40	208.1	455	
TMP-SPM2	1/30/2017	60	202.5	435	
TMP-SPM2	1/30/2017	80	177.3	415	
TMP-SPM2	1/30/2017	100	177.4	395	
TMP-SPM2	1/30/2017	120	175.1	375	
TMP-SPM2	1/30/2017	140	163.5	355	
TMP-SPM2	1/30/2017	160	149.6	335	
TMP-SPM2	1/30/2017	172	137.4	323	
TMP-SPM2	2/7/2017	20	172.6	475	
TMP-SPM2	2/7/2017	40	208.0	455	
TMP-SPM2	2/7/2017	60	202.2	435	
TMP-SPM2	2/7/2017	80	177.4	415	
TMP-SPM2	2/7/2017	100	177.7	395	
TMP-SPM2	2/7/2017	120	175.1	375	
TMP-SPM2	2/7/2017	140	163.3	355	
TMP-SPM2	2/7/2017	160	149.2	335	
TMP-SPM2	2/7/2017	172	136.8	323	
TMP-SPM2	2/13/2017	20	173.2	475	
TMP-SPM2	2/13/2017	40	208.3	455	
TMP-SPM2	2/13/2017	60	202.6	435	
TMP-SPM2	2/13/2017	80	178.1	415	
TMP-SPM2	2/13/2017	100	178.7	395	
TMP-SPM2	2/13/2017	120	176.2	375	
TMP-SPM2	2/13/2017	140	164.2	355	
TMP-SPM2	2/13/2017	160	150.0	335	
TMP-SPM2	2/13/2017	172	137.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	1/16/2017	20	147.1	478	
TMP-SPM3	1/16/2017	40	151.3	458	
TMP-SPM3	1/16/2017	60	141.6	438	
TMP-SPM3	1/16/2017	80	135.8	418	
TMP-SPM3	1/16/2017	85	134.7	413	
TMP-SPM3	1/23/2017	20	146.3	478	
TMP-SPM3	1/23/2017	40	150.5	458	
TMP-SPM3	1/23/2017	60	141.1	438	
TMP-SPM3	1/23/2017	80	135.5	418	
TMP-SPM3	1/23/2017	85	134.4	413	
TMP-SPM3	1/30/2017	20	145.5	478	
TMP-SPM3	1/30/2017	40	149.5	458	
TMP-SPM3	1/30/2017	60	140.2	438	
TMP-SPM3	1/30/2017	80	134.9	418	
TMP-SPM3	1/30/2017	85	133.9	413	
TMP-SPM3	2/7/2017	20	144.3	478	
TMP-SPM3	2/7/2017	40	148.8	458	
TMP-SPM3	2/7/2017	60	139.7	438	
TMP-SPM3	2/7/2017	80	134.6	418	
TMP-SPM3	2/7/2017	85	133.6	413	
TMP-SPM3	2/13/2017	20	143.3	478	
TMP-SPM3	2/13/2017	40	147.4	458	
TMP-SPM3	2/13/2017	60	138.2	438	
TMP-SPM3	2/13/2017	80	133.4	418	
TMP-SPM3	2/13/2017	85	132.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	1/16/2017	20	142.0	475	
TMP-SPM4	1/16/2017	40	166.9	455	
TMP-SPM4	1/16/2017	60	170.7	435	
TMP-SPM4	1/16/2017	80	176.0	415	
TMP-SPM4	1/16/2017	100	172.6	395	
TMP-SPM4	1/16/2017	120	163.4	375	
TMP-SPM4	1/16/2017	140	155.1	355	
TMP-SPM4	1/16/2017	160	145.8	335	
TMP-SPM4	1/16/2017	180	134.2	315	
TMP-SPM4	1/16/2017	200	116.0	295	
TMP-SPM4	1/16/2017	220	97.9	275	
TMP-SPM4	1/16/2017	240	90.1	255	
TMP-SPM4	1/23/2017	20	142.1	475	
TMP-SPM4	1/23/2017	40	166.9	455	
TMP-SPM4	1/23/2017	60	170.8	435	
TMP-SPM4	1/23/2017	80	176.0	415	
TMP-SPM4	1/23/2017	100	172.6	395	
TMP-SPM4	1/23/2017	120	163.3	375	
TMP-SPM4	1/23/2017	140	154.9	355	
TMP-SPM4	1/23/2017	160	145.6	335	
TMP-SPM4	1/23/2017	180	134.1	315	
TMP-SPM4	1/23/2017	200	116.1	295	
TMP-SPM4	1/23/2017	220	97.9	275	
TMP-SPM4	1/23/2017	240	90.3	255	
TMP-SPM4	1/30/2017	20	142.7	475	
TMP-SPM4	1/30/2017	40	167.6	455	
TMP-SPM4	1/30/2017	60	171.7	435	
TMP-SPM4	1/30/2017	80	176.9	415	
TMP-SPM4	1/30/2017	100	173.6	395	
TMP-SPM4	1/30/2017	120	164.3	375	
TMP-SPM4	1/30/2017	140	155.9	355	
TMP-SPM4	1/30/2017	160	146.4	335	
TMP-SPM4	1/30/2017	180	134.9	315	
TMP-SPM4	1/30/2017	200	116.8	295	
TMP-SPM4	1/30/2017	220	98.4	275	
TMP-SPM4	1/30/2017	240	90.6	255	
TMP-SPM4	2/7/2017	20	141.4	475	
TMP-SPM4	2/7/2017	40	166.2	455	
TMP-SPM4	2/7/2017	60	170.2	435	
TMP-SPM4	2/7/2017	80	175.1	415	
TMP-SPM4	2/7/2017	100	171.7	395	
TMP-SPM4	2/7/2017	120	162.5	375	
TMP-SPM4	2/7/2017	140	154.1	355	
TMP-SPM4	2/7/2017	160	144.9	335	
TMP-SPM4	2/7/2017	180	133.5	315	
TMP-SPM4	2/7/2017	200	115.7	295	
TMP-SPM4	2/7/2017	220	97.5	275	
TMP-SPM4	2/7/2017	240	89.9	255	
TMP-SPM4	2/13/2017	20	143.2	475	
TMP-SPM4	2/13/2017	40	167.9	455	
TMP-SPM4	2/13/2017	60	172.1	435	
TMP-SPM4	2/13/2017	80	177.0	415	
TMP-SPM4	2/13/2017	100	173.6	395	
TMP-SPM4	2/13/2017	120	164.3	375	
TMP-SPM4	2/13/2017	140	155.9	355	
TMP-SPM4	2/13/2017	160	146.6	335	
TMP-SPM4	2/13/2017	180	135.1	315	
TMP-SPM4	2/13/2017	200	117.2	295	
TMP-SPM4	2/13/2017	220	99.0	275	
TMP-SPM4	2/13/2017	240	91.1	255	