

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	12/27/2016	20	164.5	479	
TMP-14R	12/27/2016	40	193.2	459	
TMP-14R	12/27/2016	60	199.0	439	
TMP-14R	12/27/2016	80	197.1	419	
TMP-14R	12/27/2016	100	184.6	399	
TMP-14R	12/27/2016	120	182.3	379	
TMP-14R	12/27/2016	140	178.8	359	
TMP-14R	1/3/2017	20	164.0	479	
TMP-14R	1/3/2017	40	192.8	459	
TMP-14R	1/3/2017	60	198.5	439	
TMP-14R	1/3/2017	80	196.4	419	
TMP-14R	1/3/2017	100	183.9	399	
TMP-14R	1/3/2017	120	181.6	379	
TMP-14R	1/3/2017	140	178.1	359	
TMP-14R	1/9/2017	20	163.6	479	
TMP-14R	1/9/2017	40	192.3	459	
TMP-14R	1/9/2017	60	198.2	439	
TMP-14R	1/9/2017	80	196.1	419	
TMP-14R	1/9/2017	100	183.8	399	
TMP-14R	1/9/2017	120	181.6	379	
TMP-14R	1/9/2017	140	178.1	359	
TMP-14R	1/16/2017	20	163.0	479	
TMP-14R	1/16/2017	40	191.5	459	
TMP-14R	1/16/2017	60	197.3	439	
TMP-14R	1/16/2017	80	195.5	419	
TMP-14R	1/16/2017	100	183.3	399	
TMP-14R	1/16/2017	120	181.2	379	
TMP-14R	1/16/2017	140	177.7	359	
TMP-14R	1/23/2017	20	163.1	479	
TMP-14R	1/23/2017	40	191.4	459	
TMP-14R	1/23/2017	60	197.3	439	
TMP-14R	1/23/2017	80	195.8	419	
TMP-14R	1/23/2017	100	183.6	399	
TMP-14R	1/23/2017	120	181.5	379	
TMP-14R	1/23/2017	140	178.0	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/27/2016	20	185.0	473	
TMP-19	12/27/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/27/2016	60	236.6	433	
TMP-19	12/27/2016	80	245.4	413	
TMP-19	12/27/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/3/2017	20	183.4	473	
TMP-19	1/3/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/3/2017	60	235.3	433	
TMP-19	1/3/2017	80	243.7	413	
TMP-19	1/3/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/9/2017	20	184.1	473	
TMP-19	1/9/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/9/2017	60	236.1	433	
TMP-19	1/9/2017	80	244.3	413	
TMP-19	1/9/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/16/2017	20	184.0	473	
TMP-19	1/16/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/16/2017	60	234.5	433	
TMP-19	1/16/2017	80	242.8	413	
TMP-19	1/16/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2017	20	183.0	473	
TMP-19	1/23/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2017	60	234.8	433	
TMP-19	1/23/2017	80	243.0	413	
TMP-19	1/23/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/27/2016	20	142.0	478	
TMP-20	12/27/2016	40	213.6	458	
TMP-20	12/27/2016	60	238.9	438	
TMP-20	12/27/2016	80	251.8	418	
TMP-20	12/27/2016	100	262.9	398	
TMP-20	12/27/2016	120	271.8	378	
TMP-20	12/27/2016	140	274.5	358	
TMP-20	1/3/2017	20	141.3	478	
TMP-20	1/3/2017	40	212.9	458	
TMP-20	1/3/2017	60	238.4	438	
TMP-20	1/3/2017	80	251.4	418	
TMP-20	1/3/2017	100	262.7	398	
TMP-20	1/3/2017	120	271.9	378	
TMP-20	1/3/2017	140	274.3	358	
TMP-20	1/9/2017	20	143.0	478	
TMP-20	1/9/2017	40	214.3	458	
TMP-20	1/9/2017	60	239.7	438	
TMP-20	1/9/2017	80	252.6	418	
TMP-20	1/9/2017	100	263.9	398	
TMP-20	1/9/2017	120	273.1	378	
TMP-20	1/9/2017	140	275.4	358	
TMP-20	1/16/2017	20	141.3	478	
TMP-20	1/16/2017	40	212.5	458	
TMP-20	1/16/2017	60	238.3	438	
TMP-20	1/16/2017	80	251.2	418	
TMP-20	1/16/2017	100	262.4	398	
TMP-20	1/16/2017	120	271.6	378	
TMP-20	1/16/2017	140	273.8	358	
TMP-20	1/23/2017	20	141.3	478	
TMP-20	1/23/2017	40	212.2	458	
TMP-20	1/23/2017	60	238.6	438	
TMP-20	1/23/2017	80	251.5	418	
TMP-20	1/23/2017	100	263.0	398	
TMP-20	1/23/2017	120	272.3	378	
TMP-20	1/23/2017	140	274.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/27/2016	20	140.3	475	
TMP-10-9N	12/27/2016	40	156.8	455	
TMP-10-9N	12/27/2016	60	161.1	435	
TMP-10-9N	12/27/2016	80	160.8	415	
TMP-10-9N	12/27/2016	100	170.6	395	
TMP-10-9N	1/3/2017	20	140.2	475	
TMP-10-9N	1/3/2017	40	157.1	455	
TMP-10-9N	1/3/2017	60	161.1	435	
TMP-10-9N	1/3/2017	80	160.5	415	
TMP-10-9N	1/3/2017	100	170.4	395	
TMP-10-9N	1/9/2017	20	140.3	475	
TMP-10-9N	1/9/2017	40	156.9	455	
TMP-10-9N	1/9/2017	60	161.4	435	
TMP-10-9N	1/9/2017	80	160.7	415	
TMP-10-9N	1/9/2017	100	170.4	395	
TMP-10-9N	1/16/2017	20	139.1	475	
TMP-10-9N	1/16/2017	40	155.8	455	
TMP-10-9N	1/16/2017	60	160.7	435	
TMP-10-9N	1/16/2017	80	160.0	415	
TMP-10-9N	1/16/2017	100	169.6	395	
TMP-10-9N	1/23/2017	20	138.9	475	
TMP-10-9N	1/23/2017	40	156.1	455	
TMP-10-9N	1/23/2017	60	160.9	435	
TMP-10-9N	1/23/2017	80	160.8	415	
TMP-10-9N	1/23/2017	100	170.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/27/2016	20	141.2	476	
TMP-10-9S	12/27/2016	40	190.0	456	
TMP-10-9S	12/27/2016	60	216.1	436	
TMP-10-9S	12/27/2016	80	219.4	416	
TMP-10-9S	12/27/2016	100	232.6	396	
TMP-10-9S	1/3/2017	20	141.0	476	
TMP-10-9S	1/3/2017	40	192.6	456	
TMP-10-9S	1/3/2017	60	216.0	436	
TMP-10-9S	1/3/2017	80	218.7	416	
TMP-10-9S	1/3/2017	100	232.0	396	
TMP-10-9S	1/9/2017	20	141.0	476	
TMP-10-9S	1/9/2017	40	193.7	456	
TMP-10-9S	1/9/2017	60	216.3	436	
TMP-10-9S	1/9/2017	80	218.8	416	
TMP-10-9S	1/9/2017	100	232.0	396	
TMP-10-9S	1/16/2017	20	140.0	476	
TMP-10-9S	1/16/2017	40	189.7	456	
TMP-10-9S	1/16/2017	60	214.6	436	
TMP-10-9S	1/16/2017	80	217.6	416	
TMP-10-9S	1/16/2017	100	230.8	396	
TMP-10-9S	1/23/2017	20	140.2	476	
TMP-10-9S	1/23/2017	40	188.9	456	
TMP-10-9S	1/23/2017	60	214.6	436	
TMP-10-9S	1/23/2017	80	217.5	416	
TMP-10-9S	1/23/2017	100	230.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/27/2016	20	120.9	478	
TMP-10-5N	12/27/2016	40	122.9	458	
TMP-10-5N	12/27/2016	60	117.4	438	
TMP-10-5N	12/27/2016	80	106.7	418	
TMP-10-5N	12/27/2016	100	102.0	398	
TMP-10-5N	1/3/2017	20	120.8	478	
TMP-10-5N	1/3/2017	40	122.3	458	
TMP-10-5N	1/3/2017	60	117.4	438	
TMP-10-5N	1/3/2017	80	106.2	418	
TMP-10-5N	1/3/2017	100	101.2	398	
TMP-10-5N	1/9/2017	20	120.7	478	
TMP-10-5N	1/9/2017	40	121.9	458	
TMP-10-5N	1/9/2017	60	118.0	438	
TMP-10-5N	1/9/2017	80	106.8	418	
TMP-10-5N	1/9/2017	100	101.7	398	
TMP-10-5N	1/16/2017	20	119.8	478	
TMP-10-5N	1/16/2017	40	123.1	458	
TMP-10-5N	1/16/2017	60	119.9	438	
TMP-10-5N	1/16/2017	80	110.7	418	
TMP-10-5N	1/16/2017	100	105.6	398	
TMP-10-5N	1/23/2017	20	120.1	478	
TMP-10-5N	1/23/2017	40	124.1	458	
TMP-10-5N	1/23/2017	60	121.0	438	
TMP-10-5N	1/23/2017	80	111.9	418	
TMP-10-5N	1/23/2017	100	107.6	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	12/27/2016	20	131.8	477	
TMP-10-5S	12/27/2016	40	166.8	457	
TMP-10-5S	12/27/2016	60	192.5	437	
TMP-10-5S	12/27/2016	80	201.8	417	
TMP-10-5S	12/27/2016	100	214.5	397	
TMP-10-5S	1/3/2017	20	132.1	477	
TMP-10-5S	1/3/2017	40	167.4	457	
TMP-10-5S	1/3/2017	60	192.7	437	
TMP-10-5S	1/3/2017	80	201.9	417	
TMP-10-5S	1/3/2017	100	214.6	397	
TMP-10-5S	1/9/2017	20	132.2	477	
TMP-10-5S	1/9/2017	40	167.3	457	
TMP-10-5S	1/9/2017	60	192.7	437	
TMP-10-5S	1/9/2017	80	202.1	417	
TMP-10-5S	1/9/2017	100	214.7	397	
TMP-10-5S	1/16/2017	20	131.0	477	
TMP-10-5S	1/16/2017	40	166.1	457	
TMP-10-5S	1/16/2017	60	191.5	437	
TMP-10-5S	1/16/2017	80	200.8	417	
TMP-10-5S	1/16/2017	100	213.6	397	
TMP-10-5S	1/23/2017	20	130.9	477	
TMP-10-5S	1/23/2017	40	166.0	457	
TMP-10-5S	1/23/2017	60	191.3	437	
TMP-10-5S	1/23/2017	80	200.8	417	
TMP-10-5S	1/23/2017	100	213.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/27/2016	20	124.7	476	
TMP-5-9N	12/27/2016	40	166.6	456	
TMP-5-9N	12/27/2016	60	163.6	436	
TMP-5-9N	12/27/2016	80	255.5	416	
TMP-5-9N	12/27/2016	100	264.2	396	
TMP-5-9N	1/3/2017	20	124.4	476	
TMP-5-9N	1/3/2017	40	166.5	456	
TMP-5-9N	1/3/2017	60	163.1	436	
TMP-5-9N	1/3/2017	80	255.4	416	
TMP-5-9N	1/3/2017	100	264.2	396	
TMP-5-9N	1/9/2017	20	124.3	476	
TMP-5-9N	1/9/2017	40	167.0	456	
TMP-5-9N	1/9/2017	60	162.9	436	
TMP-5-9N	1/9/2017	80	255.7	416	
TMP-5-9N	1/9/2017	100	264.5	396	
TMP-5-9N	1/16/2017	20	123.4	476	
TMP-5-9N	1/16/2017	40	164.8	456	
TMP-5-9N	1/16/2017	60	162.7	436	
TMP-5-9N	1/16/2017	80	255.1	416	
TMP-5-9N	1/16/2017	100	263.7	396	
TMP-5-9N	1/23/2017	20	123.1	476	
TMP-5-9N	1/23/2017	40	163.9	456	
TMP-5-9N	1/23/2017	60	163.5	436	
TMP-5-9N	1/23/2017	80	255.4	416	
TMP-5-9N	1/23/2017	100	264.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/27/2016	20	148.8	476	
TMP-5-9S	12/27/2016	40	220.8	456	
TMP-5-9S	12/27/2016	60	240.1	436	
TMP-5-9S	12/27/2016	80		416	Low resistivity, unreliable reading
TMP-5-9S	12/27/2016	100	267.5	396	
TMP-5-9S	1/3/2017	20	147.3	476	
TMP-5-9S	1/3/2017	40	216.7	456	
TMP-5-9S	1/3/2017	60	237.2	436	
TMP-5-9S	1/3/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/3/2017	100	265.4	396	
TMP-5-9S	1/9/2017	20	147.5	476	
TMP-5-9S	1/9/2017	40	217.5	456	
TMP-5-9S	1/9/2017	60	237.5	436	
TMP-5-9S	1/9/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/9/2017	100	265.9	396	
TMP-5-9S	1/16/2017	20	147.0	476	
TMP-5-9S	1/16/2017	40	218.9	456	
TMP-5-9S	1/16/2017	60	237.7	436	
TMP-5-9S	1/16/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/16/2017	100	265.2	396	
TMP-5-9S	1/23/2017	20	147.5	476	
TMP-5-9S	1/23/2017	40	219.3	456	
TMP-5-9S	1/23/2017	60	238.4	436	
TMP-5-9S	1/23/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	1/23/2017	100	265.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/27/2016	20	112.6	475	
TMP-5-5N	12/27/2016	40	108.1	455	
TMP-5-5N	12/27/2016	60	94.1	435	
TMP-5-5N	12/27/2016	80	254.0	415	
TMP-5-5N	12/27/2016	100		395	No reliable reading able to be obtained
TMP-5-5N	1/3/2017	20	112.0	475	
TMP-5-5N	1/3/2017	40	107.0	455	
TMP-5-5N	1/3/2017	60	94.1	435	
TMP-5-5N	1/3/2017	80	253.3	415	
TMP-5-5N	1/3/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	1/9/2017	20	112.2	475	
TMP-5-5N	1/9/2017	40	106.5	455	
TMP-5-5N	1/9/2017	60	94.4	435	
TMP-5-5N	1/9/2017	80	253.7	415	
TMP-5-5N	1/9/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	1/16/2017	20	112.7	475	
TMP-5-5N	1/16/2017	40	109.9	455	
TMP-5-5N	1/16/2017	60	99.4	435	
TMP-5-5N	1/16/2017	80	253.7	415	
TMP-5-5N	1/16/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	1/23/2017	20	113.9	475	
TMP-5-5N	1/23/2017	40	114.2	455	
TMP-5-5N	1/23/2017	60	104.1	435	
TMP-5-5N	1/23/2017	80	254.2	415	
TMP-5-5N	1/23/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/27/2016	20	146.8	474	
TMP-5-5S	12/27/2016	40	212.0	454	
TMP-5-5S	12/27/2016	60	237.6	434	
TMP-5-5S	12/27/2016	80	256.0	414	
TMP-5-5S	12/27/2016	100	258.9	394	
TMP-5-5S	1/3/2017	20	146.3	474	
TMP-5-5S	1/3/2017	40	211.9	454	
TMP-5-5S	1/3/2017	60	236.0	434	
TMP-5-5S	1/3/2017	80	255.0	414	
TMP-5-5S	1/3/2017	100	257.4	394	
TMP-5-5S	1/9/2017	20	146.6	474	
TMP-5-5S	1/9/2017	40	212.3	454	
TMP-5-5S	1/9/2017	60	236.1	434	
TMP-5-5S	1/9/2017	80	255.1	414	
TMP-5-5S	1/9/2017	100	257.5	394	
TMP-5-5S	1/16/2017	20	143.6	474	
TMP-5-5S	1/16/2017	40	211.6	454	
TMP-5-5S	1/16/2017	60	236.1	434	
TMP-5-5S	1/16/2017	80	254.7	414	
TMP-5-5S	1/16/2017	100	257.2	394	
TMP-5-5S	1/23/2017	20	146.2	474	
TMP-5-5S	1/23/2017	40	210.9	454	
TMP-5-5S	1/23/2017	60	236.5	434	
TMP-5-5S	1/23/2017	80	255.1	414	
TMP-5-5S	1/23/2017	100	257.9	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/27/2016	20	206.9	474	
TMP-31	12/27/2016	40	231.0	454	
TMP-31	12/27/2016	60	246.0	434	
TMP-31	12/27/2016	80	263.4	414	
TMP-31	12/27/2016	100	272.2	394	
TMP-31	12/27/2016	120	279.2	374	
TMP-31	12/27/2016	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	12/27/2016	160		334	does not show stable resistivity readings
TMP-31	12/27/2016	180		314	does not show stable resistivity readings
TMP-31	12/27/2016	193		301	does not show stable resistivity readings
TMP-31	1/3/2017	20	207.0	474	
TMP-31	1/3/2017	40	228.6	454	
TMP-31	1/3/2017	60	244.2	434	
TMP-31	1/3/2017	80	261.4	414	
TMP-31	1/3/2017	100	270.1	394	
TMP-31	1/3/2017	120	277.3	374	
TMP-31	1/3/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/3/2017	160		334	does not show stable resistivity readings
TMP-31	1/3/2017	180		314	does not show stable resistivity readings
TMP-31	1/3/2017	193		301	does not show stable resistivity readings
TMP-31	1/9/2017	20	207.2	474	
TMP-31	1/9/2017	40	228.4	454	
TMP-31	1/9/2017	60	244.0	434	
TMP-31	1/9/2017	80	261.6	414	
TMP-31	1/9/2017	100	270.3	394	
TMP-31	1/9/2017	120	277.0	374	
TMP-31	1/9/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/9/2017	160		334	does not show stable resistivity readings
TMP-31	1/9/2017	180		314	does not show stable resistivity readings
TMP-31	1/9/2017	193		301	does not show stable resistivity readings
TMP-31	1/16/2017	20	207.4	474	
TMP-31	1/16/2017	40	230.1	454	
TMP-31	1/16/2017	60	245.0	434	
TMP-31	1/16/2017	80	262.0	414	
TMP-31	1/16/2017	100	270.8	394	
TMP-31	1/16/2017	120	277.6	374	
TMP-31	1/16/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/16/2017	160		334	does not show stable resistivity readings
TMP-31	1/16/2017	180		314	does not show stable resistivity readings
TMP-31	1/16/2017	193		301	does not show stable resistivity readings
TMP-31	1/23/2017	20	205.6	474	
TMP-31	1/23/2017	40	229.9	454	
TMP-31	1/23/2017	60	244.7	434	
TMP-31	1/23/2017	80	261.7	414	
TMP-31	1/23/2017	100	270.4	394	
TMP-31	1/23/2017	120	277.4	374	
TMP-31	1/23/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/23/2017	160		334	does not show stable resistivity readings
TMP-31	1/23/2017	180		314	does not show stable resistivity readings
TMP-31	1/23/2017	193		301	does not show stable resistivity readings

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/27/2016	20	205.3	484	
TMP-32	12/27/2016	40	223.3	464	
TMP-32	12/27/2016	60	243.9	444	
TMP-32	12/27/2016	80	257.7	424	
TMP-32	12/27/2016	100	269.3	404	
TMP-32	12/27/2016	120	276.3	384	
TMP-32	12/27/2016	140	279.7	364	
TMP-32	12/27/2016	160	286.3	344	
TMP-32	12/27/2016	180	290.8	324	
TMP-32	12/27/2016	200	265.7	304	
TMP-32	1/3/2017	20	204.1	484	
TMP-32	1/3/2017	40	222.3	464	
TMP-32	1/3/2017	60	242.3	444	
TMP-32	1/3/2017	80	256.2	424	
TMP-32	1/3/2017	100	267.9	404	
TMP-32	1/3/2017	120	274.8	384	
TMP-32	1/3/2017	140	278.0	364	
TMP-32	1/3/2017	160	285.1	344	
TMP-32	1/3/2017	180	289.7	324	
TMP-32	1/3/2017	200	266.1	304	
TMP-32	1/9/2017	20	204.9	484	
TMP-32	1/9/2017	40	222.8	464	
TMP-32	1/9/2017	60	242.9	444	
TMP-32	1/9/2017	80	256.7	424	
TMP-32	1/9/2017	100	268.4	404	
TMP-32	1/9/2017	120	275.3	384	
TMP-32	1/9/2017	140	278.6	364	
TMP-32	1/9/2017	160	285.3	344	
TMP-32	1/9/2017	180	290.1	324	
TMP-32	1/9/2017	200	267.4	304	
TMP-32	1/16/2017	20	205.0	484	
TMP-32	1/16/2017	40	222.8	464	
TMP-32	1/16/2017	60	243.0	444	
TMP-32	1/16/2017	80	256.7	424	
TMP-32	1/16/2017	100	268.3	404	
TMP-32	1/16/2017	120	275.2	384	
TMP-32	1/16/2017	140	278.4	364	
TMP-32	1/16/2017	160	285.4	344	
TMP-32	1/16/2017	180	290.3	324	
TMP-32	1/16/2017	200	269.2	304	
TMP-32	1/23/2017	20	203.7	484	
TMP-32	1/23/2017	40	222.1	464	
TMP-32	1/23/2017	60	242.3	444	
TMP-32	1/23/2017	80	256.1	424	
TMP-32	1/23/2017	100	267.7	404	
TMP-32	1/23/2017	120	274.7	384	
TMP-32	1/23/2017	140	278.0	364	
TMP-32	1/23/2017	160	284.9	344	
TMP-32	1/23/2017	180	290.0	324	
TMP-32	1/23/2017	200	271.1	304	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/27/2016	20	175.7	473	
TMP-SPM1	12/27/2016	40	199.7	453	
TMP-SPM1	12/27/2016	60	193.4	433	
TMP-SPM1	12/27/2016	80	194.2	413	
TMP-SPM1	12/27/2016	100	183.0	393	
TMP-SPM1	12/27/2016	120	170.6	373	
TMP-SPM1	12/27/2016	140	160.3	353	
TMP-SPM1	12/27/2016	160	145.2	333	
TMP-SPM1	12/27/2016	180	130.0	313	
TMP-SPM1	12/27/2016	200	108.6	293	
TMP-SPM1	12/27/2016	220	92.2	273	
TMP-SPM1	12/27/2016	240	88.8	253	
TMP-SPM1	1/3/2017	20	172.5	473	
TMP-SPM1	1/3/2017	40	196.8	453	
TMP-SPM1	1/3/2017	60	190.6	433	
TMP-SPM1	1/3/2017	80	191.4	413	
TMP-SPM1	1/3/2017	100	180.0	393	
TMP-SPM1	1/3/2017	120	167.6	373	
TMP-SPM1	1/3/2017	140	157.4	353	
TMP-SPM1	1/3/2017	160	142.2	333	
TMP-SPM1	1/3/2017	180	126.9	313	
TMP-SPM1	1/3/2017	200	105.4	293	
TMP-SPM1	1/3/2017	220	87.6	273	
TMP-SPM1	1/3/2017	240	84.4	253	
TMP-SPM1	1/9/2017	20	173.9	473	
TMP-SPM1	1/9/2017	40	198.3	453	
TMP-SPM1	1/9/2017	60	191.9	433	
TMP-SPM1	1/9/2017	80	192.5	413	
TMP-SPM1	1/9/2017	100	181.1	393	
TMP-SPM1	1/9/2017	120	168.7	373	
TMP-SPM1	1/9/2017	140	158.5	353	
TMP-SPM1	1/9/2017	160	143.3	333	
TMP-SPM1	1/9/2017	180	128.2	313	
TMP-SPM1	1/9/2017	200	106.5	293	
TMP-SPM1	1/9/2017	220	90.3	273	
TMP-SPM1	1/9/2017	240	87.0	253	
TMP-SPM1	1/16/2017	20	173.4	473	
TMP-SPM1	1/16/2017	40	197.5	453	
TMP-SPM1	1/16/2017	60	190.9	433	
TMP-SPM1	1/16/2017	80	190.6	413	
TMP-SPM1	1/16/2017	100	178.6	393	
TMP-SPM1	1/16/2017	120	166.2	373	
TMP-SPM1	1/16/2017	140	156.0	353	
TMP-SPM1	1/16/2017	160	140.9	333	
TMP-SPM1	1/16/2017	180	126.1	313	
TMP-SPM1	1/16/2017	200	104.9	293	
TMP-SPM1	1/16/2017	220	88.9	273	
TMP-SPM1	1/16/2017	240	85.9	253	
TMP-SPM1	1/23/2017	20	174.0	473	
TMP-SPM1	1/23/2017	40	198.4	453	
TMP-SPM1	1/23/2017	60	192.4	433	
TMP-SPM1	1/23/2017	80	192.5	413	
TMP-SPM1	1/23/2017	100	181.0	393	
TMP-SPM1	1/23/2017	120	168.6	373	
TMP-SPM1	1/23/2017	140	158.3	353	
TMP-SPM1	1/23/2017	160	142.9	333	
TMP-SPM1	1/23/2017	180	127.7	313	
TMP-SPM1	1/23/2017	200	106.2	293	
TMP-SPM1	1/23/2017	220	90.0	273	
TMP-SPM1	1/23/2017	240	86.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/27/2016	20	174.2	475	
TMP-SPM2	12/27/2016	40	209.5	455	
TMP-SPM2	12/27/2016	60	203.8	435	
TMP-SPM2	12/27/2016	80	176.7	415	
TMP-SPM2	12/27/2016	100	175.8	395	
TMP-SPM2	12/27/2016	120	173.9	375	
TMP-SPM2	12/27/2016	140	162.6	355	
TMP-SPM2	12/27/2016	160	149.6	335	
TMP-SPM2	12/27/2016	172	137.4	323	
TMP-SPM2	1/3/2017	20	174.4	475	
TMP-SPM2	1/3/2017	40	209.8	455	
TMP-SPM2	1/3/2017	60	204.0	435	
TMP-SPM2	1/3/2017	80	177.2	415	
TMP-SPM2	1/3/2017	100	176.4	395	
TMP-SPM2	1/3/2017	120	174.3	375	
TMP-SPM2	1/3/2017	140	162.8	355	
TMP-SPM2	1/3/2017	160	149.6	335	
TMP-SPM2	1/3/2017	172	137.2	323	
TMP-SPM2	1/9/2017	20	174.3	475	
TMP-SPM2	1/9/2017	40	209.5	455	
TMP-SPM2	1/9/2017	60	203.8	435	
TMP-SPM2	1/9/2017	80	177.4	415	
TMP-SPM2	1/9/2017	100	176.9	395	
TMP-SPM2	1/9/2017	120	174.8	375	
TMP-SPM2	1/9/2017	140	163.8	355	
TMP-SPM2	1/9/2017	160	150.3	335	
TMP-SPM2	1/9/2017	172	137.6	323	
TMP-SPM2	1/16/2017	20	174.2	475	
TMP-SPM2	1/16/2017	40	209.4	455	
TMP-SPM2	1/16/2017	60	203.7	435	
TMP-SPM2	1/16/2017	80	177.7	415	
TMP-SPM2	1/16/2017	100	177.2	395	
TMP-SPM2	1/16/2017	120	174.8	375	
TMP-SPM2	1/16/2017	140	163.2	355	
TMP-SPM2	1/16/2017	160	149.6	335	
TMP-SPM2	1/16/2017	172	137.3	323	
TMP-SPM2	1/23/2017	20	173.9	475	
TMP-SPM2	1/23/2017	40	209.1	455	
TMP-SPM2	1/23/2017	60	203.4	435	
TMP-SPM2	1/23/2017	80	177.8	415	
TMP-SPM2	1/23/2017	100	177.6	395	
TMP-SPM2	1/23/2017	120	175.3	375	
TMP-SPM2	1/23/2017	140	163.5	355	
TMP-SPM2	1/23/2017	160	149.0	335	
TMP-SPM2	1/23/2017	172	137.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/27/2016	20	148.4	478	
TMP-SPM3	12/27/2016	40	152.2	458	
TMP-SPM3	12/27/2016	60	142.0	438	
TMP-SPM3	12/27/2016	80	135.5	418	
TMP-SPM3	12/27/2016	85	134.3	413	
TMP-SPM3	1/3/2017	20	148.3	478	
TMP-SPM3	1/3/2017	40	152.4	458	
TMP-SPM3	1/3/2017	60	142.4	438	
TMP-SPM3	1/3/2017	80	136.3	418	
TMP-SPM3	1/3/2017	85	135.0	413	
TMP-SPM3	1/9/2017	20	148.0	478	
TMP-SPM3	1/9/2017	40	152.0	458	
TMP-SPM3	1/9/2017	60	142.2	438	
TMP-SPM3	1/9/2017	80	136.3	418	
TMP-SPM3	1/9/2017	85	135.1	413	
TMP-SPM3	1/16/2017	20	147.1	478	
TMP-SPM3	1/16/2017	40	151.3	458	
TMP-SPM3	1/16/2017	60	141.6	438	
TMP-SPM3	1/16/2017	80	135.8	418	
TMP-SPM3	1/16/2017	85	134.7	413	
TMP-SPM3	1/23/2017	20	146.3	478	
TMP-SPM3	1/23/2017	40	150.5	458	
TMP-SPM3	1/23/2017	60	141.1	438	
TMP-SPM3	1/23/2017	80	135.5	418	
TMP-SPM3	1/23/2017	85	134.4	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/27/2016	20	143.0	475	
TMP-SPM4	12/27/2016	40	168.1	455	
TMP-SPM4	12/27/2016	60	171.7	435	
TMP-SPM4	12/27/2016	80	177.4	415	
TMP-SPM4	12/27/2016	100	174.1	395	
TMP-SPM4	12/27/2016	120	164.9	375	
TMP-SPM4	12/27/2016	140	156.7	355	
TMP-SPM4	12/27/2016	160	147.3	335	
TMP-SPM4	12/27/2016	180	135.5	315	
TMP-SPM4	12/27/2016	200	117.0	295	
TMP-SPM4	12/27/2016	220	98.6	275	
TMP-SPM4	12/27/2016	240	90.8	255	
TMP-SPM4	1/3/2017	20	142.1	475	
TMP-SPM4	1/3/2017	40	167.0	455	
TMP-SPM4	1/3/2017	60	170.7	435	
TMP-SPM4	1/3/2017	80	176.1	415	
TMP-SPM4	1/3/2017	100	172.9	395	
TMP-SPM4	1/3/2017	120	163.6	375	
TMP-SPM4	1/3/2017	140	155.3	355	
TMP-SPM4	1/3/2017	160	146.1	335	
TMP-SPM4	1/3/2017	180	134.4	315	
TMP-SPM4	1/3/2017	200	116.0	295	
TMP-SPM4	1/3/2017	220	97.9	275	
TMP-SPM4	1/3/2017	240	90.3	255	
TMP-SPM4	1/9/2017	20	142.3	475	
TMP-SPM4	1/9/2017	40	167.3	455	
TMP-SPM4	1/9/2017	60	171.1	435	
TMP-SPM4	1/9/2017	80	176.5	415	
TMP-SPM4	1/9/2017	100	173.1	395	
TMP-SPM4	1/9/2017	120	163.9	375	
TMP-SPM4	1/9/2017	140	155.6	355	
TMP-SPM4	1/9/2017	160	146.3	335	
TMP-SPM4	1/9/2017	180	134.7	315	
TMP-SPM4	1/9/2017	200	116.5	295	
TMP-SPM4	1/9/2017	220	98.3	275	
TMP-SPM4	1/9/2017	240	90.6	255	
TMP-SPM4	1/16/2017	20	142.0	475	
TMP-SPM4	1/16/2017	40	166.9	455	
TMP-SPM4	1/16/2017	60	170.7	435	
TMP-SPM4	1/16/2017	80	176.0	415	
TMP-SPM4	1/16/2017	100	172.6	395	
TMP-SPM4	1/16/2017	120	163.4	375	
TMP-SPM4	1/16/2017	140	155.1	355	
TMP-SPM4	1/16/2017	160	145.8	335	
TMP-SPM4	1/16/2017	180	134.2	315	
TMP-SPM4	1/16/2017	200	116.0	295	
TMP-SPM4	1/16/2017	220	97.9	275	
TMP-SPM4	1/16/2017	240	90.1	255	
TMP-SPM4	1/23/2017	20	142.1	475	
TMP-SPM4	1/23/2017	40	166.9	455	
TMP-SPM4	1/23/2017	60	170.8	435	
TMP-SPM4	1/23/2017	80	176.0	415	
TMP-SPM4	1/23/2017	100	172.6	395	
TMP-SPM4	1/23/2017	120	163.3	375	
TMP-SPM4	1/23/2017	140	154.9	355	
TMP-SPM4	1/23/2017	160	145.6	335	
TMP-SPM4	1/23/2017	180	134.1	315	
TMP-SPM4	1/23/2017	200	116.1	295	
TMP-SPM4	1/23/2017	220	97.9	275	
TMP-SPM4	1/23/2017	240	90.3	255	