

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	2/13/2017	20	163.0	479	
TMP-14R	2/13/2017	40	191.9	459	
TMP-14R	2/13/2017	60	198.2	439	
TMP-14R	2/13/2017	80	197.1	419	
TMP-14R	2/13/2017	100	185.4	399	
TMP-14R	2/13/2017	120	183.6	379	
TMP-14R	2/13/2017	140	179.9	359	
TMP-14R	2/20/2017	20	161.3	479	
TMP-14R	2/20/2017	40	190.5	459	
TMP-14R	2/20/2017	60	196.6	439	
TMP-14R	2/20/2017	80	195.8	419	
TMP-14R	2/20/2017	100	184.1	399	
TMP-14R	2/20/2017	120	182.3	379	
TMP-14R	2/20/2017	140	178.7	359	
TMP-14R	2/27/2017	20	162.3	479	
TMP-14R	2/27/2017	40	191.2	459	
TMP-14R	2/27/2017	60	197.2	439	
TMP-14R	2/27/2017	80	196.4	419	
TMP-14R	2/27/2017	100	185.0	399	
TMP-14R	2/27/2017	120	183.1	379	
TMP-14R	2/27/2017	140	179.4	359	
TMP-14R	3/6/2017	20	160.3	479	
TMP-14R	3/6/2017	40	189.8	459	
TMP-14R	3/6/2017	60	195.7	439	
TMP-14R	3/6/2017	80	195.3	419	
TMP-14R	3/6/2017	100	184.0	399	
TMP-14R	3/6/2017	120	182.2	379	
TMP-14R	3/6/2017	140	178.5	359	
TMP-14R	3/13/2017	20	161.0	479	
TMP-14R	3/13/2017	40	191.4	459	
TMP-14R	3/13/2017	60	197.3	439	
TMP-14R	3/13/2017	80	196.7	419	
TMP-14R	3/13/2017	100	185.7	399	
TMP-14R	3/13/2017	120	184.0	379	
TMP-14R	3/13/2017	140	180.3	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	2/13/2017	20	181.1	473	
TMP-19	2/13/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/13/2017	60	235.2	433	
TMP-19	2/13/2017	80	242.9	413	
TMP-19	2/13/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/20/2017	20	179.3	473	
TMP-19	2/20/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/20/2017	60	233.9	433	
TMP-19	2/20/2017	80	241.5	413	
TMP-19	2/20/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/27/2017	20	178.7	473	
TMP-19	2/27/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/27/2017	60	235.6	433	
TMP-19	2/27/2017	80	243.2	413	
TMP-19	2/27/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/6/2017	20	177.0	473	
TMP-19	3/6/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/6/2017	60	233.9	433	
TMP-19	3/6/2017	80	241.5	413	
TMP-19	3/6/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/13/2017	20	179.3	473	
TMP-19	3/13/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/13/2017	60	235.7	433	
TMP-19	3/13/2017	80	242.9	413	
TMP-19	3/13/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	2/13/2017	20	141.6	478	
TMP-20	2/13/2017	40	212.1	458	
TMP-20	2/13/2017	60	239.3	438	
TMP-20	2/13/2017	80	251.8	418	
TMP-20	2/13/2017	100	262.9	398	
TMP-20	2/13/2017	120	272.0	378	
TMP-20	2/13/2017	140	273.8	358	
TMP-20	2/20/2017	20	139.2	478	
TMP-20	2/20/2017	40	209.6	458	
TMP-20	2/20/2017	60	237.1	438	
TMP-20	2/20/2017	80	249.8	418	
TMP-20	2/20/2017	100	261.1	398	
TMP-20	2/20/2017	120	270.4	378	
TMP-20	2/20/2017	140	272.3	358	
TMP-20	2/27/2017	20	138.5	478	
TMP-20	2/27/2017	40	209.5	458	
TMP-20	2/27/2017	60	236.9	438	
TMP-20	2/27/2017	80	250.2	418	
TMP-20	2/27/2017	100	261.6	398	
TMP-20	2/27/2017	120	270.6	378	
TMP-20	2/27/2017	140	272.3	358	
TMP-20	3/6/2017	20	138.6	478	
TMP-20	3/6/2017	40	210.2	458	
TMP-20	3/6/2017	60	237.4	438	
TMP-20	3/6/2017	80	250.0	418	
TMP-20	3/6/2017	100	261.3	398	
TMP-20	3/6/2017	120	270.7	378	
TMP-20	3/6/2017	140	272.5	358	
TMP-20	3/13/2017	20	140.3	478	
TMP-20	3/13/2017	40	211.5	458	
TMP-20	3/13/2017	60	239.0	438	
TMP-20	3/13/2017	80	251.5	418	
TMP-20	3/13/2017	100	262.9	398	
TMP-20	3/13/2017	120	272.2	378	
TMP-20	3/13/2017	140	273.7	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	2/13/2017	20	137.4	475	
TMP-10-9N	2/13/2017	40	155.4	455	
TMP-10-9N	2/13/2017	60	159.5	435	
TMP-10-9N	2/13/2017	80	159.6	415	
TMP-10-9N	2/13/2017	100	169.7	395	
TMP-10-9N	2/20/2017	20	135.6	475	
TMP-10-9N	2/20/2017	40	154.3	455	
TMP-10-9N	2/20/2017	60	157.9	435	
TMP-10-9N	2/20/2017	80	158.8	415	
TMP-10-9N	2/20/2017	100	168.9	395	
TMP-10-9N	2/27/2017	20	136.6	475	
TMP-10-9N	2/27/2017	40	156.4	455	
TMP-10-9N	2/27/2017	60	160.2	435	
TMP-10-9N	2/27/2017	80	161.3	415	
TMP-10-9N	2/27/2017	100	171.3	395	
TMP-10-9N	3/6/2017	20	136.4	475	
TMP-10-9N	3/6/2017	40	156.4	455	
TMP-10-9N	3/6/2017	60	160.4	435	
TMP-10-9N	3/6/2017	80	161.1	415	
TMP-10-9N	3/6/2017	100	171.0	395	
TMP-10-9N	3/13/2017	20	138.5	475	
TMP-10-9N	3/13/2017	40	158.3	455	
TMP-10-9N	3/13/2017	60	162.4	435	
TMP-10-9N	3/13/2017	80	162.5	415	
TMP-10-9N	3/13/2017	100	172.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	2/13/2017	20	139.2	476	
TMP-10-9S	2/13/2017	40	187.6	456	
TMP-10-9S	2/13/2017	60	213.5	436	
TMP-10-9S	2/13/2017	80	217.1	416	
TMP-10-9S	2/13/2017	100	230.1	396	
TMP-10-9S	2/20/2017	20	137.5	476	
TMP-10-9S	2/20/2017	40	186.0	456	
TMP-10-9S	2/20/2017	60	211.8	436	
TMP-10-9S	2/20/2017	80	215.5	416	
TMP-10-9S	2/20/2017	100	228.5	396	
TMP-10-9S	2/27/2017	20	138.3	476	
TMP-10-9S	2/27/2017	40	187.2	456	
TMP-10-9S	2/27/2017	60	212.8	436	
TMP-10-9S	2/27/2017	80	216.4	416	
TMP-10-9S	2/27/2017	100	229.4	396	
TMP-10-9S	3/6/2017	20	137.8	476	
TMP-10-9S	3/6/2017	40	187.2	456	
TMP-10-9S	3/6/2017	60	211.9	436	
TMP-10-9S	3/6/2017	80	215.4	416	
TMP-10-9S	3/6/2017	100	228.4	396	
TMP-10-9S	3/13/2017	20	139.3	476	
TMP-10-9S	3/13/2017	40	188.8	456	
TMP-10-9S	3/13/2017	60	213.3	436	
TMP-10-9S	3/13/2017	80	216.6	416	
TMP-10-9S	3/13/2017	100	229.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	2/13/2017	20	119.4	478	
TMP-10-5N	2/13/2017	40	124.9	458	
TMP-10-5N	2/13/2017	60	120.8	438	
TMP-10-5N	2/13/2017	80	113.7	418	
TMP-10-5N	2/13/2017	100	113.1	398	
TMP-10-5N	2/20/2017	20	118.3	478	
TMP-10-5N	2/20/2017	40	129.3	458	
TMP-10-5N	2/20/2017	60	126.4	438	
TMP-10-5N	2/20/2017	80	119.6	418	
TMP-10-5N	2/20/2017	100	115.7	398	
TMP-10-5N	2/27/2017	20	118.0	478	
TMP-10-5N	2/27/2017	40	126.0	458	
TMP-10-5N	2/27/2017	60	121.7	438	
TMP-10-5N	2/27/2017	80	112.9	418	
TMP-10-5N	2/27/2017	100	108.8	398	
TMP-10-5N	3/6/2017	20	118.7	478	
TMP-10-5N	3/6/2017	40	125.7	458	
TMP-10-5N	3/6/2017	60	121.7	438	
TMP-10-5N	3/6/2017	80	112.8	418	
TMP-10-5N	3/6/2017	100	108.9	398	
TMP-10-5N	3/13/2017	20	119.9	478	
TMP-10-5N	3/13/2017	40	123.7	458	
TMP-10-5N	3/13/2017	60	118.7	438	
TMP-10-5N	3/13/2017	80	106.8	418	
TMP-10-5N	3/13/2017	100	100.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	2/13/2017	20	129.6	477	
TMP-10-5S	2/13/2017	40	166.3	457	
TMP-10-5S	2/13/2017	60	190.0	437	
TMP-10-5S	2/13/2017	80	199.8	417	
TMP-10-5S	2/13/2017	100	212.4	397	
TMP-10-5S	2/20/2017	20	128.0	477	
TMP-10-5S	2/20/2017	40	165.3	457	
TMP-10-5S	2/20/2017	60	188.4	437	
TMP-10-5S	2/20/2017	80	198.1	417	
TMP-10-5S	2/20/2017	100	210.6	397	
TMP-10-5S	2/27/2017	20	127.9	477	
TMP-10-5S	2/27/2017	40	166.5	457	
TMP-10-5S	2/27/2017	60	189.1	437	
TMP-10-5S	2/27/2017	80	198.8	417	
TMP-10-5S	2/27/2017	100	211.4	397	
TMP-10-5S	3/6/2017	20	128.0	477	
TMP-10-5S	3/6/2017	40	167.2	457	
TMP-10-5S	3/6/2017	60	189.1	437	
TMP-10-5S	3/6/2017	80	198.7	417	
TMP-10-5S	3/6/2017	100	211.0	397	
TMP-10-5S	3/13/2017	20	130.0	477	
TMP-10-5S	3/13/2017	40	169.5	457	
TMP-10-5S	3/13/2017	60	190.9	437	
TMP-10-5S	3/13/2017	80	200.3	417	
TMP-10-5S	3/13/2017	100	212.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	2/13/2017	20	122.1	476	
TMP-5-9N	2/13/2017	40	161.6	456	
TMP-5-9N	2/13/2017	60	162.9	436	
TMP-5-9N	2/13/2017	80	254.5	416	
TMP-5-9N	2/13/2017	100	263.5	396	
TMP-5-9N	2/20/2017	20	120.8	476	
TMP-5-9N	2/20/2017	40	161.9	456	
TMP-5-9N	2/20/2017	60	166.6	436	
TMP-5-9N	2/20/2017	80	253.4	416	
TMP-5-9N	2/20/2017	100	262.5	396	
TMP-5-9N	2/27/2017	20	121.0	476	
TMP-5-9N	2/27/2017	40	162.5	456	
TMP-5-9N	2/27/2017	60	166.9	436	
TMP-5-9N	2/27/2017	80	254.0	416	
TMP-5-9N	2/27/2017	100	263.0	396	
TMP-5-9N	3/6/2017	20	122.1	476	
TMP-5-9N	3/6/2017	40	162.7	456	
TMP-5-9N	3/6/2017	60	166.4	436	
TMP-5-9N	3/6/2017	80	254.4	416	
TMP-5-9N	3/6/2017	100	263.2	396	
TMP-5-9N	3/13/2017	20	123.6	476	
TMP-5-9N	3/13/2017	40	163.1	456	
TMP-5-9N	3/13/2017	60	166.5	436	
TMP-5-9N	3/13/2017	80	255.9	416	
TMP-5-9N	3/13/2017	100	264.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	2/13/2017	20	146.4	476	
TMP-5-9S	2/13/2017	40	219.3	456	
TMP-5-9S	2/13/2017	60	238.4	436	
TMP-5-9S	2/13/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/13/2017	100	266.0	396	
TMP-5-9S	2/20/2017	20	145.1	476	
TMP-5-9S	2/20/2017	40	217.8	456	
TMP-5-9S	2/20/2017	60	237.1	436	
TMP-5-9S	2/20/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/20/2017	100	265.1	396	
TMP-5-9S	2/27/2017	20	146.3	476	
TMP-5-9S	2/27/2017	40	219.0	456	
TMP-5-9S	2/27/2017	60	238.3	436	
TMP-5-9S	2/27/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	2/27/2017	100	266.1	396	
TMP-5-9S	3/6/2017	20	144.7	476	
TMP-5-9S	3/6/2017	40	217.8	456	
TMP-5-9S	3/6/2017	60	237.0	436	
TMP-5-9S	3/6/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	3/6/2017	100	264.8	396	
TMP-5-9S	3/13/2017	20	145.8	476	
TMP-5-9S	3/13/2017	40	219.0	456	
TMP-5-9S	3/13/2017	60	238.4	436	
TMP-5-9S	3/13/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	3/13/2017	100	265.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	2/13/2017	20	114.8	475	
TMP-5-5N	2/13/2017	40	128.2	455	
TMP-5-5N	2/13/2017	60	130.2	435	
TMP-5-5N	2/13/2017	80	253.4	415	
TMP-5-5N	2/13/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/20/2017	20	117.1	475	
TMP-5-5N	2/20/2017	40	122.9	455	
TMP-5-5N	2/20/2017	60	113.7	435	
TMP-5-5N	2/20/2017	80	252.3	415	
TMP-5-5N	2/20/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	2/27/2017	20	114.4	475	
TMP-5-5N	2/27/2017	40	115.2	455	
TMP-5-5N	2/27/2017	60	106.3	435	
TMP-5-5N	2/27/2017	80	252.0	415	
TMP-5-5N	2/27/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	3/6/2017	20	114.6	475	
TMP-5-5N	3/6/2017	40	115.1	455	
TMP-5-5N	3/6/2017	60	106.4	435	
TMP-5-5N	3/6/2017	80	252.6	415	
TMP-5-5N	3/6/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	3/13/2017	20	113.1	475	
TMP-5-5N	3/13/2017	40	106.5	455	
TMP-5-5N	3/13/2017	60	92.5	435	
TMP-5-5N	3/13/2017	80	254.1	415	
TMP-5-5N	3/13/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	2/13/2017	20	145.3	474	
TMP-5-5S	2/13/2017	40	209.4	454	
TMP-5-5S	2/13/2017	60	235.5	434	
TMP-5-5S	2/13/2017	80	254.7	414	
TMP-5-5S	2/13/2017	100	257.5	394	
TMP-5-5S	2/20/2017	20	143.7	474	
TMP-5-5S	2/20/2017	40	207.7	454	
TMP-5-5S	2/20/2017	60	233.8	434	
TMP-5-5S	2/20/2017	80	253.2	414	
TMP-5-5S	2/20/2017	100	256.1	394	
TMP-5-5S	2/27/2017	20	143.7	474	
TMP-5-5S	2/27/2017	40	208.6	454	
TMP-5-5S	2/27/2017	60	234.7	434	
TMP-5-5S	2/27/2017	80	254.3	414	
TMP-5-5S	2/27/2017	100	257.4	394	
TMP-5-5S	3/6/2017	20	144.3	474	
TMP-5-5S	3/6/2017	40	208.8	454	
TMP-5-5S	3/6/2017	60	234.6	434	
TMP-5-5S	3/6/2017	80	254.0	414	
TMP-5-5S	3/6/2017	100	256.8	394	
TMP-5-5S	3/13/2017	20	145.6	474	
TMP-5-5S	3/13/2017	40	209.8	454	
TMP-5-5S	3/13/2017	60	235.7	434	
TMP-5-5S	3/13/2017	80	255.2	414	
TMP-5-5S	3/13/2017	100	258.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	2/13/2017	20	205.9	474	
TMP-31	2/13/2017	40	230.2	454	
TMP-31	2/13/2017	60	245.1	434	
TMP-31	2/13/2017	80	261.6	414	
TMP-31	2/13/2017	100	270.6	394	
TMP-31	2/13/2017	120	277.4	374	
TMP-31	2/13/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/13/2017	160		334	does not show stable resistivity readings
TMP-31	2/13/2017	180		314	does not show stable resistivity readings
TMP-31	2/13/2017	193		301	does not show stable resistivity readings
TMP-31	2/20/2017	20	204.3	474	
TMP-31	2/20/2017	40	229.3	454	
TMP-31	2/20/2017	60	244.1	434	
TMP-31	2/20/2017	80	260.9	414	
TMP-31	2/20/2017	100	270.0	394	
TMP-31	2/20/2017	120	276.7	374	
TMP-31	2/20/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/20/2017	160		334	does not show stable resistivity readings
TMP-31	2/20/2017	180		314	does not show stable resistivity readings
TMP-31	2/20/2017	193		301	does not show stable resistivity readings
TMP-31	2/27/2017	20	204.8	474	
TMP-31	2/27/2017	40	230.0	454	
TMP-31	2/27/2017	60	244.9	434	
TMP-31	2/27/2017	80	261.5	414	
TMP-31	2/27/2017	100	270.5	394	
TMP-31	2/27/2017	120	277.4	374	
TMP-31	2/27/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	2/27/2017	160		334	does not show stable resistivity readings
TMP-31	2/27/2017	180		314	does not show stable resistivity readings
TMP-31	2/27/2017	193		301	does not show stable resistivity readings
TMP-31	3/6/2017	20	204.0	474	
TMP-31	3/6/2017	40	229.4	454	
TMP-31	3/6/2017	60	244.0	434	
TMP-31	3/6/2017	80	260.4	414	
TMP-31	3/6/2017	100	269.3	394	
TMP-31	3/6/2017	120	276.3	374	
TMP-31	3/6/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	3/6/2017	160		334	does not show stable resistivity readings
TMP-31	3/6/2017	180		314	does not show stable resistivity readings
TMP-31	3/6/2017	193		301	does not show stable resistivity readings
TMP-31	3/13/2017	20	205.4	474	
TMP-31	3/13/2017	40	231.0	454	
TMP-31	3/13/2017	60	245.5	434	
TMP-31	3/13/2017	80	261.5	414	
TMP-31	3/13/2017	100	270.5	394	
TMP-31	3/13/2017	120	277.6	374	
TMP-31	3/13/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	3/13/2017	160		334	does not show stable resistivity readings
TMP-31	3/13/2017	180		314	does not show stable resistivity readings
TMP-31	3/13/2017	193		301	does not show stable resistivity readings

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	2/13/2017	20	204.7	484	
TMP-32	2/13/2017	40	223.2	464	
TMP-32	2/13/2017	60	243.3	444	
TMP-32	2/13/2017	80	257.1	424	
TMP-32	2/13/2017	100	268.6	404	
TMP-32	2/13/2017	120	275.5	384	
TMP-32	2/13/2017	140	278.6	364	
TMP-32	2/13/2017	160	285.7	344	
TMP-32	2/13/2017	180	291.0	324	
TMP-32	2/13/2017	200	278.4	304	
TMP-32	2/20/2017	20	203.6	484	
TMP-32	2/20/2017	40	222.2	464	
TMP-32	2/20/2017	60	242.3	444	
TMP-32	2/20/2017	80	256.1	424	
TMP-32	2/20/2017	100	267.6	404	
TMP-32	2/20/2017	120	274.6	384	
TMP-32	2/20/2017	140	277.7	364	
TMP-32	2/20/2017	160	284.8	344	
TMP-32	2/20/2017	180	290.2	324	
TMP-32	2/20/2017	200	279.9	304	
TMP-32	2/27/2017	20	204.1	484	
TMP-32	2/27/2017	40	223.1	464	
TMP-32	2/27/2017	60	243.4	444	
TMP-32	2/27/2017	80	257.1	424	
TMP-32	2/27/2017	100	268.5	404	
TMP-32	2/27/2017	120	275.5	384	
TMP-32	2/27/2017	140	278.3	364	
TMP-32	2/27/2017	160	285.5	344	
TMP-32	2/27/2017	180	290.9	324	
TMP-32	2/27/2017	200	282.1	304	
TMP-32	3/6/2017	20	202.8	484	
TMP-32	3/6/2017	40	221.5	464	
TMP-32	3/6/2017	60	241.8	444	
TMP-32	3/6/2017	80	255.6	424	
TMP-32	3/6/2017	100	267.1	404	
TMP-32	3/6/2017	120	274.1	384	
TMP-32	3/6/2017	140	276.9	364	
TMP-32	3/6/2017	160	284.4	344	
TMP-32	3/6/2017	180	290.0	324	
TMP-32	3/6/2017	200	284.9	304	
TMP-32	3/13/2017	20	204.2	484	
TMP-32	3/13/2017	40	222.7	464	
TMP-32	3/13/2017	60	243.0	444	
TMP-32	3/13/2017	80	256.6	424	
TMP-32	3/13/2017	100	268.2	404	
TMP-32	3/13/2017	120	275.1	384	
TMP-32	3/13/2017	140	277.7	364	
TMP-32	3/13/2017	160	285.5	344	
TMP-32	3/13/2017	180	291.1	324	
TMP-32	3/13/2017	200	288.3	304	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	2/13/2017	20	173.8	473	
TMP-SPM1	2/13/2017	40	198.9	453	
TMP-SPM1	2/13/2017	60	193.1	433	
TMP-SPM1	2/13/2017	80	192.7	413	
TMP-SPM1	2/13/2017	100	181.0	393	
TMP-SPM1	2/13/2017	120	168.6	373	
TMP-SPM1	2/13/2017	140	158.2	353	
TMP-SPM1	2/13/2017	160	142.6	333	
TMP-SPM1	2/13/2017	180	127.4	313	
TMP-SPM1	2/13/2017	200	105.8	293	
TMP-SPM1	2/13/2017	220	89.4	273	
TMP-SPM1	2/13/2017	240	86.1	253	
TMP-SPM1	2/20/2017	20	174.2	473	
TMP-SPM1	2/20/2017	40	199.3	453	
TMP-SPM1	2/20/2017	60	193.7	433	
TMP-SPM1	2/20/2017	80	192.9	413	
TMP-SPM1	2/20/2017	100	181.3	393	
TMP-SPM1	2/20/2017	120	168.8	373	
TMP-SPM1	2/20/2017	140	158.4	353	
TMP-SPM1	2/20/2017	160	142.8	333	
TMP-SPM1	2/20/2017	180	127.5	313	
TMP-SPM1	2/20/2017	200	105.9	293	
TMP-SPM1	2/20/2017	220	89.6	273	
TMP-SPM1	2/20/2017	240	86.2	253	
TMP-SPM1	2/27/2017	20	174.3	473	
TMP-SPM1	2/27/2017	40	199.6	453	
TMP-SPM1	2/27/2017	60	194.0	433	
TMP-SPM1	2/27/2017	80	193.2	413	
TMP-SPM1	2/27/2017	100	181.5	393	
TMP-SPM1	2/27/2017	120	169.1	373	
TMP-SPM1	2/27/2017	140	158.7	353	
TMP-SPM1	2/27/2017	160	143.1	333	
TMP-SPM1	2/27/2017	180	127.8	313	
TMP-SPM1	2/27/2017	200	106.4	293	
TMP-SPM1	2/27/2017	220	90.2	273	
TMP-SPM1	2/27/2017	240	87.0	253	
TMP-SPM1	3/6/2017	20	173.6	473	
TMP-SPM1	3/6/2017	40	199.1	453	
TMP-SPM1	3/6/2017	60	193.6	433	
TMP-SPM1	3/6/2017	80	192.6	413	
TMP-SPM1	3/6/2017	100	180.9	393	
TMP-SPM1	3/6/2017	120	168.5	373	
TMP-SPM1	3/6/2017	140	158.1	353	
TMP-SPM1	3/6/2017	160	142.5	333	
TMP-SPM1	3/6/2017	180	127.3	313	
TMP-SPM1	3/6/2017	200	105.9	293	
TMP-SPM1	3/6/2017	220	89.8	273	
TMP-SPM1	3/6/2017	240	86.5	253	
TMP-SPM1	3/13/2017	20	172.0	473	
TMP-SPM1	3/13/2017	40	198.0	453	
TMP-SPM1	3/13/2017	60	192.8	433	
TMP-SPM1	3/13/2017	80	191.9	413	
TMP-SPM1	3/13/2017	100	180.2	393	
TMP-SPM1	3/13/2017	120	167.9	373	
TMP-SPM1	3/13/2017	140	157.5	353	
TMP-SPM1	3/13/2017	160	141.9	333	
TMP-SPM1	3/13/2017	180	126.8	313	
TMP-SPM1	3/13/2017	200	105.5	293	
TMP-SPM1	3/13/2017	220	89.3	273	
TMP-SPM1	3/13/2017	240	86.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	2/13/2017	20	173.2	475	
TMP-SPM2	2/13/2017	40	208.3	455	
TMP-SPM2	2/13/2017	60	202.6	435	
TMP-SPM2	2/13/2017	80	178.1	415	
TMP-SPM2	2/13/2017	100	178.7	395	
TMP-SPM2	2/13/2017	120	176.2	375	
TMP-SPM2	2/13/2017	140	164.2	355	
TMP-SPM2	2/13/2017	160	150.0	335	
TMP-SPM2	2/13/2017	172	137.7	323	
TMP-SPM2	2/20/2017	20	171.2	475	
TMP-SPM2	2/20/2017	40	206.4	455	
TMP-SPM2	2/20/2017	60	200.7	435	
TMP-SPM2	2/20/2017	80	176.5	415	
TMP-SPM2	2/20/2017	100	177.3	395	
TMP-SPM2	2/20/2017	120	174.6	375	
TMP-SPM2	2/20/2017	140	162.7	355	
TMP-SPM2	2/20/2017	160	148.3	335	
TMP-SPM2	2/20/2017	172	135.9	323	
TMP-SPM2	2/27/2017	20	170.6	475	
TMP-SPM2	2/27/2017	40	206.1	455	
TMP-SPM2	2/27/2017	60	200.5	435	
TMP-SPM2	2/27/2017	80	176.8	415	
TMP-SPM2	2/27/2017	100	178.0	395	
TMP-SPM2	2/27/2017	120	175.3	375	
TMP-SPM2	2/27/2017	140	163.4	355	
TMP-SPM2	2/27/2017	160	149.0	335	
TMP-SPM2	2/27/2017	172	136.7	323	
TMP-SPM2	3/6/2017	20	171.7	475	
TMP-SPM2	3/6/2017	40	207.0	455	
TMP-SPM2	3/6/2017	60	201.3	435	
TMP-SPM2	3/6/2017	80	178.0	415	
TMP-SPM2	3/6/2017	100	179.1	395	
TMP-SPM2	3/6/2017	120	176.3	375	
TMP-SPM2	3/6/2017	140	163.9	355	
TMP-SPM2	3/6/2017	160	149.2	335	
TMP-SPM2	3/6/2017	172	136.8	323	
TMP-SPM2	3/13/2017	20	172.9	475	
TMP-SPM2	3/13/2017	40	208.1	455	
TMP-SPM2	3/13/2017	60	202.4	435	
TMP-SPM2	3/13/2017	80	179.7	415	
TMP-SPM2	3/13/2017	100	181.0	395	
TMP-SPM2	3/13/2017	120	178.1	375	
TMP-SPM2	3/13/2017	140	165.7	355	
TMP-SPM2	3/13/2017	160	150.7	335	
TMP-SPM2	3/13/2017	172	138.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	2/13/2017	20	143.3	478	
TMP-SPM3	2/13/2017	40	147.4	458	
TMP-SPM3	2/13/2017	60	138.2	438	
TMP-SPM3	2/13/2017	80	133.4	418	
TMP-SPM3	2/13/2017	85	132.5	413	
TMP-SPM3	2/20/2017	20	142.3	478	
TMP-SPM3	2/20/2017	40	146.8	458	
TMP-SPM3	2/20/2017	60	137.8	438	
TMP-SPM3	2/20/2017	80	132.9	418	
TMP-SPM3	2/20/2017	85	132.1	413	
TMP-SPM3	2/27/2017	20	141.3	478	
TMP-SPM3	2/27/2017	40	146.3	458	
TMP-SPM3	2/27/2017	60	137.7	438	
TMP-SPM3	2/27/2017	80	133.1	418	
TMP-SPM3	2/27/2017	85	132.3	413	
TMP-SPM3	3/6/2017	20	141.7	478	
TMP-SPM3	3/6/2017	40	146.8	458	
TMP-SPM3	3/6/2017	60	138.2	438	
TMP-SPM3	3/6/2017	80	133.8	418	
TMP-SPM3	3/6/2017	85	132.9	413	
TMP-SPM3	3/13/2017	20	142.3	478	
TMP-SPM3	3/13/2017	40	147.5	458	
TMP-SPM3	3/13/2017	60	139.0	438	
TMP-SPM3	3/13/2017	80	134.9	418	
TMP-SPM3	3/13/2017	85	134.1	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	2/13/2017	20	143.2	475	
TMP-SPM4	2/13/2017	40	167.9	455	
TMP-SPM4	2/13/2017	60	172.1	435	
TMP-SPM4	2/13/2017	80	177.0	415	
TMP-SPM4	2/13/2017	100	173.6	395	
TMP-SPM4	2/13/2017	120	164.3	375	
TMP-SPM4	2/13/2017	140	155.9	355	
TMP-SPM4	2/13/2017	160	146.6	335	
TMP-SPM4	2/13/2017	180	135.1	315	
TMP-SPM4	2/13/2017	200	117.2	295	
TMP-SPM4	2/13/2017	220	99.0	275	
TMP-SPM4	2/13/2017	240	91.1	255	
TMP-SPM4	2/20/2017	20	141.5	475	
TMP-SPM4	2/20/2017	40	166.2	455	
TMP-SPM4	2/20/2017	60	170.4	435	
TMP-SPM4	2/20/2017	80	175.1	415	
TMP-SPM4	2/20/2017	100	171.7	395	
TMP-SPM4	2/20/2017	120	162.3	375	
TMP-SPM4	2/20/2017	140	153.9	355	
TMP-SPM4	2/20/2017	160	144.7	335	
TMP-SPM4	2/20/2017	180	133.4	315	
TMP-SPM4	2/20/2017	200	115.8	295	
TMP-SPM4	2/20/2017	220	97.6	275	
TMP-SPM4	2/20/2017	240	90.1	255	
TMP-SPM4	2/27/2017	20	142.0	475	
TMP-SPM4	2/27/2017	40	166.6	455	
TMP-SPM4	2/27/2017	60	171.0	435	
TMP-SPM4	2/27/2017	80	175.5	415	
TMP-SPM4	2/27/2017	100	172.1	395	
TMP-SPM4	2/27/2017	120	162.8	375	
TMP-SPM4	2/27/2017	140	154.3	355	
TMP-SPM4	2/27/2017	160	145.1	335	
TMP-SPM4	2/27/2017	180	133.8	315	
TMP-SPM4	2/27/2017	200	116.3	295	
TMP-SPM4	2/27/2017	220	98.1	275	
TMP-SPM4	2/27/2017	240	90.6	255	
TMP-SPM4	3/6/2017	20	140.8	475	
TMP-SPM4	3/6/2017	40	165.3	455	
TMP-SPM4	3/6/2017	60	169.7	435	
TMP-SPM4	3/6/2017	80	174.1	415	
TMP-SPM4	3/6/2017	100	170.6	395	
TMP-SPM4	3/6/2017	120	161.3	375	
TMP-SPM4	3/6/2017	140	152.9	355	
TMP-SPM4	3/6/2017	160	143.8	335	
TMP-SPM4	3/6/2017	180	132.7	315	
TMP-SPM4	3/6/2017	200	115.4	295	
TMP-SPM4	3/6/2017	220	97.3	275	
TMP-SPM4	3/6/2017	240	89.8	255	
TMP-SPM4	3/13/2017	20	141.9	475	
TMP-SPM4	3/13/2017	40	166.3	455	
TMP-SPM4	3/13/2017	60	170.7	435	
TMP-SPM4	3/13/2017	80	175.1	415	
TMP-SPM4	3/13/2017	100	171.6	395	
TMP-SPM4	3/13/2017	120	162.3	375	
TMP-SPM4	3/13/2017	140	153.9	355	
TMP-SPM4	3/13/2017	160	144.8	335	
TMP-SPM4	3/13/2017	180	133.8	315	
TMP-SPM4	3/13/2017	200	116.7	295	
TMP-SPM4	3/13/2017	220	98.6	275	
TMP-SPM4	3/13/2017	240	91.0	255	