

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	2/15/2016	20	176.2	479	
TMP-14R	2/15/2016	40	201.1	459	
TMP-14R	2/15/2016	60	200.4	439	
TMP-14R	2/15/2016	80	191.3	419	
TMP-14R	2/15/2016	100	183.5	399	
TMP-14R	2/15/2016	120	177.5	379	
TMP-14R	2/15/2016	140	172.8	359	
TMP-14R	2/22/2016	20	175.0	479	
TMP-14R	2/22/2016	40	201.5	459	
TMP-14R	2/22/2016	60	201.4	439	
TMP-14R	2/22/2016	80	192.5	419	
TMP-14R	2/22/2016	100	184.5	399	
TMP-14R	2/22/2016	120	178.2	379	
TMP-14R	2/22/2016	140	173.6	359	
TMP-14R	3/3/2016	20	172.5	479	
TMP-14R	3/3/2016	40	199.0	459	
TMP-14R	3/3/2016	60	198.9	439	
TMP-14R	3/3/2016	80	190.0	419	
TMP-14R	3/3/2016	100	181.7	399	
TMP-14R	3/3/2016	120	175.5	379	
TMP-14R	3/3/2016	140	171.0	359	
TMP-14R	3/7/2016	20	171.3	479	
TMP-14R	3/7/2016	40	198.4	459	
TMP-14R	3/7/2016	60	198.5	439	
TMP-14R	3/7/2016	80	189.8	419	
TMP-14R	3/7/2016	100	181.3	399	
TMP-14R	3/7/2016	120	175.1	379	
TMP-14R	3/7/2016	140	170.7	359	
TMP-14R	3/14/2016	20	171.2	479	
TMP-14R	3/14/2016	40	198.7	459	
TMP-14R	3/14/2016	60	198.8	439	
TMP-14R	3/14/2016	80	190.5	419	
TMP-14R	3/14/2016	100	181.7	399	
TMP-14R	3/14/2016	120	175.5	379	
TMP-14R	3/14/2016	140	171.0	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	2/15/2016	20	200.1	473	
TMP-19	2/15/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	60	237.8	433	
TMP-19	2/15/2016	80	250.7	413	
TMP-19	2/15/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	20	199.4	473	
TMP-19	2/22/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	60	238.0	433	
TMP-19	2/22/2016	80	251.1	413	
TMP-19	2/22/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/3/2016	20	198.2	473	
TMP-19	3/3/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/3/2016	60	236.9	433	
TMP-19	3/3/2016	80	249.9	413	
TMP-19	3/3/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	3/3/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	3/3/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/7/2016	20	197.6	473	
TMP-19	3/7/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/7/2016	60	236.6	433	
TMP-19	3/7/2016	80	249.7	413	
TMP-19	3/7/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	3/7/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	3/7/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/14/2016	20	197.5	473	
TMP-19	3/14/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/14/2016	60	237.1	433	
TMP-19	3/14/2016	80	250.4	413	
TMP-19	3/14/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	3/14/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	2/15/2016	20	155.1	478	
TMP-20	2/15/2016	40	221.4	458	
TMP-20	2/15/2016	60	243.4	438	
TMP-20	2/15/2016	80	256.7	418	
TMP-20	2/15/2016	100	268.4	398	
TMP-20	2/15/2016	120	273.8	378	
TMP-20	2/15/2016	140	267.3	358	
TMP-20	2/22/2016	20	154.0	478	
TMP-20	2/22/2016	40	221.2	458	
TMP-20	2/22/2016	60	243.5	438	
TMP-20	2/22/2016	80	256.6	418	
TMP-20	2/22/2016	100	267.8	398	
TMP-20	2/22/2016	120	273.1	378	
TMP-20	2/22/2016	140	267.7	358	
TMP-20	3/3/2016	20	153.8	478	
TMP-20	3/3/2016	40	219.9	458	
TMP-20	3/3/2016	60	242.7	438	
TMP-20	3/3/2016	80	255.8	418	
TMP-20	3/3/2016	100	266.7	398	
TMP-20	3/3/2016	120	272.1	378	
TMP-20	3/3/2016	140	268.0	358	
TMP-20	3/7/2016	20	152.9	478	
TMP-20	3/7/2016	40	219.0	458	
TMP-20	3/7/2016	60	241.7	438	
TMP-20	3/7/2016	80	254.7	418	
TMP-20	3/7/2016	100	265.5	398	
TMP-20	3/7/2016	120	270.8	378	
TMP-20	3/7/2016	140	266.9	358	
TMP-20	3/14/2016	20	153.3	478	
TMP-20	3/14/2016	40	219.8	458	
TMP-20	3/14/2016	60	243.2	438	
TMP-20	3/14/2016	80	256.1	418	
TMP-20	3/14/2016	100	267.3	398	
TMP-20	3/14/2016	120	273.0	378	
TMP-20	3/14/2016	140	270.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	2/15/2016	20	152.5	475	
TMP-10-9N	2/15/2016	40	160.6	455	
TMP-10-9N	2/15/2016	60	159.0	435	
TMP-10-9N	2/15/2016	80	153.6	415	
TMP-10-9N	2/15/2016	100	170.6	395	
TMP-10-9N	2/22/2016	20	152.6	475	
TMP-10-9N	2/22/2016	40	160.7	455	
TMP-10-9N	2/22/2016	60	159.2	435	
TMP-10-9N	2/22/2016	80	154.1	415	
TMP-10-9N	2/22/2016	100	170.4	395	
TMP-10-9N	3/3/2016	20	152.4	475	
TMP-10-9N	3/3/2016	40	160.3	455	
TMP-10-9N	3/3/2016	60	158.5	435	
TMP-10-9N	3/3/2016	80	153.7	415	
TMP-10-9N	3/3/2016	100	170.1	395	
TMP-10-9N	3/7/2016	20	152.1	475	
TMP-10-9N	3/7/2016	40	160.3	455	
TMP-10-9N	3/7/2016	60	158.1	435	
TMP-10-9N	3/7/2016	80	153.7	415	
TMP-10-9N	3/7/2016	100	169.9	395	
TMP-10-9N	3/14/2016	20	153.2	475	
TMP-10-9N	3/14/2016	40	160.8	455	
TMP-10-9N	3/14/2016	60	158.6	435	
TMP-10-9N	3/14/2016	80	154.4	415	
TMP-10-9N	3/14/2016	100	170.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	2/15/2016	20	163.0	476	
TMP-10-9S	2/15/2016	40	212.4	456	
TMP-10-9S	2/15/2016	60	231.6	436	
TMP-10-9S	2/15/2016	80	238.8	416	
TMP-10-9S	2/15/2016	100	252.9	396	
TMP-10-9S	2/22/2016	20	162.9	476	
TMP-10-9S	2/22/2016	40	212.4	456	
TMP-10-9S	2/22/2016	60	231.6	436	
TMP-10-9S	2/22/2016	80	238.5	416	
TMP-10-9S	2/22/2016	100	252.7	396	
TMP-10-9S	3/3/2016	20	161.9	476	
TMP-10-9S	3/3/2016	40	210.6	456	
TMP-10-9S	3/3/2016	60	230.1	436	
TMP-10-9S	3/3/2016	80	236.7	416	
TMP-10-9S	3/3/2016	100	250.7	396	
TMP-10-9S	3/7/2016	20	159.9	476	
TMP-10-9S	3/7/2016	40	211.3	456	
TMP-10-9S	3/7/2016	60	229.8	436	
TMP-10-9S	3/7/2016	80	236.5	416	
TMP-10-9S	3/7/2016	100	250.2	396	
TMP-10-9S	3/14/2016	20	160.7	476	
TMP-10-9S	3/14/2016	40	210.2	456	
TMP-10-9S	3/14/2016	60	229.8	436	
TMP-10-9S	3/14/2016	80	236.8	416	
TMP-10-9S	3/14/2016	100	250.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	2/15/2016	20	130.3	478	
TMP-10-5N	2/15/2016	40	120.1	458	
TMP-10-5N	2/15/2016	60	112.3	438	
TMP-10-5N	2/15/2016	80	98.6	418	
TMP-10-5N	2/15/2016	100	95.1	398	
TMP-10-5N	2/22/2016	20	130.5	478	
TMP-10-5N	2/22/2016	40	124.1	458	
TMP-10-5N	2/22/2016	60	116.6	438	
TMP-10-5N	2/22/2016	80	106.3	418	
TMP-10-5N	2/22/2016	100	104.4	398	
TMP-10-5N	3/3/2016	20	132.2	478	
TMP-10-5N	3/3/2016	40	123.9	458	
TMP-10-5N	3/3/2016	60	115.2	438	
TMP-10-5N	3/3/2016	80	103.7	418	
TMP-10-5N	3/3/2016	100	100.6	398	
TMP-10-5N	3/7/2016	20	133.1	478	
TMP-10-5N	3/7/2016	40	123.3	458	
TMP-10-5N	3/7/2016	60	114.6	438	
TMP-10-5N	3/7/2016	80	103.9	418	
TMP-10-5N	3/7/2016	100	102.3	398	
TMP-10-5N	3/14/2016	20	135.2	478	
TMP-10-5N	3/14/2016	40	123.9	458	
TMP-10-5N	3/14/2016	60	114.9	438	
TMP-10-5N	3/14/2016	80	103.3	418	
TMP-10-5N	3/14/2016	100	100.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	2/15/2016	20	149.7	477	
TMP-10-5S	2/15/2016	40	183.0	457	
TMP-10-5S	2/15/2016	60	205.3	437	
TMP-10-5S	2/15/2016	80	218.0	417	
TMP-10-5S	2/15/2016	100	232.7	397	
TMP-10-5S	2/22/2016	20	148.5	477	
TMP-10-5S	2/22/2016	40	183.4	457	
TMP-10-5S	2/22/2016	60	205.1	437	
TMP-10-5S	2/22/2016	80	217.7	417	
TMP-10-5S	2/22/2016	100	232.4	397	
TMP-10-5S	3/3/2016	20	147.9	477	
TMP-10-5S	3/3/2016	40	184.2	457	
TMP-10-5S	3/3/2016	60	204.4	437	
TMP-10-5S	3/3/2016	80	216.7	417	
TMP-10-5S	3/3/2016	100	231.1	397	
TMP-10-5S	3/7/2016	20	146.5	477	
TMP-10-5S	3/7/2016	40	184.2	457	
TMP-10-5S	3/7/2016	60	203.5	437	
TMP-10-5S	3/7/2016	80	215.9	417	
TMP-10-5S	3/7/2016	100	230.2	397	
TMP-10-5S	3/14/2016	20	147.0	477	
TMP-10-5S	3/14/2016	40	186.0	457	
TMP-10-5S	3/14/2016	60	204.5	437	
TMP-10-5S	3/14/2016	80	217.3	417	
TMP-10-5S	3/14/2016	100	231.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	2/15/2016	20	125.3	476	
TMP-5-9N	2/15/2016	40	159.6	456	
TMP-5-9N	2/15/2016	60	151.0	436	
TMP-5-9N	2/15/2016	80	258.6	416	
TMP-5-9N	2/15/2016	100	268.7	396	
TMP-5-9N	2/22/2016	20	122.7	476	
TMP-5-9N	2/22/2016	40	157.6	456	
TMP-5-9N	2/22/2016	60	150.2	436	
TMP-5-9N	2/22/2016	80	257.3	416	
TMP-5-9N	2/22/2016	100	267.5	396	
TMP-5-9N	3/3/2016	20	123.4	476	
TMP-5-9N	3/3/2016	40	158.7	456	
TMP-5-9N	3/3/2016	60	153.2	436	
TMP-5-9N	3/3/2016	80	257.8	416	
TMP-5-9N	3/3/2016	100	267.7	396	
TMP-5-9N	3/7/2016	20	118.9	476	
TMP-5-9N	3/7/2016	40	156.1	456	
TMP-5-9N	3/7/2016	60	150.5	436	
TMP-5-9N	3/7/2016	80	257.5	416	
TMP-5-9N	3/7/2016	100	266.9	396	
TMP-5-9N	3/14/2016	20	121.0	476	
TMP-5-9N	3/14/2016	40	157.6	456	
TMP-5-9N	3/14/2016	60	152.8	436	
TMP-5-9N	3/14/2016	80	256.7	416	
TMP-5-9N	3/14/2016	100	266.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	2/15/2016	20	145.6	476	
TMP-5-9S	2/15/2016	40	224.6	456	
TMP-5-9S	2/15/2016	60	232.8	436	
TMP-5-9S	2/15/2016	80	257.6	416	
TMP-5-9S	2/15/2016	100	269.7	396	original reading_296.7 identified by Feezor Eng as transcription error
TMP-5-9S	2/22/2016	20	146.2	476	
TMP-5-9S	2/22/2016	40	224.8	456	
TMP-5-9S	2/22/2016	60	232.9	436	
TMP-5-9S	2/22/2016	80	257.3	416	
TMP-5-9S	2/22/2016	100	269.4	396	transcription error identified in original reported 296.4 ID by Feezor 2/25/16
TMP-5-9S	3/3/2016	20	149.5	476	
TMP-5-9S	3/3/2016	40	224.9	456	
TMP-5-9S	3/3/2016	60	233.5	436	
TMP-5-9S	3/3/2016	80	257.0	416	
TMP-5-9S	3/3/2016	100	268.6	396	
TMP-5-9S	3/7/2016	20	147.9	476	
TMP-5-9S	3/7/2016	40	221.5	456	
TMP-5-9S	3/7/2016	60	228.6	436	
TMP-5-9S	3/7/2016	80	256.5	416	
TMP-5-9S	3/7/2016	100	268.4	396	
TMP-5-9S	3/14/2016	20	149.3	476	
TMP-5-9S	3/14/2016	40	225.9	456	
TMP-5-9S	3/14/2016	60	234.6	436	
TMP-5-9S	3/14/2016	80	258.5	416	
TMP-5-9S	3/14/2016	100	270.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	2/15/2016	20	98.3	475	
TMP-5-5N	2/15/2016	40	100.0	455	
TMP-5-5N	2/15/2016	60	81.2	435	
TMP-5-5N	2/15/2016	80	257.1	415	
TMP-5-5N	2/22/2016	20	100.5	475	
TMP-5-5N	2/22/2016	40	106.8	455	
TMP-5-5N	2/22/2016	60	93.3	435	
TMP-5-5N	2/22/2016	80	256.6	415	
TMP-5-5N	3/3/2016	20	99.4	475	
TMP-5-5N	3/3/2016	40	107.7	455	
TMP-5-5N	3/3/2016	60	92.0	435	
TMP-5-5N	3/3/2016	80	256.4	415	
TMP-5-5N	3/7/2016	20	100.4	475	
TMP-5-5N	3/7/2016	40	108.7	455	
TMP-5-5N	3/7/2016	60	101.1	435	
TMP-5-5N	3/7/2016	80	260.5	415	
TMP-5-5N	3/14/2016	20	97.9	475	
TMP-5-5N	3/14/2016	40	105.6	455	
TMP-5-5N	3/14/2016	60	92.0	435	
TMP-5-5N	3/14/2016	80	256.9	415	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	2/15/2016	20	148.7	474	
TMP-5-5S	2/15/2016	40	217.6	454	
TMP-5-5S	2/15/2016	60	239.2	434	
TMP-5-5S	2/15/2016	80	258.8	414	
TMP-5-5S	2/15/2016	100	261.3	394	
TMP-5-5S	2/22/2016	20	146.5	474	
TMP-5-5S	2/22/2016	40	217.1	454	
TMP-5-5S	2/22/2016	60	239.3	434	
TMP-5-5S	2/22/2016	80	258.2	414	
TMP-5-5S	2/22/2016	100	261.2	394	
TMP-5-5S	3/3/2016	20	146.3	474	
TMP-5-5S	3/3/2016	40	217.3	454	
TMP-5-5S	3/3/2016	60	240.2	434	
TMP-5-5S	3/3/2016	80	257.5	414	
TMP-5-5S	3/3/2016	100	262.1	394	
TMP-5-5S	3/7/2016	20	147.1	474	
TMP-5-5S	3/7/2016	40	214.1	454	
TMP-5-5S	3/7/2016	60	238.4	434	
TMP-5-5S	3/7/2016	80	256.1	414	
TMP-5-5S	3/7/2016	100	260.5	394	
TMP-5-5S	3/14/2016	20	146.4	474	
TMP-5-5S	3/14/2016	40	217.2	454	
TMP-5-5S	3/14/2016	60	240.0	434	
TMP-5-5S	3/14/2016	80	257.7	414	
TMP-5-5S	3/14/2016	100	262.2	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	2/15/2016	20	214.7	474	
TMP-31	2/15/2016	40	232.0	454	
TMP-31	2/15/2016	60	249.3	434	
TMP-31	2/15/2016	80	266.4	414	
TMP-31	2/15/2016	100	273.9	394	
TMP-31	2/15/2016	120	281.3	374	
TMP-31	2/15/2016	140	283.9	354	
TMP-31	2/15/2016	160	253.4	334	
TMP-31	2/15/2016	193	159.0	301	
TMP-31	2/22/2016	20	213.7	474	
TMP-31	2/22/2016	40	232.5	454	
TMP-31	2/22/2016	60	249.9	434	
TMP-31	2/22/2016	80	266.8	414	
TMP-31	2/22/2016	100	274.5	394	
TMP-31	2/22/2016	120	281.6	374	
TMP-31	2/22/2016	140	284.2	354	
TMP-31	2/22/2016	160	254.6	334	
TMP-31	2/22/2016	193	160.0	301	
TMP-31	3/3/2016	20	214.2	474	
TMP-31	3/3/2016	40	233.6	454	
TMP-31	3/3/2016	60	249.7	434	
TMP-31	3/3/2016	80	266.5	414	
TMP-31	3/3/2016	100	274.1	394	
TMP-31	3/3/2016	120	281.2	374	
TMP-31	3/3/2016	140	283.9	354	
TMP-31	3/3/2016	160	254.5	334	
TMP-31	3/3/2016	193	159.4	301	
TMP-31	3/7/2016	20	212.7	474	
TMP-31	3/7/2016	40	231.4	454	
TMP-31	3/7/2016	60	248.5	434	
TMP-31	3/7/2016	80	265.4	414	
TMP-31	3/7/2016	100	273.1	394	
TMP-31	3/7/2016	120	280.2	374	
TMP-31	3/7/2016	140	283.3	354	
TMP-31	3/7/2016	160	254.7	334	
TMP-31	3/7/2016	193	159.1	301	
TMP-31	3/14/2016	20	212.1	474	
TMP-31	3/14/2016	40	233.3	454	
TMP-31	3/14/2016	60	249.7	434	
TMP-31	3/14/2016	80	266.7	414	
TMP-31	3/14/2016	100	274.3	394	
TMP-31	3/14/2016	120	280.8	374	
TMP-31	3/14/2016	140	284.0	354	
TMP-31	3/14/2016	160	255.4	334	
TMP-31	3/14/2016	193	160.0	301	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	2/15/2016	20	207.7	484	
TMP-32	2/15/2016	40	230.6	464	
TMP-32	2/15/2016	60	248.8	444	
TMP-32	2/15/2016	80	262.6	424	
TMP-32	2/15/2016	100	273.1	404	
TMP-32	2/15/2016	120	281.0	384	
TMP-32	2/15/2016	140	282.2	364	
TMP-32	2/15/2016	160	285.7	344	
TMP-32	2/15/2016	180	282.1	324	
TMP-32	2/15/2016	200	229.7	304	The resistivity has flucuated week to week.
TMP-32	2/22/2016	20	207.1	484	
TMP-32	2/22/2016	40	229.5	464	
TMP-32	2/22/2016	60	247.6	444	
TMP-32	2/22/2016	80	261.6	424	
TMP-32	2/22/2016	100	272.1	404	
TMP-32	2/22/2016	120	279.6	384	
TMP-32	2/22/2016	140	281.8	364	
TMP-32	2/22/2016	160	285.2	344	
TMP-32	2/22/2016	180	281.4	324	
TMP-32	2/22/2016	200	228.9	304	The resistivity has flucuated week to week.
TMP-32	3/3/2016	20	202.8	484	
TMP-32	3/3/2016	40	228.8	464	
TMP-32	3/3/2016	60	247.1	444	
TMP-32	3/3/2016	80	261.0	424	
TMP-32	3/3/2016	100	271.8	404	
TMP-32	3/3/2016	120	279.1	384	
TMP-32	3/3/2016	140	280.6	364	
TMP-32	3/3/2016	160	284.0	344	
TMP-32	3/3/2016	180	280.9	324	
TMP-32	3/3/2016	200	229.0	304	The resistivity has flucuated week to week.
TMP-32	3/7/2016	20	202.1	484	
TMP-32	3/7/2016	40	229.0	464	
TMP-32	3/7/2016	60	247.7	444	
TMP-32	3/7/2016	80	262.1	424	
TMP-32	3/7/2016	100	272.2	404	
TMP-32	3/7/2016	120	279.2	384	
TMP-32	3/7/2016	140	283.1	364	
TMP-32	3/7/2016	160	286.8	344	
TMP-32	3/7/2016	180	282.3	324	
TMP-32	3/7/2016	200	229.8	304	The resistivity has flucuated week to week.
TMP-32	3/14/2016	20	202.2	484	
TMP-32	3/14/2016	40	230.1	464	
TMP-32	3/14/2016	60	249.1	444	
TMP-32	3/14/2016	80	263.6	424	
TMP-32	3/14/2016	100	274.3	404	
TMP-32	3/14/2016	120	281.3	384	
TMP-32	3/14/2016	140	284.1	364	
TMP-32	3/14/2016	160	287.4	344	
TMP-32	3/14/2016	180	284.9	324	
TMP-32	3/14/2016	200	232.7	304	The resistivity has flucuated week to week.