

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	1/26/2016	20	174.9	479	
TMP-14R	1/26/2016	40	199.2	459	
TMP-14R	1/26/2016	60	197.5	439	
TMP-14R	1/26/2016	80	188.3	419	
TMP-14R	1/26/2016	100	181.5	399	
TMP-14R	1/26/2016	120	175.3	379	
TMP-14R	1/26/2016	140	170.9	359	
TMP-14R	2/1/2016	20	176.8	479	
TMP-14R	2/1/2016	40	202.0	459	
TMP-14R	2/1/2016	60	201.0	439	
TMP-14R	2/1/2016	80	191.9	419	
TMP-14R	2/1/2016	100	184.7	399	
TMP-14R	2/1/2016	120	178.4	379	
TMP-14R	2/1/2016	140	173.7	359	
TMP-14R	2/8/2016	20	177.2	479	
TMP-14R	2/8/2016	40	201.6	459	
TMP-14R	2/8/2016	60	200.5	439	
TMP-14R	2/8/2016	80	191.0	419	
TMP-14R	2/8/2016	100	183.5	399	
TMP-14R	2/8/2016	120	177.2	379	
TMP-14R	2/8/2016	140	172.5	359	
TMP-14R	2/15/2016	20	176.2	479	
TMP-14R	2/15/2016	40	201.1	459	
TMP-14R	2/15/2016	60	200.4	439	
TMP-14R	2/15/2016	80	191.3	419	
TMP-14R	2/15/2016	100	183.5	399	
TMP-14R	2/15/2016	120	177.5	379	
TMP-14R	2/15/2016	140	172.8	359	
TMP-14R	2/22/2016	20	175.0	479	
TMP-14R	2/22/2016	40	201.5	459	
TMP-14R	2/22/2016	60	201.4	439	
TMP-14R	2/22/2016	80	192.5	419	
TMP-14R	2/22/2016	100	184.5	399	
TMP-14R	2/22/2016	120	178.2	379	
TMP-14R	2/22/2016	140	173.6	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/26/2016	20	199.8	473	
TMP-19	1/26/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2016	60	236.7	433	
TMP-19	1/26/2016	80	249.9	413	
TMP-19	1/26/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	20	198.4	473	
TMP-19	2/1/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	60	236.1	433	
TMP-19	2/1/2016	80	249.4	413	
TMP-19	2/1/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2016	140	252.5	353	
TMP-19	2/8/2016	20	201.7	473	
TMP-19	2/8/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/8/2016	60	238.7	433	
TMP-19	2/8/2016	80	251.1	413	
TMP-19	2/8/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/8/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/8/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	20	200.1	473	
TMP-19	2/15/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	60	237.8	433	
TMP-19	2/15/2016	80	250.7	413	
TMP-19	2/15/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/15/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	20	199.4	473	
TMP-19	2/22/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	60	238.0	433	
TMP-19	2/22/2016	80	251.1	413	
TMP-19	2/22/2016	100		393	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	2/22/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/26/2016	20	155.0	478	
TMP-20	1/26/2016	40	221.1	458	
TMP-20	1/26/2016	60	242.6	438	
TMP-20	1/26/2016	80	255.9	418	
TMP-20	1/26/2016	100	266.9	398	
TMP-20	1/26/2016	120	271.6	378	
TMP-20	1/26/2016	140	261.8	358	
TMP-20	2/1/2016	20	154.3	478	
TMP-20	2/1/2016	40	220.2	458	
TMP-20	2/1/2016	60	242.3	438	
TMP-20	2/1/2016	80	255.3	418	
TMP-20	2/1/2016	100	266.3	398	
TMP-20	2/1/2016	120	271.0	378	
TMP-20	2/1/2016	140	262.5	358	
TMP-20	2/8/2016	20	156.6	478	
TMP-20	2/8/2016	40	223.0	458	
TMP-20	2/8/2016	60	244.5	438	
TMP-20	2/8/2016	80	257.5	418	
TMP-20	2/8/2016	100	268.7	398	
TMP-20	2/8/2016	120	273.7	378	
TMP-20	2/8/2016	140	266.0	358	
TMP-20	2/15/2016	20	155.1	478	
TMP-20	2/15/2016	40	221.4	458	
TMP-20	2/15/2016	60	243.4	438	
TMP-20	2/15/2016	80	256.7	418	
TMP-20	2/15/2016	100	268.4	398	
TMP-20	2/15/2016	120	273.8	378	
TMP-20	2/15/2016	140	267.3	358	
TMP-20	2/22/2016	20	154.0	478	
TMP-20	2/22/2016	40	221.2	458	
TMP-20	2/22/2016	60	243.5	438	
TMP-20	2/22/2016	80	256.6	418	
TMP-20	2/22/2016	100	267.8	398	
TMP-20	2/22/2016	120	273.1	378	
TMP-20	2/22/2016	140	267.7	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/26/2016	20	153.6	475	
TMP-10-9N	1/26/2016	40	158.9	455	
TMP-10-9N	1/26/2016	60	158.0	435	
TMP-10-9N	1/26/2016	80	151.9	415	
TMP-10-9N	1/26/2016	100	169.8	395	
TMP-10-9N	2/1/2016	20	152.4	475	
TMP-10-9N	2/1/2016	40	158.3	455	
TMP-10-9N	2/1/2016	60	157.2	435	
TMP-10-9N	2/1/2016	80	151.8	415	
TMP-10-9N	2/1/2016	100	169.4	395	
TMP-10-9N	2/8/2016	20	155.0	475	
TMP-10-9N	2/8/2016	40	161.8	455	
TMP-10-9N	2/8/2016	60	159.6	435	
TMP-10-9N	2/8/2016	80	154.2	415	
TMP-10-9N	2/8/2016	100	171.5	395	
TMP-10-9N	2/15/2016	20	152.5	475	
TMP-10-9N	2/15/2016	40	160.6	455	
TMP-10-9N	2/15/2016	60	159.0	435	
TMP-10-9N	2/15/2016	80	153.6	415	
TMP-10-9N	2/15/2016	100	170.6	395	
TMP-10-9N	2/22/2016	20	152.6	475	
TMP-10-9N	2/22/2016	40	160.7	455	
TMP-10-9N	2/22/2016	60	159.2	435	
TMP-10-9N	2/22/2016	80	154.1	415	
TMP-10-9N	2/22/2016	100	170.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/26/2016	20	164.9	476	
TMP-10-9S	1/26/2016	40	214.4	456	
TMP-10-9S	1/26/2016	60	232.6	436	
TMP-10-9S	1/26/2016	80	241.1	416	
TMP-10-9S	1/26/2016	100	254.5	396	
TMP-10-9S	2/1/2016	20	164.5	476	
TMP-10-9S	2/1/2016	40	212.8	456	
TMP-10-9S	2/1/2016	60	231.8	436	
TMP-10-9S	2/1/2016	80	240.2	416	
TMP-10-9S	2/1/2016	100	253.9	396	
TMP-10-9S	2/8/2016	20	165.7	476	
TMP-10-9S	2/8/2016	40	214.2	456	
TMP-10-9S	2/8/2016	60	232.3	436	
TMP-10-9S	2/8/2016	80	239.3	416	
TMP-10-9S	2/8/2016	100	253.5	396	
TMP-10-9S	2/15/2016	20	163.0	476	
TMP-10-9S	2/15/2016	40	212.4	456	
TMP-10-9S	2/15/2016	60	231.6	436	
TMP-10-9S	2/15/2016	80	238.8	416	
TMP-10-9S	2/15/2016	100	252.9	396	
TMP-10-9S	2/22/2016	20	162.9	476	
TMP-10-9S	2/22/2016	40	212.4	456	
TMP-10-9S	2/22/2016	60	231.6	436	
TMP-10-9S	2/22/2016	80	238.5	416	
TMP-10-9S	2/22/2016	100	252.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/26/2016	20	131.1	478	
TMP-10-5N	1/26/2016	40	116.7	458	
TMP-10-5N	1/26/2016	60	110.8	438	
TMP-10-5N	1/26/2016	80	97.3	418	
TMP-10-5N	1/26/2016	100	94.8	398	
TMP-10-5N	2/1/2016	20	130.5	478	
TMP-10-5N	2/1/2016	40	120.6	458	
TMP-10-5N	2/1/2016	60	114.4	438	
TMP-10-5N	2/1/2016	80	103.2	418	
TMP-10-5N	2/1/2016	100	101.7	398	
TMP-10-5N	2/8/2016	20	131.6	478	
TMP-10-5N	2/8/2016	40	122.6	458	
TMP-10-5N	2/8/2016	60	115.5	438	
TMP-10-5N	2/8/2016	80	102.8	418	
TMP-10-5N	2/8/2016	100	99.7	398	
TMP-10-5N	2/15/2016	20	130.3	478	
TMP-10-5N	2/15/2016	40	120.1	458	
TMP-10-5N	2/15/2016	60	112.3	438	
TMP-10-5N	2/15/2016	80	98.6	418	
TMP-10-5N	2/15/2016	100	95.1	398	
TMP-10-5N	2/22/2016	20	130.5	478	
TMP-10-5N	2/22/2016	40	124.1	458	
TMP-10-5N	2/22/2016	60	116.6	438	
TMP-10-5N	2/22/2016	80	106.3	418	
TMP-10-5N	2/22/2016	100	104.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/26/2016	20	151.6	477	
TMP-10-5S	1/26/2016	40	186.0	457	
TMP-10-5S	1/26/2016	60	206.1	437	
TMP-10-5S	1/26/2016	80	220.4	417	
TMP-10-5S	1/26/2016	100	235.0	397	
TMP-10-5S	2/1/2016	20	149.9	477	
TMP-10-5S	2/1/2016	40	182.7	457	
TMP-10-5S	2/1/2016	60	204.9	437	
TMP-10-5S	2/1/2016	80	219.1	417	
TMP-10-5S	2/1/2016	100	233.8	397	
TMP-10-5S	2/8/2016	20	151.9	477	
TMP-10-5S	2/8/2016	40	184.1	457	
TMP-10-5S	2/8/2016	60	206.5	437	
TMP-10-5S	2/8/2016	80	219.4	417	
TMP-10-5S	2/8/2016	100	234.1	397	
TMP-10-5S	2/15/2016	20	149.7	477	
TMP-10-5S	2/15/2016	40	183.0	457	
TMP-10-5S	2/15/2016	60	205.3	437	
TMP-10-5S	2/15/2016	80	218.0	417	
TMP-10-5S	2/15/2016	100	232.7	397	
TMP-10-5S	2/22/2016	20	148.5	477	
TMP-10-5S	2/22/2016	40	183.4	457	
TMP-10-5S	2/22/2016	60	205.1	437	
TMP-10-5S	2/22/2016	80	217.7	417	
TMP-10-5S	2/22/2016	100	232.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/26/2016	20	125.2	476	
TMP-5-9N	1/26/2016	40	155.7	456	
TMP-5-9N	1/26/2016	60	147.3	436	
TMP-5-9N	1/26/2016	80	257.7	416	
TMP-5-9N	1/26/2016	100	267.6	396	
TMP-5-9N	2/1/2016	20	124.4	476	
TMP-5-9N	2/1/2016	40	155.8	456	
TMP-5-9N	2/1/2016	60	148.1	436	
TMP-5-9N	2/1/2016	80	257.9	416	
TMP-5-9N	2/1/2016	100	267.9	396	
TMP-5-9N	2/8/2016	20	126.2	476	
TMP-5-9N	2/8/2016	40	159.5	456	
TMP-5-9N	2/8/2016	60	150.7	436	
TMP-5-9N	2/8/2016	80	257.7	416	
TMP-5-9N	2/8/2016	100	268.2	396	
TMP-5-9N	2/15/2016	20	125.3	476	
TMP-5-9N	2/15/2016	40	159.6	456	
TMP-5-9N	2/15/2016	60	151.0	436	
TMP-5-9N	2/15/2016	80	258.6	416	
TMP-5-9N	2/15/2016	100	268.7	396	
TMP-5-9N	2/22/2016	20	122.7	476	
TMP-5-9N	2/22/2016	40	157.6	456	
TMP-5-9N	2/22/2016	60	150.2	436	
TMP-5-9N	2/22/2016	80	257.3	416	
TMP-5-9N	2/22/2016	100	267.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/26/2016	20	138.1	476	
TMP-5-9S	1/26/2016	40	225.9	456	
TMP-5-9S	1/26/2016	60	232.8	436	
TMP-5-9S	1/26/2016	80	256.6	416	
TMP-5-9S	1/26/2016	100	268.7	396	
TMP-5-9S	2/1/2016	20	138.7	476	
TMP-5-9S	2/1/2016	40	227.0	456	
TMP-5-9S	2/1/2016	60	234.4	436	
TMP-5-9S	2/1/2016	80	258.1	416	
TMP-5-9S	2/1/2016	100	270.2	396	
TMP-5-9S	2/8/2016	20	144.8	476	
TMP-5-9S	2/8/2016	40	223.5	456	
TMP-5-9S	2/8/2016	60	229.6	436	
TMP-5-9S	2/8/2016	80	257.1	416	
TMP-5-9S	2/8/2016	100	269.0	396	
TMP-5-9S	2/15/2016	20	145.6	476	
TMP-5-9S	2/15/2016	40	224.6	456	
TMP-5-9S	2/15/2016	60	232.8	436	
TMP-5-9S	2/15/2016	80	257.6	416	
TMP-5-9S	2/15/2016	100	269.7	396	original reading_296.7 identified by Feezor Eng as transcription error
TMP-5-9S	2/22/2016	20	146.2	476	
TMP-5-9S	2/22/2016	40	224.8	456	
TMP-5-9S	2/22/2016	60	232.9	436	
TMP-5-9S	2/22/2016	80	257.3	416	
TMP-5-9S	2/22/2016	100	269.4	396	transcription error identified in original reported 296.4 ID by Feezor 2/25/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/26/2016	20	101.1	475	The resistivity has flucuated week to week.
TMP-5-5N	1/26/2016	40	100.5	455	
TMP-5-5N	1/26/2016	60	82.9	435	
TMP-5-5N	1/26/2016	80	256.5	415	
TMP-5-5N	2/1/2016	20	103.6	475	The resistivity has flucuated week to week.
TMP-5-5N	2/1/2016	40	106.7	455	
TMP-5-5N	2/1/2016	60	90.9	435	
TMP-5-5N	2/1/2016	80	257.1	415	
TMP-5-5N	2/8/2016	20	101.4	475	
TMP-5-5N	2/8/2016	40	101.5	455	
TMP-5-5N	2/8/2016	60	82.9	435	
TMP-5-5N	2/8/2016	80	256.2	415	
TMP-5-5N	2/15/2016	20	98.3	475	
TMP-5-5N	2/15/2016	40	100.0	455	
TMP-5-5N	2/15/2016	60	81.2	435	
TMP-5-5N	2/15/2016	80	257.1	415	
TMP-5-5N	2/22/2016	20	100.5	475	
TMP-5-5N	2/22/2016	40	106.8	455	
TMP-5-5N	2/22/2016	60	93.3	435	
TMP-5-5N	2/22/2016	80	256.6	415	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/26/2016	20	149.3	474	
TMP-5-5S	1/26/2016	40	219.0	454	
TMP-5-5S	1/26/2016	60	239.2	434	
TMP-5-5S	1/26/2016	80	259.0	414	
TMP-5-5S	1/26/2016	100	261.1	394	
TMP-5-5S	2/1/2016	20	148.8	474	
TMP-5-5S	2/1/2016	40	219.2	454	
TMP-5-5S	2/1/2016	60	239.9	434	
TMP-5-5S	2/1/2016	80	259.9	414	
TMP-5-5S	2/1/2016	100	262.0	394	
TMP-5-5S	2/8/2016	20	153.6	474	
TMP-5-5S	2/8/2016	40	217.6	454	
TMP-5-5S	2/8/2016	60	239.7	434	
TMP-5-5S	2/8/2016	80	259.2	414	
TMP-5-5S	2/8/2016	100	261.6	394	
TMP-5-5S	2/15/2016	20	148.7	474	
TMP-5-5S	2/15/2016	40	217.6	454	
TMP-5-5S	2/15/2016	60	239.2	434	
TMP-5-5S	2/15/2016	80	258.8	414	
TMP-5-5S	2/15/2016	100	261.3	394	
TMP-5-5S	2/22/2016	20	146.5	474	
TMP-5-5S	2/22/2016	40	217.1	454	
TMP-5-5S	2/22/2016	60	239.3	434	
TMP-5-5S	2/22/2016	80	258.2	414	
TMP-5-5S	2/22/2016	100	261.2	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/26/2016	20	216.5	474	
TMP-31	1/26/2016	40	232.0	454	
TMP-31	1/26/2016	60	248.4	434	
TMP-31	1/26/2016	80	266.1	414	
TMP-31	1/26/2016	100	273.9	394	
TMP-31	1/26/2016	120	281.1	374	
TMP-31	1/26/2016	140	283.5	354	
TMP-31	1/26/2016	160	251.9	334	
TMP-31	1/26/2016	193	159.3	301	
TMP-31	2/1/2016	20	215.1	474	
TMP-31	2/1/2016	40	232.7	454	
TMP-31	2/1/2016	60	249.3	434	
TMP-31	2/1/2016	80	266.6	414	
TMP-31	2/1/2016	100	274.3	394	
TMP-31	2/1/2016	120	281.5	374	
TMP-31	2/1/2016	140	283.9	354	
TMP-31	2/1/2016	160	252.8	334	
TMP-31	2/1/2016	193	159.4	301	
TMP-31	2/8/2016	20	219.2	474	
TMP-31	2/8/2016	40	235.0	454	
TMP-31	2/8/2016	60	250.8	434	
TMP-31	2/8/2016	80	268.2	414	
TMP-31	2/8/2016	100	276.0	394	
TMP-31	2/8/2016	120	282.9	374	
TMP-31	2/8/2016	140	285.3	354	
TMP-31	2/8/2016	160	254.6	334	
TMP-31	2/8/2016	193	161.0	301	
TMP-31	2/15/2016	20	214.7	474	
TMP-31	2/15/2016	40	232.0	454	
TMP-31	2/15/2016	60	249.3	434	
TMP-31	2/15/2016	80	266.4	414	
TMP-31	2/15/2016	100	273.9	394	
TMP-31	2/15/2016	120	281.3	374	
TMP-31	2/15/2016	140	283.9	354	
TMP-31	2/15/2016	160	253.4	334	
TMP-31	2/15/2016	193	159.0	301	
TMP-31	2/22/2016	20	213.7	474	
TMP-31	2/22/2016	40	232.5	454	
TMP-31	2/22/2016	60	249.9	434	
TMP-31	2/22/2016	80	266.8	414	
TMP-31	2/22/2016	100	274.5	394	
TMP-31	2/22/2016	120	281.6	374	
TMP-31	2/22/2016	140	284.2	354	
TMP-31	2/22/2016	160	254.6	334	
TMP-31	2/22/2016	193	160.0	301	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/26/2016	20	201.7	484	
TMP-32	1/26/2016	40	229.4	464	
TMP-32	1/26/2016	60	247.4	444	
TMP-32	1/26/2016	80	260.8	424	
TMP-32	1/26/2016	100	270.5	404	
TMP-32	1/26/2016	120	279.4	384	
TMP-32	1/26/2016	140	280.5	364	
TMP-32	1/26/2016	160	283.5	344	
TMP-32	1/26/2016	180	278.7	324	
TMP-32	1/26/2016	200	225.9	304	
TMP-32	2/1/2016	20	202.4	484	
TMP-32	2/1/2016	40	230.3	464	
TMP-32	2/1/2016	60	248.3	444	
TMP-32	2/1/2016	80	261.7	424	
TMP-32	2/1/2016	100	271.3	404	
TMP-32	2/1/2016	120	280.2	384	
TMP-32	2/1/2016	140	281.6	364	
TMP-32	2/1/2016	160	284.7	344	
TMP-32	2/1/2016	180	280.1	324	
TMP-32	2/1/2016	200	227.4	304	
TMP-32	2/8/2016	20	206.6	484	
TMP-32	2/8/2016	40	233.2	464	
TMP-32	2/8/2016	60	250.9	444	
TMP-32	2/8/2016	80	264.5	424	
TMP-32	2/8/2016	100	274.6	404	
TMP-32	2/8/2016	120	282.9	384	
TMP-32	2/8/2016	140	283.2	364	
TMP-32	2/8/2016	160	286.2	344	
TMP-32	2/8/2016	180	282.0	324	
TMP-32	2/8/2016	200	228.4	304	The resistivity has flucuated week to week.
TMP-32	2/15/2016	20	207.7	484	
TMP-32	2/15/2016	40	230.6	464	
TMP-32	2/15/2016	60	248.8	444	
TMP-32	2/15/2016	80	262.6	424	
TMP-32	2/15/2016	100	273.1	404	
TMP-32	2/15/2016	120	281.0	384	
TMP-32	2/15/2016	140	282.2	364	
TMP-32	2/15/2016	160	285.7	344	
TMP-32	2/15/2016	180	282.1	324	
TMP-32	2/15/2016	200	229.7	304	The resistivity has flucuated week to week.
TMP-32	2/22/2016	20	207.1	484	
TMP-32	2/22/2016	40	229.5	464	
TMP-32	2/22/2016	60	247.6	444	
TMP-32	2/22/2016	80	261.6	424	
TMP-32	2/22/2016	100	272.1	404	
TMP-32	2/22/2016	120	279.6	384	
TMP-32	2/22/2016	140	281.8	364	
TMP-32	2/22/2016	160	285.2	344	
TMP-32	2/22/2016	180	281.4	324	
TMP-32	2/22/2016	200	228.9	304	The resistivity has flucuated week to week.