

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	3/20/2017	20	179.2	473	
TMP-19	3/20/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/20/2017	60	234.9	433	
TMP-19	3/20/2017	80	242.2	413	
TMP-19	3/20/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/28/2017	20	180.1	473	
TMP-19	3/28/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/28/2017	60	234.9	433	
TMP-19	3/28/2017	80	242.2	413	
TMP-19	3/28/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/4/2017	20	178.2	473	
TMP-19	4/4/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/4/2017	60	233.8	433	
TMP-19	4/4/2017	80	241.4	413	
TMP-19	4/4/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/10/2017	20	177.2	473	
TMP-19	4/10/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/10/2017	60	233.8	433	
TMP-19	4/10/2017	80	241.0	413	
TMP-19	4/10/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/17/2017	20	175.3	473	
TMP-19	4/17/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/17/2017	60	232.6	433	
TMP-19	4/17/2017	80	239.7	413	
TMP-19	4/17/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/24/2017	20	176.2	473	
TMP-19	4/24/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/24/2017	60	233.1	433	
TMP-19	4/24/2017	80	240.2	413	
TMP-19	4/24/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	3/28/2017	20	139.1	478	
TMP-20	3/28/2017	40	211.6	458	
TMP-20	3/28/2017	60	238.6	438	
TMP-20	3/28/2017	80	251.0	418	
TMP-20	3/28/2017	100	262.3	398	
TMP-20	3/28/2017	120	271.8	378	
TMP-20	3/28/2017	140	273.1	358	
TMP-20	4/4/2017	20	137.4	478	
TMP-20	4/4/2017	40	210.4	458	
TMP-20	4/4/2017	60	237.7	438	
TMP-20	4/4/2017	80	250.1	418	
TMP-20	4/4/2017	100	261.8	398	
TMP-20	4/4/2017	120	271.3	378	
TMP-20	4/4/2017	140	272.3	358	
TMP-20	4/10/2017	20	136.1	478	
TMP-20	4/10/2017	40	209.4	458	
TMP-20	4/10/2017	60	236.9	438	
TMP-20	4/10/2017	80	249.1	418	
TMP-20	4/10/2017	100	260.6	398	
TMP-20	4/10/2017	120	270.1	378	
TMP-20	4/10/2017	140	271.5	358	
TMP-20	4/17/2017	20	135.2	478	
TMP-20	4/17/2017	40	207.6	458	
TMP-20	4/17/2017	60	235.6	438	
TMP-20	4/17/2017	80	247.9	418	
TMP-20	4/17/2017	100	259.4	398	
TMP-20	4/17/2017	120	268.8	378	
TMP-20	4/17/2017	140	269.7	358	
TMP-20	4/24/2017	20	135.4	478	
TMP-20	4/24/2017	40	208.4	458	
TMP-20	4/24/2017	60	236.5	438	
TMP-20	4/24/2017	80	248.7	418	
TMP-20	4/24/2017	100	260.0	398	
TMP-20	4/24/2017	120	269.6	378	
TMP-20	4/24/2017	140	270.6	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	3/28/2017	20	136.5	475	
TMP-10-9N	3/28/2017	40	155.4	455	
TMP-10-9N	3/28/2017	60	159.2	435	
TMP-10-9N	3/28/2017	80	159.1	415	
TMP-10-9N	3/28/2017	100	168.9	395	
TMP-10-9N	4/4/2017	20	134.7	475	
TMP-10-9N	4/4/2017	40	153.3	455	
TMP-10-9N	4/4/2017	60	156.9	435	
TMP-10-9N	4/4/2017	80	157.0	415	
TMP-10-9N	4/4/2017	100	166.8	395	
TMP-10-9N	4/10/2017	20	134.7	475	
TMP-10-9N	4/10/2017	40	153.6	455	
TMP-10-9N	4/10/2017	60	157.4	435	
TMP-10-9N	4/10/2017	80	157.4	415	
TMP-10-9N	4/10/2017	100	166.9	395	
TMP-10-9N	4/17/2017	20	132.6	475	
TMP-10-9N	4/17/2017	40	151.1	455	
TMP-10-9N	4/17/2017	60	154.7	435	
TMP-10-9N	4/17/2017	80	154.8	415	
TMP-10-9N	4/17/2017	100	164.2	395	
TMP-10-9N	4/24/2017	20	132.3	475	
TMP-10-9N	4/24/2017	40	151.7	455	
TMP-10-9N	4/24/2017	60	155.4	435	
TMP-10-9N	4/24/2017	80	156.1	415	
TMP-10-9N	4/24/2017	100	165.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	3/20/2017	20	137.2	476	
TMP-10-9S	3/20/2017	40	187.2	456	
TMP-10-9S	3/20/2017	60	211.4	436	
TMP-10-9S	3/20/2017	80	214.9	416	
TMP-10-9S	3/20/2017	100	227.9	396	
TMP-10-9S	3/28/2017	20	137.4	476	
TMP-10-9S	3/28/2017	40	187.8	456	
TMP-10-9S	3/28/2017	60	211.6	436	
TMP-10-9S	3/28/2017	80	215.0	416	
TMP-10-9S	3/28/2017	100	228.0	396	
TMP-10-9S	4/4/2017	20	136.2	476	
TMP-10-9S	4/4/2017	40	187.4	456	
TMP-10-9S	4/4/2017	60	210.4	436	
TMP-10-9S	4/4/2017	80	214.2	416	
TMP-10-9S	4/4/2017	100	227.1	396	
TMP-10-9S	4/10/2017	20	136.0	476	
TMP-10-9S	4/10/2017	40	186.9	456	
TMP-10-9S	4/10/2017	60	210.1	436	
TMP-10-9S	4/10/2017	80	214.0	416	
TMP-10-9S	4/10/2017	100	227.1	396	
TMP-10-9S	4/17/2017	20	133.6	476	
TMP-10-9S	4/17/2017	40	184.5	456	
TMP-10-9S	4/17/2017	60	207.8	436	
TMP-10-9S	4/17/2017	80	211.6	416	
TMP-10-9S	4/17/2017	100	224.9	396	
TMP-10-9S	4/24/2017	20	134.4	476	
TMP-10-9S	4/24/2017	40	185.4	456	
TMP-10-9S	4/24/2017	60	208.6	436	
TMP-10-9S	4/24/2017	80	212.7	416	
TMP-10-9S	4/24/2017	100	226.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	3/28/2017	20	117.3	478	
TMP-10-5N	3/28/2017	40	119.8	458	
TMP-10-5N	3/28/2017	60	114.8	438	
TMP-10-5N	3/28/2017	80	104.4	418	
TMP-10-5N	3/28/2017	100	99.4	398	
TMP-10-5N	4/4/2017	20	115.4	478	
TMP-10-5N	4/4/2017	40	118.1	458	
TMP-10-5N	4/4/2017	60	113.2	438	
TMP-10-5N	4/4/2017	80	103.1	418	
TMP-10-5N	4/4/2017	100	98.3	398	
TMP-10-5N	4/10/2017	20	115.7	478	
TMP-10-5N	4/10/2017	40	118.0	458	
TMP-10-5N	4/10/2017	60	113.2	438	
TMP-10-5N	4/10/2017	80	103.3	418	
TMP-10-5N	4/10/2017	100	98.8	398	
TMP-10-5N	4/17/2017	20	112.8	478	
TMP-10-5N	4/17/2017	40	118.2	458	
TMP-10-5N	4/17/2017	60	114.0	438	
TMP-10-5N	4/17/2017	80	105.0	418	
TMP-10-5N	4/17/2017	100	99.8	398	
TMP-10-5N	4/24/2017	20	113.5	478	
TMP-10-5N	4/24/2017	40	118.2	458	
TMP-10-5N	4/24/2017	60	113.3	438	
TMP-10-5N	4/24/2017	80	103.1	418	
TMP-10-5N	4/24/2017	100	97.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	3/28/2017	20	127.9	477	
TMP-10-5S	3/28/2017	40	168.5	457	
TMP-10-5S	3/28/2017	60	189.1	437	
TMP-10-5S	3/28/2017	80	198.8	417	
TMP-10-5S	3/28/2017	100	211.2	397	
TMP-10-5S	4/4/2017	20	126.7	477	
TMP-10-5S	4/4/2017	40	167	457	
TMP-10-5S	4/4/2017	60	187.7	437	
TMP-10-5S	4/4/2017	80	197.8	417	
TMP-10-5S	4/4/2017	100	210.2	397	
TMP-10-5S	4/10/2017	20	126.1	477	
TMP-10-5S	4/10/2017	40	166.8	457	
TMP-10-5S	4/10/2017	60	187.3	437	
TMP-10-5S	4/10/2017	80	197.3	417	
TMP-10-5S	4/10/2017	100	209.7	397	
TMP-10-5S	4/17/2017	20	124.5	477	
TMP-10-5S	4/17/2017	40	164.7	457	
TMP-10-5S	4/17/2017	60	185.1	437	
TMP-10-5S	4/17/2017	80	195.2	417	
TMP-10-5S	4/17/2017	100	207.6	397	
TMP-10-5S	4/24/2017	20	124.4	477	
TMP-10-5S	4/24/2017	40	165.1	457	
TMP-10-5S	4/24/2017	60	185.4	437	
TMP-10-5S	4/24/2017	80	195.6	417	
TMP-10-5S	4/24/2017	100	208.3	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	3/28/2017	20	120.7	476	
TMP-5-9N	3/28/2017	40	158.8	456	
TMP-5-9N	3/28/2017	60	162.0	436	
TMP-5-9N	3/28/2017	80	254.8	416	
TMP-5-9N	3/28/2017	100	263.7	396	
TMP-5-9N	4/4/2017	20	120.0	476	
TMP-5-9N	4/4/2017	40	158.3	456	
TMP-5-9N	4/4/2017	60	161.6	436	
TMP-5-9N	4/4/2017	80	255.1	416	
TMP-5-9N	4/4/2017	100	263.8	396	
TMP-5-9N	4/10/2017	20	118.4	476	
TMP-5-9N	4/10/2017	40	157.2	456	
TMP-5-9N	4/10/2017	60	161.0	436	
TMP-5-9N	4/10/2017	80	254.2	416	
TMP-5-9N	4/10/2017	100	263.1	396	
TMP-5-9N	4/17/2017	20	117.0	476	
TMP-5-9N	4/17/2017	40	155.6	456	
TMP-5-9N	4/17/2017	60	160.1	436	
TMP-5-9N	4/17/2017	80	253.2	416	
TMP-5-9N	4/17/2017	100	261.9	396	
TMP-5-9N	4/24/2017	20	116.2	476	
TMP-5-9N	4/24/2017	40	155.6	456	
TMP-5-9N	4/24/2017	60	160.3	436	
TMP-5-9N	4/24/2017	80	253.4	416	
TMP-5-9N	4/24/2017	100	262.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	3/28/2017	20	144.3	476	
TMP-5-9S	3/28/2017	40	218.1	456	
TMP-5-9S	3/28/2017	60	237.6	436	
TMP-5-9S	3/20/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	3/28/2017	100	265.1	396	
TMP-5-9S	4/4/2017	20	143.6	476	
TMP-5-9S	4/4/2017	40	218.3	456	
TMP-5-9S	4/4/2017	60	237.6	436	
TMP-5-9S	4/4/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/4/2017	100	266.1	396	
TMP-5-9S	4/10/2017	20	142.5	476	
TMP-5-9S	4/10/2017	40	217.4	456	
TMP-5-9S	4/10/2017	60	236.7	436	
TMP-5-9S	4/10/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/10/2017	100	264.7	396	
TMP-5-9S	4/17/2017	20	140.5	476	
TMP-5-9S	4/17/2017	40	215.9	456	
TMP-5-9S	4/17/2017	60	235.4	436	
TMP-5-9S	4/17/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/17/2017	100	263.4	396	
TMP-5-9S	4/24/2017	20	140.8	476	
TMP-5-9S	4/24/2017	40	216.5	456	
TMP-5-9S	4/24/2017	60	236.2	436	
TMP-5-9S	4/24/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	4/24/2017	100	264.2	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	3/28/2017	20	107.4	475	
TMP-5-5N	3/28/2017	40	106.0	455	
TMP-5-5N	3/28/2017	60	95.5	435	
TMP-5-5N	3/28/2017	80	253.4	415	
TMP-5-5N	3/20/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/4/2017	20	107.5	475	
TMP-5-5N	4/4/2017	40	106	455	
TMP-5-5N	4/4/2017	60	97.8	435	
TMP-5-5N	4/4/2017	80	254.9	415	
TMP-5-5N	4/4/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/10/2017	20	107.3	475	
TMP-5-5N	4/10/2017	40	105.4	455	
TMP-5-5N	4/10/2017	60	97.7	435	
TMP-5-5N	4/10/2017	80	252.7	415	
TMP-5-5N	4/10/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/10/2017	20	107.3	475	
TMP-5-5N	4/10/2017	40	105.4	455	
TMP-5-5N	4/10/2017	60	97.7	435	
TMP-5-5N	4/10/2017	80	252.7	415	
TMP-5-5N	4/17/2017	20	106.6	475	
TMP-5-5N	4/17/2017	40	106.8	455	
TMP-5-5N	4/17/2017	60	97.2	435	
TMP-5-5N	4/17/2017	80	251.4	415	
TMP-5-5N	4/10/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	4/24/2017	20	105.9	475	
TMP-5-5N	4/24/2017	40	104.6	455	
TMP-5-5N	4/24/2017	60	95.9	435	
TMP-5-5N	4/24/2017	80	252.8	415	
TMP-5-5N	4/24/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	3/28/2017	20	143.3	474	
TMP-5-5S	3/28/2017	40	208.6	454	
TMP-5-5S	3/28/2017	60	234.8	434	
TMP-5-5S	3/28/2017	80	254.3	414	
TMP-5-5S	3/28/2017	100	257.4	394	
TMP-5-5S	4/4/2017	20	142.5	474	
TMP-5-5S	4/4/2017	40	208.7	454	
TMP-5-5S	4/4/2017	60	234.4	434	
TMP-5-5S	4/4/2017	80	254.4	414	
TMP-5-5S	4/4/2017	100	257.7	394	
TMP-5-5S	4/10/2017	20	141.5	474	
TMP-5-5S	4/10/2017	40	207.4	454	
TMP-5-5S	4/10/2017	60	233.9	434	
TMP-5-5S	4/10/2017	80	253.5	414	
TMP-5-5S	4/10/2017	100	256.5	394	
TMP-5-5S	4/17/2017	20	140.2	474	
TMP-5-5S	4/17/2017	40	205.7	454	
TMP-5-5S	4/17/2017	60	232.7	434	
TMP-5-5S	4/17/2017	80	252.3	414	
TMP-5-5S	4/17/2017	100	255.3	394	
TMP-5-5S	4/24/2017	20	139.4	474	
TMP-5-5S	4/24/2017	40	205.9	454	
TMP-5-5S	4/24/2017	60	233.0	434	
TMP-5-5S	4/24/2017	80	252.8	414	
TMP-5-5S	4/24/2017	100	256.0	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	3/28/2017	20	203.8	474	
TMP-31	3/28/2017	40	229.9	454	
TMP-31	3/28/2017	60	244.6	434	
TMP-31	3/28/2017	80	260.7	414	
TMP-31	3/28/2017	100	269.8	394	
TMP-31	3/28/2017	120	276.8	374	
TMP-31	3/28/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/4/2017	20	204.8	474	
TMP-31	4/4/2017	40	230.3	454	
TMP-31	4/4/2017	60	245.4	434	
TMP-31	4/4/2017	80	262	414	
TMP-31	4/4/2017	100	270.7	394	
TMP-31	4/4/2017	120	278	374	
TMP-31	4/4/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/10/2017	20	202.5	474	
TMP-31	4/10/2017	40	229	454	
TMP-31	4/10/2017	60	244	434	
TMP-31	4/10/2017	80	260.2	414	
TMP-31	4/10/2017	100	269.2	394	
TMP-31	4/10/2017	120	276.4	374	
TMP-31	4/10/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/17/2017	20	200.8	474	
TMP-31	4/17/2017	40	228.4	454	
TMP-31	4/17/2017	60	243.2	434	
TMP-31	4/17/2017	80	259.2	414	
TMP-31	4/17/2017	100	268.6	394	
TMP-31	4/17/2017	120	275.4	374	
TMP-31	4/17/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	4/24/2017	20	201.3	474	
TMP-31	4/24/2017	40	229.4	454	
TMP-31	4/24/2017	60	244.1	434	
TMP-31	4/24/2017	80	260.1	414	
TMP-31	4/24/2017	100	269.5	394	
TMP-31	4/24/2017	120	276.6	374	
TMP-31	4/24/2017	140		354	previously no stable reading, current low resistivity, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	3/28/2017	20	203.0	484	
TMP-32	3/28/2017	40	221.7	464	
TMP-32	3/28/2017	60	242.0	444	
TMP-32	3/28/2017	80	255.7	424	
TMP-32	3/28/2017	100	267.3	404	
TMP-32	3/28/2017	120	274.3	384	
TMP-32	3/28/2017	140	276.7	364	
TMP-32	3/28/2017	160	284.7	344	
TMP-32	3/28/2017	180	290.7	324	
TMP-32	3/28/2017	200	294.0	304	
TMP-32	4/4/2017	20	203.5	484	
TMP-32	4/4/2017	40	222.8	464	
TMP-32	4/4/2017	60	243.3	444	
TMP-32	4/4/2017	80	257.2	424	
TMP-32	4/4/2017	100	268.6	404	
TMP-32	4/4/2017	120	275.9	384	
TMP-32	4/4/2017	140	278.8	364	
TMP-32	4/4/2017	160	286.3	344	
TMP-32	4/4/2017	180	291.8	324	
TMP-32	4/4/2017	200	297.3	304	
TMP-32	4/10/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	60	241.8	444	
TMP-32	4/10/2017	80	255.5	424	
TMP-32	4/10/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/10/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	60	241.7	444	
TMP-32	4/17/2017	80	255.5	424	
TMP-32	4/17/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/17/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	60	242.3	444	
TMP-32	4/24/2017	80	256.2	424	
TMP-32	4/24/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/24/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	3/28/2017	20	173.6	473	
TMP-SPM1	3/28/2017	40	199.5	453	
TMP-SPM1	3/28/2017	60	194.3	433	
TMP-SPM1	3/28/2017	80	193.0	413	
TMP-SPM1	3/28/2017	100	181.0	393	
TMP-SPM1	3/28/2017	120	168.6	373	
TMP-SPM1	3/28/2017	140	158.2	353	
TMP-SPM1	3/28/2017	160	142.5	333	
TMP-SPM1	3/28/2017	180	127.3	313	
TMP-SPM1	3/28/2017	200	105.9	293	
TMP-SPM1	3/28/2017	220	89.7	273	
TMP-SPM1	3/28/2017	240	86.6	253	
TMP-SPM1	4/4/2017	20	173.6	473	
TMP-SPM1	4/4/2017	40	199.7	453	
TMP-SPM1	4/4/2017	60	194.8	433	
TMP-SPM1	4/4/2017	80	193.4	413	
TMP-SPM1	4/4/2017	100	181.3	393	
TMP-SPM1	4/4/2017	120	169.0	373	
TMP-SPM1	4/4/2017	140	158.6	353	
TMP-SPM1	4/4/2017	160	143.0	333	
TMP-SPM1	4/4/2017	180	127.9	313	
TMP-SPM1	4/4/2017	200	106.7	293	
TMP-SPM1	4/4/2017	220	90.5	273	
TMP-SPM1	4/4/2017	240	87.2	253	
TMP-SPM1	4/10/2017	20	173.5	473	
TMP-SPM1	4/10/2017	40	199.7	453	
TMP-SPM1	4/10/2017	60	194.7	433	
TMP-SPM1	4/10/2017	80	193	413	
TMP-SPM1	4/10/2017	100	181.1	393	
TMP-SPM1	4/10/2017	120	168.6	373	
TMP-SPM1	4/10/2017	140	158.1	353	
TMP-SPM1	4/10/2017	160	142.3	333	
TMP-SPM1	4/10/2017	180	127.1	313	
TMP-SPM1	4/10/2017	200	105.8	293	
TMP-SPM1	4/10/2017	220	89.5	273	
TMP-SPM1	4/10/2017	240	86.4	253	
TMP-SPM1	4/17/2017	20	173.9	473	
TMP-SPM1	4/17/2017	40	200.4	453	
TMP-SPM1	4/17/2017	60	195.5	433	
TMP-SPM1	4/17/2017	80	193.8	413	
TMP-SPM1	4/17/2017	100	181.7	393	
TMP-SPM1	4/17/2017	120	169.2	373	
TMP-SPM1	4/17/2017	140	158.7	353	
TMP-SPM1	4/17/2017	160	142.9	333	
TMP-SPM1	4/17/2017	180	127.6	313	
TMP-SPM1	4/17/2017	200	106.3	293	
TMP-SPM1	4/17/2017	220	89.9	273	
TMP-SPM1	4/17/2017	240	86.8	253	
TMP-SPM1	4/24/2017	20	174.1	473	
TMP-SPM1	4/24/2017	40	200.9	453	
TMP-SPM1	4/24/2017	60	196.3	433	
TMP-SPM1	4/24/2017	80	194.5	413	
TMP-SPM1	4/24/2017	100	182.5	393	
TMP-SPM1	4/24/2017	120	170.1	373	
TMP-SPM1	4/24/2017	140	159.6	353	
TMP-SPM1	4/24/2017	160	143.6	333	
TMP-SPM1	4/24/2017	180	128.4	313	
TMP-SPM1	4/24/2017	200	107.1	293	
TMP-SPM1	4/24/2017	220	90.6	273	
TMP-SPM1	4/24/2017	240	87.4	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	3/28/2017	20	171.3	475	
TMP-SPM2	3/28/2017	40	206.2	455	
TMP-SPM2	3/28/2017	60	200.7	435	
TMP-SPM2	3/28/2017	80	178.8	415	
TMP-SPM2	3/28/2017	100	180.7	395	
TMP-SPM2	3/28/2017	120	177.7	375	
TMP-SPM2	3/28/2017	140	165.1	355	
TMP-SPM2	3/28/2017	160	149.7	335	
TMP-SPM2	3/28/2017	172	137.3	323	
TMP-SPM2	4/4/2017	20	170.9	475	
TMP-SPM2	4/4/2017	40	206.0	455	
TMP-SPM2	4/4/2017	60	200.4	435	
TMP-SPM2	4/4/2017	80	178.7	415	
TMP-SPM2	4/4/2017	100	181.1	395	
TMP-SPM2	4/4/2017	120	178.0	375	
TMP-SPM2	4/4/2017	140	165.3	355	
TMP-SPM2	4/4/2017	160	149.9	335	
TMP-SPM2	4/4/2017	172	137.5	323	
TMP-SPM2	4/10/2017	20	170.6	475	
TMP-SPM2	4/10/2017	40	205.6	455	
TMP-SPM2	4/10/2017	60	200.1	435	
TMP-SPM2	4/10/2017	80	178.9	415	
TMP-SPM2	4/10/2017	100	181.3	395	
TMP-SPM2	4/10/2017	120	178.2	375	
TMP-SPM2	4/10/2017	140	165.3	355	
TMP-SPM2	4/10/2017	160	149.8	335	
TMP-SPM2	4/10/2017	172	137.4	323	
TMP-SPM2	4/17/2017	20	171.0	475	
TMP-SPM2	4/17/2017	40	205.7	455	
TMP-SPM2	4/17/2017	60	200.2	435	
TMP-SPM2	4/17/2017	80	179.5	415	
TMP-SPM2	4/17/2017	100	182.1	395	
TMP-SPM2	4/17/2017	120	178.9	375	
TMP-SPM2	4/17/2017	140	166.0	355	
TMP-SPM2	4/17/2017	160	150.2	335	
TMP-SPM2	4/17/2017	172	137.8	323	
TMP-SPM2	4/24/2017	20	169.0	475	
TMP-SPM2	4/24/2017	40	203.8	455	
TMP-SPM2	4/24/2017	60	198.5	435	
TMP-SPM2	4/24/2017	80	178.1	415	
TMP-SPM2	4/24/2017	100	180.9	395	
TMP-SPM2	4/24/2017	120	177.6	375	
TMP-SPM2	4/24/2017	140	164.6	355	
TMP-SPM2	4/24/2017	160	148.5	335	
TMP-SPM2	4/24/2017	172	136.0	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	3/28/2017	20	140.0	478	
TMP-SPM3	3/28/2017	40	145.6	458	
TMP-SPM3	3/28/2017	60	137.4	438	
TMP-SPM3	3/28/2017	80	133.6	418	
TMP-SPM3	3/28/2017	85	132.8	413	
TMP-SPM3	4/4/2017	20	139.3	478	
TMP-SPM3	4/4/2017	40	145.1	458	
TMP-SPM3	4/4/2017	60	137.1	438	
TMP-SPM3	4/4/2017	80	133.4	418	
TMP-SPM3	4/4/2017	85	132.8	413	
TMP-SPM3	4/10/2017	20	138.6	478	
TMP-SPM3	4/10/2017	40	144.6	458	
TMP-SPM3	4/10/2017	60	136.7	438	
TMP-SPM3	4/10/2017	80	133.1	418	
TMP-SPM3	4/10/2017	85	132.4	413	
TMP-SPM3	4/17/2017	20	138.5	478	
TMP-SPM3	4/17/2017	40	144.5	458	
TMP-SPM3	4/17/2017	60	136.7	438	
TMP-SPM3	4/17/2017	80	133.3	418	
TMP-SPM3	4/17/2017	85	132.6	413	
TMP-SPM3	4/24/2017	20	136.1	478	
TMP-SPM3	4/24/2017	40	142.4	458	
TMP-SPM3	4/24/2017	60	134.5	438	
TMP-SPM3	4/24/2017	80	131.2	418	
TMP-SPM3	4/24/2017	85	130.7	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	3/28/17	20	140.8	475	
TMP-SPM4	3/28/17	40	165.1	455	
TMP-SPM4	3/28/17	60	169.7	435	
TMP-SPM4	3/28/17	80	173.8	415	
TMP-SPM4	3/28/17	100	170.3	395	
TMP-SPM4	3/28/17	120	161.0	375	
TMP-SPM4	3/28/17	140	152.6	355	
TMP-SPM4	3/28/17	160	143.5	335	
TMP-SPM4	3/28/17	180	132.7	315	
TMP-SPM4	3/28/17	200	115.9	295	
TMP-SPM4	3/28/17	220	97.8	275	
TMP-SPM4	3/28/17	240	90.3	255	
TMP-SPM4	4/4/17	20	140.9	475	
TMP-SPM4	4/4/17	40	165.3	455	
TMP-SPM4	4/4/17	60	169.9	435	
TMP-SPM4	4/4/17	80	173.9	415	
TMP-SPM4	4/4/17	100	170.4	395	
TMP-SPM4	4/4/17	120	161.1	375	
TMP-SPM4	4/4/17	140	152.9	355	
TMP-SPM4	4/4/17	160	143.9	335	
TMP-SPM4	4/4/17	180	133.2	315	
TMP-SPM4	4/4/17	200	116.5	295	
TMP-SPM4	4/4/17	220	98.4	275	
TMP-SPM4	4/4/17	240	90.6	255	
TMP-SPM4	4/10/17	20	140.4	475	
TMP-SPM4	4/10/17	40	164.5	455	
TMP-SPM4	4/10/17	60	169.1	435	
TMP-SPM4	4/10/17	80	173.0	415	
TMP-SPM4	4/10/17	100	169.4	395	
TMP-SPM4	4/10/17	120	160.1	375	
TMP-SPM4	4/10/17	140	151.8	355	
TMP-SPM4	4/10/17	160	142.8	335	
TMP-SPM4	4/10/17	180	132.2	315	
TMP-SPM4	4/10/17	200	115.5	295	
TMP-SPM4	4/10/17	220	97.5	275	
TMP-SPM4	4/10/17	240	89.9	255	
TMP-SPM4	4/17/17	20	140.4	475	
TMP-SPM4	4/17/17	40	164.5	455	
TMP-SPM4	4/17/17	60	169.1	435	
TMP-SPM4	4/17/17	80	173	415	
TMP-SPM4	4/17/17	100	169.4	395	
TMP-SPM4	4/17/17	120	160.1	375	
TMP-SPM4	4/17/17	140	151.8	355	
TMP-SPM4	4/17/17	160	142.9	335	
TMP-SPM4	4/17/17	180	132.3	315	
TMP-SPM4	4/17/17	200	115.8	295	
TMP-SPM4	4/17/17	220	97.7	275	
TMP-SPM4	4/17/17	240	90.1	255	
TMP-SPM4	4/24/17	20	140.8	475	
TMP-SPM4	4/24/17	40	164.9	455	
TMP-SPM4	4/24/17	60	169.7	435	
TMP-SPM4	4/24/17	80	173.6	415	
TMP-SPM4	4/24/17	100	170.1	395	
TMP-SPM4	4/24/17	120	160.8	375	
TMP-SPM4	4/24/17	140	152.5	355	
TMP-SPM4	4/24/17	160	143.5	335	
TMP-SPM4	4/24/17	180	132.8	315	
TMP-SPM4	4/24/17	200	116.4	295	
TMP-SPM4	4/24/17	220	98.2	275	
TMP-SPM4	4/24/17	240	90.5	255	