

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/15/2017	20	176.9	473	
TMP-19	5/15/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/15/2017	60	232.6	433	
TMP-19	5/15/2017	80	239.9	413	
TMP-19	5/15/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2017	20	178.3	473	
TMP-19	5/23/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2017	60	233.1	433	
TMP-19	5/23/2017	80	240.4	413	
TMP-19	5/23/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/30/2017	20	179.0	473	
TMP-19	5/30/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/30/2017	60	234.3	433	
TMP-19	5/30/2017	80	241.8	413	
TMP-19	5/30/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2017	20	178.2	473	
TMP-19	6/5/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2017	60	233.6	433	
TMP-19	6/5/2017	80	240.9	413	
TMP-19	6/5/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/12/2017	20	175.7	473	
TMP-19	6/12/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/12/2017	60	232.6	433	
TMP-19	6/12/2017	80	239.4	413	
TMP-19	6/12/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/15/2017	20	134.7	478	
TMP-20	5/15/2017	40	206.2	458	
TMP-20	5/15/2017	60	236.6	438	
TMP-20	5/15/2017	80	248.8	418	
TMP-20	5/15/2017	100	260.0	398	
TMP-20	5/15/2017	120	269.5	378	
TMP-20	5/15/2017	140	270.3	358	
TMP-20	5/23/2017	20	135.4	478	
TMP-20	5/23/2017	40	206.1	458	
TMP-20	5/23/2017	60	236.7	438	
TMP-20	5/23/2017	80	248.7	418	
TMP-20	5/23/2017	100	260.2	398	
TMP-20	5/23/2017	120	269.8	378	
TMP-20	5/23/2017	140	270.2	358	
TMP-20	5/30/2017	20	136.1	478	
TMP-20	5/30/2017	40	206.7	458	
TMP-20	5/30/2017	60	237.8	438	
TMP-20	5/30/2017	80	249.7	418	
TMP-20	5/30/2017	100	261.2	398	
TMP-20	5/30/2017	120	271.0	378	
TMP-20	5/30/2017	140	271.4	358	
TMP-20	6/5/2017	20	135.1	478	
TMP-20	6/5/2017	40	206.1	458	
TMP-20	6/5/2017	60	237.1	438	
TMP-20	6/5/2017	80	249.2	418	
TMP-20	6/5/2017	100	261.0	398	
TMP-20	6/5/2017	120	270.9	378	
TMP-20	6/5/2017	140	270.9	358	
TMP-20	6/12/2017	20	134.7	478	
TMP-20	6/12/2017	40	205.6	458	
TMP-20	6/12/2017	60	236.3	438	
TMP-20	6/12/2017	80	248.0	418	
TMP-20	6/12/2017	100	259.4	398	
TMP-20	6/12/2017	120	269.0	378	
TMP-20	6/12/2017	140	269.2	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/15/2017	20	130.9	475	
TMP-10-9N	5/15/2017	40	151.2	455	
TMP-10-9N	5/15/2017	60	154.9	435	
TMP-10-9N	5/15/2017	80	155.8	415	
TMP-10-9N	5/15/2017	100	164.7	395	
TMP-10-9N	5/23/2017	20	130.9	475	
TMP-10-9N	5/23/2017	40	151.7	455	
TMP-10-9N	5/23/2017	60	155.0	435	
TMP-10-9N	5/23/2017	80	156.0	415	
TMP-10-9N	5/23/2017	100	164.8	395	
TMP-10-9N	5/30/2017	20	130.7	475	
TMP-10-9N	5/30/2017	40	152.0	455	
TMP-10-9N	5/30/2017	60	155.4	435	
TMP-10-9N	5/30/2017	80	156.5	415	
TMP-10-9N	5/30/2017	100	165.4	395	
TMP-10-9N	6/5/2017	20	129.2	475	
TMP-10-9N	6/5/2017	40	150.8	455	
TMP-10-9N	6/5/2017	60	154.2	435	
TMP-10-9N	6/5/2017	80	155.6	415	
TMP-10-9N	6/5/2017	100	164.4	395	
TMP-10-9N	6/12/2017	20	129.2	475	
TMP-10-9N	6/12/2017	40	151.2	455	
TMP-10-9N	6/12/2017	60	154.1	435	
TMP-10-9N	6/12/2017	80	155.9	415	
TMP-10-9N	6/12/2017	100	164.8	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/15/2017	20	133.1	476	
TMP-10-9S	5/15/2017	40	184.1	456	
TMP-10-9S	5/15/2017	60	207.1	436	
TMP-10-9S	5/15/2017	80	211.5	416	
TMP-10-9S	5/15/2017	100	225.1	396	
TMP-10-9S	5/23/2017	20	134.5	476	
TMP-10-9S	5/23/2017	40	185.4	456	
TMP-10-9S	5/23/2017	60	208.0	436	
TMP-10-9S	5/23/2017	80	212.2	416	
TMP-10-9S	5/23/2017	100	225.7	396	
TMP-10-9S	5/30/2017	20	133.0	476	
TMP-10-9S	5/30/2017	40	184.0	456	
TMP-10-9S	5/30/2017	60	206.8	436	
TMP-10-9S	5/30/2017	80	211.2	416	
TMP-10-9S	5/30/2017	100	224.7	396	
TMP-10-9S	6/5/2017	20	133.8	476	
TMP-10-9S	6/5/2017	40	185.0	456	
TMP-10-9S	6/5/2017	60	207.2	436	
TMP-10-9S	6/5/2017	80	211.2	416	
TMP-10-9S	6/5/2017	100	224.6	396	
TMP-10-9S	6/12/2017	20	131.8	476	
TMP-10-9S	6/12/2017	40	183.4	456	
TMP-10-9S	6/12/2017	60	205.7	436	
TMP-10-9S	6/12/2017	80	210.0	416	
TMP-10-9S	6/12/2017	100	223.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/15/2017	20	112.1	478	
TMP-10-5N	5/15/2017	40	119.0	458	
TMP-10-5N	5/15/2017	60	114.5	438	
TMP-10-5N	5/15/2017	80	105.5	418	
TMP-10-5N	5/15/2017	100	100.6	398	
TMP-10-5N	5/23/2017	20	111.8	478	
TMP-10-5N	5/23/2017	40	119.5	458	
TMP-10-5N	5/23/2017	60	115.1	438	
TMP-10-5N	5/23/2017	80	105.5	418	
TMP-10-5N	5/23/2017	100	100.2	398	
TMP-10-5N	5/30/2017	20	112.3	478	
TMP-10-5N	5/30/2017	40	120.5	458	
TMP-10-5N	5/30/2017	60	116.4	438	
TMP-10-5N	5/30/2017	80	107.9	418	
TMP-10-5N	5/30/2017	100	103.1	398	
TMP-10-5N	6/5/2017	20	111.0	478	
TMP-10-5N	6/5/2017	40	121.9	458	
TMP-10-5N	6/5/2017	60	118.8	438	
TMP-10-5N	6/5/2017	80	111.6	418	
TMP-10-5N	6/5/2017	100	107.0	398	
TMP-10-5N	6/12/2017	20	110.5	478	
TMP-10-5N	6/12/2017	40	119.5	458	
TMP-10-5N	6/12/2017	60	116.1	438	
TMP-10-5N	6/12/2017	80	107.9	418	
TMP-10-5N	6/12/2017	100	104.3	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/15/2017	20	122.8	477	
TMP-10-5S	5/15/2017	40	164.0	457	
TMP-10-5S	5/15/2017	60	183.9	437	
TMP-10-5S	5/15/2017	80	194.2	417	
TMP-10-5S	5/15/2017	100	207.1	397	
TMP-10-5S	5/23/2017	20	123.9	477	
TMP-10-5S	5/23/2017	40	165.5	457	
TMP-10-5S	5/23/2017	60	185.2	437	
TMP-10-5S	5/23/2017	80	195.6	417	
TMP-10-5S	5/23/2017	100	208.6	397	
TMP-10-5S	5/30/2017	20	122.5	477	
TMP-10-5S	5/30/2017	40	164.2	457	
TMP-10-5S	5/30/2017	60	183.7	437	
TMP-10-5S	5/30/2017	80	194.1	417	
TMP-10-5S	5/30/2017	100	206.9	397	
TMP-10-5S	6/5/2017	20	122.8	477	
TMP-10-5S	6/5/2017	40	164.8	457	
TMP-10-5S	6/5/2017	60	184.1	437	
TMP-10-5S	6/5/2017	80	194.4	417	
TMP-10-5S	6/5/2017	100	207.3	397	
TMP-10-5S	6/12/2017	20	121.6	477	
TMP-10-5S	6/12/2017	40	163.4	457	
TMP-10-5S	6/12/2017	60	182.5	437	
TMP-10-5S	6/12/2017	80	192.7	417	
TMP-10-5S	6/12/2017	100	205.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/15/2017	20	115.0	476	
TMP-5-9N	5/15/2017	40	155.0	456	
TMP-5-9N	5/15/2017	60	160.8	436	
TMP-5-9N	5/15/2017	80	253.9	416	
TMP-5-9N	5/15/2017	100	262.6	396	
TMP-5-9N	5/23/2017	20	116.2	476	
TMP-5-9N	5/23/2017	40	157.0	456	
TMP-5-9N	5/23/2017	60	163.3	436	
TMP-5-9N	5/23/2017	80	255.6	416	
TMP-5-9N	5/23/2017	100	264.1	396	
TMP-5-9N	5/30/2017	20	115.2	476	
TMP-5-9N	5/30/2017	40	155.9	456	
TMP-5-9N	5/30/2017	60	162.4	436	
TMP-5-9N	5/30/2017	80	255.4	416	
TMP-5-9N	5/30/2017	100	264.0	396	
TMP-5-9N	6/5/2017	20	113.3	476	
TMP-5-9N	6/5/2017	40	154.3	456	
TMP-5-9N	6/5/2017	60	161.5	436	
TMP-5-9N	6/5/2017	80	253.3	416	
TMP-5-9N	6/5/2017	100	262.1	396	
TMP-5-9N	6/12/2017	20	114.3	476	
TMP-5-9N	6/12/2017	40	155.0	456	
TMP-5-9N	6/12/2017	60	161.9	436	
TMP-5-9N	6/12/2017	80	253.7	416	
TMP-5-9N	6/12/2017	100	262.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/15/2017	20	139.9	476	
TMP-5-9S	5/15/2017	40	216.2	456	
TMP-5-9S	5/15/2017	60	236.8	436	
TMP-5-9S	5/15/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/15/2017	100	264.4	396	
TMP-5-9S	5/23/2017	20	139.6	476	
TMP-5-9S	5/23/2017	40	217.3	456	
TMP-5-9S	5/23/2017	60	238.5	436	
TMP-5-9S	5/23/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/23/2017	100	265.9	396	
TMP-5-9S	5/30/2017	20	136.9	476	
TMP-5-9S	5/30/2017	40	215.6	456	
TMP-5-9S	5/30/2017	60	237.2	436	
TMP-5-9S	5/30/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/30/2017	100	264.7	396	
TMP-5-9S	6/5/2017	20	134.5	476	
TMP-5-9S	6/5/2017	40	214.5	456	
TMP-5-9S	6/5/2017	60	236.4	436	
TMP-5-9S	6/5/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	6/5/2017	100	264.2	396	
TMP-5-9S	6/12/2017	20	133.8	476	
TMP-5-9S	6/12/2017	40	214.1	456	
TMP-5-9S	6/12/2017	60	235.9	436	
TMP-5-9S	6/12/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	6/12/2017	100	263.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/15/2017	20	102.7	475	
TMP-5-5N	5/15/2017	40	107.8	455	
TMP-5-5N	5/15/2017	60	99.7	435	
TMP-5-5N	5/15/2017	80	252.5	415	
TMP-5-5N	5/15/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	5/23/2017	20	102.3	475	
TMP-5-5N	5/23/2017	40	108.6	455	
TMP-5-5N	5/23/2017	60	99.6	435	
TMP-5-5N	5/23/2017	80	253.6	415	
TMP-5-5N	5/23/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	5/30/2017	20	102.3	475	
TMP-5-5N	5/30/2017	40	110.3	455	
TMP-5-5N	5/30/2017	60	102.2	435	
TMP-5-5N	5/30/2017	80	253.4	415	
TMP-5-5N	5/30/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	6/5/2017	20	102.8	475	
TMP-5-5N	6/5/2017	40	111.5	455	
TMP-5-5N	6/5/2017	60	101.7	435	
TMP-5-5N	6/5/2017	80	251.5	415	
TMP-5-5N	6/5/2017	100			No reliable reading able to be obtained
TMP-5-5N	6/12/2017	20	101.0	475	
TMP-5-5N	6/12/2017	40	109.0	455	
TMP-5-5N	6/12/2017	60	101.4	435	
TMP-5-5N	6/12/2017	80	251.8	415	
TMP-5-5N	6/12/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/15/2017	20	138.2	474	
TMP-5-5S	5/15/2017	40	205.1	454	
TMP-5-5S	5/15/2017	60	233.3	434	
TMP-5-5S	5/15/2017	80	253.5	414	
TMP-5-5S	5/15/2017	100	256.6	394	
TMP-5-5S	5/23/2017	20	138.6	474	
TMP-5-5S	5/23/2017	40	206.5	454	
TMP-5-5S	5/23/2017	60	234.7	434	
TMP-5-5S	5/23/2017	80	255.2	414	
TMP-5-5S	5/23/2017	100	258.3	394	
TMP-5-5S	5/30/2017	20	137.4	474	
TMP-5-5S	5/30/2017	40	204.1	454	
TMP-5-5S	5/30/2017	60	233.5	434	
TMP-5-5S	5/30/2017	80	253.8	414	
TMP-5-5S	5/30/2017	100	257.1	394	
TMP-5-5S	6/5/2017	20	136.5	474	
TMP-5-5S	6/5/2017	40	203.2	454	
TMP-5-5S	6/5/2017	60	232.3	434	
TMP-5-5S	6/5/2017	80	252.8	414	
TMP-5-5S	6/5/2017	100	256.0	394	
TMP-5-5S	6/12/2017	20	136.4	474	
TMP-5-5S	6/12/2017	40	202.7	454	
TMP-5-5S	6/12/2017	60	232.2	434	
TMP-5-5S	6/12/2017	80	252.7	414	
TMP-5-5S	6/12/2017	100	255.9	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	5/15/2017	20	200.2	474	
TMP-31	5/15/2017	40	229.5	454	
TMP-31	5/15/2017	60	244.0	434	
TMP-31	5/15/2017	80	259.8	414	
TMP-31	5/15/2017	100	269.1	394	
TMP-31	5/15/2017	120	276.0	374	
TMP-31	5/15/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	5/23/2017	20	201.4	474	
TMP-31	5/23/2017	40	230.5	454	
TMP-31	5/23/2017	60	245	434	
TMP-31	5/23/2017	80	260.6	414	
TMP-31	5/23/2017	100	269.7	394	
TMP-31	5/23/2017	120	276.7	374	
TMP-31	5/23/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	5/30/2017	20	201.8	474	
TMP-31	5/30/2017	40	231.4	454	
TMP-31	5/30/2017	60	245.8	434	
TMP-31	5/30/2017	80	261.7	414	
TMP-31	5/30/2017	100	270.7	394	
TMP-31	5/30/2017	120	277.5	374	
TMP-31	5/30/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	6/5/2017	20	201.4	474	
TMP-31	6/5/2017	40	231.0	454	
TMP-31	6/5/2017	60	245.2	434	
TMP-31	6/5/2017	80	261.1	414	
TMP-31	6/5/2017	100	270.4	394	
TMP-31	6/5/2017	120	276.9	374	
TMP-31	6/5/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	6/12/2017	20	200.6	474	
TMP-31	6/12/2017	40	229.5	454	
TMP-31	6/12/2017	60	243.7	434	
TMP-31	6/12/2017	80	259.2	414	
TMP-31	6/12/2017	100	268.4	394	
TMP-31	6/12/2017	120	275.2	374	
TMP-31	6/12/2017	140		354	previously no stable reading, current low resistivity, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	5/15/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	60	241.9	444	
TMP-32	5/15/2017	80	255.7	424	
TMP-32	5/15/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/15/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	60	242.0	444	
TMP-32	5/23/2017	80	255.7	424	
TMP-32	5/23/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/23/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	60	243.0	444	
TMP-32	5/30/2017	80	256.6	424	
TMP-32	5/30/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/30/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	60	242.6	444	
TMP-32	6/5/2017	80	256.4	424	
TMP-32	6/5/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	60	240.9	444	
TMP-32	6/12/2017	80	254.6	424	
TMP-32	6/12/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/12/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	5/15/2017	20	172.9	473	
TMP-SPM1	5/15/2017	40	200.2	453	
TMP-SPM1	5/15/2017	60	195.7	433	
TMP-SPM1	5/15/2017	80	193.5	413	
TMP-SPM1	5/15/2017	100	181.3	393	
TMP-SPM1	5/15/2017	120	168.9	373	
TMP-SPM1	5/15/2017	140	158.4	353	
TMP-SPM1	5/15/2017	160	142.3	333	
TMP-SPM1	5/15/2017	180	127.0	313	
TMP-SPM1	5/15/2017	200	105.7	293	
TMP-SPM1	5/15/2017	220	89.5	273	
TMP-SPM1	5/15/2017	240	86.3	253	
TMP-SPM1	5/23/2017	20	173.0	473	
TMP-SPM1	5/23/2017	40	200.4	453	
TMP-SPM1	5/23/2017	60	196.1	433	
TMP-SPM1	5/23/2017	80	193.8	413	
TMP-SPM1	5/23/2017	100	181.4	393	
TMP-SPM1	5/23/2017	120	169.0	373	
TMP-SPM1	5/23/2017	140	158.6	353	
TMP-SPM1	5/23/2017	160	142.4	333	
TMP-SPM1	5/23/2017	180	127.1	313	
TMP-SPM1	5/23/2017	200	105.9	293	
TMP-SPM1	5/23/2017	220	89.7	273	
TMP-SPM1	5/23/2017	240	86.4	253	
TMP-SPM1	5/30/2017	20	173.8	473	
TMP-SPM1	5/30/2017	40	201.5	453	
TMP-SPM1	5/30/2017	60	197.6	433	
TMP-SPM1	5/30/2017	80	195.2	413	
TMP-SPM1	5/30/2017	100	183.0	393	
TMP-SPM1	5/30/2017	120	170.5	373	
TMP-SPM1	5/30/2017	140	160.2	353	
TMP-SPM1	5/30/2017	160	144.0	333	
TMP-SPM1	5/30/2017	180	128.9	313	
TMP-SPM1	5/30/2017	200	107.7	293	
TMP-SPM1	5/30/2017	220	91.4	273	
TMP-SPM1	5/30/2017	240	88.1	253	
TMP-SPM1	6/5/2017	20	173.1	473	
TMP-SPM1	6/5/2017	40	201.0	453	
TMP-SPM1	6/5/2017	60	197.2	433	
TMP-SPM1	6/5/2017	80	194.8	413	
TMP-SPM1	6/5/2017	100	182.5	393	
TMP-SPM1	6/5/2017	120	170.1	373	
TMP-SPM1	6/5/2017	140	159.6	353	
TMP-SPM1	6/5/2017	160	143.4	333	
TMP-SPM1	6/5/2017	180	128.3	313	
TMP-SPM1	6/5/2017	200	107.1	293	
TMP-SPM1	6/5/2017	220	90.9	273	
TMP-SPM1	6/5/2017	240	87.6	253	
TMP-SPM1	6/12/2017	20	172.6	473	
TMP-SPM1	6/12/2017	40	200.6	453	
TMP-SPM1	6/12/2017	60	196.9	433	
TMP-SPM1	6/12/2017	80	194.4	413	
TMP-SPM1	6/12/2017	100	182.0	393	
TMP-SPM1	6/12/2017	120	169.7	373	
TMP-SPM1	6/12/2017	140	159.3	353	
TMP-SPM1	6/12/2017	160	143.1	333	
TMP-SPM1	6/12/2017	180	128.1	313	
TMP-SPM1	6/12/2017	200	107.1	293	
TMP-SPM1	6/12/2017	220	90.9	273	
TMP-SPM1	6/12/2017	240	87.6	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	5/15/2017	20	167.8	475	
TMP-SPM2	5/15/2017	40	202.2	455	
TMP-SPM2	5/15/2017	60	197.2	435	
TMP-SPM2	5/15/2017	80	178.0	415	
TMP-SPM2	5/15/2017	100	181.8	395	
TMP-SPM2	5/15/2017	120	178.2	375	
TMP-SPM2	5/15/2017	140	165.0	355	
TMP-SPM2	5/15/2017	160	148.4	335	
TMP-SPM2	5/15/2017	172	135.9	323	
TMP-SPM2	5/23/2017	20	168.1	475	
TMP-SPM2	5/23/2017	40	202.8	455	
TMP-SPM2	5/23/2017	60	198.0	435	
TMP-SPM2	5/23/2017	80	179.5	415	
TMP-SPM2	5/23/2017	100	183.6	395	
TMP-SPM2	5/23/2017	120	179.9	375	
TMP-SPM2	5/23/2017	140	166.6	355	
TMP-SPM2	5/23/2017	160	149.9	335	
TMP-SPM2	5/23/2017	172	137.2	323	
TMP-SPM2	5/30/2017	20	167.5	475	
TMP-SPM2	5/30/2017	40	202.0	455	
TMP-SPM2	5/30/2017	60	197.4	435	
TMP-SPM2	5/30/2017	80	179.1	415	
TMP-SPM2	5/30/2017	100	183.6	395	
TMP-SPM2	5/30/2017	120	179.8	375	
TMP-SPM2	5/30/2017	140	166.6	355	
TMP-SPM2	5/30/2017	160	149.8	335	
TMP-SPM2	5/30/2017	172	137.1	323	
TMP-SPM2	6/5/2017	20	166.5	475	
TMP-SPM2	6/5/2017	40	201.1	455	
TMP-SPM2	6/5/2017	60	196.6	435	
TMP-SPM2	6/5/2017	80	178.9	415	
TMP-SPM2	6/5/2017	100	183.7	395	
TMP-SPM2	6/5/2017	120	179.9	375	
TMP-SPM2	6/5/2017	140	166.6	355	
TMP-SPM2	6/5/2017	160	149.7	335	
TMP-SPM2	6/5/2017	172	137.0	323	
TMP-SPM2	6/12/2017	20	166.4	475	
TMP-SPM2	6/12/2017	40	201.0	455	
TMP-SPM2	6/12/2017	60	196.6	435	
TMP-SPM2	6/12/2017	80	179.1	415	
TMP-SPM2	6/12/2017	100	184.1	395	
TMP-SPM2	6/12/2017	120	180.0	375	
TMP-SPM2	6/12/2017	140	166.7	355	
TMP-SPM2	6/12/2017	160	149.5	335	
TMP-SPM2	6/12/2017	172	136.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	5/15/2017	20	132.5	478	
TMP-SPM3	5/15/2017	40	140.3	458	
TMP-SPM3	5/15/2017	60	132.7	438	
TMP-SPM3	5/15/2017	80	129.9	418	
TMP-SPM3	5/15/2017	85	129.5	413	
TMP-SPM3	5/23/2017	20	133.6	478	
TMP-SPM3	5/23/2017	40	141.6	458	
TMP-SPM3	5/23/2017	60	134.1	438	
TMP-SPM3	5/23/2017	80	131.5	418	
TMP-SPM3	5/23/2017	85	131.3	413	
TMP-SPM3	5/30/2017	20	132.5	478	
TMP-SPM3	5/30/2017	40	140.8	458	
TMP-SPM3	5/30/2017	60	133.4	438	
TMP-SPM3	5/30/2017	80	130.9	418	
TMP-SPM3	5/30/2017	85	130.7	413	
TMP-SPM3	6/5/2017	20	131.4	478	
TMP-SPM3	6/5/2017	40	139.7	458	
TMP-SPM3	6/5/2017	60	132.4	438	
TMP-SPM3	6/5/2017	80	130.1	418	
TMP-SPM3	6/5/2017	85	129.9	413	
TMP-SPM3	6/12/2017	20	130.4	478	
TMP-SPM3	6/12/2017	40	138.9	458	
TMP-SPM3	6/12/2017	60	131.6	438	
TMP-SPM3	6/12/2017	80	129.5	418	
TMP-SPM3	6/12/2017	85	129.3	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	5/15/17	20	140.1	475	
TMP-SPM4	5/15/17	40	164.1	455	
TMP-SPM4	5/15/17	60	168.9	435	
TMP-SPM4	5/15/17	80	172.4	415	
TMP-SPM4	5/15/17	100	169.0	395	
TMP-SPM4	5/15/17	120	159.6	375	
TMP-SPM4	5/15/17	140	151.4	355	
TMP-SPM4	5/15/17	160	142.7	335	
TMP-SPM4	5/15/17	180	132.2	315	
TMP-SPM4	5/15/17	200	116.3	295	
TMP-SPM4	5/15/17	220	98.2	275	
TMP-SPM4	5/15/17	240	90.5	255	
TMP-SPM4	5/23/17	20	138.5	475	
TMP-SPM4	5/23/17	40	162.4	455	
TMP-SPM4	5/23/17	60	167.3	435	
TMP-SPM4	5/23/17	80	170.7	415	
TMP-SPM4	5/23/17	100	167.3	395	
TMP-SPM4	5/23/17	120	157.9	375	
TMP-SPM4	5/23/17	140	149.8	355	
TMP-SPM4	5/23/17	160	141.0	335	
TMP-SPM4	5/23/17	180	130.7	315	
TMP-SPM4	5/23/17	200	114.9	295	
TMP-SPM4	5/23/17	220	97.0	275	
TMP-SPM4	5/23/17	240	89.4	255	
TMP-SPM4	5/30/17	20	139.9	475	
TMP-SPM4	5/30/17	40	163.9	455	
TMP-SPM4	5/30/17	60	168.8	435	
TMP-SPM4	5/30/17	80	172.3	415	
TMP-SPM4	5/30/17	100	168.8	395	
TMP-SPM4	5/30/17	120	159.5	375	
TMP-SPM4	5/30/17	140	151.4	355	
TMP-SPM4	5/30/17	160	142.7	335	
TMP-SPM4	5/30/17	180	132.5	315	
TMP-SPM4	5/30/17	200	116.7	295	
TMP-SPM4	5/30/17	220	98.8	275	
TMP-SPM4	5/30/17	240	91.1	255	
TMP-SPM4	6/5/2017	20	138.6	475	
TMP-SPM4	6/5/2017	40	162.7	455	
TMP-SPM4	6/5/2017	60	167.6	435	
TMP-SPM4	6/5/2017	80	171.0	415	
TMP-SPM4	6/5/2017	100	167.7	395	
TMP-SPM4	6/5/2017	120	158.3	375	
TMP-SPM4	6/5/2017	140	150.4	355	
TMP-SPM4	6/5/2017	160	141.7	335	
TMP-SPM4	6/5/2017	180	131.6	315	
TMP-SPM4	6/5/2017	200	115.9	295	
TMP-SPM4	6/5/2017	220	98.0	275	
TMP-SPM4	6/5/2017	240	90.4	255	
TMP-SPM4	6/12/2017	20	138.5	475	
TMP-SPM4	6/12/2017	40	162.6	455	
TMP-SPM4	6/12/2017	60	167.5	435	
TMP-SPM4	6/12/2017	80	170.8	415	
TMP-SPM4	6/12/2017	100	167.3	395	
TMP-SPM4	6/12/2017	120	158.1	375	
TMP-SPM4	6/12/2017	140	150.1	355	
TMP-SPM4	6/12/2017	160	141.5	335	
TMP-SPM4	6/12/2017	180	131.5	315	
TMP-SPM4	6/12/2017	200	116.0	295	
TMP-SPM4	6/12/2017	220	98.2	275	
TMP-SPM4	6/12/2017	240	90.6	255	