

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	5/18/2016	20	166.4	479	
TMP-14R	5/18/2016	40	197.0	459	
TMP-14R	5/18/2016	60	199.2	439	
TMP-14R	5/18/2016	80	192.4	419	
TMP-14R	5/18/2016	100	182.0	399	
TMP-14R	5/18/2016	120	176.6	379	
TMP-14R	5/18/2016	140	172.5	359	
TMP-14R	5/23/2016	20	167.3	479	
TMP-14R	5/23/2016	40	197.9	459	
TMP-14R	5/23/2016	60	200.0	439	
TMP-14R	5/23/2016	80	193.9	419	
TMP-14R	5/23/2016	100	183.1	399	
TMP-14R	5/23/2016	120	177.8	379	
TMP-14R	5/23/2016	140	173.8	359	
TMP-14R	6/1/2016	20	164.5	479	
TMP-14R	6/1/2016	40	196.0	459	
TMP-14R	6/1/2016	60	199.0	439	
TMP-14R	6/1/2016	80	192.8	419	
TMP-14R	6/1/2016	100	181.7	399	
TMP-14R	6/1/2016	120	176.7	379	
TMP-14R	6/1/2016	140	172.8	359	
TMP-14R	6/6/2016	20	162.5	479	
TMP-14R	6/6/2016	40	194.3	459	
TMP-14R	6/6/2016	60	197.5	439	
TMP-14R	6/6/2016	80	191.5	419	
TMP-14R	6/6/2016	100	180.3	399	
TMP-14R	6/6/2016	120	175.5	379	
TMP-14R	6/6/2016	140	171.7	359	
TMP-14R	6/13/2016	20	162.8	479	
TMP-14R	6/13/2016	40	195.2	459	
TMP-14R	6/13/2016	60	198.5	439	
TMP-14R	6/13/2016	80	192.5	419	
TMP-14R	6/13/2016	100	181.0	399	
TMP-14R	6/13/2016	120	176.1	379	
TMP-14R	6/13/2016	140	172.2	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/18/2016	20	192.7	473	
TMP-19	5/18/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/18/2016	60	236.6	433	
TMP-19	5/18/2016	80	248.9	413	
TMP-19	5/18/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	5/18/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2016	20	193.9	473	
TMP-19	5/23/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2016	60	237.4	433	
TMP-19	5/23/2016	80	249.7	413	
TMP-19	5/23/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2016	20	191.7	473	
TMP-19	6/1/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2016	60	237.8	433	
TMP-19	6/1/2016	80	250.3	413	
TMP-19	6/1/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/6/2016	20	193.6	473	
TMP-19	6/6/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/6/2016	60	238.4	433	
TMP-19	6/6/2016	80	250.8	413	
TMP-19	6/6/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	6/6/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/13/2016	20	189.2	473	
TMP-19	6/13/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/13/2016	60	235.1	433	
TMP-19	6/13/2016	80	247.7	413	
TMP-19	6/13/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	6/13/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/18/2016	20	151.2	478	
TMP-20	5/18/2016	40	220.8	458	
TMP-20	5/18/2016	60	241.8	438	
TMP-20	5/18/2016	80	255.0	418	
TMP-20	5/18/2016	100	265.6	398	
TMP-20	5/18/2016	120	272.4	378	
TMP-20	5/18/2016	140	273.9	358	
TMP-20	5/23/2016	20	152.5	478	
TMP-20	5/23/2016	40	221.8	458	
TMP-20	5/23/2016	60	243.1	438	
TMP-20	5/23/2016	80	256.3	418	
TMP-20	5/23/2016	100	266.7	398	
TMP-20	5/23/2016	120	273.3	378	
TMP-20	5/23/2016	140	275.0	358	
TMP-20	6/1/2016	20	150.9	478	
TMP-20	6/1/2016	40	221.2	458	
TMP-20	6/1/2016	60	243.1	438	
TMP-20	6/1/2016	80	256.4	418	
TMP-20	6/1/2016	100	267.9	398	
TMP-20	6/1/2016	120	275.1	378	
TMP-20	6/1/2016	140	276.6	358	
TMP-20	6/6/2016	20	149.6	478	
TMP-20	6/6/2016	40	219.9	458	
TMP-20	6/6/2016	60	241.5	438	
TMP-20	6/6/2016	80	254.6	418	
TMP-20	6/6/2016	100	265.2	398	
TMP-20	6/6/2016	120	272.2	378	
TMP-20	6/6/2016	140	274.4	358	
TMP-20	6/13/2016	20	148.1	478	
TMP-20	6/13/2016	40	219.3	458	
TMP-20	6/13/2016	60	241.0	438	
TMP-20	6/13/2016	80	254.0	418	
TMP-20	6/13/2016	100	264.1	398	
TMP-20	6/13/2016	120	271.1	378	
TMP-20	6/13/2016	140	273.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/18/2016	20	150.6	475	
TMP-10-9N	5/18/2016	40	157.8	455	
TMP-10-9N	5/18/2016	60	157.6	435	
TMP-10-9N	5/18/2016	80	154.8	415	
TMP-10-9N	5/18/2016	100	169.2	395	
TMP-10-9N	5/23/2016	20	151.2	475	
TMP-10-9N	5/23/2016	40	158.5	455	
TMP-10-9N	5/23/2016	60	158.1	435	
TMP-10-9N	5/23/2016	80	155.5	415	
TMP-10-9N	5/23/2016	100	169.5	395	
TMP-10-9N	6/1/2016	20	149.9	475	
TMP-10-9N	6/1/2016	40	158.7	455	
TMP-10-9N	6/1/2016	60	158.0	435	
TMP-10-9N	6/1/2016	80	156.2	415	
TMP-10-9N	6/1/2016	100	169.8	395	
TMP-10-9N	6/6/2016	20	150.4	475	
TMP-10-9N	6/6/2016	40	160.9	455	
TMP-10-9N	6/6/2016	60	160.2	435	
TMP-10-9N	6/6/2016	80	158.9	415	
TMP-10-9N	6/6/2016	100	172.2	395	
TMP-10-9N	6/13/2016	20	146.0	475	
TMP-10-9N	6/13/2016	40	157.7	455	
TMP-10-9N	6/13/2016	60	158.1	435	
TMP-10-9N	6/13/2016	80	156.3	415	
TMP-10-9N	6/13/2016	100	169.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/18/2016	20	152.3	476	
TMP-10-9S	5/18/2016	40	206.3	456	
TMP-10-9S	5/18/2016	60	224.6	436	
TMP-10-9S	5/18/2016	80	230.5	416	
TMP-10-9S	5/18/2016	100	244.1	396	
TMP-10-9S	5/23/2016	20	152.6	476	
TMP-10-9S	5/23/2016	40	205.8	456	
TMP-10-9S	5/23/2016	60	224.4	436	
TMP-10-9S	5/23/2016	80	230.4	416	
TMP-10-9S	5/23/2016	100	243.9	396	
TMP-10-9S	6/1/2016	20	152.8	476	
TMP-10-9S	6/1/2016	40	206.1	456	
TMP-10-9S	6/1/2016	60	224.4	436	
TMP-10-9S	6/1/2016	80	230.0	416	
TMP-10-9S	6/1/2016	100	243.3	396	
TMP-10-9S	6/6/2016	20	152.6	476	
TMP-10-9S	6/6/2016	40	208.6	456	
TMP-10-9S	6/6/2016	60	224.8	436	
TMP-10-9S	6/6/2016	80	230.0	416	
TMP-10-9S	6/6/2016	100	243.4	396	
TMP-10-9S	6/13/2016	20	150.1	476	
TMP-10-9S	6/13/2016	40	206.5	456	
TMP-10-9S	6/13/2016	60	222.7	436	
TMP-10-9S	6/13/2016	80	227.9	416	
TMP-10-9S	6/13/2016	100	241.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/18/2016	20	132.4	478	
TMP-10-5N	5/18/2016	40	120.6	458	
TMP-10-5N	5/18/2016	60	113.3	438	
TMP-10-5N	5/18/2016	80	101.4	418	
TMP-10-5N	5/18/2016	100	96.7	398	
TMP-10-5N	5/23/2016	20	132.2	478	
TMP-10-5N	5/23/2016	40	121.8	458	
TMP-10-5N	5/23/2016	60	114.3	438	
TMP-10-5N	5/23/2016	80	103.7	418	
TMP-10-5N	5/23/2016	100	100.0	398	
TMP-10-5N	6/1/2016	20	131.7	478	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/1/2016	40	131.6	458	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/1/2016	60	126.9	438	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/1/2016	80	123.4	418	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/1/2016	100	125.0	398	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/6/2016	20	132.0	478	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/6/2016	40	129.7	458	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/6/2016	60	123.8	438	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/6/2016	80	114.3	418	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/6/2016	100	110.4	398	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/13/2016	20	127.1	478	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/13/2016	40	123.6	458	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/13/2016	60	119.1	438	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/13/2016	80	110.0	418	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-10-5N	6/13/2016	100	107.3	398	increase in temperature was due to an electrical failure and the system reset on 6/1/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/18/2016	20	139.9	477	
TMP-10-5S	5/18/2016	40	181.9	457	
TMP-10-5S	5/18/2016	60	198.6	437	
TMP-10-5S	5/18/2016	80	210.4	417	
TMP-10-5S	5/18/2016	100	224.0	397	
TMP-10-5S	5/23/2016	20	140.6	477	
TMP-10-5S	5/23/2016	40	182.8	457	
TMP-10-5S	5/23/2016	60	199.0	437	
TMP-10-5S	5/23/2016	80	210.7	417	
TMP-10-5S	5/23/2016	100	224.0	397	
TMP-10-5S	6/1/2016	20	140.4	477	
TMP-10-5S	6/1/2016	40	183.1	457	
TMP-10-5S	6/1/2016	60	199.4	437	
TMP-10-5S	6/1/2016	80	210.9	417	
TMP-10-5S	6/1/2016	100	224.1	397	
TMP-10-5S	6/6/2016	20	140.6	477	
TMP-10-5S	6/6/2016	40	183.2	457	
TMP-10-5S	6/6/2016	60	199.5	437	
TMP-10-5S	6/6/2016	80	211.0	417	
TMP-10-5S	6/6/2016	100	224.1	397	
TMP-10-5S	6/13/2016	20	137.7	477	
TMP-10-5S	6/13/2016	40	180.0	457	
TMP-10-5S	6/13/2016	60	197.1	437	
TMP-10-5S	6/13/2016	80	208.8	417	
TMP-10-5S	6/13/2016	100	221.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/18/2016	20	118.1	476	
TMP-5-9N	5/18/2016	40	159.2	456	
TMP-5-9N	5/18/2016	60	157.5	436	
TMP-5-9N	5/18/2016	80	256.7	416	
TMP-5-9N	5/18/2016	100	266.1	396	
TMP-5-9N	5/23/2016	20	117.3	476	
TMP-5-9N	5/23/2016	40	158.5	456	
TMP-5-9N	5/23/2016	60	157.1	436	
TMP-5-9N	5/23/2016	80	256.5	416	
TMP-5-9N	5/23/2016	100	265.9	396	
TMP-5-9N	6/1/2016	20	116.6	476	
TMP-5-9N	6/1/2016	40	161.0	456	
TMP-5-9N	6/1/2016	60	162.4	436	
TMP-5-9N	6/1/2016	80	256.7	416	
TMP-5-9N	6/1/2016	100	266.1	396	
TMP-5-9N	6/6/2016	20	119.0	476	
TMP-5-9N	6/6/2016	40	163.7	456	
TMP-5-9N	6/6/2016	60	164.9	436	
TMP-5-9N	6/6/2016	80	257.5	416	
TMP-5-9N	6/6/2016	100	266.9	396	
TMP-5-9N	6/13/2016	20	118.4	476	
TMP-5-9N	6/13/2016	40	162.8	456	
TMP-5-9N	6/13/2016	60	163.2	436	
TMP-5-9N	6/13/2016	80	256.7	416	
TMP-5-9N	6/13/2016	100	266.0	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/18/2016	20	144.7	476	
TMP-5-9S	5/18/2016	40	223.3	456	
TMP-5-9S	5/18/2016	60	231.9	436	
TMP-5-9S	5/18/2016	80	256.1	416	
TMP-5-9S	5/18/2016	100	267.7	396	
TMP-5-9S	5/23/2016	20	143.3	476	
TMP-5-9S	5/23/2016	40	224.2	456	
TMP-5-9S	5/23/2016	60	232.0	436	
TMP-5-9S	5/23/2016	80	256.1	416	
TMP-5-9S	5/23/2016	100	268.0	396	
TMP-5-9S	6/1/2016	20	146.1	476	
TMP-5-9S	6/1/2016	40	224.0	456	
TMP-5-9S	6/1/2016	60	232.4	436	
TMP-5-9S	6/1/2016	80	256.8	416	
TMP-5-9S	6/1/2016	100	268.4	396	
TMP-5-9S	6/6/2016	20	146.2	476	
TMP-5-9S	6/6/2016	40	223.9	456	
TMP-5-9S	6/6/2016	60	231.7	436	
TMP-5-9S	6/6/2016	80	256.9	416	
TMP-5-9S	6/6/2016	100	268.8	396	
TMP-5-9S	6/13/2016	20	144.7	476	
TMP-5-9S	6/13/2016	40	222.3	456	
TMP-5-9S	6/13/2016	60	230.2	436	
TMP-5-9S	6/13/2016	80	245.8	416	
TMP-5-9S	6/13/2016	100	267.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/18/2016	20	102.5	475	
TMP-5-5N	5/18/2016	40	103.6	455	
TMP-5-5N	5/18/2016	60	89.5	435	
TMP-5-5N	5/18/2016	80	255.1	415	
TMP-5-5N	5/23/2016	20	100.2	475	
TMP-5-5N	5/23/2016	40	107.4	455	
TMP-5-5N	5/23/2016	60	93.2	435	
TMP-5-5N	5/23/2016	80	255.3	415	
TMP-5-5N	6/1/2016	20	115.0	475	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/1/2016	40	127.8	455	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/1/2016	60	113.3	435	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/1/2016	80	255.5	415	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/6/2016	20	109.1	475	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/6/2016	40	116.4	455	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/6/2016	60	101.7	435	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/6/2016	80	256.1	415	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/13/2016	20	108.5	475	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/13/2016	40	115.7	455	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/13/2016	60	104.7	435	increase in temperature was due to an electrical failure and the system reset on 6/1/16
TMP-5-5N	6/13/2016	80	255.8	415	increase in temperature was due to an electrical failure and the system reset on 6/1/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/18/2016	20	142.4	474	
TMP-5-5S	5/18/2016	40	215.9	454	
TMP-5-5S	5/18/2016	60	239.2	434	
TMP-5-5S	5/18/2016	80	257.0	414	
TMP-5-5S	5/23/2016	20	142.9	474	
TMP-5-5S	5/23/2016	40	216.1	454	
TMP-5-5S	5/23/2016	60	239.2	434	
TMP-5-5S	5/23/2016	80	256.8	414	
TMP-5-5S	6/1/2016	20	143.0	474	
TMP-5-5S	6/1/2016	40	216.0	454	
TMP-5-5S	6/1/2016	60	240.1	434	
TMP-5-5S	6/1/2016	80	257.9	414	
TMP-5-5S	6/6/2016	20	143.6	474	
TMP-5-5S	6/6/2016	40	217.0	454	
TMP-5-5S	6/6/2016	60	240.5	434	
TMP-5-5S	6/6/2016	80	258.3	414	
TMP-5-5S	6/13/2016	20	141.6	474	
TMP-5-5S	6/13/2016	40	215.9	454	
TMP-5-5S	6/13/2016	60	239.0	434	
TMP-5-5S	6/13/2016	80	257.0	414	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	5/18/2016	20	211.5	474	
TMP-31	5/18/2016	40	232.2	454	
TMP-31	5/18/2016	60	247.4	434	
TMP-31	5/18/2016	80	264.8	414	
TMP-31	5/18/2016	100	272.7	394	
TMP-31	5/18/2016	120	279.0	374	
TMP-31	5/18/2016	140	282.6	354	
TMP-31	5/18/2016	160	259.6	334	
TMP-31	5/18/2016	193	159.4	301	
TMP-31	5/23/2016	20	212.0	474	
TMP-31	5/23/2016	40	232.7	454	
TMP-31	5/23/2016	60	248.1	434	
TMP-31	5/23/2016	80	265.1	414	
TMP-31	5/23/2016	100	273.2	394	
TMP-31	5/23/2016	120	280.1	374	
TMP-31	5/23/2016	140	283.9	354	
TMP-31	5/23/2016	160	261.0	334	
TMP-31	5/23/2016	193	161.3	301	
TMP-31	6/1/2016	20	211.5	474	
TMP-31	6/1/2016	40	233.0	454	
TMP-31	6/1/2016	60	248.1	434	
TMP-31	6/1/2016	80	265.4	414	
TMP-31	6/1/2016	100	273.2	394	
TMP-31	6/1/2016	120	279.9	374	
TMP-31	6/1/2016	140	283.5	354	
TMP-31	6/1/2016	160	260.7	334	
TMP-31	6/1/2016	193	160.4	301	
TMP-31	6/6/2016	20	212.4	474	
TMP-31	6/6/2016	40	233.9	454	
TMP-31	6/6/2016	60	248.9	434	
TMP-31	6/6/2016	80	266.1	414	
TMP-31	6/6/2016	100	273.9	394	
TMP-31	6/6/2016	120	281.0	374	
TMP-31	6/6/2016	140	284.5	354	
TMP-31	6/6/2016	160	262.1	334	increase in resistivity, possible unreliable
TMP-31	6/6/2016	193	162.3	301	
TMP-31	6/13/2016	20	211.3	474	
TMP-31	6/13/2016	40	232.4	454	
TMP-31	6/13/2016	60	247.3	434	
TMP-31	6/13/2016	80	264.6	414	
TMP-31	6/13/2016	100	272.7	394	
TMP-31	6/13/2016	120	279.1	374	
TMP-31	6/13/2016	140	283.3	354	
TMP-31	6/13/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	6/13/2016	193	161.3	301	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	5/18/2016	20	201.1	484	
TMP-32	5/18/2016	40	226.5	464	
TMP-32	5/18/2016	60	246.7	444	
TMP-32	5/18/2016	80	260.8	424	
TMP-32	5/18/2016	100	272.2	404	
TMP-32	5/18/2016	120	278.9	384	
TMP-32	5/18/2016	140	282.0	364	
TMP-32	5/18/2016	160	286.3	344	
TMP-32	5/18/2016	180	285.9	324	
TMP-32	5/18/2016	200	237.7	304	The resistivity has flucuated week to week.
TMP-32	5/23/2016	20	201.6	484	
TMP-32	5/23/2016	40	226.7	464	
TMP-32	5/23/2016	60	246.9	444	
TMP-32	5/23/2016	80	260.8	424	
TMP-32	5/23/2016	100	272.3	404	
TMP-32	5/23/2016	120	278.9	384	
TMP-32	5/23/2016	140	281.6	364	
TMP-32	5/23/2016	160	286.0	344	
TMP-32	5/23/2016	180	286.1	324	
TMP-32	5/23/2016	200	238.8	304	The resistivity has flucuated week to week.
TMP-32	6/1/2016	20	200.7	484	
TMP-32	6/1/2016	40	225.7	464	
TMP-32	6/1/2016	60	245.8	444	
TMP-32	6/1/2016	80	259.8	424	
TMP-32	6/1/2016	100	271.3	404	
TMP-32	6/1/2016	120	277.7	384	
TMP-32	6/1/2016	140	280.9	364	
TMP-32	6/1/2016	160	285.4	344	
TMP-32	6/1/2016	180	285.3	324	
TMP-32	6/1/2016	200	237.8	304	The resistivity has flucuated week to week.
TMP-32	6/6/2016	20	201.4	484	
TMP-32	6/6/2016	40	226.0	464	
TMP-32	6/6/2016	60	246.2	444	
TMP-32	6/6/2016	80	260.1	424	
TMP-32	6/6/2016	100	271.9	404	
TMP-32	6/6/2016	120	278.3	384	
TMP-32	6/6/2016	140	280.7	364	
TMP-32	6/6/2016	160	285.1	344	
TMP-32	6/6/2016	180	285.6	324	
TMP-32	6/6/2016	200	239.1	304	The resistivity has flucuated week to week.
TMP-32	6/13/2016	20	201.8	484	
TMP-32	6/13/2016	40	225.4	464	
TMP-32	6/13/2016	60	245.5	444	
TMP-32	6/13/2016	80	259.1	424	
TMP-32	6/13/2016	100	270.5	404	
TMP-32	6/13/2016	120	276.9	384	
TMP-32	6/13/2016	140	279.6	364	
TMP-32	6/13/2016	160	284.5	344	
TMP-32	6/13/2016	180	285.3	324	
TMP-32	6/13/2016	200	239.5	304	The resistivity has flucuated week to week.