

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/23/2017	20	178.3	473	
TMP-19	5/23/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/23/2017	60	233.1	433	
TMP-19	5/23/2017	80	240.4	413	
TMP-19	5/23/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/30/2017	20	179.0	473	
TMP-19	5/30/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/30/2017	60	234.3	433	
TMP-19	5/30/2017	80	241.8	413	
TMP-19	5/30/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2017	20	178.2	473	
TMP-19	6/5/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2017	60	233.6	433	
TMP-19	6/5/2017	80	240.9	413	
TMP-19	6/5/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/12/2017	20	175.7	473	
TMP-19	6/12/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/12/2017	60	232.6	433	
TMP-19	6/12/2017	80	239.4	413	
TMP-19	6/12/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/19/2017	20	177.1	473	
TMP-19	6/19/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/19/2017	60	234.5	433	
TMP-19	6/19/2017	80	241.2	413	
TMP-19	6/19/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/23/2017	20	135.4	478	
TMP-20	5/23/2017	40	206.1	458	
TMP-20	5/23/2017	60	236.7	438	
TMP-20	5/23/2017	80	248.7	418	
TMP-20	5/23/2017	100	260.2	398	
TMP-20	5/23/2017	120	269.8	378	
TMP-20	5/23/2017	140	270.2	358	
TMP-20	5/30/2017	20	136.1	478	
TMP-20	5/30/2017	40	206.7	458	
TMP-20	5/30/2017	60	237.8	438	
TMP-20	5/30/2017	80	249.7	418	
TMP-20	5/30/2017	100	261.2	398	
TMP-20	5/30/2017	120	271.0	378	
TMP-20	5/30/2017	140	271.4	358	
TMP-20	6/5/2017	20	135.1	478	
TMP-20	6/5/2017	40	206.1	458	
TMP-20	6/5/2017	60	237.1	438	
TMP-20	6/5/2017	80	249.2	418	
TMP-20	6/5/2017	100	261.0	398	
TMP-20	6/5/2017	120	270.9	378	
TMP-20	6/5/2017	140	270.9	358	
TMP-20	6/12/2017	20	134.7	478	
TMP-20	6/12/2017	40	205.6	458	
TMP-20	6/12/2017	60	236.3	438	
TMP-20	6/12/2017	80	248.0	418	
TMP-20	6/12/2017	100	259.4	398	
TMP-20	6/12/2017	120	269.0	378	
TMP-20	6/12/2017	140	269.2	358	
TMP-20	6/19/2017	20	135.7	478	
TMP-20	6/19/2017	40	208.1	458	
TMP-20	6/19/2017	60	238.0	438	
TMP-20	6/19/2017	80	249.7	418	
TMP-20	6/19/2017	100	261.0	398	
TMP-20	6/19/2017	120	270.8	378	
TMP-20	6/19/2017	140	270.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/23/2017	20	130.9	475	
TMP-10-9N	5/23/2017	40	151.7	455	
TMP-10-9N	5/23/2017	60	155.0	435	
TMP-10-9N	5/23/2017	80	156.0	415	
TMP-10-9N	5/23/2017	100	164.8	395	
TMP-10-9N	5/30/2017	20	130.7	475	
TMP-10-9N	5/30/2017	40	152.0	455	
TMP-10-9N	5/30/2017	60	155.4	435	
TMP-10-9N	5/30/2017	80	156.5	415	
TMP-10-9N	5/30/2017	100	165.4	395	
TMP-10-9N	6/5/2017	20	129.2	475	
TMP-10-9N	6/5/2017	40	150.8	455	
TMP-10-9N	6/5/2017	60	154.2	435	
TMP-10-9N	6/5/2017	80	155.6	415	
TMP-10-9N	6/5/2017	100	164.4	395	
TMP-10-9N	6/12/2017	20	129.2	475	
TMP-10-9N	6/12/2017	40	151.2	455	
TMP-10-9N	6/12/2017	60	154.1	435	
TMP-10-9N	6/12/2017	80	155.9	415	
TMP-10-9N	6/12/2017	100	164.8	395	
TMP-10-9N	6/19/2017	20	130.2	475	
TMP-10-9N	6/19/2017	40	152.6	455	
TMP-10-9N	6/19/2017	60	156.2	435	
TMP-10-9N	6/19/2017	80	157.3	415	
TMP-10-9N	6/19/2017	100	166.0	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/23/2017	20	134.5	476	
TMP-10-9S	5/23/2017	40	185.4	456	
TMP-10-9S	5/23/2017	60	208.0	436	
TMP-10-9S	5/23/2017	80	212.2	416	
TMP-10-9S	5/23/2017	100	225.7	396	
TMP-10-9S	5/30/2017	20	133.0	476	
TMP-10-9S	5/30/2017	40	184.0	456	
TMP-10-9S	5/30/2017	60	206.8	436	
TMP-10-9S	5/30/2017	80	211.2	416	
TMP-10-9S	5/30/2017	100	224.7	396	
TMP-10-9S	6/5/2017	20	133.8	476	
TMP-10-9S	6/5/2017	40	185.0	456	
TMP-10-9S	6/5/2017	60	207.2	436	
TMP-10-9S	6/5/2017	80	211.2	416	
TMP-10-9S	6/5/2017	100	224.6	396	
TMP-10-9S	6/12/2017	20	131.8	476	
TMP-10-9S	6/12/2017	40	183.4	456	
TMP-10-9S	6/12/2017	60	205.7	436	
TMP-10-9S	6/12/2017	80	210.0	416	
TMP-10-9S	6/12/2017	100	223.9	396	
TMP-10-9S	6/19/2017	20	133.1	476	
TMP-10-9S	6/19/2017	40	184.8	456	
TMP-10-9S	6/19/2017	60	206.6	436	
TMP-10-9S	6/19/2017	80	210.6	416	
TMP-10-9S	6/19/2017	100	224.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/23/2017	20	111.8	478	
TMP-10-5N	5/23/2017	40	119.5	458	
TMP-10-5N	5/23/2017	60	115.1	438	
TMP-10-5N	5/23/2017	80	105.5	418	
TMP-10-5N	5/23/2017	100	100.2	398	
TMP-10-5N	5/30/2017	20	112.3	478	
TMP-10-5N	5/30/2017	40	120.5	458	
TMP-10-5N	5/30/2017	60	116.4	438	
TMP-10-5N	5/30/2017	80	107.9	418	
TMP-10-5N	5/30/2017	100	103.1	398	
TMP-10-5N	6/5/2017	20	111.0	478	
TMP-10-5N	6/5/2017	40	121.9	458	
TMP-10-5N	6/5/2017	60	118.8	438	
TMP-10-5N	6/5/2017	80	111.6	418	
TMP-10-5N	6/5/2017	100	107.0	398	
TMP-10-5N	6/12/2017	20	110.5	478	
TMP-10-5N	6/12/2017	40	119.5	458	
TMP-10-5N	6/12/2017	60	116.1	438	
TMP-10-5N	6/12/2017	80	107.9	418	
TMP-10-5N	6/12/2017	100	104.3	398	
TMP-10-5N	6/19/2017	20	112.1	478	
TMP-10-5N	6/19/2017	40	121.8	458	
TMP-10-5N	6/19/2017	60	118.7	438	
TMP-10-5N	6/19/2017	80	110.6	418	
TMP-10-5N	6/19/2017	100	106.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/23/2017	20	123.9	477	
TMP-10-5S	5/23/2017	40	165.5	457	
TMP-10-5S	5/23/2017	60	185.2	437	
TMP-10-5S	5/23/2017	80	195.6	417	
TMP-10-5S	5/23/2017	100	208.6	397	
TMP-10-5S	5/30/2017	20	122.5	477	
TMP-10-5S	5/30/2017	40	164.2	457	
TMP-10-5S	5/30/2017	60	183.7	437	
TMP-10-5S	5/30/2017	80	194.1	417	
TMP-10-5S	5/30/2017	100	206.9	397	
TMP-10-5S	6/5/2017	20	122.8	477	
TMP-10-5S	6/5/2017	40	164.8	457	
TMP-10-5S	6/5/2017	60	184.1	437	
TMP-10-5S	6/5/2017	80	194.4	417	
TMP-10-5S	6/5/2017	100	207.3	397	
TMP-10-5S	6/12/2017	20	121.6	477	
TMP-10-5S	6/12/2017	40	163.4	457	
TMP-10-5S	6/12/2017	60	182.5	437	
TMP-10-5S	6/12/2017	80	192.7	417	
TMP-10-5S	6/12/2017	100	205.7	397	
TMP-10-5S	6/19/2017	20	122.8	477	
TMP-10-5S	6/19/2017	40	164.8	457	
TMP-10-5S	6/19/2017	60	183.9	437	
TMP-10-5S	6/19/2017	80	194.1	417	
TMP-10-5S	6/19/2017	100	206.9	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/23/2017	20	116.2	476	
TMP-5-9N	5/23/2017	40	157.0	456	
TMP-5-9N	5/23/2017	60	163.3	436	
TMP-5-9N	5/23/2017	80	255.6	416	
TMP-5-9N	5/23/2017	100	264.1	396	
TMP-5-9N	5/30/2017	20	115.2	476	
TMP-5-9N	5/30/2017	40	155.9	456	
TMP-5-9N	5/30/2017	60	162.4	436	
TMP-5-9N	5/30/2017	80	255.4	416	
TMP-5-9N	5/30/2017	100	264.0	396	
TMP-5-9N	6/5/2017	20	113.3	476	
TMP-5-9N	6/5/2017	40	154.3	456	
TMP-5-9N	6/5/2017	60	161.5	436	
TMP-5-9N	6/5/2017	80	253.3	416	
TMP-5-9N	6/5/2017	100	262.1	396	
TMP-5-9N	6/12/2017	20	114.3	476	
TMP-5-9N	6/12/2017	40	155.0	456	
TMP-5-9N	6/12/2017	60	161.9	436	
TMP-5-9N	6/12/2017	80	253.7	416	
TMP-5-9N	6/12/2017	100	262.4	396	
TMP-5-9N	6/19/2017	20	115.0	476	
TMP-5-9N	6/19/2017	40	155.8	456	
TMP-5-9N	6/19/2017	60	163.1	436	
TMP-5-9N	6/19/2017	80	254.9	416	
TMP-5-9N	6/19/2017	100	263.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/23/2017	20	139.6	476	
TMP-5-9S	5/23/2017	40	217.3	456	
TMP-5-9S	5/23/2017	60	238.5	436	
TMP-5-9S	5/23/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/23/2017	100	265.9	396	
TMP-5-9S	5/30/2017	20	136.9	476	
TMP-5-9S	5/30/2017	40	215.6	456	
TMP-5-9S	5/30/2017	60	237.2	436	
TMP-5-9S	5/30/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	5/30/2017	100	264.7	396	
TMP-5-9S	6/5/2017	20	134.5	476	
TMP-5-9S	6/5/2017	40	214.5	456	
TMP-5-9S	6/5/2017	60	236.4	436	
TMP-5-9S	6/5/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	6/5/2017	100	264.2	396	
TMP-5-9S	6/12/2017	20	133.8	476	
TMP-5-9S	6/12/2017	40	214.1	456	
TMP-5-9S	6/12/2017	60	235.9	436	
TMP-5-9S	6/12/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	6/12/2017	100	263.9	396	
TMP-5-9S	6/19/2017	20	136.1	476	
TMP-5-9S	6/19/2017	40	215.3	456	
TMP-5-9S	6/19/2017	60	236.8	436	
TMP-5-9S	6/19/2017	80		416	No reliable reading able to be obtained
TMP-5-9S	6/19/2017	100	264.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/23/2017	20	102.3	475	
TMP-5-5N	5/23/2017	40	108.6	455	
TMP-5-5N	5/23/2017	60	99.6	435	
TMP-5-5N	5/23/2017	80	253.6	415	
TMP-5-5N	5/23/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	5/30/2017	20	102.3	475	
TMP-5-5N	5/30/2017	40	110.3	455	
TMP-5-5N	5/30/2017	60	102.2	435	
TMP-5-5N	5/30/2017	80	253.4	415	
TMP-5-5N	5/30/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	6/5/2017	20	102.8	475	
TMP-5-5N	6/5/2017	40	111.5	455	
TMP-5-5N	6/5/2017	60	101.7	435	
TMP-5-5N	6/5/2017	80	251.5	415	
TMP-5-5N	6/5/2017	100			No reliable reading able to be obtained
TMP-5-5N	6/12/2017	20	101.0	475	
TMP-5-5N	6/12/2017	40	109.0	455	
TMP-5-5N	6/12/2017	60	101.4	435	
TMP-5-5N	6/12/2017	80	251.8	415	
TMP-5-5N	6/12/2017	100		395	No reliable reading able to be obtained
TMP-5-5N	6/19/2017	20	103.7	475	
TMP-5-5N	6/19/2017	40	111.1	455	
TMP-5-5N	6/19/2017	60	103.0	435	
TMP-5-5N	6/19/2017	80	253.2	415	
TMP-5-5N	6/19/2017	100		395	No reliable reading able to be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/23/2017	20	138.6	474	
TMP-5-5S	5/23/2017	40	206.5	454	
TMP-5-5S	5/23/2017	60	234.7	434	
TMP-5-5S	5/23/2017	80	255.2	414	
TMP-5-5S	5/23/2017	100	258.3	394	
TMP-5-5S	5/30/2017	20	137.4	474	
TMP-5-5S	5/30/2017	40	204.1	454	
TMP-5-5S	5/30/2017	60	233.5	434	
TMP-5-5S	5/30/2017	80	253.8	414	
TMP-5-5S	5/30/2017	100	257.1	394	
TMP-5-5S	6/5/2017	20	136.5	474	
TMP-5-5S	6/5/2017	40	203.2	454	
TMP-5-5S	6/5/2017	60	232.3	434	
TMP-5-5S	6/5/2017	80	252.8	414	
TMP-5-5S	6/5/2017	100	256.0	394	
TMP-5-5S	6/12/2017	20	136.4	474	
TMP-5-5S	6/12/2017	40	202.7	454	
TMP-5-5S	6/12/2017	60	232.2	434	
TMP-5-5S	6/12/2017	80	252.7	414	
TMP-5-5S	6/12/2017	100	255.9	394	
TMP-5-5S	6/19/2017	20	136.8	474	
TMP-5-5S	6/19/2017	40	205.1	454	
TMP-5-5S	6/19/2017	60	233.0	434	
TMP-5-5S	6/19/2017	80	253.8	414	
TMP-5-5S	6/19/2017	100	256.9	394	

l

l

l

l

[

l

l

[

