

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	6/19/2017	20	177.1	473	
TMP-19	6/19/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/19/2017	60	234.5	433	
TMP-19	6/19/2017	80	241.2	413	
TMP-19	6/19/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/26/2017	20	174.9	473	
TMP-19	6/26/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/26/2017	60	233.4	433	
TMP-19	6/26/2017	80	239.9	413	
TMP-19	6/26/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/3/2017	20	174.7	473	
TMP-19	7/3/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/3/2017	60	232.6	433	
TMP-19	7/3/2017	80	238.9	413	
TMP-19	7/3/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/10/2017	20	175.2	473	
TMP-19	7/10/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/10/2017	60	233.0	433	
TMP-19	7/10/2017	80	239.3	413	
TMP-19	7/10/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/17/2017	20	175.2	473	
TMP-19	7/17/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/17/2017	60	233.0	433	
TMP-19	7/17/2017	80	239.4	413	
TMP-19	7/17/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	6/19/2017	20	135.7	478	
TMP-20	6/19/2017	40	208.1	458	
TMP-20	6/19/2017	60	238.0	438	
TMP-20	6/19/2017	80	249.7	418	
TMP-20	6/19/2017	100	261.0	398	
TMP-20	6/19/2017	120	270.8	378	
TMP-20	6/19/2017	140	270.8	358	
TMP-20	6/26/2017	20	135.6	478	
TMP-20	6/26/2017	40	208.0	458	
TMP-20	6/26/2017	60	237.9	438	
TMP-20	6/26/2017	80	249.6	418	
TMP-20	6/26/2017	100	261.0	398	
TMP-20	6/26/2017	120	271.0	378	
TMP-20	6/26/2017	140	270.9	358	
TMP-20	7/3/2017	20	134.1	478	
TMP-20	7/3/2017	40	205.9	458	
TMP-20	7/3/2017	60	236.3	438	
TMP-20	7/3/2017	80	248.1	418	
TMP-20	7/3/2017	100	259.3	398	
TMP-20	7/3/2017	120	269.0	378	
TMP-20	7/3/2017	140	268.9	358	
TMP-20	7/10/2017	20	134.1	478	
TMP-20	7/10/2017	40	205.3	458	
TMP-20	7/10/2017	60	236.1	438	
TMP-20	7/10/2017	80	247.8	418	
TMP-20	7/10/2017	100	259.0	398	
TMP-20	7/10/2017	120	268.8	378	
TMP-20	7/10/2017	140	268.7	358	
TMP-20	7/17/2017	20	134.5	478	
TMP-20	7/17/2017	40	205.0	458	
TMP-20	7/17/2017	60	236.7	438	
TMP-20	7/17/2017	80	248.4	418	
TMP-20	7/17/2017	100	259.7	398	
TMP-20	7/17/2017	120	269.5	378	
TMP-20	7/17/2017	140	269.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	6/19/2017	20	130.2	475	
TMP-10-9N	6/19/2017	40	152.6	455	
TMP-10-9N	6/19/2017	60	156.2	435	
TMP-10-9N	6/19/2017	80	157.3	415	
TMP-10-9N	6/19/2017	100	166.0	395	
TMP-10-9N	6/26/2017	20	129.4	475	
TMP-10-9N	6/26/2017	40	151.9	455	
TMP-10-9N	6/26/2017	60	155.5	435	
TMP-10-9N	6/26/2017	80	156.6	415	
TMP-10-9N	6/26/2017	100	165.5	395	
TMP-10-9N	7/3/2017	20	128.8	475	
TMP-10-9N	7/3/2017	40	151.6	455	
TMP-10-9N	7/3/2017	60	155.4	435	
TMP-10-9N	7/3/2017	80	156.6	415	
TMP-10-9N	7/3/2017	100	165.4	395	
TMP-10-9N	7/10/2017	20	129.1	475	
TMP-10-9N	7/10/2017	40	152.0	455	
TMP-10-9N	7/10/2017	60	155.9	435	
TMP-10-9N	7/10/2017	80	157.0	415	
TMP-10-9N	7/10/2017	100	165.7	395	
TMP-10-9N	7/17/2017	20	128.6	475	
TMP-10-9N	7/17/2017	40	151.5	455	
TMP-10-9N	7/17/2017	60	155.3	435	
TMP-10-9N	7/17/2017	80	156.4	415	
TMP-10-9N	7/17/2017	100	165.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	6/19/2017	20	133.1	476	
TMP-10-9S	6/19/2017	40	184.8	456	
TMP-10-9S	6/19/2017	60	206.6	436	
TMP-10-9S	6/19/2017	80	210.6	416	
TMP-10-9S	6/19/2017	100	224.4	396	
TMP-10-9S	6/26/2017	20	132.3	476	
TMP-10-9S	6/26/2017	40	183.9	456	
TMP-10-9S	6/26/2017	60	206.1	436	
TMP-10-9S	6/26/2017	80	210.2	416	
TMP-10-9S	6/26/2017	100	224.1	396	
TMP-10-9S	7/3/2017	20	132.0	476	
TMP-10-9S	7/3/2017	40	183.7	456	
TMP-10-9S	7/3/2017	60	205.7	436	
TMP-10-9S	7/3/2017	80	209.7	416	
TMP-10-9S	7/3/2017	100	223.6	396	
TMP-10-9S	7/10/2017	20	131.6	476	
TMP-10-9S	7/10/2017	40	183.4	456	
TMP-10-9S	7/10/2017	60	205.4	436	
TMP-10-9S	7/10/2017	80	209.0	416	
TMP-10-9S	7/10/2017	100	222.8	396	
TMP-10-9S	7/17/2017	20	131.0	476	
TMP-10-9S	7/17/2017	40	182.7	456	
TMP-10-9S	7/17/2017	60	204.8	436	
TMP-10-9S	7/17/2017	80	208.7	416	
TMP-10-9S	7/17/2017	100	222.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	6/19/2017	20	112.1	478	
TMP-10-5N	6/19/2017	40	121.8	458	
TMP-10-5N	6/19/2017	60	118.7	438	
TMP-10-5N	6/19/2017	80	110.6	418	
TMP-10-5N	6/19/2017	100	106.2	398	
TMP-10-5N	6/26/2017	20	111.4	478	
TMP-10-5N	6/26/2017	40	120.7	458	
TMP-10-5N	6/26/2017	60	117.4	438	
TMP-10-5N	6/26/2017	80	108.2	418	
TMP-10-5N	6/26/2017	100	103.3	398	
TMP-10-5N	7/3/2017	20	111.4	478	
TMP-10-5N	7/3/2017	40	120.4	458	
TMP-10-5N	7/3/2017	60	117.3	438	
TMP-10-5N	7/3/2017	80	108.8	418	
TMP-10-5N	7/3/2017	100	104.3	398	
TMP-10-5N	7/10/2017	20	111.8	478	
TMP-10-5N	7/10/2017	40	121.5	458	
TMP-10-5N	7/10/2017	60	118.6	438	
TMP-10-5N	7/10/2017	80	110.3	418	
TMP-10-5N	7/10/2017	100	106.4	398	
TMP-10-5N	7/17/2017	20	111.2	478	
TMP-10-5N	7/17/2017	40	121.1	458	
TMP-10-5N	7/17/2017	60	118.9	438	
TMP-10-5N	7/17/2017	80	110.8	418	
TMP-10-5N	7/17/2017	100	106.8	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	6/19/2017	20	122.8	477	
TMP-10-5S	6/19/2017	40	164.8	457	
TMP-10-5S	6/19/2017	60	183.9	437	
TMP-10-5S	6/19/2017	80	194.1	417	
TMP-10-5S	6/19/2017	100	206.9	397	
TMP-10-5S	6/26/2017	20	122.1	477	
TMP-10-5S	6/26/2017	40	164.0	457	
TMP-10-5S	6/26/2017	60	183.1	437	
TMP-10-5S	6/26/2017	80	193.2	417	
TMP-10-5S	6/26/2017	100	206.1	397	
TMP-10-5S	7/3/2017	20	121.7	477	
TMP-10-5S	7/3/2017	40	163.9	457	
TMP-10-5S	7/3/2017	60	183.0	437	
TMP-10-5S	7/3/2017	80	193.1	417	
TMP-10-5S	7/3/2017	100	206.0	397	
TMP-10-5S	7/10/2017	20	121.6	477	
TMP-10-5S	7/10/2017	40	163.8	457	
TMP-10-5S	7/10/2017	60	182.8	437	
TMP-10-5S	7/10/2017	80	192.8	417	
TMP-10-5S	7/10/2017	100	205.8	397	
TMP-10-5S	7/17/2017	20	121.2	477	
TMP-10-5S	7/17/2017	40	163.3	457	
TMP-10-5S	7/17/2017	60	182.1	437	
TMP-10-5S	7/17/2017	80	192.2	417	
TMP-10-5S	7/17/2017	100	205.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	6/19/2017	20	115.0	476	
TMP-5-9N	6/19/2017	40	155.8	456	
TMP-5-9N	6/19/2017	60	163.1	436	
TMP-5-9N	6/19/2017	80	254.9	416	
TMP-5-9N	6/19/2017	100	263.8	396	
TMP-5-9N	6/26/2017	20	114.9	476	
TMP-5-9N	6/26/2017	40	155.2	456	
TMP-5-9N	6/26/2017	60	162.8	436	
TMP-5-9N	6/26/2017	80	254.5	416	
TMP-5-9N	6/26/2017	100	263.3	396	
TMP-5-9N	7/3/2017	20	114.0	476	
TMP-5-9N	7/3/2017	40	154.4	456	
TMP-5-9N	7/3/2017	60	162.1	436	
TMP-5-9N	7/3/2017	80	254.2	416	
TMP-5-9N	7/3/2017	100	263.0	396	
TMP-5-9N	7/10/2017	20	113.5	476	
TMP-5-9N	7/10/2017	40	153.9	456	
TMP-5-9N	7/10/2017	60	162.0	436	
TMP-5-9N	7/10/2017	80	253.7	416	
TMP-5-9N	7/10/2017	100	262.4	396	
TMP-5-9N	7/17/2017	20	113.5	476	
TMP-5-9N	7/17/2017	40	153.9	456	
TMP-5-9N	7/17/2017	60	162.1	436	
TMP-5-9N	7/17/2017	80	253.7	416	
TMP-5-9N	7/17/2017	100	262.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	6/19/2017	20	136.1	476	
TMP-5-9S	6/19/2017	40	215.3	456	
TMP-5-9S	6/19/2017	60	236.8	436	
TMP-5-9S	6/19/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/19/2017	100	264.8	396	
TMP-5-9S	6/26/2017	20	135.7	476	
TMP-5-9S	6/26/2017	40	214.4	456	
TMP-5-9S	6/26/2017	60	236.1	436	
TMP-5-9S	6/26/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/26/2017	100	264.0	396	
TMP-5-9S	7/3/2017	20	134.8	476	
TMP-5-9S	7/3/2017	40	214.1	456	
TMP-5-9S	7/3/2017	60	235.8	436	
TMP-5-9S	7/3/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/3/2017	100	263.6	396	
TMP-5-9S	7/10/2017	20	135.7	476	
TMP-5-9S	7/10/2017	40	213.9	456	
TMP-5-9S	7/10/2017	60	235.9	436	
TMP-5-9S	7/10/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/10/2017	100	263.7	396	
TMP-5-9S	7/17/2017	20	135.1	476	
TMP-5-9S	7/17/2017	40	213.6	456	
TMP-5-9S	7/17/2017	60	235.6	436	
TMP-5-9S	7/17/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/17/2017	100	263.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	6/19/2017	20	103.7	475	
TMP-5-5N	6/19/2017	40	111.1	455	
TMP-5-5N	6/19/2017	60	103.0	435	
TMP-5-5N	6/19/2017	80	253.2	415	
TMP-5-5N	6/19/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/26/2017	20	102.7	475	
TMP-5-5N	6/26/2017	40	108.5	455	
TMP-5-5N	6/26/2017	60	99.3	435	
TMP-5-5N	6/26/2017	80	252.8	415	
TMP-5-5N	6/26/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/3/2017	20	102.0	475	
TMP-5-5N	7/3/2017	40	108.5	455	
TMP-5-5N	7/3/2017	60	101.0	435	
TMP-5-5N	7/3/2017	80	252.2	415	
TMP-5-5N	7/3/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/10/2017	20	101.7	475	
TMP-5-5N	7/10/2017	40	110.1	455	
TMP-5-5N	7/10/2017	60	103.4	435	
TMP-5-5N	7/10/2017	80	251.8	415	
TMP-5-5N	7/10/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/17/2017	20	102.4	475	
TMP-5-5N	7/17/2017	40	111	455	
TMP-5-5N	7/17/2017	60	104.6	435	
TMP-5-5N	7/17/2017	80	252	415	
TMP-5-5N	7/17/2017	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	6/19/2017	20	136.8	474	
TMP-5-5S	6/19/2017	40	205.1	454	
TMP-5-5S	6/19/2017	60	233.0	434	
TMP-5-5S	6/19/2017	80	253.8	414	
TMP-5-5S	6/19/2017	100	256.9	394	
TMP-5-5S	6/26/2017	20	136.0	474	
TMP-5-5S	6/26/2017	40	203.4	454	
TMP-5-5S	6/26/2017	60	232.1	434	
TMP-5-5S	6/26/2017	80	252.7	414	
TMP-5-5S	6/26/2017	100	255.9	394	
TMP-5-5S	7/3/2017	20	135.6	474	
TMP-5-5S	7/3/2017	40	202.8	454	
TMP-5-5S	7/3/2017	60	231.8	434	
TMP-5-5S	7/3/2017	80	252.6	414	
TMP-5-5S	7/3/2017	100	255.8	394	
TMP-5-5S	7/10/2017	20	135.4	474	
TMP-5-5S	7/10/2017	40	203.0	454	
TMP-5-5S	7/10/2017	60	231.8	434	
TMP-5-5S	7/10/2017	80	252.7	414	
TMP-5-5S	7/10/2017	100	255.9	394	
TMP-5-5S	7/17/2017	20	134.1	474	
TMP-5-5S	7/17/2017	40	202.0	454	
TMP-5-5S	7/17/2017	60	231.2	434	
TMP-5-5S	7/17/2017	80	252.2	414	
TMP-5-5S	7/17/2017	100	255.5	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	6/19/2017	20	202.6	474	
TMP-31	6/19/2017	40	231.2	454	
TMP-31	6/19/2017	60	245.6	434	
TMP-31	6/19/2017	80	261.1	414	
TMP-31	6/19/2017	100	270.5	394	
TMP-31	6/19/2017	120	277.5	374	
TMP-31	6/19/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	6/26/2017	20	202.0	474	
TMP-31	6/26/2017	40	230.5	454	
TMP-31	6/26/2017	60	244.7	434	
TMP-31	6/26/2017	80	260.6	414	
TMP-31	6/26/2017	100	269.7	394	
TMP-31	6/26/2017	120	276.7	374	
TMP-31	6/26/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/3/2017	20	201.7	474	
TMP-31	7/3/2017	40	230.1	454	
TMP-31	7/3/2017	60	244.4	434	
TMP-31	7/3/2017	80	259.9	414	
TMP-31	7/3/2017	100	269.2	394	
TMP-31	7/3/2017	120	276.2	374	
TMP-31	7/3/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/10/2017	20	199.8	474	
TMP-31	7/10/2017	40	228.2	454	
TMP-31	7/10/2017	60	242.4	434	
TMP-31	7/10/2017	80	257.9	414	
TMP-31	7/10/2017	100	267.0	394	
TMP-31	7/10/2017	120	274.3	374	
TMP-31	7/10/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/17/2017	20	201.4	474	
TMP-31	7/17/2017	40	229.9	454	
TMP-31	7/17/2017	60	244.1	434	
TMP-31	7/17/2017	80	259.6	414	
TMP-31	7/17/2017	100	268.7	394	
TMP-31	7/17/2017	120	275.7	374	
TMP-31	7/17/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	6/19/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	60	240.9	444	
TMP-32	6/19/2017	80	254.7	424	
TMP-32	6/19/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/19/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	60	242.5	444	
TMP-32	6/26/2017	80	256.4	424	
TMP-32	6/26/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/26/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	60	241.7	444	
TMP-32	7/3/2017	80	255.4	424	
TMP-32	7/3/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	60	241.2	444	
TMP-32	7/10/2017	80	255.0	424	
TMP-32	7/10/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	60	241.9	444	
TMP-32	7/17/2017	80	255.8	424	
TMP-32	7/17/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	6/19/2017	20	173.1	473	
TMP-SPM1	6/19/2017	40	201.5	453	
TMP-SPM1	6/19/2017	60	197.9	433	
TMP-SPM1	6/19/2017	80	195.3	413	
TMP-SPM1	6/19/2017	100	182.9	393	
TMP-SPM1	6/19/2017	120	170.5	373	
TMP-SPM1	6/19/2017	140	160.1	353	
TMP-SPM1	6/19/2017	160	143.9	333	
TMP-SPM1	6/19/2017	180	128.7	313	
TMP-SPM1	6/19/2017	200	107.6	293	
TMP-SPM1	6/19/2017	220	91.4	273	
TMP-SPM1	6/19/2017	240	88.1	253	
TMP-SPM1	6/26/2017	20	173.1	473	
TMP-SPM1	6/26/2017	40	201.5	453	
TMP-SPM1	6/26/2017	60	198.1	433	
TMP-SPM1	6/26/2017	80	195.3	413	
TMP-SPM1	6/26/2017	100	182.8	393	
TMP-SPM1	6/26/2017	120	170.4	373	
TMP-SPM1	6/26/2017	140	160.1	353	
TMP-SPM1	6/26/2017	160	143.8	333	
TMP-SPM1	6/26/2017	180	128.7	313	
TMP-SPM1	6/26/2017	200	107.7	293	
TMP-SPM1	6/26/2017	220	91.6	273	
TMP-SPM1	6/26/2017	240	88.3	253	
TMP-SPM1	7/3/2017	20	172.3	473	
TMP-SPM1	7/3/2017	40	201.0	453	
TMP-SPM1	7/3/2017	60	197.7	433	
TMP-SPM1	7/3/2017	80	194.7	413	
TMP-SPM1	7/3/2017	100	182.2	393	
TMP-SPM1	7/3/2017	120	169.7	373	
TMP-SPM1	7/3/2017	140	159.4	353	
TMP-SPM1	7/3/2017	160	143.0	333	
TMP-SPM1	7/3/2017	180	127.8	313	
TMP-SPM1	7/3/2017	200	106.8	293	
TMP-SPM1	7/3/2017	220	90.6	273	
TMP-SPM1	7/3/2017	240	87.4	253	
TMP-SPM1	7/10/2017	20	172.5	473	
TMP-SPM1	7/10/2017	40	201.3	453	
TMP-SPM1	7/10/2017	60	198.1	433	
TMP-SPM1	7/10/2017	80	195.0	413	
TMP-SPM1	7/10/2017	100	182.4	393	
TMP-SPM1	7/10/2017	120	170.0	373	
TMP-SPM1	7/10/2017	140	159.5	353	
TMP-SPM1	7/10/2017	160	143.1	333	
TMP-SPM1	7/10/2017	180	127.9	313	
TMP-SPM1	7/10/2017	200	106.9	293	
TMP-SPM1	7/10/2017	220	90.6	273	
TMP-SPM1	7/10/2017	240	87.3	253	
TMP-SPM1	7/17/2017	20	171.4	473	
TMP-SPM1	7/17/2017	40	200.8	453	
TMP-SPM1	7/17/2017	60	197.7	433	
TMP-SPM1	7/17/2017	80	194.4	413	
TMP-SPM1	7/17/2017	100	181.9	393	
TMP-SPM1	7/17/2017	120	169.4	373	
TMP-SPM1	7/17/2017	140	159.0	353	
TMP-SPM1	7/17/2017	160	142.5	333	
TMP-SPM1	7/17/2017	180	127.3	313	
TMP-SPM1	7/17/2017	200	106.4	293	
TMP-SPM1	7/17/2017	220	90.2	273	
TMP-SPM1	7/17/2017	240	86.9	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	6/19/2017	20	166.9	475	
TMP-SPM2	6/19/2017	40	201.4	455	
TMP-SPM2	6/19/2017	60	196.5	435	
TMP-SPM2	6/19/2017	80	179.9	415	
TMP-SPM2	6/19/2017	100	185.5	395	
TMP-SPM2	6/19/2017	120	181.1	375	
TMP-SPM2	6/19/2017	140	167.8	355	
TMP-SPM2	6/19/2017	160	150.4	335	
TMP-SPM2	6/19/2017	172	137.5	323	
TMP-SPM2	6/26/2017	20	165.9	475	
TMP-SPM2	6/26/2017	40	200.4	455	
TMP-SPM2	6/26/2017	60	195.6	435	
TMP-SPM2	6/26/2017	80	179.5	415	
TMP-SPM2	6/26/2017	100	185.5	395	
TMP-SPM2	6/26/2017	120	181.1	375	
TMP-SPM2	6/26/2017	140	167.7	355	
TMP-SPM2	6/26/2017	160	150.0	335	
TMP-SPM2	6/26/2017	172	136.9	323	
TMP-SPM2	7/3/2017	20	165.0	475	
TMP-SPM2	7/3/2017	40	199.3	455	
TMP-SPM2	7/3/2017	60	194.5	435	
TMP-SPM2	7/3/2017	80	178.8	415	
TMP-SPM2	7/3/2017	100	185.2	395	
TMP-SPM2	7/3/2017	120	180.7	375	
TMP-SPM2	7/3/2017	140	167.5	355	
TMP-SPM2	7/3/2017	160	149.9	335	
TMP-SPM2	7/3/2017	172	137.1	323	
TMP-SPM2	7/10/2017	20	165.8	475	
TMP-SPM2	7/10/2017	40	200.2	455	
TMP-SPM2	7/10/2017	60	195.5	435	
TMP-SPM2	7/10/2017	80	180.3	415	
TMP-SPM2	7/10/2017	100	186.8	395	
TMP-SPM2	7/10/2017	120	182.0	375	
TMP-SPM2	7/10/2017	140	168.7	355	
TMP-SPM2	7/10/2017	160	150.7	335	
TMP-SPM2	7/10/2017	172	137.7	323	
TMP-SPM2	7/17/2017	20	164.6	475	
TMP-SPM2	7/17/2017	40	199.0	455	
TMP-SPM2	7/17/2017	60	194.6	435	
TMP-SPM2	7/17/2017	80	179.7	415	
TMP-SPM2	7/17/2017	100	186.5	395	
TMP-SPM2	7/17/2017	120	181.5	375	
TMP-SPM2	7/17/2017	140	168.3	355	
TMP-SPM2	7/17/2017	160	150.2	335	
TMP-SPM2	7/17/2017	172	137.3	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	6/19/2017	20	131.3	478	
TMP-SPM3	6/19/2017	40	139.8	458	
TMP-SPM3	6/19/2017	60	132.6	438	
TMP-SPM3	6/19/2017	80	130.5	418	
TMP-SPM3	6/19/2017	85	130.5	413	
TMP-SPM3	6/26/2017	20	129.9	478	
TMP-SPM3	6/26/2017	40	138.7	458	
TMP-SPM3	6/26/2017	60	131.5	438	
TMP-SPM3	6/26/2017	80	129.8	418	
TMP-SPM3	6/26/2017	85	129.8	413	
TMP-SPM3	7/3/2017	20	128.9	478	
TMP-SPM3	7/3/2017	40	137.5	458	
TMP-SPM3	7/3/2017	60	130.2	438	
TMP-SPM3	7/3/2017	80	128.7	418	
TMP-SPM3	7/3/2017	85	128.6	413	
TMP-SPM3	7/10/2017	20	129.6	478	
TMP-SPM3	7/10/2017	40	138.3	458	
TMP-SPM3	7/10/2017	60	131.1	438	
TMP-SPM3	7/10/2017	80	129.7	418	
TMP-SPM3	7/10/2017	85	129.6	413	
TMP-SPM3	7/17/2017	20	128.8	478	
TMP-SPM3	7/17/2017	40	137.9	458	
TMP-SPM3	7/17/2017	60	131.0	438	
TMP-SPM3	7/17/2017	80	130.0	418	
TMP-SPM3	7/17/2017	85	129.9	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	6/19/2017	20	139.7	475	
TMP-SPM4	6/19/2017	40	163.6	455	
TMP-SPM4	6/19/2017	60	168.4	435	
TMP-SPM4	6/19/2017	80	171.6	415	
TMP-SPM4	6/19/2017	100	168.1	395	
TMP-SPM4	6/19/2017	120	158.8	375	
TMP-SPM4	6/19/2017	140	150.8	355	
TMP-SPM4	6/19/2017	160	142.2	335	
TMP-SPM4	6/19/2017	180	132.2	315	
TMP-SPM4	6/19/2017	200	116.7	295	
TMP-SPM4	6/19/2017	220	98.9	275	
TMP-SPM4	6/19/2017	240	91.2	255	
TMP-SPM4	6/26/2017	20	138.3	475	
TMP-SPM4	6/26/2017	40	162.4	455	
TMP-SPM4	6/26/2017	60	167.4	435	
TMP-SPM4	6/26/2017	80	170.7	415	
TMP-SPM4	6/26/2017	100	167.3	395	
TMP-SPM4	6/26/2017	120	158.0	375	
TMP-SPM4	6/26/2017	140	150.2	355	
TMP-SPM4	6/26/2017	160	141.7	335	
TMP-SPM4	6/26/2017	180	131.9	315	
TMP-SPM4	6/26/2017	200	116.6	295	
TMP-SPM4	6/26/2017	220	98.8	275	
TMP-SPM4	6/26/2017	240	91.2	255	
TMP-SPM4	7/3/2017	20	138.0	475	
TMP-SPM4	7/3/2017	40	162.0	455	
TMP-SPM4	7/3/2017	60	166.9	435	
TMP-SPM4	7/3/2017	80	169.9	415	
TMP-SPM4	7/3/2017	100	166.6	395	
TMP-SPM4	7/3/2017	120	157.2	375	
TMP-SPM4	7/3/2017	140	149.4	355	
TMP-SPM4	7/3/2017	160	140.9	335	
TMP-SPM4	7/3/2017	180	131.1	315	
TMP-SPM4	7/3/2017	200	115.9	295	
TMP-SPM4	7/3/2017	220	98.1	275	
TMP-SPM4	7/3/2017	240	90.5	255	
TMP-SPM4	7/10/2017	20	138.0	475	
TMP-SPM4	7/10/2017	40	161.9	455	
TMP-SPM4	7/10/2017	60	167.0	435	
TMP-SPM4	7/10/2017	80	170.0	415	
TMP-SPM4	7/10/2017	100	166.6	395	
TMP-SPM4	7/10/2017	120	157.3	375	
TMP-SPM4	7/10/2017	140	149.5	355	
TMP-SPM4	7/10/2017	160	141.2	335	
TMP-SPM4	7/10/2017	180	131.3	315	
TMP-SPM4	7/10/2017	200	116.2	295	
TMP-SPM4	7/10/2017	220	98.4	275	
TMP-SPM4	7/10/2017	240	90.8	255	
TMP-SPM4	7/17/2017	20	136.9	475	
TMP-SPM4	7/17/2017	40	160.8	455	
TMP-SPM4	7/17/2017	60	165.7	435	
TMP-SPM4	7/17/2017	80	168.6	415	
TMP-SPM4	7/17/2017	100	165.2	395	
TMP-SPM4	7/17/2017	120	156.0	375	
TMP-SPM4	7/17/2017	140	148.2	355	
TMP-SPM4	7/17/2017	160	139.8	335	
TMP-SPM4	7/17/2017	180	130.2	315	
TMP-SPM4	7/17/2017	200	115.4	295	
TMP-SPM4	7/17/2017	220	97.6	275	
TMP-SPM4	7/17/2017	240	90.1	255	