

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	6/20/2016	20	162.7	479	
TMP-14R	6/20/2016	40	195.1	459	
TMP-14R	6/20/2016	60	198.7	439	
TMP-14R	6/20/2016	80	192.8	419	
TMP-14R	6/20/2016	100	181.2	399	
TMP-14R	6/20/2016	120	176.5	379	
TMP-14R	6/20/2016	140	172.7	359	
TMP-14R	6/27/2016	20	163.7	479	
TMP-14R	6/27/2016	40	196.0	459	
TMP-14R	6/27/2016	60	199.6	439	
TMP-14R	6/27/2016	80	194.0	419	
TMP-14R	6/27/2016	100	182.0	399	
TMP-14R	6/27/2016	120	177.2	379	
TMP-14R	6/27/2016	140	173.1	359	
TMP-14R	7/5/2016	20	164.3	479	
TMP-14R	7/5/2016	40	195.5	459	
TMP-14R	7/5/2016	60	199.3	439	
TMP-14R	7/5/2016	80	193.8	419	
TMP-14R	7/5/2016	100	181.9	399	
TMP-14R	7/5/2016	120	177.5	379	
TMP-14R	7/5/2016	140	173.8	359	
TMP-14R	7/11/2016	20	164.3	479	
TMP-14R	7/11/2016	40	195.6	459	
TMP-14R	7/11/2016	60	199.4	439	
TMP-14R	7/11/2016	80	194.0	419	
TMP-14R	7/11/2016	100	181.9	399	
TMP-14R	7/11/2016	120	177.5	379	
TMP-14R	7/11/2016	140	173.5	359	
TMP-14R	7/18/2016	20	162.8	479	
TMP-14R	7/18/2016	40	194.5	459	
TMP-14R	7/18/2016	60	198.4	439	
TMP-14R	7/18/2016	80	193.1	419	
TMP-14R	7/18/2016	100	180.9	399	
TMP-14R	7/18/2016	120	176.5	379	
TMP-14R	7/18/2016	140	172.7	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	6/20/2016	20	191.1	473	
TMP-19	6/20/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/20/2016	60	236.7	433	
TMP-19	6/20/2016	80	249.3	413	
TMP-19	6/20/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	6/20/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/27/2016	20	192.3	473	
TMP-19	6/27/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/27/2016	60	237.7	433	
TMP-19	6/27/2016	80	249.5	413	
TMP-19	6/27/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	6/27/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/5/2016	20	192.8	473	
TMP-19	7/5/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/5/2016	60	236.9	433	
TMP-19	7/5/2016	80	249.0	413	
TMP-19	7/5/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	7/5/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/11/2016	20	191.5	473	
TMP-19	7/11/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/11/2016	60	236.5	433	
TMP-19	7/11/2016	80	248.5	413	
TMP-19	7/11/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/18/2016	20	189.4	473	
TMP-19	7/18/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/18/2016	60	235.9	433	
TMP-19	7/18/2016	80	247.7	413	
TMP-19	7/18/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	6/20/2016	20	146.7	478	
TMP-20	6/20/2016	40	218.6	458	
TMP-20	6/20/2016	60	240.5	438	
TMP-20	6/20/2016	80	253.8	418	
TMP-20	6/20/2016	100	264.4	398	
TMP-20	6/20/2016	120	271.7	378	
TMP-20	6/20/2016	140	274.5	358	
TMP-20	6/27/2016	20	149.0	478	
TMP-20	6/27/2016	40	220.5	458	
TMP-20	6/27/2016	60	242.3	438	
TMP-20	6/27/2016	80	255.4	418	
TMP-20	6/27/2016	100	265.9	398	
TMP-20	6/27/2016	120	273.2	378	
TMP-20	6/27/2016	140	276.2	358	
TMP-20	7/5/2016	20	148.7	478	
TMP-20	7/5/2016	40	220.7	458	
TMP-20	7/5/2016	60	242.8	438	
TMP-20	7/5/2016	80	256.1	418	
TMP-20	7/5/2016	100	267.9	398	
TMP-20	7/5/2016	120	275.9	378	
TMP-20	7/5/2016	140	278.1	358	
TMP-20	7/11/2016	20	147.9	478	
TMP-20	7/11/2016	40	220.1	458	
TMP-20	7/11/2016	60	242.0	438	
TMP-20	7/11/2016	80	255.1	418	
TMP-20	7/11/2016	100	266.0	398	
TMP-20	7/11/2016	120	273.6	378	
TMP-20	7/11/2016	140	276.5	358	
TMP-20	7/18/2016	20	145.9	478	
TMP-20	7/18/2016	40	219.1	458	
TMP-20	7/18/2016	60	241.3	438	
TMP-20	7/18/2016	80	254.5	418	
TMP-20	7/18/2016	100	265.1	398	
TMP-20	7/18/2016	120	272.7	378	
TMP-20	7/18/2016	140	276.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	6/20/2016	20	148.0	475	
TMP-10-9N	6/20/2016	40	160.2	455	
TMP-10-9N	6/20/2016	60	161.6	435	
TMP-10-9N	6/20/2016	80	159.7	415	
TMP-10-9N	6/20/2016	100	172.6	395	
TMP-10-9N	6/27/2016	20	147.6	475	
TMP-10-9N	6/27/2016	40	160.5	455	
TMP-10-9N	6/27/2016	60	162.9	435	
TMP-10-9N	6/27/2016	80	161.0	415	
TMP-10-9N	6/27/2016	100	173.7	395	
TMP-10-9N	7/5/2016	20	146.1	475	
TMP-10-9N	7/5/2016	40	159.2	455	
TMP-10-9N	7/5/2016	60	161.9	435	
TMP-10-9N	7/5/2016	80	160.0	415	
TMP-10-9N	7/5/2016	100	172.5	395	
TMP-10-9N	7/11/2016	20	144.2	475	
TMP-10-9N	7/11/2016	40	158.0	455	
TMP-10-9N	7/11/2016	60	161.1	435	
TMP-10-9N	7/11/2016	80	159.5	415	
TMP-10-9N	7/11/2016	100	171.7	395	
TMP-10-9N	7/18/2016	20	143.5	475	
TMP-10-9N	7/18/2016	40	157.6	455	
TMP-10-9N	7/18/2016	60	161.1	435	
TMP-10-9N	7/18/2016	80	159.6	415	
TMP-10-9N	7/18/2016	100	171.8	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	6/20/2016	20	150.9	476	
TMP-10-9S	6/20/2016	40	207.8	456	
TMP-10-9S	6/20/2016	60	223.8	436	
TMP-10-9S	6/20/2016	80	228.7	416	
TMP-10-9S	6/20/2016	100	242.3	396	
TMP-10-9S	6/27/2016	20	150.5	476	
TMP-10-9S	6/27/2016	40	207.0	456	
TMP-10-9S	6/27/2016	60	223.6	436	
TMP-10-9S	6/27/2016	80	228.4	416	
TMP-10-9S	6/27/2016	100	242.1	396	
TMP-10-9S	7/5/2016	20	150.2	476	
TMP-10-9S	7/5/2016	40	205.7	456	
TMP-10-9S	7/5/2016	60	223.2	436	
TMP-10-9S	7/5/2016	80	228.0	416	
TMP-10-9S	7/5/2016	100	241.5	396	
TMP-10-9S	7/11/2016	20	148.3	476	
TMP-10-9S	7/11/2016	40	204.6	456	
TMP-10-9S	7/11/2016	60	222.0	436	
TMP-10-9S	7/11/2016	80	226.5	416	
TMP-10-9S	7/11/2016	100	240.1	396	
TMP-10-9S	7/18/2016	20	146.8	476	
TMP-10-9S	7/18/2016	40	204.8	456	
TMP-10-9S	7/18/2016	60	221.5	436	
TMP-10-9S	7/18/2016	80	225.8	416	
TMP-10-9S	7/18/2016	100	239.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	6/20/2016	20	129.1	478	
TMP-10-5N	6/20/2016	40	126.2	458	
TMP-10-5N	6/20/2016	60	122.6	438	
TMP-10-5N	6/20/2016	80	113.2	418	
TMP-10-5N	6/20/2016	100	110.1	398	
TMP-10-5N	6/27/2016	20	129.1	478	
TMP-10-5N	6/27/2016	40	127.0	458	
TMP-10-5N	6/27/2016	60	124.1	438	
TMP-10-5N	6/27/2016	80	114.7	418	
TMP-10-5N	6/27/2016	100	111.5	398	
TMP-10-5N	7/5/2016	20	126.7	478	
TMP-10-5N	7/5/2016	40	123.9	458	
TMP-10-5N	7/5/2016	60	121.2	438	
TMP-10-5N	7/5/2016	80	111.2	418	
TMP-10-5N	7/5/2016	100	107.7	398	
TMP-10-5N	7/11/2016	20	125.6	478	
TMP-10-5N	7/11/2016	40	124.4	458	
TMP-10-5N	7/11/2016	60	122.1	438	
TMP-10-5N	7/11/2016	80	112.7	418	
TMP-10-5N	7/11/2016	100	109.3	398	
TMP-10-5N	7/18/2016	20	125.1	478	
TMP-10-5N	7/18/2016	40	126.9	458	
TMP-10-5N	7/18/2016	60	126.0	438	
TMP-10-5N	7/18/2016	80	118.4	418	
TMP-10-5N	7/18/2016	100	116.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	6/20/2016	20	139.1	477	
TMP-10-5S	6/20/2016	40	179.9	457	
TMP-10-5S	6/20/2016	60	198.4	437	
TMP-10-5S	6/20/2016	80	210.0	417	
TMP-10-5S	6/20/2016	100	223.0	397	
TMP-10-5S	6/27/2016	20	138.3	477	
TMP-10-5S	6/27/2016	40	177.8	457	
TMP-10-5S	6/27/2016	60	198.3	437	
TMP-10-5S	6/27/2016	80	210.0	417	
TMP-10-5S	6/27/2016	100	222.9	397	
TMP-10-5S	7/5/2016	20	138.0	477	
TMP-10-5S	7/5/2016	40	175.8	457	
TMP-10-5S	7/5/2016	60	198.1	437	
TMP-10-5S	7/5/2016	80	209.8	417	
TMP-10-5S	7/5/2016	100	222.6	397	
TMP-10-5S	7/11/2016	20	135.5	477	
TMP-10-5S	7/11/2016	40	173.2	457	
TMP-10-5S	7/11/2016	60	196.6	437	
TMP-10-5S	7/11/2016	80	207.9	417	
TMP-10-5S	7/11/2016	100	220.8	397	
TMP-10-5S	7/18/2016	20	135.2	477	
TMP-10-5S	7/18/2016	40	171.5	457	
TMP-10-5S	7/18/2016	60	195.9	437	
TMP-10-5S	7/18/2016	80	206.5	417	
TMP-10-5S	7/18/2016	100	220.0	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	6/20/2016	20	119.6	476	
TMP-5-9N	6/20/2016	40	163.7	456	
TMP-5-9N	6/20/2016	60	164.3	436	
TMP-5-9N	6/20/2016	80	257.4	416	
TMP-5-9N	6/20/2016	100	266.7	396	
TMP-5-9N	6/27/2016	20	119.9	476	
TMP-5-9N	6/27/2016	40	163.8	456	
TMP-5-9N	6/27/2016	60	164.6	436	
TMP-5-9N	6/27/2016	80	257.5	416	
TMP-5-9N	6/27/2016	100	266.8	396	
TMP-5-9N	7/5/2016	20	119.7	476	
TMP-5-9N	7/5/2016	40	163.2	456	
TMP-5-9N	7/5/2016	60	164.5	436	
TMP-5-9N	7/5/2016	80	257.3	416	
TMP-5-9N	7/5/2016	100	266.3	396	
TMP-5-9N	7/11/2016	20	118.5	476	
TMP-5-9N	7/11/2016	40	162.7	456	
TMP-5-9N	7/11/2016	60	164.1	436	
TMP-5-9N	7/11/2016	80	256.1	416	
TMP-5-9N	7/11/2016	100	265.4	396	
TMP-5-9N	7/18/2016	20	119.8	476	
TMP-5-9N	7/18/2016	40	165.1	456	
TMP-5-9N	7/18/2016	60	166.2	436	
TMP-5-9N	7/18/2016	80	256.2	416	
TMP-5-9N	7/18/2016	100	265.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	6/20/2016	20	145.6	476	
TMP-5-9S	6/20/2016	40	222.0	456	
TMP-5-9S	6/20/2016	60	230.0	436	
TMP-5-9S	6/20/2016	80	245.9	416	
TMP-5-9S	6/20/2016	100	268.5	396	
TMP-5-9S	6/27/2016	20	145.8	476	
TMP-5-9S	6/27/2016	40	222.0	456	
TMP-5-9S	6/27/2016	60	230.3	436	
TMP-5-9S	6/27/2016	80	249.4	416	
TMP-5-9S	6/27/2016	100	269.1	396	
TMP-5-9S	7/5/2016	20	145.5	476	
TMP-5-9S	7/5/2016	40	223.3	456	
TMP-5-9S	7/5/2016	60	231.9	436	
TMP-5-9S	7/5/2016	80	247.4	416	
TMP-5-9S	7/5/2016	100	268.6	396	
TMP-5-9S	7/11/2016	20	144.8	476	
TMP-5-9S	7/11/2016	40	221.5	456	
TMP-5-9S	7/11/2016	60	229.6	436	
TMP-5-9S	7/11/2016	80	250.1	416	
TMP-5-9S	7/11/2016	100	267.2	396	
TMP-5-9S	7/18/2016	20	145.6	476	
TMP-5-9S	7/18/2016	40	218.6	456	
TMP-5-9S	7/18/2016	60	227.0	436	
TMP-5-9S	7/18/2016	80	245.5	416	
TMP-5-9S	7/18/2016	100	267.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	6/20/2016	20	110.9	475	
TMP-5-5N	6/20/2016	40	116.7	455	
TMP-5-5N	6/20/2016	60	106.6	435	
TMP-5-5N	6/20/2016	80	256.3	415	
TMP-5-5N	6/20/2016	100	257.9	395	
TMP-5-5N	6/27/2016	20	112.4	475	
TMP-5-5N	6/27/2016	40	118.3	455	
TMP-5-5N	6/27/2016	60	108.0	435	
TMP-5-5N	6/27/2016	80	256.7	415	
TMP-5-5N	6/27/2016	100	258.1	395	
TMP-5-5N	7/5/2016	20	111.9	475	
TMP-5-5N	7/5/2016	40	115.4	455	
TMP-5-5N	7/5/2016	60	104.7	435	
TMP-5-5N	7/5/2016	80	256.8	415	
TMP-5-5N	7/5/2016	100	258.2	395	
TMP-5-5N	7/11/2016	20	111.8	475	
TMP-5-5N	7/11/2016	40	116.9	455	
TMP-5-5N	7/11/2016	60	106.2	435	
TMP-5-5N	7/11/2016	80	255.5	415	
TMP-5-5N	7/11/2016	100	256.9	395	
TMP-5-5N	7/18/2016	20	114.1	475	
TMP-5-5N	7/18/2016	40	124.5	455	
TMP-5-5N	7/18/2016	60	117.0	435	
TMP-5-5N	7/18/2016	80	255.3	415	
TMP-5-5N	7/18/2016	100	256.8	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	6/20/2016	20	143.3	474	
TMP-5-5S	6/20/2016	40	216.7	454	
TMP-5-5S	6/20/2016	60	239.7	434	
TMP-5-5S	6/20/2016	80	257.8	414	
TMP-5-5S	6/20/2016	100	260.2	394	
TMP-5-5S	6/27/2016	20	143.3	474	
TMP-5-5S	6/27/2016	40	216.3	454	
TMP-5-5S	6/27/2016	60	239.4	434	
TMP-5-5S	6/27/2016	80	257.6	414	
TMP-5-5S	6/27/2016	100	260.2	394	
TMP-5-5S	7/5/2016	20	142.2	474	
TMP-5-5S	7/5/2016	40	216.4	454	
TMP-5-5S	7/5/2016	60	239.0	434	
TMP-5-5S	7/5/2016	80	257.3	414	
TMP-5-5S	7/5/2016	100	260.0	394	
TMP-5-5S	7/11/2016	20	141.9	474	
TMP-5-5S	7/11/2016	40	215.8	454	
TMP-5-5S	7/11/2016	60	238.2	434	
TMP-5-5S	7/11/2016	80	256.3	414	
TMP-5-5S	7/11/2016	100	258.8	394	
TMP-5-5S	7/18/2016	20	144.1	474	
TMP-5-5S	7/18/2016	40	215.0	454	
TMP-5-5S	7/18/2016	60	238.4	434	
TMP-5-5S	7/18/2016	80	256.8	414	
TMP-5-5S	7/18/2016	100	259.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	6/20/2016	20	212.4	474	
TMP-31	6/20/2016	40	232.6	454	
TMP-31	6/20/2016	60	247.5	434	
TMP-31	6/20/2016	80	265.2	414	
TMP-31	6/20/2016	100	273.1	394	
TMP-31	6/20/2016	120	279.9	374	
TMP-31	6/20/2016	140	283.7	354	
TMP-31	6/20/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	6/20/2016	193	162.3	301	
TMP-31	6/27/2016	20	212.7	474	
TMP-31	6/27/2016	40	233.2	454	
TMP-31	6/27/2016	60	247.9	434	
TMP-31	6/27/2016	80	266.0	414	
TMP-31	6/27/2016	100	274.1	394	
TMP-31	6/27/2016	120	280.7	374	
TMP-31	6/27/2016	140	284.9	354	
TMP-31	6/27/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	6/27/2016	193	163.8	301	
TMP-31	7/5/2016	20	211.0	474	
TMP-31	7/5/2016	40	233.2	454	
TMP-31	7/5/2016	60	247.3	434	
TMP-31	7/5/2016	80	266.6	414	
TMP-31	7/5/2016	100	274.2	394	
TMP-31	7/5/2016	120	280.3	374	
TMP-31	7/5/2016	140	284.4	354	
TMP-31	7/5/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/5/2016	193	163.1	301	
TMP-31	7/11/2016	20	209.7	474	
TMP-31	7/11/2016	40	230.9	454	
TMP-31	7/11/2016	60	245.5	434	
TMP-31	7/11/2016	80	263.6	414	
TMP-31	7/11/2016	100	271.9	394	
TMP-31	7/11/2016	120	278.5	374	
TMP-31	7/11/2016	140	282.6	354	
TMP-31	7/11/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/11/2016	193	161.2	301	
TMP-31	7/18/2016	20	211.8	474	
TMP-31	7/18/2016	40	231.4	454	
TMP-31	7/18/2016	60	246.4	434	
TMP-31	7/18/2016	80	264.8	414	
TMP-31	7/18/2016	100	272.8	394	
TMP-31	7/18/2016	120	279.4	374	
TMP-31	7/18/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/18/2016	193		301	no resistivity reading, unreliable temperature

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	6/20/2016	20	203.1	484	
TMP-32	6/20/2016	40	226.2	464	
TMP-32	6/20/2016	60	245.8	444	
TMP-32	6/20/2016	80	259.9	424	
TMP-32	6/20/2016	100	272.0	404	
TMP-32	6/20/2016	120	278.0	384	
TMP-32	6/20/2016	140	280.4	364	
TMP-32	6/20/2016	160	285.1	344	
TMP-32	6/20/2016	180	286.0	324	
TMP-32	6/20/2016	200	240.6	304	The resistivity has flucuated week to week.
TMP-32	6/27/2016	20	204.1	484	
TMP-32	6/27/2016	40	227.8	464	
TMP-32	6/27/2016	60	244.9	444	
TMP-32	6/27/2016	80	261.1	424	
TMP-32	6/27/2016	100	273.1	404	
TMP-32	6/27/2016	120	279.2	384	
TMP-32	6/27/2016	140	281.7	364	
TMP-32	6/27/2016	160	286.7	344	
TMP-32	6/27/2016	180	287.7	324	
TMP-32	6/27/2016	200	242.6	304	The resistivity has flucuated week to week.
TMP-32	7/5/2016	20	203.4	484	
TMP-32	7/5/2016	40	227.1	464	
TMP-32	7/5/2016	60	244.8	444	
TMP-32	7/5/2016	80	261.0	424	
TMP-32	7/5/2016	100	273.1	404	
TMP-32	7/5/2016	120	279.3	384	
TMP-32	7/5/2016	140	282.5	364	
TMP-32	7/5/2016	160	288.1	344	
TMP-32	7/5/2016	180	288.4	324	
TMP-32	7/5/2016	200	243.9	304	The resistivity has flucuated week to week.
TMP-32	7/11/2016	20	202.4	484	
TMP-32	7/11/2016	40	225.3	464	
TMP-32	7/11/2016	60	243.1	444	
TMP-32	7/11/2016	80	258.6	424	
TMP-32	7/11/2016	100	270.8	404	
TMP-32	7/11/2016	120	276.7	384	
TMP-32	7/11/2016	140	279.2	364	
TMP-32	7/11/2016	160	284.4	344	
TMP-32	7/11/2016	180	285.7	324	
TMP-32	7/11/2016	200	241.7	304	The resistivity has flucuated week to week.
TMP-32	7/18/2016	20	202.6	484	
TMP-32	7/18/2016	40	225.5	464	
TMP-32	7/18/2016	60	237.3	444	
TMP-32	7/18/2016	80	259.1	424	
TMP-32	7/18/2016	100	271.3	404	
TMP-32	7/18/2016	120	277.9	384	
TMP-32	7/18/2016	140	281.7	364	
TMP-32	7/18/2016	160	289.4	344	
TMP-32	7/18/2016	180	289.8	324	
TMP-32	7/18/2016	200	247.3	304	The resistivity has flucuated week to week.