

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	7/3/2017	20	174.7	473	
TMP-19	7/3/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/3/2017	60	232.6	433	
TMP-19	7/3/2017	80	238.9	413	
TMP-19	7/3/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/10/2017	20	175.2	473	
TMP-19	7/10/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/10/2017	60	233.0	433	
TMP-19	7/10/2017	80	239.3	413	
TMP-19	7/10/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/17/2017	20	175.2	473	
TMP-19	7/17/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/17/2017	60	233.0	433	
TMP-19	7/17/2017	80	239.4	413	
TMP-19	7/17/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/24/2017	20	174.4	473	
TMP-19	7/24/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/24/2017	60	232.8	433	
TMP-19	7/24/2017	80	239.3	413	
TMP-19	7/24/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/31/2017	20	173.8	473	
TMP-19	7/31/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/31/2017	60	233.6	433	
TMP-19	7/31/2017	80	240.1	413	
TMP-19	7/31/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	7/3/2017	20	134.1	478	
TMP-20	7/3/2017	40	205.9	458	
TMP-20	7/3/2017	60	236.3	438	
TMP-20	7/3/2017	80	248.1	418	
TMP-20	7/3/2017	100	259.3	398	
TMP-20	7/3/2017	120	269.0	378	
TMP-20	7/3/2017	140	268.9	358	
TMP-20	7/10/2017	20	134.1	478	
TMP-20	7/10/2017	40	205.3	458	
TMP-20	7/10/2017	60	236.1	438	
TMP-20	7/10/2017	80	247.8	418	
TMP-20	7/10/2017	100	259.0	398	
TMP-20	7/10/2017	120	268.8	378	
TMP-20	7/10/2017	140	268.7	358	
TMP-20	7/17/2017	20	134.5	478	
TMP-20	7/17/2017	40	205.0	458	
TMP-20	7/17/2017	60	236.7	438	
TMP-20	7/17/2017	80	248.4	418	
TMP-20	7/17/2017	100	259.7	398	
TMP-20	7/17/2017	120	269.5	378	
TMP-20	7/17/2017	140	269.5	358	
TMP-20	7/24/2017	20	134.7	478	
TMP-20	7/24/2017	40	205.4	458	
TMP-20	7/24/2017	60	236.9	438	
TMP-20	7/24/2017	80	248.5	418	
TMP-20	7/24/2017	100	259.7	398	
TMP-20	7/24/2017	120	269.6	378	
TMP-20	7/24/2017	140	269.2	358	
TMP-20	7/31/2017	20	135.0	478	
TMP-20	7/31/2017	40	204.9	458	
TMP-20	7/31/2017	60	237.5	438	
TMP-20	7/31/2017	80	249.1	418	
TMP-20	7/31/2017	100	260.5	398	
TMP-20	7/31/2017	120	270.4	378	
TMP-20	7/31/2017	140	269.9	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	7/3/2017	20	128.8	475	
TMP-10-9N	7/3/2017	40	151.6	455	
TMP-10-9N	7/3/2017	60	155.4	435	
TMP-10-9N	7/3/2017	80	156.6	415	
TMP-10-9N	7/3/2017	100	165.4	395	
TMP-10-9N	7/10/2017	20	129.1	475	
TMP-10-9N	7/10/2017	40	152.0	455	
TMP-10-9N	7/10/2017	60	155.9	435	
TMP-10-9N	7/10/2017	80	157.0	415	
TMP-10-9N	7/10/2017	100	165.7	395	
TMP-10-9N	7/17/2017	20	128.6	475	
TMP-10-9N	7/17/2017	40	151.5	455	
TMP-10-9N	7/17/2017	60	155.3	435	
TMP-10-9N	7/17/2017	80	156.4	415	
TMP-10-9N	7/17/2017	100	165.2	395	
TMP-10-9N	7/24/2017	20	128.8	475	
TMP-10-9N	7/24/2017	40	152.0	455	
TMP-10-9N	7/24/2017	60	155.9	435	
TMP-10-9N	7/24/2017	80	157.1	415	
TMP-10-9N	7/24/2017	100	165.8	395	
TMP-10-9N	7/31/2017	20	129.0	475	
TMP-10-9N	7/31/2017	40	152.7	455	
TMP-10-9N	7/31/2017	60	156.8	435	
TMP-10-9N	7/31/2017	80	158.1	415	
TMP-10-9N	7/31/2017	100	166.7	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	7/3/2017	20	132.0	476	
TMP-10-9S	7/3/2017	40	183.7	456	
TMP-10-9S	7/3/2017	60	205.7	436	
TMP-10-9S	7/3/2017	80	209.7	416	
TMP-10-9S	7/3/2017	100	223.6	396	
TMP-10-9S	7/10/2017	20	131.6	476	
TMP-10-9S	7/10/2017	40	183.4	456	
TMP-10-9S	7/10/2017	60	205.4	436	
TMP-10-9S	7/10/2017	80	209.0	416	
TMP-10-9S	7/10/2017	100	222.8	396	
TMP-10-9S	7/17/2017	20	131.0	476	
TMP-10-9S	7/17/2017	40	182.7	456	
TMP-10-9S	7/17/2017	60	204.8	436	
TMP-10-9S	7/17/2017	80	208.7	416	
TMP-10-9S	7/17/2017	100	222.6	396	
TMP-10-9S	7/24/2017	20	131.9	476	
TMP-10-9S	7/24/2017	40	183.7	456	
TMP-10-9S	7/24/2017	60	205.7	436	
TMP-10-9S	7/24/2017	80	209.5	416	
TMP-10-9S	7/24/2017	100	223.5	396	
TMP-10-9S	7/31/2017	20	131.7	476	
TMP-10-9S	7/31/2017	40	183.2	456	
TMP-10-9S	7/31/2017	60	205.2	436	
TMP-10-9S	7/31/2017	80	209.1	416	
TMP-10-9S	7/31/2017	100	223.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	7/3/2017	20	111.4	478	
TMP-10-5N	7/3/2017	40	120.4	458	
TMP-10-5N	7/3/2017	60	117.3	438	
TMP-10-5N	7/3/2017	80	108.8	418	
TMP-10-5N	7/3/2017	100	104.3	398	
TMP-10-5N	7/10/2017	20	111.8	478	
TMP-10-5N	7/10/2017	40	121.5	458	
TMP-10-5N	7/10/2017	60	118.6	438	
TMP-10-5N	7/10/2017	80	110.3	418	
TMP-10-5N	7/10/2017	100	106.4	398	
TMP-10-5N	7/17/2017	20	111.2	478	
TMP-10-5N	7/17/2017	40	121.1	458	
TMP-10-5N	7/17/2017	60	118.9	438	
TMP-10-5N	7/17/2017	80	110.8	418	
TMP-10-5N	7/17/2017	100	106.8	398	
TMP-10-5N	7/24/2017	20	111.6	478	
TMP-10-5N	7/24/2017	40	122.9	458	
TMP-10-5N	7/24/2017	60	120.3	438	
TMP-10-5N	7/24/2017	80	112.7	418	
TMP-10-5N	7/24/2017	100	108.6	398	
TMP-10-5N	7/31/2017	20	112.2	478	
TMP-10-5N	7/31/2017	40	123.2	458	
TMP-10-5N	7/31/2017	60	120.1	438	
TMP-10-5N	7/31/2017	80	111.5	418	
TMP-10-5N	7/31/2017	100	106.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	7/3/2017	20	121.7	477	
TMP-10-5S	7/3/2017	40	163.9	457	
TMP-10-5S	7/3/2017	60	183.0	437	
TMP-10-5S	7/3/2017	80	193.1	417	
TMP-10-5S	7/3/2017	100	206.0	397	
TMP-10-5S	7/10/2017	20	121.6	477	
TMP-10-5S	7/10/2017	40	163.8	457	
TMP-10-5S	7/10/2017	60	182.8	437	
TMP-10-5S	7/10/2017	80	192.8	417	
TMP-10-5S	7/10/2017	100	205.8	397	
TMP-10-5S	7/17/2017	20	121.2	477	
TMP-10-5S	7/17/2017	40	163.3	457	
TMP-10-5S	7/17/2017	60	182.1	437	
TMP-10-5S	7/17/2017	80	192.2	417	
TMP-10-5S	7/17/2017	100	205.2	397	
TMP-10-5S	7/24/2017	20	122.1	477	
TMP-10-5S	7/24/2017	40	164.3	457	
TMP-10-5S	7/24/2017	60	183.1	437	
TMP-10-5S	7/24/2017	80	193.3	417	
TMP-10-5S	7/24/2017	100	206.1	397	
TMP-10-5S	7/31/2017	20	121.7	477	
TMP-10-5S	7/31/2017	40	163.8	457	
TMP-10-5S	7/31/2017	60	182.6	437	
TMP-10-5S	7/31/2017	80	192.8	417	
TMP-10-5S	7/31/2017	100	205.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	7/3/2017	20	114.0	476	
TMP-5-9N	7/3/2017	40	154.4	456	
TMP-5-9N	7/3/2017	60	162.1	436	
TMP-5-9N	7/3/2017	80	254.2	416	
TMP-5-9N	7/3/2017	100	263.0	396	
TMP-5-9N	7/10/2017	20	113.5	476	
TMP-5-9N	7/10/2017	40	153.9	456	
TMP-5-9N	7/10/2017	60	162.0	436	
TMP-5-9N	7/10/2017	80	253.7	416	
TMP-5-9N	7/10/2017	100	262.4	396	
TMP-5-9N	7/17/2017	20	113.5	476	
TMP-5-9N	7/17/2017	40	153.9	456	
TMP-5-9N	7/17/2017	60	162.1	436	
TMP-5-9N	7/17/2017	80	253.7	416	
TMP-5-9N	7/17/2017	100	262.4	396	
TMP-5-9N	7/24/2017	20	115.0	476	
TMP-5-9N	7/24/2017	40	155.0	456	
TMP-5-9N	7/24/2017	60	163.5	436	
TMP-5-9N	7/24/2017	80	254.5	416	
TMP-5-9N	7/24/2017	100	263.4	396	
TMP-5-9N	7/31/2017	20	113.7	476	
TMP-5-9N	7/31/2017	40	154.4	456	
TMP-5-9N	7/31/2017	60	163.4	436	
TMP-5-9N	7/31/2017	80	254.2	416	
TMP-5-9N	7/31/2017	100	262.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	7/3/2017	20	134.8	476	
TMP-5-9S	7/3/2017	40	214.1	456	
TMP-5-9S	7/3/2017	60	235.8	436	
TMP-5-9S	7/3/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/3/2017	100	263.6	396	
TMP-5-9S	7/10/2017	20	135.7	476	
TMP-5-9S	7/10/2017	40	213.9	456	
TMP-5-9S	7/10/2017	60	235.9	436	
TMP-5-9S	7/10/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/10/2017	100	263.7	396	
TMP-5-9S	7/17/2017	20	135.1	476	
TMP-5-9S	7/17/2017	40	213.6	456	
TMP-5-9S	7/17/2017	60	235.6	436	
TMP-5-9S	7/17/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/17/2017	100	263.5	396	
TMP-5-9S	7/24/2017	20	136.1	476	
TMP-5-9S	7/24/2017	40	214.1	456	
TMP-5-9S	7/24/2017	60	236.3	436	
TMP-5-9S	7/24/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/24/2017	100	264.1	396	
TMP-5-9S	7/31/2017	20	135.7	476	
TMP-5-9S	7/31/2017	40	213.9	456	
TMP-5-9S	7/31/2017	60	236.7	436	
TMP-5-9S	7/31/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/31/2017	100	264.1	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	7/3/2017	20	102.0	475	
TMP-5-5N	7/3/2017	40	108.5	455	
TMP-5-5N	7/3/2017	60	101.0	435	
TMP-5-5N	7/3/2017	80	252.2	415	
TMP-5-5N	7/3/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/10/2017	20	101.7	475	
TMP-5-5N	7/10/2017	40	110.1	455	
TMP-5-5N	7/10/2017	60	103.4	435	
TMP-5-5N	7/10/2017	80	251.8	415	
TMP-5-5N	7/10/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/17/2017	20	102.4	475	
TMP-5-5N	7/17/2017	40	111.0	455	
TMP-5-5N	7/17/2017	60	104.6	435	
TMP-5-5N	7/17/2017	80	252.0	415	
TMP-5-5N	7/17/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/24/2017	20	104.0	475	
TMP-5-5N	7/24/2017	40	113.3	455	
TMP-5-5N	7/24/2017	60	107.0	435	
TMP-5-5N	7/24/2017	80	253.2	415	
TMP-5-5N	7/24/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/31/2017	20	103.0	475	
TMP-5-5N	7/31/2017	40	110.5	455	
TMP-5-5N	7/31/2017	60	104.0	435	
TMP-5-5N	7/31/2017	80	253.1	415	
TMP-5-5N	7/31/2017	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	7/3/2017	20	135.6	474	
TMP-5-5S	7/3/2017	40	202.8	454	
TMP-5-5S	7/3/2017	60	231.8	434	
TMP-5-5S	7/3/2017	80	252.6	414	
TMP-5-5S	7/3/2017	100	255.8	394	
TMP-5-5S	7/10/2017	20	135.4	474	
TMP-5-5S	7/10/2017	40	203.0	454	
TMP-5-5S	7/10/2017	60	231.8	434	
TMP-5-5S	7/10/2017	80	252.7	414	
TMP-5-5S	7/10/2017	100	255.9	394	
TMP-5-5S	7/17/2017	20	134.1	474	
TMP-5-5S	7/17/2017	40	202.0	454	
TMP-5-5S	7/17/2017	60	231.2	434	
TMP-5-5S	7/17/2017	80	252.2	414	
TMP-5-5S	7/17/2017	100	255.5	394	
TMP-5-5S	7/24/2017	20	134.9	474	
TMP-5-5S	7/24/2017	40	202.9	454	
TMP-5-5S	7/24/2017	60	231.9	434	
TMP-5-5S	7/24/2017	80	253.0	414	
TMP-5-5S	7/24/2017	100	256.3	394	
TMP-5-5S	7/31/2017	20	134.5	474	
TMP-5-5S	7/31/2017	40	202.4	454	
TMP-5-5S	7/31/2017	60	232.1	434	
TMP-5-5S	7/31/2017	80	253.3	414	
TMP-5-5S	7/31/2017	100	256.6	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	7/3/2017	20	201.7	474	
TMP-31	7/3/2017	40	230.1	454	
TMP-31	7/3/2017	60	244.4	434	
TMP-31	7/3/2017	80	259.9	414	
TMP-31	7/3/2017	100	269.2	394	
TMP-31	7/3/2017	120	276.2	374	
TMP-31	7/3/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/10/2017	20	199.8	474	
TMP-31	7/10/2017	40	228.2	454	
TMP-31	7/10/2017	60	242.4	434	
TMP-31	7/10/2017	80	257.9	414	
TMP-31	7/10/2017	100	267.0	394	
TMP-31	7/10/2017	120	274.3	374	
TMP-31	7/10/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/17/2017	20	201.4	474	
TMP-31	7/17/2017	40	229.9	454	
TMP-31	7/17/2017	60	244.1	434	
TMP-31	7/17/2017	80	259.6	414	
TMP-31	7/17/2017	100	268.7	394	
TMP-31	7/17/2017	120	275.7	374	
TMP-31	7/17/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/24/2017	20	202.1	474	
TMP-31	7/24/2017	40	230.7	454	
TMP-31	7/24/2017	60	245.2	434	
TMP-31	7/24/2017	80	260.7	414	
TMP-31	7/24/2017	100	269.9	394	
TMP-31	7/24/2017	120	276.7	374	
TMP-31	7/24/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/31/2017	20	201.9	474	
TMP-31	7/31/2017	40	230.9	454	
TMP-31	7/31/2017	60	245.0	434	
TMP-31	7/31/2017	80	260.6	414	
TMP-31	7/31/2017	100	269.9	394	
TMP-31	7/31/2017	120	276.6	374	
TMP-31	7/31/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	7/3/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	60	241.7	444	
TMP-32	7/3/2017	80	255.4	424	
TMP-32	7/3/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/3/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	60	241.2	444	
TMP-32	7/10/2017	80	255.0	424	
TMP-32	7/10/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/10/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	60	241.9	444	
TMP-32	7/17/2017	80	255.8	424	
TMP-32	7/17/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/17/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	60	242.8	444	
TMP-32	7/24/2017	80	256.6	424	
TMP-32	7/24/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	60	242.5	444	
TMP-32	7/31/2017	80	256.3	424	
TMP-32	7/31/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	7/3/2017	20	172.3	473	
TMP-SPM1	7/3/2017	40	201.0	453	
TMP-SPM1	7/3/2017	60	197.7	433	
TMP-SPM1	7/3/2017	80	194.7	413	
TMP-SPM1	7/3/2017	100	182.2	393	
TMP-SPM1	7/3/2017	120	169.7	373	
TMP-SPM1	7/3/2017	140	159.4	353	
TMP-SPM1	7/3/2017	160	143.0	333	
TMP-SPM1	7/3/2017	180	127.8	313	
TMP-SPM1	7/3/2017	200	106.8	293	
TMP-SPM1	7/3/2017	220	90.6	273	
TMP-SPM1	7/3/2017	240	87.4	253	
TMP-SPM1	7/10/2017	20	172.5	473	
TMP-SPM1	7/10/2017	40	201.3	453	
TMP-SPM1	7/10/2017	60	198.1	433	
TMP-SPM1	7/10/2017	80	195.0	413	
TMP-SPM1	7/10/2017	100	182.4	393	
TMP-SPM1	7/10/2017	120	170.0	373	
TMP-SPM1	7/10/2017	140	159.5	353	
TMP-SPM1	7/10/2017	160	143.1	333	
TMP-SPM1	7/10/2017	180	127.9	313	
TMP-SPM1	7/10/2017	200	106.9	293	
TMP-SPM1	7/10/2017	220	90.6	273	
TMP-SPM1	7/10/2017	240	87.3	253	
TMP-SPM1	7/17/2017	20	171.4	473	
TMP-SPM1	7/17/2017	40	200.8	453	
TMP-SPM1	7/17/2017	60	197.7	433	
TMP-SPM1	7/17/2017	80	194.4	413	
TMP-SPM1	7/17/2017	100	181.9	393	
TMP-SPM1	7/17/2017	120	169.4	373	
TMP-SPM1	7/17/2017	140	159.0	353	
TMP-SPM1	7/17/2017	160	142.5	333	
TMP-SPM1	7/17/2017	180	127.3	313	
TMP-SPM1	7/17/2017	200	106.4	293	
TMP-SPM1	7/17/2017	220	90.2	273	
TMP-SPM1	7/17/2017	240	86.9	253	
TMP-SPM1	7/24/2017	20	171.8	473	
TMP-SPM1	7/24/2017	40	201.4	453	
TMP-SPM1	7/24/2017	60	198.5	433	
TMP-SPM1	7/24/2017	80	195.0	413	
TMP-SPM1	7/24/2017	100	182.5	393	
TMP-SPM1	7/24/2017	120	170.1	373	
TMP-SPM1	7/24/2017	140	159.7	353	
TMP-SPM1	7/24/2017	160	143.2	333	
TMP-SPM1	7/24/2017	180	128.1	313	
TMP-SPM1	7/24/2017	200	107.2	293	
TMP-SPM1	7/24/2017	220	91.0	273	
TMP-SPM1	7/24/2017	240	87.6	252.5	
TMP-SPM1	7/31/2017	20	171.6	473	
TMP-SPM1	7/31/2017	40	201.3	453	
TMP-SPM1	7/31/2017	60	198.4	433	
TMP-SPM1	7/31/2017	80	194.8	413	
TMP-SPM1	7/31/2017	100	182.3	393	
TMP-SPM1	7/31/2017	120	170.0	373	
TMP-SPM1	7/31/2017	140	159.6	353	
TMP-SPM1	7/31/2017	160	143.1	333	
TMP-SPM1	7/31/2017	180	128.0	313	
TMP-SPM1	7/31/2017	200	107.2	293	
TMP-SPM1	7/31/2017	220	91.1	273	
TMP-SPM1	7/31/2017	240	87.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	7/3/2017	20	165.0	475	
TMP-SPM2	7/3/2017	40	199.3	455	
TMP-SPM2	7/3/2017	60	194.5	435	
TMP-SPM2	7/3/2017	80	178.8	415	
TMP-SPM2	7/3/2017	100	185.2	395	
TMP-SPM2	7/3/2017	120	180.7	375	
TMP-SPM2	7/3/2017	140	167.5	355	
TMP-SPM2	7/3/2017	160	149.9	335	
TMP-SPM2	7/3/2017	172	137.1	323	
TMP-SPM2	7/10/2017	20	165.8	475	
TMP-SPM2	7/10/2017	40	200.2	455	
TMP-SPM2	7/10/2017	60	195.5	435	
TMP-SPM2	7/10/2017	80	180.3	415	
TMP-SPM2	7/10/2017	100	186.8	395	
TMP-SPM2	7/10/2017	120	182.0	375	
TMP-SPM2	7/10/2017	140	168.7	355	
TMP-SPM2	7/10/2017	160	150.7	335	
TMP-SPM2	7/10/2017	172	137.7	323	
TMP-SPM2	7/17/2017	20	164.6	475	
TMP-SPM2	7/17/2017	40	199.0	455	
TMP-SPM2	7/17/2017	60	194.6	435	
TMP-SPM2	7/17/2017	80	179.7	415	
TMP-SPM2	7/17/2017	100	186.5	395	
TMP-SPM2	7/17/2017	120	181.5	375	
TMP-SPM2	7/17/2017	140	168.3	355	
TMP-SPM2	7/17/2017	160	150.2	335	
TMP-SPM2	7/17/2017	172	137.3	323	
TMP-SPM2	7/24/2017	20	165.1	475	
TMP-SPM2	7/24/2017	40	199.3	455	
TMP-SPM2	7/24/2017	60	194.9	435	
TMP-SPM2	7/24/2017	80	180.4	415	
TMP-SPM2	7/24/2017	100	187.6	395	
TMP-SPM2	7/24/2017	120	182.5	375	
TMP-SPM2	7/24/2017	140	169.1	355	
TMP-SPM2	7/24/2017	160	150.8	335	
TMP-SPM2	7/24/2017	172	137.7	323	
TMP-SPM2	7/31/2017	20	164.5	475	
TMP-SPM2	7/31/2017	40	198.9	455	
TMP-SPM2	7/31/2017	60	194.7	435	
TMP-SPM2	7/31/2017	80	180.5	415	
TMP-SPM2	7/31/2017	100	188.0	395	
TMP-SPM2	7/31/2017	120	182.7	375	
TMP-SPM2	7/31/2017	140	169.5	355	
TMP-SPM2	7/31/2017	160	151.0	335	
TMP-SPM2	7/31/2017	172	137.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	7/3/2017	20	128.9	478	
TMP-SPM3	7/3/2017	40	137.5	458	
TMP-SPM3	7/3/2017	60	130.2	438	
TMP-SPM3	7/3/2017	80	128.7	418	
TMP-SPM3	7/3/2017	85	128.6	413	
TMP-SPM3	7/10/2017	20	129.6	478	
TMP-SPM3	7/10/2017	40	138.3	458	
TMP-SPM3	7/10/2017	60	131.1	438	
TMP-SPM3	7/10/2017	80	129.7	418	
TMP-SPM3	7/10/2017	85	129.6	413	
TMP-SPM3	7/17/2017	20	128.8	478	
TMP-SPM3	7/17/2017	40	137.9	458	
TMP-SPM3	7/17/2017	60	131.0	438	
TMP-SPM3	7/17/2017	80	130.0	418	
TMP-SPM3	7/17/2017	85	129.9	413	
TMP-SPM3	7/24/2017	20	128.7	478	
TMP-SPM3	7/24/2017	40	137.7	458	
TMP-SPM3	7/24/2017	60	130.4	438	
TMP-SPM3	7/24/2017	80	129.5	418	
TMP-SPM3	7/24/2017	85	129.4	413	
TMP-SPM3	7/31/2017	20	127.6	478	
TMP-SPM3	7/31/2017	40	136.6	458	
TMP-SPM3	7/31/2017	60	129.4	438	
TMP-SPM3	7/31/2017	80	128.6	418	
TMP-SPM3	7/31/2017	85	128.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	7/3/2017	20	138.0	475	
TMP-SPM4	7/3/2017	40	162.0	455	
TMP-SPM4	7/3/2017	60	166.9	435	
TMP-SPM4	7/3/2017	80	169.9	415	
TMP-SPM4	7/3/2017	100	166.6	395	
TMP-SPM4	7/3/2017	120	157.2	375	
TMP-SPM4	7/3/2017	140	149.4	355	
TMP-SPM4	7/3/2017	160	140.9	335	
TMP-SPM4	7/3/2017	180	131.1	315	
TMP-SPM4	7/3/2017	200	115.9	295	
TMP-SPM4	7/3/2017	220	98.1	275	
TMP-SPM4	7/3/2017	240	90.5	255	
TMP-SPM4	7/10/2017	20	138.0	475	
TMP-SPM4	7/10/2017	40	161.9	455	
TMP-SPM4	7/10/2017	60	167.0	435	
TMP-SPM4	7/10/2017	80	170.0	415	
TMP-SPM4	7/10/2017	100	166.6	395	
TMP-SPM4	7/10/2017	120	157.3	375	
TMP-SPM4	7/10/2017	140	149.5	355	
TMP-SPM4	7/10/2017	160	141.2	335	
TMP-SPM4	7/10/2017	180	131.3	315	
TMP-SPM4	7/10/2017	200	116.2	295	
TMP-SPM4	7/10/2017	220	98.4	275	
TMP-SPM4	7/10/2017	240	90.8	255	
TMP-SPM4	7/17/2017	20	136.9	475	
TMP-SPM4	7/17/2017	40	160.8	455	
TMP-SPM4	7/17/2017	60	165.7	435	
TMP-SPM4	7/17/2017	80	168.6	415	
TMP-SPM4	7/17/2017	100	165.2	395	
TMP-SPM4	7/17/2017	120	156.0	375	
TMP-SPM4	7/17/2017	140	148.2	355	
TMP-SPM4	7/17/2017	160	139.8	335	
TMP-SPM4	7/17/2017	180	130.2	315	
TMP-SPM4	7/17/2017	200	115.4	295	
TMP-SPM4	7/17/2017	220	97.6	275	
TMP-SPM4	7/17/2017	240	90.1	255	
TMP-SPM4	7/24/2017	20	137.2	475	
TMP-SPM4	7/24/2017	40	161.1	455	
TMP-SPM4	7/24/2017	60	166.1	435	
TMP-SPM4	7/24/2017	80	169.1	415	
TMP-SPM4	7/24/2017	100	165.7	395	
TMP-SPM4	7/24/2017	120	156.4	375	
TMP-SPM4	7/24/2017	140	148.7	355	
TMP-SPM4	7/24/2017	160	140.4	335	
TMP-SPM4	7/24/2017	180	130.8	315	
TMP-SPM4	7/24/2017	200	116.1	295	
TMP-SPM4	7/24/2017	220	98.4	275	
TMP-SPM4	7/24/2017	240	90.8	255	
TMP-SPM4	7/31/2017	20	137.2	475	
TMP-SPM4	7/31/2017	40	161.1	455	
TMP-SPM4	7/31/2017	60	166.1	435	
TMP-SPM4	7/31/2017	80	169.0	415	
TMP-SPM4	7/31/2017	100	165.7	395	
TMP-SPM4	7/31/2017	120	156.3	375	
TMP-SPM4	7/31/2017	140	148.7	355	
TMP-SPM4	7/31/2017	160	140.4	335	
TMP-SPM4	7/31/2017	180	130.8	315	
TMP-SPM4	7/31/2017	200	116.2	295	
TMP-SPM4	7/31/2017	220	98.4	275	
TMP-SPM4	7/31/2017	240	90.9	255	