

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	7/5/2016	20	164.3	479	
TMP-14R	7/5/2016	40	195.5	459	
TMP-14R	7/5/2016	60	199.3	439	
TMP-14R	7/5/2016	80	193.8	419	
TMP-14R	7/5/2016	100	181.9	399	
TMP-14R	7/5/2016	120	177.5	379	
TMP-14R	7/5/2016	140	173.8	359	
TMP-14R	7/11/2016	20	164.3	479	
TMP-14R	7/11/2016	40	195.6	459	
TMP-14R	7/11/2016	60	199.4	439	
TMP-14R	7/11/2016	80	194.0	419	
TMP-14R	7/11/2016	100	181.9	399	
TMP-14R	7/11/2016	120	177.5	379	
TMP-14R	7/11/2016	140	173.5	359	
TMP-14R	7/18/2016	20	162.8	479	
TMP-14R	7/18/2016	40	194.5	459	
TMP-14R	7/18/2016	60	198.4	439	
TMP-14R	7/18/2016	80	193.1	419	
TMP-14R	7/18/2016	100	180.9	399	
TMP-14R	7/18/2016	120	176.5	379	
TMP-14R	7/18/2016	140	172.7	359	
TMP-14R	7/25/2016	20	163.1	479	
TMP-14R	7/25/2016	40	195.4	459	
TMP-14R	7/25/2016	60	199.5	439	
TMP-14R	7/25/2016	80	194.5	419	
TMP-14R	7/25/2016	100	182.1	399	
TMP-14R	7/25/2016	120	177.9	379	
TMP-14R	7/25/2016	140	174.2	359	
TMP-14R	8/1/2016	20	163.6	479	
TMP-14R	8/1/2016	40	195.8	459	
TMP-14R	8/1/2016	60	200.0	439	
TMP-14R	8/1/2016	80	195.2	419	
TMP-14R	8/1/2016	100	182.7	399	
TMP-14R	8/1/2016	120	178.5	379	
TMP-14R	8/1/2016	140	174.9	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	7/5/2016	20	192.8	473	
TMP-19	7/5/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/5/2016	60	236.9	433	
TMP-19	7/5/2016	80	249.0	413	
TMP-19	7/5/2016	120		373	[not reliable - connectivity test 06/12/2015]
TMP-19	7/5/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/11/2016	20	191.5	473	
TMP-19	7/11/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/11/2016	60	236.5	433	
TMP-19	7/11/2016	80	248.5	413	
TMP-19	7/11/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/18/2016	20	189.4	473	
TMP-19	7/18/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/18/2016	60	235.9	433	
TMP-19	7/18/2016	80	247.7	413	
TMP-19	7/18/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/26/2016	20	188.8	473	
TMP-19	7/26/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/26/2016	60	235.2	433	
TMP-19	7/26/2016	80	247.0	413	
TMP-19	7/26/2016	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/1/2016	20	189.6	473	
TMP-19	8/1/2016	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/1/2016	60	236.2	433	
TMP-19	8/1/2016	80	248.0	413	
TMP-19	8/1/2016	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	7/5/2016	20	148.7	478	
TMP-20	7/5/2016	40	220.7	458	
TMP-20	7/5/2016	60	242.8	438	
TMP-20	7/5/2016	80	256.1	418	
TMP-20	7/5/2016	100	267.9	398	
TMP-20	7/5/2016	120	275.9	378	
TMP-20	7/5/2016	140	278.1	358	
TMP-20	7/11/2016	20	147.9	478	
TMP-20	7/11/2016	40	220.1	458	
TMP-20	7/11/2016	60	242.0	438	
TMP-20	7/11/2016	80	255.1	418	
TMP-20	7/11/2016	100	266.0	398	
TMP-20	7/11/2016	120	273.6	378	
TMP-20	7/11/2016	140	276.5	358	
TMP-20	7/18/2016	20	145.9	478	
TMP-20	7/18/2016	40	219.1	458	
TMP-20	7/18/2016	60	241.3	438	
TMP-20	7/18/2016	80	254.5	418	
TMP-20	7/18/2016	100	265.1	398	
TMP-20	7/18/2016	120	272.7	378	
TMP-20	7/18/2016	140	276.1	358	
TMP-20	7/26/2016	20	147.8	478	
TMP-20	7/26/2016	40	220.0	458	
TMP-20	7/26/2016	60	243.5	438	
TMP-20	7/26/2016	80	256.2	418	
TMP-20	7/26/2016	100	267.5	398	
TMP-20	7/26/2016	120	275.7	378	
TMP-20	7/26/2016	140	278.4	358	
TMP-20	8/1/2016	20	146.7	478	
TMP-20	8/1/2016	40	219.1	458	
TMP-20	8/1/2016	60	242.6	438	
TMP-20	8/1/2016	80	255.5	418	
TMP-20	8/1/2016	100	266.7	398	
TMP-20	8/1/2016	120	274.9	378	
TMP-20	8/1/2016	140	277.9	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	7/5/2016	20	146.1	475	
TMP-10-9N	7/5/2016	40	159.2	455	
TMP-10-9N	7/5/2016	60	161.9	435	
TMP-10-9N	7/5/2016	80	160.0	415	
TMP-10-9N	7/5/2016	100	172.5	395	
TMP-10-9N	7/11/2016	20	144.2	475	
TMP-10-9N	7/11/2016	40	158.0	455	
TMP-10-9N	7/11/2016	60	161.1	435	
TMP-10-9N	7/11/2016	80	159.5	415	
TMP-10-9N	7/11/2016	100	171.7	395	
TMP-10-9N	7/18/2016	20	143.5	475	
TMP-10-9N	7/18/2016	40	157.6	455	
TMP-10-9N	7/18/2016	60	161.1	435	
TMP-10-9N	7/18/2016	80	159.6	415	
TMP-10-9N	7/18/2016	100	171.8	395	
TMP-10-9N	7/26/2016	20	144.1	475	
TMP-10-9N	7/26/2016	40	159.1	455	
TMP-10-9N	7/26/2016	60	163.5	435	
TMP-10-9N	7/26/2016	80	161.9	415	
TMP-10-9N	7/26/2016	100	173.6	395	
TMP-10-9N	8/1/2016	20	144.0	475	
TMP-10-9N	8/1/2016	40	159.4	455	
TMP-10-9N	8/1/2016	60	164.6	435	
TMP-10-9N	8/1/2016	80	163.0	415	
TMP-10-9N	8/1/2016	100	174.5	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	7/5/2016	20	150.2	476	
TMP-10-9S	7/5/2016	40	205.7	456	
TMP-10-9S	7/5/2016	60	223.2	436	
TMP-10-9S	7/5/2016	80	228.0	416	
TMP-10-9S	7/5/2016	100	241.5	396	
TMP-10-9S	7/11/2016	20	148.3	476	
TMP-10-9S	7/11/2016	40	204.6	456	
TMP-10-9S	7/11/2016	60	222.0	436	
TMP-10-9S	7/11/2016	80	226.5	416	
TMP-10-9S	7/11/2016	100	240.1	396	
TMP-10-9S	7/18/2016	20	146.8	476	
TMP-10-9S	7/18/2016	40	204.8	456	
TMP-10-9S	7/18/2016	60	221.5	436	
TMP-10-9S	7/18/2016	80	225.8	416	
TMP-10-9S	7/18/2016	100	239.3	396	
TMP-10-9S	7/26/2016	20	146.9	476	
TMP-10-9S	7/26/2016	40	205.1	456	
TMP-10-9S	7/26/2016	60	221.8	436	
TMP-10-9S	7/26/2016	80	225.6	416	
TMP-10-9S	7/26/2016	100	239.1	396	
TMP-10-9S	8/1/2016	20	146.5	476	
TMP-10-9S	8/1/2016	40	204.9	456	
TMP-10-9S	8/1/2016	60	221.9	436	
TMP-10-9S	8/1/2016	80	225.8	416	
TMP-10-9S	8/1/2016	100	239.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	7/5/2016	20	126.7	478	
TMP-10-5N	7/5/2016	40	123.9	458	
TMP-10-5N	7/5/2016	60	121.2	438	
TMP-10-5N	7/5/2016	80	111.2	418	
TMP-10-5N	7/5/2016	100	107.7	398	
TMP-10-5N	7/11/2016	20	125.6	478	
TMP-10-5N	7/11/2016	40	124.4	458	
TMP-10-5N	7/11/2016	60	122.1	438	
TMP-10-5N	7/11/2016	80	112.7	418	
TMP-10-5N	7/11/2016	100	109.3	398	
TMP-10-5N	7/18/2016	20	125.1	478	
TMP-10-5N	7/18/2016	40	126.9	458	
TMP-10-5N	7/18/2016	60	126.0	438	
TMP-10-5N	7/18/2016	80	118.4	418	
TMP-10-5N	7/18/2016	100	116.4	398	
TMP-10-5N	7/26/2016	20	125.7	478	
TMP-10-5N	7/26/2016	40	129.7	458	
TMP-10-5N	7/26/2016	60	129.9	438	
TMP-10-5N	7/26/2016	80	121.9	418	
TMP-10-5N	7/26/2016	100	118.8	398	
TMP-10-5N	8/1/2016	20	125.8	478	
TMP-10-5N	8/1/2016	40	126.7	458	
TMP-10-5N	8/1/2016	60	127.3	438	
TMP-10-5N	8/1/2016	80	117.0	418	
TMP-10-5N	8/1/2016	100	113.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	7/5/2016	20	138.0	477	
TMP-10-5S	7/5/2016	40	175.8	457	
TMP-10-5S	7/5/2016	60	198.1	437	
TMP-10-5S	7/5/2016	80	209.8	417	
TMP-10-5S	7/5/2016	100	222.6	397	
TMP-10-5S	7/11/2016	20	135.5	477	
TMP-10-5S	7/11/2016	40	173.2	457	
TMP-10-5S	7/11/2016	60	196.6	437	
TMP-10-5S	7/11/2016	80	207.9	417	
TMP-10-5S	7/11/2016	100	220.8	397	
TMP-10-5S	7/18/2016	20	135.2	477	
TMP-10-5S	7/18/2016	40	171.5	457	
TMP-10-5S	7/18/2016	60	195.9	437	
TMP-10-5S	7/18/2016	80	206.5	417	
TMP-10-5S	7/18/2016	100	220.0	397	
TMP-10-5S	7/26/2016	20	135.7	477	
TMP-10-5S	7/26/2016	40	170.7	457	
TMP-10-5S	7/26/2016	60	196.8	437	
TMP-10-5S	7/26/2016	80	208.0	417	
TMP-10-5S	7/26/2016	100	220.4	397	
TMP-10-5S	8/1/2016	20	135.0	477	
TMP-10-5S	8/1/2016	40	169.1	457	
TMP-10-5S	8/1/2016	60	196.5	437	
TMP-10-5S	8/1/2016	80	208.2	417	
TMP-10-5S	8/1/2016	100	220.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	7/5/2016	20	119.7	476	
TMP-5-9N	7/5/2016	40	163.2	456	
TMP-5-9N	7/5/2016	60	164.5	436	
TMP-5-9N	7/5/2016	80	257.3	416	
TMP-5-9N	7/5/2016	100	266.3	396	
TMP-5-9N	7/11/2016	20	118.5	476	
TMP-5-9N	7/11/2016	40	162.7	456	
TMP-5-9N	7/11/2016	60	164.1	436	
TMP-5-9N	7/11/2016	80	256.1	416	
TMP-5-9N	7/11/2016	100	265.4	396	
TMP-5-9N	7/18/2016	20	119.8	476	
TMP-5-9N	7/18/2016	40	165.1	456	
TMP-5-9N	7/18/2016	60	166.2	436	
TMP-5-9N	7/18/2016	80	256.2	416	
TMP-5-9N	7/18/2016	100	265.4	396	
TMP-5-9N	7/26/2016	20	120.5	476	
TMP-5-9N	7/26/2016	40	167.1	456	
TMP-5-9N	7/26/2016	60	168.2	436	
TMP-5-9N	7/26/2016	80	255.9	416	
TMP-5-9N	7/26/2016	100	265.2	396	
TMP-5-9N	8/1/2016	20	123.3	476	
TMP-5-9N	8/1/2016	40	170.9	456	
TMP-5-9N	8/1/2016	60	171.3	436	
TMP-5-9N	8/1/2016	80	258.8	416	
TMP-5-9N	8/1/2016	100	268.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	7/5/2016	20	145.5	476	
TMP-5-9S	7/5/2016	40	223.3	456	
TMP-5-9S	7/5/2016	60	231.9	436	
TMP-5-9S	7/5/2016	80	247.4	416	
TMP-5-9S	7/5/2016	100	268.6	396	
TMP-5-9S	7/11/2016	20	144.8	476	
TMP-5-9S	7/11/2016	40	221.5	456	
TMP-5-9S	7/11/2016	60	229.6	436	
TMP-5-9S	7/11/2016	80	250.1	416	
TMP-5-9S	7/11/2016	100	267.2	396	
TMP-5-9S	7/18/2016	20	145.6	476	
TMP-5-9S	7/18/2016	40	218.6	456	
TMP-5-9S	7/18/2016	60	227.0	436	
TMP-5-9S	7/18/2016	80	245.5	416	
TMP-5-9S	7/18/2016	100	267.6	396	
TMP-5-9S	7/26/2016	20	144.5	476	
TMP-5-9S	7/26/2016	40	217.0	456	
TMP-5-9S	7/26/2016	60	236.8	436	
TMP-5-9S	7/26/2016	80	243.5	416	
TMP-5-9S	7/26/2016	100	266.5	396	
TMP-5-9S	8/1/2016	20	145.5	476	
TMP-5-9S	8/1/2016	40	217.7	456	
TMP-5-9S	8/1/2016	60	227.1	436	
TMP-5-9S	8/1/2016	80	245.1	416	
TMP-5-9S	8/1/2016	100	268.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	7/5/2016	20	111.9	475	
TMP-5-5N	7/5/2016	40	115.4	455	
TMP-5-5N	7/5/2016	60	104.7	435	
TMP-5-5N	7/5/2016	80	256.8	415	
TMP-5-5N	7/5/2016	100	258.2	395	
TMP-5-5N	7/11/2016	20	111.8	475	
TMP-5-5N	7/11/2016	40	116.9	455	
TMP-5-5N	7/11/2016	60	106.2	435	
TMP-5-5N	7/11/2016	80	255.5	415	
TMP-5-5N	7/11/2016	100	256.9	395	
TMP-5-5N	7/18/2016	20	114.1	475	
TMP-5-5N	7/18/2016	40	124.5	455	
TMP-5-5N	7/18/2016	60	117.0	435	
TMP-5-5N	7/18/2016	80	255.3	415	
TMP-5-5N	7/18/2016	100	256.8	395	
TMP-5-5N	7/26/2016	20	115.4	475	
TMP-5-5N	7/26/2016	40	124.2	455	
TMP-5-5N	7/26/2016	60	113.3	435	
TMP-5-5N	7/26/2016	80	254.3	415	
TMP-5-5N	7/26/2016	100	255.5	395	
TMP-5-5N	8/1/2016	20	118.5	475	
TMP-5-5N	8/1/2016	40	121.8	455	
TMP-5-5N	8/1/2016	60	110.5	435	
TMP-5-5N	8/1/2016	80	257.4	415	
TMP-5-5N	8/1/2016	100	258.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	7/5/2016	20	142.2	474	
TMP-5-5S	7/5/2016	40	216.4	454	
TMP-5-5S	7/5/2016	60	239.0	434	
TMP-5-5S	7/5/2016	80	257.3	414	
TMP-5-5S	7/5/2016	100	260.0	394	
TMP-5-5S	7/11/2016	20	141.9	474	
TMP-5-5S	7/11/2016	40	215.8	454	
TMP-5-5S	7/11/2016	60	238.2	434	
TMP-5-5S	7/11/2016	80	256.3	414	
TMP-5-5S	7/11/2016	100	258.8	394	
TMP-5-5S	7/18/2016	20	144.1	474	
TMP-5-5S	7/18/2016	40	215.0	454	
TMP-5-5S	7/18/2016	60	238.4	434	
TMP-5-5S	7/18/2016	80	256.8	414	
TMP-5-5S	7/18/2016	100	259.1	394	
TMP-5-5S	7/26/2016	20	143.9	474	
TMP-5-5S	7/26/2016	40	214.7	454	
TMP-5-5S	7/26/2016	60	237.5	434	
TMP-5-5S	7/26/2016	80	256.0	414	
TMP-5-5S	7/26/2016	100	258.1	394	
TMP-5-5S	8/1/2016	20	143.1	474	
TMP-5-5S	8/1/2016	40	213.7	454	
TMP-5-5S	8/1/2016	60	237.1	434	
TMP-5-5S	8/1/2016	80	256.3	414	
TMP-5-5S	8/1/2016	100	259.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	7/5/2016	20	211.0	474	
TMP-31	7/5/2016	40	233.2	454	
TMP-31	7/5/2016	60	247.3	434	
TMP-31	7/5/2016	80	266.6	414	
TMP-31	7/5/2016	100	274.2	394	
TMP-31	7/5/2016	120	280.3	374	
TMP-31	7/5/2016	140	284.4	354	
TMP-31	7/5/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/5/2016	193	163.1	301	
TMP-31	7/11/2016	20	209.7	474	
TMP-31	7/11/2016	40	230.9	454	
TMP-31	7/11/2016	60	245.5	434	
TMP-31	7/11/2016	80	263.6	414	
TMP-31	7/11/2016	100	271.9	394	
TMP-31	7/11/2016	120	278.5	374	
TMP-31	7/11/2016	140	282.6	354	
TMP-31	7/11/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/11/2016	193	161.2	301	
TMP-31	7/18/2016	20	211.8	474	
TMP-31	7/18/2016	40	231.4	454	
TMP-31	7/18/2016	60	246.4	434	
TMP-31	7/18/2016	80	264.8	414	
TMP-31	7/18/2016	100	272.8	394	
TMP-31	7/18/2016	120	279.4	374	
TMP-31	7/18/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/18/2016	193		301	no resistivity reading, unreliable temperature
TMP-31	7/26/2016	20	209.7	474	
TMP-31	7/26/2016	40	229.3	454	
TMP-31	7/26/2016	60	244.1	434	
TMP-31	7/26/2016	80	262.5	414	
TMP-31	7/26/2016	100	270.5	394	
TMP-31	7/26/2016	120	277.6	374	
TMP-31	7/26/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	7/26/2016	193		301	no longer working
TMP-31	8/1/2016	20	211.0	474	
TMP-31	8/1/2016	40	231.5	454	
TMP-31	8/1/2016	60	246.4	434	
TMP-31	8/1/2016	80	266.1	414	
TMP-31	8/1/2016	100	273.9	394	
TMP-31	8/1/2016	120	280.3	374	
TMP-31	8/1/2016	160		334	no resistivity reading, unreliable temperature
TMP-31	8/1/2016	193		301	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	7/5/2016	20	203.4	484	
TMP-32	7/5/2016	40	227.1	464	
TMP-32	7/5/2016	60	244.8	444	
TMP-32	7/5/2016	80	261.0	424	
TMP-32	7/5/2016	100	273.1	404	
TMP-32	7/5/2016	120	279.3	384	
TMP-32	7/5/2016	140	282.5	364	
TMP-32	7/5/2016	160	288.1	344	
TMP-32	7/5/2016	180	288.4	324	
TMP-32	7/5/2016	200	243.9	304	The resistivity has flucuated week to week.
TMP-32	7/11/2016	20	202.4	484	
TMP-32	7/11/2016	40	225.3	464	
TMP-32	7/11/2016	60	243.1	444	
TMP-32	7/11/2016	80	258.6	424	
TMP-32	7/11/2016	100	270.8	404	
TMP-32	7/11/2016	120	276.7	384	
TMP-32	7/11/2016	140	279.2	364	
TMP-32	7/11/2016	160	284.4	344	
TMP-32	7/11/2016	180	285.7	324	
TMP-32	7/11/2016	200	241.7	304	The resistivity has flucuated week to week.
TMP-32	7/18/2016	20	202.6	484	
TMP-32	7/18/2016	40	225.5	464	
TMP-32	7/18/2016	60	237.3	444	
TMP-32	7/18/2016	80	259.1	424	
TMP-32	7/18/2016	100	271.3	404	
TMP-32	7/18/2016	120	277.9	384	
TMP-32	7/18/2016	140	281.7	364	
TMP-32	7/18/2016	160	289.4	344	
TMP-32	7/18/2016	180	289.8	324	
TMP-32	7/18/2016	200	247.3	304	The resistivity has flucuated week to week.
TMP-32	7/26/2016	20	202.1	484	
TMP-32	7/26/2016	40	224.1	464	
TMP-32	7/26/2016	60	241.6	444	
TMP-32	7/26/2016	80	257.5	424	
TMP-32	7/26/2016	100	269.5	404	
TMP-32	7/26/2016	120	275.6	384	
TMP-32	7/26/2016	140	278.3	364	
TMP-32	7/26/2016	160	283.6	344	
TMP-32	7/26/2016	180	285.7	324	
TMP-32	7/26/2016	200	242.9	304	The resistivity has flucuated week to week.
TMP-32	8/1/2016	20	204.6	484	
TMP-32	8/1/2016	40	227.0	464	
TMP-32	8/1/2016	60	241.0	444	
TMP-32	8/1/2016	80	260.9	424	
TMP-32	8/1/2016	100	272.7	404	
TMP-32	8/1/2016	120	279.4	384	
TMP-32	8/1/2016	140	283.0	364	
TMP-32	8/1/2016	160	287.3	344	
TMP-32	8/1/2016	180	288.6	324	
TMP-32	8/1/2016	200	245.8	304	The resistivity has flucuated week to week.