

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	7/24/2017	20	174.4	473	
TMP-19	7/24/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/24/2017	60	232.8	433	
TMP-19	7/24/2017	80	239.3	413	
TMP-19	7/24/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/31/2017	20	173.8	473	
TMP-19	7/31/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/31/2017	60	233.6	433	
TMP-19	7/31/2017	80	240.1	413	
TMP-19	7/31/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/8/2017	20	172.0	473	
TMP-19	8/8/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/8/2017	60	232.1	433	
TMP-19	8/8/2017	80	238.8	413	
TMP-19	8/8/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/14/2017	20	172.4	473	
TMP-19	8/14/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/14/2017	60	232.6	433	
TMP-19	8/14/2017	80	239.1	413	
TMP-19	8/14/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/21/2017	20	169.4	473	
TMP-19	8/21/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/21/2017	60	232.0	433	
TMP-19	8/21/2017	80	238.0	413	
TMP-19	8/21/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	7/24/2017	20	134.7	478	
TMP-20	7/24/2017	40	205.4	458	
TMP-20	7/24/2017	60	236.9	438	
TMP-20	7/24/2017	80	248.5	418	
TMP-20	7/24/2017	100	259.7	398	
TMP-20	7/24/2017	120	269.6	378	
TMP-20	7/24/2017	140	269.2	358	
TMP-20	7/31/2017	20	135.0	478	
TMP-20	7/31/2017	40	204.9	458	
TMP-20	7/31/2017	60	237.5	438	
TMP-20	7/31/2017	80	249.1	418	
TMP-20	7/31/2017	100	260.5	398	
TMP-20	7/31/2017	120	270.4	378	
TMP-20	7/31/2017	140	269.9	358	
TMP-20	8/8/2017	20	133.2	478	
TMP-20	8/8/2017	40	202.8	458	
TMP-20	8/8/2017	60	236.0	438	
TMP-20	8/8/2017	80	247.8	418	
TMP-20	8/8/2017	100	259.4	398	
TMP-20	8/8/2017	120	269.5	378	
TMP-20	8/8/2017	140	268.5	358	
TMP-20	8/14/2017	20	133.8	478	
TMP-20	8/14/2017	40	202.3	458	
TMP-20	8/14/2017	60	235.8	438	
TMP-20	8/14/2017	80	247.4	418	
TMP-20	8/14/2017	100	258.7	398	
TMP-20	8/14/2017	120	268.8	378	
TMP-20	8/14/2017	140	268.1	358	
TMP-20	8/21/2017	20	133.4	478	
TMP-20	8/21/2017	40	202.9	458	
TMP-20	8/21/2017	60	235.4	438	
TMP-20	8/21/2017	80	246.9	418	
TMP-20	8/21/2017	100	258.2	398	
TMP-20	8/21/2017	120	268.1	378	
TMP-20	8/21/2017	140	267.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	7/24/2017	20	128.8	475	
TMP-10-9N	7/24/2017	40	152.0	455	
TMP-10-9N	7/24/2017	60	155.9	435	
TMP-10-9N	7/24/2017	80	157.1	415	
TMP-10-9N	7/24/2017	100	165.8	395	
TMP-10-9N	7/31/2017	20	129.0	475	
TMP-10-9N	7/31/2017	40	152.7	455	
TMP-10-9N	7/31/2017	60	156.8	435	
TMP-10-9N	7/31/2017	80	158.1	415	
TMP-10-9N	7/31/2017	100	166.7	395	
TMP-10-9N	8/8/2017	20	129.1	475	
TMP-10-9N	8/8/2017	40	153.4	455	
TMP-10-9N	8/8/2017	60	157.6	435	
TMP-10-9N	8/8/2017	80	158.9	415	
TMP-10-9N	8/8/2017	100	167.4	395	
TMP-10-9N	8/14/2017	20	128.1	475	
TMP-10-9N	8/14/2017	40	152.2	455	
TMP-10-9N	8/14/2017	60	156.1	435	
TMP-10-9N	8/14/2017	80	157.4	415	
TMP-10-9N	8/14/2017	100	165.9	395	
TMP-10-9N	8/21/2017	20	127.3	475	
TMP-10-9N	8/21/2017	40	151.0	455	
TMP-10-9N	8/21/2017	60	155.3	435	
TMP-10-9N	8/21/2017	80	156.5	415	
TMP-10-9N	8/21/2017	100	165.0	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	7/24/2017	20	131.9	476	
TMP-10-9S	7/24/2017	40	183.7	456	
TMP-10-9S	7/24/2017	60	205.7	436	
TMP-10-9S	7/24/2017	80	209.5	416	
TMP-10-9S	7/24/2017	100	223.5	396	
TMP-10-9S	7/31/2017	20	131.7	476	
TMP-10-9S	7/31/2017	40	183.2	456	
TMP-10-9S	7/31/2017	60	205.2	436	
TMP-10-9S	7/31/2017	80	209.1	416	
TMP-10-9S	7/31/2017	100	223.1	396	
TMP-10-9S	8/8/2017	20	130.3	476	
TMP-10-9S	8/8/2017	40	181.5	456	
TMP-10-9S	8/8/2017	60	203.6	436	
TMP-10-9S	8/8/2017	80	207.6	416	
TMP-10-9S	8/8/2017	100	221.6	396	
TMP-10-9S	8/14/2017	20	131.0	476	
TMP-10-9S	8/14/2017	40	182.1	456	
TMP-10-9S	8/14/2017	60	204.1	436	
TMP-10-9S	8/14/2017	80	208.0	416	
TMP-10-9S	8/14/2017	100	221.8	396	
TMP-10-9S	8/21/2017	20	129.8	476	
TMP-10-9S	8/21/2017	40	183.7	456	
TMP-10-9S	8/21/2017	60	203.9	436	
TMP-10-9S	8/21/2017	80	207.2	416	
TMP-10-9S	8/21/2017	100	221.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	7/24/2017	20	111.6	478	
TMP-10-5N	7/24/2017	40	122.9	458	
TMP-10-5N	7/24/2017	60	120.3	438	
TMP-10-5N	7/24/2017	80	112.7	418	
TMP-10-5N	7/24/2017	100	108.6	398	
TMP-10-5N	7/31/2017	20	112.2	478	
TMP-10-5N	7/31/2017	40	123.2	458	
TMP-10-5N	7/31/2017	60	120.1	438	
TMP-10-5N	7/31/2017	80	111.5	418	
TMP-10-5N	7/31/2017	100	106.4	398	
TMP-10-5N	8/8/2017	20	113.0	478	
TMP-10-5N	8/8/2017	40	122.6	458	
TMP-10-5N	8/8/2017	60	119.2	438	
TMP-10-5N	8/8/2017	80	110.3	418	
TMP-10-5N	8/8/2017	100	105.4	398	
TMP-10-5N	8/14/2017	20	111.6	478	
TMP-10-5N	8/14/2017	40	121.0	458	
TMP-10-5N	8/14/2017	60	117.5	438	
TMP-10-5N	8/14/2017	80	108.6	418	
TMP-10-5N	8/14/2017	100	103.8	398	
TMP-10-5N	8/21/2017	20	110.8	478	
TMP-10-5N	8/21/2017	40	120.2	458	
TMP-10-5N	8/21/2017	60	118.0	438	
TMP-10-5N	8/21/2017	80	110.1	418	
TMP-10-5N	8/21/2017	100	106.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	7/24/2017	20	122.1	477	
TMP-10-5S	7/24/2017	40	164.3	457	
TMP-10-5S	7/24/2017	60	183.1	437	
TMP-10-5S	7/24/2017	80	193.3	417	
TMP-10-5S	7/24/2017	100	206.1	397	
TMP-10-5S	7/31/2017	20	121.7	477	
TMP-10-5S	7/31/2017	40	163.8	457	
TMP-10-5S	7/31/2017	60	182.6	437	
TMP-10-5S	7/31/2017	80	192.8	417	
TMP-10-5S	7/31/2017	100	205.7	397	
TMP-10-5S	8/8/2017	20	121.0	477	
TMP-10-5S	8/8/2017	40	162.9	457	
TMP-10-5S	8/8/2017	60	181.5	437	
TMP-10-5S	8/8/2017	80	191.5	417	
TMP-10-5S	8/8/2017	100	204.4	397	
TMP-10-5S	8/14/2017	20	120.8	477	
TMP-10-5S	8/14/2017	40	163.3	457	
TMP-10-5S	8/14/2017	60	182.0	437	
TMP-10-5S	8/14/2017	80	192.1	417	
TMP-10-5S	8/14/2017	100	205.1	397	
TMP-10-5S	8/21/2017	20	120.7	477	
TMP-10-5S	8/21/2017	40	162.6	457	
TMP-10-5S	8/21/2017	60	181.2	437	
TMP-10-5S	8/21/2017	80	191.2	417	
TMP-10-5S	8/21/2017	100	204.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	7/24/2017	20	115.0	476	
TMP-5-9N	7/24/2017	40	155.0	456	
TMP-5-9N	7/24/2017	60	163.5	436	
TMP-5-9N	7/24/2017	80	254.5	416	
TMP-5-9N	7/24/2017	100	263.4	396	
TMP-5-9N	7/31/2017	20	113.7	476	
TMP-5-9N	7/31/2017	40	154.4	456	
TMP-5-9N	7/31/2017	60	163.4	436	
TMP-5-9N	7/31/2017	80	254.2	416	
TMP-5-9N	7/31/2017	100	262.9	396	
TMP-5-9N	8/8/2017	20	113.4	476	
TMP-5-9N	8/8/2017	40	153.7	456	
TMP-5-9N	8/8/2017	60	162.4	436	
TMP-5-9N	8/8/2017	80	254.0	416	
TMP-5-9N	8/8/2017	100	262.7	396	
TMP-5-9N	8/14/2017	20	113.3	476	
TMP-5-9N	8/14/2017	40	153.6	456	
TMP-5-9N	8/14/2017	60	162.2	436	
TMP-5-9N	8/14/2017	80	254.4	416	
TMP-5-9N	8/14/2017	100	263.1	396	
TMP-5-9N	8/21/2017	20	113.7	476	
TMP-5-9N	8/21/2017	40	154.7	456	
TMP-5-9N	8/21/2017	60	162.4	436	
TMP-5-9N	8/21/2017	80	254.1	416	
TMP-5-9N	8/21/2017	100	263.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	7/24/2017	20	136.1	476	
TMP-5-9S	7/24/2017	40	214.1	456	
TMP-5-9S	7/24/2017	60	236.3	436	
TMP-5-9S	7/24/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/24/2017	100	264.1	396	
TMP-5-9S	7/31/2017	20	135.7	476	
TMP-5-9S	7/31/2017	40	213.9	456	
TMP-5-9S	7/31/2017	60	236.7	436	
TMP-5-9S	7/31/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/31/2017	100	264.1	396	
TMP-5-9S	8/8/2017	20	133.2	476	
TMP-5-9S	8/8/2017	40	212.4	456	
TMP-5-9S	8/8/2017	60	236.5	436	
TMP-5-9S	8/8/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/8/2017	100	263.9	396	
TMP-5-9S	8/14/2017	20	132.6	476	
TMP-5-9S	8/14/2017	40	212.9	456	
TMP-5-9S	8/14/2017	60	236.9	436	
TMP-5-9S	8/14/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/14/2017	100	264.6	396	
TMP-5-9S	8/21/2017	20	135.0	476	
TMP-5-9S	8/21/2017	40	213.6	456	
TMP-5-9S	8/21/2017	60	235.4	436	
TMP-5-9S	8/21/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/21/2017	100	263.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	7/24/2017	20	104.0	475	
TMP-5-5N	7/24/2017	40	113.3	455	
TMP-5-5N	7/24/2017	60	107.0	435	
TMP-5-5N	7/24/2017	80	253.2	415	
TMP-5-5N	7/24/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/31/2017	20	103.0	475	
TMP-5-5N	7/31/2017	40	110.5	455	
TMP-5-5N	7/31/2017	60	104.0	435	
TMP-5-5N	7/31/2017	80	253.1	415	
TMP-5-5N	7/31/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/8/2017	20	101.0	475	
TMP-5-5N	8/8/2017	40	108.8	455	
TMP-5-5N	8/8/2017	60	101.3	435	
TMP-5-5N	8/8/2017	80	252.7	415	
TMP-5-5N	8/8/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/14/2017	20	100.6	475	
TMP-5-5N	8/14/2017	40	108.5	455	
TMP-5-5N	8/14/2017	60	100.8	435	
TMP-5-5N	8/14/2017	80	253.4	415	
TMP-5-5N	8/14/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/21/2017	20	102.3	475	
TMP-5-5N	8/21/2017	40	107.3	455	
TMP-5-5N	8/21/2017	60	101	435	
TMP-5-5N	8/21/2017	80	250.7	415	
TMP-5-5N	8/21/2017	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	7/24/2017	20	134.9	474	
TMP-5-5S	7/24/2017	40	202.9	454	
TMP-5-5S	7/24/2017	60	231.9	434	
TMP-5-5S	7/24/2017	80	253.0	414	
TMP-5-5S	7/24/2017	100	256.3	394	
TMP-5-5S	7/31/2017	20	134.5	474	
TMP-5-5S	7/31/2017	40	202.4	454	
TMP-5-5S	7/31/2017	60	232.1	434	
TMP-5-5S	7/31/2017	80	253.3	414	
TMP-5-5S	7/31/2017	100	256.6	394	
TMP-5-5S	8/8/2017	20	134.4	474	
TMP-5-5S	8/8/2017	40	200.7	454	
TMP-5-5S	8/8/2017	60	231.4	434	
TMP-5-5S	8/8/2017	80	252.8	414	
TMP-5-5S	8/8/2017	100	256.1	394	
TMP-5-5S	8/14/2017	20	134.5	474	
TMP-5-5S	8/14/2017	40	200.7	454	
TMP-5-5S	8/14/2017	60	231.8	434	
TMP-5-5S	8/14/2017	80	253.3	414	
TMP-5-5S	8/14/2017	100	256.5	394	
TMP-5-5S	8/21/2017	20	134.3	474	
TMP-5-5S	8/21/2017	40	202.4	454	
TMP-5-5S	8/21/2017	60	231.1	434	
TMP-5-5S	8/21/2017	80	252.6	414	
TMP-5-5S	8/21/2017	100	255.4	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	7/24/2017	20	202.1	474	
TMP-31	7/24/2017	40	230.7	454	
TMP-31	7/24/2017	60	245.2	434	
TMP-31	7/24/2017	80	260.7	414	
TMP-31	7/24/2017	100	269.9	394	
TMP-31	7/24/2017	120	276.7	374	
TMP-31	7/24/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	7/31/2017	20	201.9	474	
TMP-31	7/31/2017	40	230.9	454	
TMP-31	7/31/2017	60	245.0	434	
TMP-31	7/31/2017	80	260.6	414	
TMP-31	7/31/2017	100	269.9	394	
TMP-31	7/31/2017	120	276.6	374	
TMP-31	7/31/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/8/2017	20	199.7	474	
TMP-31	8/8/2017	40	229.8	454	
TMP-31	8/8/2017	60	243.8	434	
TMP-31	8/8/2017	80	259.6	414	
TMP-31	8/8/2017	100	268.5	394	
TMP-31	8/8/2017	120	275.3	374	
TMP-31	8/8/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/14/2017	20	200.6	474	
TMP-31	8/14/2017	40	230.9	454	
TMP-31	8/14/2017	60	245.0	434	
TMP-31	8/14/2017	80	260.6	414	
TMP-31	8/14/2017	100	269.7	394	
TMP-31	8/14/2017	120	276.5	374	
TMP-31	8/14/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/21/2017	20	203.2	474	
TMP-31	8/21/2017	40	229.5	454	
TMP-31	8/21/2017	60	244.1	434	
TMP-31	8/21/2017	80	259.6	414	
TMP-31	8/21/2017	100	268.7	394	
TMP-31	8/21/2017	120	275.8	374	
TMP-31	8/21/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	7/24/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	60	242.8	444	
TMP-32	7/24/2017	80	256.6	424	
TMP-32	7/24/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/24/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	60	242.5	444	
TMP-32	7/31/2017	80	256.3	424	
TMP-32	7/31/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/31/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	60	241.8	444	
TMP-32	8/8/2017	80	255.7	424	
TMP-32	8/8/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	60	241.6	444	
TMP-32	8/14/2017	80	255.3	424	
TMP-32	8/14/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	60	240.9	444	
TMP-32	8/21/2017	80	254.9	424	
TMP-32	8/21/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	7/24/2017	20	171.8	473	
TMP-SPM1	7/24/2017	40	201.4	453	
TMP-SPM1	7/24/2017	60	198.5	433	
TMP-SPM1	7/24/2017	80	195.0	413	
TMP-SPM1	7/24/2017	100	182.5	393	
TMP-SPM1	7/24/2017	120	170.1	373	
TMP-SPM1	7/24/2017	140	159.7	353	
TMP-SPM1	7/24/2017	160	143.2	333	
TMP-SPM1	7/24/2017	180	128.1	313	
TMP-SPM1	7/24/2017	200	107.2	293	
TMP-SPM1	7/24/2017	220	91.0	273	
TMP-SPM1	7/24/2017	240	87.6	252.5	
TMP-SPM1	7/31/2017	20	171.6	473	
TMP-SPM1	7/31/2017	40	201.3	453	
TMP-SPM1	7/31/2017	60	198.4	433	
TMP-SPM1	7/31/2017	80	194.8	413	
TMP-SPM1	7/31/2017	100	182.3	393	
TMP-SPM1	7/31/2017	120	170.0	373	
TMP-SPM1	7/31/2017	140	159.6	353	
TMP-SPM1	7/31/2017	160	143.1	333	
TMP-SPM1	7/31/2017	180	128.0	313	
TMP-SPM1	7/31/2017	200	107.2	293	
TMP-SPM1	7/31/2017	220	91.1	273	
TMP-SPM1	7/31/2017	240	87.8	253	
TMP-SPM1	8/8/2017	20	171.4	473	
TMP-SPM1	8/8/2017	40	201.3	453	
TMP-SPM1	8/8/2017	60	198.6	433	
TMP-SPM1	8/8/2017	80	194.9	413	
TMP-SPM1	8/8/2017	100	182.3	393	
TMP-SPM1	8/8/2017	120	169.9	373	
TMP-SPM1	8/8/2017	140	159.4	353	
TMP-SPM1	8/8/2017	160	142.8	333	
TMP-SPM1	8/8/2017	180	127.6	313	
TMP-SPM1	8/8/2017	200	106.8	293	
TMP-SPM1	8/8/2017	220	90.6	273	
TMP-SPM1	8/8/2017	240	87.1	253	
TMP-SPM1	8/14/2017	20	171.0	473	
TMP-SPM1	8/14/2017	40	201.2	453	
TMP-SPM1	8/14/2017	60	198.7	433	
TMP-SPM1	8/14/2017	80	194.6	413	
TMP-SPM1	8/14/2017	100	182.1	393	
TMP-SPM1	8/14/2017	120	169.6	373	
TMP-SPM1	8/14/2017	140	159.2	353	
TMP-SPM1	8/14/2017	160	142.6	333	
TMP-SPM1	8/14/2017	180	127.4	313	
TMP-SPM1	8/14/2017	200	106.5	293	
TMP-SPM1	8/14/2017	220	90.2	273	
TMP-SPM1	8/14/2017	240	87.0	253	
TMP-SPM1	8/21/2017	20	170.7	473	
TMP-SPM1	8/21/2017	40	201.1	453	
TMP-SPM1	8/21/2017	60	198.8	433	
TMP-SPM1	8/21/2017	80	194.7	413	
TMP-SPM1	8/21/2017	100	182.1	393	
TMP-SPM1	8/21/2017	120	169.6	373	
TMP-SPM1	8/21/2017	140	159.2	353	
TMP-SPM1	8/21/2017	160	142.6	333	
TMP-SPM1	8/21/2017	180	127.4	313	
TMP-SPM1	8/21/2017	200	106.7	293	
TMP-SPM1	8/21/2017	220	90.4	273	
TMP-SPM1	8/21/2017	240	87.2	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	7/24/2017	20	165.1	475	
TMP-SPM2	7/24/2017	40	199.3	455	
TMP-SPM2	7/24/2017	60	194.9	435	
TMP-SPM2	7/24/2017	80	180.4	415	
TMP-SPM2	7/24/2017	100	187.6	395	
TMP-SPM2	7/24/2017	120	182.5	375	
TMP-SPM2	7/24/2017	140	169.1	355	
TMP-SPM2	7/24/2017	160	150.8	335	
TMP-SPM2	7/24/2017	172	137.7	323	
TMP-SPM2	7/31/2017	20	164.5	475	
TMP-SPM2	7/31/2017	40	198.9	455	
TMP-SPM2	7/31/2017	60	194.7	435	
TMP-SPM2	7/31/2017	80	180.5	415	
TMP-SPM2	7/31/2017	100	188.0	395	
TMP-SPM2	7/31/2017	120	182.7	375	
TMP-SPM2	7/31/2017	140	169.5	355	
TMP-SPM2	7/31/2017	160	151.0	335	
TMP-SPM2	7/31/2017	172	137.9	323	
TMP-SPM2	8/8/2017	20	164.1	475	
TMP-SPM2	8/8/2017	40	198.1	455	
TMP-SPM2	8/8/2017	60	193.9	435	
TMP-SPM2	8/8/2017	80	180.5	415	
TMP-SPM2	8/8/2017	100	188.3	395	
TMP-SPM2	8/8/2017	120	182.9	375	
TMP-SPM2	8/8/2017	140	169.7	355	
TMP-SPM2	8/8/2017	160	151.1	335	
TMP-SPM2	8/8/2017	172	138.0	323	
TMP-SPM2	8/14/2017	20	164.7	475	
TMP-SPM2	8/14/2017	40	197.9	455	
TMP-SPM2	8/14/2017	60	193.2	435	
TMP-SPM2	8/14/2017	80	180.5	415	
TMP-SPM2	8/14/2017	100	188.5	395	
TMP-SPM2	8/14/2017	120	183.0	375	
TMP-SPM2	8/14/2017	140	169.6	355	
TMP-SPM2	8/14/2017	160	150.6	335	
TMP-SPM2	8/14/2017	172	137.1	323	
TMP-SPM2	8/21/2017	20	165.1	475	
TMP-SPM2	8/21/2017	40	198.1	455	
TMP-SPM2	8/21/2017	60	193.5	435	
TMP-SPM2	8/21/2017	80	181.0	415	
TMP-SPM2	8/21/2017	100	189.4	395	
TMP-SPM2	8/21/2017	120	183.8	375	
TMP-SPM2	8/21/2017	140	170.4	355	
TMP-SPM2	8/21/2017	160	151.2	335	
TMP-SPM2	8/21/2017	172	137.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	7/24/2017	20	128.7	478	
TMP-SPM3	7/24/2017	40	137.7	458	
TMP-SPM3	7/24/2017	60	130.4	438	
TMP-SPM3	7/24/2017	80	129.5	418	
TMP-SPM3	7/24/2017	85	129.4	413	
TMP-SPM3	7/31/2017	20	127.6	478	
TMP-SPM3	7/31/2017	40	136.6	458	
TMP-SPM3	7/31/2017	60	129.4	438	
TMP-SPM3	7/31/2017	80	128.6	418	
TMP-SPM3	7/31/2017	85	128.5	413	
TMP-SPM3	8/8/2017	20	128.0	478	
TMP-SPM3	8/8/2017	40	137.3	458	
TMP-SPM3	8/8/2017	60	130.2	438	
TMP-SPM3	8/8/2017	80	129.6	418	
TMP-SPM3	8/8/2017	85	129.6	413	
TMP-SPM3	8/14/2017	20	126.7	478	
TMP-SPM3	8/14/2017	40	136.2	458	
TMP-SPM3	8/14/2017	60	129.1	438	
TMP-SPM3	8/14/2017	80	129.0	418	
TMP-SPM3	8/14/2017	85	128.6	413	
TMP-SPM3	8/21/2017	20	126.8	478	
TMP-SPM3	8/21/2017	40	136.5	458	
TMP-SPM3	8/21/2017	60	129.3	438	
TMP-SPM3	8/21/2017	80	129.1	418	
TMP-SPM3	8/21/2017	85	129.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	7/24/2017	20	137.2	475	
TMP-SPM4	7/24/2017	40	161.1	455	
TMP-SPM4	7/24/2017	60	166.1	435	
TMP-SPM4	7/24/2017	80	169.1	415	
TMP-SPM4	7/24/2017	100	165.7	395	
TMP-SPM4	7/24/2017	120	156.4	375	
TMP-SPM4	7/24/2017	140	148.7	355	
TMP-SPM4	7/24/2017	160	140.4	335	
TMP-SPM4	7/24/2017	180	130.8	315	
TMP-SPM4	7/24/2017	200	116.1	295	
TMP-SPM4	7/24/2017	220	98.4	275	
TMP-SPM4	7/24/2017	240	90.8	255	
TMP-SPM4	7/31/2017	20	137.2	475	
TMP-SPM4	7/31/2017	40	161.1	455	
TMP-SPM4	7/31/2017	60	166.1	435	
TMP-SPM4	7/31/2017	80	169.0	415	
TMP-SPM4	7/31/2017	100	165.7	395	
TMP-SPM4	7/31/2017	120	156.3	375	
TMP-SPM4	7/31/2017	140	148.7	355	
TMP-SPM4	7/31/2017	160	140.4	335	
TMP-SPM4	7/31/2017	180	130.8	315	
TMP-SPM4	7/31/2017	200	116.2	295	
TMP-SPM4	7/31/2017	220	98.4	275	
TMP-SPM4	7/31/2017	240	90.9	255	
TMP-SPM4	8/8/2017	20	136.4	475	
TMP-SPM4	8/8/2017	40	160.1	455	
TMP-SPM4	8/8/2017	60	165.1	435	
TMP-SPM4	8/8/2017	80	168.1	415	
TMP-SPM4	8/8/2017	100	164.7	395	
TMP-SPM4	8/8/2017	120	155.4	375	
TMP-SPM4	8/8/2017	140	147.9	355	
TMP-SPM4	8/8/2017	160	139.5	335	
TMP-SPM4	8/8/2017	180	130.0	315	
TMP-SPM4	8/8/2017	200	115.4	295	
TMP-SPM4	8/8/2017	220	97.7	275	
TMP-SPM4	8/8/2017	240	90.1	255	
TMP-SPM4	8/14/2017	20	136.0	475	
TMP-SPM4	8/14/2017	40	159.7	455	
TMP-SPM4	8/14/2017	60	164.7	435	
TMP-SPM4	8/14/2017	80	167.7	415	
TMP-SPM4	8/14/2017	100	164.4	395	
TMP-SPM4	8/14/2017	120	155.1	375	
TMP-SPM4	8/14/2017	140	147.5	355	
TMP-SPM4	8/14/2017	160	139.3	335	
TMP-SPM4	8/14/2017	180	129.7	315	
TMP-SPM4	8/14/2017	200	115.2	295	
TMP-SPM4	8/14/2017	220	97.5	275	
TMP-SPM4	8/14/2017	240	89.9	255	
TMP-SPM4	8/21/2017	20	135.5	475	
TMP-SPM4	8/21/2017	40	159.2	455	
TMP-SPM4	8/21/2017	60	164.2	435	
TMP-SPM4	8/21/2017	80	167.1	415	
TMP-SPM4	8/21/2017	100	163.7	395	
TMP-SPM4	8/21/2017	120	154.4	375	
TMP-SPM4	8/21/2017	140	147.0	355	
TMP-SPM4	8/21/2017	160	138.8	335	
TMP-SPM4	8/21/2017	180	129.4	315	
TMP-SPM4	8/21/2017	200	115.1	295	
TMP-SPM4	8/21/2017	220	97.6	275	
TMP-SPM4	8/21/2017	240	90.1	255	