

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	8/8/2017	20	172.0	473	
TMP-19	8/8/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/8/2017	60	232.1	433	
TMP-19	8/8/2017	80	238.8	413	
TMP-19	8/8/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/14/2017	20	172.4	473	
TMP-19	8/14/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/14/2017	60	232.6	433	
TMP-19	8/14/2017	80	239.1	413	
TMP-19	8/14/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/21/2017	20	169.4	473	
TMP-19	8/21/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/21/2017	60	232.0	433	
TMP-19	8/21/2017	80	238.0	413	
TMP-19	8/21/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/28/2017	20	170.0	473	
TMP-19	8/28/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/28/2017	60	232.9	433	
TMP-19	8/28/2017	80	239.5	413	
TMP-19	8/28/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/5/2017	20	171.6	473	
TMP-19	9/5/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/5/2017	60	233.4	433	
TMP-19	9/5/2017	80	239.6	413	
TMP-19	9/5/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	8/8/2017	20	133.2	478	
TMP-20	8/8/2017	40	202.8	458	
TMP-20	8/8/2017	60	236.0	438	
TMP-20	8/8/2017	80	247.8	418	
TMP-20	8/8/2017	100	259.4	398	
TMP-20	8/8/2017	120	269.5	378	
TMP-20	8/8/2017	140	268.5	358	
TMP-20	8/14/2017	20	133.8	478	
TMP-20	8/14/2017	40	202.3	458	
TMP-20	8/14/2017	60	235.8	438	
TMP-20	8/14/2017	80	247.4	418	
TMP-20	8/14/2017	100	258.7	398	
TMP-20	8/14/2017	120	268.8	378	
TMP-20	8/14/2017	140	268.1	358	
TMP-20	8/21/2017	20	133.4	478	
TMP-20	8/21/2017	40	202.9	458	
TMP-20	8/21/2017	60	235.4	438	
TMP-20	8/21/2017	80	246.9	418	
TMP-20	8/21/2017	100	258.2	398	
TMP-20	8/21/2017	120	268.1	378	
TMP-20	8/21/2017	140	267.1	358	
TMP-20	8/28/2017	20	132.8	478	
TMP-20	8/28/2017	40	202.6	458	
TMP-20	8/28/2017	60	235.4	438	
TMP-20	8/28/2017	80	247.1	418	
TMP-20	8/28/2017	100	258.7	398	
TMP-20	8/28/2017	120	268.9	378	
TMP-20	8/28/2017	140	268.4	358	
TMP-20	9/5/2017	20	134.2	478	
TMP-20	9/5/2017	40	202.0	458	
TMP-20	9/5/2017	60	236.2	438	
TMP-20	9/5/2017	80	247.7	418	
TMP-20	9/5/2017	100	259.1	398	
TMP-20	9/5/2017	120	269.0	378	
TMP-20	9/5/2017	140	268.0	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	8/8/2017	20	129.1	475	
TMP-10-9N	8/8/2017	40	153.4	455	
TMP-10-9N	8/8/2017	60	157.6	435	
TMP-10-9N	8/8/2017	80	158.9	415	
TMP-10-9N	8/8/2017	100	167.4	395	
TMP-10-9N	8/14/2017	20	128.1	475	
TMP-10-9N	8/14/2017	40	152.2	455	
TMP-10-9N	8/14/2017	60	156.1	435	
TMP-10-9N	8/14/2017	80	157.4	415	
TMP-10-9N	8/14/2017	100	165.9	395	
TMP-10-9N	8/21/2017	20	127.3	475	
TMP-10-9N	8/21/2017	40	151.0	455	
TMP-10-9N	8/21/2017	60	155.3	435	
TMP-10-9N	8/21/2017	80	156.5	415	
TMP-10-9N	8/21/2017	100	165.0	395	
TMP-10-9N	8/28/2017	20	127.9	475	
TMP-10-9N	8/28/2017	40	151.9	455	
TMP-10-9N	8/28/2017	60	157.0	435	
TMP-10-9N	8/28/2017	80	157.9	415	
TMP-10-9N	8/28/2017	100	166.0	395	
TMP-10-9N	9/5/2017	20	128.3	475	
TMP-10-9N	9/5/2017	40	151.1	455	
TMP-10-9N	9/5/2017	60	157.2	435	
TMP-10-9N	9/5/2017	80	157.8	415	
TMP-10-9N	9/5/2017	100	165.8	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	8/8/2017	20	130.3	476	
TMP-10-9S	8/8/2017	40	181.5	456	
TMP-10-9S	8/8/2017	60	203.6	436	
TMP-10-9S	8/8/2017	80	207.6	416	
TMP-10-9S	8/8/2017	100	221.6	396	
TMP-10-9S	8/14/2017	20	131.0	476	
TMP-10-9S	8/14/2017	40	182.1	456	
TMP-10-9S	8/14/2017	60	204.1	436	
TMP-10-9S	8/14/2017	80	208.0	416	
TMP-10-9S	8/14/2017	100	221.8	396	
TMP-10-9S	8/21/2017	20	129.8	476	
TMP-10-9S	8/21/2017	40	183.7	456	
TMP-10-9S	8/21/2017	60	203.9	436	
TMP-10-9S	8/21/2017	80	207.2	416	
TMP-10-9S	8/21/2017	100	221.3	396	
TMP-10-9S	8/28/2017	20	130.9	476	
TMP-10-9S	8/28/2017	40	186.5	456	
TMP-10-9S	8/28/2017	60	205.6	436	
TMP-10-9S	8/28/2017	80	208.2	416	
TMP-10-9S	8/28/2017	100	222.3	396	
TMP-10-9S	9/5/2017	20	129.8	476	
TMP-10-9S	9/5/2017	40	187.0	456	
TMP-10-9S	9/5/2017	60	204.4	436	
TMP-10-9S	9/5/2017	80	206.9	416	
TMP-10-9S	9/5/2017	100	221.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	8/8/2017	20	113.0	478	
TMP-10-5N	8/8/2017	40	122.6	458	
TMP-10-5N	8/8/2017	60	119.2	438	
TMP-10-5N	8/8/2017	80	110.3	418	
TMP-10-5N	8/8/2017	100	105.4	398	
TMP-10-5N	8/14/2017	20	111.6	478	
TMP-10-5N	8/14/2017	40	121.0	458	
TMP-10-5N	8/14/2017	60	117.5	438	
TMP-10-5N	8/14/2017	80	108.6	418	
TMP-10-5N	8/14/2017	100	103.8	398	
TMP-10-5N	8/21/2017	20	110.8	478	
TMP-10-5N	8/21/2017	40	120.2	458	
TMP-10-5N	8/21/2017	60	118.0	438	
TMP-10-5N	8/21/2017	80	110.1	418	
TMP-10-5N	8/21/2017	100	106.2	398	
TMP-10-5N	8/28/2017	20	112.6	478	
TMP-10-5N	8/28/2017	40	119.7	458	
TMP-10-5N	8/28/2017	60	118.3	438	
TMP-10-5N	8/28/2017	80	109.5	418	
TMP-10-5N	8/28/2017	100	104.8	398	
TMP-10-5N	9/5/2017	20	112.8	478	
TMP-10-5N	9/5/2017	40	118.7	458	
TMP-10-5N	9/5/2017	60	118.7	438	
TMP-10-5N	9/5/2017	80	109.4	418	
TMP-10-5N	9/5/2017	100	104.8	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	8/8/2017	20	121.0	477	
TMP-10-5S	8/8/2017	40	162.9	457	
TMP-10-5S	8/8/2017	60	181.5	437	
TMP-10-5S	8/8/2017	80	191.5	417	
TMP-10-5S	8/8/2017	100	204.4	397	
TMP-10-5S	8/14/2017	20	120.8	477	
TMP-10-5S	8/14/2017	40	163.3	457	
TMP-10-5S	8/14/2017	60	182.0	437	
TMP-10-5S	8/14/2017	80	192.1	417	
TMP-10-5S	8/14/2017	100	205.1	397	
TMP-10-5S	8/21/2017	20	120.7	477	
TMP-10-5S	8/21/2017	40	162.6	457	
TMP-10-5S	8/21/2017	60	181.2	437	
TMP-10-5S	8/21/2017	80	191.2	417	
TMP-10-5S	8/21/2017	100	204.2	397	
TMP-10-5S	8/28/2017	20	120.7	477	
TMP-10-5S	8/28/2017	40	162.4	457	
TMP-10-5S	8/28/2017	60	181.9	437	
TMP-10-5S	8/28/2017	80	192.2	417	
TMP-10-5S	8/28/2017	100	205.3	397	
TMP-10-5S	9/5/2017	20	120.6	477	
TMP-10-5S	9/5/2017	40	159.8	457	
TMP-10-5S	9/5/2017	60	180.7	437	
TMP-10-5S	9/5/2017	80	191.1	417	
TMP-10-5S	9/5/2017	100	204.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	8/8/2017	20	113.4	476	
TMP-5-9N	8/8/2017	40	153.7	456	
TMP-5-9N	8/8/2017	60	162.4	436	
TMP-5-9N	8/8/2017	80	254.0	416	
TMP-5-9N	8/8/2017	100	262.7	396	
TMP-5-9N	8/14/2017	20	113.3	476	
TMP-5-9N	8/14/2017	40	153.6	456	
TMP-5-9N	8/14/2017	60	162.2	436	
TMP-5-9N	8/14/2017	80	254.4	416	
TMP-5-9N	8/14/2017	100	263.1	396	
TMP-5-9N	8/21/2017	20	113.7	476	
TMP-5-9N	8/21/2017	40	154.7	456	
TMP-5-9N	8/21/2017	60	162.4	436	
TMP-5-9N	8/21/2017	80	254.1	416	
TMP-5-9N	8/21/2017	100	263.1	396	
TMP-5-9N	8/28/2017	20	113.9	476	
TMP-5-9N	8/28/2017	40	155.6	456	
TMP-5-9N	8/28/2017	60	163.1	436	
TMP-5-9N	8/28/2017	80	254.1	416	
TMP-5-9N	8/28/2017	100	263.2	396	
TMP-5-9N	9/5/2017	20	114.2	476	
TMP-5-9N	9/5/2017	40	156.7	456	
TMP-5-9N	9/5/2017	60	162.5	436	
TMP-5-9N	9/5/2017	80	253.9	416	
TMP-5-9N	9/5/2017	100	262.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	8/8/2017	20	133.2	476	
TMP-5-9S	8/8/2017	40	212.4	456	
TMP-5-9S	8/8/2017	60	236.5	436	
TMP-5-9S	8/8/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/8/2017	100	263.9	396	
TMP-5-9S	8/14/2017	20	132.6	476	
TMP-5-9S	8/14/2017	40	212.9	456	
TMP-5-9S	8/14/2017	60	236.9	436	
TMP-5-9S	8/14/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/14/2017	100	264.6	396	
TMP-5-9S	8/21/2017	20	135.0	476	
TMP-5-9S	8/21/2017	40	213.6	456	
TMP-5-9S	8/21/2017	60	235.4	436	
TMP-5-9S	8/21/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/21/2017	100	263.7	396	
TMP-5-9S	8/28/2017	20	137.6	476	
TMP-5-9S	8/28/2017	40	214.6	456	
TMP-5-9S	8/28/2017	60	236.8	436	
TMP-5-9S	8/28/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/28/2017	100	265.6	396	
TMP-5-9S	9/5/2017	20	138.0	476	
TMP-5-9S	9/5/2017	40	213.7	456	
TMP-5-9S	9/5/2017	60	236.1	436	
TMP-5-9S	9/5/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/5/2017	100	264.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	8/8/2017	20	101.0	475	
TMP-5-5N	8/8/2017	40	108.8	455	
TMP-5-5N	8/8/2017	60	101.3	435	
TMP-5-5N	8/8/2017	80	252.7	415	
TMP-5-5N	8/8/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/14/2017	20	100.6	475	
TMP-5-5N	8/14/2017	40	108.5	455	
TMP-5-5N	8/14/2017	60	100.8	435	
TMP-5-5N	8/14/2017	80	253.4	415	
TMP-5-5N	8/14/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/21/2017	20	102.3	475	
TMP-5-5N	8/21/2017	40	107.3	455	
TMP-5-5N	8/21/2017	60	101	435	
TMP-5-5N	8/21/2017	80	250.7	415	
TMP-5-5N	8/21/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/28/2017	20	105.8	475	
TMP-5-5N	8/28/2017	40	108.1	455	
TMP-5-5N	8/28/2017	60	102.9	435	
TMP-5-5N	8/28/2017	80	253.1	415	
TMP-5-5N	8/28/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/5/2017	20	107.2	475	
TMP-5-5N	9/5/2017	40	107.1	455	
TMP-5-5N	9/5/2017	60	101.9	435	
TMP-5-5N	9/5/2017	80	252.7	415	
TMP-5-5N	9/5/2017	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	8/8/2017	20	134.4	474	
TMP-5-5S	8/8/2017	40	200.7	454	
TMP-5-5S	8/8/2017	60	231.4	434	
TMP-5-5S	8/8/2017	80	252.8	414	
TMP-5-5S	8/8/2017	100	256.1	394	
TMP-5-5S	8/14/2017	20	134.5	474	
TMP-5-5S	8/14/2017	40	200.7	454	
TMP-5-5S	8/14/2017	60	231.8	434	
TMP-5-5S	8/14/2017	80	253.3	414	
TMP-5-5S	8/14/2017	100	256.5	394	
TMP-5-5S	8/21/2017	20	134.3	474	
TMP-5-5S	8/21/2017	40	202.4	454	
TMP-5-5S	8/21/2017	60	231.1	434	
TMP-5-5S	8/21/2017	80	252.6	414	
TMP-5-5S	8/21/2017	100	255.4	394	
TMP-5-5S	8/28/2017	20	135.3	474	
TMP-5-5S	8/28/2017	40	203.5	454	
TMP-5-5S	8/28/2017	60	232.3	434	
TMP-5-5S	8/28/2017	80	254.1	414	
TMP-5-5S	8/28/2017	100	256.7	394	
TMP-5-5S	9/5/2017	20	135.6	474	
TMP-5-5S	9/5/2017	40	204.4	454	
TMP-5-5S	9/5/2017	60	232.1	434	
TMP-5-5S	9/5/2017	80	253.9	414	
TMP-5-5S	9/5/2017	100	256.6	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	8/8/2017	20	199.7	474	
TMP-31	8/8/2017	40	229.8	454	
TMP-31	8/8/2017	60	243.8	434	
TMP-31	8/8/2017	80	259.6	414	
TMP-31	8/8/2017	100	268.5	394	
TMP-31	8/8/2017	120	275.3	374	
TMP-31	8/8/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/14/2017	20	200.6	474	
TMP-31	8/14/2017	40	230.9	454	
TMP-31	8/14/2017	60	245.0	434	
TMP-31	8/14/2017	80	260.6	414	
TMP-31	8/14/2017	100	269.7	394	
TMP-31	8/14/2017	120	276.5	374	
TMP-31	8/14/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/21/2017	20	203.2	474	
TMP-31	8/21/2017	40	229.5	454	
TMP-31	8/21/2017	60	244.1	434	
TMP-31	8/21/2017	80	259.6	414	
TMP-31	8/21/2017	100	268.7	394	
TMP-31	8/21/2017	120	275.8	374	
TMP-31	8/21/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	8/28/2017	20	205.1	474	
TMP-31	8/28/2017	40	229.8	454	
TMP-31	8/28/2017	60	245.0	434	
TMP-31	8/28/2017	80	260.9	414	
TMP-31	8/28/2017	100	270.2	394	
TMP-31	8/28/2017	120	277.3	374	
TMP-31	8/28/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	9/5/2017	20	196.9	474	
TMP-31	9/5/2017	40	228.9	454	
TMP-31	9/5/2017	60	244.5	434	
TMP-31	9/5/2017	80	260.7	414	
TMP-31	9/5/2017	100	270.0	394	
TMP-31	9/5/2017	120	277.2	374	
TMP-31	9/5/2017	140		354	previously no stable reading, current low resistivity, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	8/8/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	60	241.8	444	
TMP-32	8/8/2017	80	255.7	424	
TMP-32	8/8/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/8/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	60	241.6	444	
TMP-32	8/14/2017	80	255.3	424	
TMP-32	8/14/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/14/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	60	240.9	444	
TMP-32	8/21/2017	80	254.9	424	
TMP-32	8/21/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/21/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	60	242.5	444	
TMP-32	8/28/2017	80	255.1	424	
TMP-32	8/28/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/28/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	60	242.3	444	
TMP-32	9/5/2017	80	256.1	424	
TMP-32	9/5/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	8/8/2017	20	171.4	473	
TMP-SPM1	8/8/2017	40	201.3	453	
TMP-SPM1	8/8/2017	60	198.6	433	
TMP-SPM1	8/8/2017	80	194.9	413	
TMP-SPM1	8/8/2017	100	182.3	393	
TMP-SPM1	8/8/2017	120	169.9	373	
TMP-SPM1	8/8/2017	140	159.4	353	
TMP-SPM1	8/8/2017	160	142.8	333	
TMP-SPM1	8/8/2017	180	127.6	313	
TMP-SPM1	8/8/2017	200	106.8	293	
TMP-SPM1	8/8/2017	220	90.6	273	
TMP-SPM1	8/8/2017	240	87.1	253	
TMP-SPM1	8/14/2017	20	171.0	473	
TMP-SPM1	8/14/2017	40	201.2	453	
TMP-SPM1	8/14/2017	60	198.7	433	
TMP-SPM1	8/14/2017	80	194.6	413	
TMP-SPM1	8/14/2017	100	182.1	393	
TMP-SPM1	8/14/2017	120	169.6	373	
TMP-SPM1	8/14/2017	140	159.2	353	
TMP-SPM1	8/14/2017	160	142.6	333	
TMP-SPM1	8/14/2017	180	127.4	313	
TMP-SPM1	8/14/2017	200	106.5	293	
TMP-SPM1	8/14/2017	220	90.2	273	
TMP-SPM1	8/14/2017	240	87.0	253	
TMP-SPM1	8/21/2017	20	170.7	473	
TMP-SPM1	8/21/2017	40	201.1	453	
TMP-SPM1	8/21/2017	60	198.8	433	
TMP-SPM1	8/21/2017	80	194.7	413	
TMP-SPM1	8/21/2017	100	182.1	393	
TMP-SPM1	8/21/2017	120	169.6	373	
TMP-SPM1	8/21/2017	140	159.2	353	
TMP-SPM1	8/21/2017	160	142.6	333	
TMP-SPM1	8/21/2017	180	127.4	313	
TMP-SPM1	8/21/2017	200	106.7	293	
TMP-SPM1	8/21/2017	220	90.4	273	
TMP-SPM1	8/21/2017	240	87.2	253	
TMP-SPM1	8/28/2017	20	170.9	473	
TMP-SPM1	8/28/2017	40	201.4	453	
TMP-SPM1	8/28/2017	60	199.6	433	
TMP-SPM1	8/28/2017	80	195.2	413	
TMP-SPM1	8/28/2017	100	182.7	393	
TMP-SPM1	8/28/2017	120	170.2	373	
TMP-SPM1	8/28/2017	140	159.6	353	
TMP-SPM1	8/28/2017	160	142.9	333	
TMP-SPM1	8/28/2017	180	127.6	313	
TMP-SPM1	8/28/2017	200	106.7	293	
TMP-SPM1	8/28/2017	220	90.3	273	
TMP-SPM1	8/28/2017	240	87.0	253	
TMP-SPM1	9/5/2017	20	169.4	473	
TMP-SPM1	9/5/2017	40	200.8	453	
TMP-SPM1	9/5/2017	60	199.0	433	
TMP-SPM1	9/5/2017	80	194.4	413	
TMP-SPM1	9/5/2017	100	181.8	393	
TMP-SPM1	9/5/2017	120	169.4	373	
TMP-SPM1	9/5/2017	140	158.9	353	
TMP-SPM1	9/5/2017	160	142.2	333	
TMP-SPM1	9/5/2017	180	127.1	313	
TMP-SPM1	9/5/2017	200	106.4	293	
TMP-SPM1	9/5/2017	220	90.1	273	
TMP-SPM1	9/5/2017	240	86.9	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	8/8/2017	20	164.1	475	
TMP-SPM2	8/8/2017	40	198.1	455	
TMP-SPM2	8/8/2017	60	193.9	435	
TMP-SPM2	8/8/2017	80	180.5	415	
TMP-SPM2	8/8/2017	100	188.3	395	
TMP-SPM2	8/8/2017	120	182.9	375	
TMP-SPM2	8/8/2017	140	169.7	355	
TMP-SPM2	8/8/2017	160	151.1	335	
TMP-SPM2	8/8/2017	172	138.0	323	
TMP-SPM2	8/14/2017	20	164.7	475	
TMP-SPM2	8/14/2017	40	197.9	455	
TMP-SPM2	8/14/2017	60	193.2	435	
TMP-SPM2	8/14/2017	80	180.5	415	
TMP-SPM2	8/14/2017	100	188.5	395	
TMP-SPM2	8/14/2017	120	183.0	375	
TMP-SPM2	8/14/2017	140	169.6	355	
TMP-SPM2	8/14/2017	160	150.6	335	
TMP-SPM2	8/14/2017	172	137.1	323	
TMP-SPM2	8/21/2017	20	165.1	475	
TMP-SPM2	8/21/2017	40	198.1	455	
TMP-SPM2	8/21/2017	60	193.5	435	
TMP-SPM2	8/21/2017	80	181.0	415	
TMP-SPM2	8/21/2017	100	189.4	395	
TMP-SPM2	8/21/2017	120	183.8	375	
TMP-SPM2	8/21/2017	140	170.4	355	
TMP-SPM2	8/21/2017	160	151.2	335	
TMP-SPM2	8/21/2017	172	137.7	323	
TMP-SPM2	8/28/2017	20	164.5	475	
TMP-SPM2	8/28/2017	40	197.5	455	
TMP-SPM2	8/28/2017	60	193.1	435	
TMP-SPM2	8/28/2017	80	181.2	415	
TMP-SPM2	8/28/2017	100	190.1	395	
TMP-SPM2	8/28/2017	120	184.5	375	
TMP-SPM2	8/28/2017	140	171.3	355	
TMP-SPM2	8/28/2017	160	152.0	335	
TMP-SPM2	8/28/2017	172	138.7	323	
TMP-SPM2	9/5/2017	20	164.4	475	
TMP-SPM2	9/5/2017	40	197.0	455	
TMP-SPM2	9/5/2017	60	192.6	435	
TMP-SPM2	9/5/2017	80	181.0	415	
TMP-SPM2	9/5/2017	100	190.1	395	
TMP-SPM2	9/5/2017	120	184.0	375	
TMP-SPM2	9/5/2017	140	170.9	355	
TMP-SPM2	9/5/2017	160	151.3	335	
TMP-SPM2	9/5/2017	172	137.6	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	8/8/2017	20	128.0	478	
TMP-SPM3	8/8/2017	40	137.3	458	
TMP-SPM3	8/8/2017	60	130.2	438	
TMP-SPM3	8/8/2017	80	129.6	418	
TMP-SPM3	8/8/2017	85	129.6	413	
TMP-SPM3	8/14/2017	20	126.7	478	
TMP-SPM3	8/14/2017	40	136.2	458	
TMP-SPM3	8/14/2017	60	129.1	438	
TMP-SPM3	8/14/2017	80	129.0	418	
TMP-SPM3	8/14/2017	85	128.6	413	
TMP-SPM3	8/21/2017	20	126.8	478	
TMP-SPM3	8/21/2017	40	136.5	458	
TMP-SPM3	8/21/2017	60	129.3	438	
TMP-SPM3	8/21/2017	80	129.1	418	
TMP-SPM3	8/21/2017	85	129.0	413	
TMP-SPM3	8/28/2017	20	125.6	478	
TMP-SPM3	8/28/2017	40	135.7	458	
TMP-SPM3	8/28/2017	60	129.0	438	
TMP-SPM3	8/28/2017	80	129.1	418	
TMP-SPM3	8/28/2017	85	129.1	413	
TMP-SPM3	9/5/2017	20	126.0	478	
TMP-SPM3	9/5/2017	40	135.5	458	
TMP-SPM3	9/5/2017	60	128.4	438	
TMP-SPM3	9/5/2017	80	128.3	418	
TMP-SPM3	9/5/2017	85	128.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	8/8/2017	20	136.4	475	
TMP-SPM4	8/8/2017	40	160.1	455	
TMP-SPM4	8/8/2017	60	165.1	435	
TMP-SPM4	8/8/2017	80	168.1	415	
TMP-SPM4	8/8/2017	100	164.7	395	
TMP-SPM4	8/8/2017	120	155.4	375	
TMP-SPM4	8/8/2017	140	147.9	355	
TMP-SPM4	8/8/2017	160	139.5	335	
TMP-SPM4	8/8/2017	180	130.0	315	
TMP-SPM4	8/8/2017	200	115.4	295	
TMP-SPM4	8/8/2017	220	97.7	275	
TMP-SPM4	8/8/2017	240	90.1	255	
TMP-SPM4	8/14/2017	20	136.0	475	
TMP-SPM4	8/14/2017	40	159.7	455	
TMP-SPM4	8/14/2017	60	164.7	435	
TMP-SPM4	8/14/2017	80	167.7	415	
TMP-SPM4	8/14/2017	100	164.4	395	
TMP-SPM4	8/14/2017	120	155.1	375	
TMP-SPM4	8/14/2017	140	147.5	355	
TMP-SPM4	8/14/2017	160	139.3	335	
TMP-SPM4	8/14/2017	180	129.7	315	
TMP-SPM4	8/14/2017	200	115.2	295	
TMP-SPM4	8/14/2017	220	97.5	275	
TMP-SPM4	8/14/2017	240	89.9	255	
TMP-SPM4	8/21/2017	20	135.5	475	
TMP-SPM4	8/21/2017	40	159.2	455	
TMP-SPM4	8/21/2017	60	164.2	435	
TMP-SPM4	8/21/2017	80	167.1	415	
TMP-SPM4	8/21/2017	100	163.7	395	
TMP-SPM4	8/21/2017	120	154.4	375	
TMP-SPM4	8/21/2017	140	147.0	355	
TMP-SPM4	8/21/2017	160	138.8	335	
TMP-SPM4	8/21/2017	180	129.4	315	
TMP-SPM4	8/21/2017	200	115.1	295	
TMP-SPM4	8/21/2017	220	97.6	275	
TMP-SPM4	8/21/2017	240	90.1	255	
TMP-SPM4	8/28/2017	20	135.9	475	
TMP-SPM4	8/28/2017	40	159.7	455	
TMP-SPM4	8/28/2017	60	164.8	435	
TMP-SPM4	8/28/2017	80	167.7	415	
TMP-SPM4	8/28/2017	100	164.3	395	
TMP-SPM4	8/28/2017	120	155.0	375	
TMP-SPM4	8/28/2017	140	147.5	355	
TMP-SPM4	8/28/2017	160	139.3	335	
TMP-SPM4	8/28/2017	180	130.0	315	
TMP-SPM4	8/28/2017	200	115.6	295	
TMP-SPM4	8/28/2017	220	98.0	275	
TMP-SPM4	8/28/2017	240	90.4	255	
TMP-SPM4	9/5/2017	20	135.4	475	
TMP-SPM4	9/5/2017	40	159.0	455	
TMP-SPM4	9/5/2017	60	164.0	435	
TMP-SPM4	9/5/2017	80	166.9	415	
TMP-SPM4	9/5/2017	100	163.5	395	
TMP-SPM4	9/5/2017	120	154.1	375	
TMP-SPM4	9/5/2017	140	146.7	355	
TMP-SPM4	9/5/2017	160	138.6	335	
TMP-SPM4	9/5/2017	180	129.3	315	
TMP-SPM4	9/5/2017	200	115.1	295	
TMP-SPM4	9/5/2017	220	97.6	275	
TMP-SPM4	9/5/2017	240	90.0	255	