

Bridgeton Sanitary Landfill  
Daily Air Monitoring Results

| Date/Time      | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc  | Site Name                                   |
|----------------|-----------------|---------|-------------|---------------|---|---|
| 3/2/2015 12:01 | I               | 0.00302 | 0.00        | 2.00          | No landfill odor  | 3715 Pennridge                              |
| 3/2/2015 12:05 | J               | 0.00000 | 0.00        | 2.00          | No landfill odor  | 12755 St Charles Rock Rd (in right-of-way)  |
| 3/2/2015 12:09 | K               | 0.00364 | 0.00        | 2.00          | Very faint exhaust or asphalt odor  | NW Auto Body                                |
| 3/2/2015 13:06 | A               | 0.00360 | 0.00        | 2.00          | No landfill odor  | Metro Paving                                |
| 3/2/2015 13:11 | B               | 0.00358 | 0.00        | 2.00          | No landfill odor  | Jimmy John's                                |
| 3/2/2015 13:17 | C               | 0.00360 | 0.00        | 2.00          | No landfill odor  | AAA Trucking                                |
| 3/2/2015 13:32 |                 | 0.00327 | 0.00        | 2.00          | No landfill odor  | Thomas Patrick & Creve Coeur Mill Road      |
| 3/2/2015 13:37 | N               | 0.00336 | 0.00        | 2.00          | No landfill odor  | Eise Park                                   |
| 3/2/2015 13:50 | F               | 0.00352 | 0.00        | 2.00          | Faint landfill odor (unsure if burnt, but similar to Bridgeton Landfill odor) | Ram's Area                                  |
| 3/2/2015 13:53 |                 | 0.00328 | 0.00        | 2.00          | Mild intermittent burnt landfill odor   | Ram's Way near Ram's Park Practice Facility |
| 3/2/2015 14:08 | M               | 0.00364 | 0.00        | 2.00          | No landfill odor  | Forshaw Parking Lot                         |
| 3/2/2015 14:12 | G               | 0.00358 | 0.00        | 2.00          | Faint to mild intermittent burnt landfill odor                                | Materialogic                                |
| 3/2/2015 14:24 |                 | 0.00422 | 0.00        | 2.00          | No landfill odor  | 12800 Boenker Drive - Parking Lot           |
| 3/2/2015 14:28 | I               | 0.00362 | 0.00        | 2.00          | No landfill odor  | 3715 Pennridge                              |
| 3/2/2015 14:32 | J               | 0.00351 | 0.00        | 2.00          | No landfill odor  | 12755 St Charles Rock Rd (in right-of-way)  |
| 3/2/2015 14:38 | K               | 0.00405 | 0.00        | 2.00          | Very faint intermittent "WD-40 like" odor (from NW Auto)                      | NW Auto Body                                |
| 3/2/2015 14:46 | L               | 0.00361 | 0.00        | 2.00          | No landfill odor  | MDNR Trailer                                |
| 3/3/2015 10:03 | L               | 0.00000 | 0.00        | 2.00          | No Odor   | MDNR Trailer                                |
| 3/3/2015 10:13 | A               | 0.00000 | 0.00        | 2.00          | No Odor   | Metro Paving                                |
| 3/3/2015 10:16 | B               | 0.00000 | 0.00        | 2.00          | No Odor   | Jimmy John's                                |
| 3/3/2015 10:22 | C               | 0.00312 | 0.00        | 2.00          | No Odor   | AAA Trucking                                |
| 3/3/2015 10:27 | K               | 0.00000 | 0.00        | 2.00          | No Odor   | NW Auto Body                                |
| 3/3/2015 10:32 | J               | 0.00326 | 0.00        | 2.00          | No Odor   | 12755 St Charles Rock Rd (in right-of-way)  |
| 3/3/2015 10:36 | I               | 0.00321 | 0.00        | 2.00          | No Odor   | 3715 Pennridge                              |
| 3/3/2015 10:41 |                 | 0.00000 | 0.00        | 2.00          | No Odor   | 12800 Boenker Drive - Parking Lot           |
| 3/3/2015 10:45 | G               | 0.00000 | 0.00        | 2.00          | No Odor   | Materialogic                                |
| 3/3/2015 10:49 | M               | 0.00332 | 0.00        | 2.00          | No Odor   | Forshaw Parking Lot                         |
| 3/3/2015 10:54 | F               | 0.00381 | 0.00        | 2.00          | No Odor   | Ram's Area                                  |
| 3/3/2015 11:04 | N               | 0.00000 | 0.00        | 2.00          | No Odor   | Eise Park                                   |
| 3/3/2015 11:09 |                 | 0.00000 | 0.00        | 2.00          | No Odor   | Thomas Patrick & CCM Rd.                    |
| 3/3/2015 11:21 | A               | 0.00450 | 0.00        | 2.00          | No Odor   | Metro Paving                                |
| 3/3/2015 11:30 | B               | 0.00453 | 0.00        | 2.00          | No Odor   | Jimmy John's                                |
| 3/3/2015 11:35 | C               | 0.00423 | 0.00        | 2.00          | No Odor   | AAA Trucking                                |

Bridgeton Sanitary Landfill  
Daily Air Monitoring Results

| Date/Time      | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc       | Site Name                                  |
|----------------|-----------------|---------|-------------|---------------|------------------------------|--|
| 3/3/2015 11:39 | K               | 0.00380 | 0.00        | 2.00          | No Odor                      | NW Auto Body                               |
| 3/3/2015 11:45 | L               | 0.00331 | 0.00        | 2.00          | No Odor                      | MDNR Trailer                               |
| 3/3/2015 11:49 | J               | 0.00426 | 0.00        | 2.00          | No Odor                      | 12755 St Charles Rock Rd (in right-of-way) |
| 3/3/2015 11:55 | I               | 0.00000 | 0.00        | 2.00          | No Odor                      | 3715 Penridge                              |
| 3/3/2015 12:00 |                 | 0.00429 | 0.00        | 2.00          | No Odor                      | 12800 Boenker Drive - Parking Lot          |
| 3/3/2015 12:05 | G               | 0.00000 | 0.00        | 2.00          | No Odor                      | Materialogic                               |
| 3/3/2015 12:09 | M               | 0.00000 | 0.00        | 2.00          | No Odor                      | Forshaw Parking Lot                        |
| 3/3/2015 12:14 | F               | 0.00000 | 0.00        | 2.00          | No Odor                      | Ram's Area                                 |
| 3/3/2015 12:26 | N               | 0.00000 | 0.00        | 2.00          | No Odor                      | Eise Park                                  |
| 3/3/2015 12:31 |                 | 0.00000 | 0.00        | 2.00          | No Odor                      | Thomas Patrick & CCM Rd.                   |
| 3/4/2015 9:37  | L               | 0.00000 | 0.00        | 2.00          | No Odor                      | MDNR Trailer                               |
| 3/4/2015 9:44  | A               | 0.00000 | 0.00        | 2.00          | No Odor                      | Metro Paving                               |
| 3/4/2015 9:47  | B               | 0.00000 | 0.00        | 2.00          | Slight Transfer Station Odor | Jimmy John's                               |
| 3/4/2015 9:50  | C               | 0.00000 | 0.00        | 2.00          | No Odor                      | AAA Trucking                               |
| 3/4/2015 9:54  | K               | 0.00000 | 0.00        | 2.00          | No Odor                      | NW Auto Body                               |
| 3/4/2015 9:56  | J               | 0.00318 | 0.00        | 2.00          | No Odor                      | 12755 St Charles Rock Rd (in right-of-way) |
| 3/4/2015 10:00 | I               | 0.00300 | 0.00        | 2.00          | No Odor                      | 3715 Penridge                              |
| 3/4/2015 10:08 |                 | 0.00000 | 0.00        | 2.00          | Slight Landfill Odor         | 12800 Boenker Drive - Parking Lot          |
| 3/4/2015 10:10 | G               | 0.00000 | 0.00        | 2.00          | Slight Landfill Odor         | Materialogic                               |
| 3/4/2015 10:13 | M               | 0.00326 | 0.00        | 2.00          | No Odor                      | Forshaw Parking Lot                        |
| 3/4/2015 10:17 | F               | 0.00000 | 0.00        | 2.00          | No Odor                      | Ram's Area                                 |
| 3/4/2015 10:27 | N               | 0.00000 | 0.00        | 2.00          | No Odor                      | Eise Park                                  |
| 3/4/2015 10:27 | I               | 0.00000 | 0.00        | 2.00          | No Odor                      | 3715 Penridge                              |
| 3/4/2015 10:27 |                 | 0.00309 | 0.00        | 4.00          | Mild Landfill Odor           | 12800 Boenker Drive - Parking Lot          |
| 3/4/2015 10:27 | M               | 0.00323 | 0.00        | 2.00          | No Odor                      | Forshaw Parking Lot                        |
| 3/4/2015 10:27 | G               | 0.00000 | 0.00        | 2.00          | Slight Landfill Odor         | Materialogic                               |
| 3/4/2015 10:27 | F               | 0.00000 | 0.00        | 2.00          | No Odor                      | Ram's Area                                 |
| 3/4/2015 10:27 | C               | 0.00000 | 0.00        | 2.00          | No Odor                      | AAA Trucking                               |
| 3/4/2015 10:27 | J               | 0.00000 | 0.00        | 2.00          | No Odor                      | 12755 St Charles Rock Rd (in right-of-way) |
| 3/4/2015 10:27 | A               | 0.00308 | 0.00        | 2.00          | No Odor                      | Metro Paving                               |
| 3/4/2015 10:27 |                 | 0.00000 | 0.00        | 2.00          | No Odor                      | Thomas Patrick & CCM Rd.                   |
| 3/4/2015 10:27 | B               | 0.00000 | 0.00        | 2.00          | No Odor                      | Jimmy John's                               |
| 3/4/2015 10:27 | N               | 0.00335 | 0.00        | 2.00          | No Odor                      | Eise Park                                  |
| 3/4/2015 10:27 | L               | 0.00333 | 0.00        | 2.00          | No Odor                      | MDNR Trailer                               |
| 3/4/2015 10:27 | K               | 0.00313 | 0.00        | 2.00          | No Odor                      | NW Auto Body                               |
| 3/4/2015 10:31 |                 | 0.00000 | 0.00        | 2.00          | No Odor                      | Thomas Patrick & CCM Rd.                   |

Bridgeton Sanitary Landfill  
Daily Air Monitoring Results

| Date/Time      | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc                  | Site Name                                  |
|----------------|-----------------|---------|-------------|---------------|---|--|
| 3/5/2015 10:45 | C               | 0.00000 | 0.00        | 2.00          | No Odor                                 | AAA Trucking                               |
| 3/5/2015 10:55 | A               | 0.00000 | 0.00        | 2.00          | No Odor                                 | Metro Paving                               |
| 3/5/2015 11:05 |                 | 0.00000 | 0.00        | 2.00          | Slight-mild odor                        | 12800 Boenker Drive - Parking Lot          |
| 3/5/2015 11:13 | G               | 0.00316 | 0.00        | 2.00          | Slight-mild odor                        | Materialogic                               |
| 3/5/2015 11:18 | M               | 0.00000 | 0.00        | 2.00          | No Odor                                 | Forshaw Parking Lot                        |
| 3/5/2015 11:22 | F               | 0.00394 | 0.00        | 2.00          | No Odor                                 | Ram's Area                                 |
| 3/5/2015 11:28 |                 | 0.00305 | 0.00        | 2.00          | Intermittent mild leachate odor (Champ) | Thomas Patrick & CCM Rd.                   |
| 3/5/2015 11:33 | N               | 0.00318 | 0.00        | 2.00          | No Odor                                 | Eise Park                                  |
| 3/5/2015 11:40 | I               | 0.00335 | 0.00        | 2.00          | No Odor                                 | 3715 Pennridge                             |
| 3/5/2015 11:43 | J               | 0.00355 | 0.00        | 2.00          | No Odor                                 | 12755 St Charles Rock Rd (in right-of-way) |
| 3/5/2015 11:46 | L               | 0.00329 | 0.00        | 2.00          | No Odor                                 | MDNR Trailer                               |
| 3/5/2015 11:49 | K               | 0.00359 | 0.00        | 2.00          | No Odor                                 | NW Auto Body                               |
| 3/5/2015 11:53 | B               | 0.00332 | 0.00        | 2.00          | No Odor                                 | Jimmy John's                               |